

QUICKSILVER
Marine Parts & Accessories

2022

Accessories Guide



**EUROPE, MIDDLE EAST
and AFRICA EDITION**



TABLE OF CONTENTS

Introduction	c
Engine Accessories	1
Engine Maintenance	233
Oils Lubricants Engine Care	259
Quick Reference Guide	305
Controls and Rigging	357
Propellers	673
Inflatable Boats	903
Boating Accessories	917
Part Number to Page Number Reference	933
OE to Quicksilver Cross Reference	1035
Part Description Index	1037

HOW TO USE YOUR PARTS AND ACCESSORIES GUIDE

Part and Packaging Information

Packaging and Unit Pricing

There are three different units of packaging for parts and accessories, they are:

1. Individually — Items that do not indicate any package quantity are priced and sold individually.
2. Priced individually, sold in specified quantity — When part numbers show the "@" sign, order the quantity you require. Orders will be rounded up to the next quantity.
3. Priced and packaged in quantities of a specified number — The items are sold in a specified case or package quantity. The quantities ordered should reflect the number of cases or packages you would like to purchase.

Part Classification

Part classification codes help to quickly identify a parts category. The following parts classification chart identify the part category use.

Part Classification Codes		
5 — Sterndrives	39 — Piston rings	90 — Printed and advertising material
6 — Transom/gimbal housing	40 — Lock rings (piston pin)	91 — Tools and equipment
10 — Screws and bolts	41 — Piston pins	92 — Paint and lubricants
11 — Nuts	42 — Muffler	93 — Miscellaneous parts
12 — Washers (plain)	43 — Gears	97 — Anodes
13 — Washers (lock and wave)	44 — Propeller shafts	98 — Kits
14 — Washers (tab)	45 — Drive shafts	100 — Cowls and starter housings
15 — Shims	46 — Water pump cartridges	200 — Flywheels
16 — Studs	47 — Impellers	300 — Ignition components
17 — Pins and rivets	48 — Propellers	400 — Crankshafts
18 — Cotter pins	50 — Starters	500 — Center main bearings
19 — Welch plugs	51 — Cylinder liner	600 — Connecting rods
20 — Valves (shut-off)	52 — Clutches	700 — Pistons
21 — Check valves	53 — Rings (snap, "E", retaining)	800 — Cylinder blocks
22 — Fittings	54 — Clips and clamps	900 — Crankcases
23 — Bushings and spacers	55 — Shock absorbers	1000 — Cylinder block covers
24 — Springs	57 — V-belts	1100 — End caps and bearing housings
25 — O-rings and grommets	61 — Powerheads	1200 — Fuel tanks
26 — Seals	62 — Inflatable boat parts	1300 — Carburetors and components
27 — Gaskets	64 — Throttle, shift and steering	1400 — Clamps and swivel brackets
28 — Keys	67 — Boating accessories	1500 — Driveshaft housings
29 — Needle bearings	68 — Inflatable boat parts	1600 — Gear housings
30 — Ball bearings	79 — Instrument gauges	2100 — Cowls and starter housings
31 — Roller bearings	82 — Potentiometer	2400 — Cam shaft and crankshaft
32 — Lines (fuel, air, water)	83 — Varistors and rectifiers	2700 — Pistons
33 — Spark plugs	84 — Wiring harness and electrical cables	2800 — Cylinder blocks
34 — Reeds and reed stops	85 — Insulators	3300 — Carburetors and components
35 — Filters and strainers	86 — Connectors, terminals, terminal blocks	3400 — Clamp and swivel braces
36 — Filter caps	87 — Switches	3500 — Driveshaft housing
37 — Decals	88 — Fuses and light bulbs	3600 — Transmission
38 — Serial and name plates	89 — Solenoids	4000 — Cowls

Parts and Accessories Ordering Information

Brunswick Marine in EMEA recommends using Extranet for all product ordering, order status and Dealer account information. For all of your concerns on P&A ordering questions, please call your Customer Service representative.

Mercury Precision, SmartCraft and Quicksilver Parts and Accessories Limited Warranty

What is Covered

Brunswick Marine in EMEA warrants each new or factory rebuilt Mercury Precision, SmartCraft, Quicksilver parts and accessories, and Mercury Racing Propellers sold by a Mercury authorized dealer or distributor, to be free from defects in material and workmanship during the period described following.

Duration of Coverage

This limited warranty provides coverage for one year from either the date on which the product is first sold to a retail customer by a Mercury authorized dealer or distributor, or the date on which the product is first put into service, whichever occurs first.

Parts and accessories installed on Mercury Racing products that have product warranty duration of less than one year, carries a limited warranty coverage for a period of time equal to, and not greater than, the duration of the limited warranty originally provided with the parent product. The repair or replacement of parts, or the performance of service under this warranty, does not extend the life of this warranty beyond its original expiration date. Unexpired warranty coverage can be transferred to a subsequent purchaser upon proper re-registration of the product.

Conditions That Must be Met in Order to Obtain Warranty Coverage

Warranty coverage is available only to retail customers that purchase from a dealer authorized by Brunswick Marine in EMEA to distribute the product in the country in which the sale occurred. Routine maintenance outlined in the Operation and Maintenance Manual must be timely performed in order to maintain warranty coverage. Brunswick Marine in EMEA reserves the right to make warranty coverage contingent upon proof of proper maintenance.

What Mercury Will Do

Mercury's sole and exclusive obligation under this warranty is limited to, at our option, repairing a defective part, replacing such part or parts with new or refunding the purchase price of the Mercury product. Mercury reserves the right to improve or modify products from time to time without assuming an obligation to modify products previously manufactured.

How to Obtain Warranty Coverage

The customer must provide Mercury with a reasonable opportunity to repair, and reasonable access to the product for warranty service. Warranty claims shall be made by delivering the product for inspection to a Mercury dealer authorized to service the product. If the purchaser cannot deliver the product to an authorized dealer, written notice must be given to Brunswick Marine in EMEA. We will then arrange for the inspection and any covered repair. The purchaser shall pay for all related transportation charges and travel time. If the service provided is not covered by this warranty, the purchaser shall pay for all related labor, material, and any other expenses associated with that service. The purchaser shall not, unless requested by Mercury, ship the product or parts of the product directly to Brunswick Marine in EMEA. The original purchase receipt establishes the warranty period and must be presented to the dealer at the time warranty service is requested in order to obtain coverage.

What is Not Covered

This limited warranty does not cover routine maintenance items, tune ups, adjustments, normal wear, damage caused by abuse, abnormal use, double lab finished propellers, use of a propeller or gear ratio that does not allow the engine to run in its recommended wide open throttle RPM range (refer to the Operation and Maintenance Manual), operation of the product in a manner inconsistent with the recommended operation/duty cycle section of the Operation and Maintenance Manual, exceeding the horsepower limitations for the product as listed on the Mercury Racing propeller or in the Quicksilver Precision/Mercury Racing Accessory Guide, neglect, accident, submersion, improper installation (proper installation specifications are explained in the installation instructions for the product), improper service, use of an accessory or part not manufactured or sold by Brunswick Marine in EMEA, jet pump impellers and liners, operation with fuels, oils or lubricants which are not suitable for use with the product (refer to the Operation and Maintenance Manual), alteration or removal of parts, water entering the engine through the fuel intake, air intake or exhaust system, or damage to the product from insufficient cooling water caused by blockage of the cooling system by a foreign body, running the engine out of water, mounting the engine too high on the transom, or running the boat with the engine trimmed out too far. Use of the product for racing or other competitive activity, or operating with a racing type lower unit, at any point, even by a prior owner of the product voids the warranty.

Mercury Precision, SmartCraft and Quicksilver Parts and Accessories that are used for any purpose for which they are not intended (outside anticipated marine applications) are excluded from coverage under this warranty statement. Expenses related to haul-out, launch, towing, storage, telephone, rental, inconvenience, slip fees, insurance coverage, loan payments, loss of time, loss of income, or any other type of incidental or consequential damages are not covered by this warranty. Also, expenses associated with the removal and/or replacement of boat partitions or material caused by boat design for access to the product are not covered by this warranty.

No individual or entity, including Brunswick Marine in EMEA authorized dealers, has been given authority by Brunswick Marine in EMEA to make any affirmation, representation or warranty regarding the product, other than those contained in this limited warranty, and if made, shall not be enforceable against Brunswick Marine in EMEA. For additional information regarding events and circumstances covered by this warranty, and those that are not, see the Warranty Coverage section of the Operation and Maintenance Manual, incorporated by reference into this warranty.

Disclaimers and Limitations

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED. TO THE EXTENT THAT THEY CANNOT BE DISCLAIMED, THE IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE LIFE OF THE EXPRESS WARRANTY. INCIDENTAL AND CONSEQUENTIAL DAMAGES ARE EXCLUDED FROM COVERAGE UNDER THIS WARRANTY. SOME COUNTRIES DO NOT ALLOW FOR THE DISCLAIMERS, LIMITATIONS AND EXCLUSIONS IDENTIFIED ABOVE, AS A RESULT, THEY MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FROM COUNTRY TO COUNTRY.

ExtraNET

ExtraNET is Brunswick Marines exclusive on-line system that will provide you access to the tools that will make your business efficient and profitable. Our electronic systems are intended to meet the needs of your business, large or small. The system allows you to perform functions faster and more accurately, enter orders, access product and warranty information more efficiently and much more. ExtraNET customers enjoy extra benefits, such as:

- Create orders for parts & accessories, certain finished products like outboards, inflatable boats, etc.
- Browse product configurator
- Check part and product availability
- View product history by serial number
- View order status and print invoices, statements and age analysis
- File product registration and consult pipeline
- File warranty claims
- Parts and products ordering 7 days a week
- File product protection plans

All ExtraNET systems are subject to change, as we continue to improve our products based on customer input.

New Electronic Parts Catalog

The New Electronic Parts Catalog (EPC) containing the Mercury Parts Catalogs and Service Bulletins is available for ExtraNET customers on a USB memory stick (P/N 8M0118036) for offline usage and via a link on the ExtraNET for online usage.

Features of the Electronic Parts Catalog include:

- Improved look and feel with easier navigation
- Enhanced search functionality • Key word search • Part number search • Document search • Multiple searches open at the same time
- Mobile-friendly interfaces for portable devices, with real-time updates – no need to worry about running updates in the online version!
- Convenient "hot spots" to find part numbers on schematics faster
- Multi-language translation
- Track your activity and to-do projects with personal notes
- Daily pricing update for the online version and weekly pricing update for the offline version

Recommended System Requirements Electronic Parts Catalog

- Microsoft Windows 7 or Newer Operating System
- 550 MHz or faster processor
- 512 MB RAM or greater
- 12 GB of free hard disk space (if installing the EPC on a hard drive)
- USB Drive
- High Speed Internet access
- Internet Explorer 10.0 or greater
- Color monitor (resolution 1024 x 768 pixels)
- Local Printer

Extranet Customer Service Contact Information

Please contact your customer representative or your Mercury/Mariner distributor representative.

TABLE OF CONTENTS

Outboard	5	Fuel Tanks - Portable - Super (Non-US Compliant)	70
Accent Panels	111	Gear Housing Replacement Skegs	91
Air Filters	92	Harness Assembly	24
Anode Application Charts	103	Heavy Abrasion Water Pump Kit	19
Anodes - Mariner Cyl. Block & Exh. Tube	102	High Altitude Gear Sets & Gearcases (4 cylinder)	65
Anodes - Mercury Thruster	102	High Altitude Gear Sets & Gearcases (V-6)	64
Anodes - Outboard Kits	96	High Energy Alternator Kits	19
Anodes - Prop Nut/Spool	102	High Speed Water Pickup Inserts	70
Anodes - Side Mounted/Pocket	101	Kicker Strap Kit	96
Anodes - Transom Bracket/Power Trim	100	Lifting Devices - Outboard	95
Anodes - Trim Tab/Plate	98	Lighting Coil Kits	20
Automatic Outboard Flushing System	68	Lighting Coil Kits Chart - Mercury/Mariner	21
Battery Cable Kit	34	Lighting Regulators	20
Battery Charging Kit	23	Mercathode	95
Battery Charging Kits Chart - Mercury/ Mariner	24	Mercury, Mariner 3-Cylinder (70, 75, 80, 90 HP)	112
Blow Start Siphon	77	Mercury, Mariner V-6	112
Carburetor Anti-Icing Kits	87	Mercury 150 Hp 4-Stroke Outboard Gearcases	114
Co-Pilot Kit	51	Mercury 40-60 Hp 4-Stroke Outboard Bigfoot Gearcases	113
Cowl Mounted Button	38	Mercury 75, 90 & 115 Hp 4-Stroke Outboard Gearcases	113
Deck Oil Fill Kit	89	Mercury Mariner 4-Cylinder (100, 115, 125 HP)	112
Driveshaft Extension Chart	57	Neutral Interlock	39
Driveshaft Housing Extension Kits - "NEW" V6 (3.4L) & V8 (4.6L)	56	Oil Filters - FourStroke Outboard	92
Driveshaft Housing Spacer Kits - "NEW" V6 (3.4L) & V8 (4.6L)	55	Outboard Mounting Hardware	61
Electric Start Kit	36	Outboard Mounting Hardware Chart	64
Electric Start Kits Chart - Mercury/Mariner	39	Outboard Rigging Hose Kit	52
Extension Kit - 2 1/2 Inch (64mm)	55	Power Trim Chart - Mercury/Mariner 2- Cycle	31
Extension Kit - 5 Inch (127mm)	54	Power Trim Chart - Mercury/Mariner FourStroke	29
Flushing Attachments	65	Power Trim Kit	27
Front Low Water Pick-up Plug Kit	91	Power Trim Switch Kit	28
Fuel Filters	78	Remote Control Engine Harness	38
Fuel Line Fittings and Components	74	Remote Fuel Tank Adapter Kits	84
Fuel Lines and Primer Bulbs - (Non-US Compliant)	72	Remote Mounted Power Trim Accessories	29
Fuel System Accessories	74	Remote Oil Tank Conversion Kits	88
Fuel Tanks - Portable - Premium (Non-US Compliant)	71	Remote Oil Tanks and Components	88
Fuel Tanks - Portable - Standard (Non-US Compliant)	71		

TABLE OF CONTENTS - ENGINE ACCESSORIES

Rigging Hoses Chart - Mercury/Mariner . . .	53	Anodes - Driveshaft Housing	182
Shallow Water Drive Kit	53	Anodes - Gear Housing
Shift Attaching Kit	44	Anodes - Propeller
Sideshift Conversion Kit	53	Anodes - Transom
Spark Plug Application Chart - 2-Cycle	. . .	12	Anodes - Trim Cylinder
Spark Plug Application Chart - Early Mariner	17	Bearing Kit
Spark Plug Application Chart - FourStroke	. . .	10	Boost Pump Kit
Spark Plugs - Standard	5	Borg Warner / Velvet Drive Direct-Across	. . .
Spark Plugs - Suppressor (Resistor)	7	Carburetor Wedge Kit
Steering Bracket without Carrying Handle	. . .	52	Check Valve Kit
Thermostat Kit	84	Closed Cooling Kit Chart (Dry Joint Exhaust)
Thermostats Chart - Mercury/Mariner	. . .	86	Closed Cooling Kit Chart - MCM (Pre-Dry Joint Exh)
Tiller Handle - Big Tiller Steering	45	Closed Cooling Kit Chart - MIE (Pre-Dry Joint Exh)
Tiller Handle Bracket	51	Closed Cooling Kit Chart - Ski (Pre-Dry Joint Exh)
Tiller Handle Harness Button	37	Closed Cooling Kits
Tiller Handle Kits Chart - Mercury/Mariner	. . .	46	Cool Fuel Relocation Kits
Tiller Handle Kit - Traditional Style	41	Custom Engine Covers
Trailer Clip	34	Diagnostic Tools for Multiple Cylinder Applications
Trailer Clips Chart - Mercury/Mariner/Force	34	Driveshaft Extension (Jackshaft) Kit Chart	168
Trailer Tilt Support Brackets	33	Driveshaft Extension (Jackshaft) Kits
Transom Mounted Ignition Keyswitch	38	Driveshaft Housings - Basic
Trim Limit Kits	33	Driveshaft Housings - Complete
Verado 135-200 L4 Outboard Gearcases	. . .	114	Dual Station Senders
Verado 200-275 L6 Outboard Gearcases	. . .	114	Engine Circulating Pump Drain Kit
Verado 300 L6 Outboard Gearcases	114	Engine Flush Connector Kit
Vertical Manual Starter Rope Guide	87	Engine Flush Kit
Voltage Regulator/Rectifier Kit	20	Exhaust Block-Off Plate
Voltage Regulator Kit	19	Exhaust Elbow/Riser Kits (8.1L & 8.2L, non-EC, 2001 & newer)
Water Eliminator	77	Exhaust Elbow Riser Kits (8.1L) Emissions Control
Water Separating Fuel Filter - Quicksilver	. . .	80	Exhaust Elbow Riser Kits (8.2L) Emissions Control
MerCruiser	116	Exhaust In-Line Shutter Kit
Air Intake Silencer Kit	126	Exhaust Manifold Fittings
Air Intake Tube Kit	126	Exhaust Outlet Flapper Kits
Anode Chart - MerCruiser	187	Exhaust Pipe Kits
Anode Chart - Propeller Nut	183	Exhaust Riser Chart - Gas, Emissions Control Engines
Anode Charts - Accessories and Inboard	. . .	189		
Anode - Engine	186		
Anode - Heat Exchanger	186		
Anode Kits	181		

Exhaust Riser Chart - Gasoline Engine (Non-EC engines)	140	Sterndrives - Bravo Three	192
Exhaust Riser Kits (Gas, Dry Joint, Small Block, non-EC, 2002 & newer)	134	Sterndrives - Bravo Three (Classic)	192
Exhaust Riser Kits (Gas, Small Block, Emissions Control)	144	Sterndrives - Bravo Three (SeaCore)	193
Exhaust Riser Kits (Gas, Wet Joint, 2002 & older)	133	Sterndrives - Bravo Two	191
Exhaust Riser Kits For Diesel Engines	133	Sterndrives - Bravo Two (Classic)	191
Flushing Attachments	166	Sterndrives - Bravo Two (SeaCore)	192
Front Belt Cover Kit	126	Tailstock Kits	169
Fuel Filter Kit	173	Thru Transom Exhaust Outlets	129
Gear Housing Replacement Skegs	179	Tilt Up Limit Spacer Kit	123
Gear Housings - Basic	196	Trailer Clips	123
Gear Housings - Complete	195	Transom Adapter Kit	179
Gear Lube Monitor Kits	123	Transom Assembly - Alpha	189
High Capacity Water Separating Fuel Filter - Gasoline or Diesel	173	Transom Assembly - Bravo	189
Hot Water Heater Fitting Kits	126	Transom Assembly - Bravo (SeaCore)	189
Hot Water Heater T-Fitting Kit Chart	128	Trim In Limit Spacer Kits	123
Mercathode	179	Water Eliminator	172
Oil Drain Hose Kit Chart	172	Water Pressure Relief Valve Kit	178
Oil Drain Hose Kits	171	Water Separating Fuel Filters -Diesel	175
Propeller Shaft Couplers for MIE only	178	Water Separating Fuel Filters -Gasoline	173
Racor Water Separating Fuel Filters -Diesel	177	ZF/Hurth 45C Direct Across	197
Racor Water Separating Fuel Filters -Gasoline	176	ZF/Hurth 630A Down Angle Transmission	197
Remote Oil Filter Bracket Kit	171	ZF/Hurth 630 V-Drive Transmission	197
Remote Oil Filter Bracket Kit Chart	171	Racing	199
Remote Oil Filter Kit Chart	170	2.5L Drag Powerheads	199
Remote Oil Filter Kits	169	Bearing Upgrade Kits	214
Seawater Hose Drain Kit	164	Bravo Gimbal Ring Conversion Kit	213
Seawater Pickups	177	Bravo HD Propshaft Kit	215
Seawater Strainer	177	Champ/S3000	199
Serpentine Belt Kit Chart	125	Cylinder Heads for 2.5 EFI Drag	199
Serpentine Belt Kits	124	Cylinder Heads for V-6 Outboard	199
Spark Plug Chart - MerCruiser	118	Driveshaft Assembly	214
Spark Plugs - MerCruiser	116	Electric Fuel Pumps	200
Sterndrives - Alpha One	190	Engine Harness Rigging Kits-Non DTS	207
Sterndrives - Alpha One Gen II	190	Engine Mounts	205
Sterndrives - Bravo One	190	Extension (Wing) Plates	208
Sterndrives - Bravo One (Classic)	190	Floor Mount Kit	209
Sterndrives - Bravo One (SeaCore)	191	Flushing Kits	203
		Fuel Filter	208
		Fuel Filter Assembly	201
		Gearcase Charts - Outboard 2.5L Model	204
		Heavy Duty Battery Cables for V-6 Outboards	200

TABLE OF CONTENTS - ENGINE ACCESSORIES

M8 Drives	211	Steering Cable Bulkhead Fittings and Bellows Kits	219
MerCathode	209	Steering Cable Rod End	219
NXT1 Driveline Kit	211	Marine Batteries and Accessories	223
NXT1 Prop Hub Kits	211	Battery Accessories	224
NXT1 Steering Indicator	211	Marine Batteries	223
NXT1 Water Pickup Kits	212	Vented Outboard Splash Covers	226
Outboard Gearcases - Torque Master for 2.5L Models	204	4-Stroke Vented Splash Covers With Quick Panel Access	230
Outboard Gear Set for 2.5L Models	204	Point-of-Sale Product Displays	231
Outboard HD Propshaft Kits	199	Logos	231
Plastic Reed Valves	200	Point-of-Sale Product Kits	231
Power Steering	213	Point-of-Sale Products and Easels	231
QC4v Engines	212		
Race DTS Accessories	213		
Rigging Accessories	203		
Spacer Kits	205		
Stage 2 Muffler Kit	210		
Stator	200		
Sterndrive Accessories	206		
Switches and Electrical Components	201		
Transom Mounted Water Pickup	215		
Trim Hoses	202		
Trim Pumps	202		
Water Pressure Relief Valve Kit	205		
X-Haust Accessories	210		
X-Haust Noise Reducer	209		
X-Haust Stage 1 Tailpipe Kits	209		
X-Haust Tailpipe Hardware Kits	210		
Jet Drive	216		
Anode Chart - Sport Jet	222		
Anodes - Sport Jet	221		
Flushing Kits	220		
Ignition Key Switch with Harnesses	219		
Jet Drive 135 & 270 Deg. Steering System	218		
Jet Drive Shift Cables	216		
Mufflers	221		
Platinum Plus Throttle and Shift Cable SAE	217		
Pump Mounting Grommet Chart	221		
Pump Mounting Grommets	221		
Replacement Inlet Grates	220		

OUTBOARD

SPARK PLUGS - STANDARD

All spark plugs carried are not contained in this section. Spark plugs shown here are the Mercury/Mariner Outboard Service recommended replacements at time of printing. View the application charts following this section for specific outboard model recommendations.

SPARK PLUG



33-8M0114743

NGK BP6HS-10/18. Check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 4

SPARK PLUG



33-8M0176682

NGK, BU8H, check and set gap per owner's manual or the emissions control information decal if present.

Sold @ multiples of 10

SPARK PLUG



33-8M0114746

NGK, BP8HS-15, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 4

SPARK PLUG



33-828942

NGK, BR7HS-10, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-813472

NGK, BR6HS, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

33-8M0114739

NGK B7HS/82. Check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 4

33-8M0176669

NGK B8HS /68. Check and set gap per owner's manual or the emissions control information decal if present.

Sold @ multiples of 10.

SPARK PLUG



33-8M0114737

NGK, B5HS, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 4

SPARK PLUG



33-97180Q

NGK, BUHW, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

33-97182Q

NGK, BUHW-2, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-8M0176690

NGK, BP7HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10

SPARK PLUG



33-813418

NGK, BR9HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813413

NGK, B7S, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813416

NGK, BR6S

SPARK PLUG



33-8M0176663

NGK, BP8HN-10, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10

SPARK PLUG



33-896323

Champion, L82C, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 4

SPARK PLUGS - SUPPRESSOR (RESISTOR)

All spark plugs carried are not contained in this section. Spark plugs shown here are the Mercury/Mariner Outboard Service recommended replacements at time of printing. View the application charts following this section for specific outboard model recommendations.

SPARK PLUG



33- 941

Champion, QL77CC, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 6

SPARK PLUG



33-896329898

Champion, QL76V
Priced individually, sold @ multiples of 4

SPARK PLUG



33- 14103568

NGK, BUZ8H, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 14814Q

NGK, BPZ8HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 14814568

NGK, BPZ8HS-15, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33- 17719547

NGK, BPR7HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

33- 19796

NGK, BPR6HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-803507

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813418

NGK, BR9HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

OUTBOARD

SPARK PLUG



33-813472

NGK, BR6HS, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-827858Q

NGK, DPR6EA-9, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10


SPARK PLUG



33-827859

NGK, CR6HS, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-828942

NGK, BR7HS-10, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-8M0176657

NGK, LZFR6J, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

SPARK PLUG - SHOP PACK



33-8M0058936

NGK IZFR6J, check and set gap per owner's manual or the emissions control information decal if present.
25 spark plugs in one shop package.
Priced individually, sold @ multiples of 25

SPARK PLUG



33-8M0176692

NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4

SPARK PLUG



33-859495Q

Champion - LFR5A-11, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 10

SPARK PLUG



33-8M0176619

NGK, BR8HS-10, check and set gap per owner's manual or the emissions control information decal if present.

SPARK PLUG



33-881284Q

NGK, LFR6A-11, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 10

SPARK PLUG



33-883323001

Champion, RA8HC, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 4

SPARK PLUG



33-8M0176653

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

SPARK PLUG - SHOP PACK



33-8M0058934

NGK ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.

25 spark plugs in one shop package.

Priced individually, sold @ multiples of 25

SPARK PLUG



33-8M0176677

NGK, IZFR5G, check and set gap per owner's manual or the emissions control information decal if present.

Sold @ multiples of 4.

SPARK PLUG - SHOP PACK



33-8M0058933

NGK IZFR5G, check and set gap per owner's manual or the emissions control information decal if present.

25 spark plugs in one shop package.

Priced individually, sold @ multiples of 25

SPARK PLUG



33-892567Q

NGK IZFR5J, check and set gap per owner's manual or the emissions control information decal if present.

Priced individually, sold @ multiples of 4

OUTBOARD

SPARK PLUG - SHOP PACK



33-8M0058935

NGK IZFR5J, check and set gap per owner's manual or the emissions control information decal if present.
25 spark plugs in one shop package.
Priced individually, sold @ multiples of 25

SPARK PLUG



33-8M0176653

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 4.

SPARK PLUG



33-896329874

Champion, RL82C, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 4

SPARK PLUG



33-8M0176616

NGK Iridium IX - LKAR7C-9, check and set gap per owner's manual or the emissions control information decal if present.
Sold @ multiples of 10.
Fits: 175-300 & 450R V6 (3.4L) and V8 (4.6L) FourStroke outboards.

SPARK PLUG



33-8M0157328

NGK, LFR4A-E, check and set gap per owner's manual or the emissions control information decal if present.
Priced individually, sold @ multiples of 4

SPARK PLUG APPLICATION CHART - FOURSTROKE

Spark Plug Application Chart - FourStroke Outboard

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
2.5 FourStroke	JPN 0R131842 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
3.5 FourStroke	JPN 0R131842 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
4 FourStroke	JPN 0R000001 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
4 FourStroke	BEL 0P073456 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
5 FourStroke	JPN 0R000001 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
5 FourStroke	BEL 0P073456 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
6 FourStroke	JPN 0R000001 and up	N/A	N/A	33-803507	NGK DCPR6E	.035
6 FourStroke	BEL 0P073456 and up	N/A	N/A	33-803507	NGK DCPR6E	.035

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
8 FourStroke Bodensee	USA 0H000058 - 0H017349	N/A	N/A	33-827859	NGK CR6HS	.026
8 FourStroke Bodensee	USA 0G760300 - 0T178499	N/A	N/A	33-827859	NGK CR6HS	.026
8 FourStroke Bodensee	BEL 0P086824 - 0P325499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
8 FourStroke	JPN 0R042475 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
8 FourStroke	BEL 0P325500 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
9.9 FourStroke	USA 0H000058 - 0H016909	N/A	N/A	33-827859	NGK CR6HS	.026
9.9 FourStroke	USA 0G760300 - 0T979999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
9.9 FourStroke	BEL 0P075166 - 0P325499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
9.9 FourStroke	JPN 0R042475 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
9.9 FourStroke	BEL 0P325500 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
15 FourStroke	USA 0G590000 - 1B727495	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
15 FourStroke	BEL 9973100 and up	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
15 FourStroke, (Carb and EFI)	JPN 0R235949 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
20 FourStroke (Carb and EFI)	JPN 0R235168 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
25 FourStroke (Carb)	USA 0G590000 - 1B344298	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
25 FourStroke (Carb)	BEL 9973100 - 0P388282	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
25 FourStroke (EFI)	JPN 0R106999 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
25 FourStroke (EFI)	BEL 0P401000 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
25 Jet, FourStroke	JPN 0R165086 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
30 (Carb) FourStroke	USA 0G760300 - 1B226999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
30 (Carb) FourStroke	BEL 0P094500 - 0P400999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
30 (EFI) FourStroke	USA 0T409000 - 1B226999	N/A	N/A	33-883323001	Champion RA8HC	.040
30 (EFI) FourStroke	JPN 0R106999 and up	N/A	N/A	33-803507	NGK DCPR6E	.033
40 (3 cyl. Carb) FourStroke	USA 0G760300 - 1B226999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (3 cyl. Carb) FourStroke	BEL 0P094500 - 0P400999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (3 cyl. EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (3 cyl. EFI) FourStroke	BEL 0P153500 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (3 cyl. EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40/45 (4 cyl.) FourStroke	USA 0G231123 - 0T178499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. Carb) FourStroke	USA 0T228405 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. Carb) FourStroke	BEL 0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
40 (4 cyl. EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (4 cyl. EFI) FourStroke	BEL 0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 (4 cyl. EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
40 JET (4 cyl. EFI) FourStroke	CHN 1C051324 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 FourStroke	USA 0G231123 - 0T178499	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (Carb) FourStroke	USA 0T178500 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (Carb) FourStroke	BEL 0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
50 (EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 (EFI) FourStroke	BEL 0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
50 (EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (Carb) FourStroke	USA 0T178500 - 0T598999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
60 (Carb) FourStroke	BEL 0P094500 - 0P206999	N/A	N/A	33-827858Q	NGK DPR 6EA-9	.035
60 (EFI) FourStroke	USA 0T409000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (EFI) FourStroke	BEL 0P207000 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
60 (EFI) FourStroke	CHN 1C000001 and up	N/A	N/A	33-883323001	Champion RA8HC	.040
75 FourStroke, 1596cc	USA 0G960500 - 1B366822	N/A	N/A	33-859495Q	NGK LFR5A-11	.043
75 FourStroke, 1.7L	USA 1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
75 FourStroke, 2.1L	USA 2B094996 and up	N/A	N/A	33-8M0057936	NGK ZFR5F	.032
80 FourStroke, 1.7L	USA 1B366823 - 2B094955	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
80 FourStroke, 2.1L	USA 2B094956 and up	N/A	N/A	33-8M0057936	NGK ZFR5F	.032
80 FourStroke	BEL 0P401000 and up	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
90 FourStroke, 1596cc	USA 0G960500 - 1B366822	N/A	N/A	33-859495Q	NGK LFR5A-11	.043
90 FourStroke, 1.7L	USA 1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
90 FourStroke, 2.1L	USA 2B094996 and up	N/A	N/A	33-8M0057936	NGK ZFR5F	.032

OUTBOARD

OUTBOARD

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
100 FourStroke, 1.7L	USA 1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
100 Fourstroke, 2.1L	USA 2B094996 and up	N/A	N/A	33-8M0057936	NGK ZFR5F	.032
100 FourStroke	BEL 0P401000 and up	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
115 (EFI) FourStroke, 1741cc	USA 0T178500 - 1B366822	N/A	N/A	33-881284Q	NGK LFR6A-11	.041
115 FourStroke, 1.7L	USA 1B366823 - 2B094995	N/A	N/A	33-8M0157328	NGK LFR4A-E	.032
115/115 ProXS FourStroke, 2.1L	USA 2B094996 and up	N/A	N/A	33-8M0057936	NGK ZFR5F	.032
135 Verado	USA 1B227000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
135 Verado	BEL 0P419487 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
150 EFI FourStroke	USA 1B905505 and up	N/A	N/A	33-8M0057936	NGK ZFR5F	.032
150 Verado	USA 1B227000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
150 Verado	BEL 0P419487 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175 Verado	USA 1B227000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175 Verado	BEL 0P464488 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
200 Verado, 4&6 cylinder	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
200 Verado, 4&6 cylinder	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
225 (EFI) FourStroke	USA 0T653945 and up	N/A	N/A	33-859495Q	NGK LFR5A-11	.043
225 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
225 Verado	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
250 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
250 Verado	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
275 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
275 Verado	BEL 0P409357 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
300 Verado	USA 0T980000 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
300 Verado	BEL 0P520553 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
350 Verado	USA 1B718256 and up	N/A	N/A	33-889246Q39	NGK ILFR6GE	.031
175-300 & 450R V6(3.4L) & V8(4.6L)	USA 2B529482 and up	N/A	N/A	33-8M0135348	NGK LART7C-9	.035

SPARK PLUG APPLICATION CHART - 2-CYCLE

Spark Plug Application Chart - 2-Cycle Outboard

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
2.2	USA 8075603 and up	N/A	N/A	33- 19796	NGK BPR6HS-10	.040
2.5	0A855097 and up	33-8M0114743	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3	0A855097 - 0G710612	N/A	N/A	33- 19796	NGK BPR6HS-10	.040
3.3	0D901217 and up	33-8M0114743	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3.5	USA 6202173 and up	33-8M0114743	NGK BP6HS-10	33- 19796	NGK BPR6HS-10	.040
3.6	USA 5404657 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.6	BEL 9252831 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.6	CAN 7145388 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
3.9 (39)	1655013 - 2498135	33-8M0114737	NGK B5HS	N/A	N/A	.025
4 (40)(1 cyl.)	2498136 - 2771621	33-8M0114737	NGK B5HS	N/A	N/A	.030
4 (40)(1 cyl.)	2771622 - 0A809600	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
4 (40)(2 cyl.) Gnat	BEL 9075839 - 9256980	33-813472	NGK B6HS	33-813472	NGK BR6HS	.050
4 (40)(2 cyl.) Gnat	CAN 7085673 - 7146487	33-813472	NGK B6HS	33-813472	NGK BR6HS	.050
4 (40)(2 cyl.)	USA 5589202 - 5595531	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	AUS 8065265 - 8068064	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	BEL 9256981 - 9258280	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	CAN 7146488 - 7143687	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	USA 0A809601 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	BEL 9477830 and up	33-8M0114744	NGK BP7HS-10	33- 17719547	NGK BPR7HS-10	.040
4.5 (45)(1 cyl.)	USA 4107220 - 0A809600	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
4.5 (45)(1 cyl.)	AUS 8026540 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
4.5 (45)(1 cyl.)	BEL 9072179 - 9477829	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
4.5 (45)(1 cyl.)	CAN 7045758 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
5 (1 cyl.)	USA 0A809601 and up	33-8M0114744	NGK BP7HS-10	33-17719547	NGK BPR7HS-10	.040
5 (1 cyl.)	BEL 9477830 and up	33-8M0114744	NGK BP7HS-10	33-17719547	NGK BPR7HS-10	.040
6 (60)	USA 1408611 - 2126763	33-813416	NGK B6S	N/A	N/A	.025
6 (60)	CAN 1958792 - 2096170	33-813416	NGK B6S	N/A	N/A	.025
6 (60)(60J)	USA 2126764 and up	33-813472	NGK B6HS	33-813472	NGK BR6HS	.030
6 (60)(60J)	CAN 2096171 and up	33-813472	NGK B6HS	33-813472	NGK BR6HS	.030
6	USA 0A197112 - 0T800749	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
6	BEL 9461526 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
7.5 (75)		2529895 - 3801457	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2
7.5 (75)	USA 3801458 - 4851692	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	AUS 8015315 - 8051349	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	BEL 9043194 - 9181725	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	CAN 7028598 - 7111897	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
7.5 (75)	USA 4851693 - 5226934	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5 (75)	AUS 8051350 - 8058019	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5 (75)	BEL 9181726 - 9219255	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5 (75)	CAN 7111898 - 7136037	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
7.5	USA 5206550 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	AUS 8057545 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	BEL 9217756 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
7.5	CAN 7125388 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
8	USA 0A197112 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
8	BEL 9461526 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
9.8 (110)		1470349 - 2098351	33-813416	NGK B6S	N/A	.025
9.8 (110)		2098352 - 2798056	33-8M0114739	NGK B7HS	N/A	.030
9.8 (110)		2798057 - 3795657	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2
9.8 (110)	USA 3795658 - 4839253	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	AUS 8015040 - 8050624	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	BEL 9041439 - 9165304	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	CAN 7027323 - 7111347	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
9.8 (110)	USA 4839254 - 5206549	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8 (110)	AUS 8050625 - 8057544	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8 (110)	BEL 9165303 - 9217755	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8 (110)	CAN 7111348 - 7125387	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
9.8	USA 5206550 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	AUS 8057545 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	BEL 9217756 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.8	CAN 7125388 and up	33-813418	NGK B9HS-10	33-813418	NGK BR9HS-10	.040
9.9	USA 0A197112 - 0G112449	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
9.9	BEL 9461526 - 9831799	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
9.9	USA 0G112450 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
9.9	BEL 9831800 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 (100)		1290910 - 1499331	33-813416	NGK B6S	N/A	.025
10 (XR10/SEA PRO 10)	USA 0D038000 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 (XR10/SEA PRO 10)	BEL 9596000 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	USA 0D038000 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	BEL 9596000 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15 (150)		1290910 - 1499331	33-813416	NGK B6S	N/A	.025
15	USA 0B292414 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15	BEL 9542620 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15 Sea Pro/Marathon	USA 0G044365 - 0G437999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
15 Sea Pro/Marathon	USA 0G438000 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15 Sea Pro/Marathon	BEL 9927000 and up	33-8M0114746	NGK BP8HS-15	33-14814568	NGK BPZ8HS-15	.060
15 Sea Pro XD	BEL 9927000 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
15 (Super 15)	USA 0B238464 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

OUTBOARD

OUTBOARD

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
15 (Super 15)	BEL 9507381 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
15 (Super 15)	CAN 0A730007 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
18 (18, 18XD)	USA 5837437 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
18 (18, 18XD)	AUS 8071973 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
18 (18, 18XD)	BEL 9308306 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
20 (200)	1290910 - 1499331	33-813416	NGK B6S	N/A	N/A	.025
20 (200)	1558310 - 2094830	33-813416	NGK B6S	N/A	N/A	.025
20 (200)	2094831 - 2827676	33-8M0114739	NGK B7HS	N/A	N/A	.030
20 (20, 200)	USA 2827677 - 6443972	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
20 (20, 200)	AUS 8006265 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
20 (20, 200)	BEL 9016254 - 9415100	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
20 (20, 200)	CAN 7012358 - 7209532	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
20 (20, 20XD)	USA 6443973 - 0T800749	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
20 (20, 20XD)	BEL 9415101 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
20 (20, 20XD)	CAN 7209533 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
20 JET	USA 5705532 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
20 JET	AUS 8073158 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
20 JET	BEL 9315316 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
20 JET	CAN 7166928 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
25 (250)	1290910 - 1499331	33-813416	NGK B6S	N/A	N/A	.025
25 (25, 25XD, 20 JET)	USA 5705532 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
25 (25, 25XD, 20 JET)	AUS 8073158 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
25 (25, 25XD, 20 JET)	BEL 9315316 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
25 (25, 25XD, 20 JET)	CAN 7166928 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
25 LIGHTNING(3 cyl)	USA 0E268781 and up	33-896323	Champion L82C	33-896329874	Champion RL82C	.035
30 (300)	1271884 - 1960826	33-813416	NGK B6S	N/A	N/A	.025
30 (2 cyl.)644cc	USA 0G053314 - 0T598999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
30 (2 cyl.)644cc	BEL 9854537 - 0P206999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
30 (Lightning)430cc	USA 0G575500 and up	33-828942	NGK B7HS-10	33-828942	NGK BR7HS-10	.040
30 JET (4 cylinder)	USA 0C159200 - 0G598999	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
30 JET (4 cylinder)	BEL 9570790 - 9973099	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
30 JET (3 cylinder)	USA 0G590000 - 0T178499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
30 JET (3 cylinder)	BEL 9973100 - 0P094499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
35 (350, 35A)	1271884 - 1960826	33-813416	NGK B6S	N/A	N/A	.025
35 (350)	1960827 - 2097831	33-813413	NGK B7S	N/A	N/A	.025
35 (350)	2097832 - 2874703	33-8M0114739	NGK B7HS	N/A	N/A	.030
35	USA 6445653 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
35	BEL 9384476 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
35	CAN 7209608 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
40 (400)	1279685 - 1476509	33-813416	NGK B6S	N/A	N/A	.025
40 (40, 400, 402)	USA 2874704 - 0G053313	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
40 (40, 400, 402)	AUS 8002335 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
40 (40, 400, 402)	BEL 3339688 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
40 (40, 400, 402)	CAN 3340783 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
40 (2 cyl.)	USA 0G053314 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
40 (3 cyl.)	USA 0G531301 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
40 (3 cyl.)	BEL 9973100 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
40 (4 cyl.)	USA 0C159200 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
40 (4 cyl.)	BEL 9570790 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
40 JET	USA 0T178500 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
40 JET	BEL 0P094500 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BP28H-N-10	.040
45 (450)	1476510 - 1531568	33-813416	NGK B6S	N/A	N/A	.025

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
45 (4 cyl.)	USA 5531630 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
45 (4 cyl.)	AUS 8063985 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
45 (4 cyl.)	BEL 9248006 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
45 (4 cyl.)	CAN 7143688 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
45 JET	USA 0G760300 - 0T129554	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
45 JET	BEL 0P017000 - 0P094499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
50 (500)	USA 1421113 - 2097444	33-813416	NGK B6S	N/A	N/A	.025
50 (500)	CAN 1770179 - 2116317	33-813416	NGK B6S	N/A	N/A	.025
50 (500)	USA 2097445 - 4357639	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
50 (500)	AUS 2863739 - 8029514	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
50 (500)	BEL 9001581 - 9107213	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
50 (500)	CAN 2116318 - 7068997	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
50 (50, 500)(4 cyl.)	USA 4357640 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	AUS 8030090 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	BEL 9107214 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
50 (50, 500)(4 cyl.)	CAN 7068998 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
50 (3 cyl.)	USA 6428681 - 0D000749	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
50 (3 cyl.)	BEL 9385911 - 9683054	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
50 (3 cyl.)	CAN 7208333 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
50 (3 cyl.)	USA 0D000750 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
50 (3 cyl.)	BEL 9683055 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
55 (3 cyl.)	USA 0D000750 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
55 (3 cyl.)	BEL 9741042 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
60 (600)	1303411 - 1542744	33-813416	NGK B6S	N/A	N/A	.025
60 (3 cyl.)	USA 6428681 - 0D000749	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
60 (3 cyl.)	BEL 9385911 - 9683054	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
60 (3 cyl.)	CAN 7208333 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
60 (3 cyl.)	USA 0D000750 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
60 (3 cyl.)	BEL 9683055 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
65 (650)(4 cyl.)	1542745 - 2119748	33-813413	NGK B7S	N/A	N/A	.025
65 (650S)(4 cyl.)	2119749 - 2309310	33-8M0114739	NGK B7HS	N/A	N/A	.030
65 (650SS)(4 cyl.)	2119749 - 2309310	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
65 (650)(3 cyl.)	USA 3293184 - 4571651	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
65 (650)(3 cyl.)	AUS 8006640 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
65 (650)(3 cyl.)	BEL 9020074 - 9135824	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
65 (650)(3 cyl.)	CAN 7013633 - 7087822	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
65 JET	USA 0D283222 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
65 JET	BEL 9793577 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
70 (700)	1296411 - 1566239	33-813416	NGK B6S	N/A	N/A	.025
70 (3 cyl.)	USA 4571652 - 6428680	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
70 (3 cyl.)	AUS 8042350 and up	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
70 (3 cyl.)	BEL 9135825 - 9385910	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
70 (3 cyl.)	CAN 7087823 - 7208332	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	
70 (3 cyl.)	USA 0A996142 - 0C221999	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
70 (3 cyl.)	BEL 9483121 - 9589038	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
75 (4 cyl.)	USA 6432907 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
75 (4 cyl.)	BEL 9393856 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
75 (4 cyl.)	CAN 7208573 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
75 (3 cyl.)	USA 0C222000 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
75 (3 cyl.)	BEL 9589039 and up	33-97182Q	NGK BUHW-2	33-14103Q	NGK BUZHW-2	
75 (3 cyl.)(1.5L Optimax)	USA 0T980000 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
80 (800)(6 cyl.)	1335465 - 1566239	33-813413	NGK B7S	N/A	N/A	.025
80 (800)(4 cyl.)	2559001 - 3493912	33-97180Q	NGK BUHW	33-14103550	NGK BUZHW	

OUTBOARD

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
80 (80, 800)(4 cyl.)	USA 4831999 - 6432900	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	AUS 8050200 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	BEL 9177626 - 9393855	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (80, 800)(4 cyl.)	CAN 7110998 - 7208572	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (3 cyl.)	USA 0A996142 - 0C221999	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 (3 cyl.)	BEL 9483121 - 9589038	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
80 JET	USA 0D283222 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
80 JET	BEL 9793577 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
85 (850)(6 cyl.)	1460999 - 1766823	33-813413	NGK B7S	N/A		.025
85 (850)(4 cyl.)	USA 3493913 - 4831998	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
85 (850)(4 cyl.)	AUS 8005440 - 8050199	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
85 (850)(4 cyl.)	BEL 9011604 - 9177625	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
85 (850)(4 cyl.)	CAN 7010108 - 7110997	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (900)	1766824 - 1869775	33-813413	NGK B7S	N/A		.025
90 (90, 900)(6 cyl.)	USA 4845301 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (90, 900)(6 cyl.)	AUS 8060545 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (90, 900)(6 cyl.)	CAN 7111698 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
90 (3 cyl.)	USA 0A996142 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
90 (3 cyl.)	BEL 9483121 and up	33- 97182Q	NGK BUHW-2	33- 14103Q	NGK BUZHW-2	
90 (3 cyl.)(1.5L Optimax)	USA 0T801000 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
95 (950)	1869776 - 1962186	33-8M0114739	NGK B7HS	N/A	N/A	.030
95 (950)	1962187 - 2318585	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
100 (1000)	1464949 - 2318585	33-813413	NGK B7S	N/A	N/A	.025
100 (1000SS/1000BP)	2318586 - 3253111	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
100 (4 cyl.)	USA 0B209468 - 0G960499	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
100 (4 cyl.)	BEL 9523034 - 0P058999	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
110 (1100)	1870204 - 1962661	33-8M0114739	NGK B7HS	N/A	N/A	.030
110 (1100)	1962662 - 2314955	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (115, 1150)(6 cyl.)	USA 2836019 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (115, 1150)(6 cyl.)	AUS 8008665 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (115, 1150)(6 cyl.)	CAN 7010763 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
115 (4 cyl.)	USA 0C100000 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
115 (4 cyl.)	BEL 9559771 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
115 (3 cyl.)(1.5L Optimax)	USA 0T801000 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
115 Pro XS	USA 1B751825 and up	N/A	N/A	33-892567Q	NGK IZFR5J	.032
125 (1250)(6 cyl.)	2314956 - 3253111	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
125 (4 cyl.)	USA 0D283222 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
125 (4 cyl.)	BEL 9793577 and up	33-816737Q	NGK BP8H-N-10	33-816837Q	NGK BPZ8H-N-10	.040
135 (1350)(6 cyl.)	2839369 - 3293233	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
140 (140, 1400)(6 cyl.)	USA 3293234 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
140 (140, 1400)(6 cyl.)	AUS 8052650 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
140 (140, 1400)(6 cyl.)	CAN 7112773 and up	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
150 (1500)(6 cyl.)	USA 3502806 - 4865677	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
150 (1500)(6 cyl.)	AUS 8005615 - 8052649	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
150 (1500)(6 cyl.)	CAN 7010533 - 7112772	33- 97180Q	NGK BUHW	33- 14103550	NGK BUZHW	
V-135	USA 0A904646 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-135 DFI	USA 0G590000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-150 (150, 1500) Carb	USA 4868998 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-150 (150, 1500) Carb	USA 0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-150 EFI	USA 0D082000 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-150 EFI	USA 0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-150 (XR2/4/6/Magnum II/III)	USA 4868998 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-150 (XR2/4/6/Magnum II/III)	USA 0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-150 DFI	USA 0G590000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-150 ProXS	USA 1B690542 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-175 (175, 1750) Carb	USA 4301235 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	

Model	Serial # Range	Standard Spark Plug Mercury Part Number	Standard Spark Plug Manufacturer's No.	Suppressor(resistor) Spark Plug Mercury No.	Suppressor(resistor) Spark Plug Manufacturer's No.	Gap
V-175 (175, 1750) Carb	AUS 8058870 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-175 EFI	USA 0D000750 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-175 EFI	USA 0G960500 - 0T800999	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-175 DFI	USA 0T178500 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-175 Pro XS	USA 1B516339 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-200 (200, 2000) Carb	USA 4839034 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-200 (200, 2000) Carb	AUS 8061595 - 8065672	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-200 (200, 2000) Carb	USA 0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-200 EFI	USA 0C100861 - 0C291520	N/A	N/A	33- 14103568	NGK BUZ8H	
V-200 EFI	USA 0C291521 - 0G960499	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-200 EFI (2.5L)	USA 0G960500 and up	N/A	N/A	33- 14814Q	NGK BPZ8HS-10	.040
V-200 EFI (3.0L)	USA 0T750164 and up	N/A	N/A	33- 941	Champion QL77CC	.040
V-200 DFI	USA 0G386496 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-200 Pro XS	USA 1B504989 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-220 Laser	USA 0B117316 and up	N/A	N/A	33- 14103568	NGK BUZ8H	
V-225 (2.4L)	USA 5628028 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-225 (3.0L)Carb	USA 0D280813 - 0G437999	N/A	N/A	33-816837Q	NGK BPZ8H-N-10	.040
V-225 (3.0L)Carb	USA 0G438000 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 Sea Pro & Marathon	USA 0G245605 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 EFI(3.0L)	USA 0G129222 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-225 DFI	USA 0G590000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-225 DFI (DTS)	USA 0G599000 and up	N/A	N/A	33-8M0176677	NGK IZFR5G	.032
V-225 Pro XS	USA 1B104549 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-250 (3.4L)	USA 0C101891 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-250 EFI (3.0L)	USA 0G129222 and up	N/A	N/A	33- 941	Champion QL77CC	.035
V-250 DFI (3.0L)	USA 1B528615 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-250 Pro XS	USA 1B426561 and up	N/A	N/A	33-8M0176678	NGK IZFR6J	.042
V-275 (3.4L)	USA 0C101891 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	
V-300 (3.4L)	USA 5611648 and up	33- 13686Q	NGK BU8H	33- 14103568	NGK BUZ8H	

SPARK PLUG APPLICATION CHART - EARLY MARINER

Spark Plug Application Chart - Early Mariner

Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
2A (M)	646	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
2B (M)	6A1	000101 - 011600	B6HS	33-813472	BR6HS	33-813472	.024
2B (M)	6A1	011601 and up	B5HS	33-8M0114737	BR5HS	N/A	.024
3.5 (M)	642	00000 - 23740	B7HS	33-8M0114739	BR7HS	N/A	.024
3.5 (ML)	642	00000 - 41690	B7HS	33-8M0114739	BR7HS	N/A	.024
3.5 (M)	642	23741 and up	B6HS	33-813472	BR6HS	33-813472	.024
3.5 (ML)	642	41691 and up	B6HS	33-813472	BR6HS	33-813472	.024
4A (M, ML)	6E0	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
5A (M, ML)	661	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
5C (M, ML)	6E3	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
6C (M, ML)	6H8	ALL - ALL	B7HS-10	33-828942	BR7HS-10	N/A	.039
6D (M, ML)	6H6	ALL - ALL	B7HS-10	33-828942	BR7HS-10	N/A	.039
8A (M, ML)	655	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
8B (M, ML)	677	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W8(M, ML)	677	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
8 Marathon	677	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
K8 (M, ML)	680	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024

OUTBOARD

OUTBOARD

Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
8C (M, ML, MUL)	6G1	ALL - ALL	B7HS-10	33-828942	BR7HS-10	N/A	.039
9.9C (M)	682	000551 - 032885	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (ML)	682	300826 - 338410	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (E)	682	250101 - 250945	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (EL)	682	550141 - 552315	B7HS	33-8M0114739	BR7HS	N/A	.024
9.9C (M)	682	032886 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
9.9C (ML)	682	338411 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
9.9C (E)	682	250946 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
9.9C (EL)	682	552316 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
15A (M, ML)	651	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (M)	684	000101 - 020025	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (ML)	684	300101 - 316415	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (E)	684	250101 - 251060	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (EL)	684	550101 - 551615	B7HS	33-8M0114739	BR7HS	N/A	.024
15C (M)	684	020026 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
15C (ML)	684	316416 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
15C (E)	684	251061 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
15C (EL)	684	551616 and up	B7HS-10	33-828942	BR7HS-10	N/A	.039
W15	662	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W15B	684	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W15(Marathon) (M,ML, MUL)	684	ALL - ALL	B7HS-10	33-828942	BR7HS-10	N/A	.039
K15 (M, ML)	669	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
K15 (M, ML)	6K4	ALL - ALL	B7HS-10	33-828942	BR7HS-10	N/A	.039
K15 (M, ML)	6M7	ALL - ALL	B7HS-10	33-828942	BR7HS-10	N/A	.039
20A (M, ML)	653	ALL - ALL	B6HS	33-813472	BR6HS	33-813472	.024
20C (M, ML, E, EL)	6A9	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
25A (M, ML, E, EL)	648	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
25C (M, ML, E, EL)	695	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W25 (M, ML)	648	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W25 (M, ML)	695	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W25 (Marathon)(M, ML)	694	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
K25 (M, ML)	6A4	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
28 (M, ML, E, EL)	664	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
30A (M, ML, E, EL)	689	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W30 (Marathon)(M, ML)	689	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
40A (M, ML, E, EL)	676	ALL - ALL	B8HS	33-8M0114741	BR8HS	N/A	.024
40B (M, ML, E, EL)	676	ALL - ALL	B8HS	33-8M0114741	BR8HS	N/A	.024
40C (M, ML, E, EL)	6E9	ALL - ALL	B8HS	33-8M0114741	BR8HS	N/A	.024
W40 (M, ML)	676	ALL - ALL	B8HS	33-8M0114741	BR8HS	N/A	.024
W40 (Marathon)(M, ML)	6F6	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
K40 (M, ML)	6F5	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
48 (M, ML)	670	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
W48 (M,ML)	670 A	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
55 (M, ML)	663	ALL - ALL	B8HS	33-8M0114741	BR8HS	N/A	.024
55 (E)	663	00000 - 004040	B8HS	33-8M0114741	BR8HS	N/A	.024
55 (EL)	663	00000 - 315378	B8HS	33-8M0114741	BR8HS	N/A	.024
55 (E)	663	004041 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039
55 (EL)	663	315379 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039
W55 (ML)	663	ALL - ALL	B7HS	33-8M0114739	BR7HS	N/A	.024
60 (E)	675	000101 - 000780	B8HS	33-8M0114741	BR8HS	N/A	.024
60 (EL)	675	300101 - 302050	B8HS	33-8M0114741	BR8HS	N/A	.024
60 (E)	675	000781 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039

Model	SN Code	Serial # Range	Standard Spark Plug Manufacturer's P/N	Standard Spark Plug Mercury P/N	Suppressor(Resistor) Spark Plug Manufacturer's P/N	Suppressor(Resistor) Spark Plug Mercury P/N	Gap
60 (EL)	675	302051 and up	B8HS-10	N/A	BR8HS-10	33-824406 8	.039
60 (E, EL)	6FO	ALL - ALL	B8HS-10	N/A	BR8HS-10	33-824406 8	.039

HEAVY ABRASION WATER PUMP KIT

HEAVY ABRASION RESISTANT WATER PUMP




8M0092022

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

Fits the F60 BigFoot/Command Thrust FourStroke outboards and the F75-115 FourStroke outboards.

HEAVY ABRASION RESISTANT WATER PUMP



8M0137849

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

15/20 EFI FourStroke outboards, 0R833820 and above.

HIGH ENERGY ALTERNATOR KITS

Replace standard stators with optional ones having alternator coils of higher amperage output.

HIGH ENERGY ALTERNATOR KITS



856557A 1

Kit contains alternator and regulator/rectifier to convert from 6 amp output to 10 amp output.

Fits Mercury/Mariner 9.9 hp. FourStroke (USA 0G760300-0T979999, BEL 0P075166-0P325499) and 15 hp., 323cc. FourStroke (USA 0G590000-1B727495).

HIGH ENERGY ALTERNATOR KITS



398-852387A 6

Kit contains alternator and regulator/rectifier to convert from 6 amp output to 15 amp output.

Fits Mercury/Mariner 25 hp. Carbureted FourStroke (0G590000 and newer), 30 (3 cyl.) FourStroke (MY1999-2005) and 40 (3 cyl.) FourStroke (MY1999 & newer).

HIGH-OUTPUT ALTERNATOR KIT - 115-AMP



8M0176702

The high-output alternator kit is the perfect solution for boaters who need greater battery-charging capacity for heavy-drawing onboard electronics and accessories. Each kit includes an easy-to-install drop-in alternator that raised the output from 85 to 115 amps - also includes is the required cable assembly, which includes a 150-amp fuse and 4-gauge better cable.

3.4L V6 and 4.6L V8 Fourstroke, Pro XS, and SeaPro engines with Conventional Midsections

VOLTAGE REGULATOR KIT

Wires to existing rectifier on electric models with no existing regulator. Designed to regulate voltage to a 14.5 volt maximum output.

VOLTAGE REGULATOR KIT



88825A 6

Kit contains voltage regulator, wiring and mounting hardware.

Fits Mercury / Mariner 35/40 (2 cyl.), 45/50 (4 cyl.), 50/60 (3 cyl. USA 6428681-0D000749, BEL 9385911-9683054, CAN 7208333 & above), 75/80 (4 cyl.), 70/75/80/90 (3 cyl.), 100/115 (4 cyl.), In-Line Six (6 cyl.) and V-6 Outboards (except 300/3.4L).

VOLTAGE REGULATOR/RECTIFIER KIT

Replaces existing rectifier on electric models and provides DC current regulated to a maximum of 14.5 volts.

VOLTAGE REGULATOR/RECTIFIER KIT



815279A 3

Kit contains regulator/rectifier, wiring and mounting hardware. Fits Mercury / Mariner 40 (4 cyl. 1989 & newer) and 50/60 (3 cyl. USA 0D000750-0D181999, BEL 9683055-9740999) with enclosed box type electrical plates.

LIGHTING COIL KITS

For manual starting outboards. Supplies A.C. current which requires either a regulator for lighting-only or a rectifier kit for D.C. battery charging.

LIGHTING COIL KIT



16074T05

Includes a required new flywheel assembly. Provides AC current. Fits Mercury/Mariner F4/5/6 HP. FourStroke outboards (0R067090-0R411837).

LIGHTING COIL KIT



16837A 2

Kit contains alternator coils, screws and clamp for mounting under flywheel assembly. Provides 12 V, 60 W power. Fits Mercury/Mariner 4/5 hp. 2 cycle outboards (MY1999 & newer), and 4/5/6 hp. FourStroke outboards (MY1999-2005).

LIGHTING COIL KIT



42282A 4

Kit contains alternator coils, screws and clamp for mounting under flywheel assembly. Provides 12 V, 60 W power. Fits various Mercury/Mariner 6 hp. Thru 40 hp. (2 cyl.) 2 cycle outboards. See application chart for specific engine models.

LIGHTING COIL KIT




8M0056548

Includes the lighting coils and a required new flywheel assembly. Provides AC current. Fits Mercury/Mariner 4/5/6 FourStroke outboards beginning with 0R426997. Check the application chart as all models do not require this kit.

LIGHTING REGULATORS

For use with lighting coils, these provide regulated A.C. current.

HARNESS



84- 17175

LIGHTING REGULATOR KIT



95845A 5

Kit contains voltage regulator, wiring and mounting hardware. Fits various Mercury/Mariner 6 hp. Thru 60 hp. 2 cycle outboards. See application chart for specific engine models.

LIGHTING COIL KITS CHART - MERCURY/MARINER

Mercury/Mariner Lighting Coil Kits

Model	Brand	Model Notes	Year Range	Serial # Range	Lighting Coil Kits	Lighting Only Regulators
4	Mercury/Mariner		1990 - 2022	USA 0A855097 and up	16837A 2	NLA(2)
4	Mercury/Mariner		1990 - 2022	BEL 9586000 and up	16837A 2	NLA(2)
4	Mariner	Early Japanese		6E0/6E3 Models and up	N.L.A.	NLA(2)
4 FourStroke	Mercury/Mariner		1999 - 2005	JPN 0R000001 - 0R067089	16837A 2	NLA(2)
4 FourStroke	Mercury/Mariner		1999 - 2005	BEL 0P073456 - 0P400999	16837A 2	NLA(2)
4 FourStroke	Mercury/Mariner		2006 - 2011	JPN 0R067090 - 0R411837	16074T05	N/A
4 FourStroke	Mercury/Mariner		2006 - 2011	BEL 0P401000 - 0R411837	16074T05	N/A
4 FourStroke	Mercury/Mariner		2011	JPN 0R411838 - 0R426996	N/A(1)	NLA(2)
4 FourStroke	Mercury/Mariner		2011 - 2022	JPN 0R426997 and up	8M0056548	NLA(2)
5	Mercury/Mariner		1990 - 2022	USA 0A855097 and up	16837A 2	NLA(2)
5	Mercury/Mariner		1990 - 2022	BEL 9586000 and up	16837A 2	NLA(2)
5	Mariner	Early Japanese		6E0/6E3 Models and up	N.L.A.	NLA(2)
5 FourStroke	Mercury/Mariner		1999 - 2005	JPN 0R000001 - 0R067089	16837A 2	NLA(2)
5 FourStroke	Mercury/Mariner		1999 - 2005	BEL 0P073456 - 0P400999	16837A 2	NLA(2)
5 FourStroke	Mercury/Mariner		2006 - 2011	JPN 0R067090 - 0R411837	16074T05	N/A
5 FourStroke	Mercury/Mariner		2006 - 2011	BEL 0P401000 - 0R411837	16074T05	N/A
5 FourStroke	Mercury/Mariner		2011	JPN 0R411838 - 0R426996	N/A(1)	NLA(2)
5 FourStroke	Mercury/Marine	Sailpower	2011 - 2022	JPN 0R426997 and up	N/A(1)	NLA(2)
		Non-EPA			N/A(1)	NLA(2)
		EPA Models			8M0056548	NLA(2)
6	Mercury/Mariner		1986 - 2003	USA 0A197112 - 0T800749	42282A 4	95845A 5
6	Mercury/Mariner		1986 - 2022	BEL 9461526 and up	42282A 4	95845A 5
6 FourStroke	Mercury/Mariner		1999 - 2005	JPN 0R000001 - 0R067089	16837A 2	NLA(2)
6 FourStroke	Mercury/Mariner		1999 - 2005	BEL 0P073456 - 0O400999	16837A 2	NLA(2)
6 FourStroke	Mercury/Mariner		2006 - 2011	JPN 0R067090 - 0R411837	16074T05	N/A
6 FourStroke	Mercury/Mariner		2006 - 2011	BEL 0P401000 - 0R411837	16074T05	N/A
6 FourStroke	Mercury/Mariner		2011	JPN 0R411838 - 0R426996	N/A(1)	NLA(2)
6 FourStroke	Mercury/Mariner		2011 - 2022	JPN 0R426997 and up	8M0056548	NLA(2)
8	Mercury/Mariner		1986 - 2022	USA 0A197112 and up	42282A 4	95845A 5
8	Mercury/Mariner		1986 - 2022	BEL 9461526 and up	42282A 4	95845A 5
8 FourStroke	Mercury/Mariner	232 cc. Bodensee	1995 - 1998	USA 0H000058 - 0H017099	N/A	NLA(2)
8 FourStroke	Mercury/Mariner	232 cc. Bodensee	1999 - 2000	USA 0G760300 - 0T178499	N/A(1)	NLA(2)
8 FourStroke	Mercury/Mariner	323 cc. Bodensee	2001 - 2004	BEL 0P086824 - 0P325499	N/A(1)	NLA(2)
8 FourStroke	Mercury/Mariner		2005 - 2022	USA 0R042475 and up	(3)	(3)
8 FourStroke	Mercury/Mariner		2005 - 2022	BEL 0P325500 and up	(3)	(3)
9.9	Mercury/Mariner		1986 - 2022	USA 0A197112 and up	42282A 4	95845A 5
9.9	Mercury/Mariner		1986 - 2022	BEL 9461526 and up	42282A 4	95845A 5
9.9 FourStroke	Mercury/Mariner	232 cc.	1995 - 1998	USA 0H000058 - 0H016909	N/A(1)	NLA(2)
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	USA 0T979999 and up	N/A(1)	NLA(2)
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	BEL 0P325499 and up	N/A(1)	NLA(2)
9.9 FourStroke	Mercury/Mariner		2005 - 2022	JPN 0R042475 and up	(3)	(3)
9.9 FourStroke	Mercury/Mariner		2005 - 2022	BEL 0P325500 and up	(3)	(3)
15	Mercury/Mariner		1986 - 2022	JPN 0A197112 and up	42282A 4	95845A 5
15	Mercury/Mariner		1986 - 2022	BEL 9461526 and up	42282A 4	95845A 5
15	Mariner	Early Japanese	Prior to - 1988		N.L.A.	NLA(2)
15 FourStroke	Mercury/Mariner	323 cc.	1998 - 2008	USA 0G590000 and up	N/A(1)	NLA(2)
15 FourStroke	Mercury/Mariner	323 cc.	1998 - 2008	BEL 9973100 and up	N/A(1)	NLA(2)
15 FourStroke	Mercury/Mariner	351 cc.	2008 - 2022	JPN 0R235949 - 0R833819	N/A(1)	N/A(3)

OUTBOARD

OUTBOARD

Model	Brand	Model Notes	Year Range	Serial # Range	Lighting Coil Kits	Lighting Only Regulators
18	Mercury/Mariner		1980 - 1985	USA 5837437 and up	42282A 4	95845A 5
18	Mercury/Mariner		1980 - 1983	AUS 8071973 and up	42282A 4	95845A 5
18	Mercury/Mariner		1980 - 1985	BEL 9308306 and up	42282A 4	95845A 5
18	Mercury/Mariner		1980 - 1985	CAN 7173723 and up	42282A 4	95845A 5
20	Mercury/Mariner		1986 - 2003	USA 6443973 - 0T800749	42282A 4	95845A 5
20	Mercury/Mariner		1986 - 2022	BEL 9415101 and up	42282A 4	95845A 5
20	Mercury/Mariner		1986 - 2003	CAN 7209533 and up	42282A 4	95845A 5
20 FourStroke	Mercury/Mariner		2008 - 2022	JPN 0R235168 - 0R833819	N/A(1)	N/A(3)
25	Mercury/Mariner		1980 - 2022	USA 5837437 and up	42282A 4	95845A 5
25	Mercury/Mariner		1980 - 2022	AUS 8071973 and up	42282A 4	95845A 5
25	Mercury/Mariner		1980 - 2022	BEL 9308306 and up	42282A 4	95845A 5
25	Mercury/Mariner		1980 - 2022	CAN 7173723 and up	42282A 4	95845A 5
25 FourStroke	Mercury/Mariner	Carb model only	1998 - 2006	USA 0G590000 and up	(3)	(3)
25 FourStroke	Mercury/Mariner	Carb model only	1998 - 2006	BEL 9973100 and up	(3)	(3)
30	Mariner	2 cylinder, Early Japanese			N.L.A.	NLA(2)
30	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2002	USA 0G053314 - 0T598999	N/A(1)	95845A 5
30	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2002	BEL 9854537 - 0P206999	N/A(1)	95845A 5
35	Mercury/Mariner	2 cylinder	1984 - 2022	USA 6445653 and up	42282A 4	95845A 5
35	Mercury/Mariner	2 cylinder	1984 - 2022	BEL 9384476 and up	42282A 4	95845A 5
35	Mercury/Mariner	2 cylinder	1984 - 2022	CAN 7209608 and up	42282A 4	95845A 5
40	Mariner	2 cylinder, Early Japanese			N.L.A.	NLA(2)
40	Mercury/Mariner	2 cylinder	1980 - 1984	USA 5823918 - 0G053313	42282A 4	95845A 5
40	Mercury/Mariner	2 cylinder	1980 - 1984	AUS 8070640 and up	42282A 4	95845A 5
40	Mercury/Mariner	2 cylinder	1980 - 1984	BEL 9298955 - 9854536	42282A 4	95845A 5
40	Mercury/Mariner	2 cylinder	1980 - 1984	CAN 7169338 and up	42282A 4	95845A 5
40	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2003	USA 0G053314 - 0T800749	N/A(1)	95845A 5
40	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2003	BEL 9854537 - 0P267999	N/A(1)	95845A 5
40	Mercury/Mariner	3 cylinder	1997 - 2022	USA 0G531301 and up	N/A(1)	95845A 5
40	Mercury/Mariner	3 cylinder	1997 - 2022	BEL 9973100 and up	N/A(1)	95845A 5
40	Mercury/Mariner	4 cylinder	1989 - 1997	USA 0C159200 and up	N.L.A.	95845A 5
40	Mercury/Mariner	4 cylinder	1989 - 1997	BEL 9570790 and up	N.L.A.	95845A 5
45	Mercury/Mariner	4 cylinder	1986 - 1989	USA 0A914859 and up	N.L.A.	95845A 5
45	Mercury/Mariner	4 cylinder	1986 - 1989	AUS 8063985 and up	N.L.A.	95845A 5
45	Mercury/Mariner	4 cylinder	1986 - 1989	BEL 9248006 and up	N.L.A.	95845A 5
45	Mercury/Mariner	4 cylinder	1986 - 1989	CAN 0A709616 and up	N.L.A.	95845A 5
50	Mercury/Mariner	4 cylinder	1980 - 1985	USA 5531630 - 0A914858	N.L.A.	95845A 5
50	Mercury/Mariner	4 cylinder	1980 - 1985	AUS 8063985 - 8063984	N.L.A.	95845A 5
50	Mercury/Mariner	4 cylinder	1980 - 1985	BEL 9248006 - 9248005	N.L.A.	95845A 5
50	Mercury/Mariner	4 cylinder	1980 - 1985	CAN 7143688 - 0A709615	N.L.A.	95845A 5
55	Mercury/Mariner	51.8 CID	1996 - 1997	USA 0D000750 - 0G589999	N/A(1)	95845A 5
55	Mercury/Mariner	51.8 CID	1996 - 1997	BEL 9741042 - 9973099	N/A(1)	95845A 5
55	Mercury/Mariner	59 CID	1998 - 2022	USA 0G590000 and up	N/A(1)	95845A 5
55	Mercury/Mariner	59 CID	1998 - 2022	BEL 9973100 and up	N/A(1)	95845A 5
60	Mercury/Mariner	59 CID	1998 - 2022	USA 0G590000 and up	N/A(1)	95845A 5
60	Mercury/Mariner	59 CID	1998 - 2022	BEL 9973100 and up	N/A(1)	95845A 5

(1) Lighting coils are already a part of the stator assembly and not required as a separate kit.

(2) Harness 84-17175 required to complete assembly.

(3) No kit available for this model.

BATTERY CHARGING KIT

For use with lighting coils, these provide D.C. current for recharging a 12 volt battery.

BATTERY CHARGING KIT



16838A 4

Kit contains voltage rectifier, wiring and mounting hardware.
Fits Mercury/Mariner 4/5 hp. 2 cycle and FourStroke outboards. See chart for specific engine models.

BATTERY CHARGING KIT



83-8M0060278

Kit contains voltage rectifier and fused wiring.
Fits older Mariner Models 4A, 5C, 8B, 8K, 9.9C, 15C, 20C, 25C, K25, 28, K40, 40 twin, and various Marathon models (all of Japanese origin). Please use the Electronic Parts Catalog to identify the correct model usage.

BATTERY CHARGING KIT



62351A10

Kit contains voltage rectifier, wiring and mounting hardware.
Fits various Mercury/Mariner 6 hp. thru 60 hp. 2 cycle outboards. See application chart for specific engine models.

BATTERY CHARGING KIT



828038A 1

Kit contains voltage rectifier, wiring and mounting hardware.
Fits Mercury/Mariner 9.9 hp. FourStroke, 1995 - 1998, and 8 hp. FourStroke (Bodensee) engines 1995-2000.

BATTERY CHARGING KIT



895299A02

A kit designed to provide 6 amp battery charging capability at wide open throttle to a manual start outboard.
Fits the 8/9.9 hp. FourStroke, Model Year 2005 and newer, both standard and BigFoot models.

BATTERY CHARGING KIT



895299A03

Allows manual start models to provide a 12 amp charge to a 12 volt battery at wide open throttle.
Fits the 15/20 Hp. FourStroke (351cc) outboard, serial number 0R235168 - 0R833819.

BATTERY CHARGING KIT



898103A90

Allows manual start models to charge 15 amps to a 12 volt battery at wide open throttle.
Fits the 25-30 Hp EFI FourStroke outboard, serial number 0R106999 & above.

OUTBOARD

BATTERY CHARGING KIT



8M0056549

Kit contains voltage rectifier, wiring and mounting hardware. Used for providing a 4 amp DC charge to a 12 volt battery at wide open throttle.
Fits Mercury/Mariner 4/5/6hp. FourStroke outboards beginning with serial number 0R411838. Some models may require lighting coils be added. See application chart for specific models.

BATTERY CHARGING KIT



8M0137842

Kit contains voltage rectifier and mounting hardware.
15/20 EFI FourStroke outboard, 0R833820 and above.

HARNESS ASSEMBLY

Used to complete a battery charging kit application.

HARNESS ASSEMBLY



84- 86939A 2

Fits Mariner 15/30/40 hp. (2 cyl.) 2 cycle outboards of Japanese origin. See application chart for specific engine models.

HARNESS ASSEMBLY



856558A 2

Connects to existing voltage regulator/rectifier. Manual motors within the serial groups listed below have standard 6 amp charging and electric models are 10 amp standard.

Fits Mercury/Mariner 8 hp. FourStroke (BEL 0P086824-0P325499), 9.9 hp. FourStroke (USA 0G760300-0T979999) and 15 hp., 323cc. FourStroke (USA 0G590000-1B727495).

BATTERY CHARGING KITS CHART - MERCURY/MARINER

Mercury/Mariner Battery Charging Kits

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Lighting Coil Kits	Charging Rectifier Kits	Extra Required Harness
4	Mercury/Mariner		1990 - 2022	USA	0A855097 and up	16837A 2	16838A 4	N/A
4	Mercury/Mariner		1990 - 2022	BEL	9586000 and up	16837A 2	16838A 4	N/A
4	Mariner	Early Japanese			6E0/6E3 Models and up	N.L.A.	83-8M0060278	N/A
4 FourStroke	Mercury/Mariner		1999 - 2005	JPN	0R000001 - 0R067089	16837A 2	16838A 4	N/A
4 FourStroke	Mercury/Mariner		1999 - 2005	BEL	0P073456 - 0P400999	16837A 2	16838A 4	N/A

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Lighting Coil Kits	Charging Rectifier Kits	Extra Required Harness
4 FourStroke	Mercury/Mariner		2006 - 2011	JPN	0R067090 - 0R411837	16074T05	16838A 4	N/A
4 FourStroke	Mercury/Mariner		2006 - 2011	BEL	0P401000 - 0R411837	16074T05	16838A 4	N/A
4 FourStroke	Mercury/Mariner		2011	JPN	0R411838 - 0R426996	N/A(1)	8M0056549	N/A
4 FourStroke	Mercury/Mariner		2011 - 2022	JPN	0R426997 and up	8M0056548	8M0056549	N/A
5	Mercury/Mariner		1990 - 2022	USA	0A855097 and up	16837A 2	16838A 4	N/A
5	Mercury/Mariner		1990 - 2022	BEL	9586000 and up	16837A 2	16838A 4	N/A
5	Mariner	Early Japanese			6E0/6E3 Models and up	N.L.A.	83-8M0060278	N/A
5 FourStroke	Mercury/Mariner		1999 - 2005	JPN	0R000001 - 0R067089	16837A 2	16838A 4	N/A
5 FourStroke	Mercury/Mariner		1999 - 2005	BEL	0P073456 - 0P400999	16837A 2	16838A 4	N/A
5 FourStroke	Mercury/Mariner		2006 - 2011	JPN	0R067090 - 0R411837	16074T05	16838A 4	N/A
5 FourStroke	Mercury/Mariner		2006 - 2011	BEL	0P401000 - 0R411837	16074T05	16838A 4	N/A
5 FourStroke	Mercury/Mariner		2011	JPN	0R411838 - 0R426996	N/A(1)	8M0056549	N/A
5 FourStroke	Mercury/Mariner	Sailpower	2011 - 2022	JPN	0R426997 and up	N/A(1)	8M0056549	N/A
		ML model, non-EPA				N/A(1)	8M0056549	N/A
		EPA and all other models				8M0056548	8M0056549	N/A
6	Mercury/Mariner		1986 - 2003	USA	0A197112 - 0T800749	42282A 4	62351A10	N/A
6	Mercury/Mariner		1986 - 2022	BEL	9461526 and up	42282A 4	62351A10	N/A
6 FourStroke	Mercury/Mariner		1999 - 2005	JPN	0R000001 - 0R067089	16837A 2	16838A 4	N/A
6 FourStroke	Mercury/Mariner		1999 - 2005	BEL	0P073456 - 0P400999	16837A 2	16838A 4	N/A
6 FourStroke	Mercury/Mariner		2006 - 2011	JPN	0R067090 - 0R411837	16074T05	16838A 4	N/A
6 FourStroke	Mercury/Mariner		2006 - 2011	BEL	0P401000 - 0R411837	16074T05	16838A 4	N/A
6 FourStroke	Mercury/Mariner		2011	JPN	0R411838 - 0R426996	N/A(1)	8M0056549	N/A
6 FourStroke	Mercury/Mariner		2011 - 2022	JPN	0R426997 and up	8M0056548	8M0056549	N/A
8	Mercury/Mariner		1986 - 2022	USA	0A197112 and up	42282A 4	62351A10	N/A
8	Mercury/Mariner		1986 - 2022	BEL	9461526 and up	42282A 4	62351A10	N/A
8 FourStroke	Mercury/Mariner	232 cc. Bodensee	1995 - 1998	USA	0H000058 - 0H017099	N/A	828038A 1	N/A
8 FourStroke	Mercury/Mariner	232 cc. Bodensee	1999 - 2000	USA	0G760300 - 0T178499	N/A(1)	828038A 1	N/A
8 FourStroke	Mercury/Mariner	323 cc. Bodensee	2001 - 2004	BEL	0P086824 - 0P325499	N/A(1)	N/A(2)	856558A 2
8 FourStroke	Mercury/Mariner	209 cc.	2005 - 2022	JPN	0R042575 and up	N/A(4)	895299A02	N/A
8 FourStroke	Mercury/Mariner		2005 - 2022	BEL	0P325500 and up	N/A(4)	895299A02	N/A
9.9	Mercury/Mariner		1986 - 2022	USA	0A197112 and up	42282A 4	62351A10	N/A
9.9	Mercury/Mariner		1986 - 2022	BEL	9461526 and up	42282A 4	62351A10	N/A
9.9 FourStroke	Mercury/Mariner	232 cc.	1995 - 1998	USA	0H000058 - 0H016909	N/A(1)	828038A 1	N/A
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	USA	0G760300 - 0T979999	N/A(1)	N/A(2)	856558A 2
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	BEL	0P075166 - 0P325499	N/A(1)	N/A(2)	856558A 2
9.9 FourStroke	Mercury/Mariner	209 cc.	2005 - 2022	JPN	0R042475 and up	N/A(4)	895299A02	N/A
9.9 FourStroke	Mercury/Mariner		2005 - 2022	BEL	0P325500 and up	N/A(4)	895299A02	N/A
15	Mercury/Mariner		1986 - 2022	USA	0A197112 and up	42282A 4	62351A10	N/A
15	Mercury/Mariner		1986 - 2022	BEL	9461526 and up	42282A 4	62351A10	N/A
15	Mariner	Early Japanese	Prior to - 1988			N.L.A.	NLA	84- 86939A 2
15 FourStroke	Mercury/Mariner	323 cc.	1998 - 2008	USA	0G590000 and up	N/A(1)	N/A(2)	856558A 2
15 FourStroke	Mercury/Mariner		1998 - 2008	BEL	9973100 and up	N/A(1)	N/A(2)	856558A 2
15 FourStroke	Mercury/Mariner		2008 - 2018	JPN	0R235949 - 0R833819	N/A	895299A03	N/A
15 EFI FourStroke	Mercury/Mariner		2018 - 2022	JPN	0R833820 - and up	N/A	8M0137842	N/A
18	Mercury/Mariner		1980 - 1985	USA	5837437 and up	42282A 4	62351A10	N/A
18	Mercury/Mariner		1980 - 1983	AUS	8071973 and up	42282A 4	62351A10	N/A
18	Mercury/Mariner		1980 - 1985	BEL	9308306 and up	42282A 4	62351A10	N/A
18	Mercury/Mariner		1980 - 1985	CAN	7173723 and up	42282A 4	62351A10	N/A
20	Mercury/Mariner		1986 - 2003	USA	6443973 - 0T800749	42282A 4	62351A10	N/A
20	Mercury/Mariner		1986 - 2022	BEL	9415101 and up	42282A 4	62351A10	N/A
20	Mercury/Mariner		1986 - 2003	CAN	7209533 and up	42282A 4	62351A10	N/A
20 FourStroke	Mercury/Mariner		2008 - 2018	JPN	0R235168 - 0R833819	N/A	895299A03	N/A
20 EFI FourStroke	Mercury/Mariner		2018 - 2022	JPN	0R833820 - and up	N/A	8M0137842	N/A
25	Mercury/Mariner		1980 - 2022	USA	5837437 and up	42282A 4	62351A10	N/A

OUTBOARD

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Lighting Coil Kits	Charging Rectifier Kits	Extra Required Harness
25	Mercury/Mariner		1980 - 2022	AUS	8071973 and up	42282A 4	62351A10	N/A
25	Mercury/Mariner		1980 - 2022	BEL	9308306 and up	42282A 4	62351A10	N/A
25	Mercury/Mariner		1980 - 2022	CAN	7173723 and up	42282A 4	62351A10	N/A
25 FourStroke	Mercury/Mariner	Carb models	1998 - 2006	USA	0G590000 and up	(3)	(3)	N/A
25 FourStroke	Mercury/Mariner	Carn models	1998 - 2006	BEL	9973100 and up	(3)	(3)	N/A
25 FourStroke	Mercury/Mariner	EFI models	2006 - 2022	JPN	0R106999 and up	(4)	898103A90	N/A
25 FourStroke	Mercury/Mariner	EFI models	2006 - 2022	BEL	0P401000 and up	(4)	898103A90	N/A
30	Mariner	2 cylinder, Early Japanese				N.L.A.	NLA	84- 86939A 2
30	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2002	USA	0G053314 - 0T598999	N/A(1)	62351A10	N/A
30	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2002	BEL	9854537 - 0P206999	N/A(1)	62351A10	N/A
30 FourStroke	Mercury/Mariner	EFI models	2006 - 2022	JPN	0R106999 and up	(4)	898103A90	N/A
30 FourStroke	Mercury/Mariner	EFI models	2006 - 2022	BEL	0P401000 and up	(4)	898103A90	N/A
35	Mercury/Mariner	2 cylinder	1984 - 2022	USA	6445653 and up	42282A 4	62351A10	N/A
35	Mercury/Mariner	2 cylinder	1984 - 2022	BEL	9384476 and up	42282A 4	62351A10	N/A
35	Mercury/Mariner	2 cylinder	1984 - 2022	CAN	7209608 and up	42282A 4	62351A10	N/A
40	Mariner	2 cylinder, Early Japanese				N.L.A.	NLA	84- 86939A 2
40	Mercury/Mariner	2 cylinder	1980 - 1984	USA	5823918 - 0G053313	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder	1980 - 1984	AUS	8070640 and up	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder	1980 - 1984	BEL	9298955 - 9854536	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder	1980 - 1984	CAN	7169338 and up	42282A 4	62351A10	N/A
40	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2003	USA	0G053314 - 0T800749	N/A(1)	62351A10	N/A
40	Mercury/Mariner	2 cylinder, 644 cc.	1994 - 2003	BEL	9854537 - 0P267999	N/A(1)	62351A10	N/A
40	Mercury/Mariner	3 cylinder	1997 - 2022	USA	0G531301 and up	N/A(1)	62351A10	N/A
40	Mercury/Mariner	3 cylinder	1997 - 2022	BEL	9973100 and up	N/A(1)	62351A10	N/A
40	Mercury/Mariner	4 cylinder	1989 - 1997	USA	0C159200 and up	N.L.A.	62351A10	N/A
40	Mercury/Mariner	4 cylinder	1989 - 1997	BEL	9570790 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	USA	0A914859 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	AUS	8063985 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	BEL	9248006 and up	N.L.A.	62351A10	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	CAN	0A709616 and up	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	USA	5531630 - 0A914858	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	AUS	8063985 - 8063984	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	BEL	9248006 - 9248005	N.L.A.	62351A10	N/A
50	Mercury/Mariner	4 cylinder	1980 - 1985	CAN	7143688 - 0A709615	N.L.A.	62351A10	N/A
55	Mercury/Mariner	51.8 CID	1996 - 1997	USA	0D000750 - 0G589999	N/A(1)	62351A10	N/A
55	Mercury/Mariner	51.8 CID	1996 - 1997	BEL	9741042 - 9973099	N/A(1)	62351A10	N/A
55	Mercury/Mariner	59 CID	1998 - 2022	USA	0G590000 and up	N/A(1)	62351A10	N/A
55	Mercury/Mariner	59 CID	1998 - 2022	BEL	9973100 and up	N/A(1)	62351A10	N/A
60	Mercury/Mariner	59 CID	1998 - 2022	USA	0G590000 and up	N/A(1)	62351A10	N/A
60	Mercury/Mariner	59 CID	1998 - 2022	BEL	9973100 and up	N/A(1)	62351A10	N/A

(1) Lighting coils are already a part of the stator assembly and not required as a separate kit.

(2) Charging rectifier already present on outboard and not required to be added.

(3) Kits are not available for this model.

(4) Lighting coils are included in the battery charging kit.

POWER TRIM KIT

These kits are designed to add power trim to motors not equipped with power trim at time of manufacture. Remote operation of any power trim requires the use of a power trim control panel or a trim type remote control if not already so equipped.

POWER TRIM KIT



822344A11

Single ram integral trim with cowl mounted trim switch.
Fits Mercury/Mariner 30/40 hp. 2 cycle outboards, 1995 thru 1996 1/2. See application chart for specific engine models.

POWER TRIM KIT



822344A13

Single ram integral trim with cowl mounted trim switch.
Fits various Mercury/Mariner 25/40/45/50 hp. 4-Stroke, 30/40 2 cycle, 30 JET and 40/50 (3 cyl.) 2 cycle outboards. See application chart for specific engine models.

POWER TRIM KIT



8M0055001

Single ram integral trim with cowl mounted trim switch.
Fits various Mercury/Mariner 30 thru 50 hp. 4-Stroke and 55/60 (3 cyl.) 2 cycle outboards. See application chart for specific engine models.

POWER TRIM KIT



8M0055002

Single ram integral trim with cowl mounted trim switch.
Fits Mercury/Mariner 30/40 hp. (3 cyl.) 4-Stroke outboards with standard gearcase, USA serial number 0T294065-1B226999 and BEL serial number 0P094500-0P400999. See application chart for specific engine models.

POWER TRIM KIT



8M0055003

Single ram integral trim with cowl mounted trim switch.
Fits Mercury/Mariner 40 hp. (3 cyl.) FourStroke EFI outboards beginning with Model Year 2006. See application chart for specific engine models.

POWER TRIM KIT



8M0054999

Single ram integral trim with cowl mounted trim switch.
Fits Mercury/Mariner 45 hp. FourStroke(1999-2000), 45 JET(1993-1997) and 50/60 hp. (3 cylinder, 1993-1997) 2 cycle outboards. See application chart for specific engine models.

POWER TRIM KIT



8M0055000

Single ram integral trim with cowl mounted trim switch.
Fits various Mercury/Mariner 30 JET (4 cyl.) and 40 hp. (4 cyl.) 2 cycle outboards. See application chart for specific engine models.

POWER TRIM KIT



8M0055008

Single ram integral trim with cowl mounted trim switch.
Fits Mercury/Mariner 40 hp. (3 cyl.) 4-Stroke Bigfoot, 40 hp. (4 cyl., 996 cc.) 4-Stroke Bigfoot, 50/60 hp. (4 cyl., 996 cc.) 4-Stroke, and 60 (3 cyl.) 2 cycle Bigfoot outboards. See application chart for specific engine models.

POWER TRIM KIT



855654A 6

Single ram integral trim with cowl mounted trim switch.
Fits Mercury/Mariner 30/40 hp. (3 cyl.) 4-Stroke outboards with Bigfoot gearcase beginning with serial number 0T294065-1B226999. See application chart for specific engine models.

POWER TRIM KIT




Image not Available.

8M0168223

Three ram integral power trim.
Fits Mercury/Mariner 70/75/80/90 hp. (3 cyl.) 2 cycle outboards, 1987 thru 1997 1/2 and 75 hp. (4 cyl.) 2 cycle, 1984 thru 1987. See application chart for specific engine models.

POWER TRIM & TILT KIT



822344A12

Fits Force 40/50 hp. outboards (USA 0E093700 and Newer).

POWER TRIM & TILT KIT



8M0171817

Fits Force 90/120 hp. outboards (USA 0E093700-0E173408).

POWER TRIM SWITCH KIT

Operates the power trim kit added to an electric model.

POWER TRIM SWITCH KIT



87- 14645A 4

Toggle switch style. Tiller handle mounted.
Fits Mercury/Mariner 40 JET and 50/60 hp. outboards and operates the power trim kit added to a base ELHO model engine. See Tiller application chart for specific engine models.

POWER TRIM SWITCH KIT



87- 18286A18

Rocker style switch with 10 ft. harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.
Fits Mercury/Mariner models equipped with integral trim pump.

POWER TRIM SWITCH KIT



87-8M0042301

Rocker switch style with bullet connectors. Cowl mounted. Connects directly to engine harness.
Fits Force 40-120 hp. Outboards.

REMOTE MOUNTED POWER TRIM ACCESSORIES

These accessories can be used with applications requiring the installation of the remote mounted style power trim pump.

POWER TRIM PUMP MOUNTING BRACKET



862548A 1

Allows mounting to floor or transom. Includes lag bolts and washers. Fits various Mercury / Mariner applications requiring a remote style power trim pump.

POWER TRIM CHART - MERCURY/MARINER FOURSTROKE

THESE ARE NOT REPLACEMENT POWER TRIMS. These kits are add-on power trim kits designed for addition to outboard engines that were not furnished a power trim at time of manufacture.

FourStroke Outboard Power Trim Kit Chart

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Analog Trim Sender	Starboard Mount Analog Trim Sender
8 FourStroke	232 cc.	1995 - 1998	USA	0H000058 - 0H017349		N/A	N/A
8 FourStroke	232 cc.	1999 - 2000	USA	0G760300 - 0T178499		N/A	N/A
8 FourStroke	323 cc.	2001 - 2004	BEL	0P086824 - 0P325499	NLA	N/A	N/A
8 FourStroke	209 cc.	2005 - 2022	JPN	0R042475 and up		N/A	N/A
8 FourStroke	209 cc.	2005 - 2022	BEL	0P325500 and up		N/A	N/A
9.9 FourStroke	232 cc.	1995 - 1998	USA	0H000058 - 0H016909		N/A	N/A
9.9 FourStroke	323 cc. w/Standard Gearcase	1999 - 2004	USA	0G760300 - 0T979999	NLA	N/A	N/A
9.9 FourStroke	323 cc. w/Standard Gearcase	1999 - 2004	BEL	0P075166 - 0P325499	NLA	N/A	N/A
9.9 FourStroke	323 cc. w/BigFoot Gearcase	1999 - 2004	USA	0G760300 - 0T979999	NLA	N/A	N/A
9.9 FourStroke	323 cc. w/BigFoot Gearcase	1999 - 2004	BEL	0P075166 - 0P325499	NLA	N/A	N/A
9.9 FourStroke	Standard Gearcase	2005 - 2022	JPN	0R042475 and up		N/A	N/A
9.9 FourStroke	Standard Gearcase	2005 - 2022	BEL	0P325500 and up		N/A	N/A
9.9 FourStroke	BigFoot (Manual Models)	2005 - 2022	JPN	0R052328 and up	N/A	N/A	N/A
9.9 FourStroke	BigFoot (Manual Models)	2005 - 2022	BEL	0P325500 and up	N/A	N/A	N/A
9.9 FourStroke	BigFoot (Electric Models)	2005 - 2022	JPN	0R052328 and up	N/A(3)	N/A	N/A
9.9 FourStroke	BigFoot (Electric Models)	2005 - 2022	BEL	0P325500 and up	N/A(3)	N/A	N/A
15 FourStroke	323 cc. w/Standard Gearcase	1998 - 2008	USA	0G590000 and up	NLA	N/A	N/A
15 FourStroke	323 cc. w/BigFoot Gearcase	1998 - 2008	USA	0G590000 and up	NLA	N/A	N/A
15 FourStroke	351 cc.	2008 - 2022	JPN	0R235949 - 0R833819	N/A(2)	N/A	N/A
20 FourStroke	351 cc.	2008 - 2022	JPN	0R235168 - 0R833819	N/A(2)	N/A	N/A
25 FourStroke	Carb Model w/Standard Gearcase	1998 - 2006	USA	0G590000 and up	822344A13	822573A12	N/A
25 FourStroke	Carb Model w/Standard Gearcase	1998 - 2006	BEL	9973100 and up	822344A13	822573A12	N/A
25 FourStroke	BigFoot Gearcase	1998 - 2005	USA	0G590000 - 1B226999	822344A13	822573A12	N/A
25 FourStroke	BigFoot Gearcase	1998 - 2005	BEL	9973100 - 0P400999	822344A13	822573A12	N/A
25 FourStroke	EFI Models	2006 - 2022	JPN	0R106999 and up	N/A(2)	822573A12	N/A
25 FourStroke	EFI Models	2006 - 2022	BEL	0P401000 and up	N/A(2)	822573A12	N/A
30 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	USA	0G760300 - 0T294064	8M0055001	N/A	8M0098264
30 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	BEL	0P017000 - 0P153499	8M0055001	N/A	8M0098264
30 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	USA	0T294065 - 1B226999	8M0055002	N/A	8M0098264
30 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	BEL	0P153500 - 0P400999	8M0055002	N/A	8M0098264
30 FourStroke	EFI Models	2006 - 2022	JPN	0R106999 and up	N/A(2)	822573A12	N/A
30 FourStroke	EFI Models	2006 - 2022	BEL	0P401000 and up	N/A(2)	822573A12	N/A
40 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	USA	0G760300 - 0T294064	8M0055001	N/A	8M0098264
40 FourStroke	3 cylinder. Standard Gearcase	1999 - 2001	BEL	017000 - 0P153499	8M0055001	N/A	8M0098264

OUTBOARD

OUTBOARD

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Analog Trim Sender	Starboard Mount Analog Trim Sender
40 FourStroke	3 cylinder. BigFoot Gearcase	1999 - 2001	USA	0G760300 - 0T294064	8M0055008	N/A	8M0098264
40 FourStroke	3 cylinder. BigFoot Gearcase	1999 - 2001	BEL	0P017000 - 0P094499	8M0055008	N/A	8M0098264
40 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	USA	0T294065 - 1B226999	8M0055002	N/A	8M0098264
40 FourStroke	3 cylinder. Standard Gearcase	2001 - 2005	BEL	0P094500 - 0P400999	8M0055002	N/A	8M0098264
40 FourStroke	3 cylinder. EFI	2006	USA	1B227000 - 1B344398	8M0055003	N/A	8M0098264
40 FourStroke	3 cylinder. EFI	2006	BEL	0P401000 - 0P515896	8M0055003	N/A	8M0098264
40 FourStroke	3 cylinder. EFI	2006	CHN	1C000001 - 1C049738	8M0055003	N/A	8M0098264
40 FourStroke	3 cylinder. EFI	2007 - 2022	CHN	1C049739 and up	8M0055003	N/A	8M0098264
40 FourStroke	3 cylinder. BigFoot Gearcase	2001	USA	0T294065 - 0T408999	855654A 6	N/A	8M0098264
40 FourStroke	3 cylinder. BigFoot Gearcase	2001	BEL	0P094500 - 0P153499	855654A 6	N/A	8M0098264
40 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	USA	0G231123 - 0G760299	822344A13	822573A12	N/A
40 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	BEL	0P073323 - 0P094499	8M0055001	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	BEL	0P094500 - 0P515896	8M0055008	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2006	CHN	1C000001 - 1C050251	8M0055008	N/A	8M0098264
40 FourStroke	4 cylinder. 996 cc. BigFoot	2007 - 2022	CHN	1C050252 and up	N/A(4)	N/A	8M0098264
45 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	USA	0G231123 - 0G760299	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	BEL	9944807 - 0P016999	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	USA	0G076300 - 0T178499	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	BEL	0P017000 - 0P094499	822344A13	822573A12	N/A
45 FourStroke	4 cylinder. BigFoot Gearcase	1999 - 2000	USA	0G076300 - 0T178499	8M0055001	N/A	8M0098264
45 FourStroke	4 cylinder. BigFoot Gearcase	1999 - 2000	BEL	0P017000 - 0P094499	8M0055001	N/A	8M0098264
50 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	USA	0G231123 - 0G760299	822344A13	822573A12	N/A
50 FourStroke	4 cylinder. Standard Gearcase	1995 - 1998	BEL	9944807 - 0P016999	822344A13	822573A12	N/A
50 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	USA	0G076300 - 0T178499	8M0055001	N/A	8M0098264
50 FourStroke	4 cylinder. Standard Gearcase	1999 - 2000	BEL	0P017000 - 0P094499	8M0055001	N/A	8M0098264
50 FourStroke	4 cylinder. BigFoot Gearcase	1998 - 2000	USA	0G590000 - 0T178499	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2006	BEL	0P094500 - 0P515896	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2006	CHN	0C000001 - 0C050251	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. Standard	2007 - 2022	CHN	0C0500252 and up	N/A(4)	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	BEL	0P094500 - 0P515896	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2006	CHN	1C000001 - 1C050251	8M0055008	N/A	8M0098264
50 FourStroke	4 cylinder. 996 cc. BigFoot	2007 - 2022	CHN	1C050252 and up	N/A(4)	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. Standard	2001 - 2022	BEL	0P094500 and up	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2006	USA	0T178500 - 1B344306	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc. BigFoot	2001 - 2022	BEL	0P094500 and up	8M0055008	N/A	8M0098264
60 FourStroke	4 cylinder. 996 cc.	2006 - 2022	CHN	1C000001 and up	8M0055008	N/A	8M0098264

(2) Accessory trim not available for non-trim models.

(3) Power trim is furnished standard on the "Pro-Kicker" model.

(4) All models furnished with trim as standard.

POWER TRIM CHART - MERCURY/MARINER 2-CYCLE

THESE ARE NOT REPLACEMENT POWER TRIMS. These kits are add-on power trim kits designed for addition to outboard engines that were not furnished a power trim at time of manufacture.

Two Cycle Outboard Power Trim Kit Chart

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Trim Sender	Starboard Mount Trim Sender
6		1986 - 2003	USA	0A197112 - OT800749		N/A	N/A
6		1986 - 2022	BEL	9461526 and up		N/A	N/A
8		1986 - 2022	USA	0A197112 and up		N/A	N/A
8		1986 - 2022	BEL	9461526 and up		N/A	N/A
9.9		1986 - 2022	USA	0A197112 and up		N/A	N/A
9.9		1986 - 2022	BEL	9461526 and up		N/A	N/A
15		1988 - 2022	USA	0B292414 and up		N/A	N/A
15		1988 - 2022	BEL	9542620 and up		N/A	N/A
20	(3)	1988 - 2003	USA	0B238464 - OT800749	NLA	N/A	N/A
20	(3)	1988 - 2022	BEL	9507381 and up	NLA	N/A	N/A
20 JET		1994 1/2 - 2022	USA	0G044027 and up	NLA	N/A	N/A
25	(3)	1988 - 2022	USA	0B238464 and up	NLA	N/A	N/A
25	(3)	1988 - 2022	BEL	9507381 and up	NLA	N/A	N/A
30	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	USA	0G124405 - 0G380073	822344A11	822573A12	N/A
30	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	BEL	9840763 - 9928056	822344A11	822573A12	N/A
30	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2002	USA	0G380074 - 0T598999	822344A13	822573A12	N/A
30	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2002	BEL	9928059 - 0P206999	822344A13	822573A12	N/A
30 JET	4 cylinder	1993 - 1997	USA	0C159200 - 0G589999	8M0055000	N/A	N/A
30 JET	3 cylinder. Long shaft only.	1998 - 2000	USA	0G590000 - 0T178499	822344A13	822573A12	N/A
35	2 cylinder.	1984 - 1989	USA	6445653 and up	N/A(1)	N/A	N/A
35	2 cylinder.	1984 - 1989	BEL	9384476 and up	N/A(1)	N/A	N/A
35	2 cylinder.	1984 - 1989	CAN	7209608 and up	N/A(1)	N/A	N/A
40	4 cylinder w/single trim/shock cylinder.	1989 - 1992	USA	0C159200 - 0D181999	N.L.A.	N/A	N/A
40	4 cylinder w/single trim/shock cylinder.	1989 - 1992	BEL	9570790 - 9740999	N.L.A.	N/A	N/A
40	4 cylinder.	1993 - 1997	USA	0D182000 and up	8M0055000	N/A	8M0098264
40	4 cylinder.	1993 - 1997	BEL	9741000 and up	8M0055000	N/A	8M0098264
40	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	USA	0G124405 - 0G380073	822344A11	822573A12	N/A
40	2 cylinder (644 cc) Long shaft.(4)	1995 - 1996 1/2	BEL	9840763 - 9928056	822344A11	822573A12	N/A
40	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2022	USA	0G380074 and up	822344A13	822573A12	N/A
40	2 cylinder (644 cc) Long shaft.(4)	1996 1/2 - 2022	BEL	9928059 and up	822344A13	822573A12	N/A
40	3 cylinder 59 CID, Long shaft only.	1997 1/2 - 2022	USA	0G531301 and up	822344A13	822573A12	N/A
40	3 cylinder 59 CID, Long shaft only.	1997 1/2 - 2022	BEL	9973100 and up	822344A13	822573A12	N/A
40 JET	59 CID	2001 - 2022	USA	0T178500 and up	8M0055001	N/A	8M0098264
40 JET	59 CID	2001 - 2022	BEL	0P094500 and up	8M0055001	N/A	8M0098264
45 JET	51.8 CID	1993 - 1997	USA	0D182000 - 0G589999	8M0054999(2)	N/A	8M0098264

OUTBOARD

OUTBOARD

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Trim Sender	Starboard Mount Trim Sender
45 JET	59 CID	1998 - 2000	USA	0D590000 - 0T178499	8M0055001	N/A	8M0098264
50	3 cylinder w/single trim/shock cylinder.	1989 - 1990	USA	0C160936 - 0D000749	N.L.A.	N/A	N/A
50	3 cylinder w/single trim/shock cylinder.	1989 - 1990	BEL	9469200 - 9683055	N.L.A.	N/A	N/A
50	3 cylinder w/single trim/shock cylinder.	1989 - 1990	CAN	0A721308 and up	N.L.A.	N/A	N/A
50	3 cylinder 51.8 CID	1991 - 1992	USA	0D000750 - 0D181999	N.L.A.	N/A	N/A
50	3 cylinder 51.8 CID	1991 - 1992	BEL	9682500 - 9733881	N.L.A.	N/A	N/A
50	3 cylinder 51.8 CID	1993 - 1997	USA	0D182000 - 0G589999	8M0054999(2)	N/A	8M0098264
50	3 cylinder 51.8 CID	1993 - 1997	BEL	9733882 - 9973099	8M0054999(2)	N/A	8M0098264
50	3 cylinder 59 CID, Long shaft only.	1998 - 2022	USA	0G590000 and up	822344A13	822573A12	N/A
50	3 cylinder 59 CID, Long shaft only.	1998 - 2022	BEL	9973100 and up	822344A13	822573A12	N/A
55	3 cylinder 51.8 CID, Electric models only.	1996 - 1997	USA	0D00750 - 0G589999	N/A	N/A	N/A
55	3 cylinder 51.8 CID, Electric models only.	1996 - 1997	BEL	9741042 - 9973099	N/A	N/A	N/A
55	3 cylinder 59 CID, Requires electric start.	1998 - 2022	USA	0G590000 and up	8M0055001	N/A	8M0098264
55	3 cylinder 59 CID, Requires electric start.	1998 - 2022	BEL	9973100 and up	8M0055001	N/A	8M0098264
60	3 cylinder w/single trim/shock cylinder.	1989 - 1990	USA	0C160936 - 0D000749	N.L.A.	N/A	N/A
60	3 cylinder w/single trim/shock cylinder.	1989 - 1990	BEL	9469200 - 9683055	N.L.A.	N/A	N/A
60	3 cylinder w/single trim/shock cylinder.	1989 - 1990	CAN	0A721308 and up	N.L.A.	N/A	N/A
60	3 cylinder.	1991 - 1992	USA	0D000750 - 0D181999	N.L.A.	N/A	N/A
60	3 cylinder.	1991 - 1992	BEL	9682500 - 9733881	N.L.A.	N/A	N/A
60	3 cylinder.	1993 - 1997	USA	0D182000 - 0G589999	8M0054999(2)	N/A	8M0098264
60	3 cylinder.	1993 - 1997	BEL	9733882 - 9973099	8M0054999(2)	N/A	8M0098264
60	3 cylinder. BigFoot Models	1998 - 2022	USA	0G590000 and up	8M0055008	N/A	8M0098264
60	3 cylinder. BigFoot Models	1998 - 2022	BEL	9973100 and up	8M0055008	N/A	8M0098264
60	3 cylinder. Non-BigFoot Models	1998 - 2022	USA	0G590000 and up	8M0055001	N/A	8M0098264
60	3 cylinder. Non-BigFoot Models	1998 - 2022	BEL	9973100 and up	8M0055001	N/A	8M0098264
70	3 cylinder.	1987 - 2022	USA	0A966142 and up	8M0143217(2)	8M0098273	8M0098264
70	3 cylinder.	1987 - 2022	BEL	9502500 and up	8M0143217(2)	8M0098273	8M0098264
75	4 cylinder.	1984 - 1987	USA	6428681 - 0B122929	8M0143217(2)	8M0098273	8M0098264
75	4 cylinder.	1984 - 1987	BEL	9385911 - 9469199	8M0143217(2)	8M0098273	8M0098264
75	4 cylinder.	1984 - 1987	CAN	7208333 - 0A721307	8M0143217(2)	8M0098273	8M0098264
75	3 cylinder.	1987 - 1997 1/2	USA	0A966142 - 0G531985	8M0143217(2)	8M0098273	8M0098264
75	3 cylinder.	1987 - 1997 1/2	BEL	9502500 - 9934136	8M0143217(2)	8M0098273	8M0098264
75	3 cylinder w/electric start only.	1997 1/2 - 2022	USA	0G531986 and up	830250A 7 (5)	N/A	8M0098264
75	3 cylinder w/electric start only.	1997 1/2 - 2022	BEL	9934137 and up	830250A 7 (5)	N/A	8M0098264

Model	Model Notes	Year Range	Country	Serial # Range	Power Trim Kit Part Number	Port Mount Trim Sender	Starboard Mount Trim Sender
80	3 cylinder.	1987 - 2022	USA	0A966142 and up	8M0143217(2)	8M0098273	8M0098264
80	3 cylinder.	1987 - 2022	BEL	9502500 and up	8M0143217(2)	8M0098273	8M0098264
90	3 cylinder.	1987 - 1997 1/2	USA	0A966142 - 0G531985	8M0143217(2)	8M0098273	8M0098264
90	3 cylinder.	1987 - 1997 1/2	BEL	9502500 - 9934136	8M0143217(2)	8M0098273	8M0098264
90	3 cylinder w/electric start only.	1997 1/2 - 2022	USA	0G531986 and up	830250A 7 (5)	N/A	8M0098264
90	3 cylinder w/electric start only.	1997 1/2 - 2022	BEL	9934137 and up	830250A 7 (5)	N/A	8M0098264

- (1) Power trim can not be added to a non-trim 35 EL model due to the transom bracket used in manufacture. Power trim was available as a factory supplied option.
- (2) Installation on a tiller handle model requires the addition of a Power Trim Switch kit found in this section or in Electrical Accessories.
- (3) May back fit to 1984 if the 5 tilt pin position clamp brackets are in use.
- (4) Non-Sea Pro/Marathon only.
- (5) Available at Seaway Marine 206-937-7373 (USA) or seawaymarine.com

TRIM LIMIT KITS

Used to limit tilt or trim-up travel on V-6 outboard power trim applications.

TRIM LIMIT SWITCH KIT



87-887979A 2

Kit includes a mercury switch to limit power trim travel and a new, shorter tilt bracket. Switch harness utilizes bullet connectors. Plugs into the harness for trim relay control on the 3.0L OptiMax (Model Year 2003 & newer).

TRIM LIMIT SWITCH KIT



87-814407A 3

Kit includes a mercury switch to limit power trim travel and a new, shorter tilt bracket. Fits all Mercury/Mariner V-6 outboard applications which use engine mounted power trim solenoids.

TRIM REDUCER KIT



858915A 1

Kit includes a series of spacers to be installed in the trim cylinder. Fits V-6 outboard applications (USA 0D082000 and Newer) and the 4 cylinder 135/150/175/200 hp. Verado outboard.

TRAILERING TILT SUPPORT BRACKETS

Locks motor in a tilted position.

TRAILERING TILT LOCK KIT



819504A 2

Positions engine at half tilt for trailering. Fits Force 90-150 hp. 2 cycle models with or without power trim, 1994 and prior (0E093699 and prior).

OUTBOARD

TILT SUPPORT BRACKET KIT



8M0072610

This shorter bracket will support the engine in a reduced trim up position when tilt is limited. Prevents engine from trim bleed down. Recommended for use with the trim limit control 8M0059532.

Fits the F150 EFI FourStroke outboard, serial number 1B905505 and above.

TRAILERING CLIP

TRAILERING CLIP



833006A 1

Clips over center trim ram in extended position. Locks motor in a tilted position. Fits Mercury/Mariner V-6 engines with Design II (3 ram) power trim systems and the 135/150/175 hp. Verado outboard.

TRAILERING CLIPS CHART - MERCURY/MARINER/FORCE

Mercury/Mariner/Force Trailing Clips

Model	Model Notes	Brand	Year Range	Country	Serial # Range	Trailing Clips
V-6	With Design II (3 ram) Power Trims	Mercury/Mariner	1986 - 2022	USA	0A904646 and up	833006A 1
40	1992C Models and Newer.	Force	1992 - 1994	USA	0E000001 - 0E093699	N.L.A.
50	1991B, 1992C Models and Newer.	Force	1991 - 1994	USA	0E000001 - 0E093699	N.L.A.
70	1991B, 1992C Models and Newer.	Force	1991 - 1995	USA	0E000001 - 0E138599	N.L.A.
75		Force	1996 - 2022	USA	0E138600 and up	N.L.A.
L Drives		Force	1990 - 1992	USA	0E000001 and up	N.L.A.

BATTERY CABLE KIT

Longer than standard, consists of two, 12 ft. (3.66 m) battery cables.

BATTERY CABLE KIT



84- 88439A50

Pair of 12 ft.(3.7 m) cables, 1 red (+) Positive and 1 black (-) Negative, 4 gauge with ring terminals. 105C 4AWG SGT, 5/16 engine direct to battery, 3/8 and 5/16 boat. This is an optional accessory kit and may not reflect the original cables on your engine. For original manufactured service part replacement, the Electronic Parts Catalog should always be used for each specific engine. For alternate length cables, consult the appropriate service manual.

Fits Mercury/Mariner outboard engines.

BATTERY CABLE-POS



84- 88439A25

Single 12 ft. positive cable. 4 Gauge with ring terminals.

BATTERY CABLE-NEG



84- 88439A26

Single 12 ft. negative cable. 4 Gauge with ring terminals

BATTERY CABLE KIT



84-8M0133542

2 cables in the kit (one red, one black), 12 feet long, 2 AWG, 5/16" ring terminal engine side and 3/8" ring terminal battery side. SGX or STX min 125C cable. When the application demands 2 gauge wire size.

NEGATIVE BATTERY CABLE



84-8M0136942

1 cable in the kit (black), 12 feet long, 2 AWG, 5/16" ring terminal engine side and 3/8" ring terminal battery side. SGX or STX min 125C cable. When the application demands 2AWG wire size

HEAVY DUTY BATTERY CABLES



84- 61378A 2

6AWG, 72" inch, 1/4-5/16 engine, 5/16-3/8 battery
For use with Mercury/Mariner V-6 Outboards

ENGINE TO HOT STUD KIT - 1/0 AWG

Image not Available.

84-8M0149414

Includes: engine to hot stud negative & positive cables. Ships on engine from factory. 12ft – 3/8" terminal boat side
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ALTERNATOR TO ISOLATOR CABLE

Image not Available.

84-8M0171478

Orange 1/0 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 12ft. (Quantity of 1 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ISOLATOR CHARGE CABLES

Image not Available.

84-8M0149788

Red 2 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 3ft. (Quantity of 2 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ISOLATOR CHARGE CABLES

Image not Available.

84-8M0149789

Red 2 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 6ft. (Quantity of 2 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

ISOLATOR CHARGE CABLES

Image not Available.

84-8M0149790

Red 2 gauge / SGX/STX 125c / 5/16 to 5/16 terminals - 10ft. (Quantity of 2 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

BATTERY ISOLATOR - 200 AMP



87-8M6005584

200 amp battery isolator. Ensure battery cables meet ABYC/CFR regulations. All MerCruiser and Outboard engines.

FUSE

Image not Available.

88-8M0174088

MRBF fuse - 175 amp. (Quantity of 2 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

CABLE BOOT

Image not Available.

85-8M0084147

Red battery cable boot. (Quantity of 5 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

FUSE BAR HOLDER KIT

Image not Available.

56-8M0144608

Bussman MRBF fuse holder (3/8" mounting hole with M8 1.25 (5/16) stud) and hardware

GROUNDING CABLE

Image not Available.

84-8M0151976

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 2ft

GROUNDING CABLE

Image not Available.

84-8M0151977

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 3ft

GROUNDING CABLE

Image not Available.

84-8M0151978

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 4.5ft

GROUNDING CABLE

Image not Available.

84-8M0151979

Black 1/0 gauge / SGX/STX 125c / 5/16 to 3/8 terminals - 6ft

EXTENSION HARNESS

Image not Available.

84-8M0176937

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (5ft)

EXTENSION HARNESS

Image not Available.

84-8M0176939

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (10ft)

EXTENSION HARNESS

Image not Available.

84-8M0176940

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (15ft)

POSITIVE BATTERY CABLE



84-8M0136941

1 cable in the kit (red), 12 feet long, 2 AWG, 5/16" ring terminal engine side and 3/8" ring terminal battery side. SGX or STX min 125C cable. When the application demands 2AWG wire size

EXTENSION HARNESS

Image not Available.

84-8M0176942

2-pin extension harness to provide excitation and ground to the isolator. Connects to rig center and isolator adapter. (25ft)

ISOLATOR ADAPTER

Image not Available.

84-8M0175114

2-pin adapter harness from extension to isolator excitation and ground. Connects isolator extension to isolator. Provides fused ground for FET based alternators when using Rig Center Gen2

ELECTRIC START KIT

Converts a manual start engine to an electric start. Additional buttons, harnesses or key switches may be required to complete conversion. See application chart.

ELECTRIC START KIT



50-90983A 5

Includes alternator kit. Also requires a tiller handle harness & start button or remote control harness assembly.

Fits various Mercury/Mariner 6-25 hp. 2 cycle outboards. See application chart for specific engine models.

ELECTRIC START KIT



50-822462A 1

Includes 15 AMP alternator and regulator/rectifier. Also requires a tiller handle harness & start button or remote control harness/enricher kit.
Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (1994-1997). See application chart for specific engine models.

ELECTRIC START KIT



50-822462A 2

Includes 15 AMP alternator and regulator/rectifier.
Fits Mercury/Mariner 55/60 hp. 2 cycle outboards (1998 and Newer). See application chart for specific engine models.

ELECTRIC START KIT



50-822462A 4

Includes 15 AMP alternator and regulator/rectifier. Tiller handle versions also require use of a transom mounted ignition/choke/horn assembly.
Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (1998 and Newer). See application chart for specific engine models.

ELECTRIC START KIT



50-822462A06

Includes 15 AMP alternator and regulator/rectifier. Tiller handle versions also require use of a transom mounted ignition/choke/horn assembly.
Fits Mercury/Mariner 40 hp. 2 cycle (3 cyl. 1997 1/2 and Newer) and 50 hp. 2 cycle (3 cyl. 1998 and Newer). See application chart for specific engine models.

ELECTRIC START CONVERSION KIT



8M0069693

Includes the components necessary to convert a manual start tiller handle outboard to an electric start tiller handle outboard.
Fits the 8/9.9 hp. FourStroke, Model Year 2005 and newer, both standard and BigFoot models.

ELECTRIC START KIT



8M0137846

15/20 EFI FourStroke outboard, 0R833820 and above.

ELECTRIC START CONVERSION KIT



50-899783A01

Converts an MH (manual start tiller) to an EH (electric start tiller) model.
25-30 Hp EFI FourStroke outboard, serial number 0R106999 & above.

TILLER HANDLE HARNESS BUTTON

Mounted to the tiller handle of an engine being converted to electric start, this button will activate the solenoid for the starter motor.

TILLER HANDLE HARNESS BUTTON



87-95810A 8

Fits various Mercury/Mariner 6-25 hp. 2 cycle tiller handle shift outboards. See application chart for specific engine models.

OUTBOARD

TILLER HANDLE HARNESS BUTTON



87-823609A 7

Can also be used when converting electric remote to a tiller handle.
 Fits Mercury/Mariner 6-15 hp. 2 cycle outboards (1994 and Newer) and Mercury / Mariner 20/25 hp. 2 cycle outboards (USA 0G044027 and Newer, BEL 9807909 and Newer).

COWL MOUNTED BUTTON

Mounted to the cowl of an engine being converted to electric start, this button will activate the solenoid for the starter motor.

COWL MOUNTED BUTTON



87-825294A 2

Fits Mercury / Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G055314-0G589999, BEL 9854537-9928480).

REMOTE CONTROL ENGINE HARNESS

Used along with an electric start conversion kit, this harness will allow hook up to a remote control.

REMOTE CONTROL ENGINE HARNESS



84-12334A 2

Fits various Mercury/Mariner 6-15 hp. 2 cycle outboards. See application chart for specific engine models.

REMOTE CONTROL ENGINE HARNESS



84-824477A 3

Harness includes an enricher kit.
 Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G055314-0G589999, BEL 9854537-9928480).

TRANSOM MOUNTED IGNITION KEYSWITCH

A transom mounted keyswitch allowing for activation of the starter solenoid, a choke or enricher valve.

TRANSOM MOUNTED IGNITION KEYSWITCH



15000A 7

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has an 8 pin engine connector.
 Fits many varying outboards and applications through Model Year 2005 where a keyswitch with warning horn and choke (enricher) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

TRANSOM MOUNTED IGNITION KEYSWITCH



15000A14

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has the 14 pin engine connector.
 Fits many varying outboards and applications beginning in Model Year 2006 where a keyswitch with warning horn and choke (enricher) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

NEUTRAL INTERLOCK

Used when adding an electric start conversion kit or adding a tiller handle to an electric model, this interlock insures start-in-gear protection.

NEUTRAL INTERLOCK



87-813960A 4

Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G590000 and Newer, BEL 9973100 and Newer).

ELECTRIC START KITS CHART - MERCURY/MARINER

Mercury/Mariner Electric Start Kits

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Electric Start Kit	Start Button Or Keyswitch	Optional Remote Control Engine Harness
6	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
6	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
6	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
6	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
6	Mercury/Mariner		1994 - 2003	USA	0D281000 - 0T800749	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
6	Mercury/Mariner		1994 - 2022	BEL	9792200 and up	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
8	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
8	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
8	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
8	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
8	Mercury/Mariner		1994 - 2022	USA	0D281000 and up	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
8	Mercury/Mariner		1994 - 2022	BEL	9792200 and up	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
8 FourStroke	Mercury/Mariner		1995 - 1998	USA	0H000058 - 0H017099	N.L.A.	N.L.A.	N.L.A.(1)
8 FourStroke	Mercury/Mariner		1999	USA	0H017100 - 0H017349	N.L.A.	N.L.A.	N.L.A.(1)
8 FourStroke	Mercury/Mariner		1999 - 2000	USA	0G760300 - 0T178499	N.L.A.	N.L.A.	N.L.A.(1)
8 FourStroke	Mercury/Mariner	323 cc.	2001 - 2004	BEL	0P086824 - 0P325499	NLA	NLA	NLA(1)
8 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2022	JPN	0R042475 and up	8M0069693	N/A	N/A
8 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2022	BEL	0P325500 and up	8M0069693	N/A	N/A
9.9	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
9.9	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
9.9	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
9.9	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
9.9	Mercury/Mariner		1994 - 2022	USA	0D281000 and up	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
9.9	Mercury/Mariner		1994 - 2022	BEL	9792200 and up	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
9.9 FourStroke	Mercury/Mariner	232 cc.	1995 - 1998	USA	0H000058 - 0H016909	N.L.A.	N.L.A.	N.L.A.(1)
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	USA	0G760300 - 0T979999	NLA	NLA	NLA(1)
9.9 FourStroke	Mercury/Mariner	323 cc.	1999 - 2004	BEL	0P075166 - 0P325499	NLA	NLA	NLA(1)
9.9 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2022	JPN	0R042475 and up	8M0069693	N/A	N/A
9.9 FourStroke	Mercury/Mariner	Manual Tiller Model	2005 - 2022	BEL	0P325500 and up	8M0069693	N/A	N/A
15	Mercury/Mariner	With tiller handle shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
15	Mercury/Mariner	With tiller handle shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	87- 95810A 8	84- 12334A 2(1)
15	Mariner	With side shift	1986 - 1993	USA	0A197112 - 0D280999	50- 90983A 5	N.L.A.	84- 12334A 2(1)
15	Mariner	With side shift	1986 - 1993	BEL	9461526 - 9792199	50- 90983A 5	N.L.A.	84- 12334A 2(1)
15	Mercury/Mariner		1994 - 2022	USA	0D281000 and up	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
15	Mercury/Mariner		1994 - 2022	BEL	9792200 and up	50- 90983A 5	87- 823609A 7	84- 12334A 2(1)
15	Mercury/Mariner	Sea Pro and Marathon	1994 1/2 - 2022	USA	0G044027 and up	50- 90983A 5	87- 823609A 7	NLA(1)

OUTBOARD

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Electric Start Kit	Start Button Or Keyswitch	Optional Remote Control Engine Harness
15	Mercury/Mariner	Sea Pro and Marathon	1994 1/2 - 2022	BEL	9807909 and up	50-90983A 5	87-823609A 7	NLA(1)
15 FourStroke	Mercury/Mariner	323 cc.	1998	USA	0G590000 - 0G760299	NLA	N.L.A.	NLA(1)
15 FourStroke	Mercury/Mariner	323 cc.	1999 - 2008	USA	0G760300 and up	NLA	NLA	NLA(1)
15 FourStroke	Mercury/Mariner	351 cc.	2008 - 2018	JPN	0R235949 - 0R833819	NLA	N/A	N/A
15 EFI FourStroke	Mercury/Mariner		2018 - 2022	JPN	0R833820 - and up	8M0137846	N/A	N/A
15	Mariner	Early Japanese			684 Series and up	N.L.A.	N/A	N/A
18XD	Mercury		1984 - 1985	USA	6443973 and up	50-90983A 5	87-95810A 8	NLA(1)
18XD	Mercury		1984 - 1985	BEL	9378151 - 9415100	50-90983A 5	87-95810A 8	NLA(1)
18XD	Mercury		1984 - 1985	CAN	7209533 and up	50-90983A 5	87-95810A 8	NLA(1)
20	Mercury	With tiller handle shift	1986 - 1994 1/2	USA	6443973 - 0G044026	50-90983A 5	87-95810A 8	NLA(1)
20	Mercury	With tiller handle shift	1986 - 1994 1/2	BEL	9415101 - 9807908	50-90983A 5	87-95810A 8	NLA(1)
20	Mercury	With tiller handle shift	1986 - 1994 1/2	CAN	7209533 and up	50-90983A 5	87-95810A 8	NLA(1)
20	Mariner	With side shift	1986 - 1994 1/2	USA	6443973 - 0G044026	50-90983A 5	N.L.A.(5)	NLA(1)
20	Mariner	With side shift	1986 - 1994 1/2	BEL	9415101 - 9807908	50-90983A 5	N.L.A.(5)	NLA(1)
20	Mariner	With side shift	1986 - 1994 1/2	CAN	7209533 and up	50-90983A 5	N.L.A.(5)	NLA(1)
20	Mercury/Mariner		1994 1/2 - 2003	USA	0G044027 - 0T800749	50-90983A 5	87-823609A 7	NLA(1)
20	Mercury/Mariner		1994 1/2 - 2022	BEL	9807909 and up	50-90983A 5	87-823609A 7	NLA(1)
20 FourStroke	Mercury/Mariner	351 cc.	2008 - 2018	JPN	0R235168 - 0R833819	NLA	N/A	N/A
20 EFI FourStroke	Mercury/Mariner		2018 - 2022	JPN	0R833820 - and up	8M0137846	N/A	N/A
25, 25XD	Mercury	With tiller handle shift	1984 - 1994 1/2	USA	6443973 - 0G044026	50-90983A 5	87-95810A 8	NLA(1)
25, 25XD	Mercury	With tiller handle shift	1984 - 1994 1/2	BEL	9415101 - 9807908	50-90983A 5	87-95810A 8	NLA(1)
25, 25XD	Mercury	With tiller handle shift	1984 - 1994 1/2	CAN	7209533 and up	50-90983A 5	87-95810A 8	NLA(1)
25	Mariner	With side shift	1986 - 1994 1/2	USA	6443973 - 0G044026	50-90983A 5	N.L.A.(5)	NLA(1)
25	Mariner	With side shift	1986 - 1994 1/2	BEL	9415101 - 9807908	50-90983A 5	N.L.A.(5)	NLA(1)
25	Mariner	With side shift	1986 - 1994 1/2	CAN	7209533 and up	50-90983A 5	N.L.A.(5)	NLA(1)
25	Mercury/Mariner		1994 1/2 - 2022	USA	0G044027 and up	50-90983A 5	87-823609A 7	NLA(1)
25	Mercury/Mariner		1994 1/2 - 2022	BEL	9807909 and up	50-90983A 5	87-823609A 7	NLA(1)
25 FourStroke	Mercury/Mariner	Carb models only	1998 - 2006	USA	0G590000 - 1B344298	(3)	N/A	N/A
25 FourStroke	Mercury/Mariner	Carb models only	1998 - 2006	BEL	9973100 - 0P358282	(3)	N/A	N/A
25 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	JPN	0R106999 and up	50-899783A01	N/A	N/A
25 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	BEL	0P401000 and up	50-899783A01	N/A	N/A
30	Mercury/Mariner		1994 - 1997	USA	0G055314 - 0G589999	50-822462A 1	87-825294A 2	84-824477A 3(1)
30	Mercury/Mariner		1994 - 1997	BEL	9854537 - 9928480	50-822462A 1	87-825294A 2	84-824477A 3(1)
30	Mercury/Mariner		1998 - 2002	USA	0G590000 - 0T598999	50-822462A 4(2)	15000A 7	N/A
30	Mercury/Mariner		1998 - 2002	BEL	9973100 - 0P206999	50-822462A 4(2)	15000A 7	N/A
30 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	JPN	0R106999 and up	50-899783A01	N/A	N/A
30 FourStroke	Mercury/Mariner	EFI Tiller models	2006 - 2022	BEL	0P401000 and up	50-899783A01	N/A	N/A
40	Mercury/Mariner	2 cylinder	1994 - 1997	USA	0G055314 - 0G589999	50-822462A 1	87-825294A 2	84-824477A 3(1)
40	Mercury/Mariner	2 cylinder	1994 - 1997	BEL	9854537 - 9928480	50-822462A 1	87-825294A 2	84-824477A 3(1)
40	Mercury/Mariner	2 cylinder	1998 - 2022	USA	0G590000 and up	50-822462A 4(2)	15000A 7	N/A
40	Mercury/Mariner	2 cylinder	1998 - 2022	BEL	9973100 and up	50-822462A 4(2)	15000A 7	N/A
40	Mercury/Mariner	3 cylinder	1997 1/2 - 2022	USA	0G531801 and up	50-822462A06	15000A 7	N/A
40	Mercury/Mariner	3 cylinder	1997 1/2 - 2022	BEL	9973100 and up	50-822462A06	15000A 7	N/A

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Electric Start Kit	Start Button Or Keyswitch	Optional Remote Control Engine Harness
50	Mercury/Mariner	3 cylinder	1998 - 2022	USA	0G590000 and up	50-822462A06	15000A 7	N/A
50	Mercury/Mariner	3 cylinder	1998 - 2022	BEL	9973100 and up	50-822462A06	15000A 7	N/A
55MH	Mercury/Mariner	3 cylinder, 51.8 CID	1996 - 1997	USA	0D000750 - 0G589999	N/A	N/A	N/A
55MH	Mercury/Mariner	3 cylinder, 51.8 CID	1996 - 1997	BEL	9741042 - 9973099	N/A	N/A	N/A
55	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2022	USA	0G590000 and up	50-822462A 2	N/A	N/A
55	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2022	BEL	9973100 and up	50-822462A 2	N/A	N/A
60	Mercury/Mariner	59 CID	1998 - 2022	USA	0G590000 and up	50-822462A 2	N/A	N/A
60	Mercury/Mariner	59 CID	1998 - 2022	BEL	9973100 and up	50-822462A 2	N/A	N/A

- (1) Required for hook-up to optional remote control or transom mounted keyswitch.
- (2) Neutral Interlock kit no. 87-813960A 4 required to complete this conversion.
- (3) No kit available for this model.
- (5) Use the comparable black colored Mercury harness button 87-95810A 8.

TILLER HANDLE KIT - TRADITIONAL STYLE

Used to convert a remote steering engine to tiller handle operation. Traditional mechanical steering handle.

TILLER HANDLE KIT



8M0103839

Converts an electric start remote control outboard to an electric start tiller handle outboard.

Fits 9.9 hp. FourStroke, Model Year 2005 & newer, both standard and BigFoot models requiring SAE ended throttle/shift cables. Serial Numbers USA-0R042475-0R192771 & BEL-0P325500-0P513329.

8M0103840

Converts an electric start remote control outboard to an electric start tiller handle outboard.

Fits 9.9 hp. FourStroke, Model Year 2005 & newer, both standard and BigFoot models requiring SAE ended throttle/shift cables. Serial Numbers USA-0R042475-0R192771 & BEL-0P325500-0P513329.

TILLER HANDLE CONVERSION KIT



8M0103837

Converts an ERC to EH model.

Fits the 9.9 hp. FourStroke outboard with EPA calibrations and requiring Mercury style ended throttle/shift cables. Serial Numbers USA-0R192772 & newer, BEL-0P513330 & newer.

TILLER HANDLE CONVERSION KIT



8M0104197

Converts an ERC (electric remote model) to an EH (electric tiller model). Power trim models require additional kit 87-898101A02 to relocate trim switch from the cowl to the handle.

Fits the 15 hp. FourStroke (351cc) outboard, serial number 0R235949 - 0R833819.

TILLER HANDLE CONVERSION KIT



8M0137854

Converts remote control to tiller handle.

15/20 EFI FourStroke outboard, 0R833820 and above.

TILLER HANDLE CONVERSION KIT



8M0104198

Converts an ERC (electric remote model) to an EH (electric tiller model). Power trim models require additional kit 87-898101A02 to relocate trim switch from the cowl to the handle.

Fits the 20 hp. FourStroke (351cc) outboard, serial number 0R235168 - 0R833819.

TILLER HANDLE KIT



94185A17

Fits Mariner 20 hp. 2 cycle outboards (USA 6443973-0B238463, BEL 9415101-9507380, CAN 7209533-0A730006).

TILLER HANDLE KIT



821468A 7

Black handle. Converts to tiller shift with hand adjustable co-pilot. Electric start models require keyswitch or start button. See application chart.
Fits various Mercury/Mariner 20/25 hp. 2 cycle outboards 1994 1/2 and newer. See application chart for specific engine models. This handle does NOT fit JET outboards.

TILLER HANDLE KIT



821455A20

Black handle. Power trim models require trim switch kit.
Fits Mercury 25 hp. 4-Stroke outboards (USA 0G590000-0G760299).

TILLER HANDLE KIT



821455A26

Black handle. Power trim models require trim switch kit.
Fits Mercury/Mariner 25 hp. Carbureted 4-Stroke outboards (USA 0G760300 and Newer).

TILLER HANDLE CONVERSION KIT



8M0051061

This kit converts an MRC (manual remote control) model to a tiller handle operation.
Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R106999 & above.

TILLER HANDLE CONVERSION KIT



8M0051062

This kit converts an ERC (electric remote control) model to a tiller handle operation. Models with power trim will have trim switch on the side of the cowl. To replace that switch with one on the handle, order an 87-898101A01 trim switch kit if desired.
Fits the 25-30 Hp EFI FourStroke Outboard, serial number JPN-0R106999 & above and BEL-0P401000 & above.

TRIM SWITCH KIT



87-898101A01

When installing a tiller handle conversion kit to a remote model that has power trim, it may be desired to replace the cowl mounted trim switch with one mounted on the handle. This kit will make that trim switch conversion from the cowl to the tiller handle.

Fits the 25-30 Hp EFI FourStroke Outboard, serial number JPN-0R106999 & above and BEL-0P401000 & above.

TILLER HANDLE KIT



821455T 8

Black handle. Electric start models require transom mounted keyswitch and a neutral interlock. Power trim models require a trim switch kit. Hand adjustable co-pilot included.
Fits various Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards. See application chart for specific engine models.

TILLER HANDLE KIT



821455A22

For carbureted models only. Power trim models require a trim switch kit. Fits Mercury/Mariner 30/40 hp. 4-Stroke (3 cyl.) carbureted outboards (MY1999-2005) and 40 hp. (3 cyl.) manual start, carbureted, short shaft, vertical shift FourStroke outboards (MY2006).

TILLER HANDLE KIT



821455A16

For EFI models only. Power trim models require a trim switch kit. Fits Mercury/Mariner 30/40 hp. 4-Stroke (3 cyl.) EFI outboards (MY1999-2005).

TILLER HANDLE KIT



821455A17

For EFI short shaft models only. Power trim models require a trim switch kit. Fits Mercury/Mariner 40 hp. (3 cyl.) EFI short shaft, vertical shift FourStroke outboards (MY2006).

TILLER HANDLE KIT



821455A24

Has rotary actuated shift. Fits the MY2006, F40hp. 3-cylinder EFI Longshaft FourStroke outboard with serial number CHN 1C000001-1C049738 and BEL 0P401000-0P515896.

TILLER HANDLE KIT



828813A29

Black handle. See application chart for additional components required to complete the conversion. Power trim models require a trim switch kit. Fits various Mercury/Mariner 40/50 hp. (3 cyl.) and 30 JET (3 cyl.) 2 cycle outboards. See application chart for specific engine models.

TILLER HANDLE KIT



95419A 1

Requires transom mounted ignition/choke. See application chart. Fits Mariner 40 hp. outboard (Japanese origin). See application chart for specific engine models.

TILLER HANDLE KIT



880095A05

Black handle. Kit contains the complete handle assembly, hand adjustable co-pilot and shift components. Fits Mercury/Mariner 40 hp. (4 cyl.) FourStroke Bigfoot EFI Model and 50/60 hp. (4 cyl.) FourStroke EFI Model outboards (USA 0T409000-1B226999 and BEL 0P153500-0P400999).

TILLER HANDLE KIT



880095A04

Black handle. Kit contains the complete handle assembly, hand adjustable co-pilot and shift components. Fits Mercury/Mariner 40 hp. (4 cyl.) FourStroke Bigfoot EFI Model and 50/60 hp. (4 cyl.) FourStroke EFI Model outboards (CHN-1C000001-1C050251).

TILLER HANDLE KIT



889246A37

Covers a remote model Jet outboard to a tiller handle Jet outboard. Fits the Mercury/Mariner 40 hp. (4 cylinder) FourStroke Jet outboard, CHN-1C000001 & above.

TILLER HANDLE KIT



880093A03

Black handle. Kit contains the complete handle assembly, hand adjustable co-pilot and shift components. Converts an ERC (remote) model to an EH (tiller) model. Fits Mercury/Mariner 40 hp. (3 cyl.) FourStroke EFI and 40/50/60 hp. (4 cyl.) FourStroke EFI Model outboards (CHN-1C050252 & above).

TILLER HANDLE KIT



816366A48

Black handle. See application chart for additional components required to complete the conversion. Power trim models require a trim switch kit. Fits various Mercury/Mariner 60 hp. and 45 JET 2 cycle outboards (1999 and Newer). See application chart for specific engine models.

TILLER HANDLE KIT



12022A40

Black handle. JET outboards require a shift attaching kit. Fits various Mercury/Mariner 65 JET/75/90 hp. (3 cyl.) 2 cycle outboards (1997 and Newer). See application chart for specific engine models.


TILLER HANDLE KIT



12022A41

Black handle. JET outboards require a shift attaching kit. Fits various Mercury/Mariner 80 JET/100/115/125 hp. (4 cyl.) 2 cycle outboards. See application chart for specific engine models. Mariner gray handle kits for this application are no longer available.

TILLER HANDLE KIT




896648A07

Black handle. Converts remote models to a tiller handle control. Fits the 75/90/115 DFI, 1.5L OptiMax Outboard, Model Year 2004 & 2005 with serial number 0T801000-1B226999.

SHIFT ATTACHING KIT

Needed to activate the shift on a JET outboard when converting from remote operation to a tiller handle operation.


SHIFT ATTACHING KIT



850000A 2

Fits Mercury / Mariner 45 JET 2 cycle outboards (USA 0D182000 and Newer).

SHIFT ATTACHING KIT



850000A 3

Fits Mercury / Mariner 65 JET 2 cycle outboards (USA 0D182000 and Newer) and 80 JET 2 cycle outboards (USA 0G449551 and Newer).

SHIFT ATTACHING KIT



850000A 4

Fits Mercury / Mariner 30 JET (3 cyl.) 2 cycle outboards (USA 0G590000 and Newer).

TILLER HANDLE - BIG TILLER STEERING

The Big Tiller has improved features and is designed to allow driving a large tiller Outboard engine easily, safely and is ergonomically friendly. The Big Tiller is used on large 40-115 HP FourStroke, 75-250 HP OptiMax, 135-200 HP 4 cylinder DTS Verado engines.

DTS TILLER HANDLE WITH P/S




8M0134609

The Big Tiller is designed for optimal performance and ergonomic comfort. With improved friction adjustments, a hydraulic locking feature eliminating torque, easy access to the throttle and shift handle and a trim button at the end of the handle the Big Tiller provides safe and effortless operation.

The RPM Adjustment (Troll Control) and LED light switch are standard on this model.

Power Steering is required - 135-200 HP 4 Cylinder Verado.

THROTTLE AND SHIFT KIT- 40-60 FOURSTROKE



8M0082354

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 40 - 60 HP engines. This kit is not compatible with Jet Outboard engines.

THROTTLE AND SHIFT KIT- 75-115 FOURSTROKE TILLER



8M0082351

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 1.7L 75-115 HP FourStroke engines.

THROTTLE AND SHIFT KIT- 3.0L 150 FOURSTROKE TILLER



8M0082355

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 3.0L 150 HP FourStroke engines.

THROTTLE AND SHIFT KIT- 75-115 1.5L OPTIMAX TILLER

8M0082352

The kit includes 2 - T/S cables. These cables are designed to provide the best in class installation for this engine family.

The kit is designed to work with 75 - 115 HP OptiMax engines.

THROTTLE AND SHIFT KIT- 135HP+ OPTIMAX



8M0082353

The kit includes 2 - T/S cables. These cables are designed to provide the best in class installation for this engine family.

The kit is designed to work with the 135HP+ OptiMax engines.

THROTTLE AND SHIFT KIT- 3.0L 150 FOURSTROKE TILLER



8M0082355

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 3.0L 150 HP FourStroke engines.

TROLL CONTROL KIT



87-8M0083437

RPM adjustment at your finger tips. This kit can be added to the Big Tiller Mechanical without P/S as an option

Y Harness not included. Mechanical use only. Not compatible with DTS applications.

LED LIGHT AND SWITCH KIT



87-897978T02

New LED light and Switch Kit is an option on all Mechanical Big Tiller units. Allows for easy installation on the new Big Tiller. Light up your boat with a soft Amber light to make night fishing or early morning fishing more flexible.

OUTBOARD STABILIZER CLIPS- TRAILERING



64-891762A04

Helps keep engine centered during trailering
Safety orange durable plastic material

Fits most cylinder rods on engines manufactured in 1997 and newer.
Snaps over outboard's hydraulic steering cylinder rods

TILLER HANDLE KITS CHART - MERCURY/MARINER

Mercury/Mariner Tiller Handle Kits

Model	Model Notes	Year Range	Serial # Range	Tiller Handle Kit Part Number	Handle Color	Shift Attaching Kit
8 FourStroke	232 cc. With Side Shift.	1995 - 1998	USA 0H000058 - 0H017099	N.L.A.	Black	N/A
				N.L.A.	Gray	N/A
8 FourStroke	232 cc. With Side Shift.	1999 - 2000	USA 0H017100 - 0H017349	N.L.A.	Black	N/A
8 FourStroke	232 cc. With Side Shift.	1999 - 2000	USA 0G760300 and up	N.L.A.	Black	N/A
8 FourStroke	232 cc. With Shift in Handle.	1995 - 1998	USA 0H000058 - 0H017099	N.L.A.	Black	N/A
				N.L.A.	Gray	N/A
8 FourStroke	232 cc. With Shift in Handle.	1999 - 2000	USA 0H017100 - 0H017349	N.L.A.	Black	N/A
8 FourStroke	232 cc. With Shift in Handle.	1999 - 2000	USA 0G760300 and up	N.L.A.	Black	N/A
8 FourStroke	323 cc.	2001 - 2004	BEL 0P086824 - 0P325499	N.L.A.	Black	N/A
8 FourStroke	Manual start models	2005 - 2006	JPN 0R042475 - 0R192771	8M0103839(14)	Black	N/A
			BEL 0P325500 - 0P513329			
9.9 FourStroke	232 cc. With Side Shift.	1995 - 1998	USA 0H000058 - 0H016909	N.L.A.	Black	N/A
				N.L.A.	Gray	N/A
9.9 FourStroke	232 cc. With Shift in Handle.	1995 - 1998	USA 0H000058 - 0H016909	N.L.A.	Black	N/A
				N.L.A.	Gray	N/A
9.9 FourStroke	323 cc.	1999 - 2004	USA 0G760300 - 0T979999	N.L.A.	Black	N/A
		1999 - 2004	BEL 0P075166 - 0P325499			
9.9 FourStroke	SAE Manual Remote(14)	2005 - 2006	JPN 0R042475 - 0R192771	8M0103839(14)	Black	N/A
			BEL 0P325500 - 0P513329			
9.9 FourStroke	SAE Electric Remote(14)	2005 - 2006	JPN 0R042475 - 0R192771	8M0103840(14)	Black	N/A
			BEL 0P325500 - 0P513329			

Model	Model Notes	Year Range	Serial # Range	Tiller Handle Kit Part Number	Handle Color	Shift Attaching Kit
9.9 FourStroke, EPA	MERC Electric Remote(15)	2006 - 2022	JPN 0R192772 and up	8M0103837(15)	Black	N/A
9.9 FourStroke, EU	MERC Electric Remote(15)	2006 - 2022	BEL 0P513330 and up	NLA(15)	Black	N/A
15 FourStroke	323cc	1998	USA 0G590000 - 0G760299	N.L.A.	Black	N/A
				N.L.A.	Gray	N/A
15 FourStroke	323cc	1999 - 2008	USA 0G760300 and up	N.L.A.	Black	N/A
15 FourStroke	351cc, Electric Remote	2008 - 2018	JPN 0R235949 - 0R833819	8M0104197(13)	Black	N/A
15 EFI FourStroke		2018 - 2022	JPN 0R833820 - and up	8M0137854	Black	N/A
20		1984 - 1987	USA 6443973 - 0B238463	94185A17	Gray	N/A
			BEL 9415101 - 9507380			
			CAN 7209533 - 0A730006			
20		1988 - 1994	USA 0B238464 - 0G044026		Gray	N/A
			BEL 9507381 - 9807908			
			CAN 0A730007 and up			
20		1994 1/2 - 2003	USA 0G044027 - 0T800749	821468A 7(1)	Black	N/A
			BEL 9807909 and up			
20 JET		1994 - 1998	USA 0G044027 - 0G760299	N/A	N/A	N/A
20 JET		1999 - 2022	USA 0G760300 and up	N/A	N/A	N/A
20 FourStroke	351cc, Electric Remote	2008 - 2018	JPN 0R235168 - 0R833819	8M0104198(13)	Black	N/A
20 EFI FourStroke		2018 - 2022	JPN 0R833820 - and up	8M0137854	Black	N/A
25		1994 1/2 - 2005	USA 0G044027 - 1B226999	821468A 7(1)	Black	N/A
25 FourStroke	351cc, Electric remote		BEL 9807909 - 0P400999			
25 FourStroke		1998	USA 0G590000 - 0G760299	821455A20(2)	Black	N/A
				N.L.A.(9)	Gray	N/A
25 FourStroke	Carbureted Models	1999 - 2006	USA 0G760300 - 1B344298	821455A26(2)	Black	N/A
25 FourStroke	EFI, Manual Version	2006 - 2022	JPN 0R106999 and up	8M0051061(12)	Black	N/A
			BEL 0P401000 and up			
25 FourStroke	EFI, Electric Version	2006 - 2022	JPN 0R106999 and up	8M0051062(13)	Black	N/A
			BEL 0P401000 and up			
30E / EL	(Japanese Origin) Without oil injection.		689 Series and up	N.L.A.(3)	Gray	N/A
30E / EL	(Japanese Origin) With oil injection.		689 Series and up	N.L.A.(4)	Gray	N/A
30	2 cylinder, 644 cc.	1994 - 1998	USA 0G053314 - 0G760299	821455T 8(5)	Black	N/A
			BEL 9812719 - 0P016999			
30		1994 - 1998	USA 0G053314 - 0G760299	N.L.A.(9)	Gray	N/A
			BEL 9812719 - 0P016999			
30	2 cylinder, 644 cc.	1999 - 2002	USA 0G760300 - 0T598999	821455T 8(5)	Black	N/A
			BEL 0P017000 - 0P206999			
30 FourStroke	3 cyl. Carbureted	1999 - 2022	USA 0G760300 and up	821455A22(2)	Black	N/A
			BEL 0P094500 and up			
30 FourStroke	3 cyl. EFI	2002 - 2005	USA 0T409000 - 1B226999	821455A16(2)	Black	N/A
			BEL 0P153500 - 0P400999			
30 FourStroke	EFI, Manual Version	2006 - 2022	JPN 0R106999 and up	8M0051061(12)	Black	N/A
			BEL 0P401000 and up			
30 FourStroke	EFI, Electric Version	2006 - 2022	JPN 0R106999 and up	8M0051062(13)	Black	N/A
			BEL 0P401000 and up			
30 Jet	4 cylinder.	1994 - 1997	USA 0C159200 - 0G589999	N.L.A.	Black	N.L.A.
30 Jet	3 cylinder.	1998	USA 0G590000 - 0G760299	828813A29(2)(4)	Black	850000A 4
30 Jet	3 cylinder.	1998	USA 0G590000 - 0G760299	828813A29(2)(4)(9)	Black	850000A 4
30 Jet	3 cylinder.	1999 - 2022	USA 0G760300 and up	828813A29(2)(4)	Black	850000A 4
35	2 cyl. Models w/ 2 piece steering arm.	Prior to - 1989	USA 0C159200 and up	N.L.A.(2)	Black	N/A
		Prior to - 1989	BEL 9570790 and up			
40	4 cyl. Models w/ 2 piece steering arm & single tri	1989 - 1997	USA 0C159200 and up	N.L.A.	Black	N/A
			BEL 9570790 and up			
40	4 cyl. Models w/ 2 piece steering arm & single tri	1989 - 1997	USA 0C159200 and up	N.L.A.	Gray	N/A
			BEL 9570790 and up			

OUTBOARD

Model	Model Notes	Year Range	Serial # Range	Tiller Handle Kit Part Number	Handle Color	Shift Attaching Kit
40	2 cylinder, 644 cc.	1994 - 1998	USA 0G053314 - 0G760299 BEL 9812719 - 0P016999	821455T 8(2)(5)	Black	N/A
40	2 cylinder, 644 cc.	1994 - 1998	USA 0G053314 - 0G760299 BEL 9812719 - 0P016999	N.L.A.(9)	Gray	N/A
40	2 cylinder, 644 cc.	1999 - 2022 1999 - 2022	USA 0G760300 and up BEL 0P017000 and up	821455T 8(2)(5)	Black	N/A
40E / EL	2 cyl.(Japanese Origin) Without oil injection.		6E9 Series and up	95419A 1(3)	Gray	N/A
40E / EL	2 cyl.(Japanese Origin) With oil injection.		6E9 Series and up	95419A 1(4)	Gray	N/A
40	3 cylinder.	1997 1/2 - 1998	USA 0G531301 - 0G760299 BEL 9973100 - 0P016999	828813A29(2)(4)	Black	N/A
40	3 cylinder.	1997 1/2 - 1998	USA 0G531301 - 0G760299 BEL 9973100 - 0P016999	828813A29(2)(4)(9)	Black	N/A
40	3 cylinder.	1999 - 2005	USA 0G760300 - 1B226999	828813A29(2)(4)	Black	N/A
40	3 cylinder.	1999 - 2022	BEL 0P017000 and up	828813A29(2)(4)	Black	N/A
40 FourStroke	3 cyl. Carb	1999 - 2005	USA 0G760300 - 1B226999 BEL 0P094500 - 0P400999	821455A22(2)	Black	N/A
40 FourStroke	3 cyl. EFI	2002 - 2005	USA 0T409000 - 1B226999 BEL 0P153500 - 0P400999	821455A16(2)	Black	N/A
40 FourStroke	3 cyl. Manual-Short Shaft	2006	USA 1B227000 - 1B344398	821455A22(10)	Black	N/A
	3 cyl. EFI-Short Shaft	2006	USA 1B227000 - 1B344398	821455A17(2)(10)	Black	N/A
	3 cyl. EFI-Short Shaft only	2006	BEL 0P401000 - 0P515896	821455A17(2)(10)	Black	N/A
	3 cyl. EFI-Long Shaft	2006	CHN 1C00001 - 1C049738	821455A24(11)	Black	N/A
	3 cyl. EFI-Long Shaft	2006	BEL 0P401000 - 0P515896	821455A24(11)	Black	N/A
40 FourStroke	3 cyl. EFI	2007 - 2022	CHN 1C049739 and up	880093A03	Black	N/A
40 FourStroke	4 cylinder with Standard Gearcase	1996 - 1998	USA 0G231123 - 0G760299	828813A33 (9)	Black Gray	N/A N/A
40 FourStroke	4 cylinder with BigFoot Gearcase	1996 - 1998	USA 0G231123 - 0G760299	N.L.A. (9)	Black Gray	N/A N/A
40 FourStroke	4 cylinder with Standard Gearcase	1999 - 2000	USA 0G760300 - 0T178499	828813A33	Black	N/A
40 FourStroke	4 cylinder with BigFoot Gearcase	1999 - 2000	USA 0G760300 - 0T178499	N.L.A.	Black	N/A
40 FourStroke	4 cylinder Carb Model w/ BigFoot Gearcase 996 cc.	2001	USA 0T178500 - 0T408999 BEL 0P094500 - 0P153499	NLA	Black	N/A
40 FourStroke	4 cylinder EFI Model w/ BigFoot gearcase 996 cc.	2002 - 2005	USA 0T409000 - 1B226999 BEL 0P153500 - 0P400999	880095A05	Black	N/A
40 FourStroke	4 cylinder EFI Model w/BigFoot gearcase 996 cc.l	2006	USA 1B227000 - 1B344306 BEL 0P401000 - 0P515896	880095A04	Black	N/A
40 FourStroke	4 cylinder EFI Model w/BigFoot gearcase 996 cc.l	2006	CHN 1C00001 - 1C050251	880095A04	Black	N/A
40 FourStroke	4 cylinder EFI, Traditional Tiller	2007 - 2022	CHN 1C050252 and up	880093A03	Black	N/A
	Big Tiller for RC Models			NLA(16)	Black	N/A
	Big Tiller for Tiller Models			NLA(16)	Black	N/A
40 JET		2001 - 2022	USA 0T178500 and up BEL 0P094500 and up	816366A48(2)	Black	850000A 2
40 JET FourStroke	4 cylinder EFI	2007 - 2022	CHN 1C051324 and up	889246A37	Black	N/A
45	4 cyl. w/2 pc steering arm & 2 trim cylinders	1989	USA 0C159200 and up BEL 9570790 and up	N.L.A.(2)	Black	N/A
45 FourStroke	4 cylinder with Standard Gearcase	1996 - 1998	USA 0G231123 - 0G760299	828813A33	Black	N/A
45 FourStroke	4 cylinder with BigFoot Gearcase	1996 - 1998	USA 0G231123 - 0G760299	N.L.A.	Black	N/A
45 FourStroke	4 cylinder with Standard Gearcase	1999 - 2000	USA 0G760300 - 0T178499	828813A33	Black	N/A
45 FourStroke	4 cylinder with BigFoot Gearcase	1999 - 2000	USA 0G760300 - 0T178499	N.L.A.	Black	N/A
45 Jet		1994 - 1998	USA 0D182000 - 0G760299	N.L.A.(2) N.L.A.(9)	Black Gray	850000A 2 850000A 2
45 Jet		1999 - 2000	USA 0G760300 - 0T178499	816366A48(2)	Black	850000A 2
50	Models w/2 pc steering arm & 2 trim cylinders	Prior to - 1989 1/2	USA Prior to - 0C160935 BEL Prior to - 9469199	N.L.A.(2)	Black	N/A

Model	Model Notes	Year Range	Serial # Range	Tiller Handle Kit Part Number	Handle Color	Shift Attaching Kit
50	Models w/2 pc steering arm & single trim cylinder	1989 1/2 - 1990	USA 0C160936 - 0D042363 BEL 9469200 - 9671686	N.L.A.(2)	Black	N/A
50	51.8 CID	1991 - 1997	USA 0D042364 - 0G589999 BEL 9671687 - 9973099	N.L.A.(2)	Black	N/A
50	51.8 CID	1991 - 1997	USA 0D042364 - 0G589999 BEL 9671687 - 9973099	N.L.A.(9)	Gray	N/A
50	59 CID	1998	USA 0G590000 - 0G760299 BEL 9973100 - 0P016999	828813A29(2)(4)	Black	N/A
50	59 CID	1998	USA 0G590000 - 0G760299 BEL 9973100 - 0P016999	828813A29(2)(4)(9)	Black	N/A
50		1999 - 2022	USA 0G760300 and up BEL 0P017000 and up	828813A29(2)(4)	Black	N/A
50 FourStroke	4 cylinder with Standard Gearcase	1996 - 1998	USA 0G231123 - 0G760299	828813A33	Black	N/A
50 FourStroke	4 cylinder with BigFoot Gearcase	1996 - 1998	USA 0G231123 - 0G760299	N.L.A. (9)	Black Gray	N/A N/A
50 FourStroke	4 cylinder with Standard Gearcase	1999 - 2000	USA 0G760300 - 0T178499	828813A33	Black	N/A
50 FourStroke	4 cylinder with BigFoot gearcase	1999 - 2000	USA 0G760300 - 0T178499	N.L.A.	Black	N/A
50 FourStroke	4 cylinder, Carbureted, 996 cc.	2001	USA 0T178500 - 0T408999 BEL 0P094500 - 0P253499	NLA	Black	N/A
50 FourStroke	4 cylinder, EFI, 996 cc.	2002 - 2005	USA 0T409000 - 1B226999 BEL 0P153500 - 0P400999	880095A05	Black	N/A
50 FourStroke	4 cylinder, EFI, 996 cc.	2006	USA 1B227000 - 1B344306 BEL 0P400999 - 0P515896	880095A04	Black	N/A
50 FourStroke	4 cylinder, EFI, 996 cc.	2006	CHN 1C000001 - 1C050251	880095A04	Black	N/A
50 FourStroke	4 cylinder EFI, Traditional Tiller Big Tiller for RC Models Big Tiller for H Models	2007 - 2022	CHN 1C050252 and up	880093A03 NLA(16) NLA(16)	Black Black Black	N/A N/A N/A
60	Models w/2 pc steering arm & 2 trim cylinders	Prior to - 1989 1/2	USA Prior to - 0C160935 BEL Prior to - 9469199	N.L.A.(2)	Black	N/A
60	Models w/2 pc steering arm & single trim cylinder	1989 1/2 - 1990	USA 0C160936 - 0D042363 BEL 9469200 - 9671686	N.L.A.(2)	Black	N/A
60		1991 - 1998	USA 0D042364 - 0G760299 BEL 9671687 - 0P016999	N.L.A.(2)	Black	N/A
60		1991 - 1998	USA 0D042364 - 0G760299 BEL 9671687 - 0P016999	N.L.A.(9)	Gray	N/A
60		1999 - 2022	USA 0G760300 and up BEL 0P017000 and up	816366A48(2)	Black	N/A
60 FourStroke	4 cylinder, Carbureted, 996 cc.	2001	USA 0T178500 - 0T408999 BEL 0P094500 - 0P153499	NLA	Black	N/A
60 FourStroke	4 cylinder, EFI, 996 cc.	2002 - 2005	USA 0T409000 - 1B226999 BEL 0P153500 - 0P400999	880095A05	Black	N/A
60 FourStroke	4 cylinder, EFI, 996 cc.	2006	USA 1B227000 - 1B344306 BEL 0P400999 - 0P515896	880095A04	Black	N/A
60 FourStroke	4 cylinder, EFI, 996 cc.	2006	CHN 1C000001 - 1C050251	880095A04	Black	N/A
60 FourStroke	4 cylinder EFI, Traditional Tiller Big Tiller for RC Models Big Tiller for Tiller Models	2007 - 2022	CHN 1C050252 and up	880093A03 NLA(16) NLA(16)	Black Black Black	N/A N/A N/A
65 Jet	3 cylinder	1993 - 1996	USA 0D182000 - 0G449550	N.L.A. N.L.A.	Black Gray	850000A 3 850000A 3
65 Jet	3 cylinder	1997 - 1998	USA 0G449551 - 0G760299	12022A40 (9)	Black Gray	850000A 3 850000A 3
65 Jet	3 cylinder	1999 - 2022	USA 0G760300 and up	12022A40	Black	850000A 3
75		1993 - 1996	USA 0D182000 - 0G449550 BEL 9742452 - 9934127	N.L.A.	Black	N/A
75		1993 - 1996	USA 0D182000 - 0G449550	(9)	Gray	N/A

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

OUTBOARD

Model	Model Notes	Year Range		Serial # Range	Tiller Handle Kit Part Number	Handle Color	Shift Attaching Kit
				BEL 9742452 - 9934127			
75		1997 - 2022	USA	0G449551 and up	12022A40	Black	N/A
				BEL 9934128 and up			
75 Optimax	1.5L, DFI	2005	USA	0T980000 - 1B226999	896648A07	Black	N/A
75 Optimax	1.5L, DFI	2006 - 2022	USA	1B227000 and up	NLA	Black	N/A
	Big Tiller, Power Steering				NLA	Black	N/A
	Big Tiller, non-Power Steering				NLA	Black	N/A
75 FourStroke	4 cyl. Carb	2000 - 2003	USA	0G960500 - 0T800749	NLA	Black	N/A
75 FourStroke	4 cyl. Carb w/EZ shift gearcase	2004 - 2005	USA	0T800750 - 1B226999	816366A32 (17)	Black	N/A
75 FourStroke	4 cylinder, EFI	2005	USA	0T980000 - 1B226999	N.L.A.(8)	Black	N/A
75 FourStroke	4 cylinder, EFI	2006	USA	1B227000 - 1B366822	N.L.A.	Black	N/A
75 FourStroke, 1.7L	4 cylinder, EFI, Traditional Tiller	2006 - 2014	USA	1B366823 - 2B094955	NLA	Black	N/A
	Big Tiller, Power Steering				NLA(16)	Black	N/A
	Big Tiller, non-Power Steer				NLA(16)	Black	N/A
80 Jet	4 cylinder	1997 - 1998	USA	0G449551 - 0G760299	12022A41	Black	850000A 3
80 Jet	4 cylinder	1997 - 1998	USA	0G449551 - 0G760299	12022A41	Black	850000A 3
80 Jet	4 cylinder	1999 - 2006	USA	0G760300 - 1B261437	12022A41	Black	850000A 3
90		1993 - 1996	USA	0D182000 - 0G449550	N.L.A.	Black	N/A
				BEL 9742452 - 9934127			
90		1993 - 1996	USA	0D182000 - 0G449550	(9)	Gray	N/A
				BEL 9742452 - 9934127			
90		1997 - 2022	USA	0G449551 and up	12022A40	Black	N/A
				BEL 9934128 and up			
90 Optimax	1.5L, DFI	2005	USA	0T980000 - 1B226999	896648A07	Black	N/A
90 Optimax	1.5L, DFI	2006 - 2022	USA	1B227000 and up	NLA	Black	N/A
	Big Tiller, Power Steering				NLA(16)	Black	N/A
	Big Tiller, non-Power Steer				NLA(16)	Black	N/A
90 FourStroke	4 cyl. Carb	2000 - 2003	USA	0G960500 - 0T800749	NLA	Black	N/A
90 FourStroke	4 cyl. Carb w/EZ shift gearcase	2004 - 2005	USA	0T800750 - 1B226999	816366A32 (17)	Black	N/A
90 FourStroke	4 cylinder, EFI	2005	USA	0T980000 - 1B226999	N.L.A.(8)	Black	N/A
90 FourStroke	4 cylinder, EFI	2006	USA	1B227000 - 1B366822	N.L.A.	Black	N/A
90 FourStroke, 1.7L	4 cylinder, EFI, Traditional Tiller	2006 - 2014	USA	1B366823 - 2B094955	NLA	Black	N/A
	Big Tiller, Power Steering				NLA(16)	Black	N/A
	Big Tiller, non-Power Steering				NLA(16)	Black	N/A
100		1997 - 1999	USA	0G449551 - 0G965520	12022A41	Black	N/A
				BEL 9934128 - 0P058999			
115		1997 - 2022	USA	0G449551 and up	12022A41	Black	N/A
				BEL 9934128 and up			
115 Optimax	1.5L, DFI	2004 - 2005	USA	0T801000 - 1B226999	896648A07	Black	N/A
115 Optimax	1.5L, DFI	2006 - 2022	USA	1B227000 and up	NLA	Black	N/A
	Big Tiller, Power Steering				NLA(16)	Black	N/A
	Big Tiller, non-Power Steering				NLA(16)	Black	N/A
115 FourStroke	EFI	2001 - 2003	USA	0T178500 - 0T800749	NLA	Black	N/A
115 FourStroke	EFI	2004 - 2005	USA	0T800750 - 1B226999	816366A32 (17)	Black	N/A
115 FourStroke	EFI	2006	USA	1B227000 - 1B366822	N.L.A.	Black	N/A
115 FourStroke, 1.7L	EFI	2006 - 2014	USA	1B366823 - 2B094955	NLA	Black	N/A
	Big Tiller, Power Steering				NLA(16)	Black	N/A
	Big Tiller, non-Power Steering				NLA(16)	Black	N/A
125		1997 - 2022	USA	0G449551 and up	12022A41	Black	N/A
				BEL 9934128 and up			
150 EFI FourStroke	Non-DTS, Big Tiller, Power Steering	2011 - 2022	USA		NLA(16)	Black	N/A
135-250 Optimax	Non-DTS, Big Tiller, Power Steering	2006 - 2022	USA	1B227000 and up	NLA(16)	Black	N/A

Model	Model Notes	Year Range	Serial # Range	Tiller Handle Kit Part Number	Handle Color	Shift Attaching Kit
135-200 L4 Verado	DTS, Big Tiller, Power Steering	2006 - 2022	USA 1B227000 and up	8M0134609(16)	Black	N/A

- (1) Tiller handle harness button 87-823609A 7 or transom mounted keyswitch 15000A 7 required to complete conversion.
- (2) Conversion of power trim models will require a suitable power trim switch.
- (3) Keyswitch panel 47974A10 required to complete conversion.
- (4) Transom mounted ignition keyswitch 15000A 7 required to complete conversion.
- (5) Transom mounted ignition keyswitch 15000A 7 and neutral interlock 87-813960A 4 required to complete conversion.
- (8) On-engine adapter harness 84-858740T06 also required.
- (9) Gray kits are no longer available.
- (10) Has Vertical actuated shift.
- (11) Has Rotary actuated shift.
- (12) Converts an MRC to an MH model.
- (13) Converts an ERC to an EH model. PT models may require trim switch. See part record.
- (14) Engines requiring SAE style ended throttle/shift cables.
- (15) Engines requiring Mercury style ended throttle/shift cables.
- (16) Order Throttle/Shift cables separate depending on engine application.
- (17) Available at Seaway Marine 206-937-7373 (USA) or seawaymarine.com

CO-PILOT KIT

Stabilizes or restricts engine when placed in a full tilt position to aid in keeping it from bouncing and contacting other surrounding surfaces.

CO-PILOT KIT




898103A92

Intended for use on models that are not originally furnished with co-pilot components. The owner's manual should be consulted for important steering friction information.

Fits Mercury/Mariner 25 hp. & 30 hp. EFI FourStroke outboards (JPN 0R106999 & above, BEL 0P401000 & above).

CO-PILOT KIT



98-8M0140877

Intended for use on models that are not originally furnished with co-pilot components.

15/20 EFI FourStroke outboard, 0R833820 and above.

SAIL CO-PILOT KIT



8M0097129

Locks the engine in the straight position, allowing boat to be steered with auxiliary rudder.

F4/5/6 hp Sail-Power outboards.

TILLER HANDLE BRACKET

Provides attaching point for some co-pilot kits.

TILLER HANDLE BRACKET



98571A 3

Fits Mercury/Mariner 20/25 hp. 2 cycle outboards using a p/n 52148A 1 Co-Pilot kit.

OUTBOARD

STEERING BRACKET WITHOUT CARRYING HANDLE

Used with single RideGuide steering to convert tiller handle models to remote steering.

STEERING BRACKET WITHOUT CARRYING HANDLE



816667A 2

Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G055314 and Newer, BEL 9854537 and Newer) and 25/30/40/45/50 hp. 4-Stroke outboards.

OUTBOARD RIGGING HOSE KIT

Used to enclose remote harness, hoses, cables, etc. between engine cowl and boat transom.

RIGGING TUBE KIT



32-8M0062693

Rigging Tube kit includes 5 ft length (2 in. dia. x 2.3 threads per inch) tube that screws into the fitting coming out of the engine. Includes new grommet 8M0061160 that is used when installing rigging tubes. Remove existing grommet from cowl and replace with this grommet..

Used on 150 EFI 4-Stroke engine only

32-825191A03

Rigging Tube kit includes 5 ft length (2 in. dia. x 2.3 threads per inch) tube that screws into the fitting coming out of the Verado. If OptiMax engine, requires the use of the clamp to attach to fitting coming out of engine. Included in the kit is plastic transom fitting that screws to the tube and can be fastened to the boat. 2005 and newer Verado engines as well as all Opti Max engines

RIGGING HOSE



32-859055 5

Replacement Hose, 2 in. dia. x 2.3 threads per inch, furnished in a 5 ft. length. Fits various Mercury / Mariner V-6 outboards. See application chart for specific engine models.

32-859055 50

Replacement Hose, furnished in a 50 ft. bulk length that can be cut to required length.

Fits various Mercury / Mariner V-6 outboards. See application chart for specific engine models.

Priced individually, sold @ multiples of 2

COWL FITTING



875266A 2

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000. See application chart for specific engine models.

COWL FITTING



8M8027677

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000.

RIGGING TUBE KIT



32-842756T01

Mercury Racing version, the cowl fitting bolts firmly into place. Because the 2-1/2 inch tubing threads into the one piece couplers instead of over them, greater clearance is achieved for outboard rigging hardware including throttle cables, electronics cables, steering lines, and fuel lines. The durable hose and one piece couplers provide a complete seal at both the engine and boat ends. Hose length is 5 feet.

Fits all production 3.0 liter V-6 EFI and OptiMax cowls as well as Racing 3.0 liter OptiMax cowls.

RIGGING HOSES CHART - MERCURY/MARINER

Mercury/Mariner Rigging Hoses

Model	Brand	Year Range	Country	Serial # Range	Rigging Hose Kit Part Number	Cowl Fitting Required
2.0L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.0L V-6	Mercury/Mariner	2000 - 2022	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.5L V-6	Mercury/Mariner	2000 - 2022	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	875266A 2
2.5L OPTIMAX	Mercury/Mariner	2000 - 2022	USA	0T065504 and up	32-825191A03	Incl. With Engine
3.0L V-6	Mercury/Mariner	1994 - 1999	USA	0D280813 - 0G949999	32-825191A03	875266A 2
3.0L V-6	Mercury/Mariner	2000 - 2022	USA	0T014000 and up	32-825191A03	Incl. With Engine
3.0L DFI	Mercury/Mariner	1997	USA	0G386496 - 0G589999	32-825191A03	875266A 2
3.0L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	8M8027677
3.0L OPTIMAX	Mercury/Mariner	2000 - 2022	USA	0T014000 and up	32-825191A03	Incl. With Engine
225 EFI FourStroke	Mercury/Mariner	2003 - 2022	USA	0T635945 and up	32-825191A03	Incl. With Engine
Verado	Mercury/Mariner	2005 - 2022	USA	0T980000 and up	32-825191A03	Incl. With Engine
150 EFI FourStroke	Mercury/Mariner	2011 - 2022	USA	1B905505 and up	32-8M0062693	Incl. With Engine

SHALLOW WATER DRIVE KIT

Provides a tilt mechanism to allow for trolling or low speed running in the sixth tilt pin position.

SHALLOW WATER DRIVE KIT



12756A 1

This kit is designed to be added to remote control models. It is furnished standard on the tiller handle models.

Fits Mercury/Mariner 20/25 hp. 2 cycle models (1986 and Newer), 9.9 hp. FourStroke models (1999-2004) and 15 hp. FourStroke (323cc).

SIDESHIFT CONVERSION KIT

Converts a tiller handle shift to a side shift.

SIDESHIFT CONVERSION KIT



821190A 1

1992 and older.

Fits Mercury / Mariner 6-15 hp. 2 cycle outboards (USA 0A197112-0D181999, BEL 9461526-9740999).

821190A 3

1993 and newer.

Fits Mercury/Mariner 6-15 hp. 2 cycle outboards (USA 0D182000 and Newer, BEL 9741000 and Newer).

EXTENSION KIT - 5 INCH (127MM)

A motor leg spacer kit providing 5" (127mm) of extension.

DRIVESHAFT EXTENSION KIT



853783A06

Painted black, converts 20" (508mm) to 25" (635mm).
Fits Mercury 9.9 hp. FourStroke outboards with Standard gearcase, Model Year 2005 and newer.

5 INCH EXTENSION KIT



853783A05

Painted black, converts 20" (508mm) to 25" (635mm).
Fits Mercury/Mariner 9.9 hp. FourStroke, Model Year 2005 & newer, with BigFoot gearcase.

5 INCH EXTENSION KIT



8M0128829

Painted black, converts 20 inch (508mm) to 25 inch (635mm)
Fits Mercury 25/30 hp fourstroke outboards, 0R106999 and up.

5 INCH EXTENSION KIT



12092A13

Painted black, converts 20" (508mm) to 25" (635mm).
Fits various Mercury 70-125 hp. 2 cycle outboards (1998) and Mercury / Mariner 70-125 hp. 2 cycle outboards (1999 and Newer). See application chart for specific engine models.

5 INCH EXTENSION KIT

Image not Available.

8M0137852

Painted black, converts 20" (508mm) to 25" (635 mm).
15/20 EFI FourStroke outboard, 0R833820 and above.

5 INCH EXTENSION KIT



12092A18

Painted black, converts 20" (508 mm) to 25" (635 mm).
Fits Mercury/Mariner 40/50/60 Bigfoot FourStroke outboards (USA OT178500-1B344306 & BEL 0P094500-0P400999).

5 INCH EXTENSION KIT



12092A19

Painted black, converts 20" (508 mm) to 25" (635 mm).
Fits Mercury/Mariner 75/90/115 FourStroke (1.7L) outboards with serial number USA 1B366823-2B094955.

5 INCH EXTENSION KIT



12092A20

Painted black, converts 20" (508 mm) to 25" (635 mm).
Fits Mercury/Mariner 40/50/60 Bigfoot FourStroke outboards (CHN 1C050252 & above, BEL 0P401000 & above)

5 INCH EXTENSION KIT



8M0105089

Painted, converts 20 in. (508MM) to 25 in. (635MM).
Fits Mercury/Mariner 75-115 FourStroke (2.1L) standard gearcase outboards beginning with serial number USA 2B094996 & Up.

8M0105090

Painted, converts 20 in. (508MM) to 25 in. (635MM).
Fits Mercury/Mariner 75-115 FourStroke (2.1L) Command Thrust (CT) gearcase outboards beginning with serial number USA 2B094996 & Up.

5 INCH EXTENSION KIT



8M0105087

Converts 20 inch (508mm) L model to a 25 inch (635mm) XL model.
Fits the Mercury/Mariner F150 hp. EFI FourStroke 4 cylinder outboard.

EXTENSION KIT - 2 1/2 INCH (64MM)

A motor leg spacer kit providing 2 1/2" (64mm) of extension.

2 1/2 INCH EXTENSION KIT



816696A 1

Painted black, converts 20 in. (508mm) to 22 1/2 in. (572mm).
Fits various Mercury/Mariner 50/55/60 hp. 2 cycle outboards. See application chart for specific engine models.

2 1/2 INCH EXTENSION KIT



816696A12

Painted black, converts 20 in. (508 mm) to 22 1/2 in. (572 mm).
Fits Mercury/Mariner 40/50/60 (4 cyl.) FourStroke standard gearcase outboards (USA 0T178500-1B344306, CHN 1C000001-1C050251, BEL 0P094500-0P515896).

2 1/2 INCH EXTENSION KIT



879150A88

Painted black, converts 20 in. (508 mm) to 22 1/2 in. (572 mm).
Fits Mercury/Mariner 50/60 (4 cyl.) FourStroke standard gearcase outboards (CHN 1C050252 and above, BEL 0P515897 and above).

DRIVESHAFT HOUSING SPACER KITS - "NEW" V6 (3.4L) & V8 (4.6L)


5 INCH SPACER KIT (BLACK)

Image not Available.

8M0142779

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on the NEW V6 and V8 FourStroke outboards. The max extension length available is Extra Extra Long (XXL), measuring at 76.2CM (30in.).
NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

5 INCH SPACER KITS (SILVER)



8M0147047

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on the NEW V6 and V8 FourStroke outboards. The max extension length available is Extra Extra Long (XXL), measuring at 76.2CM (30in.).
NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

10 INCH SPACER KIT (BLACK)



8M0142787

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on the NEW V6 and V8 FourStroke outboards. The max extension length available is Extra Extra Long (XXL), measuring at 76.2CM (30in.).

NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

10 INCH SPACER KIT (SILVER)



8M0147046

Must purchase spacer kit and a driveshaft extension kit to do a complete installation on the NEW V6 and V8 FourStroke outboards. The max extension length available is Extra Extra Long (XXL), measuring at 76.2CM (30in.).

NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

DRIVESHAFT HOUSING EXTENSION KITS - "NEW" V6 (3.4L) & V8 (4.6L)

DRIVESHAFT EXTENSION KIT - L



45-8M0168203

4.8 in. gearcase long shaft 50.8cm (20in.). Must also purchase spacer kit to do complete extension installation.

NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

DRIVESHAFT EXTENSION KIT - XL

45-8M0168206

4.8in. gearcase extra long shaft 63.5cm (25in.). Must also purchase spacer kit to do complete extension installation.

NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

DRIVESHAFT EXTENSION KIT

45-8M0168209

XX-Long

Fits 175hp 3.4L V6, 200hp 3.4L V6, and 225hp 3.4L V6

45-8M0168204

Long

Fits 200-300hp 4.6L V8 ProXS, 250-300hp Racing 4.6L V8

45-8M0168208

X-Long

Fits 175-225hp 3.4L V6, 250-300hp 4.6L V8 SeaPro, 200hp 3.4L V6 SeaPro, 200-450hp Racing 4.6L V8, 225-300hp 4.6L V8 ProXS, 250-300hp 4.6L V8 Verado

DRIVESHAFT EXTENSION KIT - XXL

45-8M0168210

5.44in. gearcase extra extra long 76.2cm (30in.). Must also purchase spacer kit to do complete extension installation.

NEW V6 (3.4L) & V8 (4.6L) FourStroke outboards. The XXL driveshaft option cannot be installed on the standard 300HP CMS engines, however it can be installed on the 300HP SeaPro.

DRIVESHAFT EXTENSION CHART

Mercury/Mariner/Force/Chrysler Extension Kits

Model	Brand	Model Note	Year Range	Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Color
3.5	Chrysler			USA	N.L.A.	N/A	N/A	Unpainted
4	Chrysler			USA	N.L.A.	N/A	N/A	Unpainted
4	Force		1984 - 1987	USA E000001 and up	N.L.A.	N/A	N/A	Unpainted
4	Mercury	With thru hub exhaust	1987 - 1998	USA 0A809601 - 0G710612	N.L.A.	N/A	N/A	Black
4	Mercury	With thru hub exhaust	1987 - 1998	BEL 9477830 - 0P016999	N.L.A.	N/A	N/A	Black
4	Mariner	With thru hub exhaust	1987 - 1998	USA 0A809601 - 0G710613	N.L.A.	N/A	N/A	Black
4	Mariner	With thru hub exhaust	1987 - 1998	BEL 9477830 - 0P016999	N.L.A.	N/A	N/A	Black
4	Mercury/Mariner		1999 - 2022	USA 0G710613 and up	N.L.A.	N/A	N/A	Black
4	Mercury/Mariner		1999 - 2022	BEL 0P017000 and up	N.L.A.	N/A	N/A	Black
4 FourStroke	Mercury/Mariner		1999 - 2022	JPN 0R000001 and up	N.L.A.	N/A	N/A	Black
4 FourStroke	Mercury/Mariner		1999 - 2022	BEL 0P073456 and up	N.L.A.	N/A	N/A	Black
5	Force		1988 - 2022	USA E000001 and up	N.L.A.	N/A	N/A	Unpainted
5	Mercury	With thru hub exhaust	1987 - 1998	USA 0A809601 - 0G710612	N.L.A.	N/A	N/A	Black
5	Mercury	With thru hub exhaust	1987 - 1998	BEL 9477830 - 0P016999	N.L.A.	N/A	N/A	Black
5	Mariner	With thru hub exhaust	1987 - 1998	USA 0A809601 - 0G710612	N.L.A.	N/A	N/A	Black
5	Mariner	With thru hub exhaust	1987 - 1998	BEL 9477830 - 0P016999	N.L.A.	N/A	N/A	Black
5	Mercury/Mariner		1999 - 2022	USA 0G710613 and up	N.L.A.	N/A	N/A	Black
5	Mercury/Mariner		1999 - 2022	BEL 0P017000 and up	N.L.A.	N/A	N/A	Black
5 FourStroke	Mercury/Mariner		1999 - 2022	JPN 0R000001 and up	N.L.A.	N/A	N/A	Black
5 FourStroke	Mercury/Mariner		1999 - 2022	BEL 0P073456 and up	N.L.A.	N/A	N/A	Black
6	Mercury		1986 - 1993	USA 0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
6	Mercury		1986 - 1993	BEL 9461526 - 9792199	N/A	N/A	N.L.A.	Black
6	Mariner		1986 - 1993	USA 0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
6	Mariner		1986 - 1993	BEL 9461526 - 9792199	N/A	N/A	N.L.A.	Black
6	Mercury		1994	USA 0D281000 - 0G077360	N/A	N/A	N.L.A.	Black
6	Mercury		1994	BEL 9792200 - 9831799	N/A	N/A	N.L.A.	Black
6	Mariner		1994	USA 0D281000 - 0G077360	N/A	N/A	N.L.A.	Gray
6	Mariner		1994	BEL 9792200 - 9831799	N/A	N/A	N.L.A.	Gray
6	Mercury		1995 - 1998	USA 0G077361 - 0G760299	N/A	N/A	N.L.A.	Black
6	Mercury		1995 - 1998	BEL 9831800 - 0P016999	N/A	N/A	N.L.A.	Black
6	Mariner		1995 - 1998	USA 0G077361 - 0G760299	N/A	N/A	N.L.A.	Gray
6	Mariner		1995 - 1998	BEL 9831800 - 0P016999	N/A	N/A	N.L.A.	Gray
6	Mercury/Mariner		1999 - 2003	USA 0G760300 - 0T800749	N/A	N/A	N.L.A.	Black
6	Mercury/Mariner		1999 - 2003	BEL 0P017000 and up	N/A	N/A	N.L.A.	Black
6 FourStroke	Mercury/Mariner		1999 - 2022	JPN 0R000001 and up	N.L.A.	N/A	N/A	Black
6 FourStroke	Mercury/Mariner		1999 - 2022	BEL 0P073456 and up	N.L.A.	N/A	N/A	Black
8	Mercury		1986 - 1993	USA 0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
8	Mercury		1986 - 1993	BEL 9461526 - 9792199	N/A	N/A	N.L.A.	Black
8	Mariner		1986 - 1993	USA 0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
8	Mariner		1986 - 1993	BEL 9461526 - 9792199	N/A	N/A	N.L.A.	Black
8	Mercury		1994	USA 0D281000 - 0G077360	N/A	N/A	N.L.A.	Black
8	Mercury		1994	BEL 9792200 - 9831799	N/A	N/A	N.L.A.	Black
8	Mariner		1994	USA 0D281000 - 0G077360	N/A	N/A	N.L.A.	Gray
8	Mariner		1994	BEL 9792200 - 9831799	N/A	N/A	N.L.A.	Gray
8	Mercury		1995 - 1998	USA 0G077361 - 0G760299	N/A	N/A	N.L.A.	Black
8	Mercury		1995 - 1998	BEL 9831800 - 0P016999	N/A	N/A	N.L.A.	Black
8	Mariner		1995 - 1998	USA 0G077361 - 0G760299	N/A	N/A	N.L.A.	Gray
8	Mariner		1995 - 1998	BEL 9831800 - 0P016999	N/A	N/A	N.L.A.	Gray
8	Mercury/Mariner		1999 - 2006	USA 0G760300 and up	N/A	N/A	N.L.A.	Black
8	Mercury/Mariner		1999 - 2006	BEL 0P017000 and up	N/A	N/A	N.L.A.	Black

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

OUTBOARD

OUTBOARD

Model	Brand	Model Note	Year Range		Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Color
8 FourStroke	Mercury	232 CC.	1995 - 1998	USA	0H000058 - 0H017099	N/A	N/A	N.L.A.	Black
8 FourStroke	Mariner	232 CC.	1995 - 1998	USA	0H000058 - 0H017099	N/A	N/A	N.L.A.	Gray
8 FourStroke	Mercury/Mariner	232 CC.	1999	USA	0H017100 - 0H017349	N/A	N/A	N.L.A.	Black
8 FourStroke	Mercury/Mariner	232 CC.	1999 - 2000	USA	0G760300 and up	N/A	N/A	N.L.A.	Black
8 FourStroke	Mercury/Mariner	323 CC.	2001 - 2004	BEL	0P086824 - 0P325499	N/A	N/A	N.L.A.	Black
8 FourStroke	Mercury/Mariner		2005 - 2022	JPN	0R042475 and up	N/A	N/A	853783A06	Black
8 FourStroke	Mercury/Mariner		2005 - 2022	BEL	0P325500 and up	N/A	N/A	853783A06	Black
9.9	Chrysler	Low profile only.		USA		N.L.A.	N/A	N/A	N/A
9.9	Force	Low profile only.		USA	E000001 and up	N.L.A.	N/A	N/A	N/A
9.9	Mercury		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
9.9	Mercury		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.	Black
9.9	Mariner		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
9.9	Mariner		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.	Black
9.9	Mercury		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.	Black
9.9	Mercury		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.	Black
9.9	Mariner		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.	Gray
9.9	Mariner		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.	Gray
9.9	Mercury		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.	Black
9.9	Mercury		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.	Black
9.9	Mariner		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.	Gray
9.9	Mariner		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.	Gray
9.9	Mercury/Mariner		1999 - 2006	USA	0G760300 and up	N/A	N/A	N.L.A.	Black
9.9	Mercury/Mariner		1999 - 2006	BEL	0P017000 and up	N/A	N/A	N.L.A.	Black
9.9 FourStroke	Mercury	232 CC.	1995 - 1998	USA	0H000058 - 0H016909	N/A	N/A	N.L.A.	Black
9.9 FourStroke	Mariner	232 CC.	1995 - 1998	USA	0H000058 - 0H016909	N/A	N/A	N.L.A.	Gray
9.9 FourStroke	Mercury/Mariner	323 CC.	1999 - 2004	USA	0G760300 - 0T979999	N/A	N/A	N.L.A.	Black
9.9 FourStroke	Mercury/Mariner	323 CC.	1999 - 2004	BEL	0P075166 - 0P325499	N/A	N/A	N.L.A.	Black
9.9 FourStroke	Mercury/Mariner	Standard Gearcase	2005 - 2022	JPN	0R042475 and up	N/A	N/A	853783A06	Black
9.9 FourStroke	Mercury/Mariner	Standard Gearcase	2005 - 2022	BEL	0P325500 and up	N/A	N/A	853783A06	Black
9.9 FourStroke	Mercury/Mariner	BigFoot Gearcase	2005 - 2022	JPN	0R052328 and up	N/A	N/A	853783A05	Black
9.9 FourStroke	Mercury/Mariner	BigFoot Gearcase	2005 - 2022	BEL	0P325500 and up	N/A	N/A	853783A05	Black
12.9	Chrysler		1968 - 1983	USA		N.L.A.	N/A	N/A	N/A
15	Force	Low profile only.	1984 - 1997	USA	E000001 - E287999	N.L.A.	N/A	N/A	N/A
15	Mercury		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
15	Mercury		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.	Black
15	Mariner		1986 - 1993	USA	0A197112 - 0D280999	N/A	N/A	N.L.A.	Black
15	Mariner		1986 - 1993	BEL	9461526 - 9792199	N/A	N/A	N.L.A.	Black
15	Mercury		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.	Black
15	Mercury		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.	Black
15	Mariner		1994	USA	0D281000 - 0G077360	N/A	N/A	N.L.A.	Gray
15	Mariner		1994	BEL	9792200 - 9831799	N/A	N/A	N.L.A.	Gray
15	Mercury		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.	Black
15	Mercury		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.	Black
15	Mariner		1995 - 1998	USA	0G077361 - 0G760299	N/A	N/A	N.L.A.	Gray
15	Mariner		1995 - 1998	BEL	9831800 - 0P016999	N/A	N/A	N.L.A.	Gray
15	Mercury/Mariner		1999 - 2006	USA	0G760300 and up	N/A	N/A	N.L.A.	Black
15	Mercury/Mariner		1999 - 2006	BEL	0P017000 and up	N/A	N/A	N.L.A.	Black
15 FourStroke	Mercury		1998	USA	0G590000 - 0G760299	N/A	N/A	N.L.A.	Black
15 FourStroke	Mariner		1998	USA	0G590000 - 0G760299	N/A	N/A	N.L.A.	Gray
15 FourStroke	Mercury/Mariner	323cc	1999 - 2008	USA	0G760300 and up	N/A	N/A	N.L.A.	Black
15 FourStroke	Mercury/Mariner	323cc	1999 - 2008	BEL	0P075166 and up	N/A	N/A	N.L.A.	Black
15 EFI FourStroke	Mercury/Mariner		2018 - 2022	JPN	0R833820 and up	N/A	N/A	8M0137852	Black
20 EFI FourStroke	Mercury/Mariner		2018 - 2022	JPN	0R833820 and up	N/A	N/A	8M0137852	Black

Model	Brand	Model Note	Year Range	Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Color
25 (4-Stroke)	Mercury/Mariner	Carb Model Only	1998 - 2005	USA 0G590000 - 1B344298	N/A	N/LA	N/A	Black
30/40	Mercury	2 cylinder	1994 - 1998	USA 0G055314 - 0G760299	N/A	N.L.A.	N/A	Black
30/40	Mercury	2 cylinder	1994 - 1998	BEL 9854537 - 0P016999	N/A	N.L.A.	N/A	Black
30/40	Mariner	2 cylinder	1994 - 1998	USA 0G055314 - 0G760299	N/A	N.L.A.	N/A	Gray
30/40	Mariner	2 cylinder	1994 - 1998	BEL 9854537 - 0P016999	N/A	N.L.A.	N/A	Gray
30/40	Mercury/Mariner	2 cylinder	1999 - 2006	USA 0G760300 and up	N/A	N.L.A.	N/A	Black
30/40	Mercury/Mariner	2 cylinder	1999 - 2006	BEL 0P017000 and up	N/A	N.L.A.	N/A	Black
30 FourStroke	Mercury/Mariner	3 cylinder	1999 - 2005	USA 0G760300 - 1B226999	N/A	N.L.A.	N/A	Black
40	Mercury	3 cylinder, 59 CID	1997 1/2 - 1998	USA 0G531301 - 0G760299	N/A	N.L.A.	N/A	Black
40	Mercury	3 cylinder, 59 CID	1997 1/2 - 1998	BEL 9973100 - 0P016999	N/A	N.L.A.	N/A	Black
40	Mariner	3 cylinder, 59 CID	1997 1/2 - 1998	USA 0G531301 - 0G760299	N/A	N.L.A.	N/A	Gray
40	Mariner	3 cylinder, 59 CID	1997 1/2 - 1998	BEL 9973100 - 0P016999	N/A	N.L.A.	N/A	Gray
40	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	USA 0G760300 and up	N/A	N.L.A.	N/A	Black
40	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	BEL 0P017000 and up	N/A	N.L.A.	N/A	Black
40 FourStroke	Mercury	4 cylinder	1995 - 1998	USA 0G231123 - 0G760299	N/A	N.L.A.	N/A	Black
40 FourStroke	Mariner	4 cylinder	1995 - 1998	USA 0G231123 - 0G760299	N/A	N.L.A.	N/A	Gray
40 FourStroke	Mercury/Mariner	4 cylinder	1999 - 2000	USA 0G760300 and up	N/A	N.L.A.	N/A	Black
40 FourStroke	Mercury/Mariner	4 Cylinder with BigFoot gearcase 996 cc.	2001 - 2006	USA 0T178500 - 1C050251	N/A	N/A	12092A18	Black
40 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	BEL 0P094500 - 0P400999	N/A	N/A	12092A18	Black
40 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2022	CHN 1C050252 and up	N/A	N/A	12092A20	Black
40 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2022	BEL 0P401000 and up	N/A	N/A	12092A20	Black
40 FourStroke	Mercury/Mariner	3 cylinder	1999 - 2005	USA 0G760300 - 1B226999	N/A	N.L.A.	N/A	Black
40 FourStroke	Mercury/Mariner	3 cylinder, BigFoot	2000 - 2005	USA 0G960500 - 1B226999	N/A	N/A	N.L.A.	Black
45 FourStroke	Mercury	4 cylinder	1995 - 1998	USA 0G231123 - 0G760299	N/A	N.L.A.	N/A	Black
45 FourStroke	Mariner	4 cylinder	1995 - 1998	USA 0G231123 - 0G760299	N/A	N.L.A.	N/A	Gray
45 FourStroke	Mercury/Mariner	4 cylinder	1999 - 2000	USA 0G760300 and up	N/A	N.L.A.	N/A	Black
50	Mercury	3 cylinder, 51.8 CID	1991 - 1997	USA 0D000750 - 0G589999	N/A	816696A 1	N/A	Black
50	Mercury	3 cylinder, 51.8 CID	1991 - 1997	BEL 9682500 - 9973099	N/A	816696A 1	N/A	Black
50	Mariner	3 cylinder, 51.8 CID	1991 - 1997	USA 0D000750 - 0G589999	N/A	N.L.A.	N/A	Gray
50	Mariner	3 cylinder, 51.8 CID	1991 - 1997	BEL 9682500 - 9973099	N/A	N.L.A.	N/A	Gray
50	Mercury	3 cylinder, 59 CID	1998	USA 0G590000 - 0G760299	N/A	N.L.A.	N/A	Black
50	Mercury	3 cylinder, 59 CID	1998	BEL 9973100 - 0P016999	N/A	N.L.A.	N/A	Black
50	Mariner	3 cylinder, 59 CID	1998	USA 0G590000 - 0G760299	N/A	N.L.A.	N/A	Gray
50	Mariner	3 cylinder, 59 CID	1998	BEL 9973100 - 0P016999	N/A	N.L.A.	N/A	Gray
50	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	USA 0G760300 and up	N/A	N.L.A.	N/A	Black
50	Mercury/Mariner	3 cylinder, 59 CID	1999 - 2006	BEL 0P017000 and up	N/A	N.L.A.	N/A	Black
50 FourStroke	Mercury	4 cylinder	1995 - 1998	USA 0G231123 - 0G760299	N/A	N.L.A.	N/A	Black
50 FourStroke	Mariner	4 cylinder	1995 - 1998	USA 0G231123 - 0G760299	N/A	N.L.A.	N/A	Gray
50 FourStroke	Mercury/Mariner	4 cylinder	1999 - 2000	USA 0G760300 - 0T178499	N/A	N.L.A.	N/A	Black
50 FourStroke	Mercury/Mariner	BigFoot	1998 - 2000	USA 0G590000 - 0T178499	N/A	N/A	N.L.A.	Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	USA 0T178500 - 1B344306	N/A	816696A12	N/A	Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006	CHN 1C000001 - 1C050251	N/A	816696A12	N/A	Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	BEL 0P094500 - 0P515896	N/A	816696A12	N/A	Black
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2022	CHN 1C050252 and up	N/A	879150A88	N/A	N/A
50 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2022	BEL 0P515897 and up	N/A	879150A88	N/A	N/A
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	USA 0T178500 - 1B344306	N/A	N/A	12092A18	Black

OUTBOARD

OUTBOARD

Model	Brand	Model Note	Year Range		Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Color
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P400999	N/A	N/A	12092A18	Black
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2022	CHN	1C050252 and up	N/A	N/A	12092A20	Black
50 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2022	BEL	0P401000 and up	N/A	N/A	12092A20	Black
55/60	Mercury	3 cylinder	1991 - 1998	USA	0D000750 - 0G760299	N/A	816696A 1	N/A	Black
55/60	Mercury	3 cylinder	1991 - 1998	BEL	9682500 - 0P016999	N/A	816696A 1	N/A	Black
55/60	Mariner	3 cylinder	1991 - 1998	USA	0D000750 - 0G760299	N/A	N.L.A.	N/A	Gray
55/60	Mariner	3 cylinder	1991 - 1998	BEL	9682500 - 0P016999	N/A	N.L.A.	N/A	Gray
55/60	Mercury/Mariner	3 cylinder	1999 - 2006	USA	0G760300 and up	N/A	816696A 1	N/A	Black
55/60	Mercury/Mariner	3 cylinder	1999 - 2006	BEL	0P017000 and up	N/A	816696A 1	N/A	Black
60 Work	Mercury	BigFoot	1994 - 1998	USA	0D279350 - 0G760299	N/A	N.L.A.	N/A	Black
60 Work	Mercury	BigFoot	1994 - 1998	BEL	9793445 - 0P016999	N/A	N.L.A.	N/A	Black
60 Work	Mariner	BigFoot	1994 - 1998	USA	0D279350 - 0G760299	N/A	N.L.A.	N/A	Gray
60 Work	Mariner	BigFoot	1994 - 1998	BEL	9793445 - 0P016999	N/A	N.L.A.	N/A	Gray
60 Work	Mercury/Mariner	BigFoot	1999 - 2006	USA	0G760300 and up	N/A	N.L.A.	N/A	Black
60 Work	Mercury/Mariner	BigFoot	1999 - 2006	BEL	0P017000 and up	N/A	N.L.A.	N/A	Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	USA	0T178500 - 1B344306	N/A	816696A12	N/A	Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006	CHN	1C000001 - 1C050251	N/A	816696A12	N/A	Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P515896	N/A	816696A12	N/A	Black
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2022	CHN	1C050251 and up	N/A	879150A88	N/A	N/A
60 FourStroke	Mercury/Mariner	4 cylinder with standard gearcase 996 cc.	2006 - 2022	BEL	0P515897 and up	N/A	879150A88	N/A	N/A
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	USA	0T178500 - 1B344306	N/A	N/A	12092A18	Black
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2001 - 2006	BEL	0P094500 - 0P400999	N/A	N/A	12092A18	Black
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2022	CHN	1C050252 and up	N/A	N/A	12092A20	Black
60 FourStroke	Mercury/Mariner	4 cylinder with BigFoot gearcase 996 cc.	2006 - 2022	BEL	0P401000 and up	N/A	N/A	12092A20	Black
70/75/80/90	Mercury	3 cylinder	1987 - 1993	USA	0A996142 - 0G283221	N/A	N/A	N.L.A.	Black
70/75/80/90	Mercury	3 cylinder	1987 - 1993	BEL	9483121 - 9793576	N/A	N/A	N.L.A.	Black
70/75/80/90	Mariner	3 cylinder	1987 - 1993	USA	0A996142 - 0G283221	N/A	N/A	N.L.A.	Black
70/75/80/90	Mariner	3 cylinder	1987 - 1993	BEL	9483121 - 9793576	N/A	N/A	N.L.A.	Black
70/75/80/90	Mercury	3 cylinder	1994 - 1997	USA	0G283222 - 0G589999	N/A	N.L.A.	N.L.A.	Black
70/75/80/90	Mercury	3 cylinder	1994 - 1997	BEL	9793577 - 9973099	N/A	N.L.A.	N.L.A.	Black
70/75/80/90	Mariner	3 cylinder	1994 - 1997	USA	0G283222 - 0G589999	N/A	816696A 9	N.L.A.	Black
70/75/80/90	Mariner	3 cylinder	1994 - 1997	BEL	9793577 - 9973099	N/A	816696A 9	N.L.A.	Black
75/90	Mercury	3 cylinder	1998	USA	0G590000 - 0G760299	N/A	N/A	12092A13	Black
75/90	Mercury	3 cylinder	1998	BEL	9973100 - 0P016999	N/A	N/A	12092A13	Black
75/90	Mariner	3 cylinder	1998	USA	0G590000 - 0G760299	N/A	N.L.A.	N.L.A.	Gray
75/90	Mariner	3 cylinder	1998	BEL	9973100 - 0P016999	N/A	N.L.A.	N.L.A.	Gray
75/90	Mercury/Mariner	3 cylinder	1999 - 2006	USA	0G760300 and up	N/A	N/A	12092A13	Black
75/90	Mercury/Mariner	3 cylinder	1999 - 2006	BEL	0P017000 and up	N/A	N/A	12092A13	Black
75/90 FourStroke	Mercury/Mariner	4 cylinder, 1.7L	2006 - 2014	USA	1B366823 - 2B094995	N/A	N/A	12092A19	Black
75-100 FourStroke	Mercury/Mariner	2.1L, Standard	2014 - 2022	USA	2B094996 and up	N/A	N/A	8M0105089	Black
75-100 FourStroke	Mercury/Mariner	2.1L, Command Thrust	2014 - 2022	USA	2B094996 and up	N/A	N/A	8M0105090	Black
100/115/125	Mercury	4 cylinder	1987 - 1993	USA	0A996142 - 0G283221	N/A	N/A	N.L.A.	Black
100/115/125	Mercury	4 cylinder	1987 - 1993	BEL	9483121 - 9793576	N/A	N/A	N.L.A.	Black

Model	Brand	Model Note	Year Range	Serial # Range	Converts 15 Inch (381 mm) To 20 Inch (508 mm)	Converts 20 Inch (508 mm) To 22 1/2 Inch (572 mm)	Converts 20 Inch (508 mm) To 25 Inch (635 mm)	Color
100/115/125	Mariner	4 cylinder	1987 - 1993	USA 0A996142 - 0G283221	N/A	N/A	N.L.A.	Black
100/115/125	Mariner	4 cylinder	1987 - 1993	BEL 9483121 - 9793576	N/A	N/A	N.L.A.	Black
100/115/125	Mercury	4 cylinder	1994 - 1997	USA 0G283222 - 0G589999	N/A	NLA	N.L.A.	Black
100/115/125	Mercury	4 cylinder	1994 - 1997	BEL 9793577 - 9973099	N/A	NLA	N.L.A.	Black
100/115/125	Mariner	4 cylinder	1994 - 1997	USA 0G283222 - 0G589999	N/A	816696A 9	N.L.A.	Black
100/115/125	Mariner	4 cylinder	1994 - 1997	BEL 9793577 - 9973099	N/A	816696A 9	N.L.A.	Black
100/115/125	Mercury	4 cylinder	1998	USA 0G590000 - 0G760299	N/A		12092A13	Black
100/115/125	Mercury	4 cylinder	1998	BEL 9973100 - 0P016999	N/A		12092A13	Black
100/115/125	Mariner	4 cylinder	1998	USA 0G590000 - 0G760299	N/A		N.L.A.	Gray
100/115/125	Mariner	4 cylinder	1998	BEL 9973100 - 0P016999	N/A		N.L.A.	Gray
100/115/125	Mercury/Mariner	4 cylinder	1999 - 2006	USA 0G760300 and up	N/A		12092A13	Black
100/115/125	Mercury/Mariner	4 cylinder	1999 - 2006	BEL 0P017000 and up	N/A		12092A13	Black
115 FourStroke	Mercury/Mariner	4 cylinder, 1.7L	2006 - 2014	USA 1B366823 - 2B094955	N/A	N/A	12092A19	Black
115 FourStroke	Mercury/Mariner	2.1L, Standard	2014 - 2022	USA 2B094996 and up	N/A	N/A	8M0105089	Black
115 FourStroke	Mercury/Mariner	2.1L, Command Thrust	2014 - 2022	USA 2B094996 and up	N/A	N/A	8M0105090	Black
150 EFI FourStroke	Mercury/Mariner	4 cylinder	2011 - 2022	USA 1B905505 and up	N/A	N/A	8M0105087	Black

OUTBOARD MOUNTING HARDWARE

Used for permanent mounting of an engine to the boat transom.

TRANSOM SUPPORT BRACKET



67-896305001

Used to reinforce the transom- transom bolts and washers used with this bracket to strengthen the transom area where the engine is mounted.

TRANSOM SUPPORT WASHER



67-896392

Used to reinforce the transom- transom bolts and washers used with this reinforced washer to strengthen the transom area where the engine is mounted.

MOUNTING BOLT



10-8M0149747

Standard 4 1/2" Length Mounting Bolt (2.25 in. thread)

Fits current Mercury/Mariner 40 hp. thru V-6 outboards (2-cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer). Furnished standard with the 135-175 hp. Verado outboards.

MOUNTING BOLT



10-67755 2

Optional 6 1/2" Length Mounting Bolt (2.75 in. thread)

Fits current Mercury/Mariner 40 hp. and above outboards (2 cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer).

MOUNTING BOLT



10- 67755005

Stainless mounting bolt, 2.5 in. (1.25 in. thread)

10-8M0131814

Stainless mounting bolt, 3.5 in. (1.25 in. thread)

MOUNTING BOLT



10-814259

Stainless mounting bolt 1/2 in. x 4.00 in. (2.25 in. Thread)

MOUNTING BOLT



10-8M0028080

Optional 7 1/2" Length Mounting Bolt (2.75 in. thread)
Fits current Mercury/Mariner 40 hp. and above outboards (2 cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer).

MOUNTING BOLT



10-8M0032860

Stainless mounting bolt, 8 in. (2.75 in. thread)

10-8M0038370

Stainless mounting bolt, 1/2 in. x 5.50 in. (3.25 in. Thread)
Shipped standard with the 200/225/250/275 hp. Verado outboard.

BOLT KIT-TRANSOM (HIGH STRENGTH)



10- 67755A22

Bolt kit includes 4 pcs of 2-1/2 in. bolts, washers and nuts.

10- 67755A26

Bolt kit includes 4 pcs of 3 1/2" bolts, washers and nuts.

BOLT KIT-TRANSOM

10- 67755A13

Bolt kit includes 4 pcs of 4-1/2 in. bolts, washers and nuts.

10- 67755A14

Bolt kit includes 4 pcs of 5-1/2 in. bolts, washers and nuts.

10- 67755A15

Bolt kit includes 4 pcs of 6-1/2 in. bolts, washers and nuts.

10- 67755A17

Bolt kit includes 4 pcs of 7-1/2 in. bolts, washers and nuts.

10- 67755A18

Bolt kit includes 4 pcs of 8 in. bolts, washers and nuts.


MOUNTING HARDWARE



56- 92729A49

Includes 2 screws 10-43216, 2 washers 12-67983, and 2 nuts 11-826711-8.
Will mount the Model Year 2005 and newer 8/9.9 hp. FourStroke outboards with standard gearcase or the BigFoot model without factory power trim.


MOUNTING NUT KIT



11-8M0109756

Includes 6 nuts (.500-20, hex, brass) and 2 nuts with nylon inserts.
Fits any Mercury outboard with a .500-20 mounting bolt and strongly recommended for use on the Verado 350/400 Hp. models.

FLAT WASHER



12- 28421

Stainless Steel x 1.50 in. OD
 Fits current Mercury/Mariner 40 hp. thru V-6 outboards (2-cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer). This is also the "inner" washer furnished with the 200/225/250/275 hp. Verado outboard.
 Priced individually, sold @ multiples of 5

FLAT WASHER



12-895062

Stainless washer x 1.06 in. OD
 Shipped standard as the "outer" washer with the 200/225/250/275 hp. Verado outboard.
 Priced individually, sold @ multiples of 2


HEX NUT



11-826711 17

Hex Nylock Nut, brass
 Fits current Mercury/Mariner 40 hp. thru V-6 outboards (2-cycle and FourStroke), and also fits Force 40-120 hp. outboards (USA 0E009500 and Newer). Also shipped standard with the 135-275 hp. Verado outboard.


COWL COVER



56-8M0162160

Soft protective cowl cover that can be used for storage or winterization.
 For use with 40 horsepower and above outboard engines.
 Priced individually, sold @ multiples of 10


5.5" TRANSOM BOLT KIT - 5/8



10-8M0171826

Quantity of 1
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


5.5" TRANSOM BOLT KIT - 5/8



10-8M0171827

Quantity of 6.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


6.5" TRANSOM BOLT KIT - 5/8



10-8M0171828


Quantity of 1.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

6.5" TRANSOM BOLT KIT - 5/8



10-8M0171829


Quantity of 6.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro



10-8M0171830

Quantity of 1.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


7.5" TRANSOM BOLT KIT - 5/8



10-8M0171831

Quantity of 6.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


8.5" TRANSOM BOLT KIT - 5/8



10-8M0171832

Quantity of 1.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


8.5" TRANSOM BOLT KIT - 5/8



10-8M0171833

Quantity of 6.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

9.5" TRANSOM BOLT KIT - 5/8



10-8M0171834

Quantity of 1.
 Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

OUTBOARD

9.5" TRANSOM BOLT KIT - 5/8

Image not Available.

10-8M0171835

Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10.5" TRANSOM BOLT KIT - 5/8

Image not Available.

10-8M0171836

Quantity of 1.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

10.5" TRANSOM BOLT KIT - 5/8

Image not Available.

10-8M0171837

Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

12.5" TRANSOM BOLT KIT - 5/8

Image not Available.

10-8M0176953

Quantity of 1.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

12.5" TRANSOM BOLT KIT - 5/8

Image not Available.

10-8M0176954

Quantity of 6.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

OUTBOARD MOUNTING HARDWARE CHART

Used for permanent mounting of an engine to the boat transom.

Transom Mounting Bolt Kit Chart

Outboard Mounting Hardware Chart

Thread Length (Inches)	Bolt Length (Inches)	Individual / Kit	Part Number
1.25	2.5	Kit	10- 67755A22
		Individual	10- 67755005
1.25	3.5	Kit	10- 67755A26
		Individual	10-8M0131814
2.25	4	Individual	10- 814259
2.25	4.5	Kit	10- 67755A13
		Individual	10-8M0149747
3.25	5.5	Kit	10- 67755A14
		Individual	10-8M0038370
2.75	6.5	Kit	10- 67755A15
		Individual	10- 67755 2
2.75	7.5	Kit	10- 67755A17
		Individual	10-8M0028080

Thread Length (Inches)	Bolt Length (Inches)	Individual / Kit	Part Number
2.75	8	Kit	10- 67755A18
		Individual	10-8M0032860

HIGH ALTITUDE GEAR SETS & GEARCASES (V-6)

Due to a loss of horsepower at high altitudes, a lower gear reduction (higher numerical ratio) will enhance performance.


HIGH ALTITUDE GEAR SET



43- 44102A 2

175/200 Gear Set, converts ratcheting style 1.87:1 ratio to a 2:1 ratio.
Fits Mercury / Mariner 175/200 hp. V-6 outboards with ratcheting clutch.

SEAL KIT



26- 89238A 2

Fits Mercury / Mariner 135/150 V-6 outboards (USA 0A904646 and Newer) and 175/200 V-6 outboards (USA 6618751 and Newer).

GEARCASE ASSEMBLY COMPLETE



1647- 9148T81

Black, 2:1 ratio. 20" long shaft. 14 pinion teeth.
Standard Rotation (RH).
Fits Mercury 135-200 (2.5L) V-6 outboards

HIGH ALTITUDE GEAR SETS & GEARCASES (4 CYLINDER)

Due to a loss of horsepower at high altitudes, a lower gear reduction (higher numerical ratio) will enhance performance.

PINION/FORWARD GEAR ASS'Y. (WITH FORWARD BEARING)



43-803500T 1

Converts to a 2.3 ratio. Reverse gear and a seal or seal & bearing kit also required. Fits Mercury/Mariner 100/115/125 hp. 2-cycle outboard (USA 0B209468 and Newer, BEL 9523034) with 3 jaw reverse clutch.

REVERSE GEAR



43-850034T

Used with 6 jaw reverse clutch. Pinion/forward gear ass'y. and seal or seal & bearing kit are also required. Fits Mercury/Mariner 100/115/125 hp. 2-cycle outboard (USA 0B209468 and Newer, BEL 9523034) with 6 jaw reverse clutch.

REVERSE GEAR



43-12635T

Used with 3 jaw reverse clutch. Pinion/forward gear ass'y. and seal or seal & bearing kit are also required. Fits Mercury/Mariner 100/115/125 hp. 2-cycle outboard (USA 0B209468 and Newer, BEL 9523034) with 3 jaw reverse clutch.

SEAL & BEARING KIT (W/O FORWARD BEARING)



31-803496T 1

Fits the 2.07:1 ratio gearcase on Mercury/Mariner 75/90 (4-Stroke) and 100/115/125 (2 Cycle) with either 3 or 6 jaw reverse clutch and the original 43-19672 pinion gear. See chart for specific engine applications.

GEAR HOUSING ASSEMBLY COMPLETE



1667-9011J16

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth. Includes the newer 6 jaw reverse clutch and a new powerhead gasket with upper shift shaft for correct throw. Fits Mercury 75-125 hp. 2-cycle outboards with 3 jaw reverse clutch.

FLUSHING ATTACHMENTS

Allow for fresh water hook-up to the engine for running at idle or for flushing of the block. Care should be observed in using the correct application.

FLUSHING ATTACHMENT



16841Q02

Fits Mercury/Mariner 4/5 hp. (1 cyl.) 2 cycle outboards, F2.5/3.5 hp. FourStroke outboards, F4/5/6 FourStroke Outboards (0R411837 and below) and 8/9.9 hp. FourStroke outboards (model year 2005 & newer). Only for use when engine is not running. Priced individually, sold @ multiples of 2. Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



8M0057047

For static flush only. Furnished with each engine.
Fits the F4-5-6hp. FourStroke outboard, 0R411838 and above.

FLUSHING ATTACHMENT



12612Q 2

Fits Mercury/Mariner 4-15 hp. 2 cycle outboard, the 4/5/6 FourStroke, and the 8/9.9/15 hp. (323cc) with standard gearcase. Will allow for running at idle speeds.
Priced individually, sold @ multiples of 5
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



24789A 1

Fits older Mercury 3.5-9.8 hp. and JET Outboards (except 20-30 hp.). Will allow for running at idle speeds on most models. Consult your owner's manual for proper operation.

FLUSHING ATTACHMENT



44357Q 2

Will allow for running at idle speeds. Attaches to the water intakes; provides a fresh water connection when flushing the cooling system or operating the engine.
Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Perf. & Blackhawk) and MHP Torque Master gearcases.
Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150Q 1.
Priced individually, sold @ multiples of 4
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DUAL WATER PICKUP FLUSH SEAL KIT



881150Q 1

Provides a front water pick-up seal for gearcases with dual water pick-ups
Fits 2000 and newer Mercury/Mariner V-6 outboards with dual water pick-ups; and 2000 and newer MerCruiser Bravo One, X, XR & XZ drives with dual water pick-ups.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FLUSHING ATTACHMENT



22-820543A 1

For consumer use. Only for use while engine is not running.
Fits 90/95/120 Sport-Jet.

REPLACEMENT CAP



19-821908

For consumer use sport-jet flushing attachment. Fits the consumer use 90/95/120 Sport-Jet flushing attachment. Standard flushing kit on the Sport Jet 175 and the 200 OptiMax, 210 and 240 EFI Jet Drives.

FLUSHING KIT



22-820573

Dealer kit, flushes engine while the engine is running. This kit is not for permanent installation. It is intended as a dealer service tool aid. Fits Sport-Jet 90/95/120 engines.

COASTAL FLUSH KIT



858566A 1

Allows for the addition of a remote flush. Due to location of the flush kit, a temperature gauge can only be used with the addition of a 12415A 2 sending kit. Fits Mercury/Mariner 75-125 hp. (1993 and Newer) 2 cycle outboards. Engine can be flushed without taking boat out of the water.

COASTAL FLUSH KIT



858566A02

Standard on Saltwater models, this kit will add the same flushing capabilities to the non-saltwater models. Kit allows hooking a flush hose to the front of the engine. Fits the 75/90/115hp. (1.5L) OptiMax outboards beginning with the 2004 Model Year.

COASTAL FLUSH KIT



858566A03

Kit allows hooking a flush hose to the front of the engine. Fits the 75-115 hp. EFI FourStroke (1.7L) outboard engine, s/n 1B366823-2B094955.

FLUSHING ATTACHMENT



848703A 1

Fits Mercury Racing CLE gearcases. Engines may be run at idle speeds.

FLUSHING ATTACHMENT



848998A 1

Fits Mercury Racing Sport Master gearcases. Engines may be run at idle speeds.

FLUSHING KIT



22-852400

Cowl flushing attachment. Engines should not be running when flushing cooling system. Helps prevent a buildup of deposits from clogging the internal water passages. Fits Mercury/Mariner V-6 engines equipped with flush systems.

AUTOMATIC OUTBOARD FLUSHING SYSTEM

SINGLE ENGINE AUTOMATIC FLUSHING SYSTEM



8M6010624

Outboard flushing system - single engine setup - 12V
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards and all high-horsepower outboard applications.

TWIN ENGINE AUTOMATIC FLUSHING SYSTEM

8M6010623

Outboard flushing system - twin engine setup - 12V
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards and all high-horsepower outboard applications.

TRIPLE ENGINE AUTOMATIC FLUSHING SYSTEM

8M6010622

Outboard flushing system - triple engine setup - 12V
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards and all high-horsepower outboard applications.

QUAD ENGINE AUTOMATIC FLUSHING SYSTEM

8M6010621

Outboard flushing system - quad engine setup - 12V
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards and all high-horsepower outboard applications.


SINGLE ENGINE FITTING KIT



22-8M6010628

Engine setup fitting kit. Fittings included for inlet 3/4" hose barb straight and 90 degree elbow fittings.
Fittings included for outlets 3/8" hose barb straight and 90 degree elbow fitting and 1/2" (recommended for engines 300hp or higher)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


TWIN ENGINE FITTING KIT



22-8M6010627

Engine setup fitting kit. Fittings included for inlet 3/4" hose barb straight and 90 degree elbow fittings.
Fittings included for outlets 3/8" hose barb straight and 90 degree elbow fitting and 1/2" (recommended for engines 300hp or higher)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


TRIPLE ENGINE FITTING KIT



22-8M6010626

Engine setup fitting kit. Fittings included for inlet 3/4" hose barb straight and 90 degree elbow fittings.
Fittings included for outlets 3/8" hose barb straight and 90 degree elbow fitting and 1/2" (recommended for engines 300hp or higher)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

QUAD ENGINE FITTING KIT



22-8M6010625

Engine setup fitting kit. Fittings included for inlet 3/4" hose barb straight and 90 degree elbow fittings.
Fittings included for outlets 3/8" hose barb straight and 90 degree elbow fitting and 1/2" (recommended for engines 300hp or higher)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro


SINGLE ENGINE FITTING KIT



22-8M6010765

(5/8")
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

TWIN ENGINE FITTING KIT



22-8M6010764

(5/8")
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

TRIPLE ENGINE FITTING KIT

Image not Available.

22-8M6010763

(5/8")
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

QUAD ENGINE FITTING KIT



22-8M6010762

(5/8")
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

REMOTE SWITCH - 6FT



87-8M6010629

Remote switch with 6ft harness assembly.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

REMOTE SWITCH - 12FT

87-8M6010630

Remote switch with 12ft harness assembly.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

REMOTE SWITCH - 18FT

87-8M6010631

Remote switch with 18ft harness assembly.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

INLET HOSE INSTALL KIT



8M6010637

OFS Inlet Hose Install Kit - 3ft. Provides a comfortable reach to connect the freshwater hose or use it to connect the deck connection that is mounted remotely.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

8M6010638

OFS Inlet Hose Install Kit - 6ft. Provides a comfortable reach to connect the freshwater hose or use it to connect the deck connection that is mounted remotely.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

8M6010639

OFS Inlet Hose Install Kit - 9ft. Provides a comfortable reach to connect the freshwater hose or use it to connect the deck connection that is mounted remotely.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

5/8" STRAIGHT BARB FITTING



87-8M6010635

Quick disconnect mounting kit
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

5/8" 90-DEGREE ELBOW BARB FITTING



87-8M6010636

Quick disconnect mounting kit
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

3/4" OFS QUICK DISCONNECT DECK KIT - STRAIGHT



87-8M6010633

Quick disconnect straight mounting deck kit. (Faceplate to clearly identify the OFS)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

3/4" OFS QUICK DISCONNECT DECK KIT - ELBOW



87-8M6010634

Quick disconnect elbow mounting deck kit. (Faceplate to clearly identify the OFS)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

OUTBOARD

OFS QUICK DISCONNECT MOUNTING KIT



8M6010632

Quick disconnect mounting deck kit (Faceplate to clearly identify the OFS)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

HIGH SPEED WATER PICKUP INSERTS

Designed to replace standard water pickup inserts, providing additional ram pressure that forces more water into the cooling system.

WATER INLET



17280A 2

Recommended only where overheating is a known to be a problem, they increase the chance of debris getting caught in the water intake.

Replaces the 8-hole insert on the Mercury / Mariner 2.0L, 2.4L, 2.5L and 3.0L outboards with 4 3/4" gearcases except the 225/250 (3.0L, 1994-1996).

WATER INLET



832066A 1

Recommended only where overheating is a known to be a problem, they increase the chance of debris getting caught in the water intake.

Replaces the 5-hole insert on the Mercury / Mariner 225/250 (3.0L, 1994-1996) outboards.

FUEL TANKS - PORTABLE - SUPER (NON-US COMPLIANT)

Meet ABYC, CSA and UL standards. High strength blow molded construction using high density, high molecular weight polyethylene. Formulated protection against ultraviolet exposure and aging. Helps prevent fading and keeps plastic pliable for longer life.

SUPER 6.6 GAL (25 L) FUEL TANK



1200-8M0083451

6.6 US gal (25 L) capacity, 19 in. (480 mm) x 12 1/2 in. (318 mm) x 11 1/8 in. (282mm) with "shielded" quick connect fuel outlet.
Manual venting. Integral fuel level gauge.

For use with double sealed fuel connector. This tank can not be sold in areas governed by US-EPA regulations.

SUPER 6.6 US GAL (25 L) FUEL TANK



1200-8M0083452

6.6 US gal (25 L) capacity, 21 3/4 in. (552 mm) x 14 1/2 in. (368 mm) x 10 in. (254 mm) with "shielded" quick connect fuel outlet.
Manual venting. Integral fuel level gauge.

For use with double sealed fuel connector. This tank can not be sold in areas governed by US-EPA regulations.

REPLACEMENT CAP



36-816976Q 1

Replacement cap, manual venting.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SUPER 3.2 US GAL (12 L) FUEL TANK



1200-8M0083449

3.2 US gal (12 L) capacity, 14 1/2 in. (368 mm) x 9 3/4 in. (248 mm) x 9 in. (229 mm) with "shielded" quick connect fuel outlet. Manual venting. Integral fuel level gauge. For use with double sealed fuel connector.

FUEL TANKS - PORTABLE - PREMIUM (NON-US COMPLIANT)

Meet ABYC, CSA and UL standards. High strength blow molded construction using high density, high molecular weight polyethylene. Formulated protection against ultraviolet exposure and aging. Helps prevent fading and keeps plastic pliable for longer life.

PREMIUM 6.6 GAL (25 L) FUEL TANK



1200-8M0047607

6.6 US gal (25 L) capacity, 19 in. (480 mm) x 12 1/2 in. (318 mm) x 11 1/8 in. (282mm). Furnished with 1/4-18 threaded fuel line fitting, and manual venting cap, and integral fuel level gauge. This tank can not be sold in areas governed by US-EPA regulations.

PREMIUM 6.6 US GAL (25 L) FUEL TANK



1200-8M0047603

Includes a 1/4" NPT threaded fuel line opening, a mechanical fuel gauge and top vented fuel cap. This tank can not be sold in areas governed by US-EPA regulations.

PREMIUM 3.2 US GAL (12 L) FUEL TANK



1200-8M0047599

Includes a 1/4" NPT threaded fuel line opening, a mechanical fuel gauge and top vented fuel cap.

REPLACEMENT CAP



36-816976Q 1

Replacement cap, manual venting. Priced individually, sold @ multiples of 2 Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FUEL TANKS - PORTABLE - STANDARD (NON-US COMPLIANT)

Meet ABYC, CSA and UL standards. High strength blow molded construction using high density, high molecular weight polyethylene. Formulated protection against ultraviolet exposure and aging. Helps prevent fading and keeps plastic pliable for longer life.

STANDARD 6.6 US GAL (25 L) FUEL TANK



1200-8M0057254

6.6 US gal (25 L) capacity, 21 3/4 in. (552 mm) x 14 1/2 in. (368 mm) x 10 in. (254 mm). Furnished with 1/4-18 threaded fuel line fitting and manual venting cap. This tank can not be sold in areas governed by US-EPA regulations.

OUTBOARD

STANDARD 3.2 US GAL (12 L) FUEL TANK



1200-8M0056211

3.2 US gal (12 L) capacity, 14 1/2 in. (368 mm) x 9 3/4 in. (248 mm) x 9 in. (229 mm).
Furnished with 1/4-18 threaded fuel line fitting and manual venting cap.

FUEL LINES AND PRIMER BULBS - (NON-US COMPLIANT)

These assemblies may be used in all applications not governed by the US-EPA 2011 regulations. If those regulations do apply, please refer to a 2011 US Compliant Section either here or in an Accessories Guide for applicable assemblies complete with provision for a pressurized fuel tank and low permeation primer bulb.

8 FT. FUEL LINE ASSEMBLY



32-8M0054323

Low Permeation (EPA compliant) hose has 1/8" NPT threaded fitting on engine end and 1/4" NPT threaded fitting on the tank end. A non-EPA compliant primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits varying applications using the older style twist type disconnects at the engine end and either a bayonet or thread-in fitting on the tank end. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Quicksilver Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-8M0054324

Low Permeation (EPA compliant) hose has standard quick connect type fitting on engine end and 1/4" NPT threaded fitting on the tank end. A non-EPA compliant primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect at engine ends and a tank with threaded fuel pickup fitting. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Quicksilver Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-8M0054325

Low Permeation (EPA compliant) hose has double sealed quick connect type fitting on tank end and clip-on type quick connect on engine end. A non-EPA compliant primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip-on type disconnects at both tank and engine ends. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Quicksilver Branded, Box Point of Sale Packaged.

8 FT. FUEL LINE ASSEMBLY



32-8M0056640

Has double sealed quick connect type fitting on (Super) tank end and no fitting on engine end. Primer bulb is included in this 8 ft. (2.44 m) assembly.

Fits remote model 40-60 hp. FourStroke Mercury/Mariner outboards 2008 and newer. US-EPA regulated engines and boats may not use this hose.

8 FT. FUEL LINE ASSEMBLY



32-8M0061293

There are no ends on this 8 ft. (2.44 m) fuel line assembly with a non-EPA compliant primer bulb. Bulbs will perform at -15 Degrees C (5 Degrees F) after 6 weeks of exposure to fuel.

This 5/16 inch (8 mm) I.D. fuel line will adapt to a variety of uses by adding connectors as desired. US-EPA regulated boats and engines may not use this hose assembly.

9 FT. FUEL LINE ASSEMBLY



32-8M8026967

Low Permeation hose 9 ft. (2.74 m) 5/16" line with primer bulb, 2 snap clamps, and no end connectors.

Standard universal 5/16" (8 mm) I.D. fuel line can be adapted to many uses by adding different connectors as desired. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

12 FT. FUEL LINE ASSEMBLY

32-8M0054326

Low Permeation (EPA compliant) hose 12 ft. (3.66 m) 5/16" line with a non-EPA compliant primer bulb, 2 snap clamps, and no end connectors.

Standard universal 5/16" (8 mm) I.D. fuel line can be adapted to many uses by adding different connectors as desired. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Quicksilver Branded, Box Point of Sale Packaged.

12 FT. FUEL LINE ASSEMBLY



32-8M0054327

Low Permeation (EPA compliant) hose has double sealed quick connect type fitting on tank end, and standard quick connect fitting on engine end. A non-EPA compliant primer bulb is included in this 12 ft. (3.66 m) assembly.

Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip-on type disconnects at both tank and engine ends. This assembly may be used in all applications not governed by US-EPA 2011 regulations.

Quicksilver Branded, Box Point of Sale Packaged.

FUEL LINE ASSEMBLY- UNIVERSAL



32-8M0038468

Fuel hose (only). CE certified 5/16" I.D. (.315 in. 8 mm) fuel line with no connectors. 9 ft. (2.74 m) Premium fuel line for custom manufacturing fuel line assemblies.

BULK FUEL LINE



32-8M0038500

Low Permeation hose, 5/16 in. (8 mm) I.D. x 100 ft. (30.5 m) spool. (EPA compliant).

Fits fuel line assemblies for delivering fuel from the fuel tank to the engine fuel connector.

32-8M0038563

Low Permeation hose, 3/8 inch (9.5 mm) I.D. x 100 ft. (30.5 m) roll. EPA Compliant.

PRIMER BULB ASSEMBLY



8M0054313

Using materials resistant to the chemistry of today's fuels, this bulb is designed to remain pliable longer. Two hose clamps are included.

For use with our gray color, 5/16 in. (8 mm) I.D. fuel line & 3/8" I.D. fuel line. This bulb may be used in all applications not governed by US-EPA 2011 regulations.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Box Point of Sale Packaged.

PRIMER BULB ASSEMBLY



8M0054315

For use with our 1/4 in. I.D. (black) fuel line. This bulb may be used in all applications not governed by US-EPA 2011 regulations.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Box Point of Sale Packaged.

FUEL SYSTEM ACCESSORIES

POLY FUEL CAN



67-8M0171186

Anti-pilfer packaging • Heavy gauge high-density polyethylene with UV inhibitor for durability • Lightweight • Pouring spout with brass filter • UL classified-conforms to ANSI/ASTM D3435-80I.

5 Liter

POLY FUEL CAN



67-8M9200702

Anti-pilfer packaging • Heavy gauge high-density polyethylene with UV inhibitor for durability • Lightweight • Pouring spout with brass filter • U.N. Certification

20 Liter

POLY FUEL CAN




67-831316 1

2.5 gallon (11.3L)

Anti-pilfer packaging. Heavy gauge high-density polyethylene with UV inhibitor for durability. Won't rust, dent or corrode. Low-profile design helps prevent slipping. Large handles for ease of carrying with work gloves. Lightweight for easy pouring. Pouring spout with brass filter and exclusive snap closure allows easy access to hard-to-reach fill points; easily attaches to handle for storage. Handy plastic vent for improved flow control is easy to open and close. UL classified-conforms to ANSI/ASTM D3435-80I. Not for sale in Canada.

OIL ABSORBER



67-808840Q

Keep your bilge clean while protecting the environment. Made from 100% polypropylene fiber. Absorbs up to 10 times its weight in oil, gas or diesel fuel while repelling water. Will not rot, mildew, deteriorate or sink. Non-toxic, non-polluting. Can be recycled.

Quicksilver Branded, Point of Sale Packaged.

FUEL LINE FITTINGS AND COMPONENTS

THREADED HOSE BARB



22-8M0086290

For use with 3/8" (9.5 mm) I.D. hose and applications requiring a 1/2" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A brass fitting for use with both gasoline fuel only. This material should not be used with diesel fuels.

THREADED HOSE BARB



22-89771Q 2

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A .250 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

THREADED HOSE BARB



22- 34982

For use with 3/8" (9.5 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A .375 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.

THREADED HOSE BARB




22-8M0125175

For use with 3/8"-18 (9.5MM). Threads into our portable fuel tanks and will also work with our water separating filter bracket.

.375 inch ID stainless steel fitting for use with both gasoline and diesel fuel.

THREADED HOSE BARB



22-8M0058419

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A stainless steel fitting for use with both gasoline and diesel fuel. This fitting has a .300 inch ID.

THREADED HOSE BARB-ENGINE END



22- 89772Q 1

For use with .3125 In. (8 mm) I.D. hose and applications requiring a .125 In. NPT thread.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PIPE PLUG



22- 32561

1/4" -18 NPT (Steel)

Priced individually, sold @ multiples of 2

QUICK DISCONNECT-TANK END



22- 13563Q 7

Clip-on style.

A double sealed clip-on type disconnect for the fuel tank end and fits a 5/16" (8 mm) I.D. fuel line.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



22- 14213Q

Used with older 1/4" I.D. Hose

Fits Force 40 hp. and larger (1993 and newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect at engine ends and 1/4" I.D. (black) fuel line.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



22-13563Q 3

Used with newer fuel line diameter.
Fits Force 40 hp. and larger (1993 and Newer), Force 9.9/15/25 hp. (1998) and all Mercury/Mariner outboards using clip on type disconnect at engine ends and 5/16" I.D. (8 mm) fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-TANK END



30185Q 3

Bayonet style
Bayonet style push and turn type quick disconnect for the older 6.6 gallon fuel tank.
Priced individually, sold @ multiples of 3
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



30635Q 3

Small twist lock type connector.
For Mercury/Mariner 3.9 thru 9.8 hp. Outboards (1971 and older) utilizing twist lock type connector.
Priced individually, sold @ multiples of 3
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



22831Q 3

Twist lock type connector.
For Mercury/Mariner utilizing twist lock type connector (except Mercury 3.9 thru 9.8 hp., 1971 and older).
Priced individually, sold @ multiples of 3
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICK DISCONNECT-ENGINE END



F197787Q3

Engine end fits Force 5 hp., and fits 9.9/15 (1997 and prior) and 25 hp. (3 cyl., 1997 and prior).
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

CONNECTOR KIT



22-80478Q

Contains both on-engine and mating fuel line connector.
For use with 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

ON-ENGINE FUEL CONNECTOR



22-816856Q 3

For use with 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FUEL CONNECTOR - ENGINE END



F213238Q2

Small inlet used on older style Force and Chrysler outboards.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FUEL LINE COUPLER



22-8M0001721

Barbed ends.
Provides for coupling Mercury .375 ID fuel line with Mercury .3125 ID fuel line.
Priced individually, sold @ multiples of 2

FUEL LINE SNAPPER CLAMP



54- 41582Q 7

For use with our gray color, 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

BLOW START SIPHON

BLOW-START SIPHON



91-827497A 1

The ruggedly constructed siphon is a quick and convenient way to transfer fuel from a gas can to a fuel tank. The siphon flows approximately five gallons of fuel per minute. Siphoning is started by blowing air into a blow-tube. Even better, it eliminates the old "fuel-in-the-mouth" possibility and stores easily. The siphon is very useful in areas where boat fuel is no longer available at the dock.
Quicksilver Branded, Peg Display Product Point of Sale Packaged.

WATER ELIMINATOR

Uses polymer crystals encased in a plastic filter to absorb water from the fuel in a fuel tank.

WATER ELIMINATOR



67-808887Q

Contains a drying agent commonly used to keep small, sealed containers dry. It absorbs water that has collected in the fuel tank.
How to use: Attach to the inside fuel cap with the lanyard (included). Adjust the lanyard so the Water Eliminator sits at the bottom of the fuel tank. Replace as needed.
For use in all octane grades of gasoline, including ethanol blended. Not recommended for diesel fuel.
For use in all 2-cycle and 4-cycle gasoline outboard, sterndrive, inboard and jet drive marine engines.
Priced individually, sold @ multiples of 6
Quicksilver Branded, Point of Sale Packaged.

FUEL FILTERS

INLINE FUEL FILTER



35-816296Q03

In-line fuel filter used with 1/4 in. ID fuel line.
 Located under the cowling, on the outboard engine. Found in use with 1/4" hose.
 Mainly used with the 8/9.9/15 hp. FourStroke outboard (323cc, USA-0T003862-1B727495).
 Priced individually, sold @ multiples of 3
 Quicksilver Branded, Clamshell Package Point of Sale Packaged.

INLINE FUEL FILTER



35-816296Q 2

In-line fuel filter used with 5/16 in. ID fuel line.
 Priced individually, sold @ multiples of 3
 Quicksilver Branded, Clamshell Package Point of Sale Packaged.


INLINE FUEL FILTER



35-8M0157133

An in-line fuel filter located under cowl on outboard engines.
 Fits the 4/5 hp. 2-cycle (1999 & newer), the 4/5/6 hp. FourStroke (1999 & newer),
 the 8/9.9 hp. FourStroke (2005 & newer) and the 15/20 hp. FourStroke (351cc,
 2008 and newer).


FUEL FILTER KIT



35- 87946Q04

149 micron screen
 Replacement fuel filter screen and viton seal for use with Mercury/Mariner outboard
 under-cowl fuel filter assemblies with screw-on bowl. This kit services the prior
 filter assembly that was all white in color (both top and bowl).
 Priced individually, sold @ multiples of 2
 Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FUEL FILTER



35- 73532

FUEL FILTER



35- 80365M

Fits 9.9/15 HP 4-Stroke Outboards

FUEL FILTER



35-877565T 1

Fits 25 Hp - 90 Hp 4-Stroke Carbureted Outboards
 1999 and Newer

FUEL FILTER



35-879885Q

In-line, under cowl fuel filter.
Used on the 30/40 EFI FourStroke outboard, the 4 cylinder (996 cc) 40/50/60 hp. EFI FourStroke outboards, the 75-115 FourStroke (1.7L, s/n 1B366823-2B094995), the 75-115 FourStroke (2.1L, s/n 2B094996 and above), the 150 EFI FourStroke (1B905505 and above) and the 135 thru 300 hp. Verado outboards.


FUEL FILTER KIT



35-816296A 3

In-line fuel filter used with 1/4 in. ID fuel line.
Located under the cowl, on the outboard engine. Found in use with 1/4" hose. Mainly used with the 8/9.9/15 hp. FourStroke outboard (323cc, USA-0T003862-1B727495).


SCREEN



35-59072

Inlet fuel pump.
Priced individually, sold @ multiples of 3

FUEL FILTER ELEMENT



35-8M0168897

Fits Mercury/Mariner 75/90/115 hp. FourStroke carbureted outboards.

FUEL FILTER ELEMENT



35-8M0122423

Under cowl replacement cartridge where applicable.
Fits the under cowl L4 Verado outboard replaceable cartridge fuel filter, the 200-300 hp. L6 Verado (2B144122 & Below) 1.5L & 3.0L DFI outboards that utilize a vapor separator with a top screw-in type filter. Also fits the MCM 4.5L and 6.2L (2A456613 & newer) engines.
Quicksilver Branded, Box Point of Sale Packaged.

FUEL FILTER SCREEN



35-8M0090809

In-line, under cowl fuel filter
Used on the 75-115HP & 115HP ProXs 2.1L EFI FourStroke (2B094996 & above), 150HP EFI FourStroke (1B905505 & above), 200-400HP L6 Verado (2B141124 & above)

FUEL FILTER SCREEN KIT




Image not Available.

8M0154660

Screen fuel filter, fuel supply module hose, clamp, and instruction sheet.
150HP EFI FourStrokes S/N: 2B178186 & above

INLINE FUEL FILTER



35-879884T

A cartridge type fuel filter located under the cowl on outboard engines.
30HP 3cyl. & 40-60 4cyl. EFI FourStroke engines, 0T409000 and above.

FUEL FILTER ELEMENT




Image not Available.

35-8M0149607

A cartridge type of fuel filter element, located under the cowl on outboard engines.
40-60 EFI 4 Stroke engines, 0T409000 and above.

WATER SEPARATING FUEL FILTER - QUICKSILVER

WATER SEPARATING FUEL FILTER KIT



8M0056547

Accessory under cowl kit. Fits the Mercury/Mariner 4/5/6 hp. FourStroke outboards starting with serial number 0R411838.

WATER SEPARATING FUEL FILTER - QUICKSILVER



8M0157620

NEW design to be smaller to better fit the hand, the internal holding capacity of this filter is as great as our standard filter. A new o-ring for the water sensor is included with each filter. This new filter when used with the new water-in-fuel sensor 8M0157779, meets U.S. Coast Guard and ABYC H-24 fuel-system requirements. Designed to meet 33 CFR 183.590 or ISO 10088 fire test.

This replacement filter fits the vessel mounted filter kit furnished standard with all FSM equipped 6-cylinder Verado outboards, Gen 5 (s/n 2B144123 and above).

WATER SEPARATING FUEL FILTER KIT



8M0109543

A vessel mounted water separating fuel filter featuring a see-through bowl for visual inspection and a drain for servicing. A water in fuel sensor will provide an alert compatible with Mercury controls and instrumentation. Hose fittings are included for 3/8 inch (9.5 mm) I.D. fuel lines and 2 adjustable hose clamps. For use with vented fuel tanks only.

Fits the Mercury/Mariner F150 Hp. EFI FourStroke 4-cylinder outboard, the F75-115 Hp. FourStroke (s/n 2B094996 and above) and must be installed in a compartment open to the atmosphere or void of ignition sources.

QUICKSILVER WATER SEPARATING FUEL FILTER



35-8M0146203

Outboard Element without Plastic Bowl, spins on to existing Quicksilver filter heads with 11/16-16 threads. "NEW PRICE for 2019"

For outboards, allows for filter replacement when re-using the see-through plastic bowl. Degree of filtration is 10 micron.

QUICKSILVER WATER SEPARATING FUEL FILTER



35-8M0146206

Outboard Element without Plastic Bowl, spins on to existing Racor filter heads with 1-14 threads.

For outboards, allows for filter replacement when re-using the see-through plastic bowl. Degree of filtration is 10 micron.

WATER SEPARATING FUEL FILTER



35-802893Q01

25 micron

Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter & 1.6L Vazer and 3.0L MPI engines).

Priced individually, sold @ multiples of 6

Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35- 18458Q 3

Water separating fuel filter with the black screw-in sensor. Located under the cowl on all Mercury/Mariner V-6 EFI outboard engines, 1995 and earlier. Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35- 18458Q 4

Water separating fuel filter with the blue screw-in sensor. Located under the cowl on all Mercury/Mariner V-6 EFI/DFI outboard engines, 1996 and newer. Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER KIT



35-8M0114618

This vessel mounted kit (with higher capacity) replaces the engine on-board water separating fuel filter. It features the use of a see-through plastic bowl for visual inspection and a drain for servicing. This kit may be used as optional to the standard kit now shipped with Gen 5, FSM equipped 6-cylinder Verados. For use with vented fuel tanks only. Fits the 6-cylinder Gen IV and newer Verado outboard and must be installed in a compartment open to the atmosphere or void of ignition sources.

QUICKSILVER WATER SEPARATING FUEL FILTER



35-8M0116793

Replaces element with plastic bowl and spins on existing Quicksilver filter heads. For outboards, has a see-through plastic bowl allowing for visual inspection. Check for adequate clearance prior to mounting. Degree of filtration is 10 micron.

WATER SEPARATING FUEL FILTER KIT



8M0097838

Filter Kit, consisting of filter canister featuring sight bowl and manual drain and including our filter bracket with fittings. No water in fuel sensor is included or used with this kit. For use with vented fuel tanks only.

Vessel mounted in a ventilated location open to the atmosphere or void of ignition sources, this kit is intended for use with Mercury, Mariner or Force gasoline outboard engines that do not already have a water separating fuel filter. This kit is included standard with the F75-150 FourStroke SeaPro outboards beginning in 2014.

WATER SEPARATING FUEL FILTER KIT



35-8M0113498

This vessel mounted kit (with higher capacity) replaces the engine on-board water separating fuel filter. It features the use of a see-through plastic bowl for visual inspection and a drain for servicing. For use with vented fuel tanks only. Fits the 135-200 Hp. 4-cylinder Verado outboard and must be installed in a compartment open to the atmosphere or void of ignition sources.

WATER SEPARATING FUEL FILTER



35-8M0079962

High volume replacement filter featuring 10 micron filtration with over 90% efficiency, flowing 120 gallons per hour while separating water from your fuel. The internal epoxy coating protects against corrosion and the low pressure drop reduces fuel flow restriction helping to prevent vapor-locking and stalling. This filter contains 25% more media than comparable aftermarket filters, providing longer life and improved water separation.

Fits remote mounted applications that do not have clearance issues.

WATER-IN-FUEL SENSOR (WIF)



8M0157779

Helps detect water-in-fuel. Designed to meet 33 CFR 183.590 or ISO 10088 fire test, which meets U.S. Coast Guard and American Boat and Yacht Council (ABYC H-24) fuel-system requirements. This sensor is included with complete water separating fuel filter kit 8M0157707.

Works with all boats that run a vessel mounted water separating fuel filter 8M0157616.

WATER-IN-FUEL SENSOR (WIF)



8M0021043

Help detect water-in-fuel.

L6 Verado and other boat mounted fuel filters. Works with filter part number 8M0095659.

WATER SEPARATING FUEL FILTER KIT



35-8M0082290

Kit consisting of our vessel mounted head (without fittings) and our High Capacity water separating fuel filter. Our brass fittings may be used with gas engines but stainless steel fittings p/n 22-8M0058419 are required in diesel applications. Filter features 10 micron, 90% efficiency with a 120 gallon per hour flow rate.

Compatible with most 2-Stroke and 4-Stroke Outboards and most Inboard & Sterndrive Gas and Diesel Engines.

PORTABLE FUEL FILTER "MR FUNNEL"



35-8M0032639

5 GPM

Proprietary filter prevent water, dirt and debris from passing through the fuel tank. Works with gasoline, kerosine and diesel fuel.

PORTABLE FUEL FILTER "MR FUNNEL"



35-8M0032640

12 GPM

Proprietary filter prevent water, dirt and debris from passing through the fuel tank. Works with gasoline, kerosine and diesel fuel.

WATER SEPARATING FILTER BRACKET



89876A 3

Includes brass fittings. 11/16-16 threads
For vessel mounted applications.

THREADED HOSE BARB



22- 89771Q 2

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A .250 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

THREADED HOSE BARB



22- 34982

For use with 3/8" (9.5 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A .375 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.

PIPE PLUG



22- 32561

1/4" -18 NPT (Steel)
Priced individually, sold @ multiples of 2

FUEL LINE SNAPPER CLAMP



54- 41582Q 7

For use with our gray color, 5/16 in. (8 mm) I.D. fuel line.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

WIF SENSOR EXTENSION HARNESS



84-8M0105263

Helps detect water in fuel.
Provides a 36 inch (914 mm) extension for the vessel mounted water separating fuel filters that are equipped with a WIF (water in fuel) sensor.

84-8M0105264

Helps detect water in fuel.
Provides a 6 foot (1.8 m) extension for the vessel mounted water separating fuel filters that are equipped with a WIF (water in fuel) sensor.

WATER SEPARATING FUEL FILTER - ON ENGINE



35-8M0106635

This filter separates water from fuel as it removes other impurities. Fuel contaminated water can result in poor engine performance, stalling and damage to the fuel system. 10 Micron filtration.
Fits: 175-300HP V6 & V8 FourStroke outboards. Replace fuel filter every 100hrs. of normal use or minimally once per season.
Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER - BOAT MOUNTED



35-8M0126144

Removes 99% of water and other impurities from gasoline. 10 Micron filtration over 95% efficiency.
Fits: 175-300HP V6 (3.4L) & V8 (4.6L) FourStroke outboards. Replace filter every 100hrs. of normal use or minimally once per season.
Mercury Precision Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER KIT



35-8M0135386

A vessel mounted water separating fuel filter featuring a see-through bowl for visual inspection and a drain for servicing. A water in fuel sensor will provide an alert compatible with Mercury controls and instrumentation.
Fits: 175-350HP V6 (3.4L) & V8 (4.6L) FourStroke outboards. Must be installed in a compartment open to the atmosphere or void of ignition sources.

WATER SEPARATING FUEL FILTER KIT - FIRE COMPLIANT



8M0157707

Contains water separating fuel filter, water-in-fuel sensor, base, electrical harness, 2 barbed connectors, and 2 pipe plugs. This kit was designed to meet U.S. Coast Guard and ABYC H-24 fuel-system requirements. Also designed to meet 33 CFR 183.590 or ISO 10088 fire test.

Shipped standard with all FSM equipped 6-cylinder Verado outboards, Gen 5 L6 Verado. It will also work with inboard vessels and vessels that have generator applications. This is the only approved fuel filter kit that meets the fire test regulations mentioned above.

WATER SEPARATING FUEL FILTER KIT



98-8M0103686

An option to the standard provided, vessel mounted water separating filter kit. Contains filter, bracket, hose and harness to install a water separating filter under the cowl of a 6-cylinder, Gen 5, FSM equipped Verado outboard.

Fits the Gen 5, 6-cylinder Verado outboard (s/n 2B144123 and above).

WATER SEPARATING FUEL FILTER KIT



35-802893Q 4

For gasoline use only. Degree of filtration is 25 micron, minimum.

Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter).

Quicksilver Branded, Box Point of Sale Packaged.

REMOTE FUEL TANK ADAPTER KITS

Adapts the listed Mercury / Mariner 4/5 hp. Outboards to optional use of a remote style fuel tank.

REMOTE FUEL TANK ADAPTER KIT



22- 15781A12

Kit includes hoses, shut-off valve and fitting.

Fits Mercury / Mariner 4/5 hp. (1 cyl.) 2 cycle outboards (USA 0A816941-0A855096).

THERMOSTAT KIT

Raises engine operating temperature for improved running and idling qualities.

THERMOSTAT KIT



14586A 3

Includes 120 degree thermostat and gaskets.

Fits various Mercury/Mariner 6-25 hp. 2 cycle outboards. See application chart for specific engine models.

THERMOSTAT KIT



14586A 4

Includes 120 degree thermostat, gaskets and poppet valve.

Fits various Mercury / Mariner 50/55/60 hp. 2 cycle outboards. See application chart for specific engine models.

THERMOSTAT KIT



14586A 6

Includes 120 degree thermostat, gaskets and poppet valve.
Fits various Mercury / Mariner 50/55/60 hp. 2 cycle outboards. See application chart for specific engine models.

THERMOSTAT KIT



14586A 7

Includes 130 degree thermostat, gaskets and poppet valve.
Fits Mercury / Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G044027 and Newer, BEL 9855139 and Newer).

THERMOSTAT KIT



803061T 1

Includes 120 degree thermostat, thermostat gasket, washer and cover gasket.
Fits various Mercury/Mariner 70-125 hp. 2 cycle outboards (1987 and Newer). See application chart for specific engine models.

THERMOSTAT KIT



825212A 1

Includes 120 degree thermostat and gaskets.
Fits various Mercury/Mariner 30/40/45/50 hp. FourStroke outboards. See application chart for specific engine models.

825212A 1

Includes 120 degree thermostat and gaskets.
Fits various Mercury/Mariner 30/40/45/50 hp. FourStroke outboards. See application chart for specific engine models.

THERMOSTAT KIT



850055A 2

Includes 110 degree thermostat and gaskets.
Fits various Mercury / Mariner 40/50/55/60 hp. 2 cycle outboards. See application chart for specific engine models.

THERMOSTAT KIT



825212A 1

Includes 120 degree thermostat and gaskets.
Fits various Mercury/Mariner 30/40/45/50 hp. FourStroke outboards. See application chart for specific engine models.

THERMOSTAT ASSEMBLY



8M0162139

Replacement Thermostat Assembly
140F degree thermostat for select 175 hp through 300 hp and 450R 3.4L V6 and 4.6L V8 4-stroke outboards (s/n: 2B529482 & above)

THERMOSTAT ASSEMBLY

Image not Available.

8M0177662

Includes top and bottom housing, 160 degree thermostat, 140 degree thermostat, spring, retainer, gasket, O-ring, plate, and hardware.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

THERMOSTATS CHART - MERCURY/MARINER

Mercury/Mariner Thermostats

Model	Brand	Year Range	Country	Serial # Range	Thermostat Kit
6	Mercury/Mariner	1986 - 2003	USA	0A197112 - 0T800749	14586A 3(2)
6	Mercury/Mariner	1986 - 2006	BEL	9461526 and up	14586A 3(2)
8	Mercury/Mariner	1986 - 2006	USA	0A197112 and up	14586A 3(2)
8	Mercury/Mariner	1986 - 2006	BEL	9461526 and up	14586A 3(2)
9.9	Mercury/Mariner	1986 - 2022	USA	0A197112 and up	14586A 3(2)
9.9	Mercury/Mariner	1986 - 2022	BEL	9461526 and up	14586A 3(2)
8 FourStroke	Mercury/Mariner	2001 - 2004	BEL	0P086824 - 0P325499	825212A 1(2)
9.9 FourStroke	Mercury/Mariner	1999 - 2004	USA	0G760300 - 0T979999	825212A 1(2)
9.9 FourStroke	Mercury/Mariner	1999 - 2004	BEL	0P075166 - 0P325499	825212A 1(2)
15	Mercury/Mariner	1988 - 2022	USA	0B292414 and up	14586A 3(2)
15	Mercury/Mariner	1988 - 2022	BEL	9542620 and up	14586A 3(2)
15 SEA PRO	Mercury	1994 - 2022	USA	0G044365 and up	14586A 3(2)
15 SEA PRO	Mercury	1994 - 2022	BEL	9927000 and up	14586A 3(2)
SUPER 15	Mariner	1988 - 2022	USA	0B238464 and up	14586A 3(2)
SUPER 15	Mariner	1988 - 2022	BEL	9507381 and up	14586A 3(2)
SUPER 15	Mariner	1988 - 2022	CAN	0A730007 and up	14586A 3(2)
15 FourStroke (323cc)	Mercury/Mariner	1998 1/2 - 2008	USA	0G590000 - 1B727495	825212A 1(2)
15 FourStroke (323cc)	Mercury/Mariner	1999 - 2008	BEL	0P075166 and up	825212A 1(2)
15 EFI FourStroke	Mercury/Mariner	2018 - 2022	JPN	0R833820 - and up	8M0139434
20	Mercury/Mariner	1986 - 2003	USA	0B114231 - 0T800749	14586A 3(2)
20	Mercury/Mariner	1986 - 2022	BEL	9467988 and up	14586A 3(2)
20	Mercury/Mariner	1986 - 2003	CAN	0A719661 and up	14586A 3(2)
20 EFI FourStroke	Mercury/Mariner	2018 - 2022	JPN	0R833820 - and up	8M0139434
25 (2 Cyl)	Mercury/Mariner	1986 - 2022	USA	0B114231 and up	14586A 3(2)
25 (2 Cyl)	Mercury/Mariner	1986 - 2022	BEL	9467988 and up	14586A 3(2)
25 (2 Cyl)	Mercury/Mariner	1986 - 2022	CAN	0A719661 and up	14586A 3(2)
25 SEA PRO	Mercury	1988 - 2022	USA	0B238464 and up	14586A 3(2)
25 SEA PRO	Mercury	1988 - 2022	BEL	9507381 and up	14586A 3(2)
25 SEA PRO	Mercury	1988 - 2022	CAN	0A730007 and up	14586A 3(2)
25 FourStroke	Mercury/Mariner	1998 - 2005	USA	0G590000 - 1B226999	825212A 1(2)
25 FourStroke	Mercury/Mariner	1999 - 2005	BEL	0P075166 - 0P400999	825212A 1(2)
30 (2 Cyl)	Mercury/Mariner	1994 - 2022	USA	0G044027 and up	14586A 7(3)
30 (2 Cyl)	Mercury/Mariner	1994 - 2022	BEL	9855139 and up	14586A 7(3)
30 FourStroke	Mercury/Mariner	1999 - 2005	USA	0G760300 - 1B226999	825212A 1(2)
30 FourStroke	Mercury/Mariner	1999 - 2005	BEL	0P017000 - 0P400999	825212A 1(2)
35	Mercury/Mariner	1984 - 2022	USA	6445653 and up	N.L.A.(3)
35	Mercury/Mariner	1984 - 2022	BEL	9384476 and up	N.L.A.(3)
40 (2 Cyl)	Mercury/Mariner	1994 - 2022	USA	0G044027 and up	14586A 7(3)
40 (2 Cyl)	Mercury/Mariner	1994 - 2022	BEL	9855139 and up	14586A 7(3)
40 (3 Cyl)	Mercury/Mariner	1997 - 2022	USA	0G531301 and up	850055A 2(2)
40 (3 Cyl)	Mercury/Mariner	1997 - 2022	BEL	9973100 and up	850055A 2(2)
40 FourStroke (3 cyl.)	Mercury/Mariner	1998 - 2022	USA	0G231123 and up	825212A 1(2)
40 FourStroke (3 cyl.)	Mercury/Mariner	1999 - 2022	BEL	0P017000 and up	825212A 1(2)
45 FourStroke	Mercury/Mariner	1996 - 2000	USA	0G231123 and up	825212A 1(2)
50 (3 Cyl)	Mercury/Mariner	1987 - 1990	USA	0B110789 - 0D000749	N.L.A.(3)
50 (3 Cyl)	Mercury/Mariner	1987 - 1990	BEL	9482600 - 9671686	N.L.A.(3)
50 (3 Cyl)	Mercury/Mariner	1991 - 1993	USA	0D000750 - 0D181999	14586A 4(3)
50 (3 Cyl)	Mercury/Mariner	1991 - 1993	BEL	9682500 - 9740999	14586A 4(3)
50 (3 Cyl)	Mercury/Mariner	1994 - 1997	USA	0D182000 - 0G589999	14586A 6(3)
50 (3 Cyl)	Mercury/Mariner	1994 - 1997	BEL	9741000 - 9973099	14586A 6(3)

Model	Brand	Year Range	Country	Serial # Range	Thermostat Kit
50 (3 Cyl)	Mercury/Mariner	1998 - 2022	USA	0G590000 and up	850055A 2(2)
50 (3 Cyl)	Mercury/Mariner	1998 - 2022	BEL	9973100 and up	850055A 2(2)
50 FourStroke	Mercury/Mariner	1995 - 2000	USA	0G231123 - 0T178499	825212A 1(2)
55 (3 Cyl)	Mercury/Mariner	1991 - 1993	USA	0D000750 - 0D181999	14586A 4(3)
55 (3 Cyl)	Mercury/Mariner	1991 - 1993	BEL	9682500 - 9740999	14586A 4(3)
55 (3 Cyl)	Mercury/Mariner	1994 - 1997	USA	0D182000 - 0G589999	14586A 6(3)
55 (3 Cyl)	Mercury/Mariner	1994 - 1997	BEL	9741000 - 9973099	14586A 6(3)
55 (3 Cyl)	Mercury/Mariner	1998 - 2022	USA	0G590000 and up	850055A 2(2)
55 (3 Cyl)	Mercury/Mariner	1998 - 2022	BEL	9973100 and up	850055A 2(2)
60 (3 Cyl)	Mercury/Mariner	1987 - 1990	USA	0B110789 - 0D000749	N.L.A.(3)
60 (3 Cyl)	Mercury/Mariner	1987 - 1990	BEL	9482600 - 9671686	N.L.A.(3)
60 (3 Cyl)	Mercury/Mariner	1991 - 1993	USA	0D000750 - 0D181999	14586A 4(3)
60 (3 Cyl)	Mercury/Mariner	1991 - 1993	BEL	9682500 - 9740999	14586A 4(3)
60 (3 Cyl)	Mercury/Mariner	1994 - 1997	USA	0D182000 - 0G589999	14586A 6(3)
60 (3 Cyl)	Mercury/Mariner	1994 - 1997	BEL	9741000 - 9973099	14586A 6(3)
60 (3 Cyl)	Mercury/Mariner	1998 - 2022	USA	0G590000 and up	850055A 2(2)
60 (3 Cyl)	Mercury/Mariner	1998 - 2022	BEL	9973100 and up	850055A 2(2)
70 (3 Cyl)	Mercury/Mariner	1987 - 2022	USA	0A996142 and up	803061T 1(1)
70 (3 Cyl)	Mercury/Mariner	1987 - 2022	BEL	9483121 and up	803061T 1(1)
75 (3 Cyl)	Mercury/Mariner	1990 - 2022	USA	0C222000 and up	803061T 1(1)
75 (3 Cyl)	Mercury/Mariner	1990 - 2022	BEL	9589039 and up	803061T 1(1)
80 (3 Cyl)	Mercury/Mariner	1987 - 2022	USA	0A996142 and up	803061T 1(1)
80 (3 Cyl)	Mercury/Mariner	1987 - 2022	BEL	9483121 and up	803061T 1(1)
90 (3 Cyl)	Mercury/Mariner	1987 - 2022	USA	0A996142 and up	803061T 1(1)
90 (3 Cyl)	Mercury/Mariner	1987 - 2022	BEL	9483121 and up	803061T 1(1)
100 (4 Cyl)	Mercury/Mariner	1988 - 2022	USA	0B209468 and up	803061T 1(1)
100 (4 Cyl)	Mercury/Mariner	1988 - 2022	BEL	9523034 and up	803061T 1(1)
115 (4 Cyl)	Mercury/Mariner	1989 - 2022	USA	0C100000 and up	803061T 1(1)
115 (4 Cyl)	Mercury/Mariner	1989 - 2022	BEL	9559771 and up	803061T 1(1)
125 (4 Cyl)	Mercury/Mariner	1994 - 2022	USA	0D283222 and up	803061T 1(1)
125 (4 Cyl)	Mercury/Mariner	1994 - 2022	BEL	9793577 and up	803061T 1(1)

(1) Includes new thermostat, thermostat gasket, washer and cover gasket.

(2) Includes thermostat & gaskets.

(3) Includes thermostat, gaskets and poppet valve.

VERTICAL MANUAL STARTER ROPE GUIDE

Converts a manual start from a horizontal to a vertical direction pull.

STARTER ROPE GUIDE



16839A 4

Fits Mercury/Mariner 4/5 hp. (1 cyl.) 2 cycle outboards (USA 0A855097 and Newer, BEL 9589154 and Newer) and Mercury/Mariner 4/5/6 hp. FourStroke outboards.

CARBURETOR ANTI-ICING KITS

Where carburetor icing is common, kit uses hot water from the engine to heat the carburetor. Used on electric or manual models.

CARBURETOR ANTI-ICING KIT



828155A 3

Any engine not already having a thermostat will require the addition of an appropriate thermostat kit from the thermostat chart.

Fits Mercury / Mariner 50/60 hp. (3 cyl.) 2 cycle outboards (USA 0G589999 and prior, BEL 9973099 and prior).

CARBURETOR ANTI-ICING KIT



828155A 6

The 55/60 hp. manual start models will require the addition of a thermostat kit. Fits Mercury / Mariner 40 hp. (3 cyl.) 2 cycle outboards (USA 0G531301 and Newer, BEL 9973100 and Newer) and 50/55/60 hp. (3 cyl.) 2 cycle outboards (USA 0G590000 and Newer, BEL 9973100 and Newer).

CARBURETOR ANTI-ICING KIT



828155A 4

1994 and older manual start models must also order washer p/n 12-47533-1. Fits Mercury / Mariner 75/90 hp. (3 cyl.) 2 cycle outboards.

CARBURETOR ANTI-ICING KIT



856642A 2

Includes hoses and fittings. Fits Mercury / Mariner 135-225 V-6 outboards (0G303046 and Newer) with Walbro "WMV" series carburetors.

REMOTE OIL TANK CONVERSION KITS

Converts the engine to use a remote pressurized 3 US gal (11 L) oil tank.

REMOTE OIL TANK KIT



1263-812718A 2

Includes remote oil tank, on board tank, lines, fittings and hardware.

Fits Mercury / Mariner 50/60 hp. (3 cyl., 51.8 CID) 2 cycle outboards (USA 0D182000 and Newer, BEL 9793445 and Newer).

REMOTE OIL TANK KIT



1257- 8742A25

Includes remote oil tank, lines, fittings and hardware to convert to a pressurized remote 2 cycle oil tank system.

Fits Mercury/Mariner 75,90,115 hp (1.5L) OptiMax outboards, model year 2004 and newer.

REMOTE OIL TANKS AND COMPONENTS

Remote pressurized oil tank reservoir system.

REMOTE 1.8 US GAL (6.8 L) OIL TANK



15943A 1

Remote 1.8 US gal (6.8 L) Oil Tank, complete with tank, lines mounting bracket and all hardware.

Optional tank size for Mercury / Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A21

Remote 3.0 US gal (11 L) Oil Tank with sender, complete with tank, lines, floor mounting bracket and all hardware.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A22

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, floor mounting bracket and all hardware.

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly is only used in floor mounted applications.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A23

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, mounting bracket and all hardware. Old Bracket Design

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly may be optionally floor or wall mounted.

OIL TANK HOLD DOWN KIT



12335A 1

With bracket, strap and hardware.

Fits the 3.0 gallon (11 L) remote oil reservoir tank. This optional bracket may be either floor or wall mounted as desired.

OIL TANK HOLD DOWN KIT




884481A 1

With floor bracket, strap and hardware.

Fits the 3.0 gallon (11 L) remote oil reservoir tank. Bracket may only be used as a floor mounted application.

OIL TANK HOLD DOWN KIT



824954A 1

With bracket, strap and hardware.

Fits the 1.8 gallon (6.8 L) remote oil reservoir tank.

OIL TANK HOSE EXTENSION



41729A 3


Includes 30 ft. (9.14 m) of double barrel hose and 4 tie straps.

Can be used with either remote oil reservoir tank which requires a longer hose due to location.

DECK OIL FILL KIT

Allows filling remote oil reservoirs from deck mounted filler pipe.

DECK FILL KIT - OIL (STRAIGHT ELBOW)



15969A09

Complete with deck fittings, 4 ft. (1.22 m) fill hose, filler cap and necessary mounting hardware.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

DECK FILL KIT - OIL (80 DEGREE ELBOW)



15969A10

Complete with deck fittings, 4 ft. (1.22 m) fill hose, filler cap and necessary mounting hardware.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

REPLACEMENT TANK ADAPTER



15967

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

FILL CAP O-RING



25- 11332

Replacement O-Ring for Fill Cap
2.225 x .210

DECK FILL KIT - OIL (STRAIGHT ELBOW)



15969A13

Comes with deck fittings, filler cap and mounting hardware. Oil fill hose must be ordered separately to complete the assembly.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

DECK FILL KIT - OIL (80 DEGREE ELBOW)



15969A11

Comes with deck fittings, filler cap and mounting hardware. Oil fill hose must be ordered separately to complete the assembly.

For use with 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

BULK OIL FILL HOSE



32-850719

Helical corrugated cover, helical non-metallic reinforcement, smooth wall PVC. 1 1/2" (38 mm) x 100 ft. (30 m)

For use with a deck oil fill kit and the 1.8 US gal (6.8 L) or 3 US gal (11 L) remote oil tank reservoirs. This kit must NOT be used with Auto Blend.

FRONT LOW WATER PICK-UP PLUG KIT

Used in special applications where debris is plugging the low water pick-ups in the nose of the gearcase. This will also limit the amount of cooling water flow. Do not use this kit if the side water pick-ups are out of the water when the boat is on plain.

WATER INLET PLUG KIT



895764A01

Contains two plugs, o-ring and shift shaft gasket. Plugs the front low water pick-up on the gearcase for the 3.0L EFI/Optimax outboards with the shift shaft bushing assembly that is fastened with 2 screws.

WATER INLET PLUG KIT



8M0052921

Contains plugs and gasket to seal the low water pickups from injecting debris into the engine water cooling passages. Fits the Verado gearcase and the Torquemaster II with the shift shaft bushing fastened with 4 screws.

GEAR HOUSING REPLACEMENT SKEGS

REPLACEMENT SKEG



898245A01

Fits Verado outboards, 135 through 300 hp. and 3.0L gearcases that have a 4.80 inch diameter torpedo.

REPLACEMENT SKEG



8M0052924

Precision die cast 360XK alloy for stronger, more uniform welds. Fits the Verado and 3.0L gearhousings with a 5.44 inch diameter torpedo.

REPLACEMENT SKEG



15985A02

Precision die cast 360XK alloy for stronger, more uniform welds. Fits Mercury / Mariner 50/55/60 Bigfoot (3 cyl.), 70/75/80/90 (USA 0A996142 and Newer, BEL 9483121 and Newer), 100/115/125 (0B209468 and Newer), Force 90/120 (s/n 0E093700 and Newer) and 75/90/115 FourStroke (1B366823-2B094955).


REPLACEMENT SKEG



859447A 1

Precision die cast 360XK alloy for stronger, more uniform welds. Fits Mercury / Mariner 75/80 (4 cyl.), 90/115 (6 cyl.) and most V-6 outboard models including 2.5L OptiMax. Has adequate depth for the 3.0L models but is not an exact silhouette of the original skæg.

REPLACEMENT SKEG




8M0090442

Precision die cast 360XK alloy for stonger, more uniform welds. Fits the standard gearcase on the F75-115 hp. (2.1L) FourStroke outboards, serial number 2B094996 and above.

OUTBOARD

REPLACEMENT SKEG



8M0060147

Precision die cast 360XK alloy for stronger, more uniform welds. Fits the Mercury/Mariner F150 hp. EFI FourStroke 4 cylinder outboard, and the F75-115 hp. (2.1L) FourStroke Command Thrust outboard serial number 2B094996 and above..

REPLACEMENT SKEG



FK719059

Precision die cast 360XK alloy for stronger, more uniform welds. Fits Force 85/90/100/120/150 hp. outboards (s/n 0E093699 and prior).

AIR FILTERS

AIR FILTER



35-8M0082911

Fits the 75-115 EFI FourStroke outboards (1731cc) serial number 1B366823-2B094995.

AIR FILTER



35-896247

Fits the L-4 Verado outboard.

AIR FILTER



35-893318T02

Fits the L-6 Verado outboard.

OIL FILTERS - FOURSTROKE OUTBOARD

FOURSTROKE OUTBOARD OIL FILTER



35-8M0162832

FourStroke Outboard replaceable screw-on type canister filters. Fits Mercury/Mariner 8/9.9 hp. FourStroke outboards (323cc) , 15/20 hp. FourStroke carbureted outboards, 15/20 EFI FourStroke outboards, 0R833820 and above and the 25/30 hp. EFI FourStroke outboard (MY2006 & newer). Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-8M0162830

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine. Fits Mercury/Mariner 25 hp. FourStroke (Carb, MY2006 & prior), 30 hp. FourStroke (3 cyl., MY2005 & prior), all 40-60 hp. FourStroke outboards (MY 1998 & newer), all 75-115 hp. FourStroke outboards (USA 1B366822 & prior), and all 75-115 hp. FourStroke outboards (USA 2B094996 and above). Priced individually, sold @ multiples of 6. Quicksilver Branded, Box Point of Sale Packaged.

OIL DRIP TRAY



8M0052100

After the oil reservoir has been properly drained, this tray when in place will help to prevent oil from dripping into the lower cowl when removing the side mounted engine filters listed in the application.

Fits the F25/30hp. EFI FourStroke Outboards and the F40-60hp. FourStroke outboards.

FOURSTROKE OUTBOARD OIL FILTER



35-822626Q15

Replaceable screw-on type canister filters.

Fits Mercury/Mariner V-225 hp. (V-6) FourStroke outboard and also replaces Yamaha 225 hp. four stroke outboard filter 69J-13440-00-00.

FOURSTROKE OUTBOARD OIL FILTER



35-877761Q01

Replaceable screw-on type canister filter.

Fits the 75/90/115 hp. FourStroke outboard (USA 1B366823-2B094995, 1731 cc.) and the 150 hp. EFI FourStroke outboard.

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877767Q01

Replaceable screw-on type canister filter. Replaces the production 896546_ series oil filter.

Fits the 135/150/175/200 hp. Verado In-line 4 cylinder outboard.

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877769Q01

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

Fits the 200/225/250/275/300/350/400R hp. Verado In-line 6 cylinder outboard.

Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-8M0123025

Replaces screw-on canister filters. Requires filter wrench #889277

Fits: 175-300HP V6 (3.4L) and V8 (4.6L) FourStroke outboards.

Mercury Precision Branded, Box Point of Sale Packaged.

OIL FILTER WRENCH



91-802653Q02

This is a formed metal tool for strength and durability.

Fits replaceable screw-on type canister oil filters wherever found on current Mercury/Mariner FourStroke outboards 9.9 thru 60 hp., the 75-115 hp. s/n 1B366822 & below, and the 75-115 hp. s/n 2B094996 and above..

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-889277Q02

Made of metal. Requires a 3/8" drive.

Fits the Mercury 35-822626T 7 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard.

OIL FILTER WRENCH



91-889277

Made of metal. Requires a 3/8" drive. Fits the Quicksilver 35-822626Q15 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard and the new 877767__ & 877769__ series filters for the 135-300 Verado.

OIL FILTER WRENCH



91-889277Q01

Metal wrench, requires a 3/8 in. drive ratchet. Fits the (877761__) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094995) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340__) oil filter and (802893__) fuel filter found on many MCM engines.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-889277Q03

Metal wrench, requires a .375 in. drive ratchet. Removes the 896546__ series and 883701__ series production oil filters found on the early Verado 135-275 hp. FourStroke outboards.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL DRAIN FUNNEL KIT



91-892866A01

Helps to direct draining crankcase oil past the cavitation plate. Fits the XL version of the L6 Verado outboard.

OIL DRAIN PUMP



802889Q 1

8/9.9 4-stroke outboards require additional adapter 828369. Fits all MCM/MIE engines with threaded fitting on dipstick tube, and Mercury/Mariner 8/9.9 FourStroke outboards MY2004 and prior. Quicksilver Branded, Hanging Box Point of Sale Packaged.

ADAPTER



828369

Adapts the standard threaded style MerCruiser crankcase pump for use on the Mercury/Mariner 8/9.9 hp. FourStroke outboards (MY2004 & prior) and the 15hp. FourStroke outboard (323cc).

OIL PUMP EXTRACTION TUBE



32-859717A 2

.375 in O.D. tube, 19.5 in. long. Connects to the crankcase oil pump for use on the Zeus drive and various Mercury/Mariner FourStroke outboards.

OIL LEVEL STATUS KIT



8M0142265

Optional kit for to report oil level status to be used in conjunction with SmartCraft gauges or displays.

Feature comes standard on 4.6L V8 Verado AMS. Can be added to 3.4L V6 and 4.8L V8 engines that do not have this feature. Oil level status can be viewed on VesselViews and SmartCraft gauges.

LIFTING DEVICES - OUTBOARD

LIFTING STRAP



91-883705T01

GW Lifting strap v6/v8
An engine lifting strap for handling of the 225 EFI and the "NEW" V6 (3.4L) and V8 (4.6L) FourStroke outboards

LIFTING EYE/FLYWHEEL PULLER



91-895343T02

A combination tool utilized for both lifting the engine and for pulling the flywheel. Fits the 75-115 hp. FourStroke outboards (s/n 1B366823 and above), 135-400 hp. Verado outboards and the F150 EFI FourStroke outboard. Verado 400R outboard.

MERCATHODE

Automatically protects the drive unit from galvanic corrosion. The increased output provides greater protection for underwater aluminum parts. Its reliable, efficient operation requires an insignificant amount of current when protection is needed.

MERCATHODE KIT



88334A 2

Transom mounted system is mounted with the anode and reference electrode on (and through) the transom of the boat on opposite sides of the drive. The new Gen III MerCathode controller with the blue decal is mounted inside the boat. Fits all boat applications with a 12 volt operating system.

MERCATHODE ANODE



97-72957A 5

Replacement anode assembly for 88334 series Mercathode systems.

MERCATHODE ELECTRODE



72958A 5

Replacement electrode assembly for 88334 series Mercathode systems.

MERCATHODE REFERENCE ELECTRODE TESTER



91-8M0135998

Use with a digital multimeter to test the function of Mercathode systems. Senses an electrical current in the water when testing the Mercathode system.

MERCATHODE KIT



8M0180081

Kit includes: MerCathode-yellow (1,000ma), Rig Center MerCathode Power Harness, anode, reference electrode, 5-amp harness assembly, cable assembly and Instruction sheet.
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards and all high-horsepower outboard applications.

OUTBOARD

MERCATHODE® - COMPLETE INSTALL KIT

Image not Available.

8M0180481

Kit includes: MerCathode-yellow (1,000ma), Rig Center MerCathode Power Harness, anode, reference electrode, 5-amp harness assembly, cable assembly and instruction sheet.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards and all high-horsepower outboard applications.

ANODE ASSEMBLY

Image not Available.

97-8M0181304

Replacement anode for MerCathode

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro Outboards and all high-horsepower outboard applications.

MERCATHODE ELECTRODE



72958A 5

Replacement electrode assembly for 88334 series Mercathode systems.

CABLE ASSEMBLY

Image not Available.

84-8M0060271

5 amp Mercathode atc fuse harness

84- 79138A 8

TELLTALE KIT

Image not Available.

98-8M0177357

Includes: telltale cover, hose, tubing, clamp, hardware, and instruction sheet. V12 engines are not equipped with standard telltale and this kit allows the customer to have a visual telltale.

Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

KICKER STRAP KIT

KICKER STRAP KIT



896297A01

Aids power tilt versions in preventing excessive bouncing and stress to transom clamp brackets when fully tilted. Will automatically straighten engine in fully trimmed position. If kicker is attached to main engine for steering, attachment must be disconnected for main engine steering when the kicker engine is not in use.

Furnished standard with the MY 2005 & newer, 9.9 hp. ELHPT FourStroke, this kit can be added to the MY 2005 & newer, 9.9 hp. ELPT & EXLPT models.

ANODES - OUTBOARD KITS

ANODE KIT



97-8M0107546

Aluminum anodes - For use in saltwater or freshwater. This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

Fits Mercury/Mariner: 40-60HP EFI FourStroke BigFoot/Command Thrust only, 75-115HP EFI FourStroke (1B366823-2B094995), 75-115HP EFI FourStroke (2B094996 and Up) Standard gearcase model only.

Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-8M0107548

Aluminum anodes - For use in saltwater or freshwater. This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

Fits Mercury/Mariner: 75-115HP EFI FourStroke (2B094996 and Up) BigFoot and Command Thrust gearcase only, 150HP EFI FourStroke (1B905505 and Up).

Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-8M0107550

Aluminum anodes - For use in saltwater or freshwater. This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.
Fits Mercury/Mariner: 135-200HP 4 cylinder Verado, 75-115 (1.5L) and 135-250HP (2.5L and 3.0L) Optimax engines.
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-8M0126670

Aluminum anodes - For use in saltwater or freshwater. This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are not included.
Fits the 6 cylinder, 200-300Hp. Verado outboards.
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-8M0116589

Aluminum anodes - For use in saltwater or freshwater. This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.
350HP L6 Verado (1B716557 and Up).
Quicksilver Branded, Box Point of Sale Packaged.

ANODE BULK PACK



97-8M0059338

25 Aluminum Trim Tab anodes per box. Equivalent to the individually packaged 31640T4/Q4.
Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

ANODE BULK PACK



97-8M0059339

10 Aluminum Anodic Plates per box. Equivalent to individually packaged 76214Q5/T5. Provides additional clearance for high rake propellers.
Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.

ANODE KIT BULK PACK



97-8M0172259

20 Aluminum anodes per box.

ANODE SIDE POCKET BULK PACK



97-8M0059344

10 Aluminum side pocket anodes per box. Located in side pockets on the gearhousing just above the cavitation plate. Equivalent to the 826134Q/T. No hardware included in this bulk pack of 10 pieces.
Fits Mercury/Mariner 30-300hp outboards and also fits Force 90 & 120hp 1995 and newer outboards.

ANODES - TRIM TAB/PLATE

ANODE



97- 14205M

Aluminum
Fits Mariner 6C (6H8), 6D (6H6), and 8C (6G1).

ANODE PLATE



97- 15300

Zinc

TRIM TAB



17264T 2

Fits Force Model 70B (1991), Force 70A (1992), Force 70C (1991-1992), Force 70 (0E000001-0E138599), Force 75 (0E138600-0E344999), Mercury/Mariner F40 FourStroke, 3 cylinder, Longshaft (CHN 1C000001-1C049738), Mercury/Mariner F40/50/60 FourStroke 996cc (standard gearcase 1.83:1 ratio) and also fits the Mercury/Mariner 50hp, 2-cycle, 3 cylinder, standard gearcase (USA 0D000750-0G589999, BEL 9683055-9973099), and 55/60hp, 2-cycle, 3 cylinder, standard gearcase (USA 0D000750 and above, BEL 9683055 and above).

TRIM TAB



97- 31640T 6

Magnesium - For freshwater use only. Do not use in Saltwater applications.
Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

97- 31640Q 4

Aluminum
Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- 31640T 6

Magnesium - For freshwater use only. Do not use in Saltwater applications.
Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

TRIM TAB



31640T07

EDP - Black, this painted tab will not perform an anodic function.
Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

ANODE KIT



97- 42121Q02

Aluminum, located under the cavitation plate on the following products.

Force Standard Gearcase Models:
9.9/15 hp, 2-cycle MY1998

Mercury/Mariner Standard Gearcase Models:
6/8/9.9 hp, 2-cycle MY1986 & newer
F8/9.9 hp, FourStroke MY1995-2004
F13.5 hp, FourStroke MY2001 & newer
F15 hp, FourStroke MY1998-2006
XR10
10 Marathon
10 Seapro
10 Viking

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PLATE ASSY



97- 47820A 1

Zinc

ANODIC PLATE



97- 76214Q 5

Aluminum
Provides additional clearance for high rake propellers.
Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- 76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Mercury/Mariner 35-300 HP, Force 90 & 120 HP 1995 and newer, MerCruiser Alpha One Generation II and Bravo I, II and III drives.

ANODIC PLATE



97- 76214T 1

Aluminum

ANODIC PLATE



76214T 3

Zinc

TRIM TAB



82795T

Zinc
Fits early Mariner models 20C (6A9), 25C (695), 28 (664), 30A (689).

TRIM TAB



83859T

Zinc
Fits early Mariner outboards 40B (676), 40C (6E9), 48 (670), W-48 (670), 55 (663), and 60 (675).

TRIM TAB



94286T 1

Aluminum
Fits the Mercury/Mariner 18/25hp. 2-cycle outboards that use the top inserted screw.

TRIM TAB ANODE



97- 98432Q 6

Zinc
Fits Mercury/Mariner 9.9/15hp (323cc) FourStroke Bigfoot, Force 25 hp (0E090400-0E344999) and various Mercury/Mariner 2-cycle outboard models (15 hp SeaPro thru 25 hp).
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TRIM TAB



822157T 2

Zinc
Fits the F25 FourStroke (Carb models), F30 FourStroke (0G760300-1B226999, 0P094500-0P400999), F40 FourStroke 3-cylinder (0G760300-1B344398, 0P094500 and above), F40/45/50 FourStroke (935cc, standard gearcase).

TRIM TAB ANODE



97-822777Q 1

Aluminum
For applications where extra clearance is required for high rake propellers.
Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-822777A 2

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

ANODE



97-823913Q

Aluminum
Fits Mercury/Mariner 2.5/3/3.3 hp 2-cycle outboards (1990 and newer), F2.5/3.5 hp. FourStroke (MY 2006 and newer), and 6-40 hp 2-cycle outboards of Japanese origin (serial number 0N000001 & above).
Priced individually, sold @ multiples of 2

TRIM TAB



8M0091534

EDP painted, this tab does not provide anodic protection.
Assists with mechanical steering torque on standard gearcase models of the F75-115 FourStroke, s/n 2B094996 and above.

ANTI VENT PLATE




97-8M0137814

Aluminum
Fits: 175-300HP V6 (3.4L) and V8 (4.6L) FourStroke outboards.

ANODES - TRANSOM BRACKET/POWER TRIM


POWER TRIM ANODE



97-818298Q 1

Aluminum
Located on the bottom of the external power trim pump assembly.
Fits Mercury/Mariner 30/40 FourStroke, 40 (4 cylinder), 50 (3 cylinder 1987-1997), 55 (3 cylinder), 60-90 (3 cylinder 1987 & newer), 75 (4 cylinder), 75/90 FourStroke, 100-125 (4cyl), 115 (6 cylinder 1984-1988), and all V-6 and OptiMax outboard engines. *NEW* V6 (3.4L) & V8 (4.6L) *excluding Verado and Verado Seapro FourStroke outboards.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

POWER TRIM ANODE



97-8M0057772

Aluminum. Located on the bottom of the external power trim assembly.
Fits the 150 Hp. EFI FourStroke outboard, 1B905505 and above.

POWER TRIM ANODE



97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly. Fits Mercury/Mariner 30/40 FourStroke, 40 (4 cylinder), 50 (3 cylinder 1987-1997), 55 (3 cylinder), 60-90 (3 cylinder 1987 & newer), 75 (4 cylinder), 75/90 FourStroke, 100-125 (4cyl), 115 (6 cylinder 1984-1988), and all V-6 and OptiMax outboard engines.


ANODE



97-823912

Aluminum, Round style. Fits Mercury/Mariner 4/5 hp. 2-cycle (MY1987 & newer), F4/5/6 hp. FourStroke (MY1999 & newer), F8/9.9 hp. FourStroke (MY2005 & newer), 15 hp. 2-cycle Seapro (MY2005 & newer), F25/30 EFI FourStroke (MY2006 & newer).


ANODE KIT



97-825271 1

Aluminum. Fits the Mercury/Mariner 25hp Carbureted FourStroke outboard Model Years 1998-2006, and also fits the Mercury/Mariner 40/50hp 3 cylinder, 2-cycle outboard (USA 0G590000 & above, BEL 9973100 & above).

PLATE ASSEMBLY-TRANSOM BRACKET



89949A 1

Aluminum. Transom bracket anode that fits Mercury/Mariner V-6 outboards, V-150/150XR-2 (USA 6616990 and below), V-175 (USA 6618750 and below), V-200 (USA 6055032 and below), V-250/275 Carb (0C101891 and above), and the V-3.4 Litre.

ANODE



97-8M0001734

Aluminum. Fits Mercury/Mariner 350HP SCI L6 Verado (1B716557 and Up) and 350/400HP L6 Verado (2B141617 and Up).

POWER TRIM ANODE



97-880653

Aluminum, Power Trim. Fits: L6 Verado (200hp to 350hp). "NEW" V8 (4.6L) Verado and Verado SeaPro FourStroke outboards.

ANODES - SIDE MOUNTED/POCKET



97-819232

Aluminum, side mounted anode. Fits Force outboards, 1991 (90E, 90H, 120H), 1992 (90A, 90C, 120A, 120C), and 1992-1994 (90/120/150 0E000001-0E093699).

ANODE



97-823912

Aluminum, Round style. Fits Mercury/Mariner 4/5 hp. 2-cycle (MY1987 & newer), F4/5/6 hp. FourStroke (MY1999 & newer), F8/9.9 hp. FourStroke (MY2005 & newer), 15 hp. 2-cycle Seapro (MY2005 & newer), F25/30 EFI FourStroke (MY2006 & newer).

SIDE POCKET ANODE



97-826134Q

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

Fits Mercury/Mariner 30-300hp outboards and also fits Force 90 & 120hp 1995 and newer outboards.

Priced individually, sold @ multiples of 3

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.

Located in side pockets on the gearhousing just above the cavitation plate.

Fits Mercury/Mariner 35-300hp outboards and Force 90 & 120hp 1995 and newer outboards

ANODES - PROP NUT/SPOOL

REPLACEMENT PROP NUT ANODE



97-809662T

2 in. Aluminum Anode Shell

Replacement Shell for 809662A 1

PROP NUT ANODE KIT



809664A 1

1-1/8 in. Shaft, 3/4 in. NF 16

Fits Mercury/Mariner 70 hp and higher outboards (except 225 EFI FourStroke); Also fits MC-I, R, MR, Alpha, Bravo One & TRS sterndrives (1970 & newer)

ANODES - MERCURY THRUSTER

ANODE



M879341T

Aluminum

ANODES - MARINER CYL. BLOCK & EXH. TUBE

ANODE-HANGING



97-809690A 1

Aluminum

Provides additional corrosion protection when boat is at mooring. Fits all applications when hung over side of the boat.

ANODE APPLICATION CHARTS

Mercury/Mariner FourStroke Outboard Anodes

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
4 FourStroke	With round Anode	JPN 0R000001 and up BEL 0P073456 and up	N/A		N/A		97-823912	Alum.
4 FourStroke	With square Anode	JPN 0R000001 and up BEL 0P073456 and up	N/A		N/A		97-875208	Alum.
5 FourStroke	With round Anode	JPN 0R000001 and up BEL 0P073456 and up	N/A		N/A		97-823912	Alum.
5 FourStroke	With square Anode	JPN 0R000001 and up BEL 0P073456 and up	N/A		N/A		97-875208	Alum.
6 FourStroke	With round Anode	JPN 0R000001 and up BEL 0P073456 and up	N/A		N/A		97-823912	Alum.
6 FourStroke	With square Anode	JPN 0R000001 and up BEL 0P073456 and up	N/A		N/A		97-875208	Alum.
8 FourStroke	Standard Gearcase	JPN 0R042475 and up BEL 0P325500 and up	853762T01	Zinc	N/A		N/A	
8 FourStroke	Bigfoot Gearcase	JPN 0R042475 and up BEL 0P325500 and up	853762T01	Zinc	97-875208		N/A	
8 FourStroke	Bodensee	USA 0G760300 - 0T178499	97-42121Q02	Alum.	N/A		N/A	
8 FourStroke	Bodensee	BEL 0P086824 - 0P325499	97-98432T 6	Zinc	N/A		N/A	
9.9 FourStroke	Standard Gearcase	USA 0G760300 - 0T979999	97-42121Q02	Alum.	N/A		N/A	
9.9 FourStroke	Standard Gearcase	BEL 0P075166 - 0P325499	853762T01	Zinc	97-875208			
9.9 FourStroke	Standard Gearcase	JPN 0R042475 and up BEL 0P325500 and up	853762T01	Zinc	N/A		N/A	
9.9 FourStroke	Bigfoot Gearcase	USA 0H000058 - 0H016909 USA 0G760300 - 1B226999 BEL 0P075166 - 0P400999	97-98432T 6	Zinc	N/A		N/A	
9.9 FourStroke	Bigfoot Gearcase	JPN 0R042475 and up BEL 0P325500 and up	853762T01	Zinc	97-875208		N/A	
15 FourStroke	Standard Gearcase, 323cc	USA 0G590000 - 1B727495 BEL 9973100 and up	97-42121Q02	Alum.	N/A		N/A	
15 FourStroke	Bigfoot Gearcase, 323cc	USA 0G590000 - 1B727495 BEL 9973100 and up	97-98432T 6	Zinc	N/A		N/A	
15 FourStroke	Sea Pro	JPN 0R051685 - 0R833819	97-803731	Zinc	97-823913Q		N/A	
15 FourStroke	351cc.	JPN 0R235949 - 0R833819	853762T01		97-875208		N/A	
20 FourStroke	351cc.	JPN 0R235168 - 0R833819	853762T01		97-875208		N/A	
25 FourStroke	Carb	USA 0G590000 - 1B344298 BEL 9973100 - 0P388282	822157T 2	Zinc	97-825271 1	Alum.	N/A	
25 FourStroke	EFI, Manual Trim	JPN 0R106999 and up	853762	Zinc	97-804043		N/A	
25 FourStroke	EFI, PowerTrim	JPN 0R106999 and up	853762	Zinc	97-823912002	Alum.	N/A	
25 FourStroke	Sea Pro	JPN 0R051710 and up	853762	Zinc	97-804043		N/A	
30 FourStroke	3 cylinder	USA 0G760300 - 1B226999 BEL 0P094500 - 0P400999	822157T 2	Zinc	97-818298T 1	Alum.	97-826134T	Alum.
30 FourStroke	EFI	USA 0T409000 - 1B226999 BEL 0P153500 - 0P400999	822157T 2	Zinc	97-818298T 1	Alum.		
30 FourStroke	EFI, Manual Trim	JPN 0R106999 and up	822157T 2	Zinc	97-804043			
30 FourStroke	EFI, PowerTrim	JPN 0R106999 and up	822157T 2	Zinc	97-823912002	Alum.		
40 FourStroke	3 cylinder, Carb	USA 0G760300 - 1B226999 BEL 0P094500 - 09400999	822157T 2	Zinc	97-818298T 1	Alum.	97-826134T	Alum.
40 FourStroke	3 cylinder, EFI	USA 0T409000 - 1B344398 BEL 0P153500 and up	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
40 FourStroke	3 cylinder, EFI, LongShaft	CHN 1C000001 - 1C049738	17264T 2	Alum.	97-818298T 1	Alum.	N/A	

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

OUTBOARD

OUTBOARD

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
40 FourStroke	3 cylinder, EFI, ShortShaft	CHN 1C000001 - 1C049738	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
40/45 FourStroke	4 cylinder	USA 0G231123 - 0T178499	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
40 FourStroke	4 cylinder, Carb	USA 0T228405 - 0T598999	822157T 2	Zinc	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 0P094500 - 0P206999						
40 FourStroke	4 cylinder, EFI	USA 0T409000 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 0P207000 and up						
		CHN 0C000001 and up						
45 FourStroke	BigFoot-Bodensee	USA 0G231123 - 0T178499	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 0P017000 and up						
45 FourStroke	Bodensee	USA 0G231123 - 0T178499	822157T 2	Zinc	97-825271 1	Alum.	N/A	
		BEL 0P017000 and up						
50 FourStroke	Standard Gearcase	USA 0G231123 - 0G760299	822157T 2	Zinc	97-825271 1	Alum.	N/A	Alum.
50 FourStroke	Standard Gearcase	USA 0G760300 - 0T178499	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
50 FourStroke	Standard Gearcase	USA 0T178500 - 0T598999	17264T 2	Alum.	97-818298T 1	Alum.	N/A	
		BEL 9944807 - 0P016999	822157T 2	Zinc	825271 1	Alum.	N/A	
50 FourStroke		BEL 0P017000 - 0P094499	822157T 2	Zinc	97-818298T 1	Alum.	N/A	
50 FourStroke	Standard Gearcase	BEL 0P094500 - 0P206999	17264T 2	Alum.	97-818298T 1	Alum.	N/A	
50 FourStroke	Bigfoot Gearcase	USA 0G231123 - 0T598999	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 9944807 - 0P206999						
50 FourStroke	EFI	USA 0T409000 - 1B344306	17264T 2	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
	EFI	BEL 0P153500 and up	17264T 2	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
	EFI	CHN 1C000001 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
60 FourStroke	Carb	USA 0T178500 - 0T598999	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 0P094500 - 0P206999						
60 FourStroke	EFI	USA 0T409000 - 1B344306	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 0P207000 and up						
		CHN 1C000001 and up						
75 FourStroke	Carb	USA 0G960500 - 1B226999	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
75 FourStroke	EFI, 1596 cc	USA 1B172291 - 1B366822	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
75 FourStroke	EFI, 1731 cc	USA 1B366823 - 2B094995	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
75/80 FourStroke	EFI, 2.1L Standard Gearcase	USA 2B094996 and up	8M0091534	EDP	97-818298T 1	Alum.	97-826134T	Alum.
	EFI, 2.1L Command Thrust	USA	97-76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
80 FourStroke	EFI, 1596 cc	USA 1B227000 - 1B366822	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
80 FourStroke	EFI, 1731 cc	USA 1B366823 - 2B094995	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
90 FourStroke	Carb	USA 0G960500 - 1B226999	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
90 FourStroke	EFI, 1596 cc	USA 1B172291 - 1B366822	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
90 FourStroke	EFI, 1731 cc	USA 1B366823 - 2B094995	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
90/100 FourStroke	EFI, 2.1L Standard Gearcase	USA 2B094996 and up	8M0091534	EDP	97-818298T 1	Alum.	97-826134T	Alum.
	EFI, 2.1L Comman Thrust	USA	97-76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
100 FourStroke	EFI, 1741 cc	USA 1B172291 - 1B366822	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
100 FourStroke	EFI, 1731 cc	USA 1B366823 - 2B094995	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
115 FourStroke	EFI	USA 0T178500 - 2B094995	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
115 FourStroke	EFI, 2.1L Standard Gearcase	USA 2B094996 and up	8M0091534	EDP	97-818298T 1	Alum.	97-826134T	Alum.
	EFI, 2.1L Command Thrust	USA	97-76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
135 FourStroke	Verado	USA 1B227000 and up	97-76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
150 FourStroke	EFI	USA	97-76214T 5	Alum.	97-8M0057772	Alum.	97-826134T	Alum.
150 FourStroke	Verado	USA 1B227000 and up	97-76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
175 FourStroke	Verado	USA 1B227000 and up	97-76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
200 FourStroke	Verado	USA 1B517159 and up	97-76214T 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
200 FourStroke	Verado (6 cyl.)	USA 0T980000 and up	97-76214T 5	Alum.	97-880653		97-826134T	Alum.
					97-893404(1)			
225 FourStroke	EFI	USA 0T653945 and up	888712		97-888606			
225 FourStroke	Verado	USA 0T980000 and up	97-76214T 5	Alum.	97-880653		97-826134T	Alum.
					97-893404(1)			

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
250 FourStroke	Verado	USA 0T980000 and up	97- 76214T 5	Alum.	97- 880653 97- 893404(1)		97- 826134T	Alum.
275 FourStroke	Verado	USA 0T980000 and up	97- 76214T 5	Alum.	97- 880653 97- 893404(1)		97- 826134T	Alum.
300 FourStroke	Verado	USA 1B517434 and up	97- 76214T 5	Alum.	97- 880653 97- 893404(1)		97- 826134T	Alum.
350 FourStroke	Verado	USA 2B141617 and up	97- 76214T 5	Alum.	97- 8M0012083 97- 893404(1) 97- 8M0001734		97- 826134T	Alum.
175-225 FourStroke	V6 (3.4L)	USA 2B529482 and up	97- 8M0137814	Alum.	97- 818298T 1			
225-300 FourStroke	V8 (4.6L) *Excludes Verado	USA 2B529482 and up	97- 8M0137814	Alum.	97- 818298T 1			
250-300 FourStroke	V8 (4.6L) Verado and Verado SeaPro	USA 2B529482 and up	97- 8M0137814	Alum.	97- 893404(1) 97- 880653			

(1) 4 pcs required

Mercury/Mariner 2-Cycle Outboard Anodes

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
2		USA 0T884302 and up	97- 823913Q	Alum.	N/A		N/A	
2.2M		USA 8075603 and up	97- 823913Q	Alum.	N/A		N/A	
2.5		USA 0A856377 and up	97- 823913Q	Alum.	N/A		N/A	
		BEL 0P017000 and up						
3		USA 0A856377 - 0G710612	97- 823913Q	Alum.	N/A		N/A	
3.3		USA 0D901657 and up	97- 823913Q	Alum.	N/A		N/A	
		BEL 0P017000 and up						
4	1 cylinder	USA 0A809601 - 0G710612	N/A		N/A		97- 823912	Alum.
		BEL 9477830 - 0P016999						
4	With round Anode	USA 0G710613 and up	N/A		N/A		97- 823912	Alum.
		BEL 0P017000 and up						
4	With square Anode	USA 0G710613 and up	N/A		N/A		97- 875208	
		BEL 0P017000 and up						
5	1 cylinder	USA 0A809601 - 0G710612	N/A		N/A		97- 823912	Alum.
		BEL 9477830 - 0P016999						
5	With round Anode	USA 0G710613 and up	N/A		N/A		97- 823912	Alum.
		BEL 0P017000 and up						
5	With square Anode	USA 0G710613 and up	N/A		N/A		97- 875208	
		BEL 0P017000 and up						
6	1 cylinder	USA 0A197112 - 0T800749	97- 42121Q02	Alum.	N/A		N/A	
		BEL 9461526 and up						
7.5 (75)		USA 5206550 and up	N.L.A.	Zinc	N/A		N/A	
		AUS 8057545 and up						
		BEL 9217756 and up						
		CAN 7125388 and up						
8		USA 0A197112 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL 9461526 and up						
9.8		USA 5206550 and up	N.L.A.	Zinc	N/A		N/A	
		AUS 8057545 and up						
		BEL 9217756 and up						
		CAN 7125388 and up						
9.9		USA 0A197112 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL 9792200 - 0P325499						
10	XR10/Sea Pro	USA 0D038000 and up	97- 42121Q02	Alum.	N/A		N/A	
		BEL 9596000 and up						

OUTBOARD

OUTBOARD

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
15		USA 0A197112 and up BEL 9542620 and up	97- 42121Q02	Alum.	N/A		N/A	
15		USA 0A197112 and up BEL 9542620 and up	97- 98432T 6	Zinc	N/A		N/A	
15	Sea Pro/Marathon	USA 0G044365 and up BEL 9927000 and up	97- 42121Q02	Alum.	N/A		N/A	
15	Sea Pro/Marathon	USA 0G044365 and up BEL 9927000 and up	97- 98432T 6	Zinc	N/A		N/A	
15	Sea Pro XD	BEL 9927000 - 0P325499	97- 98432T 6	Zinc	N/A		N/A	
18		USA 5837437 - 6416712 AUS 8071973 and up BEL 9308306 - 9378115 CAN 7173723 - 7207857	94286T 1	Alum.	N/A		N/A	
18		USA 5837437 - 6416712 AUS 8071973 and up BEL 9308306 - 9378115 CAN 7173723 - 7207857	97- 98432T 6	Zinc	N/A		N/A	
18	Top inserted screw	USA 6416713 - 6443972 BEL 9378116 - 9415100 CAN 7207858 - 7209532	94286T 1	Alum.	N/A		N/A	
18	Bottom inserted screw	USA 6416713 - 6443972 BEL 9378116 - 9415100 CAN 7207858 - 7209532	97- 98432T 6	Zinc	N/A		N/A	
18XD		USA 6443973 - 0B238463 BEL 9378151 - 9507380 CAN 7209533 - 0A730006	97- 98432T 6	Zinc	N/A		N/A	
20XD		USA 6443973 - 0B238463 BEL 9415101 - 9507380 CAN 7209523 - 0A730006	97- 98432T 6	Zinc	N/A		N/A	
20	2 cylinder	USA 0B238464 - 0T979999 BEL 9507381 and up CAN 0A730007 and up	97- 98432T 6	Zinc	N/A		N/A	
25		USA 5705532 - 6416712 AUS 8073258 and up BEL 9315316 - 9378115 CAN 7166928 - 7207857	94286T 1	Alum.	N/A		N/A	
25	Bottom inserted screw	USA 6416713 - 6443972 CAN 7207858 - 7209532 BEL 9378116 - 9415100	97- 98432T 6	Zinc	N/A		N/A	
25	Top inserted screw	USA 6416713 - 6443972 CAN 7207858 - 7209532 BEL 9378116 - 9415100	94286T 1	Alum.	N/A		N/A	
25XD		USA 6443973 - 0B238463 BEL 9415101 - 9507380 CAN 7209533 - 0A730006	97- 98432T 6	Zinc	N/A		N/A	
25	Standard & Sea Pro	USA 0B238464 and up BEL 9507381 and up CAN 0A730007 and up	97- 98432T 6	Zinc	N/A		N/A	
30	2 cylinder	USA 0G053314 - 0T598999 BEL 9854537 - 0P206999	822157T 2	Zinc	97- 825271 1	Alum.	N/A	
35	2 cylinder	USA 6445653 and up CAN 209608 and up BEL 9384476 and up	97- 31640T 4	Alum.	N/A		N/A	
35	2 cylinder	USA 6445653 and up CAN 209608 and up BEL 9384476 and up	97- 31640T 6	Magn.	N/A		N/A	

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
40	2 cylinder	USA	2874704 - 0G053313	97- 31640T 4	Alum.	97-825271 1	Alum.	N/A
		AUS	8002335 and up					
		BEL	3339688 - 0P016999					
		CAN	3340783 and up					
40	2 cylinder	USA	2874704 - 0G053313	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A
		AUS	8002335 and up					
		BEL	3339688 - 0P016999					
		CAN	3340783 and up					
40	2 cylinder	USA	0G053314 and up	822157T 2	Zinc	N/A	Zinc	N/A
		BEL	0P017000 and up					
40	3 cylinder	USA	0G590000 - 0T999999	822157T 2	Zinc	97-825271 1	Alum.	N/A
		BEL	9973100 and up					
40	4 cylinder	USA	0C159200 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A
		BEL	9570790 and up					
40	4 cylinder	USA	0C159200 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A
		BEL	9570790 and up					
45	4 cylinder	USA	5531630 and up	97- 31640T 4	Alum.	N/A		N/A
		AUS	8063985 and up					
		BEL	9248006 and up					
		CAN	7143688 and up					
45	4 cylinder	USA	5531630 and up	97- 31640T 6	Magn.	N/A		N/A
		AUS	8063985 and up					
		BEL	9248006 and up					
		CAN	7143688 and up					
50	4 cylinder	USA	4357640 and up	97- 31640T 4	Alum.	N/A		N/A
		AUS	8030090 and up					
		BEL	9107214 and up					
		CAN	7068998 and up					
50	4 cylinder	USA	4357640 and up	97- 31640T 6	Magn.	N/A		N/A
		AUS	8030090 and up					
		BEL	9107214 and up					
		CAN	7068998 and up					
50	3 cylinder	USA	6428681 - 0B122929	97- 31640T 4	Alum.	N/A		N/A
		BEL	9385911 - 9469199					
		CAN	7208333 - 0A7211307					
50	3 cylinder	USA	0B122930 - 0D000749	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A
		BEL	9469200 - 9683054					
		CAN	0A721308 and up					
50	3 cylinder	USA	0D000750 - 0G589999	17264T 2	Zinc	97-818298T 1	Alum.	N/A
		BEL	9683055 - 9973099					
50	3 cylinder, BigFoot	USA	0D000750 - 0G589999	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T Alum.
		BEL	9683055 - 9973099					
50	3 cylinder	USA	0G590000 and up	822157T 2	Zinc	97-825271 1	Alum.	N/A
		BEL	9973100 and up					
55	3 cylinder (1.64:1 ratio)	USA	0D000750 and up	17264T 2	Zinc	97-818298T 1	Alum.	N/A
		BEL	9741042 and up					
60	3 cylinder	USA	6428681 - 0B122929	97- 31640T 4	Alum.	N/A		N/A
		BEL	9385911 - 9469199					
		CAN	7208333 - 0A7211307					
60	3 cylinder	USA	0B122930 - 0D000749	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A
		BEL	9469200 - 9683054					
		CAN	0A721308 and up					
60	3 cylinder	USA	0D000750 and up	17264T 2	Zinc	97-818298T 1	Alum.	N/A
		BEL	9683055 and up					
60	3 cylinder, BigFoot	USA	0D000750 - 0G760299	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T Alum.
		BEL	9683055 - 0P016999					

OUTBOARD

OUTBOARD

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
60	3 cylinder, BigFoot	USA 0G760300 and up BEL 0P017000 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
65 (650)	4 cylinder	USA 1542745 - 3293183	97-31640T 4	Alum.	N/A		N/A	
65 (650)		USA 1542745 - 3293183	97-31640T 6	Magn.				
65 (650)	3 cylinder	USA 3293184 - 4571651 AUS 8006640 - 8042349 BEL 9020074 - 9135824 CAN 7013633 - 7087822	97-31640T 4	Alum.	N/A		N/A	
65 (650)	3 cylinder	USA 3293184 - 4571651 AUS 8006640 - 8042349 BEL 9020074 - 9135824 CAN 7013633 - 7087822	97-31640T 6	Magn.	N/A		N/A	
70	3 cylinder	USA 4571652 - 0A996141 AUS 8042350 and up BEL 9135825 - 9385910 CAN 7087823 - 7208332	97-31640T 4	Alum.	N/A		N/A	
70	3 cylinder	USA 4571652 - 0A996141 AUS 8042350 and up BEL 9135825 - 9385910 CAN 7087823 - 7208332	97-31640T 6	Magn.	N/A		N/A	
70	3 cylinder	USA 0A996142 - 0C221999 BEL 9506481 and up	97-31640T 4	Alum.	97-818298T 1	Alum.	N/A	
75	4 cylinder	USA 6432901 and up	97-31640T 4	Alum.	97-818298T 1	Alum.	N/A	
	4 cylinder	BEL 9393856 and up						
	4 cylinder	CAN 7208573 and up						
75	4 cylinder	USA 6432901 and up BEL 9393856 and up CAN 7208573 and up	97-31640T 6	Magn.	97-818298T 3	Magn.	N/A	
75	3 cylinder	USA 0A996142 - 0T979999 BEL 9483121 - 9793576	97-31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
75	3 cylinder	USA 0A996142 - 0T979999 BEL 9483121 - 9793576	97-31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
75	3 cylinder	USA 0T980000 and up BEL 9793577 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
75	3 cylinder	USA 0T980000 and up BEL 9793577 and up	97-31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
75	3 cylinder, Optimax 1.5L	USA 0T980000 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
75	3 cylinder, Optimax 1.5L	USA 0T980000 and up	97-31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
80 (80, 800)	4 cylinder	USA 2559001 - 6432900	97-31640T 4	Alum.	N/A		N/A	
80 (80, 800)	4 cylinder	USA 2559001 - 6432900	97-31640T 6	Magn.	N/A		N/A	
80 (80, 800)	4 cylinder	USA 4831999 - 6432900 AUS 8050200 and up BEL 9177626 - 9393855 CAN 7110998 - 7208572	97-31640T 4	Alum.	N/A		N/A	
80 (80, 800)	4 cylinder	USA 4831999 - 6432900 AUS 8050200 and up BEL 9177626 - 9393855 CAN 7110998 - 7208572	97-31640T 6	Magn.	N/A		N/A	
80	3 cylinder	USA 0A996142 - 0C221999 BEL 9483121 and up	97-31640T 4	Alum.	97-818298T 1	Alum.	N/A	
80	3 cylinder	USA 0A996142 - 0C221999 BEL 9483121 and up	97-31640T 6	Magn.	97-818298T 3	Magn.	N/A	

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
85 (850)	4 cylinder	USA 3493913 - 4831998	97- 31640T 4	Alum.	N/A		N/A	
		AUS 8005440 - 8050199						
		BEL 9011604 - 9177625						
		CAN 7010108 - 7110997						
85 (850)	4 cylinder	USA 3493913 - 4831998	97- 31640T 6	Magn.	N/A		N/A	
		AUS 8005440 - 8050199						
		BEL 9011604 - 9177625						
		CAN 7010108 - 7110997						
90 (900)	6 cylinder	USA 1766824 - 1869775	97- 31640T 4	Alum.	N/A		N/A	
90 (900)		USA 1766824 - 1869775	97- 31640T 6	Magn.	N/A		N/A	
90 (90, 900)	6 cylinder	USA 4845301 - 6436122	97- 31640T 4	Alum.	N/A		N/A	
		AUS 8060545 and up						
		CAN 7111698 and up						
90 (90, 900)	6 cylinder	USA 4845301 - 6436122	97- 31640T 6	Magn.	N/A		N/A	
		AUS 8060545 and up						
		CAN 7111698 and up						
90	6 cylinder	USA 6436123 - 0A996141	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		CAN 7208848 and up						
90	6 cylinder	USA 6436123 - 0A996141	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		CAN 7208848 and up						
90	3 cylinder	USA 0A996142 - 0D283221	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL 9483121 - 9793576						
90	3 cylinder	USA 0A996142 - 0D283221	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL 9483121 - 9793576						
90	3 cylinder	USA 0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 9793577 and up						
90	3 cylinder	USA 0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL 9793577 and up						
90	3 cylinder	USA 0D283222 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 9793577 and up						
90 Optimax	3 cylinder, 1.5L	USA 0T801000 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
90 Optimax		USA 0T801000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
95 (950)	6 cylinder	USA 1869776 - 2318585	97- 31640T 4	Alum.	N/A		N/A	
100 (1000)		USA 1768404 - 2318585	97- 31640T 4	Alum.	N/A		N/A	
100 (1000)		USA 1768404 - 2318585	97- 31640T 6	Magn.	N/A		N/A	
100 (1000SS/1000BP)		USA 2318586 - 2413843	97- 31640T 4	Alum.	N/A		N/A	
100 (1000SS/1000BP)		USA 2318586 - 2413843	97- 31640T 6	Magn.	N/A		N/A	
1000SS		USA 2484633 - 2836018	97- 31640T 4	Alum.	N/A		N/A	
1000SS		USA 2484633 - 2836018	97- 31640T 6	Magn.	N/A		N/A	
100	3 cylinder	USA 0B209468 - 0D283221	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
		BEL 9793577 - 9793576						
100	3 cylinder	USA 0B209468 - 0D283221	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
		BEL 9793577 - 9793576						
100	3 cylinder	USA 0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 9793577 and up						
100	3 cylinder	USA 0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
		BEL 9793577 and up						
100	3 cylinder	USA 0D283222 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
		BEL 9793577 and up						
110 (1100)		USA 1870204 - 2314955	97- 31640T 4	Alum.	N/A		N/A	
110 (1100)		USA 1870204 - 2314955	97- 31640T 6	Magn.	N/A		N/A	

OUTBOARD

OUTBOARD

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
115 (115, 1150)	6 cylinder	USA	2836019 - 6435122	97- 31640T 4	Alum.	N/A	N/A	
		AUS	8008665 and up					
		CAN	7010763 and up					
115 (115, 1150)	6 cylinder	USA	2836019 - 6435122	97- 31640T 6	Magn.	N/A	N/A	
		AUS	8008665 and up					
		CAN	7010763 - 7208847					
115	6 cylinder	USA	6436123 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A
		CAN	7208848 and up					
115	6 cylinder	USA	6436123 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A
		CAN	7208848 and up					
115	4 cylinder	USA	0C100000 - 0D283221	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A
		BEL	9559771 - 9793576					
115	4 cylinder	USA	0C100000 - 0D283221	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A
		BEL	9559771 - 9793576					
115	3 cylinder	USA	0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T
		BEL	9793577 and up					
115	3 cylinder	USA	0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3
		BEL	9793577 and up					
115	3 cylinder	USA	0D283222 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T
		BEL	9793577 and up					
115 Optimax	3 cylinder, 1.5L	USA	0T801000 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T
115 Optimax		USA	0T801000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3
V-115	6 cylinder, DFI	USA	0G960500 - 0T178499	31640T07	EDP	97-818298T 1	Alum.	97-826134T
125 (1250)	6 cylinder	USA	2314956 - 3293233	97- 31640T 4	Alum.	N/A	N/A	
		USA	2314956 - 3293233	97- 31640T 6	Magn.	N/A	N/A	
125	3 cylinder	USA	0D283222 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T
		BEL	9793577 and up					
125	3 cylinder	USA	0D283222 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3
		BEL	9793577 and up					
125	3 cylinder	USA	0D283222 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T
		BEL	9793577 and up					
140 (140, 1400)	6 cylinder	USA	3293234 and up	97- 31640T 4	Alum.	N/A	N/A	
		AUS	8052650 and up					
		CAN	7112773 and up					
140 (140, 1400)	6 cylinder	USA	3293234 and up	97- 31640T 6	Magn.	N/A	N/A	
		AUS	8052650 and up					
		CAN	7112773 and up					
150 (1500)	6 cylinder	USA	3502806 - 4865677	97- 31640T 4	Alum.	N/A	N/A	
		AUS	8005615 - 8052649					
		CAN	7010533 - 7112772					
150 (1500)	6 cylinder	USA	3502806 - 4865677	97- 31640T 6	Magn.	N/A	N/A	
		AUS	8005615 - 8052649					
		CAN	7010533 - 7112772					
V-135/150/175	Carb-EFI-DFI	USA	0A904646 - 0D081999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A
V-135/150/175	Carb-EFI-DFI	USA	0A904646 - 0D081999	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A
V-135/150/XR6/175	Carb-EFI-DFI	USA	0D082000 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T
V-135/150/XR6/175	Carb-EFI-DFI	USA	0D082000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3
V-135/150/XR6/175	Carb-EFI-DFI	USA	0D082000 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T
V-135/150/XR6/175	Carb-EFI-DFI w/ flat anode	USA	0D082000 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T
V-135/150/XR6/175	Carb-EFI-DFI w/ flat anode	USA	0D082000 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3
V-150 XR-2		USA	4868998 - 6616990	97- 31640T 4	Alum.	89949A 1	Alum.	N/A
V-150 XR-2		USA	4868998 - 6616990	97- 31640T 6	Magn.	89949A 1	Alum.	N/A
V-150 XR-2		USA	6616991 - 0A904646	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A
V-150 XR-2		USA	6616991 - 0A904646	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A

Model	Model Notes	Serial # Range	Anodic Trim Tab/ Plate	Mat.	Anodic P/T Plate	Mat.	Side Mounted Anodes	Mat.
V-150 XR-4	Bottom inserted screw	USA 0B242885 - 0D081999	97- 15300	Zinc	97-818298T 1	Alum.	N/A	
V-150 XR-4	Top inserted screw	USA 0B242885 - 0D081999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-200	Carb	USA 5464486 - 6055032	97- 31640T 4	Alum.	89949A 1	Alum.	N/A	
V-200	Carb	USA 5464486 - 6055032	97- 31640T 6	Magn.	89949A 1	Alum.	N/A	
V-200 (2.4/2.5L)	Carb & EFI	USA 5624878 - 0D081999	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-200 (2.4/2.5L)	Carb & EFI	USA 5624878 - 0D081999	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-200 (2.4/2.5L)	Carb & EFI	USA 0D082000 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (2.4/2.5L)	Carb & EFI	USA 0D082000 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-200 (2.4/2.5L)	Carb & EFI	USA 0D082000 and up	31640T07	EDP	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (2.4/2.5L)	Carb-EFI w/ flat anode	USA 0D082000 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (2.4/2.5L)	Carb-EFI w/ flat anode	USA 0D082000 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-200 (3.0L)	EFI-DFI-DTS w/ flate anode	USA 0G386496 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-200 (3.0L)	EFI-DFI-DTS w/ flate anode	USA 0G386496 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-220 Laser		USA 0B117316 and up	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-220 Laser		USA 0B117316 and up	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-225 (2.4L)		USA 5628028 - 6073191	97- 31640T 4	Alum.	97-818298T 1	Alum.	N/A	
V-225 (2.4L)		USA 5628028 - 6073191	97- 31640T 6	Magn.	97-818298T 3	Magn.	N/A	
V-225 (3.0L)	Carb, C-2 Casting w/ trim tab	USA 0D280813 - 0G437999	97-822777Q 1	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225 (3.0L)	Carb, C-2 Casting w/ trim tab	USA 0D280813 - 0G437999	N.L.A.	EDP	97-818298T 3	Magn.	97-826134T 3	Magn.
V-225 (3.0L)	Carb, C-2 Casting w/ flat anode	USA 0D280813 - 0G437999	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225 (3.0L)	Carb, C-2 Casting w/ flat anode	USA 0D280813 - 0G437999	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-225 (3.0L)	Carb, C-3 Casting w/ flat anode	USA 0G438000 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225 (3.0L)	Carb, C-3 Casting w/ flat anode	USA 0G438000 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-225/250 (3.0L)	EFI-DFI-DTS w/ flat anode	USA 0G129222 and up	97- 76214Q 5	Alum.	97-818298T 1	Alum.	97-826134T	Alum.
V-225/250 (3.0L)	EFI-DFI-DTS w/ flat anode	USA 0G129222 and up	97- 76214A 6	Magn.	97-818298T 3	Magn.	97-826134T 3	Magn.
V-250/275	Carb	USA 0C101891 and up	NLA	EDP	89949A 1	Alum.	N/A	
V-3.4 Litre		USA 5611648 and up	N.L.A.		89949A 1	Alum.	N/A	

ACCENT PANELS

REDLINE RED ACCENT PANEL - V8 4.6L



100-8M0142205

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourStroke Outboards

PACIFIC BLUE ACCENT PANELS - 4.6L V8

100-8M0142206

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourStroke Outboards

MERCURY SILVER ACCENT PANEL - 4.6L V8

100-8M0142207

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourStroke Outboards

GRAPHITE GREY ACCENT PANELS - V8 4.6L

100-8M0142208

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

4.6L V8 FourStroke Outboards

PRO BLACK (MATTE FINISH) ACCENT PANEL - 4.6L V8

100-8M0142209

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable).

4.6L V8 FourStroke Outboards

READY-FOR-PAINT ACCENT PANEL - 4.6L V8

100-8M0142210

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable). Perfect option for any customer looking to paint match a specific color.

4.6L V8 FourStroke Outboards

REDLINE RED ACCENT PANEL - 3.4L V6

100-8M0142211

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

Fits: 3.4L V6 FourStroke Outboards

PACIFIC BLUE ACCENT PANEL - 3.4L V6

100-8M0142212

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

MERCURY SILVER ACCENT PANEL - 3.4L V6

100-8M0142213

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

GRAPHITE GREY ACCENT PANEL - 3.4L V6

100-8M0142214

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

PRO BLACK (MATTE FINISH) ACCENT PANEL - 3.4L V6

100-8M0142215

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable)

3.4L V6 FourStroke Outboards

READY-FOR-PAINT ACCENT PANEL - 3.4L V6

100-8M0142216

Color trim kit includes 4 painted panels, adhesive, Mercury word-mark decal, and installation instructions. In addition to kit, a HP decal and M-icon must be purchased separately (if applicable). Perfect option for a customer looking to paint match a specific color.

3.4L V6 FourStroke Outboards

MERCURY, MARINER 3-CYLINDER (70, 75, 80, 90 HP)

GEAR HOUSING ASSEMBLY COMPLETE



1667- 9011J16

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth. Includes the newer 6 jaw reverse clutch and a new powerhead gasket with upper shift shaft for correct throw

Fits Mercury 75-125 hp. 2-cycle outboards with 3 jaw reverse clutch


1667- 9011J15

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth.

Fits Mercury 75-125 hp. 2-cycle outboards with 6 jaw reverse clutch

MERCURY MARINER 4-CYLINDER (100, 115, 125 HP)

GEAR HOUSING ASSEMBLY COMPLETE



1667- 9011J 6

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.

Fits Mercury 100/115/125 hp. (4 cylinder) 2-cycle outboards with 6 jaw reverse clutch

1667- 9011J16

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth. Includes the newer 6 jaw reverse clutch and a new powerhead gasket with upper shift shaft for correct throw

Fits Mercury 75-125 hp. 2-cycle outboards with 3 jaw reverse clutch

1667- 9011J15

Black, 2.3:1 gear ratio. 20" long shaft length. 12 pinion teeth.

Fits Mercury 75-125 hp. 2-cycle outboards with 6 jaw reverse clutch

1667- 9011J 7

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.

Fits Mercury 100/115/125 hp. (4 cylinder) 2-cycle outboards with 3 jaw reverse clutch.

1667- 9011J37

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.

Fits Mercury 75-90 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.

1667- 9011J33

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.

Fits Mercury 115 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.

1667- 9011J39

Black, 2.33:1 gear ratio. 25" extra long shaft length. 12 pinion teeth.

Fits Mercury 75-90 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.


1667- 9011J35

Black, 2.07:1 gear ratio. 25" extra long shaft length. 14 pinion teeth.

Fits Mercury 75-115 hp. (3-cylinder) 2-cycle OptiMax/DFI outboards.

MERCURY, MARINER V-6

GEARCASE ASSEMBLY COMPLETE



1647- 9148T81

Black, 2:1 ratio. 20" long shaft. 14 pinion teeth. Standard Rotation (RH).

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- 9148T82

Black, 2:1 ratio. 25" extra long shaft. 14 pinion teeth. Standard Rotation (RH)

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- 9148T84

Black, 1.87:1 ratio. 20" long shaft. 15 pinion teeth. Standard Rotation (RH)

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- 9148T85

Black, 1.87:1 ratio. 25" extra long shaft. 15 pinion teeth. Standard Rotation (RH)

Fits Mercury 135-200 (2.5L) V-6 outboards

1647- 9148T86

Black, 1.87:1 ratio. 25" extra long shaft. 15 pinion teeth. Counter Rotation (LH)

Fits Mercury 135-200 (2.5L) V-6 outboards

OUTBOARD GEARCASE ASSEMBLY



1623-859399T13

Black, 1.75 Gear Ratio, 20" shaft. 12 pinion teeth, Standard Rotation (RH) 13-Spline driveshaft.
Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

1623-859399T14

Black, 1.75 Gear Ratio, 25" shaft. 12 pinion teeth, Standard Rotation (RH) 13-Spline driveshaft.
Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

1623-859399T15

Black, 1.75 Gear Ratio, 30" shaft. 12 pinion teeth, Standard Rotation (RH) 13-spline driveshaft.
Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

1623-859399T16

Black, 1.75 Gear Ratio, 25" shaft. 12 pinion teeth, Counter Rotation (LH) 13 spline driveshaft.
Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

1623-859399T17

Black, 1.75 Gear Ratio, 30" shaft. 12 pinion teeth, Counter Rotation (LH) 13 spline driveshaft.
Fits Mercury or Mariner 200, 225, 250 horsepower 3.0L OptiMax/DFI outboards. (s/n 1B504988 and prior)

GEARCASE ASSEMBLY COMPLETE

1600-880686A43

Black, 20 inch (L model) shaft length. 12 pinion teeth, right hand rotation
Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-880686A44

Black, 25 inch (XL model) shaft length. 12 pinion teeth, right hand rotation
Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-880686A51

Black, 30 inch (XXL model) shaft length. 12 pinion teeth, right hand rotation
Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-880686A52

Black, 25 inch (CXL model) shaft length. 12 pinion teeth, left hand counter rotation
Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

1600-880686A53

Black, 30 inch (CXXL model) shaft length. 12 pinion teeth, left hand counter rotation
Fits the 3.0L Mercury Optimax or Pro XS, s/n 1B504989 and above.

TORQ MASTER I GEARCASE ASSEMBLY



1689-8M0072952

Silver, 1.75:1 gear ratio, 20 inch. 12 pinion teeth. (L model) driveshaft length
Fits the 3.0L Pro XS, right hand rotation, may only be used in Torque Master I applications. Torque Master II may not be substituted.

TORQ MASTER I GEARCASE ASSEMBLY




1689-8M0072953

Silver, 1.75:1 gear ratio, 25 inch. 12 pinion teeth. (XL model) driveshaft length
Fits the 3.0L Pro XS, right hand rotation, may only be used in Torque Master I applications. Torque Master II may not be substituted.

MERCURY 40-60 HP 4-STROKE OUTBOARD BIGFOOT GEARCASES

GEARCASE ASSEMBLY COMPLETE




1667- 9011G90

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.

Fits Mercury 40-60 hp Bigfoot 4-Stroke Outboards. (s/n 1C033810 & Below Bigfoot)

MERCURY 75, 90 & 115 HP 4-STROKE OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1667- 9011J 2

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.

Fits Mercury 75-115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0G960500 – 0T598999)

1600-888845T01

Black, 2.07:1 gear ratio. 20" long shaft length. 14 pinion teeth.
Fits Mercury 115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0T801000 – above)

1600-888845T02

Black, 2.07:1 gear ratio. 25" extra long shaft length. 14 pinion teeth.
Fits Mercury 115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0T801000 – above)

1667- 9011J29

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Fits Mercury 75-90 hp 4-Cylinder, 4-Stroke Outboards. (s/n 0T599000 – 0T800999)

1600-888845T03

Black, 2.33:1 gear ratio. 20" long shaft length. 12 pinion teeth.
Fits Mercury 75-90-115 hp 4-Cylinder, 4-Stroke Outboards. (s/n 1B172291 - 1B366822)

MERCURY 150 HP 4-STROKE OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-8M0099218

Black, 1.92:1 gear ratio. 20" long shaft length. 13 pinion teeth.
Fits Mercury 150 hp 4-Cylinder, 4-Stroke Outboards. (s/n 2B138363 - above)

1600-8M0099221

Black, 1.92:1 gear ratio. 25" extra long shaft length. 13 pinion teeth.
Fits Mercury 150 hp 4-Cylinder, 4-Stroke Outboards. (s/n 2B138363 - above)

VERADO 135-200 L4 OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-880686T23

Black, RH, 2.08:1 gear ratio. 20" (L) long shaft length. 13 pinion teeth.
Fits Mercury 135, 150, 175, 200 hp L4 Verado

1600-880686T24

Black, RH, 2.08:1 gear ratio. 25" (XL) extra long shaft length. 13 pinion teeth.
Fits Mercury 135, 150, 175, 200 hp L4 Verado

1600-880686T25

Black, LH, 2.08:1 gear ratio. 25" (CXL) extra long shaft length. 13 pinion teeth.
Fits Mercury 135, 150, 175, 200 hp L4 Verado

VERADO 200-275 L6 OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-880686T13

Black, 1.85:1 gear ratio, 20 inch. 13 pinion teeth. (L model) driveshaft length, right hand rotation

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter

1600-880686T14

Black, 1.85:1 gear ratio, 25 inch. 13 pinion teeth. (XL model) driveshaft length, right hand rotation

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter

1600-880686T15

Black, 1.85:1 gear ratio, 25 inch. 13 pinion teeth. (CXL model) driveshaft length, left hand counter rotation

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter

1600-880686T16

Black, 1.85:1 gear ratio, 30 inch. 13 pinion teeth. (XXL model) driveshaft length, right hand rotation

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter

1600-880686T17

Black, 1.85:1 gear ratio, 30 inch. 13 pinion teeth. (CXXL model) driveshaft length, left hand counter rotation

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter

VERADO 300 L6 OUTBOARD GEARCASES

GEARCASE ASSEMBLY COMPLETE



1600-880686T54

Black, 1.75:1 gear ratio, 20 inch. 12 pinion teeth (L model) driveshaft length, right hand counter rotation.

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-880686T57

Black, 1.75:1 gear ratio, 20 inch, 12 pinion teeth, (CL model) driveshaft length, left hand counter rotation.

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-880686T55

Black, 1.75:1 gear ratio, 20 inch, 12 pinion teeth, (XL model) driveshaft length, right hand counter rotation.

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-880686T58

Black, 1.75:1 gear ratio, 25 inch, 12 pinion teeth, (CXL model) driveshaft length, left hand counter rotation.

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-880686T56

Black, 1.75:1 gear ratio, 30 inch, 12 pinion teeth, (XXL model) driveshaft length, right hand counter rotation.

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

1600-880686T59

Black, 1.75:1 gear ratio, 30 inch, 12 pinion teeth, (CXXL model) driveshaft length, left hand counter rotation.

Fits the 6 cylinder Verado with 4.80 inch torpedo diameter.

MERCUISER

SPARK PLUGS - MERCUISER

SPARK PLUG



33-8M0129146

AC, 41-983 (Platinum)
Fits MCM 496 Mag & HO and MIE 8.1L & HO
Priced individually, sold @ multiples of 4

SPARK PLUG



33-862029

AC, MR43LTS
Priced individually, sold @ multiples of 8

SPARK PLUG



33-898264001

AC, MR43T
Priced individually, sold @ multiples of 8

SPARK PLUG



33-813425

NGK, AR6FS
Priced individually, sold @ multiples of 10

SPARK PLUG



33-8M0095454

NGK, BPR5EFS-13
Fits MCM 4.5L & 6.2L Mercury engines
Priced individually, sold @ multiples of 10

SPARK PLUG



33-8M0114747

NGK, BPR6ES
Priced individually, sold @ multiples of 4

SPARK PLUG



33-816336Q

NGK, BPR6EFS
Priced individually, sold @ multiples of 10

SPARK PLUG



33-97389

NGK, BPR6FS
Priced individually, sold @ multiples of 10

SPARK PLUG



33-813471 1

NGK, BR6ES
Priced individually, sold @ multiples of 4

SPARK PLUG



33-813415

NGK, B8S
Priced individually, sold @ multiples of 10

SPARK PLUG



33-8M2018369

NGK, ITR4A15 (Iridium)
Fits 2001 & newer MCM/MIE 4.3L, 5.0L, 5.7L & 6.2L MPI engines with ECM 555.
Note: Replaces AC# 41-101, 41-932 & 41-993
Priced individually, sold @ multiples of 4

SPARK PLUG



33-813421 4

NGK, R5673-8
Priced individually, sold @ multiples of 4

SPARK PLUG



33-8M0046007

NGK, TR51X (Iridium)
Replaces the 33-803990 NGK# BPR5EFVX
Priced individually, sold @ multiples of 4

SPARK PLUG - SHOP PACK



33-8M0058932

NGK ITR4A15
Shop Pack
Priced individually, sold @ multiples of 25

33- 59571B

NGK, BR6FS, check and set gap per owner's manual or the emissions control information decal if present.
25 spark plugs in one shop package.
Priced individually, sold @ multiples of 25

SPARK PLUG CHART - MERCUISER

MCM Spark Plug Chart

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
100 Vazer	98/ L4	Delco - HEI	2007 - 2009	1A035000 and up	33-896329818	.035
110	153/ L4	Delco	1963 - 1966	1537370 - 2044033	33-813471 1	.035
120	153/ L4	Delco	1964 - 1974	1666601 - 3825578	33-813471 1	.035
120	153/ L4	Delco	1974 - 1986	3825579 - 0B531853	33-898264001	.035
2.5L	153/ L4	Delco	1987 - 1989	0B531854 - 0C853255	33-898264001	.035
140	181/ L4	Delco	1968 - 1974	2508261 - 3826282	33-813471 1	.035
140	181/ L4	Delco	1974 - 1986	3826283 - 0B450800	33-898264001	.035
3.0L	181/ L4	Delco	1987 - 1989	0B450801 - 0C856558	33-898264001	.035
3.0L	181/ L4	Prestolite	1990 - 1991	0C856559 - 0D504541	33-898264001	.035
3.0L	181/ L4	Delco Digital	1990 - 1991	0C856559 - 0D504541	33-898264001	.035
3.0L	181/ L4	EST	1991 - 1994	0D504542 - 0F603999	33-816336Q	.035
3.0L	181/ L4	EST	1998	0L010042 - 0L340999	33-816336Q	.035
3.0L	181/ L4	EST	1999 - 2016	0L341000 - 2A506300	33-862029	.045
3.0L MPI	181/ L4	EST	2008 - 2016	1A072812 - 2A502810	33-862029	.045
3.0LX	181/ L4	Prestolite	1990 - 1991	0C856559 - 0D504541	33-898264001	.035
3.0LX	181/ L4	Delco Digital	1990 - 1991	0C856559 - 0D504541	33-816336Q	.035
3.0LX	181/ L4	EST	1991 - 1997	0D504542 - 0K999999	33-816336Q	.035
165	224/ L4	Delco	1987	0B434940 - 0B77451	33- 97389	.035
170	224/ L4	Delco	1985 - 1986	6916779 - 0B434940	33- 97389	.035
180	224/ L4	Delco & Prestolite	1987	0B436391 - 0B775248	33- 97389	.035
190	224/ L4	Delco	1985 - 1986	6916779 - 0B436390	33- 97389	.035
3.7L	224/ L4	Delco	1988 - 1989	0B774252 and up	33- 97389	.035
3.7LX	224/ L4	Delco & Prestolite	1988 - 1989	0B775249 and up	33- 97389	.035
470	224/ L4	Delco	1976 - 1984	4208730 - 6916778	33- 97389	.035
485	224/ L4	Delco	1980 - 1982	5685394 - 6218036	33- 97389	.035
488	224/ L4	Delco	1983 - 1984	6170297 - 6916778	33- 97389	.035
140	194/ L6	Delco	1963	1538930 - 1725960	33-813471 1	.035
150	230/ L6	Delco	1964 - 1966	1666495 - 2048046	33-813471 1	.035
160	250/ L6	Delco	1967 - 1969	2048022 - 2770031	33-813471 1	.035
165	250/ L6	Delco	1970	2770032 - 2771483	33-813471 1	.035
165	250/ L6	Delco	1971 - 1981	2771484 - 5813433	33-898264001	.035
200	292/ L6	Delco	1969	2453769 - 2712072	33-813471 1	.035
185 (4 bbl.)	229/ V-6	Prestolite	1983 - 1984	6330183 - 6919655	33-898264001	.035
175	262/ V-6	Thunderbolt IV	1987	0B527955 - 0B773242	33-898264001	.035
185 (2 bbl.)	262/ V-6	Thunderbolt IV	1985 - 1987	6919656 - 0B527954	33-898264001	.035
205	262/ V-6	Thunderbolt IV	1985 - 1987	0A331455 - 0B775129	33-898264001	.035
262 Mag.(TBI)(Gen+)	262/ V-6	Delco - HEI	1996 - 1997	0F803800 - 0K999999	33-862029	.045
4.3L	262/ V-6	Thunderbolt IV	1988 - 1993	0B773243 - 0F000877	33-898264001	.035
4.3L	262/ V-6	Thunderbolt IV	1993 - 1996	0F000878 - 0F802999	33-898264001	.040
4.3L (Gen +)	262/ V-6	Thunderbolt V	1998 - 2004	0L010044 - 0W300012	33-862029	.045
4.3L TKS	262/ V-6	Thunderbolt V	2004 - 2015	0W300013 - 2A454127	33-862029	.060
4.3L EFI (Gen+)(TBI)	262/ V-6	Delco & Mercury - HEI	1998 - 2001	0L012009 - 0M299999	33-862029	.045
4.3L MPI	262/ V-6	Delco - HEI	2002 - 2016	0M300000 - 2A506375	33-8M2018369	.060
4.3L MPI EC	262/ V-6	Delco - HEI	2011 - 2016	1A637496 - 2A528897	33-8M2018369	.060
4.3LH (Gen +)	262/ V-6	Thunderbolt IV	1998 - 2002	0L010044 - 0M614999	33-862029	.045
4.3LX	262/ V-6	Thunderbolt IV	1988 - 1993	0B775130 - 0F001219	33-898264001	.035
4.3LX	262/ V-6	Thunderbolt IV	1993 - 1996	0F001220 - 0F802999	33-898264001	.040

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
4.3LX (Gen +)	262/ V-6	Thunderbolt IV	1996 - 1997	0F803000 - 0K999999	33-862029	.045
4.3LXH (Gen +)	262/ V-6	Thunderbolt IV	1996 - 1997	0F803000 - 0K999999	33-862029	.045
4.5L MPI	275/ V6	Mercury	2014 - 2022	2A441953 and up	33-8M0095454	.051
215 MCM & MIE (Ford)	302/ V-8	Autolite	1970 - 1972	2781153 - 3563181	N.L.A.	.030
215 MCM & MIE (Ford)	302/ V-8	Mallory	1970 - 1972	2781153 - 3563181	33-813425	.030
225 MCM & MIE (Ford)	302/ V-8	All	1973 - 1974	3385721 - 4166999	33-813425	.030
888 (Ford)	302/ V-8	All	1971 - 1977	3108723 - 4887829	33-813425	.030
190 (8 cyl.)	283/ V-8	Delco	1963 - 1964	1564539 - 1730903	N.L.A.	.035
198 MIE	305/ V-8	Mallory	1977	4776402 - 4931099	33-898264001	.035
200	305/ V-8	Thunderbolt IV	1985 - 1987	6899058 - 0B774444	33-898264001	.035
228	305/ V-8	Mallory	1977 - 1982	4765100 - 6218461	33-898264001	.035
228	305/ V-8	Thunderbolt IV	1983 - 1984	6218462 - 6899268	33-898264001	.035
228 MIE	305/ V-8	Mallory	1977 - 1980	4765100 - 5907057	33-898264001	.035
230	305/ V-8	Thunderbolt IV	1985 - 1987	6899269 - 0B773739	33-898264001	.035
230 MIE (LH)	305/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-898264001	.035
230 MIE (RH)	305/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-898264001	.035
5.0L	305/ V-8	Thunderbolt IV	1988 - 1995	0B774445 - 0F600999	33-898264001	.035
5.0L (Gen +)	305/ V-8	Thunderbolt V	1998 - 2004	0L015751 - 0W300009	33-862029	.045
5.0L TKS	305/ V-8	Thunderbolt V	2004 - 2010	0W300010 - 1A607561	33-862029	.060
5.0L EFI (Gen +)	305/ V-8	Delco & Mercury - HEI	1998 - 2001	0L012052 - 0M299999	33-862029	.045
5.0L MIE (LH)	305/ V-8	Thunderbolt IV	1988	0B788152 - 0C396832	33-898264001	.035
5.0L MIE (RH)	305/ V-8	Thunderbolt IV	1988	0B788152 - 0C396832	33-898264001	.035
5.0L MPI	305/ V-8	Delco - HEI	2002 - 2014	0M300000 - 2A445009	33-8M2018369	.060
5.0L MPI EC	305/ V-8	Delco - HEI	2008 - 2014	1A300000 - 2A444777	33-8M2018369	.060
5.0LX	305/ V-8	Thunderbolt IV	1988 - 1995	0B773740 - 0F600999	33-898264001	.035
898	305/ V-8	Mallory	1977 - 1982	4762210 - 6218461	33-898264001	.035
898	305/ V-8	Thunderbolt IV	1983 - 1984	6218462 - 6899057	33-898264001	.035
225 (GM)	327/ V-8	Delco	1963 - 1969	1539620 - 2694014	N.L.A.	.035
225 MIE (GM)	327/ V-8	Thunderbolt	1968	2278647 - 2694014	33-813415	N/A
250 MCM & MIE	327/ V-8	Thunderbolt	1968 - 1969	2314301 - 2639854	33-813415	N/A
250	350/ V-8	Mallory	1977	4768000 - 4908849	33-898264001	.035
255 MCM & MIE (GM)	350/ V-8	Mallory & Mercury	1975 - 1976	3258728 - 4767999	33-898264001	.035
260	350/ V-8	Mallory	1978 - 1982	4908850 - 6218461	33-898264001	.035
260	350/ V-8	Thunderbolt IV	1982 - 1987	6218462 - 0B773304	33-898264001	.035
260 MIE (LH)	350/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-898264001	.035
260 MIE (RH)	350/ V-8	Thunderbolt IV	1981 - 1987	5907058 - 0B788151	33-898264001	.035
270 MCM & MIE	350/ V-8	Thunderbolt	1969 - 1972	2851074 - 3385720	33-813415	N/A
280 TRS	350/ V-8	Mercury	1975	4176250 - 4499390	33-898264001	.035
280 TRS	350/ V-8	Mallory	1976	4499391 - 4770199	33-898264001	.035
300	350/ V-8	Thunderbolt IV	1985 - 1986	6668677 - 0B430367	33-898264001	.035
320 EFI	350/ V-8	Thunderbolt IV	1987 - 1989	0A543604 - 0C622418	33-898264001	.035
350 Mag. Alpha	350/ V-8	Thunderbolt IV & V	1986 - 1997	0A635178 - 0K999999	33-898264001	.035
350 Mag. Alpha EFI (Gen+)	350/ V-8	Delco - HEI	1996	0K001509 - 0K999999	33-862029	.045
350 Mag. Bravo MPI	350/ V-8	Delco - HEI	1995	0F415189 - 0F601999	33-898264001	.035
350 Mag. Bravo MPI (Gen+)	350/ V-8	Delco - HEI	1996 - 1997	0F602000 - 0K999999	33-862029	.045
350 Mag. EFI Ski	350/ V-8	Delco - HEI	1994 - 1997	0F215561 - 0K999999	33-862029	.045
350 Mag. MPI (Gen+)	350/ V-8	Delco - HEI	1998	0L010019 - 0L325952	33-862029	.045
350 Mag. MPI (Gen+)	350/ V-8	Mercury -HEI	1999 - 2001	0L325953 - 0M299999	33-862029	.045
350 Mag. MPI	350/ V-8	Delco - HEI	2002 - 2015	0M300000 - 2A455872	33-8M2018369	.060
350 Mag. MPI EC	350/ V-8	Delco - HEI	2008 - 2015	1A300000 - 2A455878	33-8M2018369	.060
350 Mag. MPI Horizon	350/ V-8	Delco - HEI	2002 - 2007	0M300000 and up	33-8M2018369	.060

MERCRUISER

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
350 Mag. MPI Horizon MIE	350/ V-8	Mercury -HEI	1999 - 2001	0L304700 - 0M299999	33-8M0046007	.045
350 Mag. MPI Horizon MIE	350/ V-8	Delco - HEI	2002 - 2007	0M300000 - 1A089999	33-8M2018369	.060
350 Mag. MPI MIE (Gen+)	350/ V-8	Delco - HEI	1998	0L002008 - 0L302199	33-862029	.045
350 Mag. MPI MIE (Gen+)	350/ V-8	Mercury -HEI	1998 - 2001	0L302200 - 0M299999	33-862029	.045
350 Mag. MPI MIE	350/ V-8	Delco -HEI	2002 - 2007	0M300000 - 1A089999	33-8M2018369	.060
350 Mag. MPI Ski	350/ V-8	Delco - HEI	1995 - 1996	0F350583 - 0F799999	33-898264001	.035
350 Mag. MPI Ski (Gen+)	350/ V-8	Delco - HEI	1998	0L002600 - 0L304599	33-862029	.045
350 Mag. MPI Ski (Gen+)	350/ V-8	Mercury -HEI	1999 - 2001	0L304600 - 0M299999	33-862029	.045
350 Mag. MPI Ski	350/ V-8	Delco -HEI	2002 - 2007	0M300000 - 1A089999	33-8M2018369	.060
350 Mag. Ski	350/ V-8	Thunderbolt IV & V	1991 - 1997	0D505450 - 0K999999	33-898264001	.035
5.7L	350/ V-8	Thunderbolt IV & V	1988 - 1997	0B773305 - 0K999999	33-898264001	.035
5.7L (Gen +)	350/ V-8	Thunderbolt V	1998 - 2004	0L010037 - 0W300754	33-862029	.045
5.7L TKS	350/ V-8	Thunderbolt V	2004 - 2009	0W300755 - 1A600136	33-862029	.060
5.7L EFI	350/ V-8	Delco - HEI	1995 - 1997	0F225560 - 0K999999	33-898264001	.035
5.7L EFI (Gen +)	350/ V-8	Delco & Mercury - HEI	1998 - 2001	0L010035 - 0M299999	33-862029	.045
5.7L EFI MIE (Gen+)	350/ V-8	Delco - HEI	1997	0K040300 - 0K999999	33-862029	.045
5.7L MIE (LH)	350/ V-8	Thunderbolt IV	1988 - 1993	0B788152 - 0F024999	33-898264001	.035
5.7L MIE (RH)	350/ V-8	Thunderbolt IV	1988 - 1993	0B788152 - 0F024999	33-898264001	.035
5.7L MIE	350/ V-8	Thunderbolt IV	1993 - 1995	0F025000 - 0K999999	33-898264001	.035
5.7L MIE (Gen+)	350/ V-8	Thunderbolt V	1998 - 2004	0L002003 - 0W090899	33-862029	.045
5.7L MIE TKS	350/ V-8	Thunderbolt V	2004 - 2010	0W090900 - 1A092388	33-862029	.060
5.7L MPI Horizon MIE	350/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A455371	33-8M2018369	.060
5.7L MPI MIE	350/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A455523	33-8M2018369	.060
5.7L MPI MIE EC	350/ V-8	Delco -HEI	2008 - 2016	1A090000 - 2A455371	33-8M2018369	.060
5.7L MPI Tow Sports	350/ V-8	Delco -HEI	2008 - 2016	1A090000 - 2A455977	33-8M2018369	.060
5.7L MPI Tow Sports EC	350/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A452508	33-8M2018369	.060
5.7L Ski	350/ V-8	Prestolite & Mallory	1985 - 1995	0A338553 - 0F775199	33-898264001	.035
5.7L Ski	350/ V-8	Thunderbolt IV & V	1987 - 1997	0B514627 - 0K999999	33-898264001	.035
5.7L Ski	350/ V-8	Thunderbolt V	1998 - 2004	0L002005 - 0W090899	33-862029	.045
5.7L Ski TKS	350/ V-8	Thunderbolt V	2004 - 2011	0W090900 - 1A092837	33-862029	.060
5.7LX	350/ V-8	Thunderbolt V	1996 - 1997	0F601000 - 0K999999	33-898264001	.035
5.7LX Bravo EFI (Gen +)	350/ V-8	Delco - HEI	1996 - 1997	0F800300 - 0K999999	33-862029	.045
5.7LX EFI	350/ V-8	Delco - HEI	1996 - 1997	0F752400 - 0K999999	33-898264001	.035
Black Scorpion Ski (Gen+)	350/ V-8	Delco - HEI	1996 - 2002	0F800000 - 0M391599	33-862029	.045
Black Scorpion Ski (Gen+)	350/ V-8	Delco - HEI	2003 - 2007	0M391600 - 0W698432	33-8M2018369	.060
Scorpion 350	350/ V-8	Delco - HEI	2008 - 2015	0W698433 - 2A460164	33-8M2018369	.060
Scorpion 350 EC	350/ V-8	Delco - HEI	2008 - 2015	0W698433 - 2A460148	33-8M2018369	.060
233 MCM & MIE (Ford)	351/ V-8	Mercury & Prestolite	1975 - 1977	4173000 - 4902304	33-813425	.030
255 MIE & MCM (Ford)	351/ V-8	Mallory & Mercury	1973 - 1980	3258728 - 5907057	33-813425	.030
377 Mag	377/ V-8	Delco -HEI	2008 - 2015	1A300000 - 2A455858	33-8M2018369	.060
377 Mag EC	377/ V-8	Delco -HEI	2008 - 2015	1A300000 - 2A455601	33-8M2018369	.060
377 Scorpion MCM	377/ V-8	Delco - HEI	1999 - 2005	0L416146 - 0M907201	33-862029	.045
377 Scorpion Ski	377/ V-8	Delco - HEI	1997 - 1998	0K000656 - 0L600314	33-862029	.045
6.2L MPI (Mercury)	377/ V-8	Mercury	2015 - 2022	2A456613 and up	33-8M0095454	.051
MX 6.2L MPI	377/ V-8	Mercury -HEI	2000 - 2001	0L680003 - 0M299999	33-862029	.045
MX 6.2L MPI	377/ V-8	Delco -HEI	2002 - 2007	0M300000 - 1A299999	33-8M2018369	.060
MX 6.2L MPI Horizon	377/ V-8	Delco -HEI	2002 - 2007	0M300000 and up	33-8M2018369	.060
MX 6.2L MPI Horizon MIE	377/ V-8	Delco -HEI	2002 - 2015	0M300000 - 2A452368	33-8M2018369	.060
MX 6.2L MPI MIE	377/ V-8	Mercury -HEI	1999 - 2001	0L670000 - 0M299999	33-862029	.045
MX 6.2L MPI MIE	377/ V-8	Delco -HEI	2002 - 2007	0M300000 and up	33-8M2018369	.060
6.2L MPI MIE EC	377/ V-8	Delco -HEI	2008 - 2015	1A090000 - 2A455246	33-8M2018369	.060
MX 6.2L MPI Ski	377/ V-8	Delco -HEI	2002 - 2007	0M317000 - 0W689999	33-8M2018369	.060
MX 6.2L Blk Scorpion Ski	377/ V-8	Delco - HEI	2001 - 2002	0L670015 - 0M391599	33-862029	.045
MX 6.2L Blk Scorpion Ski	377/ V-8	Delco - HEI	2003 - 2007	0M391750 - 0W698432	33-8M2018369	.060

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
Scorpion 377	377/ V-8	Delco - HEI	2008 - 2015	0W698433 - 2A460138	33-8M2018369	.060
Scorpion 377 HO EC	377/ V-8	Delco - HEI	2009 - 2010	1A091488 - 1A092170	33-8M2018369	.060
325 MCM & MIE	427/ V-8	Thunderbolt	1969 - 1974	2278747 and up	33-813421 4	.035
330 MCM & MIE	454/ V-8	Mallory	1977 - 1981	4623115 - 6083144	33-898264001	.035
330 MCM & MIE	454/ V-8	Thunderbolt	1977 - 1981	4623115 - 6083144	33-813421 4	.035
330	454/ V-8	Thunderbolt IV	1982 - 1987	6083145 - 0B816540	33-898264001	.035
340 MIE	454/ V-8	Thunderbolt IV	1981 - 1987	5889914 - 0B788365	33-898264001	.035
350 MIE	454/ V-8	Thunderbolt	1974 - 1976	3780450 - 4623109	33-813421 4	.035
370 TRS	454/ V-8	Mallory	1978 - 1985	4179554 - 6721527	33-813421 4	.035
370 TRS	454/ V-8	Holley	1978 - 1985	4883520 - 6721527	33-898264001	.035
370 TRS	454/ V-8	Thunderbolt IV	1985 - 1987	6721528 - 0B714586	33-898264001	.035
400 TRS	454/ V-8	Mallory	1980 - 1986	5668232 - 0B457644	33-813421 4	.035
400 TRS	454/ V-8	Holley	1980 - 1986	5668232 - 0B457644	33-898264001	.035
420	454/ V-8	Thunderbolt IV	1987 - 1989	0A398941 - 0B622418	33-898264001	.035
425	454/ V-8	Thunderbolt IV	1990 - 1993	0B622419 - 0D937011	33-898264001	.035
440 TRS	454/ V-8	Mallory	1983 - 1986	6181070 - 0B485220	33-813421 4	.035
440 TRS	454/ V-8	Holley	1983 - 1986	6181070 - 0B485220	33-898264001	.035
450	454/ V-8	Thunderbolt IV	1995 - 1996	0F347100 - 0F347277	33-898264001	.035
454 Mag. Alpha	454/ V-8	Thunderbolt IV	1986 - 1988	0A631894 - 0B785148	33-898264001	.035
454 Mag. Bravo	454/ V-8	Thunderbolt IV	1988 - 1997	0B721206 - 0K999999	33-898264001	.035
454 Mag. EFI	454/ V-8	Delco - HEI	1994 - 1996	0F115700 - 0F802349	33-898264001	.035
454 Mag. EFI Ski	454/ V-8	Delco - HEI	1995 - 1996	0F215800 - 0F820099	33-898264001	.035
454 Mag. MPI	454/ V-8	Delco - HEI	1996 - 2001	0F802350 - 0M024999	33-898264001	.040
454 Mag. MPI Horizon MIE	454/ V-8	Delco - HEI	1998 - 2001	0L002200 - 0L674000	33-898264001	.040
454 Mag. MPI Ski	454/ V-8	Delco - HEI	1996 - 1997	0F820100 - 0K999999	33-898264001	.040
525 SC	454/ V-8	Thunderbolt IV	1991 - 1999	0D456000 - 0L415623	33-898264001	.035
7.4L Bravo	454/ V-8	Thunderbolt IV	1988 - 1997	0B771113 - 0K999999	33-898264001	.035
7.4L EFI MIE	454/ V-8	Delco - HEI	1996 - 1997	0F874815 - 0K999999	33-898264001	.035
7.4L MIE	454/ V-8	Thunderbolt IV & V	1981 - 1997	5889914 - 0K999999	33-898264001	.035
7.4L MPI (L29)	454/ V-8	Delco - HEI	1998 - 2001	0L010003 - 0M024330	33-816336Q	.045
7.4L MPI MIE	454/ V-8	Delco - HEI	1995 - 1997	0F563052 - 0K999999	33-898264001	.035
7.4L MPI MIE (L29)	454/ V-8	Delco - HEI	1998 - 2001	0L002006 - 0L674613	33-816336Q	.045
7.4LX Bravo EFI	454/ V-8	Delco - HEI	1996 - 1997	0F820000 - 0K999999	33-898264001	.035
7.4LX Bravo MPI	454/ V-8	Delco - HEI	1996 - 1997	0F602010 - 0K999999	33-898264001	.035
390	482/ V-8	Thunderbolt	1969 - 1970	2781129 - 2825059	N.L.A.	.035
460 TRS	482/ V-8	Mallory & Holley	1983 - 1986	6180970 - 6181046	33-813421 4	.035
496 Mag & HO	496/ V-8	Delco	2001 - 2010	0M025000 - 1A352731	33-8M0129146	.060
496 Mag & HO EC	496/ V-8	Delco	2008 - 2010	1A066166 - 1A350440	33-8M0129146	.060
8.1S & HO MIE	496/ V-8	Delco	2001 - 2010	0M026000 - 1A380318	33-8M0129146	.060
8.1S & HO MIE EC	496/ V-8	Delco	2008 - 2010	0W697154 - 1A380251	33-8M0129146	.060
500	502/ V-8	Thunderbolt IV	1994 - 1998	0F213293 - 0L001772	33-898264001	.035
500 (Gen +)	502/ V-8	Thunderbolt IV	1999	0L414639 - 0L601036	33-898264001	.035
500 EFI	502/ V-8	Delco - HEI	1998 - 2005	0L001477 and up	33-898264001	.035
502 Mag.	502/ V-8	Thunderbolt IV	1990 - 1993	0C878221 - 0F114528	33-898264001	.035
502 Mag. EFI	502/ V-8	Delco - HEI	1993 - 1996	0D840650 - 0F802599	33-898264001	.035
502 Mag. MPI	502/ V-8	Delco - HEI	1996 - 2001	0F802600 - 0M024999	33-898264001	.040
525 EFI	502/ V-8	Mercury - HEI	2003 - 2022	0M900146 and up	33-8M0114747	.035
575 SCi	502/ V-8	Delco - HEI	2000 - 2005	0L306696 - 0M950526	33-813421 4	.040
600 SC	502/ V-8	Thunderbolt IV	1991 - 1993	0D456489 - 0D763875	33-898264001	.035
600 SC	502/ V-8	Thunderbolt IV	1993 - 1996	0D763876 - 0F877642	33-813421 4	.035
8.2L Mag	502/ V-8	Mercury - HEI	2010 - 2022	1A351597 and up	33-8M0114747	.060
8.2L Mag EC	502/ V-8	Mercury - HEI	2010 - 2022	1A350340 and up	33-8M0114747	.060

Model	CID/ #Cyl	Type of Ignition	Year Range	Serial # Range	Spark Plug	Spark Plug Gap
8.2L MIE	502/ V-8	Thunderbolt IV & V	1990 - 1996	0C878221 - 0F819619	33-898264001	.035
8.2L MIE	502/ V-8	Mercury - HEI	2010 - 2022	1A350802 and up	33-8M0114747	.060
8.2L MIE EC	502/ V-8	Mercury - HEI	2010 - 2022	1A350802 and up	33-8M0114747	.060
8.2L MPI MIE	502/ V-8	Delco - HEI	1996 - 2001	0F819620 - 0L674200	33-898264001	.040
500 Bulldog	540/ V-8	Thunderbolt IV	1990 - 1996	0C577003 - 0F745405	33-898264001	.035
500 Bulldog	540/ V-8	Thunderbolt IV	1997 - 2001	0K000248 - 0M050281	33-898264001	.040
575	540/ V-8	Thunderbolt IV	1986 - 1992	0A677429 - 0D763716	33-813421 4	.035
800SC	572/ V-8	Thunderbolt IV	1993 - 1996	0D763836 - 0F877725	33-813421 4	.035
800SC	572/ V-8	Thunderbolt IV	1997 - 2022	0K000223 and up	33-813421 4	.040

CUSTOM ENGINE COVERS

ENGINE COVER WITH FLAME GRAPHICS



879147T94

Want the hottest engine in the marina? Heat things up with a flame engine cover. You're sure to get everyone's attention at the next owner's rendezvous.

Fits All Scorpion models built between 1995 and the present.
Note: Scorpion emblem not included.

ENGINE COVER - BLUE FLAME



8M0079198

This engine cover features a custom hand air-brushed blue flame design. Being a custom part there will be some visible differences from one part to the next. It is the same as used on some Plus Series engines.

Fits non-ECT 4.3 MPI, 5.0 MPI, 350 MAG, & 377 MAG MerCruiser engines built between 2001-2015. It also fits all 4.3L, 350, 357, and 383 Plus Series engines.

ENGINE COVER - RED FLAME



8M0103982

This engine cover features a custom hand air-brushed red flame design. Being a custom part there will be some visible differences from one part to the next. It is the same as used on some Plus Series engines.

Fits non-ECT 4.3 MPI, 5.0 MPI, 350 MAG, & 377 MAG MerCruiser engines built between 2001-2015. It also fits all 4.3L, 350, 357, and 383 Plus Series engines.

BEARING KIT

GIMBAL BEARING KIT



30-879194A00

Perma-Lube Bearing Kit required to retrofit the new XR/XZ drives to older Bravo transom plate assemblies to provide enough clearance for the larger u-joint on the new XR/XZ drives.

Fits Bravo transom assemblies

TILT UP LIMIT SPACER KIT

Limits the tilt (up) range to prevent the drive unit from hitting the swim platform.

TRIM LIMIT SPACER KIT



15768A 3

2 per kit
Fits Alpha One & Gen II (1987 and newer) & Bravo drives.

TRIM IN LIMIT SPACER KITS

Reduces "stern lift" by preventing the drive unit from reaching the last few degrees of full trim under. See MerCruiser Service Bulletin # 94-1 for additional details.

TRIM LIMIT SPACER KIT



23-806445A 1

Internal Cylinder Kit, For negative trim (in) limit of .750 in. (19 mm) to 1.00 in. (25 mm).
Fits Bravo drives (s/n 0F214599 and below)

TRAILERING CLIPS

To support drive in the tilt up position while trailering.

TRAILERING CLIP



817019Q 2

Fits MC-I, R, MR, Alpha, Bravo & Vazer drives.
Priced & packaged in qty. of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEAR LUBE MONITOR KITS

GEAR LUBE MONITOR KIT



806193A49

Mounts on inner transom, connecting internally to the upper driveshaft housing. Includes low gear lube warning sensor that connects to the engine audio warning system. Warning feature requires that the Audio Warning System is installed on the engine.
Fits Alpha One Gen II (s/n 0D491000 and above).

GEAR LUBE RESERVOIR KIT



865585A02

1 quart reservoir kit with float switch.
Designed to replace the smaller rectangular reservoir for added gear lube capacity. Fits Bravo drives running under excessive loads in a heavy use environment.

GEAR LUBE RESERVOIR RELOCATION KIT



806054A 1

Reservoir Relocation Kit. Used to relocate the "square" reservoir bottle from the engine to the transom. This kit should be used when the installation of any other accessory kit would interfere with the reservoir at its factory installed location.
Fits Alpha & Bravo models (1994 and newer)

MERCUISER

DUAL STATION SENDERS

Replaces factory installed sender on engine. For use with dual station instrumentation.

ENGINE OIL PRESSURE SENDER



37293T

Fits MCM/MIE gasoline engines

ENGINE WATER TEMPERATURE SENDER



49734

For dual station installations, used for temperature gauge
Fits MCM/MIE engines

ENGINE OIL PRESSURE SENDER



87-805268

For dual station installations
Fits 1994 and newer MCM/MIE Diesel engines

SERPENTINE BELT KITS

The second MCM V-6 or V-8 engine used in a dual engine boat can have the power steering pump removed by using one of these belt kits. If the pump is not removed, the plastic power steering hose coupler must be changed to a brass one. **DO NOT RUN** the power steering pump continuously with the plastic shipping coupler. Order a Belt Kit or a Brass Coupler.

SERPENTINE BELT & PULLEY KIT



889432A 1

Fits 2002-2003 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with standard cooling that the power steering pump is being removed (s/n 0M343008-0M999999).

SERPENTINE BELT & PULLEY KIT



889433A 1

Fits 2002-2003 MCM V-6 & V-8 (305, 350 & 377 cid) Alpha engines with closed cooling and Bravo engines that the power steering pump is being removed (s/n 0M343008-0M999999).


SERPENTINE BELT KIT



807901A 3

For dual engine applications where power steering pump is being removed. Fits MCM V-6 & V-8 (305 & 350 cid) Bravo engines with standard cooling. Also fits MCM 4.3L Bravo; 5.0L & 5.7L Alpha/Bravo with closed cooling. See application chart for specific engine models.

SERPENTINE BELT



57-865615Q08

2535 mm length
Fits 1999-2002 MCM V-6 & V-8 (305, 350 & 377 cid) Bravo engines with high mounted alternator that the power steering pump is being removed (s/n 0L619000-0M343007).

57-865615Q09

1780 mm length
Fits 1999-2001 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with high mounted alternator (s/n 0L619000-0M320024)

57-865615Q07

2467 mm length
Fits 1998-2001 MCM V-8 (454 & 502 cid) Bravo engines with serpentine belt that the power steering pump is being removed.

57-865615Q02

2285 mm length
Fits 2001-2004 MIE 8.1S engines (s/n 0M025000-0W389999). Also fits 2001-2005 MCM 496 Mag engines (s/n 0M025000-0W309999) that the power steering pump has been removed.

P/S HOSE COUPLER



22-860099001

Required kit when leaving the power steering pump on the second engine in dual engine applications. Connects the power steering hoses together.
Fits all MCM engines with power steering

SERPENTINE BELT KIT CHART

MCM Serpentine Belt Kits

For use on engines with power steering pump removed

Model	Year Range	Serial # Range	Belt Kit	Optional Brass Coupler
MCM V-6 (Gen +) Alpha	1996 - 1999	0F803000 - 0L619083	N.L.A.	22-860099001
MCM V-6 (Gen +) Alpha	1999 - 2002	0L619084 - 0M320024	57-865615Q09	22-860099001
MCM V-6 (Gen +) Alpha	2002	0M320025 - 0M343007	57-865615Q09(1)	22-860099001
MCM V-6 (Gen +) Alpha, RWC	2002 - 2003	0M343008 - 0M999999	889432A 1	22-860099001
MCM V-6 (Gen +) Alpha, FWC	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-6 (Gen +) Bravo	1996 - 1999	0F803000 - 0L619083	807901A 3	22-860099001
MCM V-6 (Gen +) Bravo	1999 - 2002	0L619084 - 0M320024	57-865615Q08	22-860099001
MCM V-6 (Gen +) Bravo	2002	0M320025 - 0M343007	57-865615Q08(2)	22-860099001
MCM V-6 (Gen +) Bravo	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-8 (305 & 350 cid) Alpha	1997 - 1999	0K001506 - 0L618999	N.L.A.	22-860099001
MCM V-8 (305 & 350 cid) Alpha	1999 - 2002	0L619000 - 0M320024	57-865615Q09	22-860099001
MCM V-8 (305 & 350 cid) Alpha	2002	0M320025 - 0M343007	57-865615Q09(1)	22-860099001
MCM V-8 (305 & 350 cid) Alpha, RWC	2002 - 2003	0M343008 - 0M999999	889432A 1	22-860099001
MCM V-8 (305 & 350 cid) Alpha, FWC	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-8 (305 & 350 cid) Bravo	1998 - 1999	0K001506 - 0L618999	807901A 3	22-860099001
MCM V-8 (305, 350 & 377 cid) Bravo	1999 - 2002	0L619000 - 0M320024	57-865615Q08	22-860099001
MCM V-8 (305, 350 & 377 cid) Bravo	2002	0M320025 - 0M343007	57-865615Q08(2)	22-860099001
MCM V-8 (305, 350 & 377 cid) Bravo	2002 - 2003	0M343008 - 0M999999	889433A 1	22-860099001
MCM V-8 (454 cid)	1998 - 2001	0L010003 - 0M024999	57-865615Q07	22-860099001
MCM V-8 (496 cid)	2001 - 2003	0M025000 - 0W000004	57-865615Q02	22-860099001
MCM V-8 (502 cid)	1998 - 2001	0L017000 - 0M024999	57-865615Q07	22-860099001

(1) 889432A 1 Serpentine Belt Kit: Order this belt kit instead of the one listed if the engine has a 4-1/4 in.(108 mm) diameter grooved idler pulley.

(2) 889433A 1 Serpentine Belt Kit: Order this belt kit instead of the one listed if the engine has a 4-1/4 in.(108 mm) diameter grooved idler pulley.

AIR INTAKE SILENCER KIT

SILENCER KIT - AIR INTAKE



98-8M0063432

Reduces the throttle intake noise at cruise speed and mid-range RPM. Not recommended for V-drive installations. Backfits all MCM/MIE 8.2L engines w/o intake air silencer

AIR INTAKE TUBE KIT

AIR INTAKE TUBE AND FILTER KIT



8M0085794

Increases air flow for better turbo efficiency. Standard equipment on current Tier 3 engines. Back fits all MCM/MIE V6 TDI Tier 2 diesel engines with CEZ serial numbers.

FRONT BELT COVER KIT

BELT COVER KIT



8M0122079

Auxiliary kit to enclose the belt & pulleys. Fits MCM/MIE 3.0L V6 diesel (s/n 70380001 & up)

HOT WATER HEATER FITTING KITS

Includes the necessary fittings to provide a means of supplying hot water to a remote location.

HOT WATER FITTING KIT



22-806836A 3

Fits 1992-2016 MCM 3.0L/LX (s/n 0D616823 thru 2A506300)

HOT WATER FITTING KIT



879288A03

Fits 2008-2016 MCM 3.0 MPI Emissions Control engine.

HOT WATER FITTING KIT



22-8M0119308

Fits 2001-2016 MCM V-6 & MCM/MIE V-8 (305, 350 & 377 cid) MPI engines (s/n 0M300000 and up). Also fits Mercury 4.5 & 6.2 MPI engines (2014 and newer)

HOT WATER FITTING KIT



22-72932A 3

Fits MCM/MIE V-6 & V-8 (305, 350, 377, 454 & 502 cid) engines with front mounted heat exchanger (s/n 0F490650 and above), except MPI engines s/n 0M300000 and above.

HOT WATER FITTING KIT



22-806837A 1

Fits MCM 496 Mag & MIE 8.1S engines.

HOT WATER FITTING KIT



22-8M0045175

Fits MCM/MIE 8.2

HOT WATER FITTING KIT



22-806837A 2

Fits 1.7 MS & MI 120 diesel.

HOT WATER FITTING KIT



805984A 1

For heater hose with 5/8 in.(16 mm) I.D.
Fits 1997 & older MCM/MIE D2.8L, D3.0L, D3.6L, and D4.2L Diesel models

HOT WATER FITTING KIT



889074A 1

With shut-off valve,
For heater hose with 5/8 in. (16 mm) I.D.
Fits 1998 & newer MCM/MIE 2.0L, 2.8L & 4.2L Diesel models

HOT WATER FITTING KIT



22-8M0094865

Fits MCM/MIE 3.0L V6 TDI Diesel models

MERCUISER

HOT WATER HEATER T-FITTING KIT CHART

MCM Hot Water T-fittings

Model	Year Range	Serial # Range	Hot Water Fitting Kit
MCM 4 cyl. (153 & 181 cid)	1983 - 1991	6229718 - 0D616822	N.L.A.
MCM 4 cyl. (181 cid)	1992 - 2004	0D616823 - 0W301999	22-806836A 3
MCM 4 cyl. (181 cid) TKS carb	2005 - 2016	0W302000 - 2A506300	(7)
MCM 4 cyl. (181 cid) MPI	2008 - 2016	1A072812 - 2A502810	879288A03(8)
MCM V-6 (229 cid)	1983 - 1984	6330183 - 6919655	N.L.A.
MCM V-6 (262 cid)	1985 - 1991	0A331455 - 0D616517	N.L.A.
MCM V-6 (262 cid)	1992 - 1995	0D616518 - 0F490649	N.L.A.(1)
MCM V-6 (262 cid)	1992 - 1995	0D616518 - 0F490649	N.L.A.(2)
MCM V-6 (262 cid) Carb & TBI engines	1995 - 2015	0F490650 - 2A454127	22- 72932A 3
MCM V-6 (262 cid) MPI engines	2002 - 2016	0M300000 - 2A506375	22-8M0119308
MCM V-6 (262 cid) MPI EC engines	2011 - 2016	1A637496 - 2A528897	22-8M0119308
MCM 4.5L V6 MPI	2014 - 2022	2A441953 and up	22-8M0119308
MCM V-8 (305 & 350 cid)	1983 - 1991	6218462 - 0D616638	N.L.A.
MCM V-8 (305 & 350 cid)	1992 - 1995	0D616639 - 0F490649	N.L.A.(1)
MCM V-8 (305 & 350 cid)	1992 - 1995	0D616639 - 0F490649	N.L.A.(2)
MCM V-8 (305, 350 & 377 cid) Carb & TBI engines	1995 - 2010	0F490650 - 1A600136	22- 72932A 3
MCM V-8 (305, 350 & 377 cid) MPI engines	1995 - 2001	0F490650 - 0M299999	22- 72932A 3
MCM V-8 (305, 350 & 377 cid) MPI engines	2002 - 2015	0M300000 - 2A455878	22-8M0119308
MCM 6.2L (Mercury)	2015 - 2022	2A456613 and up	22-8M0119308
MCM V-8 (454 & 502 cid)	1982 - 1991	6083145 - 0D603117	N.L.A.
MCM V-8 (454 & 502 cid)	1992 - 1995	0D603118 - 0F490649	N.L.A.(1)
MCM V-8 (454 & 502 cid)	1992 - 1995	0D603118 - 0F490649	N.L.A.(2)
MCM V-8 (454 & 502 cid)	1995 - 2001	0F490650 and up	22- 72932A 3
MCM 496 Mag & HO	2000 - 2010	0M025000 - 1A352731	22-806837A 1
MCM 8.2 Mag & HO	2010 - 2022	1A350340 and up	22-8M0045175
MIE & SKI V-8	1981 - 1991	5907058 - 0D623999	N.L.A.
MIE & Ski V-8	1992 - 1995	0D624000 - 0F490649	N.L.A.(1)(4)
MIE V-8	1992 - 1995	0D624000 - 0F490649	N.L.A.(2)(3)
MIE V-8	1995 - 1997	0F490650 - 0K999999	22- 72932A 3(3)
MIE V-8	1995 - 1997	0F490650 - 0K999999	N.L.A.(4)
MIE V-8 (Except MIE 8.1S)	1998 - 2001	0L002003 - 0M299999	22- 72932A 3
MIE V-8 MPI (Except MIE 8.1S)	2002 - 2015	0M300000 and up	22-8M0119308
MIE 6.2L MPI (Mercury)	2015 - 2022	2A456613 and up	22-8M0119308
MIE 8.1S Horizon & HO	2000 - 2010	0M025000 and up	22-806837A 1
MIE 8.2 Horizon & HO	2010 - 2022	1A350802 and up	22-8M0045175
MCM/MIE 3.0L V6 TDI	2013 - 2022	All - All	22-8M0094865
MCM/MIE VM Diesel(5)	1989 - 2002	0B993002 and up	805984A 1
MCM/MIE VM Diesel(6)	1989 - 2002	0B993002 and up	N.L.A.
MCM/MIE 2.0L, 2.8L & 4.2L	1998 - 2022	0L667439 and up	889074A 1
MCM/MIE D7.3L	1994 - 1997	0F060000 and up	N.L.A.

Model	Year Range	Serial # Range	Hot Water Fitting Kit
MCM/MIE D7.3L D-Tronic	1997 - 2022	0K095775 and up	N.L.A.

- (1) Engines with 1-1/2 in.(38mm) I.D. circulating pump hose between thermostat hsg. and circulating pump
- (2) Engines with 1-3/4 in.(45mm) I.D. circulating pump hose between thermostat hsg. and circulating pump
- (3) Will not fit models with rear mounted heat exchanger
- (4) Will fit models with rear mounted heat exchanger
- (5) All models with 5/8 in.(16mm) hose
- (6) All models with 17mm hose
- (7) No kit available
- (8) Not required for closed cooled engines

THRU TRANSOM EXHAUST OUTLETS

Outlets come with internal shutters and external flappers. Each kit includes 2 tips.

QUICK-CHANGE THRU TRANSOM EXHAUST TIPS



843434A 1

Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.
For 3 in. (76 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

843426A 1

Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.
For 4 in. (102 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109049

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109050

This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips.

TRANSOM EXHAUST TIPS REPAIR KIT



843434A 2

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

843426A 2

This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips



EXHAUST OUTLET FLAPPER KITS

EXHAUST FLAPPERS



34765Q02

For 3 in. (76 mm) O.D. exhaust outlets, 1 flapper in kit

12644A 1

For 4 in. (102 mm) O.D. exhaust outlets, 1 flapper in kit

EXHAUST IN-LINE SHUTTER KIT

EXHAUST SHUTTER KIT



98-8M0109256

In-line water shutter

Fits MIE engines with 4 in. (101.6 mm) exhaust

EXHAUST BLOCK-OFF PLATE

Used to block-off the gimbal housing when thru transom exhaust is installed. Install plate before engine is installed.

EXHAUST BLOCK-OFF PLATE



861776A 2

EXHAUST PIPE KITS

EXHAUST "Y" PIPE KIT



98-8M0117124

For use with Silent Choice type exhaust systems. Also used to convert engines with thru transom exhaust to thru prop exhaust. Standard pipe on all thru prop exhaust gasoline sterndrive models.

Fits all V-8 engines with 4 in. (102 mm) exhaust systems; except MCM 8.1L & 8.2L engines

EXHAUST "Y" PIPE KIT



98-8M0117125

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.

Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit. For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.

Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.

INTERMEDIATE ELBOW KIT



44267A02

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L & 8.2L non-EC sterndrive engines with exhaust risers 2 in. (51 mm) to 8 in. (203 mm) high.

INTERMEDIATE ELBOW KIT



44267A03

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L & 8.2L non-EC sterndrive engines w/o exhaust risers and w/ exhaust risers up to 2 in. (51 mm) high.

INTERMEDIATE ELBOW KIT



44267A04

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with standard 0" risers.

INTERMEDIATE ELBOW KIT



44267A05

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 2 in. (51 mm) risers.

INTERMEDIATE ELBOW KIT



44267A06

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 4 in. (102 mm) risers.

INTERMEDIATE ELBOW KIT



44267A07

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 6 in. (152 mm) risers.

INTERMEDIATE ELBOW KIT



44267A08

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 8 in. (203 mm) risers.

INTERMEDIATE ELBOW KIT



879288A12

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.
Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 0 in. risers

INTERMEDIATE ELBOW KIT



879288A13

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.
Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A14

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A15

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.

Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



8M0095832

Required when changing exhaust elbow height to 2 in. (51 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095833

Required when changing exhaust elbow height to 4 in. (102 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095834

Required when changing exhaust elbow height to 6 in. (152 mm) risers.

Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041665 and up)

EXHAUST "S" PIPE KIT



807611T

Optional exhaust pipe for Tow Sports non-EC engine models with 4 in. (102 mm) exhaust.

EXHAUST "S" PIPE KIT



18563A 1

Allows exhaust outlets to be mounted below a swim platform. 2 pipes in kit.

Fits V-8 sterndrive models with 4 in. (102 mm) exhaust (s/n 0W309999 and below)

EXHAUST REDUCER KIT



44349A 1

Reduces exhaust hose from 4 in. (102 mm) to 3 in. (76 mm). Straight reducer. 2 reducers in kit.

Fits MIE V-8 engines.

EXHAUST RISER KITS FOR DIESEL ENGINES

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system.

RISER KIT



863330A 2

3 in. (76 mm)
Fits 2001-2009 MCM & CMD 1.7L diesel engines.

8M0049970

RISER KIT



8M0098892

6 in. (127 mm)
Fits MIE 4.2L V8 TDI diesel engines.

EXHAUST RISER KITS (GAS, WET JOINT, 2002 & OLDER)

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 9 in. (228 mm). Two different types of exhaust elbows have been used (cast iron and stainless steel). To tell which one you have, look at the elbows mounting bolts. Cast iron elbows use 4 long bolts. Stainless steel elbows use four short 1 in. (25 mm) long bolts. For MCM/MIE 8.1L engines see "Exhaust Elbow/Riser Kits (8.1L) Non-Emissions Ctrl" section.

RISER KIT



93320A14

3 in. (76 mm)
Fits 1997 & older MCM/MIE V-8 engines with stainless steel exhaust elbows.


RISER KIT



93320A13

3 in. (76 mm)
Fits MCM V-6 carb & TBI engines with 2 piece exhaust manifolds (s/n 0M614999 & below).
Fits MCM/MIE/Tow Sports V-8 (305, 350, 377, 454 & 502 cid) engines with cast iron elbows (s/n 0M299999 & below); MCM V-8 (305 & 350 cid) carb engines (s/n 0M300000-0M599999) and MIE & Tow Sports carb engines (s/n 0M300000-0M316999).

RISER KIT



93320A15

3 in. (76 mm)
Fits 2001-2002 MCM 4.3L MPI (s/n 0M300000-0M614999);
Fits 2001-2002 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M300000-0M599999);
Fits 2001-2002 MIE & Tow Sports V-8 (350 & 377 cid) MPI engines (s/n 0M300000-0M316999)

RISER KIT



807477A 5

6 in. (152 mm)
Fits 1997 & older V-8 with stainless steel exhaust elbows.

MERCUISER

RISER KIT



93322A12

6 in. (152 mm)

Fits MCM V-6 carb & TBI engines with 2 piece exhaust manifolds (s/n 0M614999 & below).

Fits MCM/MIE/Tow Sports V-8 (305, 350, 377, 454 & 502 cid) engines with cast iron elbows (s/n 0M299999 & below); MCM V-8 (305 & 350 cid) carb engines (s/n 0M300000-0M599999) and MIE & Tow Sports carb engines (s/n 0M300000-0M316999).

RISER KIT



93322A10

6 in. (152 mm)

Fits 2001-2002 MCM 4.3L MPI (s/n 0M300000-0M614999);

Fits 2001-2002 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M300000-0M599999);

Fits 2001-2002 MIE & Tow Sports V-8 (350 & 377 cid) MPI engines (s/n 0M300000-0M316999)

INTERMEDIATE ELBOW KIT



14801A 1

Only required on sterndrive engines that have the exhaust going through the prop.

Fits MCM V-8 (305, 350 & 377 cid) engines (0W309999 and below)

EXHAUST RISER KITS (GAS, DRY JOINT, SMALL BLOCK, NON-EC, 2002 & NEWER)

Raises the height of the GM V-6 & V-8 small block (non-EC) engines with dry joint exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 6 in. (152 mm). For MCM/MIE 8.1L & 8.2L (non-EC) engines see "Exhaust Elbow/Riser Kits (8.1L & 8.2L) Non-Emissions Ctrl" section. For EC engines, see the Emissions Control Riser section.

NOTE: For Mercury 4.5L & 6.2L (non-EC) engines see "Exhaust Riser Kits (Gas, Small Block, Emissions Control)" since the 4.5L & 6.2L (non-EC) engines use the same riser kits as the EC engines.

RISER KIT



865995A01

1.7 in. (43 mm) for standard cooling and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER KIT



865996A01

1.7 in. (43 mm) for CLOSED COOLING and dry joint exhaust manifolds.

Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER KIT




866007A01

1.7 in. (43 mm) for standard cooling and dry joint exhaust manifolds.

Fits Tow Sports V-8 (350 & 377 cid) non-EC engines w/ in-line transmission (s/n 0M390000 and up).


RISER KIT



864306A 3

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.
Fits 2002 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M600000-0M614999).


RISER KIT



864306A 2

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.
Fits 2002 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M600000-0M614999).


RISER KIT



864306A 5

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.
Fits 2002 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M317000-0M389999).

RISER KIT



864306A 4

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.
Fits 2002 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M317000-0M389999).

RISER KIT



864929A 1

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.
Fits 2002-2004 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000-0W309999).

RISER KIT



864929A 2

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.
Fits 2002-2004 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000-0W309999).


RISER KIT



864929A 3

3 in. (76 mm) for standard cooling and dry joint exhaust manifolds.
Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)

RISER KIT



864929A 4

3 in. (76 mm) for CLOSED COOLING and dry joint exhaust manifolds.
Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)




RISER KIT



866208A02

4.7 in. (119 mm) for standard cooling and dry joint exhaust manifolds.
 Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)


RISER KIT



866208A03

4.7 in. (119 mm) for CLOSED COOLING and dry joint exhaust manifolds.
 Fits 2004-2016 MCM V-6 & V-8 (305, 350 & 377 cid) non-EC engines (s/n 0W310000 and up); also fits 2002-2016 MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up)


RISER KIT



864908A 1

6 in. (152 mm) for standard cooling and dry joint exhaust manifolds.
 Fits 2004-2016 MCM V-6 (s/n 0W310000 and up); 2002-2016 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER KIT



864908A 2

6 in. (152 mm) for CLOSED COOLING and dry joint exhaust manifolds.
 Fits 2004-2016 MCM V-6 (s/n 0W310000 and up); 2002-2016 MCM V-8 (305, 350 & 377 cid) non-EC engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) non-EC engines (s/n 0M390000 and up).

RISER HOSE KIT



32-865022A 1

Used in conjunction with 3 in. (76 mm), 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling
 Fits 2002 and newer MCM 4.3L MPI engines (s/n 0M615000 and up).

RISER HOSE KIT



32-865024A 1

Used in conjunction with 1.7 in. (43 mm) & 3 in. (76 mm) exhaust risers & CLOSED COOLING
 Fits 2002 and newer MCM 4.3L engines (s/n 0M615000 and up).

RISER HOSE KIT



32-865027A 1

Used in conjunction with 3 in. (76 mm) exhaust risers & standard cooling
 Fits 2002-2016 MCM 4.3L MPI engines with 7 point drain system (s/n 0M615000 and up).

RISER HOSE KIT



32-865029A 1

Used in conjunction with 1.7 in. (43 mm) & 3 in. (76 mm) exhaust risers & CLOSED COOLING
 Fits 2002-2016 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) MPI engines (s/n 0M390000 and up)

RISER HOSE KIT



32-865998A01

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
 Fits 2004-2016 MCM 4.3L MPI engines (s/n 0W310000 thru 2A506375).

RISER HOSE KIT



32-865033A 1

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling
 Fits 2002-2016 MCM V-8 (305, 350 & 377 cid) MPI engines with 1 or 3 point drain system (s/n 0M615000 and up).

RISER HOSE KIT



32-865035A 1

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling
 Fits 2002-2016 MIE V-8 (350 & 377 cid) MPI engine with in-line transmission (s/n 0M390000 and up).

RISER HOSE KIT



32-865039A 1

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
 Fits 2002-2016 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) MPI engines with in-line transmission (s/n 0M390000 and up).

RISER HOSE KIT



32-865041A 1

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
 Fits 2002-2016 MIE V-8 (350 & 377 cid) MPI engines with V-drive transmission (s/n 0M390000 and up).

RISER HOSE KIT



32-865043A 1

Used in conjunction with 1.7 in. (43 mm), 3 in. (76 mm), 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & standard cooling
 Fits 2002-2016 MIE V-8 (350 cid) carb engines with V-drive transmission (s/n 0M390000 and up).

INTERMEDIATE ELBOW KIT



866000A01

Only required on sterndrive engines that have the exhaust going through the prop.
 Fits MCM V-6 with 1.7 in. (43 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866001A01

Only required on sterndrive engines that have the exhaust going through the prop.
 Fits MCM V-6 with 3 in. (76 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



865949A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-6 with 4.7 in. (119 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



86602A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-6 with 6 in. (152 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



14801A 1

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines (0W309999 and below)

INTERMEDIATE ELBOW KIT



86603A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines with 1.7 in. (43 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866004A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines with 3 in. (76 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866209A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines with 4.7 in. (119 mm) risers (s/n 0W310000 and up)

INTERMEDIATE ELBOW KIT



866005A01

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-8 (305, 350 & 377 cid) engines with 6 in. (152 mm) risers (s/n 0W310000 and up)

DROP DOWN BRACKET



863714T01

Used in conjunction with the 1.7 in. (43 mm) riser kits to relocate the shift plate to a lower position. Bracket is only necessary when boat hull design interferes with shift cable routing.

EXHAUST ELBOW/RISER KITS (8.1L & 8.2L, NON-EC, 2001 & NEWER)

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in.(203 mm) available. For use on MCM/MIE 8.1L & 8.2L Non-Emissions Control engines only.

EXHAUST ELBOW KIT - 2 IN.(51 MM)



862974A05

This elbow is 2 in.(51 mm) higher than the standard elbow. This replaces what was the 3 in.(76 mm) riser kit used on previous big block engines. Fits MCM/MIE 8.1L & 8.2L non-EC engines

RISER KIT - 6 IN.(152 MM)



98-8M0124068

This riser will raise the elbow an additional 6 in.(152 mm). If the engine has a 2 in.(51 mm) elbow already on engine, but only needs an additional 4 in.(102 mm) rise, this kit will not work. Order 862354A 1 Exh. Elbow/Riser kit instead. Fits MCM/MIE 8.1L & 8.2L non-EC engines

EXHAUST ELBOW/RISER KIT - 6 IN.(152 MM)



862354A04

Order this kit if the engine has a 2 in.(51 mm) elbow already installed on it, but only needs an additional 4 in.(102 mm) rise. The 2 in.(51 mm) elbow is removed and replaced with the standard rise elbows and a 6 in.(152 mm) riser kit which are included in kit. Fits MCM/MIE 8.1L & 8.2L non-EC engines

EXHAUST ELBOW/RISER KIT - 8 IN.(203 MM)



98-8M0124069

If the engine has a standard rise elbow already on engine and needs another 8 in.(203 mm) rise, order this kit. The standard rise elbow is removed and replaced with a 2 in.(51 mm) rise elbow and a 6 in.(152 mm) riser kit which are included in this kit.

Fits MCM/MIE 8.1L & 8.2L non-EC engines

EXHAUST "Y" PIPE KIT



98-8M0117125

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.

Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit. For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.

Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.

INTERMEDIATE ELBOW KIT



44267A02

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.

Fits MCM 8.1L & 8.2L non-EC sterndrive engines with exhaust risers 2 in. (51 mm) to 8 in. (203 mm) high.

INTERMEDIATE ELBOW KIT



44267A03

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L & 8.2L non-EC sterndrive engines w/o exhaust risers and w/ exhaust risers up to 2 in. (51 mm) high.

EXHAUST ELBOW KIT



879288T83

Design II
This elbow is 6 in. (152 mm) higher than the standard elbow.
Fits MCM 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350340-2A41664); also fits MCM/MIE 8.1L EC engines

EXHAUST RISER CHART - GASOLINE ENGINE (NON-EC ENGINES)

1.7 in. (43 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	1.7 in.(43 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM STERNDRIVE MODELS						
MCM V-6 (262 cid)	Engines with standard cooling	2004 - 2016	0W310000 - 2A506375	865995A01(2)	(1)	866000A01(3)
MCM V-6 (262 cid)	Engines with closed cooling	2004 - 2016	0W310000 - 2A506375	865996A01(2)	32-865024A 1	866000A01(3)
MIE INBOARD MODELS						
MIE V-8 (350 cid)	Carb engines with standard cooling (in-line)	2002 - 2010	0M390000 - 1A092388	865995A01	(1)	(1)
MIE V-8 (350 cid)	Carb engines with standard cooling (V-drive)	2002 - 2010	0M390000 - 1A092388	865995A01	32-865043A 1	(1)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002 - 2010	0M390000 - 1A092388	865996A01	(1)	(1)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002 - 2015	0M390000 - 2A455523	865995A01	32-865029A 1	(1)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002 - 2015	0M390000 - 2A455523	865996A01	32-865029A 1	(1)
MIE TOW SPORTS MODELS						
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M390000 - 2A460138	866007A01	(1)	(1)

(1) Kit not required

(2) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

(3) Installation kit is only required on sterndrive engines that have the exhaust going thru the propeller.

3 in. (76 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	3 in.(76 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM STERNDRIVE MODELS						
MCM 4 cyl. (153 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1990 - 2016	0C856559 - 2A506300	(5)	N/A	N/A
MCM V-6 (229 cid)		1983 - 1984	6330183 - 6919655	93320A13(1)	(6)	N.L.A.(3)
MCM V-6 (262 cid)		1985 - 1986	0A331455 - 0B527954	93320A13(1)	(6)	N.L.A.(3)
MCM V-6 (262 cid)		1987 - 2001	0B527955 - 0M299999	93320A13(1)(4)(7)	(6)	NLA(3)
MCM V-6 (262 cid)	Carb engines	2002	0M300000 - 0M614999	93320A13(7)	(6)	NLA(3)

Engine Model	Model Note	Year Range	Serial # Range	3 in.(76 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM V-6 (262 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	(6)	NLA(3)
MCM V-6 (262 cid)	Carb engines with standard cooling	2004 - 2015	0W310000 - 2A454127	864929A 3(7)	(6)	866001A01(3)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004	0W000000 - 0W309999	864929A 2(7)	32-865024A 1	NLA(3)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004 - 2015	0W310000 - 2A454127	864929A 4(7)	32-865024A 1	866001A01(3)
MCM V-6 (262 cid)	MPI engines	2002	0M300000 - 0M614999	93320A15(7)	(6)	NLA(3)
MCM V-6 (262 cid)	MPI engines w/ standard cooling (1 & 3 point drain)	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	32-865022A 1	NLA(3)
MCM V-6 (262 cid)	MPI engines w/ standard cooling (1 & 3 point drain)	2004 - 2016	0W310000 - 2A506375	864929A 3(7)	32-865022A 1	866001A01(3)
MCM V-6 (262 cid)	MPI engines with standard cooling (7 point drain)	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	32-865027A 1	NLA(3)
MCM V-6 (262 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2016	0W310000 - 2A506375	864929A 3(7)	32-865027A 1	866001A01(3)
MCM V-6 (262 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864929A 2(7)	32-865024A 1	NLA(3)
MCM V-6 (262 cid)	MPI engines with closed cooling	2004 - 2016	0W310000 - 2A506375	864929A 4(7)	32-865024A 1	866001A01(3)
MCM V-8 (305 & 350 cid)		1981 - 1984	5907058 - 0B525981	93320A13(1)	(6)	N.L.A.(3)
MCM V-8 (305 & 350 cid)	Cast iron exhaust elbows	1985 - 2001	0B525982 - 0M299999	93320A13(1)(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	93320A14(1)(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines	2002	0M300000 - 0M599999	93320A13(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002	0M600000 - 0M614999	864306A 3(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2004 - 2009	0W310000 - 1A607561	864929A 3(3)	(6)	866004A01(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002	0M600000 - 0M614999	864306A 2(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864929A 2(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2004 - 2009	0W310000 - 1A607561	864929A 4(7)	(6)	866004A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines	2002	0M300000 - 0M599999	93320A15(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2002	0M600000 - 0M614999	864306A 3(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864929A 1(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2004 - 2015	0W310000 - 2A455872	864929A 3(7)	(6)	866004A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002	0M600000 - 0M614999	864306A 2(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864929A 2(7)	32-865029A 1	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2004 - 2015	0W310000 - 2A455872	864929A 4(7)	32-865029A 1	866004A01(3)
MCM V-8 (454 cid)	TR/TRS drive	1982 - 1989	6083145 and up	93320A13(1)	(6)	N.L.A.
MCM V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93320A13(1)(7)	(6)	N.L.A.(3)
MCM V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	93320A14(1)(7)	(6)	N.L.A.(3)
MIE INBOARD MODELS						
MIE V-8 (305 & 350 cid)		1981 - 1988	5907058 - 0C396832	93320A13(1)	(6)	(6)
MIE V-8 (350 cid)		1989 - 2001	0C396833 - 0M299999	93320A13(1)	(6)	(6)
MIE V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93320A13	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling	2002	0M317000 - 0M389999	864306A 5	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (in-line)	2002 - 2022	0M390000 and up	864929A 3	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (V-drive)	2002 - 2022	0M390000 and up	864929A 3(7)	32-865043A 1	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002	0M317000 - 0M389999	864306A 4	(6)	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002 - 2010	0M390000 - 1A092388	864929A 4	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93320A15	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002	0M317000 - 0M389999	864306A 5	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002 - 2015	0M390000 - 2A455523	864929A 3	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002	0M317000 - 0M389999	864306A 4	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002 - 2015	0M390000 - 2A455523	864929A 4(7)	32-865029A 1	(6)
MIE V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93320A13(1)	(6)	(6)
MIE V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	93320A14(1)	(6)	(6)
MIE TOW SPORTS MODELS						
SKI V-8 (350 cid)		1985 - 1984	0A338553 - 0B525981	93320A13(1)	(6)	(6)

Engine Model	Model Note	Year Range	Serial # Range	3 in.(76 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
SKI V-8 (350 & 377cid)		1985 - 2001	0B525982 - 0M299999	93320A13(1)	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93320A13	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002 - 2011	0M317000 - 1A092837	(5)	N/A	N/A
SKI V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93320A15	(6)	(6)
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M317000 - 2A460138	(5)	N/A	N/A

(1) If riser is going on a 1997 and older engine, that has the exhaust manifolds in the closed cooling system, also order 2 pcs. of 27-860231 separator gaskets to go between the manifold and risers.

(3) Installation Kit is only required on sterndrive engines that have the exhaust going thru the propeller.

(4) Will not fit MCM V-6 engines with the 1 pc exhaust manifold.

(5) No kit available

(6) Kit not required

(7) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

4.7 in. (119 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	4.7 in.(119 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM STERNDRIVE MODELS						
MCM V-6 (262 cid)	Carb engines with standard cooling	2004 - 2015	0W310000 - 2A454127	866208A02(3)	(2)	865949A01(4)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004 - 2015	0W310000 - 2A454127	866208A03(3)	(2)	865949A01(4)
MCM V-6 (262 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2016	0W310000 - 2A506375	866208A02(3)	32-865022A 1	865949A01(4)
MCM V-6 (262 cid)	MPI engines with closed cooling	2004 - 2016	0W310000 - 2A506375	866208A03(3)	32-865998A01	865949A01(4)
MIE INBOARD MODELS						
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2004 - 2009	0W310000 - 1A607561	866208A02(3)	(2)	866209A01(4)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2004 - 2009	0W310000 - 1A607561	866208A03(3)	32-865039A 1	866209A01(4)
MCM V-8 (305, 350 & 377 cid)	MPI engines w/ standard cooling 1 & 3 point drain)	2004 - 2015	0W310000 - 2A455872	866208A02(3)	32-865033A 1	866209A01(4)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2015	0W310000 - 2A455872	866208A02(3)	(2)	866209A01(4)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2004 - 2015	0W310000 - 2A455872	866208A03(3)	32-865039A 1	866209A01(4)
MIE TOW SPORTS MODELS						
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M390000 - 2A460138	(1)	N/A	N/A

(1) No kit available

(2) Kit not required

(3) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

(4) Installation kit is only required on sterndrive engines that have the exhaust going thru the propeller.

6 in. (152 mm) Exhaust Risers-Gasoline Engines

Engine Model	Model Note	Year Range	Serial # Range	6 in.(152 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM STERNDRIVE MODELS						
MCM 4 cyl. (153 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1983 - 1989	6229718 - 0C853255	N.L.A.	(6)	N.L.A.
MCM 4 cyl. (181 cid)		1990 - 2016	0C856559 - 2A506300	(5)	N/A	N/A
MCM V-6 (229 cid)		1983 - 1984	6330183 - 6919655	93322A12(1)(2)	(6)	N.L.A.(3)
MCM V-6 (262 cid)		1985 - 1986	0A331455 - 0B527954	93322A12(1)(2)	(6)	N.L.A.(3)

Engine Model	Model Note	Year Range	Serial # Range	6 in.(152 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MCM V-6 (262 cid)		1987 - 2001	0B527955 - 0M299999	93322A12(1)(2)(4)	(6)	N.L.A.(3)
MCM V-6 (262 cid)	Carb engines	2002	0M300000 - 0M614999	93322A12(7)	(6)	N.L.A.(3)
MCM V-6 (262 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	Carb engines with standard cooling	2004 - 2015	0W310000 - 2A454127	864908A 1(7)	(6)	866002A01(3)
MCM V-6 (262 cid)	Carb engines with closed cooling	2004	0W000000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	Carb engines with closed cooling	2004 - 2015	0W310000 - 2A454127	864908A 2(8)	(6)	866002A01(3)
MCM V-6 (262 cid)	MPI engines	2002	0M300000 - 0M614999	93322A10(7)	(6)	N.L.A.(3)
MCM V-6 (262 cid)	MPI engines with standard cooling	2002 - 2004	0M615000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	MPI engines with standard cooling	2004 - 2016	0W310000 - 2A506375	864908A 1(7)	32-865022A 1	866002A01(3)
MCM V-6 (262 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	(5)	N/A	N/A
MCM V-6 (262 cid)	MPI engines with closed cooling	2004 - 2016	0W310000 - 2A506375	864908A 2(7)	32-865998A01	866002A01(3)
MCM V-8 (305 & 350 cid)						
MCM V-8 (305 & 350 cid)		1981 - 1984	5907058 - 0B525981	93322A12(1)(2)	(6)	N.L.A.(3)
MCM V-8 (305 & 350 cid)	Cast iron exhaust elbows	1985 - 2001	0B525982 - 0M299999	93322A12(1)(2)(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	807477A 5(1)(2)(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines	2002	0M300000 - 0M599999	93322A12(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002	0M600000 - 0M614999	N.L.A.(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2002 - 2004	0M615000 - 0W309999	864908A 1(7)	(6)	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with standard cooling	2004 - 2009	0W310000 - 1A607561	864908A 1(7)	(6)	866005A01(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002	0M600000 - 0M614999	N.L.A.(7)	32-865039A 1	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864908A 2(7)	32-865039A 1	14801A 1(3)
MCM V-8 (305 & 350 cid)	Carb engines with closed cooling	2004 - 2009	0W310000 - 1A607561	864908A 2(7)	32-865039A 1	866005A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines	2002	0M300000 - 0M599999	93322A10(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling	2002	0M600000 - 0M614999	N.L.A.(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines w/ standard cooling (1 & 3 point drain)	2002 - 2004	0M615000 - 0W309999	864908A 1(7)	32-865033A 1	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines w/ standard cooling (1 & 3 point drain)	2004 - 2015	0W310000 - 2A455872	864908A 1(7)	32-865033A 1	866005A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling (7 point drain)	2002 - 2004	0M615000 - 0W309999	864908A 1(7)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with standard cooling (7 point drain)	2004 - 2015	0W310000 - 2A455872	864908A 1(7)	(6)	866005A01(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002	0M600000 - 0M614999	N.L.A.(7)(8)	(6)	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2002 - 2004	0M615000 - 0W309999	864908A 2(7)	32-865039A 1	14801A 1(3)
MCM V-8 (305, 350 & 377 cid)	MPI engines with closed cooling	2004 - 2015	0W310000 - 2A455872	864908A 2(7)	32-865039A 1	866005A01(3)
MCM V-8 (454 cid)						
MCM V-8 (454 cid)	TR/TRS drive	1982 - 1989	6083145 and up	93322A12(1)(2)	(6)	N.L.A.
MCM V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93322A12(1)(2)(7)	(6)	N.L.A.(3)
MCM V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	807477A 5(1)(2)(7)	(6)	N.L.A.(3)
MIE INBOARD MODELS						
MIE V-8 (305 & 350 cid)		1981 - 1988	5907058 - 0C396832	93322A12(1)(2)	(6)	(6)
MIE V-8 (350 cid)		1989 - 2001	0C396833 - 0M299999	93322A12(1)(2)	(6)	(6)
MIE V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93322A12	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling	2002	0M317000 - 0M389999	N.L.A.	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (in-line)	2002 - 2010	0M390000 - 1A092388	864908A 1	(6)	(6)
MIE V-8 (350 cid)	Carb engines with standard cooling (V-drive)	2002 - 2010	0M390000 - 1A092388	864908A 1(7)	32-865043A 1	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002	0M317000 - 0M389999	N.L.A.(7)	32-865039A 1	(6)
MIE V-8 (350 cid)	Carb engines with closed cooling	2002 - 2010	0M390000 - 1A092388	864908A 2(7)	32-865039A 1	(6)
MIE V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93322A10	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling	2002	0M317000 - 0M389999	N.L.A.	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling (in-line)	2002 - 2015	0M390000 - 2A455523	864908A 1(7)	32-865035A 1	(6)
MIE V-8 (350 & 377 cid)	MPI engines with standard cooling (V-drive)	2002 - 2015	0M390000 - 2A455523	864908A 1(7)	N.L.A.	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling	2002	0M317000 - 0M389999	N.L.A.(8)	(6)	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling (in-line)	2002 - 2015	0M390000 - 2A455523	864908A 2(7)	32-865039A 1	(6)
MIE V-8 (350 & 377 cid)	MPI engines with closed cooling (V-drive)	2002 - 2015	0M390000 - 2A455523	864908A 2(7)	32-865041A 1	(6)
MIE V-8 (454 or 502 cid)	Cast iron exhaust elbows	1981 - 2002	5889914 and up	93322A12(1)(2)	(6)	(6)

Engine Model	Model Note	Year Range	Serial # Range	6 in. (152 mm) Riser Kit	Hose Kit	Intermediate Elbow Kit
MIE V-8 (454 or 502 cid)	Stainless steel exhaust elbows	1991 - 1997	0D445800 - 0K999999	807477A 5(1)(2)	(6)	(6)
MIE TOW SPORTS MODELS						
SKI V-8 (350 cid)		1985 - 1984	0A338553 - 0B525981	93322A12(1)(2)	(6)	(6)
SKI V-8 (350 & 377cid)		1985 - 2001	0B525982 - 0M299999	93322A12(1)(2)	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002	0M300000 - 0M316999	93322A12	(6)	(6)
SKI V-8 (350 cid)	Carb engines	2002 - 2011	0M317000 - 1A092837	(5)	N/A	N/A
SKI V-8 (350 & 377 cid)	MPI engines	2002	0M300000 - 0M316999	93322A10	(6)	(6)
SKI V-8 (350 & 377 cid)	MPI engines	2002 - 2015	0M317000 - 2A460138	(5)	N/A	N/A

(1) If riser is going on a 1997 and older engine, that has the exhaust manifolds in the closed cooling system, also order 2 pcs. of 27-860231 separator gaskets to go between the manifold and risers.

(2) If engine has a remote oil filter, an Oil Filter Hose Extension Kit or Oil Filter Bracket may be required.

(3) Installation Kit is only required on sterndrive engines that have the exhaust going thru the propeller.

(4) Will not fit MCM V-6 engines with the 1 pc exhaust manifold.

(5) No kit available

(6) Kit not required

(7) Additional kit(s) listed are only required upon initial installation of a riser kit. If replacing existing risers, additional kit(s) listed are not required.

(8) If engine had a Quicksilver closed cooling kit installed, it will be necessary to order a warm riser kit, p/n 864908A 2, instead of the one listed. Warm risers will have the water hose fitting located on the upper part of the riser, close to the exhaust e

EXHAUST RISER KITS (GAS, SMALL BLOCK, EMISSIONS CONTROL)

Raises the height of the V-6 & V-8 small block EC engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in. (203 mm). For MCM/MIE 8.1L & 8.2L EC engines see "Exhaust Elbow Riser Kits (8.1L) Emissions Control" section or "Exhaust Elbow Riser Kits (8.2L) Emissions Control" section.

RISER KIT



8M0153670

2 in. (51 mm) for Emissions Control exhaust, hot dipped and top coated
Fits 2008 and newer MCM/MIE/Ski V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.
Note: This kit does NOT include elbow gaskets for FWC engines. The FWC elbow gaskets 27-8M2004606 will need to be ordered separately

RISER KIT



8M0153671

4 in. (102 mm) for Emissions Control exhaust, hot dipped and top coated
Fits 2008 and newer MCM/MIE/Ski V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.
Note: This kit does NOT include elbow gaskets for FWC engines. The FWC elbow gaskets 27-8M2004606 will need to be ordered separately

RISER KIT



8M0153486

6 in. (152 mm) for Emissions Control exhaust, hot dipped and top coated
Fits 2008 and newer MCM/MIE/Ski V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.
Note: This kit does NOT include elbow gaskets for FWC engines. The FWC elbow gaskets 27-8M2004606 will need to be ordered separately

INTERMEDIATE ELBOW KIT



879288A35

Only required on sterndrive engines that have the exhaust going through the prop.
Fits MCM V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines with 2 in. (51 mm) risers. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.

INTERMEDIATE ELBOW KIT



879288A36

Only required on sterndrive engines that have the exhaust going through the prop. Fits MCM V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines with 4 in. (102 mm) risers. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.

INTERMEDIATE ELBOW KIT



879288A37

Only required on sterndrive engines that have the exhaust going through the prop. Fits MCM V-6 (4.3L & 4.5L) & V-8 (305, 350 & 377 cid) EC engines with 6 in. (152 mm) risers. Also fits 4.5L V-6 & 6.2L (Mercury) non-EC engines.

INTERMEDIATE ELBOW KIT



879288A38

Only required on sterndrive engines that have the exhaust going through the prop. Fits MCM V-8 (305, 350 & 377 cid) EC engines with 8 in. (203 mm) risers.

HOSE KIT



32-8M0051174

Supplemental hose kit required for closed cooling engines. Fits 2011-2016 MCM 4.3L MPI EC engines w/ 2 in. (51 mm) risers

HOSE KIT



32-8M0051175

Supplemental hose kit required for closed cooling engines. Fits 2011-2016 MCM 4.3L MPI EC engines w/ 4 in. (102 mm) risers

HOSE KIT



32-8M0051176

Supplemental hose kit required for closed cooling engines. Fits 2011-2016 MCM 4.3L MPI EC engines w/ 6 in. (152 mm) risers

HOSE KIT



8M0096701

Supplemental hose kit required for standard cooling engines. Fits 2014 & newer MCM 4.5L V6 EC & non-EC engines w/ 6 in. (152 mm) risers

HOSE KIT



8M0089504

Supplemental hose kit required for closed cooling engines. Fits 2014 & newer MCM 4.5L V6 EC & non-EC engines w/ 6 in. (152 mm) risers

EXHAUST ELBOW RISER KITS (8.1L) EMISSIONS CONTROL

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in.(203 mm) available. For use on MCM/MIE 8.1L Emissions Control engines only.

EXHAUST ELBOW KIT



8M0062051

This elbow is 2 in.(51 mm) higher than the standard elbow. Fits MCM/MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062052

This elbow is 4 in.(102 mm) higher than the standard elbow. Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062053

This elbow is 6 in.(152 mm) higher than the standard elbow. Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



879288T84

Design II
This elbow is 8 in.(203 mm) higher than the standard elbow. Fits MCM 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350340-2A41664); also fits MCM/MIE 8.1L EC engines

EXHAUST "Y" PIPE KIT



98-8M0117125

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.
Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit. For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.
Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.

INTERMEDIATE ELBOW KIT



44267A04

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with standard 0" risers.

INTERMEDIATE ELBOW KIT



44267A05

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 2 in. (51 mm) risers.

INTERMEDIATE ELBOW KIT



44267A06

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 4 in. (102 mm) risers.

INTERMEDIATE ELBOW KIT



44267A07

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 6 in. (152 mm) risers.

INTERMEDIATE ELBOW KIT



44267A08

Used in conjunction with Exhaust "Y" Pipe kit 8M0117125 to convert engine to thru prop exhaust.
Fits MCM 8.1L EC engines with 8 in. (203 mm) risers.

EXHAUST ELBOW RISER KITS (8.2L) EMISSIONS CONTROL

Raises the height of the engines exhaust system to prevent water from entering the engine through the exhaust system. Maximum height of 8 in.(203 mm) available. For use on MCM/MIE 8.2L Emissions Control engines only.

EXHAUST ELBOW KIT



8M005754

2 in.(51 mm) riser height, hot dipped and top coated
Fits 2012 & newer MCM/MIE 8.2L Emissions Control engines with single catalyst exhaust manifolds (s/n 2A041665 and up)

EXHAUST ELBOW KIT



8M005755

4 in.(102 mm) riser height, hot dipped and top coated
Fits 2012 & newer MCM/MIE 8.2L Emissions Control engines with single catalyst exhaust manifolds (s/n 2A041665 and up)

EXHAUST ELBOW KIT



8M005756

6 in.(152 mm) riser height, hot dipped and top coated
Fits 2012 & newer MCM/MIE 8.2L Emissions Control engines with single catalyst exhaust manifolds (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095832

Required when changing exhaust elbow height to 2 in. (51 mm) risers.
Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095833

Required when changing exhaust elbow height to 4 in. (102 mm) risers.
Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041665 and up)

INTERMEDIATE ELBOW KIT



8M0095834

Required when changing exhaust elbow height to 6 in. (152 mm) risers.
Fits 2012 & newer MCM 8.2L EC engines with single catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041665 and up)

EXHAUST ELBOW KIT



8M0062051

This elbow is 2 in. (51 mm) higher than the standard elbow.
Fits MCM/MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062052

This elbow is 4 in. (102 mm) higher than the standard elbow.
Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062053

This elbow is 6 in. (152 mm) higher than the standard elbow.
Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



879288T84

Design II
This elbow is 8 in. (203 mm) higher than the standard elbow.
Fits MCM 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350340-2A41664); also fits MCM/MIE 8.1L EC engines

EXHAUST ELBOW KIT



8M0062051

This elbow is 2 in. (51 mm) higher than the standard elbow.
Fits MCM/MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062052

This elbow is 4 in.(102 mm) higher than the standard elbow.
Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062053

This elbow is 6 in.(152 mm) higher than the standard elbow.
Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

EXHAUST ELBOW KIT



8M0062054

This elbow is 8 in.(203 mm) higher than the standard elbow.
Fits MIE 8.2L EC engines with three catalyst exhaust manifolds (s/n 1A350802-2A041664)

INTERMEDIATE ELBOW KIT



879288A13

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.
Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 2 in. (51 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A14

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.
Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 4 in. (102 mm) risers (s/n 2A041664 and below)

INTERMEDIATE ELBOW KIT



879288A15

Used in conjunction with Exhaust "Y" Pipe Kit 8M0117125 to convert engine to thru prop exhaust.
Fits 2010-2012 MCM 8.2L EC engines with three catalyst exhaust manifolds and 6 in. (152 mm) risers (s/n 2A041664 and below)

EXHAUST "Y" PIPE KIT



98-8M0117125

Used to convert MCM 8.1L & 8.2L engines with thru transom exhaust to thru prop exhaust.
Also requires the use of intermediate elbow kit in conjunction with this "Y" Pipe Kit.
For 8.1L & 8.2L non-Emissions Control engines, use 44267A02 or A03. For 8.1L Emissions Control engines, use 44267A04, A05, A06, A07 or A08. For 8.2L Emissions Control engines with three catalyst exhaust manifolds, use 879288A12, A13, A14, A15 or A16.
Fits all MCM 8.1L & 8.2L sterndrive engines, except 2012 & newer 8.2L EC engines with single catalyst exhaust manifolds.



EXHAUST RISER CHART - GAS, EMISSIONS CONTROL ENGINES

Exhaust Risers (Gas, Emissions Control engines)

Engine Model	Model Note	Year Range	Serial # Range	Riser Kit	Riser Height	Intermediate Elbow Kit	Hose Kit
MCM 4.3 EC	MPI engines	2011 - 2016	1A637496 - 2A528897	8M0153670(7)	2 in. (51 mm)	879288A35(1)	32-8M0051174(4)
MCM 4.3L EC	MPI engines	2011 - 2016	1A637496 - 2A528897	8M0153671(7)	4 in. (102 mm)	879288A36(1)	32-8M0051175(4)
MCM 4.3L EC	MPI engines	2011 - 2016	1A637496 - 2A528897	8M0153486(7)	6 in. (152 mm)	879288A37(1)	32-8M0051176(4)
MCM 4.5L MPI	EC & Non-EC	2014 - 2022	2A441953 and up	8M0153670(7)	2 in. (51 mm)	879288A35(1)	N/A
MCM 4.5L MPI	EC & Non-EC	2014 - 2022	2A441953 and up	8M0153671(7)	4 in. (102 mm)	879288A36(1)	N/A
MCM 4.5L MPI	EC & Non-EC w/ standard cooling	2014 - 2022	2A441953 and up	8M0153486(7)	6 in. (152 mm)	879288A37(1)	8M0096701(5)
MCM 4.5L MPI	EC & Non-EC w/ closed cooling	2014 - 2022	2A441953 and up	8M0153486(7)	6 in. (152 mm)	879288A37(1)	8M0089504(6)
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	8M0153670(7)	2 in. (51 mm)	879288A35(1)	N/A
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	8M0153671(7)	4 in. (102 mm)	879288A36(1)	N/A
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	8M0153486(2)(3)(7)	6 in. (152 mm)	879288A37(1)	N/A
MCM/MIE V-8 (305, 350 & 377 cid)	MPI engines	2008 - 2015	1A300000 - 2A455878	N.L.A.(2)(3)	8 in. (203 mm)	879288A38(1)	N/A
MCM/MIE/Tow Sports 6.2L MPI	EC & Non-EC	2015 - 2022	2A456613 and up	8M0153670(7)	2 in. (51 mm)	879288A35(1)	N/A
MCM/MIE/Tow Sports 6.2L MPI	EC & Non-EC	2015 - 2022	2A456613 and up	8M0153671(7)	4 in. (102 mm)	879288A36(1)	N/A
MCM/MIE/Tow Sports 6.2L MPI	EC & Non-EC	2015 - 2022	2A456613 and up	8M0153486(7)	6 in. (152 mm)	879288A37(1)	N/A
MIE Tow Sports V-8 (350 & 377 cid)	MPI engines with standard cooling	2008 - 2015	1A090000 - 2A460148	8M0153670	2 in. (51 mm)	N/A	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	8M0062051	2 in. (52 mm)	44267A05(1)	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	8M0062052	4 in. (102 mm)	44267A06(1)	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	879288T83	6 in. (152 mm)	44267A07(1)	N/A
MCM/MIE V-8 (496 cid)	MPI engines	2008 - 2010	1A066166 - 1A380251	879288T84	8 in. (203 mm)	44267A08(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	8M0062051	2 in. (52 mm)	879288A13(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	8M0062052	4 in. (102 mm)	879288A14(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	879288T83	6 in. (152 mm)	879288A15(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with 3 catalyst exhaust manifolds	2010 - 2012	1A350340 - 2A041664	879288T84	8 in. (203 mm)	N.L.A.(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with single catalyst exhaust manifolds	2012 - 2022	2A041665 and up	8M0057574	2 in. (52 mm)	8M0095832(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with single catalyst exhaust manifolds	2012 - 2022	2A041665 and up	8M0057575	4 in. (102 mm)	8M0095833(1)	N/A
MCM/MIE V-8 (502 cid)	MPI engines with single catalyst exhaust manifolds	2012 - 2022	2A041665 and up	8M0057576	6 in. (152 mm)	8M0095834(1)	N/A

- (1) Only required on sterndrive engines that have the exhaust going thru the prop.
- (2) Order Poppet Valve Kit 879288A26 if converting a closed cooled MCM engine having 0 in., 2 in. or 4 in. risers.
- (3) Order Poppet Valve Kit 879288A27 if converting a closed cooled MIE engine having 0 in., 2 in. or 4 in. risers.
- (4) Hose kit required only if closed cooled engine
- (5) Use on standard cooling engines
- (6) Use on closed cooling engines
- (7) Order FWC elbow gaskets 27-8M2004606 separately if installing on a closed cooled MCM/MIE engine

EXHAUST MANIFOLD FITTINGS

EXHAUST MANIFOLD DRAIN ELBOW



22- 862210A01

Stainless steel with drain
Fits MCM/MIE V-6 & V-8 engines with center rise exhaust manifolds.

EXHAUST MANIFOLD ELBOW



22- 36305T

Brass material without drain
Use on big block V-8 engines that have the exhaust manifolds in the closed cooling system.

CARBURETOR WEDGE KIT

CARBURETOR WEDGE KIT



879288T62

Helps eliminate carburetor lean out condition in extremely hard right turns.
Fits MCM 3.0L engines (1998-2016)

COOL FUEL RELOCATION KITS

These kits are for engines that need the cool fuel system relocated to the front of the engine due to interference with engine plate mounts or other components.

COOL FUEL RELOCATION KIT




861637A 2

For 1998-2001 MCM 454/502 MPI engines with MEFI 3 ignition (s/n 0L085400-0M024999).

CLOSED COOLING KITS

Some engine models will require a closed cooling kit, a belt kit, and a seawater pump kit. Other models will not require all these kits. A note indicates that there might be a different kit that is required to make the kits fit the engine on which the closed cooling is being installed. N/A = Not Applicable.

CLOSED COOLING KIT



61086A11

Side mounted kit.
This kit fits front mount engines only.
Fits MCM 120, 140, 2.5L & 3.0L/LX (1983-2016)


CLOSED COOLING KIT



879288A02

Side mounted kit.
This kit fits front mount engines only.
Fits 2008-2016 MCM 3.0 MPI Emissions Control engine.

CLOSED COOLING KIT



860427A 4

Front mounted kit.

Fits 1996-1999 MCM V-6 engines with serpentine belt (s/n 0F803000-0L619083)
Fits 1997 MCM V-8 (350 cid) engines w/ serpentine belt (s/n 0K001506-0K999999)

864920A02

Front mounted kit. Full closed system which also protects the dry joint exhaust manifolds from corrosion.

Fits 2002-2016 MCM V-6 & V-8 (305, 350 & 377) MPI engines (s/n 0M600000 thru 2A506375).

Fits 2002-2015 MIE V-8 (350 cid) MPI engines (s/n 0M317000 thru 2A455523).
See application chart.

CLOSED COOLING KIT




98-8M0118064

Front mounted kit.

Fits 2005-2015 MCM V-6 TKS engines (s/n 0W310000 thru 2A454127). See application chart.

CLOSED COOLING KIT



8M0051178

Front mounted kit. Full closed system which also protects the dry joint exhaust manifolds from corrosion.

Fits 2011-2016 MCM 4.3L MPI Emissions Control engines.

CLOSED COOLING KIT



8M0119309

Front mounted kit. Full closed system which also protects the exhaust manifolds from corrosion.

Fits 2014 & newer MCM 4.5L MPI engines (s/n 2A441953 & up)

CLOSED COOLING KIT



98-8M0112577

Front mounted kit. Full closed system which also protects the exhaust manifolds from corrosion.


Fits 2015-2016 MCM 6.2L Bravo (s/n 2A456613-2A530775) & TowSport 6.2L (s/n 2A456613-2A530773). NOTE: If installing on 6.2L TowSport V-drive models with the exhaust elbow outlets pointing to the front of the engine, this kit can only be used on DTS models only.

98-8M0123588

Front mounted kit. Full closed system which also protects the exhaust manifolds from corrosion.

Fits 2016 & newer MCM 6.2L Bravo (s/n 2A530776 & up) & TowSport 6.2L (s/n 2A530774 & up). NOTE: If installing on 6.2L TowSport V-drive models with the exhaust elbow outlets pointing to the front of the engine, this kit can only be used on DTS models only.

CLOSED COOLING KIT



860427A 5

Front mounted kit.

Fits 1997-1999 MCM V-8 (305 & 350 cid) engines (s/n 0K001501-0L618999).
Fits 1997-2001 MIE & Tow Sports V-8 (350 & 377 cid) Gen+ engines (s/n 0K040006-0M299999)

Fits 2001-2002 MIE & Tow Sports V-8 (350 cid) carb engines (s/n 0M300000-0M316999). See application chart.

860427A 7

Front mounted kit.

Fits 1999-2001 MCM V-8 (305, 350 & 377 cid) engines (s/n 0L619000-0M299999).
Fits 2001-2002 MCM V-8 (305, 350 & 377 cid) Carb engines (s/n 0M300000-0M590000). See application chart.


CLOSED COOLING KIT



879288A39

Front mounted kit. Full closed system which also protects the dry joint exhaust manifolds from corrosion.
Fits 2008-2016 MCM/MIE V-8 (305, 350 & 377) MPI Emissions Control engines.

CLOSED COOLING KIT



807639A 3

Front mounted kit.
Fits 1996-2001 MCM & MIE V-8 (454 & 502 cid) engines. See application chart.

SERPENTINE BELT & PULLEY KIT



889432A 1

Fits 2002-2003 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with standard cooling that the power steering pump is being removed (s/n 0M343008-0M999999).

SERPENTINE BELT & PULLEY KIT



889433A 1

Fits 2002-2003 MCM V-6 & V-8 (305, 350 & 377 cid) Alpha engines with closed cooling and Bravo engines that the power steering pump is being removed (s/n 0M343008-0M999999).

SERPENTINE BELT KIT



807901T 6

Fits MCM 4.3L Alpha. See application chart for specific engine models.

SERPENTINE BELT KIT




807901A 5

Fits MCM 4.3L Bravo; 5.0L & 5.7L Alpha/Bravo. See application chart for specific engine models.

807901A 3

For dual engine applications where power steering pump is being removed.
Fits MCM V-6 & V-8 (305 & 350 cid) Bravo engines with standard cooling. Also fits MCM 4.3L Bravo; 5.0L & 5.7L Alpha/Bravo with closed cooling. See application chart for specific engine models.

SERPENTINE BELT



57-865615Q03

2704 mm length
Fits 2001-2016 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with closed cooling and Bravo engines with standard cooling (s/n 0M320025 thru 2A455872)

57-865615Q09

1780 mm length
Fits 1999-2001 MCM V-6 & V-8 (305 & 350 cid) Alpha engines with high mounted alternator (s/n 0L619000-0M320024)

57-865615Q08

2535 mm length
Fits 1999-2002 MCM V-6 & V-8 (305, 350 & 377 cid) Bravo engines with high mounted alternator that the power steering pump is being removed (s/n 0L619000-0M343007).

57-865615Q07

2467 mm length
Fits 1998-2001 MCM V-8 (454 & 502 cid) Bravo engines with serpentine belt that the power steering pump is being removed.

SEAWATER PUMP KIT



98-8M0137212

Fits MCM 4.3L EC Alpha engines. Used in conjunction with closed cooling kit. See closed cooling kit application chart.


SEAWATER PUMP KIT



46-8M0122666

Fits 2016 & newer MCM 4.5L MPI engines (s/n 2A441953 & up). Used in conjunction with Closed Cooling Kit

REAR COVER ASSEMBLY



863674A05

Brass housing with stainless steel wear plate
Fits current small block brass seawater pump w/ air fittings

SEAWATER PUMP KIT



46-807151A 5

Fits MCM V-8 (305 & 350 cid) Alpha engines. See application chart.

SEAWATER PUMP KIT



46-807151A25

Fits 1999-2001 MCM V-8 (305 & 350 cid) Alpha engines (s/n 0L619000-0M299999). See application chart.

SEAWATER PUMP KIT



46-8M0139983

Fits 2001-2016 MCM V-6 & V-8 (305 & 350 cid) Alpha engines (s/n 0M300000 thru 2A506375). Use only in conjunction with closed cooling kit. See closed cooling application chart.


HOSE EXTENDER KIT



860315A 1

Required if seawater hose is routed across the intake manifold.
Fits MCM 4.3L Alpha/Bravo & 5.0L Alpha. See application chart.

FUEL LINE KIT



32-861070T

Fits MCM 5.7L Alpha/Bravo. See application chart.

HOSE KIT



98-8M0112578

Supplemental hose kit used in conjunction with main closed cooling kit 8M0112577. Fits 2015-2016 MCM 6.2L Bravo (s/n 2A456613-2A530775)

HOSE KIT



98-8M0123590

Supplemental hose kit used in conjunction with main closed cooling kit 8M0123588. Fits 2016 & newer MCM 6.2L Bravo (s/n 2A530776 & up)

HOSE KIT



98-8M0112579

Supplemental hose kit used in conjunction with main closed cooling kit 8M0112577. Fits 2015-2016 TowSport 6.2L in-line engines (s/n 2A456613-2A530773)

HOSE KIT



98-8M0123592

Supplemental hose kit used in conjunction with main closed cooling kit 8M0123588. Fits 2016 & newer TowSport 6.2L in-line engines (s/n 2A530774 & up)

HOSE KIT



98-8M0112580

Supplemental hose kit used in conjunction with main closed cooling kit 8M0112577. Fits 2015-2016 TowSport 6.2L V-drive engines (s/n 2A456613-2A530773).

HOSE KIT



98-8M0123593

Supplemental hose kit used in conjunction with main closed cooling kit 8M0123588. Fits 2016 & newer TowSport 6.2L V-drive engines (s/n 2A530774 & up).

HOSE KIT



32-879172A16

Supplemental hose kit used in conjunction with main closed cooling kit 879288A39. Fits 2008-2016 MCM & MIE in-line V-8 (305, 350 & 377 cid) MPI Emissions Control engines

HOSE KIT



32-879172A17

Supplemental hose kit used in conjunction with main closed cooling kit 879288A39. Fits 2008-2016 MIE V-drive V-8 (305, 350 & 377 cid) MPI Emissions Control engines

HOSE KIT



32-865039A02

Supplemental hose kit used in conjunction with main closed cooling kit 879288A39. Fits 2008-2011 MCM Axius V-8 (305, 350 & 377 cid) MPI Emissions Control engines

RISER HOSE KIT



32-8M0082066

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
Fits 2005-2015 MCM 4.3L TKS engines (s/n 0W310000 thru 2A454127).

RISER HOSE KIT



32-865039A 1

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
Fits 2002-2016 MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M615000 and up) & MIE V-8 (350 & 377 cid) MPI engines with in-line transmission (s/n 0M390000 and up).

HOSE KIT



32-8M0051174

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 2 in.(51 mm) risers

RISER HOSE KIT



32-865090A01

Fits MCM V-6 MPI engines (s/n 0M600000 thru 2A506375).

HOSE KIT



32-8M0051175

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 4 in.(102 mm) risers

RISER HOSE KIT



32-865998A01

Used in conjunction with 4.7 in. (119 mm) & 6 in. (152 mm) exhaust risers & CLOSED COOLING
Fits 2004-2016 MCM 4.3L MPI engines (s/n 0W310000 thru 2A506375).

HOSE KIT



32-8M0051176

Supplemental hose kit required for closed cooling engines.
Fits 2011-2016 MCM 4.3L MPI EC engines w/ 6 in.(152 mm) risers

BRACKET



865188T01

Replacement bracket required for specific engine applications when adding closed cooling.
Fits MCM V-8 (305, 350 & 377 cid) MPI engines (s/n 0M600000-0M616622).

BLOCK OFF KIT



8M0095447

Fits MCM 4.5L Alpha engines. Used in conjunction with Closed Cooling Kit p/n 8M0119309

CLOSED COOLING KIT CHART (DRY JOINT EXHAUST)

When adding a closed cooling kit to an engine with 6 in. (152 mm) cold exhaust risers, it will be necessary to replace the exhaust risers with 6 in. (152 mm) warm exhaust risers (p/n 864908A 2). The difference between cold & warm exhaust risers can be identified by the location of the riser hose fitting. Cold exhaust risers will have the hose fitting toward the lower part of the exhaust riser close to the exhaust manifold. Warm exhaust risers will have the hose fitting toward the upper part of the exhaust riser close to the exhaust elbow.

Closed Cooling Kits (2002 and newer)

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MERCUISER STERNDRIVE MODELS (MCM)						
MCM 3.0L	2002 - 2016	0M087452 - 2A506300	61086A11(2)	N/A	N/A	N/A
MCM 3.0L MPI EC	2008 - 2011	1A072812 - 1A648622	879288A02	N/A	8M0049841(4)	N/A
MCM 3.0L MPI EC	2011 - 2016	1A648623 - 2A502810	879288A02	N/A	78-8M0059346(4)	N/A
MCM 4.3L	2002 - 2005	0M600000 - 0W309999	(1)	N/A	N/A	N/A
MCM 4.3L	2005 - 2015	0W310000 - 2A454127	98-8M0118064	N/A	N/A	32-8M0082066(18)
MCM 4.3L MPI Alpha	2002 - 2006	0M600000 - 0W649999	864920A02(5)(7)(16)	46-8M0139983(6)	77-865831T07(4)	32-865090A01(11)
MCM 4.3L MPI Alpha	2006 - 2007	0W650000 - 1A063239	864920A02(5)(16)	46-8M0139983(6)	77-865831T06(4)	32-865090A01(11)
MCM 4.3L MPI Alpha	2007 - 2008	1A063240 - 1A343327	864920A02(5)(16)	46-8M0139983(6)	77-865831T08(4)	32-865090A01(11)
MCM 4.3L MPI Alpha	2009 - 2016	1A343328 - 2A506375	864920A02(5)(16)	46-8M0139983(6)	8M0064760(4)	32-865090A01(11)
MCM 4.3L 180 MPI Alpha	2015 - 2016	2A457710 - 2A506375	(1)	N/A	N/A	N/A
MCM 4.3L MPI Alpha EC(12)	2011 - 2011	1A634796 - 1A648622	8M0051178(5)(13)	98-8M0137212(6)	8M0054004(4)	(15)
MCM 4.3L MPI Alpha EC(12)	2011 - 2016	1A648623 - 2A528897	8M0051178(5)(13)	98-8M0137212(6)	78-8M0059348(4)	(15)
MCM 4.3L 180 MPI Alpha EC(12)	2015 - 2016	2A457710 - 2A528897	(1)	N/A	N/A	N/A
MCM 4.3L MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(9)	N/A	77-865001T02(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2004 - 2006	0W029411 - 0W649999	864920A02(5)(9)	N/A	77-865833T06(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2006 - 2007	0W650000 - 1A063239	864920A02(5)(9)	N/A	77-865833T05(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2007 - 2008	1A063240 - 1A343327	864920A02(5)(9)	N/A	77-865833T07(4)	32-865090A01(11)
MCM 4.3L MPI Bravo	2009 - 2016	1A343328 - 2A506375	864920A02(5)(9)	N/A	8M0064759(4)	32-865090A01(11)
MCM 4.3L MPI Bravo EC(12)	2011 - 2011	1A637496 - 1A648622	8M0051178(5)	863674A05(17)	8M0054006(4)	(15)
MCM 4.3L MPI Bravo EC(12)	2011 - 2016	1A648623 - 2A528897	8M0051178(5)	863674A05(17)	78-8M0059350(4)	(15)
MCM 4.5L MPI Alpha	2014 - 2016	2A441953 - 2A530777	8M0119309(5)	46-8M0122666(6)(19)	N/A	N/A
MCM 4.5L MPI Alpha	2016 - 2022	2A530778 and up	8M0119309(5)	46-8M0122666(6)(19)	N/A	N/A
MCM 4.5L MPI Bravo	2014 - 2016	2A441953 - 2A530777	8M0119309	N/A	N/A	N/A
MCM 4.5L MPI Bravo	2016 - 2022	2A530778 and up	8M0119309	N/A	N/A	N/A
MCM 5.0L Alpha	2002 - 2009	0M600000 - 1A607561	N.L.A.(5)	46-8M0139983(6)	N/A	32-865039A 1(8)
MCM 5.0L Bravo	2002 - 2009	0M600000 - 1A607561	N.L.A.(5)(9)	N/A	N/A	32-865039A 1(8)
MCM 5.0L MPI Alpha	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)	46-8M0139983(6)	77-865835T03(4)	32-865039A 1(8)
MCM 5.0L MPI Alpha	2004	0W029411 - 0W309999	864920A02(5)	46-8M0139983(6)	77-865835T03(4)	32-865039A 1(8)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MCM 5.0L MPI Alpha	2004 - 2006	0W310000 - 0W649999	864920A02(5)	46-8M0139983(6)	77-866190T06(4)	32-865039A 1(8)
MCM 5.0L MPI Alpha	2006 - 2008	0W650000 - 1A343327	864920A02(5)	46-8M0139983(6)	77-866190T07(4)	32-865039A 1(8)
MCM 5.0L MPI Alpha	2009 - 2014	1A343328 - 2A445009	864920A02(5)	46-8M0139983(6)	77-879194T83(4)	32-865039A 1(8)
MCM 5.0L MPI Alpha EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)	46-8M0139983(6)	8M0071875(4)	32-879172A16
MCM 5.0L MPI Alpha EC(12)	2011 - 2014	1A648623 - 2A444777	879288A39(5)	46-8M0139983(6)	78-8M0059352(4)	32-879172A16
MCM 5.0L MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)(9)	N/A	77-865003T03(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo	2004	0W029411 - 0W309999	864920A02(5)(9)	N/A	77-865837T02(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo	2004 - 2006	0W310000 - 0W649999	864920A02(5)(9)	N/A	77-866192T06(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo	2006 - 2008	0W650000 - 1A343327	864920A02(5)(9)	N/A	77-866192T05(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo	2009 - 2014	1A343328 - 2A445009	864920A02(5)(9)	N/A	77-879194T85(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071877(4)	32-879172A16
MCM 5.0L MPI Bravo EC(12)	2011 - 2014	1A648623 - 2A444777	879288A39(5)(9)	N/A	78-8M0059354(4)	32-879172A16
MCM 5.0L MPI Bravo DTS	2004 - 2008	0W310000 - 1A343327	864920A02(5)(9)	N/A	866237T04(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo DTS	2009 - 2014	1A343328 - 2A445009	864920A02(5)(9)	N/A	78-8M0059270(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo Axis DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	879172T80(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo Axis DTS	2009 - 2010	1A343328 - 1A623184	864920A02(5)(9)	N/A	77-879194T99(4)	32-865039A 1(8)
MCM 5.0L MPI Bravo DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071884(4)	32-879172A16
MCM 5.0L MPI Bravo DTS EC(12)	2011 - 2014	1A648623 - 2A444777	879288A39(5)(9)	N/A	78-8M0059366(4)	32-879172A16
MCM 5.0L MPI Bravo Axis DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071888(4)	32-879172A16(14)
MCM 5.7L Alpha	2002 - 2009	0M600000 - 1A600136	N.L.A.(5)	46-8M0139983(6)	N/A	32-865039A 1(8)
MCM 5.7L Bravo	2002 - 2009	0M600000 - 1A600136	N.L.A.(5)(9)	N/A	N/A	32-865039A 1(8)
MCM 350 Mag MPI Alpha	2002 - 2004	0M600000 - 0W309999	864920A02(5)(7)	46-8M0139983(6)	77-865839T03(4)	32-865039A 1(8)
MCM 350 Mag MPI Alpha	2004 - 2006	0W310000 - 0W649999	864920A02(5)	46-8M0139983(6)	77-866123T06(4)	32-865039A 1(8)
MCM 350 Mag MPI Alpha	2006 - 2008	0W650000 - 1A343327	864920A02(5)	46-8M0139983(6)	77-866123T05(4)	32-865039A 1(8)
MCM 350 Mag MPI Alpha	2009 - 2015	1A343328 - 2A455872	864920A02(5)	46-8M0139983(6)	77-879194T87(4)	32-865039A 1(8)
MCM 350 Mag MPI Alpha EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)	46-8M0139983(6)	8M0071878(4)	32-879172A16
MCM 350 Mag MPI Alpha EC(12)	2011 - 2015	1A648623 - 2A455878	879288A39(5)	46-8M0139983(6)	78-8M0059356(4)	32-879172A16
MCM 350 Mag MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)(9)	N/A	77-865005T03(4)	32-865039A 1(8)
MCM 350 Mag MPI Bravo	2004	0W029411 - 0W309999	864920A02(5)(9)	N/A	77-865841T02(4)	32-865039A 1(8)
MCM 350 Mag MPI Bravo	2004 - 2006	0W310000 - 0W649999	864920A02(5)(9)	N/A	77-866125T06(4)	32-865039A 1(8)
MCM 350 Mag MPI Bravo	2006 - 2008	0W650000 - 1A343327	864920A02(5)(9)	N/A	77-866125T05(4)	32-865039A 1(8)
MCM 350 Mag MPI Bravo	2009 - 2015	1A343328 - 2A455872	864920A02(5)(9)	N/A	77-879194T89(4)	32-865039A 1(8)
MCM 350 Mag MPI Bravo DTS	2004 - 2008	0W310000 - 1A343327	864920A02(5)(9)	N/A	866239T04(4)	32-865039A 1(8)
MCM 350 Mag MPI Bravo DTS	2009 - 2015	1A343328 - 2A455872	864920A02(5)(9)	N/A	78-8M0059272(4)	32-865039A 1(8)
MCM 350 Mag MPI Axis Bravo DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	879288T03(4)	32-865039A 1(8)
MCM 350 Mag MPI Axis Bravo DTS	2009 - 2010	1A343328 - 1A623184	864920A02(5)(9)	N/A	77-879288T91(4)	32-865039A 1(8)
MCM 350 Mag MPI Bravo EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071880(4)	32-879172A16
MCM 350 Mag MPI Bravo EC(12)	2011 - 2015	1A648623 - 2A455878	879288A39(5)(9)	N/A	78-8M0059358(4)	32-879172A16
MCM 350 Mag MPI Bravo DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071885(4)	32-879172A16
MCM 350 Mag MPI Bravo DTS EC(12)	2011 - 2015	1A648623 - 2A455878	879288A39(5)(9)	N/A	78-8M0059368(4)	32-879172A16
MCM 350 Mag MPI Bravo Axis DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0071889(4)	32-879172A16(14)
MCM 377 Mag MPI Bravo	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	77-866130T05(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo	2009	1A343328 - 1A345479	864920A02(5)(9)	N/A	77-879194T39(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo	2009	1A345480 - 1A345492	864920A02(5)(9)	N/A	77-879288T93(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo	2009	1A345493 - 1A345765	864920A02(5)(9)	N/A	77-879194T39(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo	2009	1A345766 - 1A345767	864920A02(5)(9)	N/A	77-879288T93(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo	2009	1A345768 - 1A346789	864920A02(5)(9)	N/A	77-879194T39(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo	2009 - 2015	1A346790 - 2A455858	864920A02(5)(9)	N/A	77-879288T93(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	866243T05(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo DTS	2009	1A343328 - 1A345479	864920A02(5)(9)	N/A	77-879194T44(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345480 - 1A345492	864920A02(5)(9)	N/A	78-8M0059274(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345493 - 1A345765	864920A02(5)(9)	N/A	77-879194T44(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345766 - 1A345767	864920A02(5)(9)	N/A	78-8M0059274(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo DTS	2009	1A345768 - 1A346789	864920A02(5)(9)	N/A	77-879194T44(4)	32-865039A 1(8)

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MCM 377 Mag MPI Bravo DTS	2009 - 2015	1A346790 - 2A455858	864920A02(5)(9)	N/A	78-8M0059274(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo Axis DTS	2008	1A300000 - 1A343327	864920A02(5)(9)	N/A	879194T73(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo Axis DTS	2009	1A343328 - 1A345479	864920A02(5)(9)	N/A	77-879355T82(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo Axis DTS	2009	1A345480 - 1A345492	864920A02(5)(9)	N/A	77-879194T17(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo Axis DTS	2009	1A345493 - 1A345765	864920A02(5)(9)	N/A	77-879355T82(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo Axis DTS	2009	1A345766 - 1A345767	864920A02(5)(9)	N/A	77-879194T17(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo Axis DTS	2009	1A345768 - 1A346789	864920A02(5)(9)	N/A	77-879355T82(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo Axis DTS	2009 - 2010	1A346790 - 1A623184	864920A02(5)(9)	N/A	77-879194T17(4)	32-865039A 1(8)
MCM 377 Mag MPI Bravo EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0052735(4)	32-879172A16
MCM 377 Mag MPI Bravo EC(12)	2011 - 2015	1A648623 - 2A455601	879288A39(5)(9)	N/A	78-8M0059363(4)	32-879172A16
MCM 377 Mag MPI Bravo DTS EC(12)	2008 - 2011	1A300000 - 1A648622	879288A39(5)(9)	N/A	8M0052739(4)	32-879172A16
MCM 377 Mag MPI Bravo DTS EC(12)	2011 - 2015	1A648623 - 2A455601	879288A39(5)(9)	N/A	78-8M0059257(4)	32-879172A16
MCM 377 Mag MPI Bravo Axis DTS EC(12)	2008 - 2011	1A300000 - 1A623184	879288A39(5)(9)	N/A	8M0071890(4)	32-879172A16(14)
MCM 6.2L MPI Mercury	2015 - 2016	2A456613 - 2A530775	98-8M0112577(5)	N/A	N/A	98-8M0112578
MCM 6.2L MPI Mercury	2016 - 2022	2A530776 and up	98-8M0123588(5)	N/A	N/A	98-8M0123590
MCM MX 6.2 MPI Bravo	2002 - 2004	0M600000 - 0W029410	864920A02(5)(7)(9)	N/A	77-865008T04(4)	32-865039A 1(8)
MCM MX 6.2 MPI Bravo	2004	0W029410 - 0W309999	864920A02(5)(9)	N/A	77-865846T02(4)	32-865039A 1(8)
MCM MX 6.2 MPI Bravo	2004 - 2006	0W310000 - 0W649999	864920A02(5)(9)	N/A	866130T06(4)	32-865039A 1(8)
MCM MX 6.2 MPI Bravo	2006 - 2007	0W650000 - 1A299999	864920A02(5)(9)	N/A	77-866130T05(4)	32-865039A 1(8)
MCM MX 6.2 MPI Bravo DTS	2004 - 2007	0W310000 - 1A299999	864920A02(5)(9)	N/A	866243T05(4)	32-865039A 1(8)
MERCUISER INBOARD MODELS (MIE)						
MIE 350 Mag MPI	2002 - 2004	0M317000 - 0W389999	864920A02(5)	N/A	77-865006T04(4)	32-865039A 1(10)
MIE 350 Mag MPI	2004 - 2006	0W390000 - 0W689999	864920A02(5)	N/A	77-866127T05(4)	32-865039A 1(10)
MIE 350 Mag MPI	2006 - 2008	0W690000 - 1A089999	864920A02(5)	N/A	866127T04(4)	32-865039A 1(10)
MIE 350 Mag MPI DTS	2004 - 2008	0W390000 - 1A089999	864920A02(5)	N/A	866241T06(4)	32-865039A 1(10)
MIE 5.7L	2002 - 2010	0M317000 - 1A092388	N.L.A.(5)	N/A	N/A	32-865039A 1(10)
MIE 5.7L MPI	2008	1A090000 - 1A091825	864920A02(5)	N/A	866127T04(4)	32-865039A 1(10)
MIE 5.7L MPI	2009 - 2015	1A091826 - 2A455523	864920A02(5)	N/A	77-879194T91(4)	32-865039A 1(10)
MIE 5.7L MPI w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071881(4)	32-879172A16
MIE 5.7L MPI w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059360(4)	32-879172A16
MIE 5.7L MPI w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071881(4)	32-879172A17
MIE 5.7L MPI w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059360(4)	32-879172A17
MIE 5.7L MPI DTS	2008	1A090000 - 1A091825	864920A02(5)	N/A	866241T06(4)	32-865039A 1(10)
MIE 5.7L MPI DTS	2009 - 2015	1A091826 - 2A455523	864920A02(5)	N/A	77-879194T97(4)	32-865039A 1(10)
MIE 5.7L MPI DTS w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071886(4)	32-879172A16
MIE 5.7L MPI DTS w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059248(4)	32-879172A16
MIE 5.7L MPI DTS w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0071886(4)	32-879172A17
MIE 5.7L MPI DTS w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455371	879288A39(5)	N/A	78-8M0059248(4)	32-879172A17
MIE MX 6.2 MPI	2002 - 2004	0M317000 - 0W389999	864920A02(5)	N/A	77-865009T04(4)	32-865039A 1(10)
MIE MX 6.2 MPI	2004 - 2006	0W390000 - 0W689999	864920A02(5)	N/A	77-866132T06(4)	32-865039A 1(10)
MIE MX 6.2 MPI	2006 - 2008	0W690000 - 1A091517	864920A02(5)	N/A	77-866132T05(4)	32-865039A 1(10)
MIE MX 6.2 MPI	2009	1A091518 - 1A091825	864920A02(5)	N/A	77-879194T41(4)	32-865039A 1(10)
MIE MX 6.2 MPI	2009 - 2015	1A091826 - 2A452368	864920A02(5)	N/A	77-879288T95(4)	32-865039A 1(10)
MIE MX 6.2 MPI DTS	2004 - 2008	0W390000 - 1A091517	864920A02(5)	N/A	866245T06(4)	32-865039A 1(10)
MIE MX 6.2 MPI DTS	2009	1A091518 - 1A091825	864920A02(5)	N/A	77-879355T80(4)	32-865039A 1(10)
MIE MX 6.2 MPI DTS	2009 - 2015	1A091826 - 2A452368	864920A02(5)	N/A	77-879288T99(4)	32-865039A 1(10)
MIE 6.2 MPI w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052737(4)	32-879172A16
MIE 6.2 MPI w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059364(4)	32-879172A16
MIE 6.2 MPI w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052737(4)	32-879172A17
MIE 6.2 MPI w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059364(4)	32-879172A17
MIE 6.2 MPI DTS w/ In-Line EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052742(4)	32-879172A16
MIE 6.2 MPI DTS w/ In-Line EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059259(4)	32-879172A16
MIE 6.2 MPI DTS w/ V-Drive EC(12)	2008 - 2011	1A090000 - 1A092817	879288A39(5)	N/A	8M0052742(4)	32-879172A17
MIE 6.2 MPI DTS w/ V-Drive EC(12)	2011 - 2015	1A092818 - 2A455246	879288A39(5)	N/A	78-8M0059259(4)	32-879172A17

Engine Model	Year Range	Serial # Range	Closed Cooling Kit	Seawater Pump Kit	ECM	Hose Kit
MERCUISER TOW SPORTS MODELS (SKI)						
Ski 5.7L Carb	2002 - 2011	0M317000 - 1A092837	(1)	N/A	N/A	N/A
Ski 350 Mag MPI	2002 - 2007	0M317000 - 1A089999	(1)	N/A	N/A	N/A
Ski 6.2L MPI In-Line	2015 - 2016	2A456613 - 2A530773	98-8M0112577(5)	N/A	N/A	98-8M0112579
Ski 6.2L MPI In-Line	2016 - 2022	2A530774 and up	98-8M0123588(5)	N/A	N/A	98-8M0123592
Ski 6.2L MPI V-Drive	2015 - 2016	2A456613 - 2A530773	98-8M0112577(5)(20)	N/A	N/A	98-8M0112580
Ski 6.2L MPI V-Drive	2016 - 2022	2A530774 and up	98-8M0123588(5)	N/A	N/A	98-8M0123593
Ski MX 6.2 MPI	2002 - 2007	0M317000 - 0W689999	(1)	N/A	N/A	N/A
Black Scorpion Ski	2002 - 2015	0M317000 - 2A460164	(1)	N/A	N/A	N/A
MX 6.2 Black Scorpion Ski	2002 - 2015	0M317000 - 2A460138	(1)	N/A	N/A	N/A

(1) No Kit Available

(2) This closed cooling kit will not fit 3.0L engines with optional side mounts

(4) The ECM must be replaced when installing a closed cooling kit on this specific engine application. Due to the many updates throughout the year, the ECM listed may not be the appropriate ECM for your engine serial number. Please check the latest Electronic Parts Catalog

(5) Note the additional required kit(s) listed to complete the installation.

(6) Thru hull water pickup is not included with seawater pump kits. Obtain locally.

(7) 865188T01 Front Lift Bracket: Order this replacement bracket if the engine s/n is 0M600000-0M616622 or if a Bravo engine with an air actuated drain system.

(8) This hose kit required only if engine has 6 in. (152 mm) exhaust risers.

(9) Bravo drive applications require the installation of an additional thru-hull or transom mounted water pickup along with the drive unit water pickups. Order these components separately.

(10) This hose kit required only if engine has in-line transmission and 6 in. (152 mm) exhaust risers.

(11) If engine is equipped with 6 in. risers, also order Hose Kit 32-865998A01

(12) Emission Controlled engine

(13) This closed cooling kit will fit Alpha engines with the standard single point drain that incorporates the rod actuated water distribution housing only, and will NOT fit Alpha engines with the special single point drain tee fitting 22-8M2020634 with the blue drain plug which was required in some boats due to the hull design.

(14) Hose kit 32-865039A02 is also required for Axius EC engines

(15) If engine is equipped with risers, 1 of the following hose kits is also required to be ordered separately. Order 32-8M0051174 for engines with 2 in. risers. Order 32-8M0051175 for engines with 4 in. risers. Order 32-8M0051176 for engines with 6 in. risers.

(16) If this kit is being mounted on a 4.3L Alpha engine, also order serpentine belt 57-865615Q03

(17) This air actuated seawater pump rear cover is required to be ordered separately for Bravo applications.

(18) This hose kit only required if engine is equipped with 4.7 in. (119 mm) or 6 in. (152 mm) risers

(19) Alpha models also required a Water Block Off Kit p/n 8M0095447 to be ordered separately

(20) This kit will only fit 6.2L V-Drive TowSport models with DTS. Will not fit V-Drive models with mechanical throttle.

CLOSED COOLING KIT CHART - MCM (PRE-DRY JOINT EXH)

MCM Closed Cooling Kits (2002 and older)

Model	Model Notes	Heat Exchanger Location	Year Range	Serial # Range	Closed Cooling Kit	Belt Kit	Seawater Pump Kit
MCM 4 cyl. (153 cid)		Side	1983 - 1989	6229718 - 0C853255	61086A11	N/A	N/A
MCM 4 cyl. (181cid)	Carb engines	Side	1983 - 2022	6229718 and up	61086A11(19)	N/A	N/A
MCM V-6 (229 cid)		Front	1983 - 1984	6330183 - 6919655	N.L.A.	N/A	N.L.A.(2)
MCM V-6 (262 cid) Alpha	Stamped steel crankshaft pulley	Front	1985 - 1990	0A331455 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-6 (262 cid) Alpha	Cast crankshaft pulley	Front	1985 - 1990	0A331455 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-6 (262 cid) Alpha	V-belt	Front	1991 - 1996	0D445800 - 0F802999	N.L.A.(6)	N/A	N.L.A.(2)(3)
MCM V-6 (262 cid) Alpha	Serpentine belt	Front	1996 - 1999	0F803000 - 0L619083	860427A 4(1)(6)(11)	807901T 6(4)(5)	N/A
MCM V-6 (262 cid) Alpha		Front	1999 - 2001	0L619084 - 0M299999	N.L.A.	(21)	N/A
MCM V-6 (262 cid) Alpha	Carb engines	Front	2002	0M300000 - 0M343007	N.L.A.	(21)	N/A
MCM V-6 (262 cid) Alpha	Carb engines	Front	2002	0M343008 - 0M599999	N.L.A.	(22)	N/A
MCM V-6 (262 cid) Alpha	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(21)	46-8M0139983(2)
MCM V-6 (262 cid) Alpha	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(22)	46-8M0139983(2)
MCM V-6 (262 cid) Bravo	Serpentine belt	Front	1996 - 1999	0F803000 - 0L619083	860427A 4(1)(6)(11)	807901A 5(5)(7)	N/A
MCM V-6 (262 cid) Bravo		Front	1999 - 2001	0L619084 - 0M299999	N.L.A.	(20)	N/A
MCM V-6 (262 cid) Bravo	Carb engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	N/A

Model	Model Notes	Heat Exchanger Location	Year Range	Serial # Range	Closed Cooling Kit	Belt Kit	Seawater Pump Kit
MCM V-6 (262 cid) Bravo	Carb engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	N/A
MCM V-6 (262 cid) Bravo	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	N/A
MCM V-6 (262 cid) Bravo	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	N/A
MCM V-8 (305 & 350 cid)		Front	1983 - 1986	6218462 - 0B525981	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	Stamped steel crankshaft pulley	Front	1987 - 1990	0B525982 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	Cast crankshaft pulley	Front	1987 - 1990	0B525982 - 0D445799	N.L.A.(6)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	V-belt	Front	1991 - 1996	0D445800 - 0F999999	N.L.A.(6)(12)	N/A	N.L.A.(2)
MCM V-8 (305 & 350 cid) Alpha	Serpentine belt	Front	1997	0K001506 - 0K999999	860427A 4(6)(13)	807901A 5(5)(7)	46-807151A 5(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	Serpentine belt	Front	1997 - 1999	0K001506 - 0K999999	860427A 5(6)	807901A 5(5)(7)	46-807151A 5(2)
MCM V-8 (305 & 350 cid Gen+) Alpha		Front	1998 - 1999	0L010035 - 0L618999	860427A 5(6)(11)	807901A 5(5)(7)	46-807151A 5(2)
MCM V-8 (305 & 350 cid Gen+) Alpha		Front	1999 - 2001	0L619000 - 0M299999	860427A 7(6)	(20)	46-807151A25(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	Carb engines	Front	2002	0M300000 - 0M343007	860427A 7(6)	(20)	46-8M0139983(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	Carb engines	Front	2002	0M343008 - 0M599999	860427A 7(6)	(23)	46-8M0139983(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	46-8M0139983(2)
MCM V-8 (305 & 350 cid Gen+) Alpha	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	46-8M0139983(2)
MCM V-8 (305 & 350 cid) Bravo	V-belt	Front	1989 - 1996	0C407810 - 0F999999	N.L.A.(12)(14)	N/A	N/A
MCM V-8 (305 & 350 cid) Bravo	Serpentine belt	Front	1997	0K001506 - 0K999999	860427A 4(6)(13)	807901A 5(5)(7)	N/A
MCM V-8 (305 & 350 cid Gen+) Bravo		Front	1997 - 1999	0K001501 - 0L618999	860427A 5(6)	807901A 5(5)(7)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo		Front	1999 - 2001	0L619000 - 0M299999	860427A 7	(20)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	Carb engines	Front	2002	0M300000 - 0M343007	860427A 7	(20)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	Carb engines	Front	2002	0M343008 - 0M599999	860427A 7	(23)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	MPI engines	Front	2002	0M300000 - 0M343007	N.L.A.	(20)	N/A
MCM V-8 (305, 350 & 377 cid Gen+) Bravo	MPI engines	Front	2002	0M343008 - 0M599999	N.L.A.	(23)	N/A
MCM V-8 (454 cid) TR/TRS	CEO exhaust manifolds	Rear	1982 - 1987	6083145 - 0B816540	N.L.A.(17)	N/A	N/A
MCM V-8 (454 cid) Alpha		Front	1986 - 1988	0A631894 and up	N/A	N/A	N/A
MCM V-8 (454 cid) Bravo	Carb engines	Front	1988 - 1996	0B721206 - 0F800699	N.L.A.(15)	N/A	N/A
MCM V-8 (454 cid) Bravo	MPI engines	Front	1994 - 1996	0F115700 - 0F602009	N/A	N/A	N/A
MCM V-8 (454 cid) Bravo	TBI & MPI engines & front mounted, vertical oil cooler	Front	1996 - 1997	0F602010 - 0K999999	807639A 3(16)	N/A	N/A
MCM V-8 (454 cid Gen VI) Bravo	Carb engines	Front	1996 - 1997	0F800700 - 0K999999	807639A 3	N/A	N/A
MCM V-8 (454 cid) Bravo	MPI engines & serpentine belt	Front	1998 - 2001	0L010003 - 0M024999	807639A 3	N/A	N/A
MCM V-8 (502 cid) Bravo	Carb engines	Front	1990 - 1993	0C878221 - 0F114528	N.L.A.(15)	N/A	N/A
MCM V-8 (502 cid) Bravo	MPI engines	Front	1993 - 1996	0D840650 - 0F802599	N/A	N/A	N/A
MCM V-8 (502 cid) Bravo	MPI engines & front mounted, vertical oil cooler	Front	1996 - 1997	0F802600 - 0K999999	807639A 3	N/A	N/A

Model	Model Notes	Heat Exchanger Location	Year Range	Serial # Range	Closed Cooling Kit	Belt Kit	Seawater Pump Kit
MCM V-8 (502 cid) Bravo	MPI engines & serpentine belt	Front	1998 - 2001	0L017000 - 0M024999	807639A 3	N/A	

- (1) This kit will fit all engines except the 1996 262 Mag EFI engines (S/N 0F803800 - 0F999999) with VST fuel system which does not have a kit available for it.
- (2) Thru hull water pickup is not included with seawater pump kits
- (3) If the seawater temperature that this boat will be operating in does not exceed 80 deg. F {26 deg. C}, a Seawater Pump Kit does not have to be installed. If the seawater temperature exceeds 80 deg. F {26 deg. C}, then a Pump kit is required.
- (4) 807901A 4 Belt Kit: Order this belt kit instead of the one listed if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.
- (5) 861578 P/S Pulley: Order this metal 5-3/4 in. (146 mm) P/S pulley if the engine has a plastic 4-3/4 in. (121 mm) O.D. power steering pulley. Reference MerCruiser Parts Bulletin 98-1
- (6) Note the additional required kit(s) listed to complete the installation.
- (7) 807901A 3 Belt Kit: Order this belt kit instead of the one listed if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.
- (10) 57-861050 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.
- (11) 860315A 2 Extender and Hose Kit: Also order this kit if installing on a V-6 or V-8 (305 CID) with a carburetor
- (12) Kit will not fit 1995-1996 (350 CID) EFI engines (S/N 0F225560 - 0F999999) with VST fuel system. No kit available.
- (13) 32-861070T Fuel Line: Order this fuel line if the engine is below S/N 0K154018 and has a 2 bbl carburetor
- (14) 85152A 2 Oil Cooler: This kit is required if boat will be operated in seawater above 90 Deg. F {32 Deg. C}
- (15) 17833A 7 Installation Kit: This kit is required when 3 in. (76 mm) or 6 in. (152 mm) risers are installed.
- (16) 32- 62987A 3 Hose Kit: Order this kit if engine is a 7.4LX TBI and is equipped with 5/8 in. (16 mm) I.D. hose and fittings from the back of the intake manifold to the engine water circulating pump
- (17) 44443A 3 Installation Kit: This kit is also required
- (18) No kit available
- (19) Closed cooling kit will not fit 3.0L engines with side mounts
- (20) 57-863876 8 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.
- (21) 57-863876 9 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.
- (22) 889432A 1 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.
- (23) 889433A 1 Belt Kit: Order this belt kit if the engine is in a dual engine boat and you are going to remove the power steering pump and hoses from this engine.

CLOSED COOLING KIT CHART - MIE (PRE-DRY JOINT EXH)

MIE Closed Cooling Kits (2002 and older)

Model	Model Notes	Year Range	Serial # Range	Closed Cooling Kit	Installations Kit
FRONT MOUNTED COOLING KITS					
MIE V-8 (305 & 350 cid)	In-line transmission & CEO exh manifolds	1981 - 1993	5907058 - 0F024999	N.L.A.	N/A
MIE V-8 (305 & 350 cid)	V-drive transmission & CEO exh manifolds	1981 - 1993	5907058 - 0F024999	(3)	N/A
MIE V-8 (350 cid)	All transmissions	1994 - 1996	0F025000 - 0K040306	N.L.A.	N/A
MIE V-8 (350 cid)	Carb engine & serpentine belt	1997	0K040307 - 0K999999		
MIE V-8 (350 & 377 cid Gen+)		1997 - 2001	0K040300 - 0M299999	860427A 5	N/A
MIE V-8 (350 cid Gen+)	Carb engines	2002	0M300000 - 0M316999	860427A 5	N/A
MIE V-8 (350 & 377 cid Gen+)	MPI engines	2002	0M300000 - 0M316999	N.L.A.	N/A
MIE V-8 (454 cid)	Carb engines & B/W 72 series in-line or V-drive	1992 - 1997	0D715494 - 0K999999	N/A	
MIE V-8 (454 cid)	Carb engines & Hurth or B/W 5000 transmission	1992 - 1997	0D715494 - 0K999999	N.L.A.	N.L.A.(1)
MIE V-8 (454 cid Gen V)	MPI & TBI engines	1995 - 1996	0F563052 - 0F820103	N/A	
MIE V-8 (454 cid Gen VI)	MPI & TBI engines	1996 - 2001	0F820104 - 0L674613	807639A 3	N.L.A.(2)
MIE V-8 (502 cid)	Hurth transmission & cast iron exh manifolds	1990 - 1992	0C878221 - 0D857199	N.L.A.	N.L.A.(1)
MIE V-8 (502 cid)	Hurth transmission & stainless steel exh manifolds	1990 - 1992	0C878221 - 0D857199	N.L.A.	N.L.A.(1)
MIE V-8 (502 cid)	Carb engines & B/W 72 series in-line or V-drive	1993 - 1996	0D857200 - 0F819619	N/A	
MIE V-8 (502 cid)	Carb engines & Hurth or B/W 5000 transmission	1993 - 1996	0D857200 - 0F819619	N.L.A.	N.L.A.(1)
MIE V-8 (502 cid Gen VI)	MPI engines	1996 - 2001	0F819620 - 0L674200	807639A 3	N/A
REAR MOUNTED COOLING KITS					
MIE V-8 (305 & 350 cid)	B/W in-line transmission & CEO exh manifolds	1981 - 1997	5907058 - 0K999999	N.L.A.	N.L.A.
MIE V-8 (305 & 350 cid)	Hurth or V-drive transmission & CEO exh manifolds	1981 - 1997	5907058 - 0K999999	N.L.A.	N.L.A.
MIE V-8 (350 & 377 cid Gen+)		1997 - 2001	0K040300 - 0M299999	N/A	

Model	Model Notes	Year Range	Serial # Range	Closed Cooling Kit	Installations Kit
MIE V-8 (350 cid Gen+)	Carb engines	2002	0M300000 - 0M316999	N/A	
MIE V-8 (350 & 377 cid Gen+)	MPI engines	2002	0M300000 - 0M316999	N/A	
MIE V-8 (454 cid)	Carb engines & B/W 72 in-line series transmission	1981 - 1997	5889914 - 0K999999	N.L.A.	N.L.A.
MIE V-8 (454 cid)	Carb engines & B/W or Hurth V-drive trans.	1981 - 1997	5889914 - 0K999999	N.L.A.	N.L.A.
MIE V-8 (454 cid)	Carb engines & Hurth down-angle or B/W 5000	1989 - 1997	0C391564 - 0K999999	N.L.A.	N.L.A.
MIE V-8 (454 cid)	MPI & TBI engines & all transmissions	1995 - 1996	0F563052 - 0F820141	N/A	
MIE V-8 (454 cid)	MPI & TBI engines & all transmissions	1996 - 2001	0F820142 - 0L674613	N/A	
MIE V-8 (502 cid)	MPI engines & all transmissions	1990 - 2001	0C878221 - 0L674200	N/A	

- (1) This installation kit is required when 3 in. (76 mm) or 6 in. (152) risers are installed.
- (2) Order this hose kit if engine is equipped with 5/8 in. (16 mm) I.D. hose and fittings from the back of the intake manifold to the engine water circulating pump
- (3) Use ONLY rear mounted closed cooling kit
- (4) Use ONLY front mounted closed cooling kit
- (5) No kit available

CLOSED COOLING KIT CHART - SKI (PRE-DRY JOINT EXH)

SKI Closed Cooling Kits (2002 and older)

Model	Model Notes	Year Range	Serial # Range	Closed Cooling Kit	Installation Kit
FRONT MOUNTED COOLING KITS					
Black Scorpion Ski		1996 - 2002	0F800000 - 0M316999	N/A	
MX 6.2 MPI Black Scorpion Ski		2001 - 2002	0L680003 - 0M316999	N/A	
Ski V-8 (350 cid)	EFI engines	1994 - 1996	0F215561 - 0K040005	(1)	N/A
Ski V-8 (350 cid)	2 bbl. carb and v-belt	1994 - 1996	0F160285 - 0K040003	N.L.A.	N/A
Ski V-8 (350 cid)	4 bbl. carb and v-belt	1994 - 1996	0F160100 - 0K040399	N.L.A.	N/A
Ski V-8 (350 cid)	2 bbl. carb & serpentine belt	1997	0K040004 - 0K999999	N/A	
Ski V-8 (350 cid)	4 bbl. carb & serpentine belt	1997	0K040400 - 0K999999	860427A 4	N/A
Ski V-8 (350 cid Gen+)		1997 - 2001	0K040006 - 0M299999	860427A 5	N/A
Ski V-8 (350 cid Gen+)	Carb engines	2002	0M300000 - 0M316999	860427A 5	N/A
Ski V-8 (350 cid Gen+)	MPI engines	2002	0M300000 - 0M316999	N.L.A.	
Ski V-8 (454 cid)		1995 - 1996	0F215800 - 0F820099	(1)	N/A
REAR MOUNTED COOLING KITS					
Black Scorpion Ski		1996 - 2002	0F800000 - 0M316999	(1)	N/A
MX 6.2 MPI Black Scorpion Ski		2001 - 2002	0L680003 - 0M316999	(1)	N/A
Ski V-8 (350 cid)	EFI engines	1994 - 1996	0F215561 - 0K040005	(1)	N/A
Ski V-8 (350 cid)	Carb engines & in-line transmission	1994 - 1997	0F160100 - 0K999999	N.L.A.	N.L.A.
Ski V-8 (350 cid)	Carb engines & V-drive transmission	1994 - 1997	0F160100 - 0K999999	N.L.A.	N.L.A.
Ski V-8 (350 cid Gen+)		1997 - 2001	0K040006 - 0M299999	N/A	
Ski V-8 (350 cid Gen+)	Carb engines	2002	0M300000 - 0M316999	N/A	
Ski V-8 (350 cid Gen+)	MPI engines w/ ECM 555	2002	0M300000 - 0M316999	N/A	
Ski V-8 (454 cid)		1995 - 1996	0F215800 - 0F820099	N/A	

- (1) No kit available
- (2) Use ONLY rear mounted closed cooling kit
- (3) Use ONLY front mounted closed cooling kit

SEAWATER HOSE DRAIN KIT

This kit will allow draining of the seawater pump without having to remove the seawater hose. Kit is inserted into the existing seawater hose.

SEAWATER HOSE DRAIN KIT



861505A 1

Fits MCM/MIE engines equipped with a seawater pump.

ENGINE CIRCULATING PUMP DRAIN KIT

This kit will allow draining of the engine circulating water pump without having to remove the hose. Kit contains new circulating pump hose with drain fitting.

CIRCULATING PUMP HOSE



32-861590A05

Fits MCM/MIE GM V-6 and V-8 (305, 350 & 377 cid) engines

ENGINE FLUSH CONNECTOR KIT

For use with the engine circulating water pump drain kit (32-861590A2). Kit contains a quick disconnect fitting to attach to garden hose. Kit is designed to flush raw water cooled MIE & Ski engines without running the engine.

ENGINE FLUSH CONNECTOR KIT



22-861932A 1

Fits MIE & Tow Sports engines with drainable circulating pump hose.

ENGINE FLUSH KIT

ENGINE FLUSH KIT



898235A01

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 1988 & newer MCM 4.3L, 5.0L, 5.7L & 6.2L non-EC engines with BRAVO drives & MIE's. Also fits 1988-2001 MCM 7.4L & 8.2L non-EC engines with BRAVO drives & MIE's.

NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED on V-6 engines with 1 pc exhaust manifolds or engines with stainless steel exhaust elbows.

ENGINE FLUSH KIT



98-8M0123083

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 2011 & newer MCM V6 4.3L MPI EC, Mercury 4.5L & 6.2L engines with BRAVO drives. Also fits Mercury 6.2 Towports engines.

ENGINE FLUSH KIT



98-8M0158580

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.

Fits 2019 & newer Mercury 6.2L 370HP jet power inboard engines.

ENGINE FLUSH KIT



879288A40

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.
Fits 2008 & newer MCM 5.0L, 5.7L & 6.2L Emissions Control engines with BRAVO drives & MIE's.

ENGINE FLUSH KIT



898235A02

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.
Fits 2001 & newer MCM/MIE 8.1L & 8.2L non-EC engines.

ENGINE FLUSH KIT



8M0057577

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components.
Fits 2008 and newer MCM/MIE 8.1L & 8.2L Emissions Control engines.

ENGINE FLUSH KIT



98-8M0117940

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 1.25 in (32 mm) I.D. inlet water hose
Fits MCM/MIE 135 & 150 (6.7L) diesel engines with BRAVO drives.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

ENGINE FLUSH KIT



98-8M0117939

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 1.50 in (38 mm) I.D. inlet water hose
Fits MCM QSD 2.0L, 2.8L & 4.2L diesel engines with BRAVO drives & MIE's.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

98-8M0117938

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 1.75 in (44 mm) I.D. inlet water hose
Fits MCM/MIE V-6 & V-8 TDI diesel engines. Also fits MCM/MIE 180, 200, 230, 260 & 280 (6.7L) diesel engines.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

ENGINE FLUSH KIT



98-8M0117941

This kit will allow you to flush the engine while it is running, therefore offering a more complete flush of the raw water cooled components. Designed for engines with a 2.00 in (51 mm) I.D. inlet water hose
Fits MIE 480, 500 & 550 (6.7L) Tier 3 diesel engines.
NOTE: Mounting bracket in kit will need to be REMOTE MOUNTED.

FLUSHING ATTACHMENT




Image not Available.

8M0179906

Used for flushing the Bravo Four S sterndrive

MERCUISER

FLUSHING ATTACHMENTS

FLUSHING ATTACHMENT



44357Q 2

Will allow for running at idle speeds. Attaches to the water intakes; provides a fresh water connection when flushing the cooling system or operating the engine. Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Perf. & Blackhawk) and MHP Torque Master gearcases. Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150Q 1.

Priced individually, sold @ multiples of 4
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DUAL WATER PICKUP FLUSH SEAL KIT



881150Q 1

Provides a front water pick-up seal for gearcases with dual water pick-ups. Fits 2000 and newer Mercury/Mariner V-6 outboards with dual water pick-ups; and 2000 and newer MerCruiser Bravo One, X, XR & XZ drives with dual water pick-ups.

Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FLUSHING KIT



849996T 1

Use for flushing gearcases with low water inlets/pick up. Fits MCM Bravo I Performance & BlackHawk drives

FLUSHING ATTACHMENT

Image not Available.

8M0179906

Used for flushing the Bravo Four S sterndrive

GEARCASE FILLER PLUGS



22-8M0163134

Used to fix gearcase water pressure issues with the dual water inlet gearcase not supplying adequate water pressure and flow to the engine at the high installation "X" dimension heights that were used with the low water inlet gearcase.

Fits O/B & MCM Bravo gearcases with dual water pickups

DRIVESHAFT EXTENSION (JACKSHAFT) KITS

Converts standard sterndrive package to a driveshaft configuration for conventional center console and triple engine high performance applications.

JACKSHAFT MAIN KIT



98634A20

For use with DHB power steering system. Also order driveshaft kit separately to complete the installation.

Note: V-6 & V-8 (305, 350 & 377 cid) engines (s/n 0W650000 thru 2A528847) & 496 Mag engines (s/n 0W310000 thru 1A352731) also require harness 84-866785T01. If DTS, additional harness 84-866784T01 is also required.

Fits 1994 and newer MCM V-6 & V-8 gasoline models with DHB p/s cylinder (except MCM 4.5L & 6.2L - Mercury engines)

JACKSHAFT MAIN KIT



98-8M0124634

Order driveshaft kit separately to complete the installation.

Note: If DTS, additional harness 84-866784T01 is also required.

Fits 2014 and newer Mercury 4.5L & 2016 and newer 6.2L engines (s/n 2A530774 and up)

JACKSHAFT MAIN KIT



8M0101387

Primary application is triple engines. (Shaft not included)
Fits MCM 2.0L diesel

JACKSHAFT MAIN KIT



806843A 2

Primary application is triple engines. (Shaft not included)
Fits 2.8 ES & EI (s/n 88010499 & below) and 4.2 ES & EI diesels.

JACKSHAFT MAIN KIT



806843A06

Primary application is triple engines. (Shaft not included)
For the 2.8L installation, 2 pcs of 855454 (mount) and 4 pcs of 12-809931094 (washer) are required. For the 4.2L installation, 2 pcs of 896332029 (mount) and 4 pcs of 12-809931094 (washer) are required.
Fits MCM QSD 2.8L & 4.2L.

JACKSHAFT MAIN KIT



98-8M0120321

Primary application is triple engines. (Shaft not included)
Fits MCM 3.0L V6 TDI diesel

JACKSHAFT MAIN KIT



8M0085664

Primary application is triple engines. (Shaft not included)
Fits MCM 4.2L V8 TDI diesel

DRIVESHAFT KIT



45-94819T 5

34-1/2 in.(876 mm) driveshaft. Primary application is for use with the 2.8L, 4.2L & 7.3L diesel main kits, also triple engines applications.

DRIVESHAFT KIT



45-86978A 3

39.64 in.(1 m) optional driveshaft.

DRIVESHAFT KIT



45-864286A 1

63 in. (1.6 m) driveshaft. (Optional shaft for use with 2.8L, 4.2L & 7.3L diesel main kits.)

EXHAUST FLANGE KIT



862268A 4

Included with 98634A20 driveshaft Extension Kit
Fits MCM V-6 & V-8 gasoline models with DHB p/s cylinder.

EXHAUST FLANGE KIT



8M0160146

Fits MCM V-6 & V-8 TDI diesel models

DRIVESHAFT EXTENSION (JACKSHAFT) KIT CHART

MCM Driveshaft Extension Kits

Model	Model Notes	Year Range	Serial # Range	Main Kit	Drive Shaft (Standard)	Drive Shaft (Optional)
MCM V-6 & V-8	For engines w/ Saginaw p/s system	1991 - 1993	0D445877 - 0F114599	N.L.A.	N/A	45-94819T 5(2)
MCM V-6 & V-8	For DHB p/s system (except 4.3L MPI & 496 Mag)	1994 - 2006	0F114600 - 0W649999	98634A20	N/A	45-94819T 5(2)
MCM V-6 & V-8	For DHB p/s system (except 4.3L MPI & 496 Mag)	2006 - 2014	0W650000 and up	98634A20(7)(8)(9)	N/A	45-94819T 5(2)
MCM 4.3L MPI		2002 - 2006	0M300000 - 0W649999	98634A20	N.L.A.	45-94819T 5(2)
MCM 4.3L MPI		2006 - 2016	0W650000 - 2A528897	98634A20(7)(8)	N.L.A.	45-94819T 5(2)
MCM 4.5L		2014 - 2016	2A441953 - 2A530777	98-8M0124634	N/A	45-94819T 5(2)
MCM 4.5L		2016 - 2022	2A530778 and up	98-8M0124634	N/A	45-94819T 5(2)
MCM 6.2L		2015 - 2016	2A456613 - 2A530777	98-8M0124634	N/A	45-94819T 5(2)
MCM 6.2L		2016 - 2022	2A530778 and up	98-8M0124634	N/A	45-94819T 5(2)
MCM 496 Mag		2001 - 2005	0M025000 - 0W309999	98634A20	N/A	45-94819T 5(2)
MCM 496 Mag		2005 - 2010	0W310000 - 1A352731	98634A20(7)(8)	N/A	45-94819T 5(2)
MCM 8.2L Mag		2010 - 2022	1A350340 and up	98634A20(7)(8)	N/A	45-94819T 5(2)
MCM D1.7L DTI		2001 - 2009	0M055000 and up	N.L.A.	N.L.A.	N.L.A.
MCM D2.8L ES & EI		1997 - 2005	0K144109 - 88010499	806843A 2	45-94819T 5	45-864286A 1
QSD 2.8L		2007 - 2022	88300000 and up	806843A06	45-94819T 5	45-864286A 1
3.0L V6 TDI		2013 - 2022	All - All	98-8M0120321	45-94819T 5	N/A
4.2L V8 TDI		2013 - 2022	All - All	8M0085664	45-94819T 5	N/A
MCM D4.2L		1994 - 1997	0D554732 - 0L668673	806843A 2	45-94819T 5	45-864286A 1
MCM D4.2L ES & EI		1997 - 2022	0K144114 and up	806843A 2	45-94819T 5	45-864286A 1
QSD 4.2L		2007 - 2022	88400000 and up	806843A06	45-94819T 5	45-864286A 1
MCM D7.3L		1994 - 1996	0F060000 and up	N.L.A.	45-94819T 5	45-864286A 1
MCM D7.3L D-Tronic		1997 - 2001	0K095775 and up	N.L.A.	45-94819T 5	45-864286A 1

(1) Exhaust tube only

(2) For triple engine applications, this shorter driveshaft [34-1/2 in.(876mm)] may be required.

(3) Exhaust extension kit is for use on engines 300 HP and below.

(5) No kit available

(6) Exhaust flange kit

(7) Order transom harness 84-866785T01 separately to complete an MPI engine installation.

(8) Order this additional harness 84-866784T01 if engine has DTS

(9) Order transom harness 84-899719T05 separately to complete a carbureted engine installation.

TAILSTOCK KITS

TAILSTOCK KITS



98-8M0106961

For jet drive applications
Fits QSD 2.0L, 2.8L & 4.2L diesels

TAILSTOCK KITS



8M0098561

For jet drive applications
Fits MCM 3.0L V6 TDI diesels

TAILSTOCK KITS



8M0098562

For jet drive applications
Fits 4.2L V8 TDI diesels

TAILSTOCK KITS



98-8M0106963

For jet drive applications
Fits Mercury 6.2L and 8.2L engines

REMOTE OIL FILTER KITS

Relocates the oil filter from lower block mount to a higher exhaust elbow mount for ease of servicing.

REMOTE OIL FILTER KIT



807459A 3

Fits 1996-2002 MCM V-6 (Gen+) Carb & TBI engines (s/n 0F803000-0M614999).
Also fits the 4.3L Plus-Series engine.

REMOTE OIL FILTER KIT



864990A 2

Fits 2002-2015 MCM V-6 Carb engines (s/n 0M615000 thru 2A454127).

REMOTE OIL FILTER KIT



35-806329A 1

Fits 1996-2015 MCM/MIE V-8 (305 & 350 cid) engines with 4 in.(102 mm) O.D. exhaust elbows. Also fits 1997-2002 Tow Sports V-8 (350 & 377 cid) engines (s/n 0K040001-0M316999). See application chart.

REMOTE OIL FILTER KIT



807459A09

Fits 1997-2002 MCM V-8 (305 & 350 cid) carb engines with standard cooling (s/n 0K001501-0M614999).

REMOTE OIL FILTER KIT



864990A 1

Fits 2001-2002 MCM V-8 (305 & 350 cid) carb engines with closed cooling (s/n OM300000-OM614999). Fits 2002-2009 MCM V-8 (305 & 350 cid) carb engines (s/n OM615000 thru 1A607561).

REMOTE OIL FILTER KIT CHART

MCM Remote Oil Filter Kits

Model	Model Notes	Year Range	Serial # Range	Remote Oil Filter Kit
MCM 4 cyl. (153 & 181 cid)		1983 - 1995	6229718 and up	(5)
MCM 4 cyl. (181 cid)		1996 - 2015	0F604000 and up	N.L.A.
MCM V-6 (229 cid)		1983 - 1984	6330183 and up	(5)
MCM V-6 (262 cid)	3 in.(76 mm) exhaust elbows	1985 - 1986	0A331455 - 0B527955	(5)
MCM V-6 (262 cid)	4 in.(102 mm) exhaust elbows	1985 - 1990	0A331455 - 0D445799	N.L.A.
MCM V-6 (262 cid)		1991 - 1996	0D445800 - 0F802999	N.L.A.(2)(3)
MCM V-6 (262 cid) (Gen +)	Carb & TBI engines	1996 - 2002	0F803000 - 0M614999	807459A 3
MCM V-6 (262 cid) (Gen +)	Carb engines	2002 - 2015	0M615000 - 2A454127	864990A 2
MCM V-6 (262 cid) (Gen +)	MPI engines	2002 - 2016	0M300000 - 2A506375	(6)
MCM V-8 (305 & 350 cid)	CEO exhaust manifolds	1983 - 1986	6218462 - 0B525981	N.L.A.(4)
MCM V-8 (305 & 350 cid)	3 in.(76 mm) exhaust elbows	1987 - 1990	0B525982 - 0D445799	N.L.A.(4)
MCM V-8 (305 & 350 cid)	4 in.(102 mm) exhaust elbow	1987 - 1990	0B525982 - 0D445799	35-806329A 1(1)(2)(3)
MCM V-8 (305 & 350 cid) Alpha		1991 - 1996	0D445800 - 0K001500	35-806329A 1(1)(2)(3)
MCM V-8 (305 & 350 cid) Bravo		1991 - 1996	0D445800 - 0K001500	(6)
MCM V-8 (305 & 350 cid)		1997 - 2001	0K001501 - 0M299999	807459A09
MCM V-8 (305 & 350 cid)	Carb engines	2002	0M300000 - 0M614999	807459A09
MCM V-8 (305 & 350 cid)	Carb engines	2002 - 2009	0M615000 - 1A607561	864990A 1
MCM V-8 (305, 350 & 377 cid)	MPI engines	2002 - 2014	0M300000 - 2A445872	(6)
MIE V-8 (305, 350 & 377 cid)	CEO exhaust manifolds	1981 - 2022	5907058 and up	(6)
Ski V-8 (350 cid)	3 in.(76 mm) exhaust elbows	1987 - 1990	0B514627 - 0D434549	N.L.A.(4)
Ski V-8 (350 cid)	4 in.(102 mm) exhaust elbow	1987 - 1996	0B514627 - 0K040000	35-806329A 1(1)(2)(3)
Ski V-8 (350 cid)		1997 - 2002	0K040001 - 0M316999	35-806329A 1(1)(2)(3)
Ski V-8 (350 & 377 cid)		2002 - 2015	0M317000 - 2A455977	(5)
MX 6.2L Black Scorpion Ski		2001 - 2015	0L670015 - 2A460138	(7)
MCM/MIE V-8 (454, 496 & 502 cid)	CEO exhaust manifolds	1982 - 2022	6083145 and up	(6)

Model	Model Notes	Year Range	Serial # Range	Remote Oil Filter Kit
Ski V-8 (454 cid)		1995 - 1996	0F215800 and up	(6)

- (1) If the engine has stainless steel exhaust elbows on it, order Oil Filter Bracket Kit P/N 817403A 4 also.
- (2) If the engine has 6 in.(152 mm) risers installed on it, an Oil Filter Hose Extension Kit may be required.
- (3) If the engine has cast iron exhaust elbows and 3 in.(76 mm) risers, order 2 studs P/N 16-11376
- (4) If the engine has 3 in.(76 mm) risers, order 2 studs P/N 16-34713
- (5) No Kit Available
- (6) Standard Equipment
- (7) Factory installed option only

REMOTE OIL FILTER BRACKET KIT

Relocates the oil filter when installing 6 in.(152 mm) risers to engines that have the remote oil filter bracket attached to the cast iron exhaust elbows.

REMOTE OIL FILTER BRACKET KIT CHART


MCM Oil Filter Bracket

Model	Year Range	Serial # Range	Oil Filter Bracket Kit
MIE 5.7L (Gen +)	1998 - 2001	0L002003 - 0M299999	N.L.A.
MIE 350 Mag MPI (Gen +)	1998 - 2001	0L002008 - 0M299999	N.L.A.
MIE 350 Horizon (Gen +)	1999 - 2001	0L304700 - 0M299999	N.L.A.
MIE MX 6.2 MPI	2001	0L680003 - 0M299999	N.L.A.
Ski 5.7L	1997	0K040004 - 0K999999	N.L.A.
Ski 5.7L (Gen +)	1998 - 2001	0L002005 - 0M299999	N.L.A.
Ski 350 Mag	1997	0K040400 - 0K999999	N.L.A.
Ski 350 Mag EFI (Gen +)	1997	0K040006 - 0K999999	N.L.A.
Ski 350 Mag MPI (Gen+)	1998 - 2001	0L002600 - 0M299999	N.L.A.
Black Scorpion Ski MIE	1997 - 2003	0K040001 - 0M391599	N.L.A.
MX 6.2 Black Scorpion Ski	2001 - 2003	0L680015 - 0M391599	N.L.A.
MCM 7.4L Bravo (Gen VI)	1996 - 1997	0F800700 - 0K999999	N.L.A.
MIE 7.4L MPI (Gen VI)	1998 - 2001	0L002006 - 0L674613	N.L.A.
MIE 454 Mag MPI Horizon	1998 - 2001	0L002200 - 0L674000	N.L.A.
MIE 8.2L MPI (Gen VI)	1998 - 2001	0L002450 - 0L674200	N.L.A.

OIL DRAIN HOSE KITS

These oil drain kits allow draining of engine oil through the oil pan drain plug.

OIL DRAIN KIT



32-865277A02

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.
Fits 1983 and newer MCM GM 4 cyl, 1995 and older MCM V-6 & V-8 engines (all, except 8.1L) with standard (SAE) 1/2-20 oil drain plug threads.

OIL DRAIN KIT



32-865278A03

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.
Fits 1997-2000 MCM V-6 (s/n 0K000000-0M000000).


OIL DRAIN KIT



32-865278A04

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.
Fits 2009-2016 and newer MCM V-6 MPI engines (s/n 1A343329 thru 2A528897).

OIL DRAIN KIT



32-865281A02

Includes special tether so oil drain hose can be pulled out through the boat bilge drain hole to drain engine oil. Boat needs to be removed from the water to take advantage of this feature.
Fits 1996 and up MCM V-8 engines with metric M12 oil pan drain plug threads. Also fits 4.5L V6 engines.

OIL DRAIN HOSE KIT CHART

MCM Oil Drain Hose Kits

Model	Model Notes	Year Range	Serial # Range	Oil Drain Hose Kit with Tether
MCM 4 cyl. (153 & 181 cid)		1983 - 2016	6229718 - 2A506300	32-865277A02
MCM V-6 (229cid)		1983 - 1984	6330183 - 6919655	32-865277A02
MCM V-6 (262cid)		1985 - 1996	0A331455 - 0F802999	32-865277A02
MCM V-6 (262cid)	Cast aluminum oil pan	1996	0F803000 - 0K000000	(1)
MCM V-6 (262cid)		1997 - 2000	0K000001 - 0M000000	32-865278A03
MCM V-6 (262cid)	Jackshaft models	1999 - 2012	0L320000 and up	N.L.A.
MCM V-6 (262cid)	MPI engines	2009 - 2016	1A343329 - 2A528897	32-865278A04
MCM V-6 4.5L	MPI engines	2014 - 2022	2A441953 and up	32-865281A02
MCM V-8 (305 & 350cid)	1/2-20 oil plug threads	1983 - 1995	6218462 - 0F600999	32-865277A02
MCM V-8 (305, 350 & 377cid)	12MM oil plug threads	1996 - 2015	0F601000 - 2A455872	32-865281A02
MCM V-8 (305, 350 & 377cid)	MPI engines	2009 - 2015	1A342186 - 2A455878	32-865281A02
MCM V-8 6.2L Mercury	MPI engines	2016 - 2022	2A456613 and up	32-865281A02
MCM V-8 (454cid)	1/2-20 oil plug threads	1982 - 1996	6083145 - 0F800699	32-865277A02
MCM V-8 (454cid)	12MM oil plug threads	1996 - 2001	0F800700 - 0M024999	32-865281A02
MCM V-8 (496cid)	12MM oil plug threads	2009 - 2012	1A349411 - 1A352731	32-865281A02
MCM V-8 (502cid)	1/2-20 oil plug threads	1990 - 1993	0C878221 - 0F802599	32-865277A02
MCM V-8 (502cid)	12MM oil plug threads	1996 - 2022	0F802600 - 0M024999	32-865281A02

(1) Kit not available

WATER ELIMINATOR

Uses polymer crystals encased in a plastic filter to absorb water from the fuel in a fuel tank. Supplied with a 2 ft.(610 mm) lanyard. Sold in counter display box. Approximate dimensions: 3-1/2 in.(89 mm) a 1-1/4 in.(32 mm).

WATER ELIMINATOR



67-808887Q

Contains a drying agent commonly used to keep small, sealed containers dry. It absorbs water that has collected in the fuel tank.

How to use: Attach to the inside fuel cap with the lanyard (included). Adjust the lanyard so the Water Eliminator sits at the bottom of the fuel tank. Replace as needed.

For use in all octane grades of gasoline, including ethanol blended. Not recommended for diesel fuel.

For use in all 2-cycle and 4-cycle gasoline outboard, sterndrive, inboard and jet drive marine engines.

Priced individually, sold @ multiples of 6

Quicksilver Branded, Point of Sale Packaged.

BOOST PUMP KIT

BOOST PUMP KIT



862264A 7

Helps minimize vapor locking

Fits MCM/MIE 4.3L, 5.0L, 5.7L & 6.2L EFI/MPI engines

FUEL FILTER KIT

FUEL FILTER KIT



35-864572A 1

Prevents blockage of the boost pump inlet from debris that may be in the fuel tank. This filter is installed in-line between the fuel tank and boost pump. Standard equipment with all current engines using a boost pump. This filter will backfit older MerCruiser 8.1S/496 Mag engines.

Fits all MCM/MIE gasoline engines using a boost pump.

FUEL FILTER



35-864572

Replacement in-line filter

Fits all MCM/MIE gasoline engines using a boost pump.

HIGH CAPACITY WATER SEPARATING FUEL FILTER - GASOLINE OR DIESEL

WATER SEPARATING FUEL FILTER KIT



35-8M0082290

Kit consisting of our vessel mounted head (without fittings) and our High Capacity water separating fuel filter. Our brass fittings may be used with gas engines but stainless steel fittings p/n 22-8M0058419 are required in diesel applications. Filter features 10 micron, 90% efficiency with a 120 gallon per hour flow rate. Compatible with most 2-Stroke and 4-Stroke Outboards and most Inboard & Sterndrive Gas and Diesel Engines.

WATER SEPARATING FUEL FILTER



35-8M0079962

High volume replacement filter featuring 10 micron filtration with over 90% efficiency, flowing 120 gallons per hour while separating water from your fuel. The internal epoxy coating protects against corrosion and the low pressure drop reduces fuel flow restriction helping to prevent vapor-locking and stalling. This filter contains 25% more media than comparable aftermarket filters, providing longer life and improved water separation.

Fits remote mounted applications that do not have clearance issues.

WATER SEPARATING FUEL FILTERS -GASOLINE

WATER SEPARATING FUEL FILTER KIT



35-802893Q 4

For gasoline use only. Degree of filtration is 25 micron, minimum.

Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter).

Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER KIT



35-807172A 1

For gasoline use only.

For use on 1992 MCM 4.3L Gen II engines equipped with an in-line fuel filter.

FUEL FILTER



35-866594Q01

10 micron
 For MerCruiser 1.6L Vazer and 3.0L MPI EC engines
 Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35-802893Q01

25 micron
 Used in both outboard and MerCruiser applications (except 1992 MerCruiser 4.3 L Gen II engines equipped with an in-line fuel filter & 1.6L Vazer and 3.0L MPI engines).
 Priced individually, sold @ multiples of 6
 Quicksilver Branded, Box Point of Sale Packaged.

WATER SEPARATING FUEL FILTER



35-8M0000202

Fits Mercury Racing 850, 1075 & 1200 SCi engines

WATER SEPARATING FUEL FILTER KIT



35-8M0000493

For Mercury Racing 1200 SCi and all QC4V engines

WATER SEPARATING FUEL FILTER



35-892687A02

Replacement filter & canister
 Fits 2004-2015 MCM/MIE engines with Gen III fuel cooler

WATER SEPARATING FUEL FILTER



35-8M0093688

Replacement filter
 Fits 2004-2015 MCM/MIE engines with Gen III fuel cooler

WATER SEPARATING FILTER BRACKET



89876A 3

Includes brass fittings, 11/16-16 threads
 For vessel mounted applications.

OIL FILTER WRENCH



91-889277Q01

Metal wrench, requires a 3/8 in. drive ratchet.
 Fits the (877761__) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094995) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340__) oil filter and (802893__) fuel filter found on many MCM engines.
 Quicksilver Branded, Clamshell Package Point of Sale Packaged.

THREADED HOSE BARB



22- 89771Q 2

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A .250 inch ID brass fitting for use with gasoline fuel only. This material should not be used with diesel fuels.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

THREADED HOSE BARB



22-8M0058419

For use with 5/16" (8 mm) I.D. hose and applications requiring a 1/4" NPT thread. Threads into our portable fuel tanks and will also work with our water separating filter bracket.

A stainless steel fitting for use with both gasoline and diesel fuel. This fitting has a .300 inch ID.

THREADED HOSE BARB



22-8M0125175

For use with 3/8"-18 (9.5MM). Threads into our portable fuel tanks and will also work with our water separating filter bracket.

.375 inch ID stainless steel fitting for use with both gasoline and diesel fuel.

FUEL LINE SNAPPER CLAMP



54- 41582Q 7

For use with our gray color, 5/16 in. (8 mm) I.D. fuel line.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

WATER SEPARATING FUEL FILTERS -DIESEL

WATER SEPARATING FUEL FILTER



35-8M0150911

Fits 1.7 MS 120

WATER SEPARATING FUEL FILTER



35-879172104

Fits all QSD 2.0, 2.8, & 4.2 engines

WATER SEPARATING FUEL FILTER



35-8M0103963

Fits 530D-TA/D183/D3.0L (s/n 0B993002-0D725459), 636D-TA/D219/D3.6L (s/n 0B993002-0F306929), and D254/D4.2L (s/n 0C489461-0F450249) diesel engines

WATER SEPARATING FUEL FILTER



35-807256T

Fits 2.8 EI & ES, D3.0L (s/n 0D725460 and up), D3.6L (s/n 0F306930 and up), and D4.2L (s/n 0F450250 and up)

WATER SEPARATING FUEL FILTER



35-8M0135210

Replacement element
Fits MCM/MIE 3.0L V6 VM diesel engines.

WATER SEPARATING FUEL FILTER



35-880830T

Replacement element
Fits 4.2L MI & MS

WATER SEPARATING FUEL FILTER



35-808275

Fits D7.3L (s/n 0F060000 and up)

WATER SEPARATING FUEL FILTER



35-8M0067337

Replacement element
Fits MCM/MIE 1.9L, 2.5L, 3.0L V6 and 4.2L V8 TDI diesel engines.

WATER SEPARATING FUEL FILTER



35-8M6002390

Fits MCM/MIE 4.2L V8 TDI 335 & 370 diesel engines (s/n CMC000200 & up)

RACOR WATER SEPARATING FUEL FILTERS -GASOLINE

These unique filters have a reusable bowl at the bottom of the filter. The bowl is made of metal to meet U.S. Coast Guard Regulations. These filters will flow up to 90 gallons (341 L) per hour and spin on existing MerCruiser and Volvo Penta inboards. Note: Clearance problems may occur in some instances. Check filter clearance prior to installation. For gasoline use. Can be mounted to filter bracket 89876A 3.

RACOR WATER SEPARATING FUEL FILTER



35-809100

Includes metal bowl.
All MCM/MIE models, except 1992 MCM 4.3L Gen II engines equipped with an in-line fuel filter. Degree of filtration is 10 micron.

RACOR WATER SEPARATING FUEL FILTER



35-809101

All MCM/MIE models, except 1992 MCM 4.3L Gen II engines equipped with an in-line fuel filter. Degree of filtration is 10 micron.

RACOR WATER SEPARATING FUEL FILTERS -DIESEL

10 micron filter

RACOR WATER SEPARATING FUEL FILTER



35-850481

3/4 in. (19 mm) - 16 SAE thread inlet and outlet
For diesel engines

35-809867

14 mm thread inlet and outlet
For diesel engines

RACOR WATER SEPARATING FUEL FILTER



35-809868T

Replacement Racor 10 micron element
For diesel engines with Racor water separating fuel filter

SEAWATER PICKUPS

SEAWATER PICKUP



22-8M0102849

Transom mount, for 1-1/2 in. (38 mm) hose.
Primarily used on diesel engines with 1-1/2 in. (38 mm) seawater inlet hose.

SEAWATER PICKUP



22-818170A 2

Bronze, thru hull mount with seacock, 1-1/2 in. (38 mm) pipe size.
Primarily used on diesel applications with 1-1/2 in. (38 mm) seawater inlet hose

SEAWATER PICKUP



8M0113313

Bronze, thru hull mount, 2" (51 mm) pipe size
Primarily used on diesel applications with 2" (51 mm) seawater hose

SEAWATER STRAINER

SEAWATER STRAINER



35-860603

Primarily used on diesel applications. For use with 1-1/2 in. (38 mm) I.D. seawater inlet hose. Order 1-1/2 in. (38 mm) barb fittings separately p/n 22-816339.

FITTING



22-816339

1-1/2 in.(38 mm) barb fitting for use with seawater strainer 35-860603

WATER PRESSURE RELIEF VALVE KIT

WATER PRESSURE RELIEF VALVE KIT



863208A 3

The purpose of this kit is to regulate engine block water pressure to a maximum of 30 psi and vent excess water overboard.

Fits all MCM engines in high performance applications where engine block water pressures are exceeding the maximum 30 psi.

CHECK VALVE KIT

CHECK VALVE KIT



864206A02

Prevents the discharge of engine cooling water through the drive unit during short term storage conditions.

Fits 2005-2015 MCM V-8 (305, 350 & 377 cid) MPI Bravo engines with standard cooling and Gen III fuel cool (s/n 0W060000 thru 2A455878). Not for use with Axis engines.

CHECK VALVE KIT




864206A03

Prevents the discharge of engine cooling water through the drive unit during short term storage conditions.

Fits 2005-2015 MCM V-8 (305, 350 & 377 cid) MPI Bravo engines with closed cooling and Gen III fuel cool (s/n 0W060000 thru 2A455872). Not for use with Axis engines.

DIAGNOSTIC TOOLS FOR MULTIPLE CYLINDER APPLICATIONS

VACUUMMATE



91-889236

3-in-1 Multi-function tool. Water and shock-resistant. Intake synchroniser / Dynamic fault analyser (valve diagnostics)/ Tachometer. Allweather, can be used outdoors, even floats if dropped into the water.

This Marine model has rechargeable batteries for greater ease of use. Delivered with the VacuumMate in a nylon case are the unique flexi-rigid 4xM6, 4xM5 & T-piece adapters and a 12V power / charge cable

PROPELLER SHAFT COUPLERS FOR MIE ONLY

Includes set screw and through bolts.

PROPELLER SHAFT COUPLER



79476A 1

5 in.(127 mm) diameter flange, 1 in.(25 mm) diameter bore

Fits Borg Warner 71 series Inline - 1.5:1, 2:1, 2.5:1, or 3:1 ratio; Borg Warner 71 series V-Drives; all 72 series; and all Hurth series transmissions

79476A 4

5 in.(127 mm) diameter flange, 1-3/8 in.(35 mm) diameter bore

Fits Borg Warner 71 series Inline - 1.5:1, 2:1, 2.5:1, or 3:1 ratio; Borg Warner 71 series V-Drives; all 72 series; and all Hurth series transmissions

79476A 5

5 in.(127 mm) diameter flange, 1-1/2 in.(38 mm) diameter bore

Fits Borg Warner 71 series Inline - 1.5:1, 2:1, 2.5:1, or 3:1 ratio; Borg Warner 71 series V-Drives; all 72 series; and all Hurth series transmissions

79476A 6

5 in. (127 mm) diameter flange, 1-3/4 in. (44 mm) diameter bore
 Fits Borg Warner 71 series Inline - 1.5:1, 2:1, 2.5:1, or 3:1 ratio; Borg Warner 71 series V-Drives; all 72 series; and all Hurth series transmissions

GEAR HOUSING REPLACEMENT SKEGS

REPLACEMENT SKEG



90185A 1

Will not fit original Alpha One drives
 For MCM Alpha One Gen II drives (s/n OD469859 and above)

REPLACEMENT SKEG



815632A02

For MCM Bravo One & Bravo Three drives

REPLACEMENT SKEG



806688A02

For MCM Bravo Two drives

TRANSOM ADAPTER KIT

For use when replacing a Volvo or BMW sterndrive with a new standard MCM Alpha or Bravo sterndrive. It provides a rugged mounting that seals the competitors' larger transom cutouts and eliminates costly rework to fiberglass, aluminum, or steel transoms.

TRANSOM ADAPTER KIT



827691A 1

For use when replacing a Volvo or BMW sterndrive with a standard MerCruiser Alpha or Bravo sterndrive assembly. This kit provides a rugged mounting support that seals the competitors' larger transom cutouts and eliminates costly rework to fiberglass, aluminum, or steel transoms.

For use with 1970-1987 BMW Z-drives Mark 1 & Mark 2
 For use with 1969-1977 Volvo AQ250, 270, 275, 280, 258, 290 & 290DP
 For use with 1997 & older Volvo DP sterndrives

MERCATHODE

Automatically protects the sterndrive from galvanic corrosion. A solid state device that operates off a 12 volt. The increased output provides greater protection for underwater aluminum parts. Its reliable, efficient operation requires an insignificant amount of current when protection is needed.

MERCATHODE KIT



98-8M0122010

Factory fit
 Anode/reference electrode unit mounts in place of zinc anode under the gimbal housing, eliminating the need to drill holes through the transom. The new black Gen III MerCathode controller with the red decal is mounted inside the boat.
 Fits 2014 and newer 4.5L V6 with Alpha drives

MERCATHODE KIT



8M0089497

Universal fit.

Anode/reference electrode unit mounts in place of zinc anode under the gimbal housing, eliminating the need to drill holes through the transom. The new black Gen III MerCathode controller with the red decal is mounted inside the boat.

Fits 2014 and newer Bravo drives

MERCATHODE KIT



8M0085693

Anode/reference electrode unit mounts in place of zinc anode under the gimbal housing, eliminating the need to drill holes through the transom. The new black Gen III MerCathode controller with the blue decal is mounted inside the boat.

Fits R, MR, Alpha One & Gen II, and Bravo drives. (2013 and older)

MERCATHODE KIT



42600A14

Kit includes the new black Gen III MerCathode controller with the red decal and 2 transom mounted anodes for boats requiring additional corrosion protection. This kit is used in conjunction with gimbal mounted anode/reference electrode unit p/n 98869A14. The new MerCathode controller replaces the existing blue controller mounted inside the boat.

Fits R, MR, Alpha One, Gen II & Bravo drives

MERCATHODE KIT



88334A 2

Transom mounted system is mounted with the anode and reference electrode on (and through) the transom of the boat on opposite sides of the drive. The new Gen III MerCathode controller with the blue decal is mounted inside the boat.

Fits all boat applications with a 12 volt operating system.

MERCATHODE CONTROL UNIT



8M0100517

Black Gen III controller with red decal.

Fits R, MR, Alpha One & Gen II, and Bravo drives.

MERCATHODE CONTROL UNIT



42600A09

Black Gen III MerCathode controller with blue decal and attaching hardware only. To be connected in parallel with 98869A14 Mercathode systems for certain salt water applications.

Fits R, MR, Alpha One & Gen II, and Bravo drives.

MERCATHODE ANODE



97- 72957A 5

Replacement anode assembly for 88334 series Mercathode systems.

MERCATHODE ELECTRODE



72958A 5

Replacement electrode assembly for 88334 series Mercathode systems.

MERCATHODE REFERENCE ELECTRODE TESTER



91-8M0135998

Use with a digital multimeter to test the function of Mercathode systems. Senses an electrical current in the water when testing the Mercathode system.

ANODE KITS

ANODE KIT



97-888756Q04

Aluminum anodes - For use in saltwater or freshwater.
Fits 1984-1990 MR & Alpha One drives (s/n 6225577-0D469828)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-888755Q04

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1984-1990 MR & Alpha One drives (s/n 6225577-0D469828)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-888756Q03

Aluminum anodes - For use in saltwater or freshwater.
Fits 1991 and newer Alpha One Gen II drives (s/n 0D469829 and up)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-888755Q03

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1991 and newer Alpha One Gen II drives (s/n 0D469829 and up)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-888758Q02

Aluminum anodes - For use in saltwater or freshwater.
Fits 1988 and newer Bravo One drives (s/n 0B664190 and up)
Quicksilver Branded, Box Point of Sale Packaged.

97-888757Q02

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1988 and newer Bravo One drives (s/n 0B664190 and up)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-888761Q03

Aluminum anodes - For use in saltwater or freshwater.
Fits 1988 and newer Bravo II drives (s/n 0B664190 and up)
Fits 1995-2002 Bravo III drives (s/n 0F345868-0M179451)
Quicksilver Branded, Box Point of Sale Packaged.

97-888760Q03

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.
Fits 1988 and newer Bravo II drives (s/n 0B664190 and up)
Fits 1995-2002 Bravo III drives (s/n 0F345868-0M179451)
Quicksilver Branded, Box Point of Sale Packaged.

ANODE KIT



97-888761Q04

Aluminum anodes - For use in saltwater or freshwater.
Fits 2003 and newer Bravo III drives (s/n 0M179452 and up)
Quicksilver Branded, Box Point of Sale Packaged.



97-888760Q04

Magnesium anodes - For freshwater use only. Do not use in saltwater applications. Fits 2003 and newer Bravo III drives (s/n 0M179452 and up) Quicksilver Branded, Box Point of Sale Packaged.

ANODES - TRANSOM

ANODIC PLATE



34762A 1

Zinc

ANODE KIT



97- 55989Q 9

Aluminum
Fits MC-I, R, MR, Alpha and Bravo drives (s/n 0D469828 and below)
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97- 55989T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits MC-I drives

GIMBAL HOUSING ANODE



97-821631Q 1

Aluminum
Fits R, MR, Alpha One, Gen II, Bravo I, II, III, X, XR & XZ drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-821631T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits R, MR, Alpha One, Gen II, Bravo I, II, III, X, XR & XZ drives.

ANODE-HANGING




97-809690A 1

Aluminum
Provides additional corrosion protection when boat is at mooring. Fits all applications when hung over side of the boat.

ANODES - DRIVESHAFT HOUSING

DRIVESHAFT HOUSING ANODE



97-821629Q 1

Aluminum
Fits Alpha One Gen II drives.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-821629A 2

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Alpha One Gen II drives.

DRIVESHAFT HOUSING ANODE



97-821630Q 1

Aluminum
Fits Bravo I, II, III, X, XR & XZ drives.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-821630A 2

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Bravo I, II, III, X, XR & XZ drives

ANODES - PROPELLER

PROP NUT ANODE KIT



809664A 1

1-1/8 in. Shaft, 3/4 in. NF 16
 Fits Mercury/Mariner 70 hp and higher outboards (except 225 EFI FourStroke);
 Also fits MC-I, R, MR, Alpha, Bravo One & TRS sterndrives (1970 & newer)

PROP NUT ANODE KIT



97-809666A02

Aluminum, For use in saltwater or freshwater.
 1-3/8 in. Shaft, 1 in. NF 14
 Fits Bravo III drives (s/n 0M179451 and below)

97-809666A03

Magnesium, For use in freshwater only.
 1-3/8 in. Shaft, 1 in. NF 14
 Fits Bravo III drives (s/n 0M179451 and below)

REPLACEMENT PROP NUT ANODE



97-809662T

2 in. Aluminum Anode Shell
 Replacement Shell for 809662A 1

REPLACEMENT PROP NUT ANODE



97-809666T

2-5/16 in. Aluminum Anode Shell
 Replacement Shell for 809666A 1 and 809666A02

97-809666T01

2-5/16 in. Magnesium Anode Shell
 Replacement Shell for 809666A03

REPLACEMENT PROP NUT ANODE



97-809670T

2-1/2 in. Aluminum Anode Shell
 Replacement Shell for 809670A 1

PROP NUT ANODE



97-865182Q01

Aluminum
 Fits Bravo III (s/n 0M179452 and up)
 Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-865182A02

Magnesium - For freshwater use only. Do not use in saltwater applications.
 Fits Bravo III (s/n 0M179452 and up)

ANODE CHART - PROPELLER NUT

Prop Nut Anodes

Thread Size/ per inch	Shaft Size	Zinc Size	Outside Diameter	Space Pounds	Space Grams	Complete Pounds	Complete Grams	Anodic Prop Nut Kit	Replacement Prop Nut Anode
1/2 inch NC 13	3/4 inch	A	1-1/4 inch	.20	90.9	.34	154.5	N.L.A.	N.L.A.
5/8 inch NC 11	7/8 inch	B	1-5/8 inch	.50	227.27	.82	372.7	N.L.A.	N.L.A.
3/4 inch NC 10	1 inch	C	2 inch	1.06	481.8	1.55	704.5	N.L.A.	97-809662T
3/4 inch NF 16	1 inch	C	2 inch	1.06	481.8	1.55	704.5	809664A 1	97-809662T
7/8 inch NC 9	1-1/4 inch	D	2-5/16 inch	1.50	681.8	2.20	999.9	N.L.A.	97-809666T

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.



Thread Size/ per inch	Shaft Size	Zinc Size	Outside Diameter	Space Pounds	Space Grams	Complete Pounds	Complete Grams	Anodic Prop Nut Kit	Replacement Prop Nut Anode
7/8 inch NF 14	1-1/4 inch	D	2-5/16 inch	1.50	681.8	2.20	999.9	N.L.A.	97-809666T
1 inch NF 14	1-3/8 inch	E	2-1/2 inch	1.70	772.7	2.55	1159	N.L.A.	97-809670T
1-1/8 inch NC 7	1-1/2 inch	F	2-3/4 inch	2.00	909.0	3.20	1454	N.L.A.	N.L.A.

ANODES - GEAR HOUSING

TRIM TAB



97-31640Q 4

Aluminum

Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation. Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-31640T 6

Magnesium - For freshwater use only. Do not use in Saltwater applications. Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.

TRIM TAB



34127T 2

Zinc

An optional trim tab for R, MR and Alpha One drives. Provides increased steering torque reduction for non-power steering applications. Will not work with Black Max or other high rake propellers.

ANODIC PLATE



97-76214Q 5

Aluminum

Provides additional clearance for high rake propellers. Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives. Priced individually, sold @ multiples of 2. Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications. Fits Mercury/Mariner 35-300 HP, Force 90 & 120 HP 1995 and newer, MerCruiser Alpha One Generation II and Bravo I, II and III drives.

TRIM TAB ANODE



97-82277Q 1

Aluminum

For applications where extra clearance is required for high rake propellers. Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines. Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-82277A 2

Magnesium - For freshwater use only. Do not use in saltwater applications. Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.

ANODIC PLATE



97-76214 4

Aluminum

Fits Bravo III with 2 pc. anti-ventilation plate
Fits Bravo III w/ 1 pc housing (s/n 0M179452 and up)
Fits Vazer

97-76214 6

Magnesium - For freshwater use only. Do not use in saltwater applications. Fits Bravo III with 2 pc. anti-ventilation plate

ANODE



97-806187A 1

Aluminum

Fits BlackHawk

ANODE



847635

Aluminum
Fits SSM VI & VII

BEARING CARRIER ANODE



97-806105Q 1

Aluminum
Fits Alpha One Gen II and Vazer drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

BEARING CARRIER ANODE



97-806188Q01

Aluminum
Fits Bravo I
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-806188A 2

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Bravo I

PROP NUT ANODE



97-865182Q01

Aluminum
Fits Bravo III (s/n 0M179452 and up)
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

97-865182A02

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Bravo III (s/n 0M179452 and up)

ANODES - TRIM CYLINDER

TRIM CYLINDER ANODE



97-806189Q 1

Aluminum
Fits Alpha One Gen II drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

ANODE BULK PAK

97-8M0059341

40 Aluminum Trim Cylinder Anodes per box. Equivalent to the individually packaged 806189Q1/T1.
NOTE: Does not include the mounting hardware.
Fits Alpha One Gen II drives.

TRIM CYLINDER ANODE

97-806189A 2

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Alpha One Gen II drives

TRIM CYLINDER ANODE



97-806190Q 1

Aluminum
Fits Vazer and Bravo I, II, III, X, XR, XZ and Blackhawk drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

ANODE BULK PAK

97-8M0059342

10 Aluminum Trim Cylinder Anodes per box. Equivalent to the individually packaged 806190Q1/T1.
NOTE: Does not include the mounting hardware.
Fits Vazer and Bravo I, II, III, X, XR, XZ and Blackhawk drives.

TRIM CYLINDER ANODE

97-806190A 2

Magnesium - For freshwater use only. Do not use in saltwater applications.
Fits Vazer and Bravo I, II, III, X, XR, XZ and Blackhawk drives.

ANODE - ENGINE

ENGINE ANODE ASSEMBLY



97-8M0151541

M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)
Fits 2.0L, 2.8L, 3.0L & 4.2L in-line diesel engines
Also fits the 1.9L, 2.5L, 3.0L V6 & 4.2L V8 TDI diesel engines

ENGINE ANODE ASSEMBLY




97-8M0151540

Longer length for extended corrosion protection M18 x 1.5 Plug w/ thread-in anode (40mm length x 15mm O.D.)
Fits QSD 2.8L & 4.2L diesel engines. Also fits 3.0L V6 TDI diesel engines

ANODE - HEAT EXCHANGER

HEAT EXCHANGER ANODE



97-806000

3/8-18 NPT Plug w/ thread-in anode (32mm length x 13mm O.D.)
Fits 1994-2009 D2.8L, D3.0L, D3.6L & D4.2L in-line diesel engine heat exchangers, Also fits Racing 850 SCi, 1025 SCi, 1075 SCi & 1200SCi oil cooler housing.

ANODE CHART - MERCUISER

MerCruiser Anodes

Model	Year Range	Serial # Range	Gimbal Anodic Plate	Mat.	Gimbal Anodic Bolt Head	Anodic Trim Tab/Plate	Mat.	Anodic Trim Tab (Opt.)	Mat.	D/S Hsg. Anodic Plate	Mat.	Trim Cylinder Anode	Mat.	Bearing Carrier Anode	Mat.	Anodic Prop Nut Kit	Prop Nut Anode Only
60	1965 - 1966	1830753 - 2063740	34762A 1	Zinc	N/A	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	N.L.A.
60	1965 - 1966	1830753 - 2063740	34762A 1	Zinc	N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	N.L.A.
80	1966 - 1969	2063741 - 2890029	34762A 1	Zinc	N/A	N.L.A.		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
90	1970 - 1972	2890020 - 3225967	34762A 1	Zinc	N/A	N.L.A.		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
I	1963	1534570 - 1684187	34762A 1	Zinc	N/A	34127T 2	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
IA/IB/IC	1964	1684188 - 1777798	34762A 1	Zinc	N/A	97-31640T 4	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
IA/IB/IC	1964	1684188 - 1777798	34762A 1	Zinc	N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
IA/IB/IC (EZ Shift)	1965 - 1966	1776349 - 2065189	34762A 1	Zinc	N/A	97-31640T 4	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
IA/IB/IC (EZ Shift)	1965 - 1966	1776349 - 2065189	34762A 1	Zinc	N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
120/140	1967 - 1969	2062141 - 2791956	34762A 1	Zinc	N/A	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
120/140	1967 - 1969	2062141 - 2791956	34762A 1	Zinc	N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T
120/140	1970 - 1977	2791957 - 4893634	N/A		97-55989Q 9	Alum.	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
120/140	1970 - 1977	2791957 - 4893634	N/A		97-55989T 3	Magn.	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
120/140	1978 - 1982	4893635 - 6225576	N/A		97-55989Q 9	Alum.	97-31640T 4	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
120/140	1978 - 1982	4893635 - 6225576	N/A		97-55989T 3	Magn.	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
160	1967 - 1969	2065190 - 2763441	34762A 1	Zinc	N/A	34127T 2	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809662T	
165	1970 - 1977	2763442 - 4890469	N/A		97-55989Q 9	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
165	1978 - 1981	4890460 - 6268064	N/A		97-55989Q 9	Alum.	97-31640T 4	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
165	1978 - 1981	4890460 - 6268064	N/A		97-55989T 3	Magn.	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
II	1962 - 1967	1474909 - 2276488	N/A		N/A	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809666T	
II	1962 - 1967	1474909 - 2276488	N/A		N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809666T	
II (1.78:1)	1969	2507945 - 2671321	N/A		N/A	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809666T	
II (1.78:1)	1969	2507945 - 2671321	N/A		N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809666T	
III	1968 - 1969	2373127 - 3002613	34762A 1	Zinc	N/A	34127T 2	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
215E	1970 - 1972	2900035 - 2915034	34762A 1	Zinc	N/A	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
215E	1970 - 1972	2900035 - 2915034	34762A 1	Zinc	N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
215H	1970	2782203 - 2903034	34762A 1	Zinc	N/A	34127T 2	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
225-S	1974	3656268 - 4200499	N/A		97-55989Q 9	Alum.	97-31640T 4	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
225-S	1974	3656268 - 4200499	N/A		97-55989T 3	Magn.	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
228	1977 - 1982	4782330 - 6229157	N/A		97-55989Q 9	Alum.	97-31640T 4	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
228	1977 - 1982	4782330 - 6229157	N/A		97-55989T 3	Magn.	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
233	1975 - 1977	4200500 - 4782329	N/A		97-55989Q 9	Alum.	97-31640T 4	Alum.	34127T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
233	1975 - 1977	4200500 - 4782329	N/A		97-55989T 3	Magn.	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
250	1977	4791300 - 4898729	N/A		97-55989Q 9	Alum.	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
250	1977	4791300 - 4898729	N/A		97-55989T 3	Magn.	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Model	Year Range	Serial # Range	Gimbal Anodic Plate	Mat.	Gimbal Anodic Bolt Head	Anodic trim Tab Plate	Anodic Trim Tab (Opt.)	Mat.	D/S Hsg. Anodic Plate	Trim Cylinder Anode	Mat.	Bearing Carrier Anode	Mat.	Anodic Prop Nut Kit	Prop Nut Anode Only
II-TR	1973 - 1976	3377316 - 4794889	34762A 1	Zinc	N/A	97-31640T 4	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
II-TR	1973 - 1976	3377316 - 4794889	34762A 1	Zinc	N/A	97-31640T 6	N/A	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
255-TRS	1973 - 1974	3377316 - 4203749	34762A 1	Zinc	N/A	97-31640T 4	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
255-TRS	1973 - 1974	3377316 - 4203749	34762A 1	Zinc	N/A	97-31640T 6	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
260	1978 - 1982	4889730 - 6229157	N/A		97-55989Q 9	Alum.	3412T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
260	1978 - 1982	4889730 - 6229157	N/A		97-55989T 3	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
280-TRS	1975 - 1976	4203750 - 4895399	34762A 1	Zinc	N/A	97-31640T 4	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
280-TRS	1975 - 1976	4203750 - 4895399	34762A 1	Zinc	N/A	97-31640T 6	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
470	1976 - 1982	4208730 - 6225576	N/A		97-55989Q 9	Alum.	3412T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
470	1976 - 1982	4208730 - 6225576	N/A		97-55989T 3	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
485	1980 - 1982	5487437 - 6225576	N/A		97-55989Q 9	Alum.	3412T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
485	1980 - 1982	5487437 - 6225576	N/A		97-55989T 3	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
888	1971 - 1977	3105717 and up	N/A		97-55989Q 9	Alum.	3412T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
888	1971 - 1977	3105717 and up	N/A		97-55989T 3	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
R1MR/alpha One	1983 - 1989	6225577 - 0D469858	97-821631T 1	Alum.	97-55989Q 9	Alum.	3412T 2	Zinc	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
R1MR/alpha One	1983 - 1989	6225577 - 0D469858	97-821631T 3	Magn.	97-55989T 3	Magn.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
Alpha One (Gen.II)	1991 - 2022	0D469859 and up	97-821631T 1	Alum.	N/A	97-76214T 5	Alum.	97-31640T 4	Alum.	97-806189T 1	Alum.	97-806105T 1	Alum.	809664A 1	97-809662T
Alpha One (Gen.II)	1991 - 2022	0D469859 and up	97-821631T 3	Magn.	N/A	97-76214A 6	Magn.	97-31640T 6	Magn.	97-806189A 2	Magn.	N.L.A.	Magn.	809664A 1	97-809662T
Alpha One SS	1986 - 1989	0A545004 and up	N/A		97-55989Q 9	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
Alpha One SS	1986 - 1989	0A545004 and up	N/A		97-55989Q 9	Magn.	97-822777A 2	Magn.	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
Vazer	2007 - 2008	0W995000 and up	N.L.A.	Alum	N/A	97-76214 4	Alum.	N/A	N.L.A.	97-806190T 1	Alum.	97-806105T 1	Alum.	809664A 1	97-809662T
Bravo One	1988 - 2022	08664190 and up	97-821631T 1	Alum.	N/A	97-76214T 5	Alum.	97-821630T 1	Alum.	97-806190T 1	Alum.	97-806188Q01	Alum.	809664A 1	97-809662T
Bravo One	1988 - 2022	08664190 and up	97-821631T 3	Magn.	N/A	97-76214A 6	Magn.	97-821630A 2	Magn.	97-806190A 2	Magn.	97-806188A 2	Magn.	809664A 1	97-809662T
Bravo Two	1989 - 2022	0C564952 and up	97-821631T 1	Alum.	N/A	97-76214T 5	Alum.	N/A	97-821630T 1	Alum.	97-806190T 1	Alum.	N.L.A.	97-809670T	
Bravo Two	1989 - 2022	0C564952 and up	97-821631T 3	Magn.	N/A	97-76214A 6	Magn.	N/A	97-821630A 2	Magn.	97-806190A 2	Magn.	N.L.A.	97-809670T	
Bravo Three	1993 - 2001	0D763691 - 0M179452	97-821631T 1	Alum.	N/A	97-76214T 5	Alum.	97-76214 4	Alum.	97-806190T 1	Alum.	N/A	Alum.	97-809666A02	97-809666T
Bravo Three	1993 - 2001	0D763691 - 0M179451	97-821631T 3	Magn.	N/A	97-76214A 6	Magn.	97-76214 6	Magn.	97-806190A 2	Magn.	N/A	Magn.	97-809666A03	97-809666T01
Bravo Three	2002 - 2022	0M179453 and up	97-821631T 1	Alum.	N/A	97-76214T 5	Alum.	97-76214 4	Alum.	97-806190T 1	Alum.	N/A	Alum.	N/A	97-865182Q01
Bravo Three	2002 - 2022	0M179453 and up	97-821631T 3	Magn.	N/A	97-76214A 6	Magn.	97-76214 6	Magn.	97-806190A 2	Magn.	N/A	Magn.	N/A	97-865182A02
Blackhawk	1994 - 1995	0F186717 and up	N/A		N/A	97-806187A 1	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
SSM III/IIIIV	1982 - 1995		34762A 1	Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
SSM VI/VII	1990 - 1995		848653T	Alum.	N/A	847635	Alum.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
TR	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
TR	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	N.L.A.	97-809670T	
TRS	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A	97-31640T 4	Alum.	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	
TRS	1977 - 1987	4794900 and up	34762A 1	Zinc	N/A	97-31640T 6	Magn.	N/A	N/A	N/A	N/A	N/A	809664A 1	97-809662T	


ANODE CHARTS - ACCESSORIES AND INBOARD

Closed Cooling Anodes

Model	Year Range	Anode	Mat.	Size
120/140/165	1972 - 1982	97-808112	Zinc	1-1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
888/215/225	1972 - 1977	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
233/255	1973 - 1977	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
255/280 (G.M.)	1975 - 1977	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
325/350	1972 - 1976	97-808112	Zinc	1 1/2 inch X 1/2 inch anode w/ 3/8 inch pipe plug
888/215	1971	N.L.A.	Zinc	1 3/4 inch X 3/8 inch anode w/ 1/4 inch pipe plug
325/350	1971	N.L.A.	Zinc	1 3/4 inch X 3/8 inch anode w/ 1/4 inch pipe plug
7.3L V-8 Diesel	1993 - 1995	97-808112	Zinc	2 inch X 1/2 inch anode with 3/8 inch pipe plug
530/636 Diesel	1989	97-8M015154Zinc		3/4 inch X 3/4 inch anode only
D183/D219 Diesel	1990 - 1993	97-8M015154Zinc		3/4 inch X 3/4 inch anode only
D254 Diesel	1990 - 1993	97-8M015154Zinc		3/4 inch X 3/4 inch anode only
D3.0/D3.6L Diesel	1994 - 1995	97-8M015154Zinc		3/4 inch X 3/4 inch anode only
D4.2L Diesel	1994 - 1995	97-8M015154Zinc		3/4 inch X 3/4 inch anode only

TRANSOM ASSEMBLY - ALPHA

TRANSOM ASSEMBLY



6-601000CP

1982-1990 Alpha One

6-601000DP

1991-1993 Alpha One Gen II

6-6100005P

Includes complete power trim pump

1994-2016 Alpha One Gen II


6-6100002P

Alpha One Gen II - Digital.

Mercury 4.5L V6 Engine

TRANSOM ASSEMBLY - BRAVO

TRANSOM ASSEMBLY



6-6311002NZ

Bravo, Magnum

Used with 4.3L, 5.0L 350, 357, 377, 383, 5.7L, 6.2L non-DTS engines

6-6200010P

Bravo, Digital.

Used with 4.5, 6.2L (2016 and newer), 8.2L, 8.2L H.O. & DTS engines.

6-6315002P

Bravo, SmartCraft


Used with 496 & 496 H.O.

6-6345002TP

Bravo, Magnum - Axius Gen I

Used with 5.0L, 350 Mag, 377 Mag, 496 & HO MPI engines w/ Axius Gen I steering

TRANSOM ASSEMBLY



6-6511002NZ

Bravo, Heavy Duty (w/o sender)

Used with Racing Products engines


6-62000091

Bravo, Heavy Duty w/ digital sender

Used with Racing Products engines

TRANSOM ASSEMBLY - BRAVO (SEACORE)

TRANSOM ASSEMBLY



6-6911002TP

Bravo, Magnum - Seacore

Used with SeaCore 4.3L, 5.0L, 350, & 377 non-DTS engines

6-6200012P

Bravo, Digital, SeaCore

Used with SeaCore 4.5L, 6.2L (2016 & newer), 8.2L, 8.2L H.O. & DTS engines

6-6A15002P

Bravo, SmartCraft - Seacore

Used with SeaCore 496 & 496 H.O. engines

6-6A45002TP

Bravo, SmartCraft - SeaCore Axis Gen I

STERNDRIVES - ALPHA ONE

NOTE: When using the Alpha One Sterndrive Assembly as a replacement on earlier (pre 1983) 4 & 6 cylinder inline models, it will be necessary to replace the standard yoke with a short U-joint yoke. This yoke is not included and must be removed from the old unit.

ALPHA ONE STERNDRIVE



5-5010130CP

Alpha One
1.30 ratio
Standard Rotation (RH)

5-5010147CP

Alpha One
1.47 ratio
Standard Rotation (RH)

5-5010162CP

Alpha One
1.62 ratio
Standard Rotation (RH)

5-5010181CP

Alpha One
1.81 ratio
Standard Rotation (RH)

5-5010194CP

Alpha One
1.94 ratio
Standard Rotation (RH)

STERNDRIVES - ALPHA ONE GEN II

ALPHA ONE GEN II STERNDRIVE



5-5121200TP

Alpha One Gen II
1.47 ratio
Standard Rotation (RH)

5-5111200TP

Alpha One Gen II
1.47 ratio
Counter Rotation (LH)

5-5121300TP

Alpha One Gen II
1.62 ratio
Standard Rotation (RH)

5-5111300TP

Alpha One Gen II
1.62 ratio
Counter Rotation (LH)

5-5121400TP

Alpha One Gen II
1.81 ratio
Standard Rotation (RH),

5-5111400TP

Alpha One Gen II
1.81 ratio
Counter Rotation (LH)

5-5121600TP

Alpha One Gen II
2.00 ratio
Standard Rotation (RH)

5-5111600TP

Alpha One Gen II
2.00:1 Ratio
Counter Rotation (LH)
(s/n 0W535509 and below)

5-5121700TP

Alpha One Gen II
2.40 ratio
Standard Rotation (RH)

STERNDRIVES - BRAVO ONE (CLASSIC)

Brand new and fresh from the factory, the classic Bravo sterndrive look is still available on selected p/n's. They feature all of the latest improvements to the cone clutch and machining improvements that make Bravo sterndrives best in class for shift smoothness and durable performance.

If the specific drive you are looking for is not listed, please refer to MerCruiser Service Bulletin 2005-11 for alternate options.

BRAVO ONE STERNDRIVE



5-5231200NP

Bravo One
1.50 ratio
with dual water pickup
(s/n 0W249999 and below)

STERNDRIVES - BRAVO ONE

BRAVO ONE STERNDRIVE



5-5231100TP

Bravo One
1.36 ratio with dual water pickup
(s/n 0W250000 & up)

5-5231200TP

Bravo One
1.50 ratio with dual water pickup
(s/n 0W250000 and up)

5-5231300TP

Bravo One
1.65 ratio with dual water pickup
(s/n 0W250000 and up)

5-5237100TP

Bravo One X
1.36 ratio with dual water pickup
(s/n 0W250000 and up)

5-5237200TP

Bravo One X
1.50 ratio with dual water pickup
(s/n 0W250000 and up)

5-5237300TP

Bravo One X
1.65 ratio with dual water pickup
(s/n 0W250000 and up)

5-5E31800TP

Bravo One XR
1.26 ratio with dual water pickup
(s/n 0W240000 and up)

5-5E31900UP

Bravo One XR
1.35 ratio with dual water pickup
(s/n 0W240000 and up)

5-5E31200UP

Bravo One XR
1.50 ratio with dual water pickup
(s/n 0W240000 and up)

STERNDRIVES - BRAVO ONE (SEACORE)

BRAVO ONE STERNDRIVE



5-5J31200TP

Bravo One - SeaCore
1.50 ratio with dual water pickup

5-5J31300TP

Bravo One - SeaCore
1.65 ratio with dual water pickup

5-5J37200TP

Bravo One X - SeaCore
1.50 ratio with dual water pickup

5-5J37300TP

Bravo One X - SeaCore
1.65 ratio with dual water pickup

STERNDRIVES - BRAVO TWO (CLASSIC)

Brand new and fresh from the factory, the classic Bravo sterndrive look is still available on selected p/n's. They feature all of the latest improvements to the cone clutch and machining improvements that make Bravo sterndrives best in class for shift smoothness and durable performance.

If the specific drive you are looking for is not listed, please refer to MerCruiser Service Bulletin 2005-11 for alternate options.

BRAVO TWO STERNDRIVE



5-5331600LP

Bravo Two
2.00 ratio
(s/n 0W249999 and below)

STERNDRIVES - BRAVO TWO

BRAVO TWO STERNDRIVE



5-5331200TP

Bravo Two
1.50 ratio
(s/n 0W250000 and up)

5-5331400TP

Bravo Two
1.81 ratio
(s/n 0W250000 and up)

5-5331600TP

Bravo Two
2.00 ratio
(s/n 0W250000 and up)

5-5331500TP

Bravo Two
2.20 ratio
(s/n 0W250000 and up)

5-5337400TP

Bravo Two X
1.81 ratio
(s/n 0W250000 and up)

5-5337600TP

Bravo Two X
2.00 ratio
(s/n 0W250000 and up)

5-5337500TP

Bravo Two X
2.20 ratio
(s/n 0W250000 and up)

STERNDRIVES - BRAVO TWO (SEACORE)

BRAVO TWO STERNDRIVE



5-5K31600TP

Bravo Two - SeaCore
2.00 ratio

5-5K31500TP

Bravo Two - SeaCore
2.20 ratio

5-5K37400TP

Bravo Two X - SeaCore
1.81 ratio

5-5K37600TP

Bravo Two X - SeaCore
2.00 ratio

STERNDRIVES - BRAVO THREE (CLASSIC)

Brand new and fresh from the factory, the classic Bravo sterndrive look is still available on selected p/n's. They feature all of the latest improvements to the cone clutch and machining improvements that make Bravo sterndrives best in class for shift smoothness and durable performance.

If the specific drive you are looking for is not listed, please refer to MerCruiser Service Bulletin 2005-11 for alternate options.

BRAVO THREE STERNDRIVE



5-5441400LP

Bravo Three
1.81 ratio
(s/n 0W249999 and below)

5-5441600LP

Bravo Three
2.00 ratio
(s/n 0W249999 and below)

5-5441500LP

Bravo Three
2.20 ratio
(s/n 0W249999 and below)

STERNDRIVES - BRAVO THREE

BRAVO THREE STERNDRIVE



5-5441200TP

Bravo Three
1.50 ratio
(s/n 0W250000 and up)

5-5441400TP

Bravo Three
1.81 ratio
(s/n 0W250000 and up)

5-5441600TP

Bravo Three
2.00 ratio
(s/n 0W250000 and up)

5-5441500TP

Bravo Three
2.20 ratio
(s/n 0W250000 and up)

5-5441700TP

Bravo Three
2.43 ratio
(s/n 0W250000 and up)

5-5447400TZ

Bravo Three X, dual water pickup
1.81 ratio
(s/n 0W250000 and up)

5-5447600TZ

Bravo Three X, dual water pickup
2.00 ratio
(s/n 0W250000 and up)

5-5447500TZ

Bravo Three X, dual water pickup
2.20 ratio
(s/n 0W250000 and up)

5-5H41300UP

Bravo Three XR, dual water pickup
1.65 ratio
(s/n 0W240000 and up)

5-5H41400UP

Bravo Three XR, dual water pickup
1.81 ratio
(s/n 0W240000 and up)

5-5H41600TZ

Bravo Three XR, dual water pickup
2.00 ratio
(s/n 0W240000 and up)

STERNDRIVES - BRAVO THREE (SEACORE)

BRAVO THREE STERNDRIVE



5-5L41300TP

Bravo Three - SeaCore
1.65 ratio

5-5L41400TP

Bravo Three - SeaCore
1.81 ratio

5-5L41600TP

Bravo Three - SeaCore
2.00 ratio

5-5L41500TP

Bravo Three - SeaCore
2.20 ratio

5-5L41700TP

Bravo Three - SeaCore
2.43 ratio

5-5L47400TP

Bravo Three X - SeaCore
1.81 ratio

5-5L47600TP

Bravo Three X - SeaCore
2.00 ratio

5-5L47500TP

Bravo Three X - SeaCore
2.20 ratio


5-5M41600TP

Bravo Three XR - SeaCore
2.00 ratio

DRIVESHAFT HOUSINGS - COMPLETE

NOTE: When using the Alpha One Driveshaft Housing Assembly as a replacement on earlier (pre 1983) 4 & 6 cylinder inline models, it will be necessary to replace the standard yoke with a short U-joint yoke (p/n 39385A 1). This yoke is not included and must be removed from the old unit or ordered separately.

ALPHA ONE DRIVESHAFT HOUSING - COMPLETE



1547- 9412A19

1.32 ratio
Fits MC-I, R, MR & Alpha One

1547- 9412A20

1.50 ratio
Fits MC-I, R, MR & Alpha One

1547- 9412A21

1.65 ratio
Fits MC-I, R, MR & Alpha One

1547- 9412A22

1.84 ratio
Fits MC-I, R, MR & Alpha One

1547- 9412A23

1.98 ratio
Fits MC-I, R, MR & Alpha One

ALPHA ONE GEN II DRIVESHAFT HOUSING - COMPLETE



1547-861063A12

1.47 ratio
Fits Alpha One Gen II

1547-861063A10

1.62 & 2.00 ratios
Fits Alpha One Gen II


1547-861063A 8

1.81 ratio
Fits Alpha One Gen II

1547-861063A 6

1.94 & 2.40 ratio
Fits Alpha One Gen II

BRAVO DRIVESHAFT HOUSING - COMPLETE



1589-863836A50

Fits Bravo I & Perf. (1.36), II (1.50 & 1.81) & III (1.36 & 1.81) (s/n OD469909-0W249999)

1589-863836A51

Fits Bravo I & Perf. (1.50), II (1.65 & 2.00) & III (1.50, 1.65 & 2.00) (s/n OD469920-0W249999)

1589-863836A52

Fits Bravo I & Perf. (1.65), II (2.20) & III (2.20 & 2.43 ratio) (s/n 0W249999 & below)

1589-863836A66

Fits Bravo I X & XZ (1.36), II X (1.50 & 1.81) & III X (1.36 & 1.81) (s/n OM100001-0W249999)


1589-863836A67

Fits Bravo I X & XZ (1.50), II X (1.65 & 2.00) & III X (1.50, 1.65 & 2.00) (s/n OM100001-0W249999)

1589-863836A56

Fits Bravo I XR (s/n OM100001-0W239999)

BRAVO DRIVESHAFT HOUSING - COMPLETE



1589-865440H50

Fits Bravo I (1.36), II (1.50) & III (1.36) (s/n 0W250000 and up)

1589-865440H51

Fits Bravo I (1.50), II (1.65 & 2.00) & III (1.65 & 2.00) (s/n 0W250000 and up)

1589-865440H52

Fits Bravo I (1.65), II (2.20) & III (2.20 & 2.43 ratio) (s/n 0W250000 and up)

1589-865440H01

Fits Bravo II (1.81) & III (1.81) (s/n 0W250000 and up)

1589-865440H02

Fits Bravo III (1.50) (s/n 0W250000 and up)

BRAVO SEACORE DRIVESHAFT HOUSING - COMPLETE

1500-866458J01

SeaCore

Fits Bravo I (1.36), II (1.81) & III (1.36)

1500-866458J02

SeaCore

Fits Bravo I (1.50), II (2.00) & III (1.65 & 2.00)

1500-866458J03

SeaCore

Fits Bravo I (1.65), II (2.20) & III (2.20 & 2.43 ratio)

1500-866458J04

SeaCore

Fits Bravo II (1.81) & III (1.81)

BRAVO X DRIVESHAFT HOUSING - COMPLETE



1589-865440H66

Fits Bravo I X (1.36), II X (1.50 & 1.81) & III X (1.36 & 1.81) (s/n 0W250000 and up)

1589-865440H67

Fits Bravo I X (1.50), II X (1.65 & 2.00) & III X (1.50, 1.65 & 2.00) (s/n 0W250000 and up)

1589-865440H68

Fits Bravo I X (1.65), II X (2.20) & III X (2.20 & 2.43) (s/n 0W250000 and up)

1589-865440H56

Fits Bravo I XR (s/n 0W240000 and up)

1589-865440H73

Fits Bravo I XR with integrated transom (s/n 0W240000 and up)

BRAVO X SEACORE DRIVESHAFT HOUSING - COMPLETE

1500-866459J01

SeaCore

Fits Bravo I X (1.36), II X (1.50 & 1.81) & III X (1.36 & 1.81)

1500-866459J02

SeaCore

Fits Bravo I X (1.50), II X (1.65 & 2.00) & III X (1.50, 1.65 & 2.00)

1500-866459J03

SeaCore

Fits Bravo I X (1.65), II X (2.20) & III X (2.20)

1500-866459J04

SeaCore

Fits Bravo III XR (2.00)

DRIVESHAFT HOUSINGS - BASIC

ALPHA ONE GEN II DRIVESHAFT HOUSING



1547-861063A 4

Fits Alpha One Gen II (s/n 0L100040 and up)

BRAVO DRIVESHAFT HOUSING



1589-8868A15

Fits Bravo I (s/n 0B664190-0D469908)

1589-8868G21

Fits Bravo I (s/n 0D469909 - 0L999999)
Fits Bravo II (s/n 0B664190 - 0L999999)
Fits Bravo III (s/n 0D784124 - 0L999999)


1589-864571A72

Fits Bravo I/II/III (s/n 0M100001-0W249999)

1589-864571A70

Fits Bravo I/II/III X & XR/XZ (s/n 0M100001-0W239999)

BRAVO DRIVESHAFT HOUSING



1589-865440H72

Fits Bravo I/II/III (s/n 0W250000 and up)

1500-866458J00

SeaCore

Fits Bravo I/II/III

BRAVO DRIVESHAFT HOUSING



1589-865440H70

Fits Bravo I/II/III X & XR (s/n 0W240000 and up)

1500-866459J00

SeaCore

Fits Bravo I/II/III X & XR

GEAR HOUSINGS - COMPLETE

ALPHA ONE GEAR HOUSING - COMPLETE



1623-8951A43

Standard Rotation (RH)
Fits R, MR & Alpha One

1623-8951A33

Counter Rotation (LH)
Fits MR & Alpha One

ALPHA ONE GEN II GEAR HOUSING - COMPLETE



1623-815822A53

1.47, 1.62, 1.81 & 1.94 ratio
Standard Rotation (RH)
Fits Alpha One Gen II

1623-815822A47

1.47, 1.62, 1.81 & 1.94 ratio
Counter Rotation (LH)
Fits Alpha One Gen II

1623-815822A55

2.00 & 2.40 ratio
Standard Rotation (RH)
Fits Alpha One Gen II

1623-815822A52

2.00 ratio
Counter Rotation (LH)
Fits Alpha One Gen II

BRAVO ONE GEAR HOUSING - COMPLETE



1656-8866A63

With dual water pickup
1.36, 1.50 & 1.65 ratio
Fits Bravo I (s/n 0D649909 & up) & I X drives

1656-8866J01

SeaCore
With dual water pickup
1.36, 1.50 & 1.65 ratio
Fits Bravo I & I X drives

1656-8866A83

With heavy duty propshaft and dual water pickup
Fits Bravo I XR (1.35)

1656-8866A62

With heavy duty propshaft and dual water pickup
Fits Bravo I XR (1.50) & XZ (1.36 & 1.50)

BRAVO TWO GEAR HOUSING - COMPLETE



1641-8294A19

1.50 & 1.65 ratio
Fits Bravo II (s/n 0D469920 & up) & II X

1641-8294A16

1.81, 2.00 & 2.20 ratio
Fits Bravo II (s/n 0D469920 & up) & II X


1641-8294J02

SeaCore
1.65 ratio
Fits Bravo II X

1641-8294J01

SeaCore
1.81, 2.00 & 2.20 ratio
Fits Bravo II & IIX

BRAVO THREE GEAR HOUSING - COMPLETE



1656-8M0046733

1.36 & 1.50 ratio, dual water pickup
Fits Bravo III (s/n 0D784124 and up) & III X

1656-8M0046733

1.36 & 1.50 ratio, dual water pickup
Fits Bravo III (s/n 0D784124 and up) & III X

1656-8M0046735

1.65 ratio, dual water pickup
Fits Bravo III (s/n 0D784124 and up) & III X. Also fits Bravo III XR - 1.65 ratio (0W240000 & up)

1656-8M0046735

1.65 ratio, dual water pickup
Fits Bravo III (s/n 0D784124 and up) & III X. Also fits Bravo III XR - 1.65 ratio (0W240000 & up)

1656-8M0046738

1.81, 2.00 & 2.20 ratio, dual water pickup
Fits Bravo III X (s/n 0W240000 & up). Also fits Bravo III XR - 2.00 ratio (0W240000 & up)

1656-8M0046682

2.43 ratio, dual water pickup
Fits Bravo III (s/n 0D784124 and up) & III X

1656-8M0046682

2.43 ratio, dual water pickup
Fits Bravo III (s/n 0D784124 and up) & III X

1656-8M0046831

1.81 ratio, dual water pickup
Fits Bravo III XR (s/n 0W240000 and up)

1656- 8866J08

SeaCore
1.36 & 1.50 ratio
Fits Bravo III X

1656- 8866J24

SeaCore
1.65 ratio
Fits Bravo III & III X

1656- 8866J09

SeaCore
1.81, 2.00 & 2.20 ratio
Fits Bravo III & III X. Also fits Bravo III XR - 2.00 ratio

1656- 8866J07


SeaCore
1.81 ratio
Fits Bravo III XR - 1.81 ratio

1656- 8866J25

SeaCore
2.43 ratio
Fits Bravo III

GEAR HOUSINGS - BASIC

MC-I/R GEAR HOUSING



1623- 5356A 4

Fits MC-I & R drives

ALPHA ONE GEAR HOUSING



1623- 8951A37

Standard Rotation (RH)
Fits MR & Alpha One

1623- 8951A39

Counter Rotation (LH)
Fits MR & Alpha One

ALPHA ONE GEN II GEAR HOUSING



1623-815822A30

Standard Rotation (RH)
Fits Alpha One Gen II (s/n 0D469859-0F679999)


1623-815822A28

Counter Rotation (LH)
Fits Alpha One Gen II (s/n 0D469859-0F679999)

1623-815822A36

Standard or Counter Rotation
Fits Alpha One Gen II (s/n 0F680000 and up)


BRAVO ONE GEAR HOUSING



1656- 8866A11

Fits Bravo I (s/n 0D469908 & below)

BRAVO ONE GEAR HOUSING



1656- 8866A64

With dual water pickup
Fits Bravo I (s/n 0D469909 & up) & X/XR/XZ

1656- 8866J00

SeaCore
With dual water pickup
Fits Bravo I & I X

BRAVO TWO GEAR HOUSING




1641- 8294A14

Fits Bravo II (s/n 0D469920 & up)

1641- 8294J00

SeaCore
Fits Bravo II & IIX

BRAVO THREE GEAR HOUSING



1656-8M0046683


Dual water pickup
Fits Bravo III (s/n 0D784124 and up)

1656- 8866J30

SeaCore
With dual water pickup
Fits Bravo III

ZF/HURTH 45C DIRECT ACROSS

TRANSMISSION ASSEMBLY



8M0188305

Completely dressed. Brand new ZF 45C Coaxial inboard transmission. Includes oil cooler, hoses, and mounting hardware. 4" output flange. Recommended for light boat applications (<5000#) with engines up to 350 HP @ 5000 RPM.
Replaces ZF 45C & Borg Warner 71C Series Direct Drive Transmission with 1.00 Gear Ratio on light boats using 5.7L, 6.2L, & 383 small block engines.

ZF/HURTH 630A DOWN ANGLE TRANSMISSION

TRANSMISSION ASSEMBLY

8M0163798

Completely dressed, brand new Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
Standard (right-hand) Rotation
Replaces ZF / Hurth HSW630A 1 Transmission with 1.50:1 Gear Ratio.

TRANSMISSION ASSEMBLY

Image not Available.

8M0163799

Completely dressed, brand new Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
Standard (right-hand) Rotation
Replaces ZF / Hurth HSW630A 1 Transmission with 2.00:1 Gear Ratio.

TRANSMISSION ASSEMBLY

8M0163800

Completely dressed, brand new Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
Standard (right-hand) Rotation
Replaces ZF / Hurth HSW630A 1 Transmission with 2.50:1 Gear Ratio.

TRANSMISSION ASSEMBLY

Image not Available.

8M0163801

Completely dressed, brand-new ZF 68A Down-Angle Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
This is a full power reverse transmission.
Replaces ZF / Hurth 63A & 68A transmissions with 2.7:1 Gear Ratio.

ZF/HURTH 630 V-DRIVE TRANSMISSION

TRANSMISSION ASSEMBLY

8M0188312

Completely dressed, brand new V-Drive Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
Standard (right-hand) Rotation
Replaces ZF / Hurth HSW630V1 Transmission with 1.50:1 Gear Ratio.

TRANSMISSION ASSEMBLY



896346708

Completely dressed, brand new V-Drive Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
Standard (right-hand) Rotation
Replaces ZF / Hurth HSW630V1 Transmission with 2.00:1 Gear Ratio.

8M0163804

Completely dressed, brand new V-Drive Inboard Transmission. Includes oil cooler, hoses and mounting hardware.
Standard (right-hand) Rotation
Replaces ZF / Hurth HSW630V1 Transmission with 2.50:1 Gear Ratio.

BORG WARNER / VELVET DRIVE DIRECT-ACROSS

TRANSMISSION ASSEMBLY



8M0129098

Completely dressed. Brand new Quicksilver exclusive 6-PAK Heavy Duty 71C Coaxial inboard transmission machined for and assembled with 6 forward gear heavy duty clutches and increased clutch pressure. Includes oil cooler, hoses, and mounting hardware. 4" output flange. Recommended for heavy boat applications (5000-15,000#) with engines up to 450 HP @ 6000 RPM.

Replaces Borg Warner 71C Series Direct Drive Transmission with 1.00 Gear Ratio where heavy boat loading is required using 5.7L, 6.2L, & 383 small block engines.

RACING

OUTBOARD HD PROPSHAFT KITS

Used to convert a standard outboard prop shaft to a heavy-duty application. Requires seal installation tool 91-840388.

PROPSHAFT KIT



44-840450A03

Kits contains new propshaft, washers, lock nut and prop hub assembly. Fits 2.5L, left hand rotation outboards.

PROPSHAFT KIT



44-840451A03

Kits contains new propshaft, washers, lock nut and prop hub assembly. Fits 2.5L, right hand rotation outboards.

CYLINDER HEADS FOR 2.5 EFI DRAG

DOES NOT include seal (858452--1) or o-ring (859772--1).

27.9CC O-RING CYLINDER HEAD



8M0050396

O-Ring sealed cylinder head replaces traditional head-gasket head. Provides greater head stability. 2.5 EFI Drag Cylinder Head. Equivalent to the 21CC gasketed drag race head.

CYLINDER HEAD WITH O-RINGS

849496T05

32.9CC O-ring sealed cylinder head replaces traditional head-gasket head. Provides greater head stability. 2.5 EFI Drag Cylinder Head. Stock Head.

43.9CC O-RING CYLINDER HEAD

8M0051522

O-ring sealed cylinder head replaces traditional head-gasket head. Provides greater head stability.

Standard 2.5 EFI Drag Cylinder Head. Equivalent to the 2.5 EFI Champ race head. (Pump Gas)

2.5L DRAG POWERHEADS

These products are sold "as is" with no warranty.

CHAMP/S3000

These products are sold "as is" with no warranty.

CYLINDER HEADS FOR V-6 OUTBOARD

CYLINDER HEAD



18787T 2

26 cc
Fits Mercury/Mariner XR2/SST 120

CYLINDER HEAD



900-8M0053744

26 cc
Fits Mercury/Mariner S3000/Drag

CYLINDER HEAD



18787019

36.5 cc
Fits Mercury/Mariner Champ

STATOR

STATOR



398- 9610A27

40 amp. Not for use with aluminum flywheels.
Fits Mercury Pro-Max and Mariner Super Magnum models only.

HEAVY DUTY BATTERY CABLES FOR V-6 OUTBOARDS

Designed to replace standard battery cables. Includes both positive and negative cable complete with ring terminals.

HEAVY DUTY BATTERY CABLES



84- 61378A 2

6AWG, 72" inch, 1/4-5/16 engine, 5/16-3/8 battery
For use with Mercury/Mariner V-6 Outboards

PLASTIC REED VALVES

Designed specifically for high performance engines. Will withstand higher engine RPM without chipping.

PLASTIC REED VALVES



34- 14594A 2

Dual stage - 5 petal reeds. Set contains 2 primary and 2 secondary reeds, 6 sets required per engine

PLASTIC REED VALVES



34- 849484A 1

Single stage - 7 petal reeds. Set contains 2 reeds, 6 sets required per engine.

PLASTIC REED VALVES



34- 815242A 3

Dual stage - 7 petal reeds. Set contains 2 primary and 2 secondary reeds, 6 sets required per engine

PLASTIC REED VALVES



34- 14594A 3

Dual stage - 4 petal reeds. Rubber coated, set contains 2 primary and 2 secondary reeds, 6 sets required per engine

ELECTRIC FUEL PUMPS

ELECTRIC FUEL PUMP



8M8026000

Bosch, pump only, use with 39 PSI regulator.
Mercury Racing 2.5 EFI outboards.

ELECTRIC FUEL PUMP



848045A 7

Bosch, pump only, use with 56 PSI regulator
Fits 2.0, S3000, EFI Drag

ELECTRIC FUEL PUMP



18018A 1

Holley pump assembly
Fits SST 120, S2000 and 2.5L carburetor engines

ELECTRIC FUEL PUMP



840368A 1

Weldon pump assembly
Fits 2.5 Drag, S3000, Champ and F1.

FUEL PUMP ASSEMBLY COMPLETE QC4V



8M0058449

Fuel Pump Assembly
To be used on all QC4v engines

FUEL PUMP MOTOR



8M6002740

Motor for fuel pump assembly 8M0058449.
Fuel pump motor for QC4v fuel pump.

FUEL PUMP COUPLER



8M6002741

Couples fuel pump motor to fuel pump body.

FUEL FILTER ASSEMBLY



35-8M0050833

Includes fuel filter, hose and adapter fitting.
Used on all Mercury Racing EFI engines.

SWITCHES AND ELECTRICAL COMPONENTS

ROCKER TRIM SWITCH



87- 61691

RACING

LANYARD STOP SWITCH



87-856654A 2

3-1/2 in.(89 mm) wires, does not include cap. Normally closed switch
Fits Mercury/Mariner outboards.

LANYARD STOP SWITCH



87-856654A 1

Normally open switch

LANYARD STOP SWITCH CAP



75095Q 2

Replacement cap for (65503A__ and 856654A__ series) Lanyard Stop Switches.
Fits Mercury/Mariner outboards and MCM/MIE engines.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TOGGLE SWITCH - ON/OFF



87- 66581

TOGGLE SWITCH - MOMENTARY



87- 66582

TRIM PUMPS

For Hydraulic Up/Down Race Center Sec.

TRIM PUMP KIT



818377A 2

Complete 12 volt horizontal pump with electric's, mounting bracket and attaching hardware.

TRIM HOSES

Steel braided, 3/8-24 UNF, inverted flare/double flare both ends

TRIM HOSE



32- 67032A12

12 in.(304 mm)

32- 67032A24

24 in.(610 mm)

32- 67032A36

36 in.(914 mm)

32- 67032A48

48 in.(1219 mm)

32- 67032A72

72 in.(1828 mm)

32- 67032A96

96 in.(2438 mm)

RIGGING ACCESSORIES

RIGGING TUBE KIT



32-842756T01

Mercury Racing version, the cowl fitting bolts firmly into place. Because the 2-1/2 inch tubing threads into the one piece couplers instead of over them, greater clearance is achieved for outboard rigging hardware including throttle cables, electronics cables, steering lines, and fuel lines. The durable hose and one piece couplers provide a complete seal at both the engine and boat ends. Hose length is 5 feet.

Fits all production 3.0 liter V-6 EFI and OptiMax cowls as well as Racing 3.0 liter OptiMax cowls.

350 VERADO SNORKEL KIT



8M8024668

For severe duty offshore applications requiring extra protection from water intrusion into the inlet tract. Attaches to the existing front air inlet scoop with block offs provided for the normal air ingress passages using a flange to attach tubing to the scoop and another flange to a dry air compartment forward of the transom.

Mercury 350 Verado outboards

FLUSHING KITS

FLUSHING KIT



849996T 1

Use for flushing gearcases with low water inlets/pick up.
Fits MCM Bravo I Performance & BlackHawk drives

FLUSHING KIT



843122T01

Designed specifically for the Mercury Racing Sport Master Gearcase. Mounts securely over the crescent-leading shape, providing water up through the low-water pick-ups.

Fits Mercury Racing Bravo I Sport Master. Also will work with the L6 Verado & V8 Sport Master.

FLUSHING ATTACHMENT



848703A 1

Fits Mercury Racing CLE gearcases. Engines may be run at idle speeds.

FLUSHING ATTACHMENT



848998A 1

Fits Mercury Racing Sport Master gearcases. Engines may be run at idle speeds.

FLUSHING ATTACHMENT



44357Q 2

Will allow for running at idle speeds. Attaches to the water intakes; provides a fresh water connection when flushing the cooling system or operating the engine.

Fits Mercury/Mariner 20 hp. and higher outboards, 9.9/15 hp. FourStroke (323cc) Bigfoot outboards, all Model Year 2005 and Newer 8/9.9 hp. Four Stroke outboards, 15 hp. FourStroke (351cc) outboards, all MerCruiser Sterndrives (except Bravo One Perf. & Blackhawk) and MHP Torque Master gearcases.

Note: 2000 and newer V-6 outboards and MerCruiser Bravo drives with dual water pick-up also require Dual Water Pick-Up Flush Seal Kit p/n 881150Q 1.

Priced individually, sold @ multiples of 4

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DUAL WATER PICKUP FLUSH SEAL KIT



881150Q 1

Provides a front water pick-up seal for gearcases with dual water pick-ups
Fits 2000 and newer Mercury/Mariner V-6 outboards with dual water pick-ups;
and 2000 and newer MerCruiser Bravo One, X, XR & XZ drives with dual water
pick-ups.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEARCASE CHARTS - OUTBOARD 2.5L MODEL

2.5L Sport Master Gearcase With Torque Tab

Ratio	Rotation	Torque Tab	Shaft Length	Part Number	Service Housing
1.62:1	RH	Yes	S(15)	1687-840560A27	1600-8M0083306
1.62:1	RH	Yes	L(20)	1687-840560A28	1600-8M0083306
1.62:1	RH	Yes	XL(25)	1687-840560A29	1600-8M0083306
1.75:1	RH	Yes	S(15)		1600-8M0083306
1.75:1	RH	Yes	L(20)		1600-8M0083306
1.75:1	RH	Yes	XL(25)		1600-8M0083306
1.87:1	RH	Yes	S(15)	1687-840560T33	1600-8M0083306
1.87:1	RH	Yes	L(20)	1687-840560T34	1600-8M0083306
1.87:1	RH	Yes	XL(25)	1687-840560T35	1600-8M0083306
2.00:1	RH	Yes	S(15)	1687-8M0081852	1600-8M0083306
2.00:1	RH	Yes	L(20)	1687-840560T37	1600-8M0083306
2.00:1	RH	Yes	XL(25)	1687-840560A38	1600-8M0083306

2.5L Sport Master Gearcase w/o Torque Tab

Ratio	Rotation	Torque Tab	Shaft Length	Part Number	Service Housing
1.62:1	RH	No	S(15)	1687-840561A27	1600-8M0084203
1.62:1	RH	No	L(20)	1687-840561A28	1600-8M0084203
1.62:1	RH	No	XL(25)	1687-840561A29	1600-8M0084203
1.75:1	RH	No	S(15)		1600-8M0084203
1.75:1	RH	No	L(20)		1600-8M0084203
1.75:1	RH	No	XL(25)		1600-8M0084203
1.87:1	RH	No	S(15)	1687-840561T33	1600-8M0084203
1.87:1	RH	No	L(20)	1687-840561T34	1600-8M0084203
1.87:1	RH	No	XL(25)	1687-840561A35	1600-8M0084203
2.00:1	RH	No	S(15)	1687-840561T36	1600-8M0084203
2.00:1	RH	No	L(20)	1687-840561A37	1600-8M0084203
2.00:1	RH	No	XL(25)	1687-840561A38	1600-8M0084203

2.5L Sport Master Gearcase Counter Rotation

Ratio	Rotation	Torque Tab	Shaft Length	Part Number	Service Housing
1.62:1	LH	No	S(15)	1687-840561A63	1600-8M0084203
1.62:1	LH	No	L(20)	1687-840561A64	1600-8M0084203
1.62:1	LH	No	XL(25)	1687-840561A65	1600-8M0084203
1.75:1	LH	No	S(15)		1600-8M0084203
1.75:1	LH	No	L(20)		1600-8M0084203

Ratio	Rotation	Torque Tab	Shaft Length	Part Number	Service Housing
1.75:1	LH	No	XL(25)		1600-8M0084203
1.87:1	LH	No	S(15)	1687-840561T69	1600-8M0084203
1.87:1	LH	No	L(20)	1687-840561T70	1600-8M0084203
1.87:1	LH	No	XL(25)	1687-840561T71	1600-8M0084203
2.00:1	LH	No	S(15)	NLA	1600-8M0084203
2.00:1	LH	No	L(20)	NLA	1600-8M0084203
2.00:1	LH	No	XL(25)	NLA	1600-8M0084203

2.5L Torque Master Gearcase

Ratio	Rotation	Torque Tab	Shaft Length	Part Number	Service Housing
1.87:1	RH	Yes	L(20)		1686-827214T25
2.00:1	RH	Yes	L(20)		1686-827214T25

OUTBOARD GEARCASES - TORQUE MASTER FOR 2.5L MODELS

GEAR HOUSING



1686-827214T25

Gear housing only - satin finish.

Fits 2.5 L Outboards

OUTBOARD GEAR SET FOR 2.5L MODELS

GEAR CONVERSION KIT



43-849189T 2

To convert a 1.87:1 or 2.00:1 ratio RH rotation gearcase to a 1.75:1 ratio

Fits 2.5L outboards

WATER PRESSURE RELIEF VALVE KIT

WATER PRESSURE RELIEF VALVE KIT



863208A 3

The purpose of this kit is to regulate engine block water pressure to a maximum of 30 psi and vent excess water overboard.

Fits all MCM engines in high performance applications where engine block water pressures are exceeding the maximum 30 psi.

ENGINE MOUNTS


ENGINE MOUNT



849143T

Front - Single


ENGINE MOUNT



849339T

Front Port - Side by Side


ENGINE MOUNT



849310T

Front Starboard - Staggered

ENGINE MOUNT



849335T

Front Port - Staggered

SPACER KITS

SIX SSM SPACER KIT



846743A 1

.50 inch (12.7 mm) spacer

846562A 1

1 inch (25.4 mm) spacer

846563A 1

1.50 inch (38.1 mm) spacer

846744A 1

2 inch (50.8 mm) spacer

846745A 1

2.50 inch (63.5 mm) spacer

846564A 1

3 inch (76.2 mm) spacer

M8 DRIVE SPACER KIT



8M8025968

.50 inch (12.7 mm)

Lowers M8 drives .50 inch from stock height.

8M8025970

1.50 inch (38.1 mm)

Lowers M8 drives 1.50 inches from stock height.

8M8025969

1 inch (25.4 mm)

Lowers M8 drives 1 inch from stock height.

8M8025971

2 inch (50.8 mm)

Lowers M8 drives 2 inches from stock height.

8M8025972

2.50 inch (63.5 mm)

Lowers M8 drives 2.50 inches from stock height.

8M8025973

3 inch (76.2 mm)

Lowers M8 drives 3 inches from stock height.

NXT1 SPACER KIT



8M8023731

.50 inch (12.7 mm)

Lowers NXT1 .50 inch from stock height.

8M8023733

1 inch (25.4 mm)

Lowers NXT1 drives 1 inch from stock height.

SPACER KIT

8M8023735

1.50 inch (38.1 mm)

Lowers NXT1 drives 1.50 inches from stock height.

8M8023737

2 inch (50.8 mm)

Lowers NXT1 drives 2 inches from stock height.

8M8023739

2.50 inch (63.5 mm)

Lowers NXT1 or NXT1/6 SSM drives 2.50 inches from stock height.

8M8023741

3 inch (76.2mm)

Lowers NXT1 drives 3 inches from stock height.

STERNDRIVE ACCESSORIES

FLAME ARRESTOR



843946T

Optional - 4-1/2 in.

Fits MCM 600 SCi

QUICK-CHANGE THRU TRANSOM EXHAUST TIPS



843426A 1

Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.

For 4 in. (102 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

TRANSOM EXHAUST TIPS REPAIR KIT



843426A 2

This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

QUICK-CHANGE THRU TRANSOM EXHAUST TIPS



843434A 1

Polished stainless steel tips feature a in.quick change in. anti-backflow valve. 2 outlets per kit.

For 3 in. (76 mm) I.D. exhaust pipe. Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages.

TRANSOM EXHAUST TIPS REPAIR KIT



843434A 2

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109049

This kit is to repair the internal rubber flapper baffle for one 3 in. (76 mm) I.D. exhaust tip 843434A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips

TRANSOM EXHAUST TIPS FLAPPER ASSEMBLY



8M0109050

This kit is to repair the internal rubber flapper baffle for one 4 in. (102 mm) I.D. exhaust tip 843426A1. Contains components to repair one exhaust tip.

Fits all Mercury Racing and Mercury MerCruiser consumer sterndrive engine packages that have the Quick-Change Thru Transom Exhaust Tips.

BRAVO ONE SPORT MASTER SPLASH PLATE



843042T03

Designed for extending the upper area of the Bravo One XR drives outfitted with the Sport Master Gearcase. Includes everything needed to mount the plate to a drive.

TAILSTOCK ASSEMBLY



8M8026029

Includes the shift linkage and cable mount required for manual shift transmissions. For use with the Velvet Drive 72C based transmissions (BAM and Huber). Allows the use of Race M-Series transom plate assemblies and Race NXT1SSM stern drives utilizing those transmissions. Can also be used with Race Six Drive transom plate assemblies and Race NXT1SSM stern drives which require the removal of a spacer plate.

ENGINE HARNESS RIGGING KITS-NON DTS

HP RIGGING KITS (14 PIN)



8M8024581

Single engine application. Includes all the necessary CAN harnesses & hardware to connect the engines PCM with the dash/helm area, including key/start function, lanyard switch, SmartCraft junction block, & accessory dash power.

Designed for use with non-DTS engines using 14 pin "Deutsche" connections at the engine harness.

8M8024582

Twin engine application. Includes all the necessary CAN harnesses & hardware to connect the engines PCM with the dash/helm area, including key/start function, lanyard switch, SmartCraft junction block, & accessory dash power.

Designed for use with non-DTS engines using 14 pin "Deutsche" connections at the engine harness.

8M8024583

Triple engine application. Includes all the necessary CAN harnesses & hardware to connect the engines PCM with the dash/helm area, including key/start function, lanyard switch, SmartCraft junction block, & accessory dash power.

Designed for use with non-DTS engines using 14 pin "Deutsche" connections at the engine harness.

8M8024584

Quad engine application. Includes all the necessary CAN harnesses & hardware to connect the engines PCM with the dash/helm area, including key/start function, lanyard switch, SmartCraft junction block, & accessory dash power.

Designed for use with non-DTS engines using 14 pin "Deutsche" connections at the engine harness.

FUEL TANK HARNESS



84-898289T75

120 inch Harness needed to connect tank senders to the 350 Verado SCI and sterndrive models 565 through 1650. Used with all engines, including 450R and V12

ANALOG GAUGE INTERFACE (AGI) KIT



892486K07

Includes AGI Module Assembly, Harness and hardware. For installations using analog gauges instead of SmartCraft. Use with analog tachometer, coolant temp, oil pressure or level, trim and fuel level. Enhanced Voltage Suppression.
Race MerCruiser or outboard engines in single or multiple engine installations plus MerCruiser 496Mag/Mag HO engines.

ANALOG GAUGE INTERFACE (AGI) KIT



892486K04

For installations using analog gauges instead of SmartCraft. Use with analog tachometer, coolant temp, oil temp, oil pressure or fuel pressure gauges. Enhanced Voltage Suppression.
Race MerCruiser engines with the 14 pin Deutsch connector engine wiring harness. One AGI kit per engine required.

VESSEL ANALOG GAUGE INTERFACE (AGI) KIT



892486K05

For installations using analog gauges instead of SmartCraft. Use with analog tab position (port & starboard), fuel level (two fuel tanks) and trim position gauges. Enhanced Voltage Suppression.
Race MerCruiser engines with the 14 pin Deutsch connector engine wiring harness. One AGI kit per boat required.

EXTENSION (WING) PLATES

OUTER EXTENSION (WING) PLATE



844342

Bolt on outer wing plate for driveline or close couple engine installations. Mounting hardware is shipped with the engines.
Racing MerCruiser engines with universal engine mounts.

INNER EXTENSION (WING) PLATE



8M0012221

Bolt on inner wing plate for driveline or close couple engine installations. Mounting hardware is shipped with the engines.
Racing MerCruiser engines with universal engine mounts.

SINGLE EXTENSION (WING) PLATE



8M0051209

Bolt on inner wing plate for driveline or close couple engine installations. Mounting hardware is shipped with the engines.
Racing MerCruiser engines with universal engine mounts.

FUEL FILTER

FUEL FILTER ASSEMBLY



35-8M0050833

Includes fuel filter, hose and adapter fitting.
Used on all Mercury Racing EFI engines.

MERCATHODE

MERCATHODE KIT



42600A18

Automatically protects the sterndrive from galvanic corrosion. Each Mercathode system is designed to protect one drive unit. NXT1, NXT1/SSM or Dry Sump Six sterndrives.

FLOOR MOUNT KIT

X-HAUST NOISE REDUCER

Exhaust noise reduction system. Is compatible with both side-by-side (close couple) or staggered (driveline) engine installations depending on specific engine model. The Stage 1 system by itself limits idle noise levels to 88dBA. The Stage 1 system combined with the Stage 2 muffler kit will beat the stringent European Union (EU) Recreational Craft Directive (RCD) noise emission standard. Also provides compliance for most existing state or regional regulations that require a pass by test here in the United States. For use on Race 520, 540, 565, 600 SCi, EU 662 SCi and 700 SCi sterndrive engines.

X-HAUST STAGE 1 TAILPIPE KITS

CLOSE COUPLE TAILPIPE KIT - STAGE 1



8M0094135

520 Port outlet. Kit includes all mounting hardware. For 520 close couple engines only. Both single and twin engine applications. Can be used with standard steering and all Bravo XR drives. Or the Axis steering system when installed with Bravo 3XR stern drives only.

CLOSE COUPLE TAILPIPE KIT - STAGE 1



8M0094136

520 Starboard outlet. Kit includes all mounting hardware. For 520 close couple engines only. Both single and twin engine applications. Can be used with standard steering and all Bravo XR drives. Or the Axis steering system when installed with Bravo 3XR stern drives only.


EXHAUST COUPLER ASSEMBLY



8M0123001

Exhaust coupler 10.5" To be used when taller exhaust than standard is used on the 520


CLOSE COUPLE TAILPIPE KIT - STAGE 1



8M8023624

Port outlet. Requires 1 each 8M8023358 hardware kit for each tailpipe kit ordered. For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.


CLOSE COUPLE TAILPIPE KIT - STAGE 1



8M8023625

Starboard outlet. Requires 1 each 8M8023358 hardware kit for each tailpipe kit ordered. For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.


DRIVELINE TAILPIPE KIT - STAGE 1



8M8023626

Port outlet. Requires 1 each 8M8023359 hardware kit for each tailpipe kit ordered. For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

DRIVELINE TAILPIPE KIT - STAGE 1



8M8023627

Starboard outlet. Requires 1 each 8M8023359 hardware kit for each tailpipe kit ordered. For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

RACING

X-HAUST TAILPIPE HARDWARE KITS

X-HAUST HARDWARE KIT



8M8023358

1 required for each X-Haust close couple tailpipe kit (8M8023624 or 8M8023625) ordered.

For use with X-Haust Stage 1 close couple tailpipe kits.

X-HAUST HARDWARE KIT




8M8023359

1 required for each X-Haust driveline tailpipe kit (8M8023626 or 8M8023627) ordered.

For use with X-Haust Stage 1 driveline tailpipe kits.

STAGE 2 MUFFLER KIT

X-HAUST STAGE 2 MUFFLER KIT



8M8023320

Transom muffler, idle relief attenuator, brackets and hardware are included in kit. One muffler kit required for each installed Stage 1 tailpipe kit.

For use on 520, 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines with installed Stage 1 tailpipe kit(s).

X-HAUST ACCESSORIES

IDLE RELIEF OUTLET, TRANSOM DISCHARGE



8M0037021

One required for each engine with installed Stage 1 X-Haust system or Stage 1 and Stage 2 X-Haust systems. For back of boat discharge. For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

IDLE RELIEF OUTLET, TRANSOM DISCHARGE



8M0092927

One required for each engine with installed Stage 1 X-Haust system or Stage 1 and Stage 2 X-Haust systems. For back of boat discharge. For use on 520 sterndrive engines.

IDLE RELIEF OUTLET, SIDE DISCHARGE



8M0038928

One required for each engine with installed Stage 1 X-Haust system or Stage 1 and Stage 2 X-Haust systems. For port or starboard side of boat discharge. For use on 540, 565, 600 SCi, EU662 SCi and 700 SCi sterndrive engines.

X-HAUST TRANSOM DRILL FIXTURE



91-8M0097143

X-Haust installation tool
For use on 520 engines

X-HAUST TRANSOM DRILL FIXTURE



91-8M0036608

X-Haust installation tool
For use on 600 SCi, EU662 SCi and 700 SCi engines.

X-HAUST TRANSOM DRILL FIXTURE



91-8M0064794

X-Haust installation tool
For use on 540 and 565 engines.

M8 DRIVES

TRIM HOSE EXTENSION KIT



8M8027354

Set of two 96 inch hoses with 90 degree bend at one end.
For use with the common M series transom plates and M8 or NXT1 stern drives.

M8 PROP AERATOR KIT



8M8027372

Needed on certain boat hulls to ventilate the propellor(s) and reduce time to plane.
Race M8 stern drives.

NXT1 DRIVELINE KIT

NXT TRANSMISSION DRIVELINE KIT



842064A02

For conversion of a close couple 700SCi to a driveline engine .
Racing sterndrive packages with the NXT transmission only.

NXT1 PROP HUB KITS

HUB KIT



8M8022263

Double nut kit for use with Mercury Racing NXT1 sterndrives adapting Cleaver propellers.

NXT1 STEERING INDICATOR

STEERING POSITION INDICATOR KIT



8M8021162

Provides steering position indication.
For use with the Race NXT1 drive only. Compatible with SmartCraft SC1000 gauges, SC5000 Systemview and Systemview Race Edition.

NXT1 WATER PICKUP KITS

WATER PICK UP KIT



842049A01

(0.1 square inch)
Interchangeable water pick up. For boat speed of 150 to 200 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A02

(0.2 square inch)
Interchangeable water pick up. For boat speed of 110 to 160 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A03

(0.3 square inch)
Interchangeable water pick up. For boat speed of 90 to 130 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A04

(0.4 square inch)
Interchangeable water pick up. For boat speed of 80 to 100 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A06

(0.6 square inch)
Interchangeable water pick up. For boat speed of 60 to 80 mph.
Race NXT1 sterndrives. One kit per drive required.

842049A08

(0.8 square inch)
Interchangeable water pick up. For boat speed of 50 to 70 mph.
Race NXT1 sterndrives. One kit per drive required.

NXT1 TORPEDO BORE COVER ASSEMBLY



8M8022198

To be installed in place of NXT1 water pick ups when hull mounted water pick ups are installed/used.
For use with NXT1 drives only. Not for use with NXT1 SSM drives.

QC4V ENGINES

NON-POWER STEERING ADAPTER KIT



8M8026006

Eliminates the power steering pump from the engine. With the adapter and pulley from the kit installed, the drive belt is re-used in its original routing.
Mercury Racing QC4v 1100 and 1350 hp engines.


CARBON FIBER DRESS KIT



8M8026070

Cosmetic upgrade kit. Includes front cover, port and starboard air intake covers plus installation hardware.
Race QC4v 1100 engines only. Kit comes standard on 1350 engines.

DUAL CALIBRATION DTS KIT



8M0141995

DUAL CALIBRATION KEY FOBBS



8M0144280

Key Fobs. Silver Fob 1100 horsepower mode, blue Fob 1350 horsepower mode.
To be used with Mercury Racing Dual Calibration 1350 sterndrive engine.

POWER STEERING

POWER VALUE BLOCK ASSEMBLY



844399T01

Used to connect the power steering pump on the engine(s) with the steering helm and the steering cylinders located on the drive(s). Includes air purge bleeder-check valves and pressure relief valves.
NXT1, NXT1/SSM or Dry Sump Six sterndrives.

POWER STEERING RESERVOIR CAP



8M8020356

With threads to fit a -8 ORB fitting. Allows engines to be rigged with a series return line, or with the use of two power steering caps a common boat reservoir can be added between the two engine mounted reservoirs.
Gen. 1 525 EFI and 600 SCI engines. All 700 SCI engines.

POWER STEERING RESERVOIR KIT



8M8026004

External power steering reservoir. For use in applications where a common reservoir is wanted or needed. Comes with two inlet ports and two outlet ports plus an integral bracket that is suitable for mounting to a vertical surface.
For use with all Race 600, 700, 860, and all QC4v engines.

BRAVO GIMBAL RING CONVERSION KIT

GIMBAL RING KIT



8M0061384

Used to convert standard Bravo gimbal ring to heavy duty gimbal ring and bell housings. Trim limit switch cannot be used on HD gimbal ring.
Fits MCM Bravo drives

RACE DTS ACCESSORIES

DUAL CALIBRATION TDS KIT



8M0111476

Theft Deterrent System for Dual Calibration Mercury Racing 1550 engines.
One kit required per boat. The silver FOB runs the engine on the 1350 mode while the blue FOB runs the engine in the 1550 mode.

DUAL CALIBRATION KEY FOBs



8M0114877

Key Fobs. Silver Fob 1350 horsepower mode, blue Fob 1550 horsepower mode.
To be used with Mercury Racing Dual Calibration 1550 sterndrive engine.

SINGLE DTS RIGGING KIT PANEL MOUNT



8M0121246

Includes helm board, key switch, lanyard, lever extension harness and other rigging parts.
All Mercury Racing DTS product.

ZERO EFFORT SINGLE DTS RIGGING KIT

8M0121245

Includes helm board, key switch, lanyard and other rigging parts. Not guardian enabled.

All Mercury Racing DTS products.

ZERO EFFORT TRIPLE DTS RIGGING KIT



8M0121253

Includes helm board, key switches, lanyards and other rigging parts. Multi engine guardian enabled.

All Mercury Racing DTS product

EXTENSION HARNESS



84-8M8026041

7 ft. wiring extension harness for shift function. Labeled lever 1.

For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

EXTENSION HARNESS




84-8M8026042

7 ft. wiring extension harness for shift function. Labeled lever 2.

For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

EXTENSION HARNESS



84-8M8026043

7 ft. length wiring extension harness for throttle function. Labeled lever 3.

For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

EXTENSION HARNESS



84-8M8026044

7 ft. length wiring extension harness for throttle function. Labeled lever 4.

For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

BEARING UPGRADE KITS

GIMBAL BEARING KIT



30-879194A00

Perma-Lube Bearing Kit required to retrofit the new XR/XZ drives to older Bravo transom plate assemblies to provide enough clearance for the larger u-joint on the new XR/XZ drives.

Fits Bravo transom assemblies

DRIVESHAFT ASSEMBLY

DRIVESHAFT ASSEMBLY



45-847633A 1

9 in. (229 mm) 1480 series heavy duty driveline. Adapter may be required for transmission.

Fits Mercury Racing VI and VII stern drives.

BRAVO HD PROPSHAFT KIT**PROPSHAFT KIT****44-840377A 1**

Used to convert standard Bravo propshaft to a heavy-duty propshaft. A special tool (91-840393A 1) is also required to install the heavy-duty propshaft.

Fits Bravo One drives

RETAINER WRENCH TOOL KIT**91-840393A 1**

Aids in the installation of the bearing carrier retainer with a heavy-duty propeller shaft installed on the lower unit.

TRANSOM MOUNTED WATER PICKUP**SEAWATER PICKUP****88845A 1**

Transom mount, for 1-1/4 in.(32 mm) hose.

Fits any sterndrive engine that has an engine mounted seawater pump.

JET DRIVE

JET DRIVE SHIFT CABLES

SHIFT CABLE



820671A18

30 series cable with 10/32 end threads.
Fits Sport-Jet 90/95/120 (1993-96)
5.5 m (18 ft.)

SHIFT CABLE



64-853951A10

40 series cable with 1/4-28 end threads. Includes shift cable bellows kit.
Fits Sport-Jet 175 (1997 thru 1999) and can also be used for 90/95/120 when used with optional Remote Control and Conversion Kit 850698A 1.
3.0 m (10 ft.)

64-853951A16

40 series cable with 1/4-28 end threads. Includes shift cable bellows kit.
Fits Sport-Jet 175 (1997 thru 1999) and can also be used for 90/95/120 when used with optional Remote Control and Conversion Kit 850698A 1.
4.9 m (16 ft.)

64-853951A18

40 series cable with 1/4-28 end threads. Includes shift cable bellows kit.
Fits Sport-Jet 175 (1997 thru 1999) and can also be used for 90/95/120 when used with optional Remote Control and Conversion Kit 850698A 1.
5.5 m (18 ft.)

SHIFT CABLE



858342A10

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
3.0 m (10 ft.)

858342A12

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
3.7 m (12 ft.)

858342A14

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
4.3 m (14 ft.)

858342A16

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
4.9 m (16 ft.)

858342A18

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
5.5 m (18 ft.)

858342A20

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
6.1 m (20 ft.)

858342A22

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
6.7 m (22 ft.)

BULKHEAD COMPRESSION FITTINGS



820675

Fits Sport-Jet 90/95/120 and 175 with 40 series cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

SHIFT CABLE BELLOWS



877581A 2

For 40 Series cable, installs on cable outside of transom.
Fits Sport-Jet 175 (1999 and older) and 90/95/120 with optional 802755 Remote Control with 40 Series shift cable.

SHIFT CABLE BELLOWS



877581A 5

For 40 series cable, installs on cable outside of transom.
Fits Sport-Jet 120XR2 and 175 (2000 and newer) with 40 series shift cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

BULKHEAD BELLOWS KIT




850697A 2

Fits Jet Drive models with 40 series cables

PLATINUM PLUS THROTTLE AND SHIFT CABLE SAE

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.
Layered Technology Featuring -
- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

PLATINUM PLUS THROTTLE AND SHIFT CABLE



8M0082575

3 FT (.92m)
SAE Controls

8M0082576

4 FT (1.2m)
SAE Controls

8M0082577

5 FT (1.5m)
SAE Controls

8M0082578

6 FT (1.8m)
SAE Controls

8M0082579

7 FT (2.1m)
SAE Controls

8M0082580

8 FT (2.4m)
SAE Controls

8M0082581

9 FT (2.7m)
SAE Controls

8M0082582

10 FT (3.0m)
SAE Controls

8M0082583

11 FT (3.4m)
SAE Controls

8M0082584

12 FT (3.7m)
SAE Controls

8M0082585

13 FT (4.0m)
SAE Controls

8M0082586

14 FT (4.3m)
SAE Controls

8M0082587

15 FT (4.6m)
SAE Controls

8M0082588

16 FT (4.9m)
SAE Controls

8M0082589

17 FT (5.2m)
SAE Controls

8M0082590

18 FT (5.5m)
SAE Controls

8M0082591

19 FT (5.8m)
SAE Controls

8M0082592

20 FT (6.1m)
SAE Controls

8M0082593

21 FT (6.4m)
SAE Controls

8M0082594

22 FT (6.7m)
SAE Controls

8M0082595

23 FT (6.7m)
SAE Controls

8M0082596

24 FT (7.0m)
SAE Controls

8M0082597

25 FT (7.3m)
SAE Controls

8M0082598

26 FT (7.6m)
SAE Controls

8M0082599

27 FT (7.9m)
SAE Controls

8M0082600

28 FT (8.5m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082601

29 FT (8.8m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082602

30 FT (9.2m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

PLATINUM PLUS THROTTLE AND SHIFT

8M0082603

31 FT (9.5m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082604

34 FT (10.4m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082605

36 FT (11.0m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082606

38 FT (11.6m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082607

40 FT (12.2m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

JET DRIVE 135 & 270 DEG. STEERING SYSTEM

The 135 deg. system allows 135 degrees rotation of the steering wheel (3/8 turn lock to lock). The 270 deg. system allows 270 degrees rotation of the steering wheel (3/4 turn lock to lock). Order helm, bezel, and steering cable separately. If the size required is not listed, use the next larger size.

STEERING HELM



809486

135 Degree Steering Helm.
Fits all Sport Jet models, except V-6 models.

STEERING HELM



850699

270 Degree Steering Helm.
Fits all Jet Drive models

TILT STEERING HELM



64-879686

270 Degree Steering Helm.
Fits all Jet Drive models

BEZEL KIT



809485

Fits all Jet Drive models

STEERING CABLE



64-835457A11

11 ft. (3.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A13

13 ft. (4.0 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A15

15 ft. (4.6 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A17

17 ft. (5.2 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A19

19 ft. (5.8 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A21

21 ft. (6.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A23

23 ft. (7.0 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

STEERING CABLE BELLOWS



877581A 4

Installs on cable outside of transom
Fits Jet Drive models with 270 Degree system and 60 series cables

STEERING CABLE ROD END

STEERING ROD END



883053A 1

For 135 & 540 deg. steering systems. 5/16 in. (7.9 mm)
Fits Sport Jet models with 60 series cables

STEERING CABLE BULKHEAD FITTINGS AND BELLOWS KITS

Hardware used to complete Sport Jet installations. Use either bulkhead fittings or bellows kit. Not for use together.

BULKHEAD COMPRESSION FITTINGS



820675

Fits Sport-Jet 90/95/120 and 175 with 40 series cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

BULKHEAD BELLOWS KIT



850005A 2

For 135 & 270 deg. steering systems and 60 series cables.
Fits Jet Drive models with 60 series cables

BULKHEAD BELLOWS KIT



850697A 2

Fits Jet Drive models with 40 series cables

IGNITION KEY SWITCH WITH HARNESSSES

Mounts in a 2-1/8 in.(54 mm) hole. Includes warning horn and electrical connections for instrumentation and lanyard stop switch.

KEY SWITCH W/ HARNESS



84-816626A 2

2 ft.(610 mm) harness with audio warning horn.
Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84-816626A15

15 ft.(4.57 m) harness with audio warning horn.
Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury/Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84-816626A20

20 ft.(6.1 m) harness with audio warning horn.
Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury/Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84-816626A24

25 ft.(7.6 m) harness with audio warning horn.
Fits Mercury / Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

FLUSHING KITS

FLUSHING ATTACHMENT



22-820543A 1

For consumer use. Only for use while engine is not running.
Fits 90/95/120 Sport-Jet.

FLUSHING ATTACHMENT



22-820543A 6

Allows the customer to flush the engines while engine is not running or idling under 1200 RPM.
Fits 200 OptiMax, 210 and 240 EFI Jet Drives.

FLUSHING KIT



22-820573

Dealer kit, flushes engine while the engine is running. This kit is not for permanent installation. It is intended as a dealer service tool aid.
Fits Sport-Jet 90/95/120 engines.

REPLACEMENT CAP



19-821908

For consumer use sport-jet flushing attachment.
Fits the consumer use 90/95/120 Sport-Jet flushing attachment. Standard flushing kit on the Sport Jet 175 and the 200 OptiMax, 210 and 240 EFI Jet Drives.

REPLACEMENT INLET GRATES

REPLACEMENT INLET GRATE



854810T 1

Stainless steel Rock Grate for shallow rocky conditions.
Fits all V-6 Jet Drives (1997 & newer) and Sport-Jet 120 Jet Drives (1999 and 2000).

REPLACEMENT INLET GRATE



852962T

Inlet Grate - aluminum fixed grate.
Fits all V-6 Jet Drives (1997 & newer) and Sport-Jet 120 Jet Drives (1999 and 2000). Standard grate on the Sport-Jet 175XR2.

REPLACEMENT INLET GRATE



856627T 3

Hydro Surge Grate - automatic weed clean out system
Fits all V-6 Jet Drives (1997 & newer) and Sport-Jet 120 Jet Drives (1999 and 2000).

PUMP MOUNTING GROMMETS

Seals between the Jet Drive unit and the boat hull.

PUMP MOUNTING GROMMET



25-820663250

1/4 in. (6 mm) flange.
Fits Jet Drives with original dimension "short" tunnel cutouts.

25-820663375

3/8 in. (10 mm) flange
Fits Jet Drives with original dimension "short" tunnel cutouts.

25-820663500

1/2 in. (13 mm) flange
Fits Jet Drives with original dimension "short" tunnel cutouts.

PUMP MOUNTING GROMMET



879634

3/8 in. (10 mm) flange. Provides improved vibration isolation.
Fits 200 OptiMax, 210 and 240 EFI Jet Drives with "Long" tunnel cutouts with radiused edges and glued in grommet.

PUMP MOUNTING GROMMET CHART

Pump Mounting Grommets

Model	Original Dimension Jet Drive; Short Tunnel Cutouts	Original Dimension Jet Drive; Short Tunnel Cutouts	Revised Dimension Jet Drive; Long Tunnel Cutouts w
Sport Jet 90/95/125	25-820663250	25-820663375	N/A
Sport Jet 175	25-820663250	25-820663375	NLA
200 Optimax	25-820663250	25-820663375(1)	879634(2)
210	25-820663250	25-820663375(1)	879634(2)
240 EFI	25-820663250	25-820663375(1)	879634(2)

(1) Not Recommended

(2) Provides improved vibration isolation

MUFFLERS

MUFFLER ASSEMBLY



859389A 1

Starboard
Fits 210 Carb Jet Drive

MUFFLER ASSEMBLY



878147A03

Port
Fits 200 DFI, 240 EFI & 250 DFI Jet Drives

MUFFLER ASSEMBLY



878148A03

Starboard
Fits 200 DFI, 240 EFI & 250 DFI Jet Drives

ANODES - SPORT JET

ANODE ASSY.



97-856581C

Aluminum

ANODE KIT



97-833163A 1

Aluminum

ANODE



97-820503 1

Aluminum

ANODE CHART - SPORT JET

SportJet Pump Anodes

Model	Serial # Range	Nozzle Anode	Mat.	Rudder Anode	Mat.
90 Sport Jet	0E021000 and up	N.L.A.	Zinc	97-820503 1	Alum.
95XR Sport Jet	0E021000 and up	N.L.A.	Zinc	97-820503 1	Alum.
120 Sport Jet	0E080400 - 0E145579	N.L.A.	Zinc	97-820503 1	Alum.
120XR Sport Jet	0E145580 - 0E344999	N.L.A.	Zinc	97-820503 1	Alum.
120XR2 Sport Jet	0E145580 - 0E379999	97-856581C	Alum.	97-820503 1	Alum.
175XR2 Sport Jet	0E151580 - 0E344999	97-833163A 1	Alum.	97-820503 1	Alum.
175XR2 Sport Jet	0F345000 - 0E433153	97-856581C	Alum.	97-820503 1	Alum.
200 DFI	0E379931 - 0E428850	97-856581C	Alum.	97-820503 1	Alum.
200 DFI M2	0E379931 - 0E423075	97-856581C	Alum.	97-820503 1	Alum.
210 Carb	0E379931 - 0E433153	97-833163A 1	Alum.	97-820503 1	Alum.
210 Carb M2	0E370718 - 0E426999	97-856581C	Alum.	97-820503 1	Alum.
240 EFI	0E379931 - 0E406399	97-833163A 1	Alum.	97-820503 1	Alum.
240 EFI	0E406400 and up	97-856581C	Alum.	97-820503 1	Alum.
240 EFI M2	0E370718 and up	97-856581C	Alum.	97-820503 1	Alum.
250 DFI	0E407100 and up	97-856581C	Alum.	97-820503 1	Alum.
250 DFI M2	0E407100 and up	97-856581C	Alum.	97-820503 1	Alum.

MARINE BATTERIES AND ACCESSORIES

MARINE BATTERIES

In AGM batteries, the electrolyte (mixture of water and sulphuric acid) is largely absorbed in glass fibre. This type of battery is entirely maintenance-free and there is no gas formation with normal use. AGM batteries can be installed anywhere.

Their construction gives a very fast discharge at very high currents so AGM batteries are ideal for systems that require high currents (for instance when starting an engine). The battery poles of some models can be unscrewed and this type of battery can be combined with every standard battery terminal.

OPTIMA BLUE TOP DC 4.2



67-886561

High power, dual purpose engine start and deep cycle • For use in boats with large accessory loads • Sealed lead acid battery • 12 Volts nominal voltage • Color: light grey case with blue cover • Group size: BCI 34 • Metric dimensions: 254x175x200 mm (length/width/height) • Weight: 19,7 kg • Open circuit voltage (fully charged): 13.1 volts • Internal resistance (fully charged): 0.0028 ohms • Capacity: 55 Ah (C/20) • Reserve capacity: BCI: 120 minutes • Power: 765 amps CCA (EN -18°C), 870 amps MCA (BCI 0°C)

OPTIMA BLUE TOP BT SLI 4.2



67-886560

High power marine starting battery only • Sealed lead acid battery • 12 Volts nominal voltage • Color: dark grey case with blue cover • Group size: BCI 34 • Metric dimensions: 254x175x200 mm (length/width/height) • Weight: 17,4 kg • Open circuit voltage (fully charged): 12,8 volts • Internal resistance (fully charged): 0.0030 ohms • Capacity: 50 Ah (C/20) • Reserve capacity: BCI: 100 minutes • Power: 815 amps CCA (EN -18°C), 1000 amps MCA (BCI 0°C)

OPTIMA BLUE TOP DC 5.0



67-8M9200903

High power, dual purpose engine start and deep cycle
 • For use in boats with large accessory loads
 • Sealed lead acid battery
 • 12 Volts nominal voltage
 • Color: light grey case with blue cover
 • Group size: BCI 27
 • Metric dimensions: 309x172x221mm length/width/height
 • Weight: 22,7 kg
 • Internal resistance (fully charged): 0.0025 ohms
 • Capacity: 66 Ah (C/20)
 • Reserve capacity: BCI: 140 minutes
 • Power: 845 amps CCA (EN -18°C), 1000 amps MCA (BCI 0°C)

OPTIMA BLUE TOP DC 5.5



67-886562

High power, dual purpose engine start and deep cycle • For use in boats with large accessory loads • Sealed lead acid battery • 12 Volts nominal voltage • Color: light grey case with blue cover • Group size: BCI 31 • Metric dimensions: 325x165x238 mm (length/width/height) • Weight: 26,5 kg • Open circuit voltage (fully charged): 13.1 volts • Internal resistance (fully charged): 0.0025 ohms • Capacity: 75 Ah (C/20) • Reserve capacity: BCI: 155 minutes • Power: 975 amps CCA (EN -18°C), 1125 amps MCA (BCI 0°C)

MARINE BATTERY



67-8M0109257

12V Full River AGM HC28 Start battery for outboards with electric starter. Can be mounted in any orientation except inverted. US DOT and IATA certified non-spillable (sealed).
 Performance: PHCA: 925A at 80°F (27°C); for 5 seconds CCA: 410A at 0°F (-18°C) - CA/MCA: 530A at 32°F (0°C) - HCA: 625A at 80°F (27°C) - Reserve capacity: 48 minutes
 Short circuit current: 1300A - Operation temperature range: 5°F (-15°C) to 122°F (50°C).
 4-stroke: 8HP – 30 HP
 2-stroke: 8HP – 60 HP

MARINE BATTERIES AND ACCESSORIES

MASTERVOLT AGM 12V/55AH



8M0178402

- Excellent starter function battery for boats, RV's, service and navigation
- Perfect upgrade for flooded lead acid batteries
 - Same initial power surge in an AGM 12/90 Ah as 180 Ah flooded lead-acid battery
 - Glass-fibre technology ensures low internal resistance
 - Use of thicker plates extends lifespan
 - Can be combined with every standard battery terminal
 - Also for medium cyclical use.
- Specifications: 12V
- 55Ah nominal capacity C20
 - Max. charge current: 15,3A
 - CCA to SAE: 400A
 - Terminals M6 A-type
 - Outside dimensions incl. handles (LxWxH): 257x132x200mm
 - Weight: 17kg

MASTERVOLT AGM BATTERY 12V/70AH



8M0178403

- Excellent starter function battery for boats, RV's, service and navigation
- Perfect upgrade for flooded lead acid batteries
 - Same initial power surge in an AGM 12/90 Ah as 180 Ah flooded lead-acid battery
 - Glass-fibre technology ensures low internal resistance
 - Use of thicker plates extends lifespan
 - Can be combined with every standard battery terminal
 - Also for medium cyclical use.
- Specifications: 12V · 70Ah nominal capacity C20
- Max. charge current: 19,5A
 - CCA to SAE: 460A
 - Terminals M8 A-type
 - Outside dimensions incl. handles (LxWxH): 348x167x178mm
 - Weight: 21kg

BATTERY ACCESSORIES

OPTIMATE 2 BATTERY CHARGER



8M0072744

- Fully automatic battery maintainer. Battery Performance guaranteed !
- Extends battery life
 - Safe long term battery care
 - Sealed weatherproof enclosure

OptiMateTM2, extends life and improves performance of a 12V battery of a vehicle / water craft or 12V battery operated system that is not in daily use. OptiMate 2 senses the battery condition, recharges and then keeps the battery 100% ready, never overcharging, and provides power to the anti-theft alarm, display, on board computer, etc. OptiMate 2 is ideal for standby power applications, the interactive standby mode during long term maintenance reverts to full charge mode if it senses high current drain from the battery.

OPTIMATE 5 BATTERY CHARGER



8M0072745

- Complete 12V battery care for medium to large batteries
- Desulphates and saves neglected batteries
 - Optimises battery power and life
 - Safe long-term maintenance cycle
 - Tests battery every hour

OptiMateTM5, the all-in-one tool for 12V battery care at home. Diagnoses, recovers, charges, tests and optimally maintains, automatically.

Forgot your battery throughout the winter? OptiMate 5 will recover it from deep discharge and optimally recharge it. Then it will check that the charge delivered is the best possible before then checking how well the battery can retain the charge. And tell you its status, at a glance. Of course, it will then maintain your battery at full charge safely for months at a time. And prolong its life by up to 400%. Reducing waste, for a better environment.

BATTERY TESTER AND ELECTRICAL SYSTEM ANALYSER T11



8M0147933

Fully graphical interface, LCD display, integrated printer, and touchpad with sensor technology. WET, AGM, AGM spiral, EFB, GEL, Ca. Complies to Specs: CCA, SAE, EN, IEC, DIN, CA/MCA, JIS, EN1, EN2. Tests the starter, alternator, and grounding, and can transfer the data to PC. Test results memory saving. Battery tester and electrical system analyser for 12V/24V batteries.

BATTERY DESULFATOR**8M0157844**

- 8mm Fork Terminals
- 1500 Ah Conditioning
- Cable Reach 34inch / 850mm
- Compliant to IP65 Rating
- Multi-Mode activation
- Multi-Voltage Activation 6v-48v
- Small to Medium Applications

Benefits:

- Increased Reliability
- Reduced Down-Time
- Reduced Greenhouse Emissions
- Reduced Warranty Costs & Running Costs

Works with all types of batteries (except lithium and NiCad). Tested and proven.

BATTERY CONNECTOR CABLE**84-8M0111860**

Connect your battery easily with your Optimate charger. Weatherproof permanent battery lead, M6, 5A max, SAE connection.

VENTED OUTBOARD SPLASH COVERS

A Splash cover protects your Mercury outboard from stones, fishing lures, sinkers and general cowl wear and tear. It is designed to protect your engine outboard cowling during use and is made from UV stabilized, water resistant Polysoft Polyester with felt like backing to avoid scratching the gel coat of the outboard.

Product features:

- Designed to protect outboard engine cowling during use
- Fully functional cover with breathable mesh venting
- Breathable, marine grade fabric and materials
- Increases resale value potential
- Prevents accidental damage
- Further reducing the already low noise values of Mercury engines
- Custom fit and having original signage
- Available in individual horse power rating for the most common categories

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087241

F40 outboard splashcover with original Mercury -and horsepower signage.
For 4-cylinder engines only.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087242

F50 outboard splashcover with original Mercury -and horsepower signage.
For 4-cylinder engines only.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087243

F60 outboard splashcover with original Mercury -and horsepower signage.
For 4-cylinder engines only.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0110408

F75 Sea Pro outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087244

F80 outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0097351

F80 outboard splashcover with original Mercury -and horsepower signage.
Model Year 2014.

VENTED OUTBOARD SPLASH COVERS

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0110409

F90 Sea Pro outboard splashcover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087245

F100 outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0097352

F100 outboard splashcover with original Mercury -and horsepower signage.
Model Year 2014.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087246

F115 outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0097353

F115 outboard splashcover with original Mercury -and horsepower signage.
Model Year 2014.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0110410

F115 Sea Pro outboard splashcover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0136134

F115 ProXS outboard splashcover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087247

F150 outboard splashcover with original Mercury -and horsepower signage.
Model Year 2013.

VENTED OUTBOARD SPLASH COVERS

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0170455

F150 ProXS outboard splashcover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087248

F150 Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087249

F175 Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087250

F200 Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087251

F225 Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087252

F250 Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087253

F275 Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087254

F300 Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0087255

F350 Sci Verado outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0108695

F350 L6 generation outboard splashcover with original Mercury -and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0108696

400R generation outboard splash cover with original Mercury Racing and horsepower signage

MERCURY 2-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0136136

OptiMax ProXS outboard splashcover with original Mercury signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0136137

Verado L6 (225-300HP) white outboard splashcover with original Mercury signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0136144

Verado 400R outboard splashcover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0170456

Verado 450R outboard splashcover with original Mercury and horsepower signage. Recommended only for single engine applications.

4-STROKE VENTED SPLASH COVERS WITH QUICK PANEL ACCESS

4-STROKE VENTED SPLASH COVERS WITH QUICK PANEL ACCESS

The vented splash covers below include a flap so the quick access panel can be used even with the cover on.



MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0173206

F175 V6 outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0152596

F200 V6 outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0152598

F225 V6 outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0152600

F250 V8 outboard splash cover with original Mercury and horsepower signage.

MERCURY 4-STROKE VENTED OUTBOARD SPLASH COVER



67-8M0152601

F300 V8 outboard splash cover with original Mercury and horsepower signage.

4-STROKE VENTED SPLASH COVERS WITH QUICK PANEL ACCESS


POINT-OF-SALE PRODUCT DISPLAYS

Various groupings of extremely fast moving, high volume products will be offered throughout the near future. They will be designed to fit on this easel, providing constant messaging for your in-store customers.



POINT-OF-SALE PRODUCT KITS

ANODE KIT



97-8M0052656

Let your customers know that our Cadmium-Free anodes are good for the environment and get them thinking about having them inspected for replacement. Anodes should always be replaced when 50% deteriorated for maximum protection.

Kit contains:

- (2) 31640Q 4
- (2) 821631Q 1
- (2) 806190Q 1
- (2) 76214Q 5
- (2) 806189Q 1
- (3) 826134Q
- (2) 818298Q 1
- (1) Cadmium-Free Placard

(1) suggested plan-o-gram for displaying on our easels
Applications are displayed on the back of the individual packages.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

POINT-OF-SALE PRODUCTS AND EASELS

ANODE KIT + QUICKSILVER EASEL



8M0070410

Includes 8M0052656 Anode Kit and Quicksilver Easel.

LOGOS

MERCURY DECAL



37-8M0046011

Diecut and furnished on a premask.
1.67 (42mm) inches tall x 13.01 (330mm) inches long.

M-ICON



37-8M0080152

Mercury Marine registered trademark icon in a polished chrome, 29mm diameter circle with Black background.

Designed for use on a flat surface.

37-8M0043701

Mercury Marine registered trademark icon in a polished chrome, 39mm diameter circle with Black background.

Designed for use on a flat surface.

37-8M0043702

Mercury Marine registered trademark icon in a polished chrome, 53mm diameter circle with Black background.

Designed for use on a flat surface.

37-8M0043705

Mercury Marine registered trademark icon in a polished chrome, 60mm diameter circle with Black background.

This icon has a more flexible backing and may be installed on a slightly curved surface.

37-8M0043706

Mercury Marine registered trademark icon in a polished chrome, 60mm diameter circle with Black background.

Designed for use on a flat surface.

M-ICON



37-8M0043703

Mercury Marine registered trademark icon in a polished chrome, 66mm diameter circle with Black background.

Designed for use on a flat surface.

M-ICON



37-8M0043700

Mercury Marine registered trademark icon in a polished chrome, 39mm diameter circle with Red background.

Designed for use on a flat surface.

37-8M0043707

Mercury Marine registered trademark icon in a polished chrome, 53mm diameter circle with Red background.

Designed for use on a flat surface.

37-8M0043699

Mercury Marine registered trademark icon in a polished chrome, 66mm diameter circle with Red background.

Designed for use on a flat surface.

TABLE OF CONTENTS

Outboard Maintenance	234	MerCruiser Maintenance	246
135-150-175-200 (4 Cylinder) Verado 1B311420 and above	239	3.0L MPI	246
150 EFI FourStroke 1B905505 and above	237	3.0L TKS	246
15 HP EFI FourStroke 0R833820 and above	234	4.3L MPI Alpha	247
15 Hp FourStroke 0R235949 and above	234	4.3L MPI Bravo	247
175-300HP V6 (3.4L) & V8 (4.6L)	240	4.3L TKS Alpha	246
2.5-3.5 HP FourStroke 0R131842 and above	234	4.3L TKS Bravo	246
200-300 (6 Cyl) Verado 1B390143 and above (prior to Gen V)	239	4.5L MPI Alpha	247
200-300 (6 Cyl) Verado 2B144123 and above (Gen V)	239	4.5L MPI Bravo	247
20 HP EFI FourStroke 0R833820 and above	235	5.0L/5.7L MPI Alpha	248
20 Hp FourStroke 0R235168 and above	235	5.0L/5.7L MPI Bravo	248
25-30 Hp EFI FourStroke 0R106999 and above	235	5.0L/5.7L TKS Alpha	247
350-400 (6 Cyl) Verado	240	5.0L/5.7L TKS Bravo	248
40-50-60 Hp FourStroke 1C050252 and above	236	5.7 & 6.2 MPI MIE	249
40 Hp (3 cyl) FourStroke 1C049739 and above	235	5.7L MPI Towspots	249
4-5-6 Hp FourStroke 0R411838 and above	234	5.7L TKS MIE & Towspots	248
7.6L V12 600HP Verado & 500HP SeaPro	241	6.2L MPI Bravo	249
75-90-115/115 Pro XS Hp FourStroke 2B094996 and above	237	6.2L MPI Bravo (Mercury)	249
75-90-115 Hp FourStroke 1B366823-2B094995	236	8.1L MCM & MIE	249
75-90-115 Hp FourStroke 2B094996 and above	236	8.2L MCM & MIE	250
75-90-115 Optimax (1.5L) 1B227000 and above	237	Alpha Sterndrive	250
8-9.9 Hp FourStroke 0R042475 and above	234	Bravo Sterndrive	250
V-6 Optimax (2.5L, non-Pro models) 1B227000 and above	238	Mercury Diesel Maintenance	251
V-6 Optimax (3.0L, non-Pro models) 1B227000 and above	238	3.0L V6 TDI Diesel (Tier 3)	251
Outboard Service Interval Kits	242	3.0L V6 VM Diesel	251
Outboard Service Interval Kits	242	4.2L V8 TDI Diesel (Tier 3)	252
Outboard Service Interval Kits - Without Anodes	245	6.7L (135/150 NA) Diesel	252
		6.7L (180/230/260/280 TCA) Diesel	252
		6.7L (220 TC) Diesel	252
		6.7L (480/500/550 TCA) Diesel	252
		QSD 2.0 Diesel	251
		QSD 2.8 Diesel	251
		QSD 4.2 Diesel	251
		MerCruiser Service Interval Kits	254
		MerCruiser Engine Maintenance Kits	254
		MerCruiser Sterndrive Maintenance Kits	256

OUTBOARD MAINTENANCE

OUTBOARD MAINTENANCE

2.5-3.5 HP FOURSTROKE 0R131842 AND ABOVE

CARBURETOR REPAIR KIT
8M0090764

ANODE
97-823913Q
Aluminum

INLINE FUEL FILTER
35-8M0157133
An in-line fuel filter located under cowl on outboard engines.

WATER IMPELLER REPAIR KIT
889246A16
Includes impeller, key, face plate and face plate gaskets.

WATER PUMP IMPELLER
47-16154 3

SPARK PLUG
33-803507
NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
804540
52 degrees Centigrade, 126 degrees Fahrenheit

4-5-6 HP FOURSTROKE 0R411838 AND ABOVE

CARBURETOR REPAIR KIT
8M0044575
Includes new float, float pin, inlet needle, bowl gasket and flange gaskets.

ANODE
97-823912
Aluminum, Round style.
97-875208
Square style.

INLINE FUEL FILTER
35-8M0157133
An in-line fuel filter located under cowl on outboard engines.

WATER IMPELLER REPAIR KIT
8M0155395

WATER PUMP IMPELLER
47-16154 3

SPARK PLUG
33-803507
NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT
804540
52 degrees Centigrade, 126 degrees Fahrenheit

300 HOUR SERVICE KIT
8M0120836
Fuel filter, oil drain seal, 2 - gearcase drain seals, thermostat, thermostat gasket, spark plug, impeller kit, anode.

8-9.9 HP FOURSTROKE 0R042475 AND ABOVE

CARBURETOR REPAIR KIT
8M0044576
Includes new float, float pin, inlet needle, bowl gasket, air box o-ring and flange gaskets.

TRIM TAB ANODE
853762T01
Zinc

ANODE
97-875208
Square style.

INLINE FUEL FILTER
35-8M0157133
An in-line fuel filter located under cowl on outboard engines.

WATER IMPELLER REPAIR KIT
47-803748Q01
Includes new impeller and face plate.

47-803748Q02
Includes new impeller and face plate.

WATER PUMP IMPELLER
47-803748
47-803748 1

SPARK PLUG
33-803507
NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

300 HOUR SERVICE KIT
8M0120837
Fuel filter, oil drain seal, 2 - gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode
8M0120867
Fuel filter, oil drain seal, 2- gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode

15 HP FOURSTROKE 0R235949 AND ABOVE

CARBURETOR REPAIR KIT
8M0044577
Includes new float, float pin, inlet needle, bowl gasket, air box o-ring and flange gaskets.

TRIM TAB ANODE
853762T01
Zinc

ANODE
97-875208
Square style.

INLINE FUEL FILTER
35-8M0157133
An in-line fuel filter located under cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER
35-8M0162832
FourStroke Outboard replaceable screw-on type canister filters.

WATER IMPELLER REPAIR KIT
46-8M0122064

WATER PUMP IMPELLER
47-803748

SPARK PLUG
33-803507
NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

15 HP EFI FOURSTROKE 0R833820 AND ABOVE

FUEL FILTER
35-8M0134466

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162832

FourStroke Outboard replaceable screw-on type canister filters.

COMPLETE WATER PUMP KIT

46-8M0135821

Includes both upper & lower housings, gaskets, plate and impeller.

HEAVY ABRASION RESISTANT WATER PUMP

8M0137849

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

WATER PUMP IMPELLER

47-8M0135803

SPARK PLUG

33-803507

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT

8M0139434

125 Degrees

20 HP FOURSTROKE 0R235168 AND ABOVE

TRIM TAB ANODE

853762T01

Zinc

ANODE

97-875208

Square style.

INLINE FUEL FILTER

35-8M0157133

An in-line fuel filter located under cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162832

FourStroke Outboard replaceable screw-on type canister filters.

WATER IMPELLER REPAIR KIT

46-8M0122064

WATER PUMP IMPELLER

47-803748

SPARK PLUG

33-803507

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

20 HP EFI FOURSTROKE 0R833820 AND ABOVE

FUEL FILTER

35-8M0134466

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162832

FourStroke Outboard replaceable screw-on type canister filters.

COMPLETE WATER PUMP KIT

46-8M0135821

Includes both upper & lower housings, gaskets, plate and impeller.

HEAVY ABRASION RESISTANT WATER PUMP

8M0137849

Heavy duty face plate and housing designed to improve life in highly abrasive water conditions.

WATER PUMP IMPELLER

47-8M0135803

SPARK PLUG

33-803507

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT

8M0139434

125 Degrees

25-30 HP EFI FOURSTROKE 0R106999 AND ABOVE

TRIM TAB ANODE

853762

Zinc

ANODE

97-804043

97-823912002

Aluminum

FUEL FILTER KIT

35-8M0088825

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162832

FourStroke Outboard replaceable screw-on type canister filters.

IMPELLER REPAIR KIT

853792A07

WATER PUMP IMPELLER

47-16154 1

Various 25-20 Hp. FourStroke and 2-cycle outboards.

SPARK PLUG

33-803507

NGK, DCPR6E, check and set gap per owner's manual or the emissions control information decal if present.

40 HP (3 CYL) FOURSTROKE 1C049739 AND ABOVE

CARBURETOR REPAIR KIT

854256 1

TRIM TAB

822157T03

17264T 2

POWER TRIM ANODE

97-818298Q 1

Aluminum

Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

INLINE FUEL FILTER

35-879884T

A cartridge type fuel filter located under the cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162830

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP

46-812966A12

Includes both upper and lower housings, gaskets, key, O-ring, plate, and impeller

OUTBOARD MAINTENANCE

WATER PUMP IMPELLER

47-19453T

Various 30-60 Hp. FourStroke outboards.

THERMOSTAT KIT

825212A 1

Includes 120 degree thermostat and gaskets.

57-8M0151040

40-50-60 HP FOURSTROKE 1C050252 AND ABOVE

TRIM TAB

31640T07

EDP - Black, this painted tab will not perform an anodic function.

POWER TRIM ANODE

97-818298Q 1

Aluminum
Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

ANODE KIT

97-8M0107546

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

SIDE POCKET ANODE

97-826134Q

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

INLINE FUEL FILTER

35-879884T

A cartridge type fuel filter located under the cowl on outboard engines.

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162830

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP

46-812966A12

Includes both upper and lower housings, gaskets, key, O-ring, plate, and impeller

46-8M0113801

Includes both upper & lower housings, gaskets, plate and impeller.

WATER PUMP IMPELLER

47-19453T

Various 30-60 Hp. FourStroke outboards.

47-43026T 2

THERMOSTAT

8M0168892

120 Degrees F

57-8M0151040

75-90-115 HP FOURSTROKE 2B094996 AND ABOVE

TRIM TAB

8M0091534

EDP painted, this tab does not provide anodic protection.

ANODIC PLATE

97-76214Q 5

Aluminum
Provides additional clearance for high rake propellers.

POWER TRIM ANODE

97-818298Q 1

Aluminum
Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162830

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP

8M0094529

Includes upper and lower housings, gaskets, plate, seals, key and impeller.

WATER PUMP IMPELLER

47-43026T 2

SPARK PLUG

33-8M0057936

NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY

8M0090819

Includes thermostat and housing.

75-90-115 HP FOURSTROKE 1B366823-2B094995

TRIM TAB

31640T07

EDP - Black, this painted tab will not perform an anodic function.

POWER TRIM ANODE

97-818298Q 1

Aluminum
Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located on the bottom of the external power trim pump assembly.

ANODE KIT

97-8M0107546

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

97-8M0107548

Aluminum anodes - For use in saltwater or freshwater.
This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

SIDE POCKET ANODE

97-826134Q

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications.
Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FOURSTROKE OUTBOARD OIL FILTER

35-877761Q01

Replaceable screw-on type canister filter.

AIR FILTER

35-8M0082911

COMPLETE WATER PUMP

46-8M0113799

Includes both upper & lower housings, gaskets, plate and impeller.

WATER PUMP IMPELLER

47- 43026T 2

SPARK PLUG

33-8M0157328

NGK, LFR4A-E, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT

892864T06

Includes thermostat and housing.

ALTERNATOR BELT

57-897574Q01

75-115 EFI 1.7L FourStroke outboard

75-90-115 OPTIMAX (1.5L) 1B227000 AND ABOVE

TRIM TAB

31640T07

EDP - Black, this painted tab will not perform an anodic function.

97- 31640T 6

Magnesium - For freshwater use only. Do not use in Saltwater applications.

POWER TRIM ANODE

97-818298Q 1

Aluminum

Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

IN-LINE OIL FILTER

35-875284T01

In-line oil filter

FUEL FILTER ELEMENT

35-8M0122423

Under cowl replacement cartridge where applicable.

COMPLETE WATER PUMP

46-8M0113799

Includes both upper & lower housings, gaskets, plate and impeller.

WATER PUMP IMPELLER

47- 43026Q02

SPARK PLUG

33-892567Q

NGK IZFR5J, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT

833072004

62 degrees Centigrade, 143 degrees Fahrenheit.

ALTERNATOR BELT

57-8M0026410

75-125 Hp. 3 cylinder (1.5L) Optimax outboard

75-90-115/115 PRO XS HP FOURSTROKE 2B094996 AND ABOVE

TRIM TAB

8M0091534

EDP painted, this tab does not provide anodic protection.

ANODIC PLATE

97- 76214Q 5

Aluminum

Provides additional clearance for high rake propellers.

POWER TRIM ANODE

97-818298Q 1

Aluminum

Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FUEL FILTER SCREEN

35-8M0090809

In-line, under cowl fuel filter

FOURSTROKE OUTBOARD OIL FILTER

35-8M0162830

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.

COMPLETE WATER PUMP

8M0094529

Includes upper and lower housings, gaskets, plate, seals, key and impeller.

WATER PUMP IMPELLER

47- 43026T 2

SPARK PLUG

33-8M0057936

NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY

8M0090819

Includes thermostat and housing.

150 EFI FOURSTROKE 1B905505 AND ABOVE

ANODIC PLATE

97- 76214Q 5

Aluminum

Provides additional clearance for high rake propellers.

97- 76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

ANODE KIT

97-8M0107548

Aluminum anodes - For use in saltwater or freshwater.

This is a complete anode kit to replace all factory installed anodes found on the transom and gearcase. Fasteners are included.

OUTBOARD MAINTENANCE

POWER TRIM ANODE

97-8M0057772

Aluminum. Located on the bottom of the external power trim assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FUEL FILTER SCREEN

35-8M0090809

In-line, under cowl fuel filter

FOURSTROKE OUTBOARD OIL FILTER

35-877761Q01

Replaceable screw-on type canister filter.

COMPLETE WATER PUMP

8M0094529

Includes upper and lower housings, gaskets, plate, seals, key and impeller.

WATER PUMP IMPELLER

47-43026T 2

SPARK PLUG

33-8M0057936

NGK, ZFR5F, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT

892864T06

Includes thermostat and housing.

ALTERNATOR BELT

57-8M0031641

V-6 OPTIMAX (2.5L, NON-PRO MODELS) 1B227000 AND ABOVE

ANODIC PLATE

97-76214Q 5

Aluminum
Provides additional clearance for high rake propellers.

97-76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE

97-818298Q 1

Aluminum
Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

IN-LINE OIL FILTER

35-875284T01

In-line oil filter

WATER SEPARATING FUEL FILTER

35-18458Q 4

Water separating fuel filter with the blue screw-in sensor.

WATER PUMP UPPER REPAIR KIT

46-96148Q 8

Includes plastic pump housing assembly, impeller, face plate, gaskets, drive key or pin, water tube guide sleeve, "O" rings and gearlube fill & vent screw seals. (Base not included)

WATER PUMP IMPELLER

47-89984T 4

SPARK PLUG

33-889597Q

NGK, IZFR5G, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT

833072003

62 degrees Centigrade, 143 degrees Fahrenheit

ALTERNATOR BELT

57-828507Q 4

135/150/175 Optimax, 2.5L DFI outboard

V-6 OPTIMAX (3.0L, NON-PRO MODELS) 1B227000 AND ABOVE

ANODIC PLATE

97-76214Q 5

Aluminum
Provides additional clearance for high rake propellers.

97-76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE

97-818298Q 1

Aluminum
Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum
Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

IN-LINE OIL FILTER

35-875284T01

In-line oil filter

FUEL FILTER ELEMENT

35-8M0122423

Under cowl replacement cartridge where applicable.

WATER PUMP IMPELLER

47-43026T 2

SPARK PLUG

33-843220Q

NGK, LZFR6J, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT

8M0057307

54 Degrees Centigrade, 130 Degrees Fahrenheit

BELT - ALTERNATOR

57-828507Q 5

135-150-175-200 (4 CYLINDER) VERADO 1B311420 AND ABOVE

ANODIC PLATE

97- 76214Q 5

Aluminum

Provides additional clearance for high rake propellers.

97- 76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE

97-818298Q 1

Aluminum

Located on the bottom of the external power trim pump assembly.

97-818298T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located on the bottom of the external power trim pump assembly.

SIDE POCKET ANODE

97-826134Q

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FUEL FILTER ELEMENT

35-8M0122423

Under cowl replacement cartridge where applicable.

FOURSTROKE OUTBOARD OIL FILTER

35-877767Q01

Replaceable screw-on type canister filter. Replaces the production 896546_ series oil filter.

AIR FILTER

35-896247

COMPLETE WATER PUMP

817275A09

Includes both upper and lower housings, gaskets, seals, key, Oil-carrier, retaining ring, plate, and impeller.

WATER PUMP IMPELLER

47- 43026T 2

SPARK PLUG

33-889246Q39

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY

892864T04

Includes thermostat and housing.

ALTERNATOR BELT

57-880566Q14

6 cylinder Verado

200-300 (6 CYL) VERADO 1B390143 AND ABOVE (PRIOR TO GEN V)

ANODIC PLATE

97- 76214Q 5

Aluminum

Provides additional clearance for high rake propellers.

97- 76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE

97-880653

Aluminum, Power Trim

97-893404

Multiple pieces may be required per engine application.

SIDE POCKET ANODE

97-826134Q

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FUEL FILTER ELEMENT

35-8M0122423

Under cowl replacement cartridge where applicable.

FOURSTROKE OUTBOARD OIL FILTER

35-877769Q01

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

AIR FILTER

35-893318T02

COMPLETE WATER PUMP

817275A09

Includes both upper and lower housings, gaskets, seals, key, Oil-carrier, retaining ring, plate, and impeller.

8M0078858

Includes water impeller, upper and lower housings, face plate, gaskets, drive key, face seal and water tube coupling.

WATER PUMP IMPELLER

47- 43026T 2

SPARK PLUG

33-889246Q39

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY

892864T04

Includes thermostat and housing.

ALTERNATOR BELT

57-880566Q14

6 cylinder Verado

200-300 (6 CYL) VERADO 2B144123 AND ABOVE (GEN V)

ANODIC PLATE

97- 76214Q 5

Aluminum

Provides additional clearance for high rake propellers.

97- 76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

POWER TRIM ANODE

97-880653

Aluminum, Power Trim

97-893404

Multiple pieces may be required per engine application.

SIDE POCKET ANODE

97-826134T

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER SCREEN

35-8M0090809

In-line, under cowl fuel filter

OUTBOARD MAINTENANCE

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FUEL FILTER SCREEN

35-8M0090809

In-line, under cowl fuel filter

WATER SEPARATING FUEL FILTER

8M0157616

NEW design to be smaller to better fit the hand, the internal holding capacity of this filter is as great as our standard filter. A new o-ring for the water sensor is included with each filter. This new filter when used with the new water-in-fuel sensor 8M0157779, meets U.S. Coast Guard and ABYC H-24 fuel-system requirements. Designed to meet 33 CFR 183.590 or ISO 10088 fire test.

FOURSTROKE OUTBOARD OIL FILTER

35-877769Q01

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

AIR FILTER

35-893318T02

COMPLETE WATER PUMP

817275A09

Includes both upper and lower housings, gaskets, seals, key, Oil-carrier, retaining ring, plate, and impeller.

8M0078858

Includes water impeller, upper and lower housings, face plate, gaskets, drive key, face seal and water tube coupling.

WATER PUMP IMPELLER

47-43026T 2

SPARK PLUG

33-889246Q39

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY

892864T04

Includes thermostat and housing.

ALTERNATOR BELT

57-880566Q14

6 cylinder Verado

100 HOUR SERVICE KIT

8M0120657

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals.

300 HOUR SERVICE KIT

8M0133617

Oil filter, spin-on fuel filter, high pressure fuel filter screen, oil drain seal, 2-gearcase drain seals, 6-spark plugs, thermostat kit, water impeller kit, belt and anode kit.

350-400 (6 CYL) VERADO

ANODIC PLATE

97-76214Q 5

Aluminum

Provides additional clearance for high rake propellers.

97-76214A 6

Magnesium - For freshwater use only. Do not use in saltwater applications.

ANODE

97-8M0012083

Corrosion protection.

POWER TRIM ANODE

97-893404

Multiple pieces may be required per engine application.

SIDE POCKET ANODE

97-826134Q

Aluminum

Located in side pockets on the gearhousing just above the cavitation plate.

97-826134T 3

Magnesium - For freshwater use only. Do not use in saltwater applications. Located in side pockets on the gearhousing just above the cavitation plate.

FUEL FILTER

35-879885Q

In-line, under cowl fuel filter.

FUEL FILTER SCREEN

35-8M0090809

In-line, under cowl fuel filter

35-8M0090809

In-line, under cowl fuel filter

FUEL FILTER ELEMENT

35-8M0122423

Under cowl replacement cartridge where applicable.

FOURSTROKE OUTBOARD OIL FILTER

35-877769Q01

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.

AIR FILTER

35-893318T02

COMPLETE WATER PUMP

8M0078858

Includes water impeller, upper and lower housings, face plate, gaskets, drive key, face seal and water tube coupling.

WATER PUMP IMPELLER

47-43026T 2

SPARK PLUG

33-889246Q39

NGK, ILFR6GE, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY

892864T04

Includes thermostat and housing.

ALTERNATOR BELT

57-880566Q14

6 cylinder Verado

175-300HP V6 (3.4L) & V8 (4.6L)

ANTI VENT PLATE

97-8M0137814

Aluminum

POWER TRIM ANODE

97-818298Q 1

Aluminum

Located on the bottom of the external power trim pump assembly.

97-893404

Multiple pieces may be required per engine application.

97-880653

Aluminum, Power Trim

WATER SEPARATING FUEL FILTER - ON ENGINE

35-8M0106635

This filter separates water from fuel as it removes other impurities. Fuel contaminated water can result in poor engine performance, stalling and damage to the fuel system.10 Micron filtration.

WATER SEPARATING FUEL FILTER - BOAT MOUNTED

35-8M0126144

Removes 99% of water and other impurities from gasoline. 10 Micron filtration over 95% efficiency.

FOURSTROKE OUTBOARD OIL FILTER

35-8M0123025

Replaces screw-on canister filters. Requires filter wrench #889277

WATER PUMP IMPELLER

47-43026Q02

WATER PUMP REPAIR KIT

47-8M0142980

Includes: Water pump gasket, face plate, face plate gasket, key, impeller, face seal, drain plug seal, water pump gasket, o-ring, actuator seal and face seal tool.

SPARK PLUG

33-8M0135348

NGK non-Iridium IX - LKAR7C-9, check and set gap per owner's manual or the emissions control information decal if present.

THERMOSTAT ASSEMBLY

8M0162139

Replacement Thermostat Assembly

ALTERNATOR BELT

57-8M0142251

Replace every 300hrs. or every 3 years.

FUEL FILTER SCREEN

35-8M0090809

In-line, under cowl fuel filter

7.6L V12 600HP VERADO & 500HP SEAPRO

FOURSTROKE OUTBOARD OIL FILTER

35-8M0168366

Replaceable screw-on type canister filter.

WATER SEPARATING FUEL FILTER - BOAT MOUNTED

8M0166596

Removes 99% of water and other impurities from gasoline for optimum fuel system performance. 10 Micron filtration over 90% efficiency

DRAIN SCREW GASKET

26-830749

A rubber coated, stainless steel washer forms a tear resistant gearcase drain screw seal.

ANODE KIT - ALUMINUM

97-8M0179981

Aluminum anode kit - For use in saltwater and freshwater. This is a complete kit to replace all factory installed anodes found on the outboard.

EXHAUST SEAL

8M0177471

Silicone exhaust seal

O-RING

25-8M0177478

Replaceable O-ring.

EXHAUST MANIFOLD GASKET

27-8M0177479

Replaceable exhaust manifold gasket.

TRANSMISSION FILTER

35-8M0177646

Includes 2 NBR O-rings.50-micron stainless steel oil suction filter

SPARK PLUG

33-8M0178257

NGK-ILKAR7G-9. Check and set gaps per the owner's manual or the emissions control information on the cowling decal.

SPARK PLUG WIRES

84-8M0178258

Includes 12 spark plug wires for complete service.

ALTERNATOR BELT

57-8M0178243

Replacement alternator belt

WATER PUMP REPAIR KIT

46-8M0177997

Includes: water inlet plate, water pump impeller, stainless steel housing, transmission carrier seal (PTO), O-ring, clamp, and hardware.

THERMOSTAT ASSEMBLY

8M0177662

Includes top and bottom housing, 160 degree thermostat, 140 degree thermostat, spring, retainer, gasket, O-ring, plate, and hardware.

OUTBOARD SERVICE INTERVAL KITS

OUTBOARD SERVICE INTERVAL KITS

300 HOUR SERVICE KIT



8M0120836

Fuel filter, oil drain seal, 2 - gearcase drain seals, thermostat, thermostat gasket, spark plug, impeller kit, anode.
4/5/6 HP EFI 0R411838 and above

300 HOUR SERVICE KIT



8M0120837

Fuel filter, oil drain seal, 2 - gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode
8/9.9 HP Standard gearcase only 0R042475 and above

300 HOUR SERVICE KIT



8M0120867

Fuel filter, oil drain seal, 2- gear case drain seals, thermostat, thermostat gasket, 2 - spark plugs, impeller kit, anode
8/9.9 HP Command Thrust only 0R042475 and above

300 HOUR SERVICE KIT



8M0120838

Oil Filter, fuel filter, oil drain seal, 3- gearcase drain seals, thermostat, thermostat gasket, 2- spark plugs, impeller kit, anode
15/20 HP 0R235949 - 0R833819

100 HOUR SERVICE KIT



8M0151469

Oil filter, fuel filter, oil drain seal, 2 gearcase drain seals
15/20 EFI FourStroke S/N: 0R833820 & above
Mercury Precision Branded, Box Point of Sale Packaged.

300 HOUR SERVICE KIT



8M0151470

Oil filter, fuel filter, oil drain seal, 2 gearcase drain seals, thermostat and gasket, impeller kit, 2 spark plugs, anodes
15/20 EFI FourStrokes S/N: 0R833820 & above

300 HOUR SERVICE KIT



8M0120839

Oil filter, fuel filter, oil drain seal, 2- gearcase drain seals, thermostat, thermostat gasket, 3- spark plugs, impeller kit, anode
25/30 HP 0R106999 and above

100 HOUR SERVICE KIT



8M0090558

Oil filter, low & high pressure fuel filter, oil drain seal, 2-gearcase drain seals, thermostat and 2-thermostat gaskets
40-60 EFI 4Cyl. 4 Stroke

300 HOUR SERVICE KIT



8M0090559

Oil filter, low & high pressure fuel filter, oil drain seal, 2-gearcase drain seals, thermostat, 2-thermostat gaskets, 4-spark plugs, water impeller kit, power trim anode and lower unit anode.
40-60 EFI 4Cyl. 4 Stroke (BigFoot and CT gearcases only)

300 HOUR SERVICE KIT



8M0113483

Oil filter, low & high pressure fuel filter, oil drain seal, 2-gearcase drain seals, thermostat, 2-thermostat gaskets, 4-spark plugs, water impeller kit, power trim anode and lower unit anode.
40-60HP 4Cyl. EFI Fourstroke (standard gearcase only)

100 HOUR SERVICE KIT



8M0097856

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals
75-115HP FourStroke (1.7L) S/N:1B366823 - 2B094995

300 HOUR SERVICE KIT



8M0097857

Oil filter, fuel filters, oil drain seal, 2-gearcase drain seals, 4-spark plugs, thermostat kit, water impeller kit, belt, power trim and lower unit anode.
75-115HP FourStroke (1.7L) S/N:1B366823 - 2B094995

100 HOUR SERVICE KIT



8M0097854

Oil filter, fuel filter and gearcase drain seal
75-115HP FourStroke (2.1L) S/N:2B094996 and Up

300 HOUR SERVICE KIT



8M0097855

Oil filter, fuel filters, gearcase drain seal, 4-spark plugs, thermostat kit, water impeller kit, power trim and lower unit anode.
75-115HP FourStroke (2.1L) S/N:2B094996 and Up

100 HOUR SERVICE KIT



8M0094232

Oil filter, low & fuel filter, gearcase drain seal.
150HP EFI 4 Stroke

OUTBOARD SERVICE INTERVAL KITS

300 HOUR SERVICE KIT



8M0094233

Oil filter, low & high pressure fuel filter, gearcase drain seal, 4-spark plugs, thermostat kit, water impeller kit, belt, 2-lower unit anodes and power trim anode 150HP EFI 4 Stroke

300 HOUR SERVICE KIT



8M0130835

Oil filter, 2-fuel filters, oil drain seal, 2-gearcase drain seals, thermostat, spark plugs, water impeller kit, drive belt, and anode kit.
L4 Verado FourStroke

100 HOUR SERVICE KIT



8M0097858

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals
L6 Verado FourStroke (2B144122 and below)

300 HOUR SERVICE KIT



8M0097859

Oil filter, low & high pressure fuel filter, oil drain seal, 2-gearcase drain seals, 6-spark plugs, thermostat kit, water impeller kit, belt and anode kit.
L6 Verado FourStroke (2B144122 & Below)

100 HOUR SERVICE KIT



8M0120657

Oil filter, fuel filter, oil drain seal and 2-gearcase drain seals.
L6 Verado (2B144123 & above)

300 HOUR SERVICE KIT



8M0133617

Oil filter, spin-on fuel filter, high pressure fuel filter screen, oil drain seal, 2-gearcase drain seals, 6-spark plugs, thermostat kit, water impeller kit, belt and anode kit.
L6 Verado FourStroke (2B144123 and above)

100 HR SERVICE KIT



8M0149929

Oil filter, fuel filter and 2-gearcase drain seals.
Fits: "NEW" 175-300HP V6 (3.4L) & V8 (4.6L) FourStroke outboards.

300 HOUR SERVICE KIT



8M0149930

Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water pump repair kit and anodes.
V6 (3.4L) FourStroke outboards

OUTBOARD SERVICE INTERVAL KITS

300 HOUR SERVICE KIT



8M0149931

Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water pump repair kit and anodes.
V8 (4.6L) CMS/ SeaPro & ProXS FourStroke outboards

300 HOUR SERVICE KIT



8M0149932

Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water pump repair kit and anodes.
V8 (4.6L) Verado & Verado SeaPro

450R 100HR MAINTENANCE KIT



8M0172447

Contains oil and fuel filters, belt, and seals
450R Outboard

450R 300HR MAINTENANCE KIT

Image not Available.

8M0172448

Contains oil and fuel filters, belts, spark plugs, water pump kit, anodes, drain plug, and clamp
450R Outboard

200 HOUR SERVICE KIT

Image not Available.

8M0179987

Kit includes - Oil filter, water separating fuel filter, fuel filter screen, and 2-gearcase drain seals.

Fits: 7.6L V12 600hp Verado and 500hp SeaPro FourStroke Outboards.

1 p.

1000 HOUR SERVICE KIT

Image not Available.

8M0179988

The kit includes - Oil filter, fuel filter, fuel filter screen, 2-gearcase drain seals, aluminum anode kit (includes all anodes and hardware), transmission filter, 12-spark plugs, spark plug wire set, alternator belt, water pump repair kit, thermostat assembly, powersteering filter, exhaust manifold gasket, and miscellaneous hardware. The kit does not include oils or lubricants.

Mercury 7.6L V12 600hp Verado and 500hp SeaPro FourStroke outboards

OUTBOARD SERVICE INTERVAL KITS - WITHOUT ANODES

300 HOUR SERVICE KIT - NO ANODES



8M0149427

This kit was designed for the heavy hour customer that does not need to replace anodes every 300 hours. Kit includes: Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water impeller repair kit. NO ANODES INCLUDED

L6 Verado FourStroke (2B144122 and below)

300 HOUR SERVICE KIT - NO ANODES



8M0149428

This kit was designed for the heavy hour customer that does not need to replace anodes every 300 hours. Kit includes: Oil filter, fuel filter, 2-oil drain seals, spark plugs, thermostat, alternator belt, water impeller repair kit. NO ANODES INCLUDED

L6 Verado (2B144123 & above)

300 HOUR SERVICE KIT - NO ANODES

Image not Available.

8M0163132

This kit was designed for the heavy hour customer that does not need to replace anodes every 300 hours. Kit includes: Oil filter, fuel filters, drain seals, spark plugs, thermostat, alternator belt, water impeller repair kits. NO ANODES INCLUDED
150HP EFI 4 Stroke

MERCUISER MAINTENANCE

3.0L TKS

CAP AND ROTOR KIT

811635K 2

SPARK PLUG

33-816336Q

NGK, BPR6EFS

CARBURETOR FUEL FILTER

35-53336Q

CARBURETOR REPAIR KIT

3302-804844002

FUEL PUMP FILTER

35-8M0046751

THERMOSTAT KIT

807252T 5

160 degree

V-BELT

57-862054Q

39-1/2 in. (1003 mm) length

57-65607Q

37 in. (940 mm) length

OIL FILTER

35-866340K01

3.0L MPI

CAP AND ROTOR KIT

811635K 2

SPARK PLUG

33-816336Q

NGK, BPR6EFS

FUEL FILTER

35-866594K01

10 micron

THERMOSTAT KIT

807252T 5

160 degree

V-BELT

57-862054Q

39-1/2 in. (1003 mm) length

57-65607Q

37 in. (940 mm) length

OIL FILTER

35-866340K01

4.3L TKS ALPHA

CAP AND ROTOR KIT

815407T 5

SPARK PLUG

33-862029

AC, MR43LTS

CARBURETOR FUEL FILTER

35-53336Q

CARBURETOR REPAIR KIT

3302-804844002

WATER SEPARATING FUEL FILTER

35-802893T

25 micron

PCV VALVE

8M0065285

THERMOSTAT KIT

807252T 5

160 degree

THERMOSTAT

864493

170 degree, FWC

SERPENTINE BELT

57-865615Q04

1941 mm length

57-865615Q09

1780 mm length

57-865615Q03

2704 mm length

OIL FILTER

35-883702K

w/o remote oil

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

4.3L TKS BRAVO

CAP AND ROTOR KIT

815407T 5

SPARK PLUG

33-862029

AC, MR43LTS

CARBURETOR FUEL FILTER

35-53336Q

CARBURETOR REPAIR KIT

3302-804844002

WATER SEPARATING FUEL FILTER

35-802893T

25 micron

PCV VALVE

8M0065285

THERMOSTAT KIT

807252T 5

160 degree

THERMOSTAT

864493

170 degree, FWC

SERPENTINE BELT

57-865615Q03

2704 mm length

57-865615Q08

2535 mm length

OIL FILTER

35-883702K

w/o remote oil

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

4.3L MPI ALPHA

CAP AND ROTOR KIT
898253T28

SPARK PLUG
33-8M2018369

NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER
35-802893T

25 micron

PCV VALVE
8M0065285

THERMOSTAT KIT
807252T 5

160 degree

THERMOSTAT
864493

170 degree, FWC

SERPENTINE BELT
57-865615Q04

1941 mm length

57-865615Q09

1780 mm length

57-865615Q03

2704 mm length

OIL FILTER
35-866340K01

SEA WATER PUMP IMPELLER KIT
47-8M0104229

4.3L MPI BRAVO

CAP AND ROTOR KIT
898253T28

SPARK PLUG
33-8M2018369

NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER
35-802893T

25 micron

PCV VALVE
8M0065285

THERMOSTAT KIT
807252T 5

160 degree

THERMOSTAT
864493

170 degree, FWC

SERPENTINE BELT
57-865615Q03

2704 mm length

57-865615Q08

2535 mm length

OIL FILTER
35-866340K01

SEA WATER PUMP IMPELLER KIT
47-8M0104229

4.5L MPI ALPHA

SPARK PLUG
33-8M0095454

NGK, BPR5EFS-13

FUEL FILTER ELEMENT
35-8M0122423

Under cowl replacement cartridge where applicable.

PCV VALVE
21-8M2017060

THERMOSTAT
8M0089715

140 degree

864493

170 degree, FWC

SERPENTINE BELT
57-8M0087881

1409 mm Length

57-8M0088876

1687 mm length

OIL FILTER
35-866340K01

SEA WATER PUMP IMPELLER KIT
47-8M0104229

4.5L MPI BRAVO

SPARK PLUG
33-8M0095454

NGK, BPR5EFS-13

FUEL FILTER ELEMENT
35-8M0122423

Under cowl replacement cartridge where applicable.

PCV VALVE
21-8M2017060

THERMOSTAT
8M0089715

140 degree

864493

170 degree, FWC

SERPENTINE BELT
57-8M0097728

1713 mm length

57-8M0088876

1687 mm length

OIL FILTER
35-866340K01

SEA WATER PUMP IMPELLER KIT
47-8M0104229

5.0L/5.7L TKS ALPHA

CAP AND ROTOR KIT
805759T 3

SPARK PLUG
33-816336Q

NGK, BPR6EFS

CARBURETOR FUEL FILTER
35- 53336Q

CARBURETOR REPAIR KIT
3302-804844002

WATER SEPARATING FUEL FILTER

35-802893T

25 micron

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

SERPENTINE BELT

57-865615Q04

1941 mm length

57-865615Q09

1780 mm length

OIL FILTER

35-866340K01

5.0L/5.7L TKS BRAVO

CAP AND ROTOR KIT

805759T 3

SPARK PLUG

33-816336Q

NGK, BPR6EFS

CARBURETOR FUEL FILTER

35-53336Q

CARBURETOR REPAIR KIT

3302-804844002

WATER SEPARATING FUEL FILTER

35-802893T

25 micron

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

SERPENTINE BELT

57-865615Q03

2704 mm length

57-865615Q08

2535 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-59362T 6

5.0L/5.7L MPI ALPHA

CAP AND ROTOR KIT

8M0061335

SPARK PLUG

33-8M2018369

NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER

35-802893T

25 micron

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

SERPENTINE BELT

57-865615Q04

1941 mm length

57-865615Q09

1780 mm length

57-865615Q08

2535 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

5.0L/5.7L MPI BRAVO

CAP AND ROTOR KIT

8M0061335

SPARK PLUG

33-8M2018369

NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER

35-8M0093688

Replacement filter

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

THERMOSTAT

864493

170 degree, FWC

SERPENTINE BELT

57-865615Q03

2704 mm length

57-865615Q06

2667 mm length

57-865615Q08

2535 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

5.7L TKS MIE & TOWSPORTS

CAP AND ROTOR KIT

805759T 3

SPARK PLUG

33-816336Q

NGK, BPR6EFS

CARBURETOR FUEL FILTER

35-53336Q

CARBURETOR REPAIR KIT

3302-804844002

WATER SEPARATING FUEL FILTER

35-802893T

25 micron

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

SERPENTINE BELT

57-865615Q05

2233 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-59362T 6

5.7L MPI TOWSPORTS

CAP AND ROTOR KIT

8M0061335

SPARK PLUG

33-8M2018369

NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER

35-802893T

25 micron

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

SERPENTINE BELT

57-865615Q05

2233 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

5.7 & 6.2 MPI MIE

CAP AND ROTOR KIT

8M0061335

SPARK PLUG

33-8M2018369

NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER

35-8M0093688

Replacement filter

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

THERMOSTAT

864493

170 degree, FWC

SERPENTINE BELT

57-865615Q05

2233 mm length

57-865615Q10

2195 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

6.2L MPI BRAVO

CAP AND ROTOR KIT

8M0061335

SPARK PLUG

33-8M2018369

NGK, ITR4A15 (Iridium)

WATER SEPARATING FUEL FILTER

35-8M0093688

Replacement filter

PCV VALVE

21-8M2017060

THERMOSTAT KIT

807252T 5

160 degree

THERMOSTAT

864493

170 degree, FWC

SERPENTINE BELT

57-865615Q03

2704 mm length

57-865615Q06

2667 mm length

57-865615Q08

2535 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

6.2L MPI BRAVO (MERCURY)

SPARK PLUG

33-8M0095454

NGK, BPR5EFS-13

FUEL FILTER ELEMENT

35-8M0122423

Under cowl replacement cartridge where applicable.

PCV VALVE

21-8M2017060

THERMOSTAT

8M0089715

140 degree

864493

170 degree, FWC

SERPENTINE BELT

57-8M0097728

1713 mm length

57-8M0088876

1687 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

8.1L MCM & MIE

SPARK PLUG

33-8M0129146

AC, 41-983 (Platinum)

WATER SEPARATING FUEL FILTER

35-8M0093688

Replacement filter

THERMOSTAT

8M0076464

160 Degree

SERPENTINE BELT

57-865635Q01

2519 mm length

57-865635Q02

2111 mm length

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

8.2L MCM & MIE

SPARK PLUG

33-8M0114747

NGK, BPR6ES

WATER SEPARATING FUEL FILTER

35-8M0093688

Replacement filter

PCV VALVE

8M0099429

THERMOSTAT

8M0045990

170 degree

SERPENTINE BELT

57-8M0045227

3157 mm

57-8M0045986

2287 mm

OIL FILTER

35-866340K01

SEA WATER PUMP IMPELLER KIT

47-8M0104229

ALPHA STERNDRIVE

WATER IMPELLER REPAIR KIT

47-8M0100527

SEAL KIT

26-88397A 1

Driveshaft Hsg

26-816575A 4

Gear Housing

ANODE KIT

97-888756K01

Aluminum anodes - For use in saltwater or freshwater.

97-888755K01

Magnesium anodes - For freshwater use only. Do not use in saltwater applications.

DRIVE INSTALLATION KIT

27-94996T 2

SHIFT CABLE BELLOWS

74639A 2

Includes clamps

U-JOINT BELLOWS

816431A 1

EXHAUST BELLOWS - BELL HOUSING

8M0124227

SHIFT CABLE KIT

8M0176525

BRAVO STERNDRIVE

SEAL KIT

26-16709A 2

Driveshaft Hsg

26-76868A04

Gearcase

ANODE KIT

97-888758K01

Aluminum anodes - For use in saltwater or freshwater.

97-888761K01

Aluminum anodes - For use in saltwater or freshwater

97-888761K02

Aluminum anodes - For use in saltwater or freshwater.

DRIVE INSTALLATION KIT

16755T 1

SHIFT CABLE BELLOWS

74639A 2

Includes clamps

U-JOINT BELLOWS

8M0062406

EXHAUST BELLOWS - BELL HOUSING

8M0124227

SHIFT CABLE KIT

8M0176522

MERCURY DIESEL MAINTENANCE

QSD 2.0 DIESEL

AIR FILTER

35-8M0047848

Design II

35-879172143

Design I

WATER SEPARATING FUEL FILTER

35-879172104

THERMOSTAT

879150054

SERPENTINE BELT

57-879172120

Replacement belt

ENGINE ANODE ASSEMBLY

97-8M0151541

M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

OIL FILTER ELEMENT

35-895207

3.25 in. (83 mm) diameter

35-879312041

2.625 in. (67 mm) diameter

SEAWATER PUMP IMPELLER KIT

47-896332063

Jabsco

47-879312025

Sherwood

QSD 2.8 DIESEL

AIR FILTER

35-855514002

WATER SEPARATING FUEL FILTER

35-879172104

THERMOSTAT

8M0093561

SERPENTINE BELT

57-879194425

Replacement Belt

ENGINE ANODE ASSEMBLY

97-8M0151541

M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

OIL FILTER ELEMENT

35-895207

3.25 in. (83 mm) diameter

SEAWATER PUMP IMPELLER KIT

47-896332063

Jabsco

47-879312025

Sherwood

QSD 4.2 DIESEL

AIR FILTER

35-898272048

Foam

WATER SEPARATING FUEL FILTER

35-879172104

THERMOSTAT

879150054

SERPENTINE BELT

57-898101579

Replacement Belt

ENGINE ANODE ASSEMBLY

97-8M0151541

M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

OIL FILTER ELEMENT

35-895207

3.25 in. (83 mm) diameter

SEAWATER IMPELLER KIT

47-879194186

Jabsco

SEAWATER PUMP IMPELLER KIT

8M0056956

Sherwood

3.0L V6 TDI DIESEL (TIER 3)

AIR FILTER

35-8M6002131

WATER SEPARATING FUEL FILTER

35-8M0067337

Replacement element

FUEL FILTER

35-8M0067597

Element, Square

THERMOSTAT

8M0093480

SERPENTINE BELT

57-8M0093495

Alternator & Power steering

ANODE KIT

8M6002274

Block

OIL FILTER

35-8M0066483

Element

SEAWATER PUMP IMPELLER KIT

47-816814T

3.0L V6 VM DIESEL

AIR FILTER

35-8M6004711

WATER SEPARATING FUEL FILTER

35-8M0135210

Replacement element

THERMOSTAT

896309

SERPENTINE BELT

57-8M0129918

Alternator, Seawater pump & Power steering - MCM

57-8M0148883

Alternator & Seawater pump - MIE

ENGINE ANODE ASSEMBLY

97-8M0151541

M18 x 1.5 Plug w/ thread-in anode (20mm length x 15mm O.D.)

OIL FILTER

35-8M0183282

Element

SEAWATER PUMP IMPELLER KIT

8M0056956

Sherwood

4.2L V8 TDI DIESEL (TIER 3)

AIR FILTER

35-8M6002552

WATER SEPARATING FUEL FILTER

35-8M6002390

THERMOSTAT

8M0086400

SERPENTINE BELT

57-8M0093513

Alternator

ANODE KIT

8M6002274

Block

OIL FILTER

35-8M0066483

Element

SEAWATER PUMP IMPELLER KIT

47-816814T

6.7L (135/150 NA) DIESEL

AIR FILTER

35-8M0106323

Replacement cartridge

WATER SEPARATING FUEL FILTER

35-8M0105781

Replacement element

FUEL FILTER

35-8M0106015

Replacement cartridge

THERMOSTAT

8M0106193

SERPENTINE BELT

57-8M0153039

Alternator

V-BELT

57-8M0110926

Power Steering

ANODE

97-8M0112332

OIL FILTER

35-8M0106058

Replacement cartridge

SEAWATER PUMP IMPELLER

8M0106368

6.7L (220 TC) DIESEL

AIR FILTER

35-8M0106324

Replacement cartridge

WATER SEPARATING FUEL FILTER

35-8M0145281

Replacement Element

FUEL FILTER

35-8M0106015

Replacement cartridge

THERMOSTAT

8M0106193

SERPENTINE BELT

57-8M0153039

Alternator

V-BELT

57-8M0110926

Power Steering

ANODE

97-8M0112332

OIL FILTER

35-8M0106058

Replacement cartridge

SEAWATER PUMP IMPELLER KIT

47-816814T

6.7L (180/230/260/280 TCA) DIESEL

AIR FILTER

35-8M0106324

Replacement cartridge

WATER SEPARATING FUEL FILTER

35-8M0105781

Replacement element

FUEL FILTER

35-8M0106015

Replacement cartridge

THERMOSTAT

8M0106193

SERPENTINE BELT

57-8M0153039

Alternator

V-BELT

57-8M0110926

Power Steering

ANODE

97-8M0112332

OIL FILTER

35-8M0106058

Replacement cartridge

SEAWATER PUMP IMPELLER KIT

47-816814T

6.7L (480/500/550 TCA) DIESEL

AIR FILTER

8M0138979

WATER SEPARATING FUEL FILTER

35-8M0140873

Replacement element

FUEL FILTER

35-8M0131726

Replacement cartridge

THERMOSTAT

8M0131497

SERPENTINE BELT

57-8M0153039

Alternator

ANODE

97-8M0112332

OIL FILTER

35-8M0131725

Replacement cartridge

SEAWATER PUMP IMPELLER KIT

47-8M0151113

MERCUISER SERVICE INTERVAL KITS

MERCUISER SERVICE INTERVAL KITS

MERCUISER ENGINE MAINTENANCE KITS

100 HOUR SERVICE KIT



8M0147048

Contains Oil filter, fuel filters, gearcase drain seals.
For 2.5L & 3.0L Carb engines (1987 and newer)

300 HOUR SERVICE KIT



8M0147061

Contains Oil filter, fuel filters, gearcase drain seals, spark plugs, thermostat & gasket & V-Belts
For 3.0L Carb engines with std cooling (2000 & newer)

100 HOUR SERVICE KIT



8M0147049

Contains Oil filter, fuel filter, gearcase drain seals.
For 3.0L MPI engines (2008 and newer)

300 HOUR SERVICE KIT



8M0147062

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, IAC filter & V-Belts
For 3.0L MPI engines with std cooling (2008 & newer)

100 HOUR SERVICE KIT



8M0147050

Contains Oil filter, fuel filter, gearcase drain seals.
For 4.3L Carb engines w/o remote oil (1993 and newer)

300 HOUR SERVICE KIT



8M0147063

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket & serpentine belt
For 4.3L carb Alpha engines with std cooling and w/o remote oil (1996 & newer)

100 HOUR SERVICE KIT



8M0147051

Contains Oil filter, fuel filter, gearcase drain seals.
For all GM V6 & V8 engines with spin on fuel filter, except V6 w/o remote oil (1977 and newer)

300 HOUR SERVICE KIT



8M0147064

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, IAC filter & serpentine belt
For 4.3L MPI Alpha engines with std cooling (2002 & newer)

300 HOUR SERVICE KIT



8M0147065

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, IAC filter, serpentine belt & seawater pump impeller kit
For 4.3L MPI Bravo engines with std cooling (2002 & newer)

300 HOUR SERVICE KIT



8M0147068

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket & serpentine belt
For 5.0L & 5.7L MPI Alpha engines with std cooling (2002 & newer)

100 HOUR SERVICE KIT



8M0147052

Contains Oil filter, fuel filter, gearcase drain seals.
For 4.5L & 6.2L (Mercury) engines (2014 and newer)

100 HOUR SERVICE KIT



8M0147053

Contains Oil filter, fuel filter, gearcase drain seals.
For all GM V8 MPI engines w/Gen III cool fuel (2002 and newer)

300 HOUR SERVICE KIT



8M0147066

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, PCV valve & serpentine belt
For 4.5L MPI Alpha engines with std cooling (2014 & newer)

300 HOUR SERVICE KIT



8M0147069

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, serpentine belt & seawater pump impeller kit
For 5.0L, 5.7L & 6.2L (GM) MPI Bravo engines with std cooling (2002 & newer)

300 HOUR SERVICE KIT



8M0147067

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, PCV valve, serpentine belt & seawater pump impeller kit
For 4.5L MPI Bravo engines with std cooling (2014 & newer)

300 HOUR SERVICE KIT



8M0147070

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & gasket, PCV valve, serpentine belt & seawater pump impeller kit
For 6.2L (Mercury) MPI Bravo engines with std cooling (2015 & newer)

MERCUISER SERVICE INTERVAL KITS

300 HOUR SERVICE KIT



8M0147071

Contains Oil filter, fuel filter, gearcase drain seals, spark plugs, thermostat & seal, PCV valve, serpentine belt & seawater pump impeller kit
For 8.2L MPI Bravo engines (2010 & newer)

MERCUISER STERNDRIVE MAINTENANCE KITS

100 HOUR SERVICE KIT



8M0147054

Contains Drive Install Gasket Kit, Aluminum Anode Kit & Gearcase Drains seals
For Alpha One drives (1984-1990)

300 HOUR SERVICE KIT



8M0147072

Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit water pump impeller kit, fill & drain screws
For Alpha One drives (1984-1990)

100 HOUR SERVICE KIT



8M0147055

Contains drive install gasket kit, aluminum anode kit & gearcase drains seals
For Alpha One Gen II drives (1991 and newer)

300 HOUR SERVICE KIT



8M0147073

Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, water pump impeller kit, fill & drain screws
For Alpha One Gen II drives (1991 and newer)

100 HOUR SERVICE KIT



8M0147056

Contains drive install o-ring kit, aluminum anode kit & gearcase drains seals
For Bravo One drives (1988 and newer)

300 HOUR SERVICE KIT



8M0147074

Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For Bravo One drives (1988 and newer)

100 HOUR SERVICE KIT



8M0147057

Contains drive install o-ring kit, aluminum anode kit & gearcase drains seals
For Bravo Two drives (1988 and newer) & Bravo Three drives (1995-2002)

300 HOUR SERVICE KIT



8M0147075

Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For Bravo Two drives (1988 and newer) & Bravo Three drives (1995-2002)

100 HOUR SERVICE KIT



8M0147058

Contains drive install o-ring kit, aluminum anode kit & gearcase drains seals
For Bravo Three drives (2003 and newer)

300 HOUR SERVICE KIT



8M0147076

Contains drive install gasket kit, aluminum anode kit, gearcase drains seals, transom repair kit, shift cable kit, fill & drain screws
For Bravo Three drives (2003 and newer)

TABLE OF CONTENTS

Quicksilver 2-Stroke Oil	261	Quicksilver Powersports Lubricants . . .	282
2-Stroke Multi-Fuel Outboards	263	Personal Watercraft (PWC)	282
Application and SKU Chart	261	Quicksilver Corrosion Protection	283
Direct Injection (DI) Engine Oil	262	Quicksilver Engine Coolant and Water	
Performance Blend for 2-Cycle Race		System Antifreeze	284
Outboards	263	Quicksilver Fuel System Care and	
Premium Plus TCW3	262	Maintenance	286
Premium TCW3 Oil	261	Engine and Fuel System Cleaner	286
Quicksilver Premium Ultra	264	Fuel Stabilizer	286
		Fuel Treatment	286
Quicksilver 4-Stroke Marine Engine Oil and		Quicksilver Gearcase Lubricant	288
Oil Filters	265	High Performance Gear Lube Capacity	
Application and SKU Chart	267	Chart	290
FCW® 10W30 Full Synthetic Marine Oil . . .	269	High Performance Gear Lube - SAE 90 . . .	289
FCW® 10W30 Mineral Marine Oil	268	Mercury Extreme Performance Gear Lube . .	291
FCW® 10W30 Synthetic Blend Marine Oil . .	268	Premium Gear Lube Capacity Chart	289
FCW® 10W40 Marine Oil	269	Premium Gear Lube - SAE 80W90	288
FCW® 25W40 Mineral Marine Oil	270	SKU Chart	288
FCW® 25W40 Synthetic Blend Marine Oil . .	270	Quicksilver Gearcase Lubricant	
FCW® 25W50 Synthetic Blend Marine Oil . .	271	Accessories	292
FCW® 5W30 Marine Oil	267	Quicksilver Greases	293
MerCruiser Oil Filters - Gasoline	277	Engine Assembly Grease	294
Mercury High Performance 4-Stroke Oil . .	271	Grease Application Charts	294
Oil Capacity Chart - 4-Stroke Outboards .	272	Marine Grease	293
Oil Capacity Chart - Gasoline Sterndrive/		Multi-Purpose Grease	294
Inboard Engines	274	Quicksilver Paints and Finish	296
Oil Capacity Chart - Hi-Perf Gasoline		Force Colors	296
Engine	276	Mariner Colors	296
Quicksilver/Mercury 4-Stroke Outboard Oil		Mercury Colors	296
Filters	273	Propeller Paint	297
Quicksilver 4-Stroke Oils	265	Surface Preparation and Finish	297
Quicksilver Diesel Sterndrive/Inboard Oil . .	279		
Oil Capacity Chart - Diesel Engine	280		
Oil Filters for MerCruiser Diesel Engines . .	280		
SAE 15W40	279		
SAE 5W30	279		
SKU Chart	279		

Quicksilver Steering Fluid 299

Quicksilver Transmission Fluid 300

Shop Products for Engine Assembly and Maintenance 301

 Adhesives and Sealants 301

 Lubricants 301

 Specialty 301

Shop Tools and Accessories 302

 Barrel Pump 302

 Crankcase Oil Pump and Adapter 302

 Displays 302

 Grease Guns 303

 Oil Filter Wrenches 303

QUICKSILVER 2-STROKE OIL

APPLICATION AND SKU CHART

2-Stroke Outboard Oil Application Chart

PRODUCT	Low HP: 2.5HP to 30HP	Mid HP: 40 HP to 115HP	High HP: Above 115HP	All HP
	Carbureted or EFI	Carbureted or EFI	Carbureted or EFI	Direct Injection
Premium	*Good	Good	Not recommended	Not recommended
Premium Plus	Better	*Better	*Better	Better
DI Engine Oil	Best	Best	Best	*Best

Premium TCW3

Part Number	Description	Price/Packaging
92-858021QB1	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-858022QB1	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-858023QB1	10L (2.64 gal.) plastic bottles	Priced individually, sold @ 2 bottles / case.
92-858024QB1	55 gallon (208 L) drum	

Premium Plus TCW3

Part Number	Description	Price/Packaging
92-858026QB1	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-858027QB1	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-858028QB1	10 L (2.64 gal.) plastic bottles	Priced individually, sold @ 2 bottles / case.
92-858029QB1	55 gallon (208 L) drum	

Direct Injection (DI) Engine Oil

Part Number	Description	Price/Packaging
92-858037QB1	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-858038QB1	10 L (2.64 gal.) plastic bottles	Priced individually, sold @ 2 bottles / case.
92-858039Q01	55 gallon (208 L) drum	

Performance Blend for 2-Cycle Outboards

Part Number	Description	Price/Packaging
92-8M0133993	3.78 L (1 US gal) plastic bottles	Priced individually, sold @ 3 bottles / case

PREMIUM TCW3 OIL

Quicksilver's exclusive formulation provides superior protection to help extend the life of small horsepower, outboard engines. Continued use of Quicksilver® Premium 2-Cycle oil also helps:

- Prevent corrosion of internal components
- Maintain peak engine performance and reliability

This all weather formula provides protection in temperatures down to -13° F (-25° C).

Recommended for use in pre-mix applications for low-horsepower, carbureted engines such as, outboards, personal watercraft, snowmobiles, motorcycles and chainsaws

Meets all outboard and personal watercraft manufacturers' warranty requirements and recommendations for use of a TC-W3® oil

PREMIUM 2-CYCLE TC-W3 OUTBOARD OIL



92-858021QB1

1 L plastic bottle

PREMIUM TCW3 OIL



92-858022QB1

4 L plastic bottle

PREMIUM TCW3 OIL



92-858023QB1

10 L plastic bottle

QUICKSILVER 2-STROKE OIL

PREMIUM TCW3 OIL



92-858024QB1

208 L drum

PREMIUM PLUS TCW3

Quicksilver's exclusive formulation offers extreme protection for mid- to high-horsepower outboard engines. Continued use this oil will:

- Provide outstanding wear and corrosion protection which help extend engine life
- Minimize performance-robbing carbon deposits
- Maintain peak engine performance and reliability

Recommended for use in oil-injected, carbureted or electronic fuel injected (EFI) mid- to high-horsepower engines such as Mercury®, Mariner® and Force® outboards, Mercury Jet Drives® and Mercury Sport Jet® engines

Meets or exceeds all outboard and personal watercraft manufacturers' warranty requirements and recommendations for use of a TC-W3® oil

PREMIUM PLUS TCW3 OIL



92-858026QB1

Extreme protection. Exceptional marine formulation for high horsepower and heavy-duty applications.

1 L (33.8 fl oz) plastic bottle

PREMIUM PLUS TCW3 OIL



92-858027QB1

4 L plastic bottle

PREMIUM PLUS TCW3 OIL



92-858028QB1

10 L plastic bottle

PREMIUM PLUS TCW3 OIL



92-858029QB1

208 L drum

DIRECT INJECTION (DI) ENGINE OIL

Quicksilver's exclusive formulation offers the maximum protection for DI (direct injection) outboard engines. Continued use this oil will:

- Provide outstanding wear and corrosion protection which help extend engine life
- Minimize performance-robbing carbon deposits
- Maintain peak engine performance and reliability
- Reduce smoke

Recommended for use in direct injection two-cycle engines such as Mercury OptiMax®

Exceeds all outboard manufacturer's warranty requirements and recommendations for use in direct injection applications

DIRECT INJECTION ENGINE OIL



92-858037QB1

4 L plastic bottle

DIRECT INJECTION ENGINE OIL



92-858038QB1

10 L plastic bottle

DIRECT INJECTION ENGINE OIL



92-858039Q01

208 L (55 Gal) drum

2-STROKE MULTI-FUEL OUTBOARDS

Specialty oil for multi-fuel engines such as JP OptiMax

JP OPTIMAX OIL



92-8M0133953

JP OptiMax Multi-Fuel
9.46 L (2.5 gallons) bottle

JP OPTIMAX OIL



92-858093A01

JP OptiMax Multi-Fuel
208 L (55 Gal) drum

PERFORMANCE BLEND FOR 2-CYCLE RACE OUTBOARDS

Specifically formulated for hi-performance and racing engines. Gives added protection at high operating temperatures which occur when engines are run at high rpm's for extended periods of time.

HIGH PERFORMANCE TWO-STROKE OIL



92-8M0133993

3.78 liters (1 US Gal) bottle

QUICKSILVER PREMIUM ULTRA

This 2-stroke oil blend is specifically produced to meet a high flash point. Can only be sold in CIS.



Quicksilver Premium Ultra

Масло для двухтактных моторов

- усовершенствованная запатентованная формула предназначена для всех двухтактных лодочных моторов, в том числе высокой мощности. Подходит для двигателей с прямым впрыском топлива, таких как Mercury Optimax и Evinrude Etec.
- усовершенствованная формула с пакетом высококачественных присадок обеспечивает максимальную эффективность двигателя в самых суровых условиях, таких как продолжительная работа на полном ходу, большая нагрузка и интенсивное ускорение. Использование масла Quicksilver Premium Ultra защитит двигатель от коррозии и образования нагара, обеспечивая при этом полноценное смазывание внутренних компонентов.
- Соответствует требованиям стандартов NMMA TC-WII и TC-W3®, рекомендациям всех производителей двухтактных лодочных моторов и гидроциклов с системами предварительного смешивания и впрыска масла.



8M0170003	2-STROKE PREMIUM ULTRA 1L
8M0170005	2-STROKE PREMIUM ULTRA 4L
8M0170007	2-STROKE PREMIUM ULTRA 10L
8M0170008	2-STROKE PREMIUM ULTRA 208L

© 2020 Mercury Marine. Все права защищены. Полное или частичное воспроизведение материалов без разрешения запрещено. Все зарегистрированные торговые марки принадлежат Brunswick Corporation



QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

QUICKSILVER 4-STROKE OILS



The Quicksilver 4-Stroke Lineup Has You Covered

All New 4-Stroke Oil Technology

Brand-new 4-Stroke oil formulations provide the best protection and performance for all your marine engine needs and applications. Whether participating in high-performance racing, fishing with your Mercury engine, cruising with your Yamaha engine or riding the waves with your personal watercraft — with Quicksilver you can trust you're getting the best experience on the water.

3 Things to Know:

For Use in All 4-Stroke Marine Engines

Exceeds all marine industry 4-Stroke oil requirements, including FC-W® and FC-W® Catalyst Compatible. *See product photos for commonly recommended applications. Always refer to the owner's manual for specific model oil weight specifications.

Superior Corrosion Protection

- Industry-leading strength and viscosity retention
- Ultimate corrosion and wear protection
- 4-Stroke oil formula additives offer superior corrosion performance in damp environments as compared to passenger-car motor oil.



Photo shows NMMA FC-W Corrosion Test performance on Mercury cylinder strips.

The Most Recommended Marine Oil

Quicksilver is a trusted marine brand, delivering superior engine performance since 1950. Quicksilver oils are expertly engineered and rigorously tested in harsh marine environments.



10W-30 Mineral

- Mercury
- Yamaha
- Honda
- Suzuki

10W-30 Synthetic Blend

- Mercury
- Yamaha
- Honda
- Suzuki
- Volvo Penta

10W-30 Full Synthetic

- Mercury



25W-40 Mineral

- Mercury

25W-40 Synthetic Blend

- Mercury

10W-40 Mineral

- Suzuki
- Volvo
- Yamaha PWC

5W-30 Full Synthetic

- Yamaha
- Honda
- Suzuki

High Performance 25W-50 Synthetic Blend

- Mercury and race applications

*5W-30 is not NMMA certified.

© 2021 Brunswick Marine EMEA. All Rights Reserved. Reproduction in whole or in part without permission is prohibited.



QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS



Good, Better, Best Comparisons for Four-stroke Mercury Marine® Engines

	FourStroke Outboards					Gas Sterndrives/Inboards				Part Number
	Non-SeaPro Engines					SeaPro 15- 150hp	Verado L6 200-400hp	Non-Catalyzed Engine	Catalyzed Engine	
	Lowhp 2.5-9.9hp	Lowhp 15-60hp	Midhp 75-115hp (1.7L)	Midhp 75-115hp (2.1L)	150hp					
10W30 Mineral	Good*	Good*	Good*	Good	Good	①	N/A	N/A		1L: 8M0086220 4L: 8M0086221 60L: 8M0165791 208L: 8M0086222
10W30 Synthetic Blend	Better	Better*	Good*	Better	Better	①	N/A	N/A		1L: 8M0152563 4L: 8M0152564 208L: 8M0152565
10W30 Full Synthetic	BEST	BEST*	Good*	BEST	BEST	①	N/A	N/A		1L: 8M0180936 4L: 8M0180937 208L: 8M0180938
25W40 Mineral	②	②	②	Good	Good	Good	Good	Good**	Good**	1L: 8M0086223 4L: 8M0086224 60L: 8M0121914 208L: 8M0086225
25W40 Synthetic Blend	②	②	②	Good	Good	BEST	Better	BEST**	BEST**	1L: 8M0086226 4L: 8M0086227 60L: 8M0165792 208L: 8M0086228

	3.4 L V6 Outboards			4.6L V8 Outboards			7.6L V12 Outboards			Part Number
	FourStroke	ProXS	SeaPro	Verado	ProXS	SeaPro	Verado	SeaPro		
10W30 Mineral	Good	Good	Optional when temp. ≤ 0 C°	Good	Good	Optional when temp. ≤ 0 C°	Good	①	1L: 8M0086220 4L: 8M0086221 60L: 8M0165791 208L: 8M0086222	
10W30 Synthetic Blend	Better	Better	Optional when temp. ≤ 0 C°	Better	Better	Optional when temp. ≤ 0 C°	Better	①	1L: 8M0152563 4L: 8M0152564 208L: 8M0152565	
10W30 Full Synthetic	BEST	BEST	①	BEST	BEST	①	BEST	①	1L: 8M0180936 4L: 8M0180937 208L: 8M0180938	
25W40 Mineral	N/A	N/A	Good	N/A	N/A	Good	N/A	Good	1L: 8M0086223 4L: 8M0086224 60L: 8M0121914 208L: 8M0086225	
25W40 Synthetic Blend	N/A	N/A	BEST	N/A	N/A	BEST	N/A	BEST	1L: 8M0086226 4L: 8M0086227 60L: 8M0165792 208L: 8M0086228	

Additional 4-Stroke Oils

5W-30 Full Synthetic	8M0180930 (1L)	8M0180931 (4L)	8M0180932 (208L)
10W-40 Mineral	8M0180933 (1L)	8M0180934 (4L)	8M0180935 (208L)
25W-50 High Performance Synthetic Blend <i>BEST option for Verado L6 200-400HP and 450R outboards</i>	8M0096256 (1L)	858084QE1 (4L)	858119QE1 (208L)

*10W30 is recommended for certain operating temperatures and manual start applications; consult owners manual.

**25W-50 is recommended in certain operating conditions and high-performance applications; consult owners manual. Contains the highest levels of ZDDP in the QS lineup and for high-performance applications.

Note: Oil recommendation chart is only a guide, consult owner's manual to be assured of exact oil recommendation.

Generally, synthetic blend oils are preferred over the mineral oil of equivalent viscosity due to increased corrosion protection properties.

For simplicity sake, 25W40 oils are generally approved for use in all engines types while 10W30 and 25W50 oils are not suitable for certain engines or operating conditions.

① Optional when the temperature is less than or equal to 0 °C

② Optional when the operating temperatures are only above 5 °C

*5W-30 is not NMMA certified.

© 2021 Brunswick Marine EMEA. All Rights Reserved. Reproduction in whole or in part without permission is prohibited.



QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

APPLICATION AND SKU CHART

FCW® 10W30 Mineral Marine Oil

Part Number	Description	Price/Packaging
92-8M0086220	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0086221	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0086222	55 gallon (208 L) drum	

FCW® 10W30 Synthetic Blend Marine Oil

Part Number	Description	Price/Packaging
92-8M0152563	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0152564	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0152565	55 gallon (208 L) drum	

FCW® 25W40 Mineral Marine Oil

Part Number	Description	Price/Packaging
92-8M0086223	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0086224	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0086225	55 gallon (208 L) drum	

FCW® 25W40 Synthetic Blend Marine Oil

Part Number	Description	Price/Packaging
92-8M0086226	1 L (33.8 oz.) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0086227	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0086228	55 gallon (208 L) drum	

FCW® 25W50 Synthetic Blend Marine Oil

Part Number	Description	Price/Packaging
92-8M0096256	1 L (1.06 qt) plastic bottles	Priced individually, sold @ 6 bottles / case.
92-858084QE1	4 L (1.06 gal.) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-858119QE1	55 gallon (208 L) drum	

FCW® 5W30 MARINE OIL

Quicksilver's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines.

3 things to know:

- For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, Stern Drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements.
- Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection
- The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world.

5W30 Full Synthetic meets the requirements of the API SN Engine Oil Service Category(BEST Choice).

5W30 FULL SYNTHETIC MARINE OIL



92-8M0180930

Priced individually, sold @ multiples of 6
1L plastic bottle

5W30 FULL SYNTHETIC MARINE OIL



92-8M0180931

Priced individually, sold @ multiples of 3
4L plastic bottle

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

5W30 FULL SYNTHETIC MARINE OIL



92-8M0180932

208 L drum

10W30 MINERAL MARINE 4-STROKE ENGINE OIL



92-8M0165791

60 L (15.85 US Gal) drum

FCW® 10W30 MINERAL MARINE OIL

Quicksilver's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines. The mineral 4-Stroke oil is also now approved for use in all Outboard Engines; previously only our synthetic blend could make this claim. A new full synthetic option is available in 10W30 for 2021; designed for maximum engine protection and performance, complete with no viscosity modifiers. The full synthetic 10W30 has the highest quantity of anti-oxidant and detergent additives available in the 10W30 oil line-up.

3 things to know:

- For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for use in certain marine 4-Stroke Outboard applications and exceeds all Marine industry 4-Stroke oil requirements including FC-W or FC-W Catalyst Compatible.
- Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection
- The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world. 10W30 is recommended for certain operating temperatures and manual start applications.

10W30 MARINE ENGINE OIL



92-8M0086220

1 L (32.0 fl oz) plastic bottle

10W30 MARINE ENGINE OIL



92-8M0086221

4 L (1.06 US gal) plastic bottle

10W30 MARINE ENGINE OIL



92-8M0086222

208 L (55 US gal) drum

FCW® 10W30 SYNTHETIC BLEND MARINE OIL

10W30 SYNTHETIC BLEND MARINE OIL



92-8M0152563

10W30 4-Stroke synthetic marine oil
1 L plastic bottle

10W30 SYNTHETIC BLEND MARINE OIL



92-8M0152564

10W30 Synthetic blend 4-stroke marine oil
4 L plastic bottle

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

10W30 SYNTHETIC BLEND 4-STROKE OIL



92-8M0152565

10W30 synthetic blend marine oil for 4-Stroke engines.
208 L drum

FCW® 10W30 FULL SYNTHETIC MARINE OIL

10W30 FULL SYNTHETIC MARINE OIL



92-8M0180936

Priced individually, sold @ multiples of 6
1L plastic bottle

10W30 FULL SYNTHETIC 4-STROKE MARINE OIL



92-8M0180937

Priced individually, sold @ multiples of 3
4L plastic bottle

10W30 FULL SYNTHETIC 4-STROKE OIL



92-8M0180938

208 L drum

FCW® 10W40 MARINE OIL

Quicksilver's 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines. The mineral 4-Stroke oil is also now approved for use in all Outboard Engines; previously only our synthetic blend could make this claim.

3 things to know:

- For use in all 4-Stroke marine engines - New formula 4-Stroke oils are engineering approved for use in certain marine 4-Stroke Outboard applications and exceeds all Marine industry 4-Stroke oil requirements.
- Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection

- The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacturer in the world.

10W40 is recommended for certain operating temperatures and manual start applications.

10W40 4-STROKE MARINE OIL



92-8M0180933

Priced individually, sold @ multiples of 6
1L plastic bottle

10W40 4-STROKE MARINE OIL



92-8M0180934

Priced individually, sold @ multiples of 3
4L plastic bottle

10W40 MARINE OIL



92-8M0180935

208 L drum

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

FCW® 25W40 MINERAL MARINE OIL

Quicksilver's all new 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines.

3 things to know:

- For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, Stern Drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements including FC-W and FC-W Catalyst Compatible.
- Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection.
- The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacture in the world.

25W40 recommended in all Marine Engines.

25W40 MARINE ENGINE OIL



92-8M0086223

1L (32 fl oz) plastic bottle

25W40 MARINE ENGINE OIL



92-8M0086224

4 L (1.06 US gal) plastic bottle

25W40 MARINE ENGINE OIL



92-8M0121914

25W40 Marine 4-Stroke Engine Oil
60L (15.85 US gal) drum

25W40 MARINE ENGINE OIL



92-8M0086225

208 L (55 US gal) drum

FCW® 25W40 SYNTHETIC BLEND MARINE OIL

Quicksilver's all new 4-Stroke oil technology outperforms automotive oils in marine applications because of its specialized additive package designed for marine engines.

3 things to know:

- For use in all 4-Stroke Marine Engines - New formula 4-Stroke oils are engineering approved for all marine 4-Stroke applications, including: Outboard, MerCruiser, High Performance, Stern Drive/Inboard, and exceeds all Marine industry 4-Stroke oil requirements including FC-W and FC-W Catalyst Compatible.
- Flagship Engine and Corrosion Protection - Industry leading strength and viscosity retention and ultimate corrosion and wear protection
- The most recommended Marine Oil - Over 5 years of engineering and development by the largest marine engine manufacture in the world.

25W40 Synthetic Blend recommended in all Marine Engines (BEST Choice).

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-8M0086226

1 L (32 oz) plastic bottle

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-8M0086227

4 L (1.06 US gal)

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

25W40 SYNTHETIC MARINE 4-STROKE ENGINE OIL



92-8M0165792

60 L (15.85 US Gal) drum

25W40 SYNTHETIC BLEND MARINE ENGINE OIL



92-8M0086228

208 L (55 US gal) drum

25W50 SYNTHETIC BLEND OUTBOARD OIL



92-858084QE1

4 L plastic bottle

SYNTHETIC BLEND SAE 25W50 OIL



92-858119QE1

208 L drum

FCW® 25W50 SYNTHETIC BLEND MARINE OIL

25W50 oil is often recommended for engines used in racing. This high performance oil provides maximum lubrication for your marine engine. This oil:

- Maintains viscosity under the most extreme operating conditions such as
- Racing: Operating engine at maximum output and high temperatures
- Tow sports and fishing: Alternating between periods of high RPM's and throttling down to low RPMs or idle
- Protects against varnish buildup and sludge formation
- Exceeds the rust protection requirements for NMMA certification

Recommended for use in Verado® outboards and other high-performance marine engines

Exceeds manufacturers' warranty requirements and recommendations for use of an FCW® 25W50 oil

25W50 SYNTHETIC BLEND OUTBOARD OIL



92-8M0096256

High Performance 4-Stroke Marine Engine oil.
1 Liter (1.06 Quarts) plastic bottle

MERCURY HIGH PERFORMANCE 4-STROKE OIL

Maximum protection is essential when pushing your engine to the limit. Racing, tow sports and fishing applications require your engine to operate under extreme conditions. Operating at high engine output and high temperatures or alternating between periods of high RPMs and throttling down to low RPMs or idle puts serious pressure on engine oil. Mercury Racing Four Stroke oil will not break down under these conditions. It maintains its viscosity, protects against varnish buildup and sludge formation and exceeds the rust protection requirements for NMMA® certification.

Recommended for use in all Mercury Racing four-stroke engines including: FormulaRace and Verado outboards and 525 EFI through 1650 sterndrives

Meets or exceeds manufacturers' warranty requirements for use of an FC-W® marine engine oil

25W50 SYNTHETIC BLEND HIGH PERFORMANCE OIL



92-8M0096727

4-Stroke 25W50 Synthetic blend engine oil.
4 L (1.06 US Gal) bottle

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

OIL CAPACITY CHART - 4-STROKE OUTBOARDS

Crankcase Oil Capacity Chart & Quicksilver Filters

Model	Model Note	Year Range	Metric Crankcase Capacity	US Crankcase Capacity	Canister Filter
2.5/3.5 FourStroke		2006 - 2022	0.30 liter (300ml)	0.31 QT. (10 oz.)	N/A
4/5/6 FourStroke		1999 - 2022	0.45 liter (450ml)	0.48 QT. (15.2 oz.)	N/A
8 FourStroke	232cc	1995 - 2000	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	N/A
8 FourStroke	323cc	2001 - 2004	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162832
8 FourStroke	209cc	2005 - 2022	0.80 liter (800ml)	0.85 QT. (27 oz.)	N/A
9.9 FourStroke	232cc	1995 - 1998	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	N/A
9.9 FourStroke	323cc	1999 - 2004	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162832
9.9 FourStroke	209cc	2005 - 2022	0.80 liter (800ml)	0.85 QT. (27 oz.)	N/A
15 FourStroke	323cc	1998 - 2008	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162832
15 Carb and EFI FourStroke		2008 - 2022	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162832
20 Carb and EFI FourStroke		2008 - 2022	1.0 liter (1,000ml)	1.05 QT. (35 oz.)	35-8M0162832
25 FourStroke	498cc, Carb Models	1998 - 2006	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162830
25 FourStroke	492cc, EFI Models	2006 - 2022	1.8 liter (1,800ml)	1.90 QT. (63 oz.)	35-8M0162832
30 FourStroke	747cc	1999 - 2005	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162830
30 FourStroke	492cc	2006 - 2022	1.8 liter (1,800ml)	1.90 QT. (63 oz.)	35-8M0162832
40 FourStroke	747cc, 3 cylinder	1999 - 2022	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162830
40 FourStroke	996cc, 4 cylinder	2001 - 2022	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162830
50 FourStroke	935cc, 4 cylinder	1995 - 2000	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162830
50 FourStroke	996cc, 4 cylinder	2001 - 2022	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162830
60 FourStroke	996cc, 4 cylinder	2001 - 2022	3.0 liter (3,000ml)	3.17 QT. (106 oz.)	35-8M0162830
75 FourStroke	Carbureted	2000 - 2005	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-8M0162830
75 FourStroke	EFI, s/n 1B366822 & below	2006	4.5 liter (4,500ml)	4.80 QT. (160 oz.)	35-8M0162830
75 FourStroke	EFI, 1B366823-2B094995, 1.7L	2006 - 2014	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-877761Q01
75/80 FourStroke	EFI, 2B094996 & UP, 2.1L	2014 - 2022	5.2 Liter (5,200ml)	5.5 QT. (176 oz.)	35-8M0162830
90 FourStroke	Carbureted	2000 - 2005	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-8M0162830
90 FourStroke	EFI, s/n 1B366822 & below	2006	4.5 liter (4,500ml)	4.80 QT. (160 oz.)	35-8M0162830
90 FourStroke	EFI, 1B366823-2B094995, 1.7L	2006 - 2014	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-877761Q01
90/100 FourStroke	EFI, 2B094996 & Up, 2.1L	2014 - 2022	5.2 liter (5,200ml)	5.5 QT. (176 oz.)	35-8M0162830
115 FourStroke	EFI, s/n 1B366822 & below	2001 - 2006	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-8M0162830
115 FourStroke	EFI, 1B366823-2B094995, 1.7L	2006 - 2014	5.0 liter (5,000ml)	5.28 QT. (176 oz.)	35-877761Q01
115 FourStroke	EFI, 2B094996 & Up, 2.1L	2014 - 2022	5.2 liter (5,200ml)	5.5 QT. (176 oz.)	35-8M0162830
150 FourStroke	EFI	2011 - 2022	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877761Q01
135 Verado	4 cylinder	2006 - 2022	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01
150 Verado	4 cylinder	2006 - 2022	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01
175 Verado	4 cylinder	2006 - 2022	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01
200 Verado	4 cylinder	2007 - 2022	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-877767Q01

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

Model	Model Note	Year Range	Metric Crankcase Capacity	US Crankcase Capacity	Canister Filter
225 FourStroke	EFI	2003 - 2006	6.0 liter (6,000ml)	6.34 QT. (211 oz.)	35-822626Q15
200 Verado	6 cylinder	2005 - 2022	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
225 Verado	6 cylinder	2005 - 2022	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
250 Verado	6 cylinder	2005 - 2022	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
275 Verado	6 cylinder	2005 - 2022	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
300 Verado	6 cylinder	2007 - 2022	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01
350/400R Verado	6 cylinder	2015 - 2022	7.0 liter (7,000ml)	7.40 QT. (246 oz.)	35-877769Q01

QUICKSILVER/MERCURY 4-STROKE OUTBOARD OIL FILTERS

FOURSTROKE OUTBOARD OIL FILTER



35-8M0162832

FourStroke Outboard replaceable screw-on type canister filters.
 Fits Mercury/Mariner 8/9.9 hp. FourStroke outboards (323cc) , 15/20 hp. FourStroke carbureted outboards, 15/20 EFI FourStroke outboards, 0R833820 and above and the 25/30 hp. EFI FourStroke outboard (MY2006 & newer).
 Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-8M0162830

FourStroke Outboard replaceable screw-on type canister filters - Unparalleled oil filtering protection for your Mercury or Mariner FourStroke outboard engine.
 Fits Mercury/Mariner 25 hp. FourStroke (Carb, MY2006 & prior), 30 hp. FourStroke (3 cyl., MY2005 & prior), all 40-60 hp. FourStroke outboards (MY 1998 & newer), all 75-115 hp. FourStroke outboards (USA 1B366822 & prior), and all 75-115 hp. FourStroke outboards (USA 2B094996 and above).
 Priced individually, sold @ multiples of 6
 Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877761Q01

Replaceable screw-on type canister filter.
 Fits the 75/90/115 hp. FourStroke outboard (USA 1B366823-2B094995, 1731 cc.) and the 150 hp. EFI FourStroke outboard.
 Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877767Q01

Replaceable screw-on type canister filter. Replaces the production 896546_ series oil filter.
 Fits the 135/150/175/200 hp. Verado In-line 4 cylinder outboard.
 Quicksilver Branded, Box Point of Sale Packaged.

FOURSTROKE OUTBOARD OIL FILTER



35-877769Q01

Replaceable screw-on type canister filter. Replaces the production 883701_ series oil filter.
 Fits the 200/225/250/275/300/350/400R hp. Verado In-line 6 cylinder outboard.
 Quicksilver Branded, Box Point of Sale Packaged.

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

FOURSTROKE OUTBOARD OIL FILTER



35-822626Q15

Replaceable screw-on type canister filters.
Fits Mercury/Mariner V-225 hp. (V-6) FourStroke outboard and also replaces Yamaha 225 hp. four stroke outboard filter 69J-13440-00-00.

OIL DRAIN FUNNEL KIT



91-892866A01

Helps to direct draining crankcase oil past the cavitation plate.
Fits the XL version of the L6 Verado outboard.

OIL CAPACITY CHART - GASOLINE STERNDRIVE/INBOARD ENGINES

The engine oil capacity is only an Approximate, ALWAYS use dipstick to determine exact quantity of oil required.

MerCruiser Gas Engine Oil Capacity

Model	Make	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter(1)
MCM 60	Renault	68/1.1L	I/L 4	1965 - 1968	1887079 - 2049044	2-3/4 US qt (2.6 L)
MCM 80	Renault	80/1.3L	I/L 4	1966 - 1969	2049045 - 2851423	5 US qt (4.7 L)
MCM 90	Renault	96/1.6L	I/L 4	1970 - 1972	2851424 - 3226957	5 US qt (4.7 L)
MCM 110/120/ 2.5L	GM	153/2.5L	I/L 4	1963 - 1989	1537370 - 0C853255	4 US qt (3.8 L)
MCM 140/ 3.0L/LX	GM	181/3.0L	I/L 4	1968 - 2022	2508261 and up	4 US qt (3.8 L)
MCM 470/165/170/ 3.7L	Mercury	224/3.7L	I/L 4	1976 - 1989	4208730 and up	5-1/2 US qt (5.2 L)
MCM 485	Mercury	224/3.7L	I/L 4	1980 - 1982	5685394 - 6218036	5-3/4 US qt (5.4 L)
MCM 488/180/190/ 3.7LX	Mercury	224/3.7L	I/L 4	1983 - 1989	6170297 and up	6-1/2 US qt (6.1 L)
MCM 140	GM	194/3.2L	I/L 6	1963	1538930 - 1725960	5 US qt (4.7 L)
MCM 160/165	GM	250/4.1L	I/L 6	1967 - 1981	2048022 - 5813433	5 US qt (4.7 L)
MCM 200	GM	292/4.8L	I/L 6	1969	2453769 - 2712072	6 US qt (5.7 L)
MCM 185 (4 bbl)	GM	229/3.8L	V-6	1983 - 1984	6330183 - 6919655	4-1/2 US qt (4.3 L)
MCM 175/185/205	GM	262/4.3L	V-6	1985 - 1987	0A331455 - 0B773242	4-1/2 US qt (4.3 L)
MCM 262 Mag EFI	GM	262/4.3L	V-6	1996 - 1997	0F803800 - 0K999999	4-1/2 US qt (4.3 L)
MCM 4.3L/LX/LH/LXH	GM	262/4.3L	V-6	1988 - 2001	0B773243 - 0M299999	4-1/2 US qt (4.3 L)
MCM 4.3L EFI	GM	262/4.3L	V-6	1998 - 2001	0L012009 - 0M299999	4-1/2 US qt (4.3 L)
MCM 4.3L & MPI	GM	262/4.3L	V-6	2002 - 2022	0M300000 and up	4 US qt (3.8 L)
MCM 888	Ford	302/4.9L	V-8	1971 - 1977	3108723 - 4887829	6 US qt (5.7 L)
MCM/MIE 225	Ford	302/4.9L	V-8	1973 - 1974	3385721 - 4176999	6 US qt (5.7 L)
MCM/MIE 215	Ford	302/4.9L	V-8	1970 - 1972	2781153 - 3563181	7 US qt (6.6 L)
MCM 190	GM	283/4.6L	V-8	1963 - 1964	1564539 - 1730903	5 US qt (4.7 L)
MCM 228	GM	305/5.0L	V-8	1977 - 1978	4765100 - 5170008	5 US qt (4.7 L)
MCM 200/ 5.0L/898	GM	305/5.0L	V-8	1977 - 1995	4762210 - 0F600999	5 US qt (4.7 L)
MCM 228/230/ 5.0LX	GM	305/5.0L	V-8	1979 - 1995	5170009 - 0F600999	5-1/2 US qt (5.2 L)
MCM 5.0L & EFI	GM	305/5.0L	V-8	1998 - 2002	0L012052 - 0M299999	5-1/2 US qt (5.2 L)
MCM 5.0L & MPI	GM	305/5.0L	V-8	2002 - 2022	0M300000 and up	4-1/2 US qt (4.25 L)
MIE 198/228/230/ 5.0L	GM	305/5.0L	V-8	1977 - 1988	4762210 - 0B788151	6 US qt (5.7 L)
MCM 225	GM	327/5.4L	V-8	1963 - 1966	1539620 - 2278646	5 US qt (4.7 L)

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

Model	Make	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter(1)
MCM 225/250	GM	327/5.4L	V-8	1967 - 1969	2278647 - 2694014	7 US qt (6.6 L)
MIE 225/250	GM	327/5.4L	V-8	1968	2278647 - 2694014	6 US qt (5.7 L)
MCM 250/ 255	GM	350/5.7L	V-8	1975 - 1977	4175500 - 4908849	5 US qt (4.7 L)
MCM 260/ 5.7L/LX & EFI	GM	350/5.7L	V-8	1978 - 2002	4908850 - 0M299999	5-1/2 US qt (5.2 L)
MCM 350 Mag, EFI & MPI	GM	350/5.7L	V-8	1986 - 2002	0A635178 - 0M299999	5-1/2 US qt (5.2 L)
MCM 350 Mag & MPI	GM	350/5.7L	V-8	2002 - 2022	0M300000 and up	4-1/2 US qt (4.25 L)
MCM 5.7L	GM	350/5.7L	V-8	2002 - 2022	0M300000 and up	4-1/2 US qt (4.25 L)
MIE 255/260/ 5.7L	GM	350/5.7L	V-8	1975 - 1993	4175500 - 0D839999	6 US qt (5.7 L)
MIE 5.7L & EFI	GM	350/5.7L	V-8	1993 - 1997	0D840000 - 0K999999	4 US qt (3.8 L)
MIE 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	1998 - 2002	0L002003 - 0M299999	5-1/2 US qt (5.2 L)
MIE 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	2002 - 2022	0M300000 and up	4-1/2 US qt (4.25 L)
Ski 5.7L	GM	350/5.7L	V-8	1985 - 1989	0A338553 - 0C756666	4 US qt (3.8 L)
Ski 5.7L/ 350 Mag & MPI	GM	350/5.7L	V-8	1990 - 1997	0C756667 - 0K999999	5 US qt (4.7 L)
Ski 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	1998 - 2002	0L002005 - 0M299999	5-1/2 US qt (5.2 L)
Ski 5.7L/ 350 Mag MPI	GM	350/5.7L	V-8	2002 - 2022	0M300000 and up	4-1/2 US qt (4.25 L)
Black Scorpion Ski (Gen+)	GM	350/5.7L	V-8	1996 - 1997	0F800000 - 0K999999	5 US qt (4.7 L)
Black Scorpion Ski (Gen+)	GM	350/5.7L	V-8	1998 - 2001	0L002500 - 0M391599	5-1/2 US qt (5.2 L)
Black Scorpion Ski (Gen+)	GM	350/5.7L	V-8	2003 - 2022	0M391600 and up	4-1/2 US qt (4.25 L)
MCM 233/255	Ford	351/5.8L	V-8	1973 - 1977	3258728 - 4902304	5 US qt (4.7 L)
MIE 233/255	Ford	351/5.8L	V-8	1973 - 1976	3258728 - 4775784	7 US qt (6.6 L)
MX 6.2L MPI	GM/Mercury	377/6.2L	V-8	2000 - 2002	0L680003 - 0M299999	5-1/2 US qt (5.2 L)
MX 6.2L MPI	GM/Mercury	377/6.2L	V-8	2002 - 2022	0M300000 and up	4-1/2 US qt (4.25 L)
MX 6.2L MPI MIE	GM/Mercury	377/6.2L	V-8	1999 - 2002	0L670000 - 0M299999	5-1/2 US qt (5.2 L)
MX 6.2L MPI MIE & Ski	GM/Mercury	377/6.2L	V-8	2002 - 2022	0M300000 and up	4-1/2 US qt (4.25 L)
MX 6.2L Blk Scorpion Ski	GM/Mercury	377/6.2L	V-8	2001 - 2003	0L670015 - 0M391599	5-1/2 US qt (5.2 L)
MX 6.2L Blk Scorpion Ski	GM/Mercury	377/6.2L	V-8	2003 - 2022	0M391750 and up	4-1/2 US qt (4.25 L)
MCM 325	GM	427/7.0L	V-8	1969 - 1972	2278747 - 3780449	8 US qt (7.6 L)
MIE 325	GM	427/7.0L	V-8	1968 - 1974	2278747 - 3780449	7 US qt (6.6 L)
MCM 330	GM	454/7.4L	V-8	1977 - 1981	4623115 - 6083144	6 US qt (5.7 L)
MCM 330 & 454 Mag Alpha	GM	454/7.4L	V-8	1982 - 1988	6083145 - 0B785148	7 US qt (6.6 L)
MCM 7.4L & 454 Mag	GM	454/7.4L	V-8	1988 - 1991	0B771113 - 0D603117	8 US qt (7.6 L)
MCM 7.4L/LX & 454 Mag, EFI & MPI	GM	454/7.4L	V-8	1992 - 2001	0D603118 - 0M024999	7 US qt (6.6 L)
MIE 330	GM	454/7.4L	V-8	1977 - 1980	4623115 - 5889913	7 US qt (6.6 L)
MIE 340/ 7.4L w/ Borg Warner trans.	GM	454/7.4L	V-8	1981 - 1992	5889914 - 0D715493	7 US qt (6.6 L)
MIE 7.4L w/Hurth trans.	GM	454/7.4L	V-8	1988 - 1992	0C391564 - 0D715493	8 US qt (7.6 L)
MIE 7.4L & 454 Mag MPI	GM	454/7.4L	V-8	1992 - 2001	0D715494 - 0L674613	7 US qt (6.6 L)
Ski 454 Mag EFI & MPI	GM	454/7.4L	V-8	1995 - 1997	0F215800 - 0K999999	7 US qt (6.6 L)
MCM 390	GM	482/7.9L	V-8	1969 - 1970	2781129 - 3042731	8 US qt (7.6 L)
MIE 390	GM	482/7.9L	V-8	1969 - 1970	2781129 - 2825059	7 US qt (6.6 L)
MCM 496 Mag & HO	GM	496/8.1L	V-8	2001 - 2022	0M025000 and up	9 US qt (8.5L)
MIE 8.1S Horizon & HO	GM	496/8.1L	V-8	2001 - 2022	0M026000 and up	9 US qt (8.5L)
MCM 502 Mag	GM	502/8.2L	V-8	1990 - 1992	0C878221 - 0D824588	8 US qt (7.6 L)
MCM 502 Mag, EFI & MPI	GM	502/8.2L	V-8	1992 - 2001	0D824589 - 0M024999	7 US qt (6.6 L)
MCM 8.2 Mag	GM	502/8.2L	V-8	2010 - 2022	1A350340 and up	7 US qt (6.6 L)
MIE 8.2L	GM	502/8.2L	V-8	1990 - 1996	0C878221 - 0F819619	8 US qt (7.6 L)
MIE 8.2L MPI	GM	502/8.2L	V-8	1996 - 2001	0F819620 - 0L674200	7 US qt (6.6 L)

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

Model	Make	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter(1)
MIE 8.2	GM	502/8.2L	V-8	2010 - 2022	1A350802 and up	7 US qt (6.6 L)

(1) Approximate, ALWAYS use dipstick to determine exact quantity of oil required

OIL CAPACITY CHART - HI-PERF GASOLINE ENGINE

The engine oil capacity is only an Approximate, ALWAYS use dipstick to determine exact quantity of oil required.

MerCruiser Hp Gas Engine Oil Capacity

Model	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil System Capacity w/ New Filter (1)
270	350/5.7L	V-8	1969 - 1972	2851074 - 3385720	7 US qt (6.6 L)
270 MIE	350/5.7L	V-8	1969 - 1972	2851074 - 3077735	6 US qt (5.7 L)
280 TRS	350/5.7L	V-8	1975 - 1976	4176250 - 4770199	6-1/2 US qt (6 L)
300 Tempest	350/5.7L	V-8	1985 - 1986	6668677 - 0B430367	6-1/2 US qt (6 L)
320 (EFI)	350/5.7L	V-8	1987 - 1989	0A543604 - 0C622418	6-1/2 US qt (6 L)
377 Scorpion (Sterndrive)	377/6.2L	V-8	2000 - 2022	0L416146 and up	5 US qt (4.7 L)
377 Scorpion Ski	377/6.2L	V-8	1997 - 1998	0K000656 - 0L600314	5 US qt (4.7 L)
370 TRS	454/7.4L	V-8	1978 - 1987	4179554 - 0B714586	6 US qt (5.7 L)
400 TRS (Cyclone)	454/7.4L	V-8	1980 - 1986	4179554 - 0B457644	7 US qt (6.6 L)
420	454/7.4L	V-8	1987 - 1989	0A398941 - 0B622418	6 US qt (5.7 L)
425	454/7.4L	V-8	1990 - 1992	0B622419 - 0D725499	8 US qt (7.6 L)
425 (Gen. V)	454/7.4L	V-8	1992 - 1993	0D725500 - 0D937011	8 US qt (7.6 L)
440 TRS (Cyclone)	454/7.4L	V-8	1983 - 1986	4179554 - 0B485220	7 US qt (6.6 L)
450 (Gen. V)	454/7.4L	V-8	1995 - 1996	0F347100 - 0F347277	8 US qt (7.6 L)
525 SC	454/7.4L	V-8	1991 - 1992	0D456000 - 0D725808	8 US qt (7.6 L)
525 SC (Gen. V)	454/7.4L	V-8	1992 - 1999	0D763746 - 0L415623	8 US qt (7.6 L)
460 TRS (Cyclone)	482/7.9L	V-8	1983 - 1986	4179554 - 6181046	10 US qt (9.4L)
465	502/8.2L	V-8	1990 - 1992	0C849992 - 0D725646	8 US qt (7.6 L)
465 (Gen. V)	502/8.2L	V-8	1992 - 1994	0D725647 - 0F213244	8 US qt (7.6 L)
500 (Gen. V)	502/8.2L	V-8	1994 - 1996	0F213293 - 0F745159	8 US qt (7.6 L)
500 (Gen VI)	502/8.2L	V-8	1997 - 1998	0F745195 - 0L001772	8 US qt (7.6 L)
500 (Gen +)	502/8.2L	V-8	1999	0L414639 - 0L601036	8 US qt (7.6 L)
500 EFI	502/8.2L	V-8	1999 - 2005	0L001477 and up	7 US qt (6.6 L)
575 SCi	502/8.2L	V-8	2001	0L306696 - 0L307026	8 US qt (7.6 L)
575 SCi	502/8.2L	V-8	2000	0L601000 - 0L602090	8 US qt (7.6 L)
575 SCi	502/8.2L	V-8	2001 - 2005	0M050000 - 0M950526	8 US qt (7.6 L)
600 SC	502/8.2L	V-8	1991 - 1992	0D456489 - 0D456768	8 US qt (7.6 L)
600 SC (Gen. V)	502/8.2L	V-8	1992 - 2000	0D725676 and up	8 US qt (7.6 L)
500 Bulldog	540/8.9L	V-8	1990 - 2001	0C577254 - 0M050281	12 US qt (11.3 L)
575	540/8.9L	V-8	1986 - 1992	0A677429 - 0D763716	7 US qt (6.6 L)
800 SC (Gen. V)	572/9.4L	V-8	1993 - 1998	0D763836 and up	9 US qt (8.5L)
900 SC	542/8.9L	V-8	1998 - 2000	0K999856 - 0L602069	11 US qt (10.5 L)
900 SC (Dry Sump)	542/8.9L	V-8	2001 - 2022	0L306805 and up	16 US qt (15.2 L)

(1) Approximate, ALWAYS use dipstick to determine exact quantity of oil required

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

MERCUISER OIL FILTERS - GASOLINE

This engineered marine filter provides outstanding durability through a more robust design, heavier gauge materials and a superior paint process inside and out. Designed for a marine environment, this filter provides benefits not found in a standard automotive filter.

OIL FILTER



35-883702Q

Fits MCM V-6 models that have the oil filter mounted on the engine block. Not for use with V-6 engines that have a remote oil filter.
Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-866340Q03

Fits all MCM/MIE GM engines, except V-6 models that have the oil filter mounted on the engine block. Also fits the 4.5L and 6.2L Mercury engine.
Priced individually, sold @ multiples of 6
Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-858004Q

High efficiency, High performance synthetic media removes over 97% of oil contaminants versus 78% for conventional paper element filters.
Fits all MCM/MIE GM engines, except V-6 models that have the oil filter mounted on the engine block. Also fits the 4.5L and 6.2L Mercury engine.
Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-8M0116378

Fits all MCM/MIE Ford engines
Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-16595Q

Fits 2006 & older MCM Hi-Performance GM V-8 engines.
Quicksilver Branded, Box Point of Sale Packaged.

OIL FILTER



35-881126K01

10 micro, synthetic media
Fits 2007 and newer MCM Hi-Performance GM V-8 engines, except the following SCi engines: 600, 662, & 700 (s/n 0M953905-0M962240) and all 850, 1075 & 1200 Mercury Precision Branded, Box Point of Sale Packaged.

OIL FILTER



35-840634K01

Fits MCM Racing SCi engines.
600, 662, & 700 (s/n 0M953905-0M962240) and all 850, 1075 & 1200

QUICKSILVER 4-STROKE MARINE ENGINE OIL AND OIL FILTERS

AXIUS HYDRAULIC OIL FILTER



35-8M0138697

Axius Power Steering Oil Filter
Fits MCM engines w/ Axius steering

TRANSMISSION OIL FILTER



35-879312T25

Fits Scorpion 350 EC w/ ZF 45C transmission

OIL FILTER WRENCH



91-889277Q01

Metal wrench, requires a 3/8 in. drive ratchet.
Fits the (877761___) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094995) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340___) oil filter and (802893___) fuel filter found on many MCM engines.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICKSILVER DIESEL STERNDRIVE/INBOARD OIL

SKU CHART

Quicksilver Diesel Engine Oil

Part Number	Description	Price/Packaging
92-8M0096794	4 L (1.06 gal) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0096795	208 L (55 gal.) drum	
92-8M0089690	1 L (33.8 oz. plastic bottles	Priced individually, sold @ 6 bottles / case.
92-8M0089691	4 L (1.06 gal) plastic bottles	Priced individually, sold @ 3 bottles / case.
92-8M0089692	208 L (55 gal) drum	

SAE 5W30

Optimizes engine performance in marine applications because this stable, stay-in-grade formula resists thermal breakdown and oxidation under extreme conditions. Use of this oil will:

- Protect anti-pollution systems
- Increase the life of diesel particulate filters (DPF)
- Provide outstanding wear and corrosion protection which help extend engine life

Meets international ACEA C3 specifications

Meets OEM approvals for:

- Volkswagen® VW 501.00/507.00
- BMW® LL-04
- Mercedes-Benz® MB-Approval 229.51
- Porsche® C30

For use in Turbocharged Direct Injection (TDI) engines

5W30 FULL SYNTHETIC TDI ENGINE OIL



92-8M0089690

For use in Mercury 3.0L and 4.2L TDI diesel engines. Also used in Mercury 3.0L V6 VM diesel engines

1L (33.8 oz) plastic bottle

5W30 FULL SYNTHETIC TDI ENGINE OIL



92-8M0089691

For use in Mercury 3.0L and 4.2L TDI diesel engines. Also used in Mercury 3.0L V6 VM diesel engines

4 L (1.06 gal) plastic bottle

5W30 FULL SYNTHETIC TDI ENGINE OIL



92-8M0089692

For use in Mercury 3.0L and 4.2L TDI diesel engines. Also used in Mercury 3.0L V6 VM diesel engines

208 L (55 gal) drum

SAE 15W40

Protects better than standard fleet oils. Use of this oil will:

- Provide outstanding wear and corrosion protection which help extend engine life
- Control soot, deposits and oil thickening
- Prevent sludge and varnish deposits

Meets or exceeds API CH-4/CF-4/SJ

Meets or exceeds OEM approvals for:

- Mercury® non-TDI diesel applications
- Volvo® VDS®
- Caterpillar® CD/TO-2
- Cummins®
- Detroit Diesel®
- And other diesel engines

15W40 DIESEL ENGINE OIL



92-8M0096794

Superior performance in marine diesel applications.

Not recommended for use in Mercury TDI or 3.0L V6 VM diesel applications

4 L plastic bottle

15W40 DIESEL ENGINE OIL



92-8M0096795

Superior performance in marine diesel applications.

Not recommended for use in Mercury TDI or 3.0L V6 VM diesel applications

208 L drum

OIL CAPACITY CHART - DIESEL ENGINE

The engine oil capacity is only an Approximate, ALWAYS use dipstick to determine exact quantity of oil required.

MerCruiser Diesel Engine Oil Capacity

Model	CID/Litre	Cyl.	Year Range	Serial # Range	Approx. Oil Pan Capacity w/ New Filter
D1.7L DTI (Alpha)	103/1.7L	I/L 4	2001 - 2022	0M055000 and up	4.75 US qt (4.5 L)
SDI 40/50/60	116/1.9L	I/L 4	2003 - 2012	All - All	4.75 US qt (4.5 L)
TDI 45/75	116/1.9L	I/L 4	2003 - 2012	All - All	4.75 US qt (4.5 L)
QSD 2.0L 115/130/150/170	2.0L	I/L4	All	All - All	5.5 US qt (5.2L)
SDI 55/75	153/2.5L	I/L 5	2002 - 2022	All - All	6.34 US qt (6 L)
TDI 100/120/140/150/165	153/2.5L	I/L 5	2002 - 2022	All - All	6.34 US qt (6 L)
D2.8L D-Tronic (Bravo & MIE)	169/2.8L	I/L 4	1997 - 2022	0K144109 and up	8.45 US qt (8 L)
TDI 100/225/230/260/265	181/3.0L	V-6	2006 - 2022	All - All	8.45 US qt (8 L)
D183 Turbo AC (Bravo & MIE)	183/3.0L	I/L 5	1990 - 1993	0B993002 - 0D725151	9.5 US qt (9 L)
530 D-TA (Bravo & MIE)	183/3.0L	I/L 5	1989 - 1993	0B993002 - 0D725151	9.5 US qt (9 L)
D3.0L (Bravo & MIE)	183/3.0L	I/L 5	1994 - 1997	0D725152 and up	9.5 US qt (9 L)
3.0L VM - 150/230/270	183/3.0L	V-6	2018 - 2022	70380001 and up	9 US qt (8.5 L)
D219 Turbo AC (Bravo & MIE)	219/3.6L	I/L 6	1990 - 1993	0B993002 - 0D850127	10.56 US qt (10 L)
636 D-TA (Bravo & MIE)	219/3.6L	I/L 6	1989 - 1993	0B993002 - 0D850127	10.56 US qt (10 L)
D3.6L (Bravo & MIE)	219/3.6L	I/L 6	1994 - 1997	0D850128 and up	10.56 US qt (10 L)
D3.6L W (Bravo)(MCM)(Intl.)	219/3.6L	I/L 6	1997	0K000001 and up	10.56 US qt (10 L)
TDI 335/350/370	254/4.2L	V-8	2009 - 2022	All - All	10 US qt (9.5 L)
D254 Turbo AC (Bravo & MIE)	254/4.2L	I/L 6	1990 - 1993	0C849461 - 0D554731	12.68 US qt (12 L)
D4.2L (Bravo & MIE)	254/4.2L	I/L 6	1994 - 1997	0D554732 and up	12.68 US qt (12 L)
D4.2L D-Tronic (Bravo & MIE)	254/4.2L	I/L 6	1997 - 2022	0K144114 and up	12.68 US qt (12 L)
D4.2L LD	254/4.2L	I/L6	1999 - 2022	0L344381 and up	12.68 US qt (12 L)
7.3L (Bravo & MIE)	444/7.3L	V-8	1994 - 1996	0F060000 and up	12 US qt (11.3 L)
D7.3L D-Tronic	444/7.3L	V-8	1996 - 2001	0K095775 and up	16-1/2 US qt (15.6 L)

(1) Approximate, ALWAYS use dipstick to determine exact quantity of oil required

OIL FILTERS FOR MERCUISER DIESEL ENGINES

OIL FILTER ELEMENT



35-8M0150917

Fits 1.7L MS 120 diesel.

OIL FILTER ELEMENT



35-895207

3.25 in. (83 mm) diameter

Fits CMD diesel engines D2.8L (170 & 200) (s/n 88010001 and up). Also fits QSD 2.0 (early version), 2.8 & 4.2 engines

OIL FILTER ELEMENT



35-879312041

2.625 in. (67 mm) diameter
 Fits 2008 & newer QSD 2.0 engines.
 MCM ES 130 (s/n 88206399 and up)
 MCM ES 150 (s/n 88221799 and up)
 MCM ES 170 (s/n 88231000 and up)
 MIE EI 115 (s/n 88200499 and up)
 MIE EI 130 (s/n 88205099 and up)
 MIE EI 150 (s/n 88220299 and up)
 MIE EI 170 (s/n 88230000 and up)

OIL FILTER



35-19485

Fits diesel engines D2.8L E models (s/n 88010000 and below), D3.0L (s/n 0D725460 and up), D3.6L (s/n 0F306930 and up), D4.2L (s/n 0F450250 and up), D4.2L E models, D183, D219, 530D-TA & 636D-TA.


OIL FILTER



35-816168

Fits diesel engines D3.0L (s/n 0D725152-0D725459), D3.6L (s/n 0D850128-0F306929) & D4.2L (s/n 0D554732-0F450249).


OIL FILTER



35-8M0183282

Element
 Fits 3.0L V6 VM Diesel engine

OIL FILTER



35-8M0066483

Element
 Fits 3.0L V6 & 4.2L V8 TDI diesel engine

OIL FILTER



35-805809T

5.5 in. (139.7 mm) length
 Fits D7.3L diesel engines

OIL FILTER



35-862889

7.5 in (190.5 mm) long
 Fits MCM D7.3L D-tronic diesel engines (s/n 0L050050-0L391832)

QUICKSILVER POWERSPORTS LUBRICANTS

QUICKSILVER POWERSPORTS LUBRICANTS

PERSONAL WATERCRAFT (PWC)

Quicksilver Full Synthetic 2-Stroke Personal Watercraft Oil meets the needs of all 2-Stroke PWC and sport boat engines. This low smoke/low odor formula keeps your engine cleaner. Continued use of this oil will:

- Provide outstanding wear and corrosion protection which helps extend engine life
- Minimize performance-robbing carbon deposits
- Maintain peak engine performance and reliability

Meets or exceeds manufacturers' warranty requirements. Using this product will not void manufacturer warranties.

Exceeds JASO FD and ISO EGD

Recommended for use in all 2-Stroke personal watercraft engines. Can be used in oil-injected or pre-mix applications.

2-STROKE FULL SYNTHETIC PWC OIL



92-8M0133977

946 mL (32 Fl Oz) plastic bottle

2-STROKE FULL SYNTHETIC PWC OIL



92-8M0133979

3.78 L (1 US Gal) plastic bottle

QUICKSILVER CORROSION PROTECTION

CORROSION GUARD HEAVY DUTY



92-8M0133939

Corrosion Guard Heavy Duty is a rust inhibitor that forms an insulating, waxy film for long-term corrosion protection on non-painted and painted surfaces. The water resistant barrier seals out air, salt and moisture for maximum protection.

Use to prevent rust from forming on out drives, lower units and power trim motors and components or other metal surfaces. Can also be used to prevent further paint damage in areas where undercutting and blistering have occurred. Do not spray on surfaces coated with antifouling or biocide paint. Do not spray on drive belts. Not available for sale in California.

312 g (11 oz) spray can

STORAGE SEAL FOGGING OIL



92-8M0133941

3.78 L (1 US gal) plastic bottle

SILICONE DIELECTRIC COMPOUND



92-823506 1

Protects and displaces moisture from spark plug boots, coils, and electrical switches.

227 g (8 oz) tube

STORAGE SEAL FOGGING OIL



92-8M0121972

Quicksilver Storage Seal forms a protective barrier that prevents rust on internal metal surfaces. It also keeps cylinders lubricated to prevent cylinder or piston damage when starting your engine after storage.

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers.

Safe for catalyzed engines.

340 g (12 oz) spray can

QUICKSILVER CORROSION PROTECTION

QUICKSILVER ENGINE COOLANT AND WATER SYSTEM ANTIFREEZE

MARINE ENGINE COOLANT



92-8M0117687

Additives provide protection against corrosion and scale buildup. Premixed formula with low silicate content prevents silicate gelling. Protects down to -33 deg.F (-38 deg.C).

For MCM/MIE gas and diesel engines with closed cooling systems.
4 L (1.057 US gal) plastic bottle

EXTENDED LIFE COOLANT/ANTIFREEZE



92-8M0133963

Provides extended life protection for closed cooling systems. This 5 year, 1000 hour protection is ethylene glycol based and pre-diluted 50/50 with de-ionized water. It is silicate and phosphate free and will not cause gelling. Provides freeze protection down to -34 deg. F and boiling protection to 265 deg. F. It is also compatible with conventional anti-freeze, but dilution will reduce extended life benefits.

Meets ASTM D-3306, ATSM D-4340

For use in all MCM/MIE gasoline engines with closed cooling systems.

Also recommended for the following applications:

- ANFOR R 15-601
- BS 6580 (British standard)
- Chrysler® MS7170
- Chrysler® MS9769
- Ford® ESE-M97B44-A
- Ford® WSS-M97B44-D
- Ford® WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- GM® 1825M
- GM® 6277M (DEX-COOL® specification)
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz® DBL 7700

3.78 L (1 US gal) plastic bottle

LONG LIFE COOLANT/ANTIFREEZE



92-8M0134003

Long Life Coolant/Antifreeze Premixed 50/50.

Pre-diluted anti-freeze - Do not add water. Provides extended life protection for closed cooling systems. It is silicate and phosphate free and will not cause gelling. It is also compatible with conventional antifreeze.

Meets or Exceeds G12++ Performance Requirements
Meets ASTM D-3306, ATSM D-4340

Recommended for the following applications:

- ANFOR R 15-601
- BS 6580 (British standard)
- Chrysler® MS7170
- Chrysler® MS9769
- Ford® ESE-M97B44-A
- Ford® WSS-M97B44-D
- Ford® WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- GM® 1825M
- GM® 6277M (DEX-COOL® specification)
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz® DBL 7700
- VW® TL774-D
- VW® TL774-F
- VW® TL774-G

3.78L (1 Gallon) plastic bottle

EXTENDED LIFE COOLANT/ANTIFREEZE



92-8M0133983

Coolant/Antifreeze Concentrated.

Provides extended life protection for closed cooling systems. It is silicate and phosphate free and will not cause gelling. It is also compatible with conventional antifreeze, but dilution will reduce extended life benefits.

Meets ASTM D-3306, ATSM D-4340

Recommended for the following applications:

- ANFOR R 15-601
- BS 6580 (British standard)
- Chrysler® MS7170
- Chrysler® MS9769
- Ford® ESE-M97B44-A
- Ford® WSS-M97B44-D
- Ford® WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- GM® 1825M
- GM® 6277M (DEX-COOL® specification)
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz® DBL 7700
- VW® TL774-D
- VW® TL774-F
- VW® TL774-G

3.78L (1 Gallon) plastic bottle

HEAVY DUTY DIESEL COOLANT



92-8M0150218

Pre-mixed 50/50 formula with SCA's

For use in Mercury Diesel 6.7L. Works in all heavy-duty diesel, gasoline, and natural engine cooling systems. Optimum protection against freezing and boil over. Provides corrosion protection of all cooling system metals and components. Incorporates nitrite to provide wet sleeve liner protection against cavitation. Designed to last the life of the engine when maintained with a high quality SCA filter system. Eliminates SCA mixing errors at initial fill. Phosphate-free formula reduces the risk of scale. Meets or exceeds these specification requirements: CATERPILLAR®, CUMMINS® 90T8-4, CES 14603, DETROIT DIESEL® 7SE298, 93K217, JOHN DEERE® H24A1, H24C1, NAVISTAR B-1 TYPE II, FREIGHTLINER® 48-22880, VOLVO / MACK®, MTU 5048, GM® 1899M, ASTM D4985, ASTM D5345, ASTM D6210, TMC RP329

4 L plastic bottle

QUICKSILVER FUEL SYSTEM CARE AND MAINTENANCE

FUEL TREATMENT

Quickare is a fuel treatment that can be used at every fill-up to:

- Maximize engine performance with all grades of gasoline
- Help control corrosion, gum and varnish build-up and phase separation associated with ethanol-blended fuel
- Help control moisture and corrosion problems associated with non-ethanol-blended fuel
- Clean up existing varnish and gum deposits from fuel lines, tanks, carburetors and injectors, intake valves and spark plugs
- Keep fuel fresh between fill-ups - up to 3 months

20 ml treats 25 liters of fuel

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers. Safe for catalyzed engines.

QUICKARE FUEL TREATMENT



92-8M0079743

20 ml treats 25 liters of fuel - 355 ml bottle treats 454 liters of fuel
355 mL (12 oz) plastic bottle

ENGINE AND FUEL SYSTEM CLEANER

Quickleen should be used throughout the boating season to:

- Quickly and thoroughly remove carbon deposits from carburetors and injectors, intake valves, spark plugs, piston crowns and cylinder heads
- Prevent engine knocking and piston seize-up
- Extend spark plug life

40 ml treats 25 liters of fuel

Note: This product does not contain fuel stabilizers. Use Quickare to prevent fuel breakdown and oxidation.

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers. Safe for catalyzed engines.

QUICKLEEN ENGINE & FUEL SYSTEM CLEANER



92-8M0079744

40 ml treats 25 liters of fuel - 355 ml bottle treats 227 liters of fuel
355 mL (12 oz.) plastic bottle

POWER TUNE INTERNAL ENGINE CLEANER



92-8M0121969

Quicksilver Power Tune® is recommended to assist in restoring lost power due to carbon, gum and varnish deposits that accumulate in the combustion chambers of gasoline engines. These deposits are the result of normal engine use, low temperature operation and the use of some fuels. Removing these deposits helps improve fuel/air flow and overall engine performance.

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers. Safe for catalyzed engines.

340 g (12 oz) spray can

FUEL STABILIZER

Add Quickstor Fuel System Treatment & Stabilizer to fuel before long-term boat storage to:

- Prevent regular and ethanol-blended fuel from breaking down and oxidizing
- Stabilize fuel for up to a year
- Prevent fuel system corrosion
- Prevent gum and varnish from forming in the fuel and settling in fuel lines and tanks, carburetors and injectors
- Keep injectors and carburetors lubricated

1 ounce treats 5 gallons - 12 ounce bottle treats 60 gallons

Use in all 2- and 4-cycle carbureted and fuel-injected gasoline engines including cars, trucks, motorcycles, ATVs, snowmobiles, marine engines, lawn mowers, chain saws, string trimmers and snow blowers. Safe for catalyzed engines.

QUICKSTOR FUEL STABILIZER



92-8M0079745

40 ml treats 25 liters of fuel - 355 ml bottle treats 227 liters of fuel
355 mL (12 oz.) plastic bottle

WATER ELIMINATOR



67-808887Q

Contains a drying agent commonly used to keep small, sealed containers dry. It absorbs water that has collected in the fuel tank.

How to use: Attach to the inside fuel cap with the lanyard (included). Adjust the lanyard so the Water Eliminator sits at the bottom of the fuel tank. Replace as needed.

For use in all octane grades of gasoline, including ethanol blended. Not recommended for diesel fuel.

For use in all 2-cycle and 4-cycle gasoline outboard, sterndrive, inboard and jet drive marine engines.

Priced individually, sold @ multiples of 6

Quicksilver Branded, Point of Sale Packaged.

ALCOHOL TESTER



91-879172T28

Test Tube used to find the ethanol/alcohol percentage in gasoline.

Directions:

Step 1: Add water to the water line.

Step 2: Add gasoline to the gasoline line.

Step 3: Replace cap and shake vigorously

Step 4: Stand vial vertically with cap upright for 10 minutes.

Step 5: Locate the gasoline/water separation line and read scale. The separation line will indicate the percentage of alcohol, if present.

QUICKSILVER GEARCASE LUBRICANT

QUICKSILVER GEARCASE LUBRICANT

Quicksilver outperforms automotive gear oil in marine applications because of its specialized additive package designed for marine gear cases. Continued use of this gear case lubricant will:

- Provide maximum protection against excessive wear—even in the presence of water
- Prevent corrosion and pitting
- Help extend gear life

SKU CHART

Quicksilver Gearcase Lubricant SKU Chart

Item Number	Qty per Case	Container Size	Pallet Qty	Btl Length (in)	Btl Depth (in)	Btl Height (in)	Btl Weight (lb)	Case Length (in)	Case Width (in)	Case Height (in)	Case Weight (lb)	Pallet Weight (lb)
SAE 80W90 PREMIUM GEAR LUBE FOR OUTBOARDS & JET PUMPS BELOW 75HP												
92-8M0121963	12	237 ML (8 FL OZ) TUBE										
92-858058QB1	6	QUART	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-858059QB1	2	2.5 GAL.	72	9.1	6.8	14.5	20	9.78	14.5	14.5	40	1490
92-858007Q01	1	5 GAL.	36	12	12	14.75	39	12	12	14.75	39	1454
92-858061QB1	1	16 GAL.	9	14.25	14.25	27	136	14.25	14.25	27	136	1274
92-858062QB1	1	55 GAL.	4	23	23	34	434	23	23	34	434	1786
SAE 90 HIGH PERFORMANCE GEAR LUBE FOR OUTBOARDS, JET PUMPS & SPORT JETS ABOVE 75HP AND ALL STERNDRIVES												
92-8M0121960	12	237 ML (8 FL OZ) TUBE										
92-858064QB1	6	QUART	468	4.2	2.375	9.25	2.083	8.9	7.7	10.1	12.5	1040
92-858065QB1	2	2.5 GAL.	72	9.1	6.8	14.5	20	9.78	14.5	14.5	40	1490
92-858008Q01	1	5 GAL.	36	12	12	14.75	39	12	12	14.75	39	1454
92-858067QB1	1	16 GAL.	9	14.25	14.25	27	136	14.25	14.25	27	136	1274
92-858068QB1	1	55 GAL.	4	23	23	34	434	23	23	34	434	1786

PREMIUM GEAR LUBE - SAE 80W90

Quicksilver Premium Gear Lube is recommended in lower units for outboards below 75HP.

SAE 80W90 GEAR LUBE



92-8M0121963
237 ml (8 fl oz) tube

SAE 80W90 GEAR LUBE



92-858058QB1
For use in all outboard lower units and jet pumps below 75 hp.
1 L plastic bottle

80W90 GEAR LUBE



92-858059QB1
10 L plastic bottle

SAE 80W90 GEAR LUBE



92-858061QB1

60 L drum

SAE 80W90 GEAR LUBE



92-858062QB1

208 L drum

PREMIUM GEAR LUBE CAPACITY CHART

This gearlube capacity chart is limited to recent models and has been developed to aid in determining how much gearlube to have on hand when servicing a particular gearhousing. Changing and servicing of gearlube should always be performed in accordance with techniques and procedures as outlined in the appropriate service or owner manuals. The quantities shown here are to be regarded as reference only. Any variation from the quantities shown may indicate an incorrect model selection, the wrong service technique or a more serious problem. Contact your local dealer prior to running if this should occur.

For outboards less than 75 hp

Mercury or Quicksilver SAE 80W90 Premium Gear Lube is recommended

Brand	Model	Cycle	Model Description	Oz.	mL.
Mercury/Mariner	2.2, 2.5, 3.3	2 cycle		4.5	135
Mercury/Mariner	4, 5	2 cycle		6.8	200
Mercury/Mariner	6, 8, 9.9, 15	2 cycle		6.8	200
Mercury/Mariner	20, 25	2 cycle		8.8	260
Mercury/Mariner	30, 40	2 cycle	2 cylinder	14.9	440
Mercury/Mariner	40, 50	2 cycle	3 cylinder, std. Gearcase	14.9	440
Mercury/Mariner	60	2 cycle	Big Foot	22.5	665
Force	5	2 cycle		4.0	120
Force	9.9, 15	2 cycle		6.8	200
Force	25	2 cycle		8.8	260
Force	40, 50	2 cycle		14.9	440
Mercury/Mariner	2.5, 3.5	FourStroke		6.1	180
Mercury/Mariner	4, 5	FourStroke		6.8	200
Mercury/Mariner	8/9.9	FourStroke	MY 2004 & prior Standard gearcase	6.8	200
Mercury/Mariner	8/9.9	FourStroke	MY 2005 & newer Standard gearcase	10.8	320
Mercury/Mariner	9.9	FourStroke	MY 2004 & prior BigFoot	8.8	260
Mercury/Mariner	9.9	FourStroke	MY 2005 & newer BigFoot	12.5	370

Brand	Model	Cycle	Model Description	Oz.	mL.
Mercury/Mariner	15 (323cc)	FourStroke	Standard Gearcase	6.8	200
Mercury/Mariner	15 (323cc)	FourStroke	Big Foot	8.8	260
Mercury/Mariner	15 (351cc)	FourStroke		12.5	370
Mercury/Mariner	15 EFI	FourStroke	EFI	15.6	460
Mercury/Mariner	20 (351cc)	FourStroke		12.5	370
Mercury/Mariner	20 EFI	c)FourStroke	EFI	15.6	460
Mercury/Mariner	25	FourStroke	Big Foot, Carb	14.9	440
Mercury/Mariner	25	FourStroke	EFI	11.8	350
Mercury/Mariner	30	FourStroke	MY 2005 & prior Standard gearcase	14.9	440
Mercury/Mariner	30	FourStroke	MY 2006 & newer EFI	11.8	350
Mercury/Mariner	30	FourStroke	MY 2005 & prior Big Foot	22.5	665
Mercury/Mariner	40	FourStroke	3 cylinder, std. Gearcase	14.9	440
Mercury/Mariner	40	FourStroke	3 cylinder, Big Foot	22.5	665
Mercury/Mariner	40, 45, 50	FourStroke	4 cylinder, 935 cc, std. Gearcase	14.9	440
Mercury/Mariner	40, 45, 50	FourStroke	4 cylinder, 935 cc, Big Foot	22.5	655
Mercury/Mariner	40	FourStroke	4 cylinder, 996 cc, Big Foot	24.0	710
Mercury/Mariner	50, 60	FourStroke	4 cylinder, 996 cc, std. Gearcase	11.5	340
Mercury/Mariner	50, 60	FourStroke	4 cylinder, 996 cc, Big Foot	24.0	710

HIGH PERFORMANCE GEAR LUBE - SAE 90

Quicksilver High Performance Gear Lube is recommended for use in marine gear cases with marine engines above 75HP.

SAE 90 GEAR LUBE



92-8M0121960

237 ml (8 fl oz) tube

SAE 90 GEAR LUBE



92-858064QB1

1 L (33.8 fl oz) plastic bottle

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER GEARCASE LUBRICANT

SAE 90 GEAR LUBE QUART & GEAR LUBE PUMP



91-8M0050053

Gear lube pump and a one liter of Hi Performance gear lube conveniently packaged together. Use the pump to replace your gear case oil with ease. Fits all quart and liter bottles.

Gear lube pump: Fits all MerCruiser sterndrives and Mercury/Mariner outboards (except models of Japanese origin) with a .375 in-16 drain/fill screw. Adapter available

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SAE 90 GEAR LUBE



92-858065QB1

10 L (2.64 gal) plastic bottle

SAE 90 GEAR LUBE



92-858067QB1

60 L drum

SAE 90 GEAR LUBE



92-858068QB1

208 L drum

HIGH PERFORMANCE GEAR LUBE CAPACITY CHART

This gear lube capacity chart is limited to recent models and has been developed to aid in determining how much gearlube to have on hand when servicing a particular gearhousing. Changing and servicing of gearlube should always be performed in accordance with techniques and procedures as outlined in the appropriate service or owner manuals. The quantities shown here are to be regarded as reference only. Any variation from the quantities shown may indicate an incorrect model selection, the wrong service technique or a more serious problem. Contact your local dealer prior to running if this should occur.

For outboards 75 hp and up and all sterndrives

Mercury or Quicksilver SAE 90 High Performance Gear Lube is recommended

Brand	Model	Cycle	Model Description	Oz.	mL.
Mercury/Mariner	75, 90	2 cycle	3 cylinder	22.5	665
Mercury/Mariner	100, 115, 125	2 cycle	4 cylinder	22.5	665
Mercury/Mariner	115	2 cycle	3 cylinder Optimax	22.5	665
Mercury/Mariner	135, 150	2 cycle	2.0L	22.5	665
Mercury/Mariner	150, 175, 200	2 cycle	2.5L Carb/EFI/Optimax	22.5	665
Mercury/Mariner	200, 225, 250	2 cycle	3.0L Carb/EFI/Optimax	27.0	798
<hr/>					
Force	75	2 cycle		12.0	355
Force	90, 120	2 cycle		22.5	655
<hr/>					
Mercury/Mariner	75-90	FourStroke	S/N 1B366822 & below	22.5	665
Mercury/Mariner	75-90	FourStroke	S/N 1B366823 & above	24.0	710
Mercury/Mariner	115	FourStroke		24.0	710
Mercury/Mariner	135/150/175	FourStroke	Verado (RH rotation)	32.8	970
Mercury/Mariner	150 EFI	FourStroke	RH rotation	26.4	780
Mercury/Mariner	200	FourStroke	Verado (RH rotation)	32.8	970
Mercury/Mariner	225 EFI	FourStroke	Standard gearcase	39.0	1.15L
Mercury/Mariner	225/250/275/300	FourStroke	Verado (RH rotation)		
			4.8 Diameter	32.8	970
			5.44 Dia. Sportmaster	20.9	620
			5.44 Dia. HD	17.2	510
			5.44 non-HD	28.7	850
<hr/>					
MerCruiser	Alpha One Gen II	4 cycle	without Gear lube Monitor	1.22 US Quarts	1.16L
MerCruiser	Alpha One Gen II	4 cycle	with Round Gear lube Monitor	2.0 US Quarts	1.9L
MerCruiser	Alpha One Gen II	4 cycle	with Rectangular Gear lube Monitor	1.75 US Quarts	1.66L
MerCruiser	Bravo One	4 cycle	without Gear lube Monitor	2.0 US Quarts	1.9L
MerCruiser	Bravo One	4 cycle	with Round Gear lube Monitor	3.25 US Quarts	3.07L
MerCruiser	Bravo One	4 cycle	with Rectangular Gear lube Monitor	2.75 US Quarts	2.6L
MerCruiser	Bravo Two	4 cycle	without Gear lube Monitor	2.5 US Quarts	2.4L
MerCruiser	Bravo Two	4 cycle	with Round Gear lube Monitor	3.75 US Quarts	3.55L
MerCruiser	Bravo Two	4 cycle	with Rectangular Gear lube Monitor	3.25 US Quarts	3.07L
MerCruiser	Bravo Three	4 cycle	without Gear lube Monitor	2.0 US Quarts	1.9L
MerCruiser	Bravo Three	4 cycle	with Rectangular Gear lube Monitor	3.0 US Quarts	2.84L
MerCruiser	Blackhawk	4 cycle	without Gear lube Monitor	1.75 US Quarts	1.66L

Brand	Model	Cycle	Model Description	Oz.	mL.
MerCruiser	Blackhawk	4 cycle	with Rectangular Gear lube Monitor	2.25 US Quarts	2.1L

MERCURY EXTREME PERFORMANCE GEAR LUBE

Mercury Racing Gear Lube was designed for outboard and sterndrive racing applications. This gear lube provides maximum protection against:

- Water intrusion – advanced emulsifiers protect gears if water enters the gear housing
- Wear – tackifiers and pressure additives improve oil film adhesion and protect against excessive wear
- Horsepower loss - prevents horsepower loss and won't break down when gears reach high temperatures

Recommended for use in Mercury Racing outboard gear cases including: Sport Master, Torque Master, Fleet Master, VI SSM and IV SSM and Mercury Racing sterndrive applications including Dry Sump Six,NXT6, SSM, NXT, Bravo XR, Bravo XR Sport Master drives and NXT transmission assemblies.

SAE 85W90 EXTREME PERFORMANCE GEAR OIL



92-8M0133995

Used in high-performance gearcases
946 ml (32 oz) bottle

SAE 85W90 EXTREME PERFORMANCE GEAR OIL



92-8M0133997

Used in high-performance gearcases
18.9 liters (5 US Gal) plastic pail

QUICKSILVER GEARCASE LUBRICANT ACCESSORIES

GEAR LUBE PUMP



91-8M0072133

Easily replace your lower unit oil with this pump. Fits all quart and liter bottles.
Fits any outboard or stern drive with a 3/8"-16 drain plug. Use adapter (included) for gear cases with an M8x1.25 drain plug.
Priced individually, sold @ multiples of 6
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEAR LUBE PUMP



91-850730Q 1

For all 2-1/2 US gal (10 L) plastic oil bottles. May be used with any outboard which uses a 3/8"-16 drain/fill screw.
Fits all MerCruiser stern drives and Mercury/Mariner Outboards except those models of Japanese origin.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GEAR LUBE PUMP ADAPTER



91-883704Q03

Adapts our 3/8-16 threaded quart, liter and 2-1/2 gallon gearlube pumps for filling the gearcase.
Fits Mercury/Mariner 4/5 HP (1987 and newer), 4/5/6 HP FourStroke, 225 EFI FourStroke, MY2005 & newer 8/9.9 HP FourStroke, MY2006 & newer 25/30 EFI FourStroke, the 15/20 HP FourStroke (351cc), all Mercury/Mariner outboards of Japanese origin and all Nissan/Yamaha/Tohatsu/Honda outboards with an 8x1.25 metric threaded gear lube fill hole.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

QUICKSILVER GREASES

Quicksilver Grease Product Line Simplified

Quicksilver greases have gone through a makeover. The product line has been simplified to eliminate confusion about which grease to use in what application. The line has been reduced from six types of grease to three. Below is a summary of the consolidation:

2-4-C Marine Grease – No change

Needle Bearing Assembly Grease – Now called Assembly Grease. The formula has not changed but the packaging has. Instead of 8 oz tubes, the product now comes in 1lb tubs.

Special 101 – Replaced by 2-4-C Marine Grease

U-Joint and Gimbal Bearing Lubricant – Replaced by Extreme Grease

Anti-Corrosion Grease - Replaced by Extreme Grease

Engine Coupler/Spline Grease - Replaced by Extreme Grease

MARINE GREASE

Quicksilver 2-4-C Marine Grease with PTFE is a high quality, extremely versatile lithium-based, NLGI 2 grease that won't break down when mixed with water. It also has:

- Excellent resistance to oxidation and degradation
- Extreme pressure additives to withstand friction in a wide variety of operations and temperatures

Replaces Quicksilver Special 101 Lubricant part number 92-802865Q02

For use in the following marine applications:

- Steering systems/cable linkages
- Throttle and shift cables and linkages
- Remote controls
- Prop shafts
- Swivel pins
- Tilt lock mechanisms/tilt tube
- Hinge pins
- Boat trailer wheel bearings

2-4-C MARINE LUBRICANT



92-8M0133902

3 - 85 g tubes (3 - 3 oz tubes) cartridge

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

2-4-C MARINE LUBRICANT & CARTRIDGE GUN



91-8M0181416

Cartridge gun and one 3 oz.(85 g) cartridge.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

2-4-C MARINE LUBRICANT



92-8M0121966

2-4C grease with Teflon

227 g (8 oz) tube

2-4-C MARINE LUBRICANT



92-8M0133904

Fits standard 14 oz grease guns

397 g (14 oz) cartridge

QUICKSILVER GREASES

MULTI-PURPOSE GREASE

Quicksilver Extreme Grease is formulated for high-temperature and high-load applications.

- Calcium sulfonate-based NLGI 2 grease
- Meets GC-LB requirements
- Excellent rust and corrosion protection
- Formulated for high-temperature and high load applications
- 100% compatible with lithium-based greases

Replaces:

- Quicksilver Engine Coupler Spline Grease part number 92-802869Q1
- Quicksilver U-Joint & Gimbal Bearing Lubricant part numbers 92-802870Q1 and 92-802871Q1
- Quicksilver Anti-Corrosion Grease part number 92-802867Q1

For use in the following applications for automobiles, light trucks, campers, marine engines, utility trailers, ATV/UTVs, motorcycles and snowmobiles:

- Steering systems/cable linkages
- Throttle and shift cables and linkages
- Drive shaft splines
- Gimbal bearings
- U-Joints
- Suspension systems
- Chassis
- Ball joints
- Disc brakes and ABS applications
- Trailer wheel bearings

See the Non-Marine Application Grease Chart for more information.

EXTREME GREASE



92-8M0133987

85 g (3 oz) 3-pack cartridges

Quicksilver Branded, Peg Display Product Point of Sale Packaged.

EXTREME GREASE



92-8M0133989

For use in the following applications:

- *Steering systems/cable linkages and linkages
- *Drive shaft splines
- *Gimbal bearings
- *U-joints
- *Suspension systems
- *Chassis
- *Ball joints
- *disc brakes and ABS applications
- *Trailer wheel bearings

227 g (8 oz) tube

EXTREME GREASE



92-8M0133991

Formulated for high-temperature and high-load applications
397 g (14 oz) cartridge

ENGINE ASSEMBLY GREASE

ASSEMBLY GREASE



92-8M0133985

Use to protect newly repaired or rebuilt engines. Will not contaminate engine lubricants and dissolves completely after initial engine startup.

Recommended for engine components that are susceptible to wear at startup such as:

- * Bearings
- * Camshaft lobes
- * Lifters
- * Rocker arms
- * Wrist pins

For use in the assembly and repair of two and four stroke engines.

454 g (16 oz)

GREASE APPLICATION CHARTS

Marine Application Grease Chart

This chart is a general maintenance guide for applying either 2-4-C Marine Grease or Extreme Grease in marine applications. Maintenance schedules for specific models are included in each engine owner's manual and should be followed as such.

	Outboards	Sterndrives	Freshwater Lubrication Intervals	Saltwater Lubrication Intervals
Steering systems/ cable, linkages	2-4-C	2-4-C	100 hrs./ at least once a year	50 hrs./at least once a year
Throttle and shift cables and linkages	2-4-C	2-4-C	100 hrs.	50 hrs.
Remote controls	2-4-C	2-4-C	100 hrs./or once a year	50 hrs./or once a year
Prop shaft	2-4-C	2-4-C	100 hrs./120 days	50 hrs./60 days
Swivel pins	2-4-C	2-4-C	100 hrs./120 days	50 hrs./60 days
Tilt lock mechanism/tilt tube	2-4-C		100 days	50 days
Hinge pins		2-4-C	100 hrs./or once a year	50 hrs./or once a year

	Outboards	Stern drives	Freshwater Lubrication Intervals	Saltwater Lubrication Intervals
Drive shaft splines (engine couplers)	Extreme	Extreme	100 hrs./or once a year	50 hrs./or once a year
Gimbal bearings		Extreme	100 hrs./or once a year	50 hrs./or once a year
U-Joint (1)		Extreme	100 hrs./or once a year	50 hrs./or once a year

(1) 1993 and newer Alpha One models have a Perma-lube U-joint which requires no lubrication.

Non-Marine Application Grease Chart

This chart is a general maintenance guide for applying Extreme Grease in non-marine applications. Maintenance schedules for specific equipment and models are included in your owner's manual and should be followed as such.

Application	ATV/UTV/Motorcycle	Snowmobile	Auto
Steering systems/ cable, linkages	X	X	X
Throttle and shift cables and linkages	X	X	X
Drive shaft splines (engine couplers)			X
U Joint	X		X
Suspension systems	X	X	X
Chassis	X		X
Ball joints			X
Disc brakes and ABS apps	X	X	X

QUICKSILVER PAINTS AND FINISH

FORCE COLORS

FORCE BLACK PAINT



92-8M0133927

340 g (12 oz) spray can

MARINER COLORS

MARINER GRAY PAINT



92-8M0133919

For all 1984 and older Mariner outboards.

340 g (12 oz) spray can

MARINER LIGHT GRAY PAINT



92-8M0133917

For 1985 and newer Mariner outboards (except 1994 and newer top cowls, 1994 and newer lower cowls on 8/9.9/15, 75 hp and larger models and 1997 3.0L Offshore models) also for Tracker outboards with silver hoods.

340 g (12 oz) spray can

MARINER NICKEL GRAY PAINT



92-8M0133910

For Mariner outboard lower cowls on 8/9.9/15, 75 hp and larger models - 1994 and newer (except 1997 3.0L Offshore models) and Tracker outboards with silver hoods.

340 g (12 oz) spray can

MARINER SILVER PAINT



92-8M0133915

For Mariner outboard top cowls - 1994 and newer (except 1997 3.0L Offshore models) and Tracker outboards with silver hoods.

340 g (12 oz) spray can

MERCURY COLORS

PHANTOM BLACK



92-8M0133921

Paint pen for touch-up in Phantom Black. For all Mercury outboards and MCM/MIE engines and drives.

18 mL paint pen

VERADO SILVER



92-8M0132061

Authentic silver paint for Mercury and Mariner outboards. Fast drying and high gloss.

340 g (12 oz) can

WARM FUSION PAINT



8M0133999

Authentic white paint for Mercury Outboards.

340 g (12 oz) spray can

COLD FUSION PAINT



92-8M0134001

Authentic white paint for Mercury Outboards.

340 g (12 oz) spray can

PROPELLER PAINT

EDP PROPELLER BLACK PAINT



92-8M0133931

340 g (12 oz) spray can

PHANTOM BLACK PAINT



92-8M0133908

For all Mercury outboards and MCM/MIE engines and drives.

340 g (12 oz) spray can

SURFACE PREPARATION AND FINISH

LIGHT GRAY PRIMER



92-8M0133933

340 g (12 oz) spray can

CLEAR COAT



92-8M0133935

For cowls on Mercury, Mariner and Force outboards.

340 g (12 oz) spray can

LEVELER



92-8M0133937

Used to smooth the finish of painted objects.

340 g (12 oz) spray can

COWL FINISH COMPOUND



92-8M0133957

Removes minor scratches while providing a high gloss finish
For all Mercury and Mariner cowl
250 mL (8.4 oz) bottle

COWL COVER

Image not
Available.

56-8M0162160

Soft protective cowl cover that can be used for storage or winterization.
For use with 40 horsepower and above outboard engines.
Priced individually, sold @ multiples of 10

QUICKSILVER STEERING FLUID

POWER TRIM AND STEERING FLUID



92-858074QB1

A universal hydraulic fluid designed to mix with all hydraulic fluids, protect seals and hoses, and prevent foaming, oxidation and corrosion.
Recommended for all outboard and sterndrive applications except electric power steering systems (use Synthetic Power Steering Fluid SAE 0W30) and non-power hydraulic steering systems (use Hydraulic Helm Steering Fluid)

Recommended for all applications that require a Type F Transmission Fluid
237 ml (8 fl oz) plastic bottle

POWER TRIM AND STEERING FLUID



92-858075QB1

A universal hydraulic fluid designed to mix with all hydraulic fluids, protect seals and hoses, and prevent foaming, oxidation and corrosion.
Recommended for all outboard and sterndrive applications except electric power steering systems (use Synthetic Power Steering Fluid SAE 0W30) and non-power hydraulic steering systems (use Hydraulic Helm Steering Fluid)

Recommended for all applications that require a Type F Transmission Fluid
1L (33.8 fl oz) plastic bottle

HYDRAULIC HELM STEERING FLUID



92-858078QB1

For use in MCM compact hydraulic helm steering systems.
Also used on Mercury Hydraulic Steering - Verado 135-175 and bolt-on steering system.

1 L (33.8 fl oz) plastic bottle

SYNTHETIC POWER STEERING FLUID SAE 0W-30



92-8M0133951

Recommended for electric power steering systems such as Verado, JPO and Axis Gen I only. Recommended for transmission and steering and actuator systems for Zeus drives

946 ml (32 fl oz) plastic bottle

PREMIUM FULL SYNTHETIC POWER STEERING FLUID



92-8M0181584

Specifically formulated and recommended for use in steering systems where a full synthetic fluid is required. Engineered to withstand the rigorous demands of the marine environment and delivers full performance from -40°F to over 266°F. Comparable/compatible with Pentosin CHF.

1l plastic bottle

QUICKSILVER TRANSMISSION FLUID

QUICKSILVER AUTOMATIC TRANSMISSION FLUID



92-8M0181583

Meets DEXRON-III requirements. Resists breakdown from heat, and loss of proper lubricity. Engineered to withstand the rigorous demands of the marine environment. Specifically formulated, tested and recommended for use in outboards, inboards, and tow sport transmissions requiring DEXRON-III fluid.

1L plastic bottle

QUICKSILVER AUTOMATIC TRANSMISSION FLUID



92-8M0181585

Meets DEXRON-III requirements. Resists breakdown from heat, and loss of proper lubricity. Engineered to withstand the rigorous demands of the marine environment. Specifically formulated, tested and recommended for use in outboards, inboards, and tow sport transmissions requiring DEXRON-III fluid.

208L drum

SHOP PRODUCTS FOR ENGINE ASSEMBLY AND MAINTENANCE

ADHESIVES AND SEALANTS

SEALING COMPOUND



92-8M0133898

Slow-drying, non-hardening brush-top sealant. Temperature range -65°F to 400°F (-54°C to 204°C); resists gasoline, oil and grease. 473ml (16 oz) bottle with applicator brush

HEAT TRANSFER COMPOUND



92-8M0119689

Helps transfer heat from the electric fuel pump to the mounting plate and cooler on all MCM cool fuel systems, also helps transfer heat from ignition modules to the distributor bodies. 9.5 g (.33 oz) tube

BELLOWS ADHESIVE



92-8M0133959

Securely seals universal and exhaust bellows. For all MCM sterndrives. 42.5 g (1.5 oz) tube Quicksilver Branded, Box Point of Sale Packaged.

LUBRICANTS

SILICONE DIELECTRIC COMPOUND



92-823506 1

Protects and displaces moisture from spark plug boots, coils, and electrical switches. 227 g (8 oz) tube

SPECIALTY

FUEL INJECTION PRO INJECT-R CLEANER



92-8M0133981

This fluid restores injectors to their original spray pattern, helps prevent recurring problems, and reduces intake and port deposits. Used in canister-type cleaning devices.

Note: Not for use as a fuel additive; do not pour into fuel tank.

For professional use only. Use in Mercury pressurized injector cleaner tool 91-898263A01. Consult Instruction sheet (comes with tool) 90-898266 for proper use. 473 mL (16 fl oz) can

FUEL INJECTION CLEANER TOOL



91-898263A01

- Connects directly to your shop air supply. When used with recommended solvent, will clean injectors more effectively than aerosol methods.
- Includes gauge, hose, instructions, and Tools & Techniques manual.

SHOP TOOLS AND ACCESSORIES

DISPLAYS

QUICKSILVER OIL AND LUBE DISPLAY STAND



93-8M0167677

Quicksilver oils & lubes display stand.

BARREL PUMP

BARREL PUMP



91-850438 1

Professional barrel pump with non-drip spout, 360 degree swivel handle and telescopic tube. Delivers approximately 10 oz. per stroke, equipped with standard 2" bung assembly. Adjusts to fit 15 to 55 gallon drums.

BARREL PUMP



91-878373

Heavy duty barrel pump of rugged die cast and steel assembly, standard 2" bung assembly and discharge spout threads which can fit a garden hose fitting. Long lasting Buna-N seals for superior suction.

Telescoping pick-up tube accommodates varying barrel sizes.

BARREL PUMP



91-878375

Aluminum rotary hand pump includes bung adapter, 4 ft. polyethylene discharge hose and two piece steel suction pipe.

For use with gasoline, diesel and similar light petroleum products including 2 and 4 cycle oils.

CRANKCASE OIL PUMP AND ADAPTER

OIL DRAIN PUMP



802889Q 1

8/9.9 4-stroke outboards require additional adapter 828369

Fits all MCM/MIE engines with threaded fitting on dipstick tube, and Mercury/Mariner 8/9.9 FourStroke outboards MY2004 and prior.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

CRANKCASE OIL PUMP



802889A 1

8/9.9 4-stroke outboards require additional adapter 828369

Fits all MCM/MIE engines with threaded fitting on dipstick tube, and Mercury/Mariner 8/9.9 (4-stroke) outboards.

Mercury Precision Branded, Hanging Box Point of Sale Packaged.

OIL PUMP EXTRACTION TUBE



32-859717A 2

.375 in O.D. tube, 19.5 in. long
Connects to the crankcase oil pump for use on the Zeus drive and various Mercury/Mariner FourStroke outboards.

ADAPTER



828369

Adapts the standard threaded style MerCruiser crankcase pump for use on the Mercury/Mariner 8/9.9 hp. FourStroke outboards (MY2004 & prior) and the 15hp. FourStroke outboard (323cc).

OIL PUMP ADAPTER HOSE



32-863642

Fits MCM/MIE D1.7L DTI diesel engines.

GREASE GUNS

GREASE GUN



91-37299Q 2

Pistol grip gun. Aids in the lubrication of key areas on the drive and transom. Allows easy access to grease fittings. For use with 8 oz.(227 g) tubes. Priced individually, sold @ multiples of 4
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

GREASE GUN



91-30500

Plunger type gun for use with 8 oz.(227 g) tubes

GREASE GUN



91-74057Q 6

for 3 oz.(85 g) cartridges
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCHES

OIL FILTER WRENCH



91-802653Q02

This is a formed metal tool for strength and durability. Fits replaceable screw-on type canister oil filters wherever found on current Mercury/Mariner FourStroke outboards 9.9 thru 60 hp., the 75-115 hp. s/n 1B366822 & below, and the 75-115 hp. s/n 2B094996 and above.. Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-889277

Made of metal. Requires a 3/8" drive. Fits the Quicksilver 35-822626Q15 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard and the new 877767__ & 877769__ series filters for the 135-300 Verado.

OIL FILTER WRENCH



91-889277002

Made of metal. Requires a 3/8" drive.

Fits the Mercury 35-822626T 7 screw-on type canister oil filter found on the V-225 hp. FourStroke outboard.

OIL FILTER WRENCH



91-889277Q01

Metal wrench, requires a 3/8 in. drive ratchet.

Fits the (877761_) oil filter found on the 75-115 EFI FourStroke outboard (serial number 1B366823-2B094995) and the 150 hp. EFI FourStroke outboard. Also fits the MCM (866340_) oil filter and (802893_) fuel filter found on many MCM engines.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL FILTER WRENCH



91-889277Q03

Metal wrench, requires a .375 in. drive ratchet.

Removes the 896546_ series and 883701_ series production oil filters found on the early Verado 135-275 hp. FourStroke outboards.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

OIL DRIP TRAY



8M0052100

After the oil reservoir has been properly drained, this tray when in place will help to prevent oil from dripping into the lower cowl when removing the side mounted engine filters listed in the application.

Fits the F25/30hp. EFI FourStroke Outboards and the F40-60hp. FourStroke outboards.

TABLE OF CONTENTS

Quick Reference Guide-Outboard 306
 Quick Reference FourStroke Charts 313
 Quick Reference TwoStroke Charts 306

Quick Reference Guide-MerCruiser 351
 Quick Reference MerCruiser Charts- Gas
 Models 351

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE TWOSTROKE CHARTS

75-90-115 Optimax 1B227000 & above

Description		Part Number	Page
Controls			
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness	8M0083666	
	20 ft. (6.1 m) harness	8M0083667	
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2	469
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	462
	Finger Release - Chrome Handle	8M0030550	462
	Lock Bar	883710A02	463
Console Mount (single eng. with trim) - Commander		88688A25	469
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686	
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22	470
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245	464
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	897977A03	thru 897977A50
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	897978A03	thru 897978A50
Instrumentation			
All Models Max WOT Range = 5,000-5,750 RPM's			
Tachometer - 8000 RPM - Flagship	Black Face	79-895283A06	421
	White Face	79-895283A26	426
Tachometer - 8000 RPM - Admiral	Black Face	79-895283Q06	433
	White Face	79-895283Q26	440
Tachometer - 7000 RPM - Flagship	Black Face	79-895283A05	421
	White Face	79-895283A25	426
Tachometer - 7000 RPM - Admiral	Black Face	79-895283Q05	433
	White Face	79-895283Q25	440
Tachometer - 6000 RPM - Flagship	Black Face	79-895283A03	421
	White Face	79-895283A23	425
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03	433
	White Face	79-895283Q23	440
Tachometer Harness - Analog	5 ft. length x 14 pin	84-892990T01	551
	10 ft. length x 14 pin	84-892990T10	551
	15 ft. length x 14 pin	84-892990T15	551
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03	422
	White Face	79-895285A23	426
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03	434
	White Face	79-895285Q23	441
Battery Meter - Flagship	Black Face	79-895286A01	422
	White Face	79-895286A21	427

Description	Part Number	Page
Battery Meter - Admiral	Black Face	434
	White Face	441
Fuel Gauge - Flagship	Black Face	424
	White Face	428
Fuel Gauge - Admiral	Black Face	436
	White Face	443
Cruiselog (hour meter) - Flagship	Black Face	425
	White Face	429
Cruiselog (hour meter) - Admiral	Black Face	436
	White Face	443
Power Trim - Flagship - Analog	Black Face	425
	White Face	428
Power Trim - Admiral - Analog	Black Face	436
	White Face	443
Power Trim Sender Kit	8M0098264	451
Water Pressure Gauge - 15 PSI - Flagship	Black Face - Analog - (requires hose kit)	423
	White Face - Analog - (requires hose kit)	427
Water Pressure Gauge - 15 PSI - Admiral	Black Face - Analog - (requires hose kit)	435
	White Face - Analog - (requires hose kit)	442
Water Pressure Gauge Hose Kit	(required for analog gauge use)	448
Service Monitor	Apply 3 wraps for proper operation	455
	Electrical	
Ignition/Choke Assembly - 11 ft. (3.35 m) harness	84-896537K11	565
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	84-896537K15	565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	84-896537K20	566
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	84-896537K24	566
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	84-896537K29	566
Power Trim Switch Kit - 10 ft. (3.0 m)	Transom Mounted	28, 591
Power Trim Switch Kit - 25 ft. (7.6 m)	Transom Mounted	591
Lanyard Stop Switch, single outboard	Flush mounted	573
	Chrome bezel mounted	573
Lanyard Stop Switch, dual outboards	Flush mounted	573
	Chrome bezel mounted	574
	Fuel Line Assemblies, Tanks & Hardware (Low Permeation hoses shown below)	
Fuel Filter	Located on VST	249
Fuel Line 9 ft. (2.74m) - (US-EPA)	5/16 ID - Primer Bulb - No Ends	
Fuel Line 12 ft. (3.7m) - Q/S - (US-EPA)	5/16 ID - Primer Bulb - No Ends	
Fuel Line 12 ft. (3.7m) - MPP - (US-EPA)	5/16 ID - Primer Bulb - No Ends	
Fuel Line 9 ft. (2.74m) - (non-EPA)	5/16 ID - Primer Bulb - No Ends	73
Fuel Line 12 ft. (3.7m) - Q/S - (non-EPA)	5/16 ID - Primer Bulb - No Ends	73
Fuel Line 12 ft. (3.7m) - MPP - (non-EPA)	5/16 ID - Primer Bulb - No Ends	

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Bulk Fuel Line - (low permeation)	5/16 ID - no bulb or ends - 100 ft.	32-8M0038500	73
	3/8 ID - no bulb or ends - 100 ft.	32-8M0038563	73
Fuel Line Connector	3/8 to 5/16	22-8M0001721	77
Primer Bulb - MPP (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061876	
Primer Bulb - QS (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061875	
Primer Bulb - MPP (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054314	
Primer Bulb - QS (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054313	73
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. - Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) - Plastic Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	70
Fuel Tank (non-US) 6.6 gal. - Plastic Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	70
Miscellaneous Accessories			
Remote Oil Tank Kit		1257- 8742A25	88, 410
Tilt Limit Switch Kit	Analog device	899625K02	589
	Digital device	899625K04	590
Coastal Flushing Kit	(allows engine flushing while in water)	858566A02	67
Tiller Handle Kit - Traditional		NLA	
Big Tiller	Mechanical Non-Power Steering Version	NLA	
Big Tiller	Mechanical Power Steering Version	NLA	
Big Tiller throttle/shift cable kit	Required for either version	8M0082352	45
Big Tiller Auxiliary Light	Optional	87-897978T02	46, 607
RPM Adjuster	Optional	87-8M0083437	46, 592
Flushing Attachment - allows running engine - Q/S	(not for use with Jet 65)	44357Q 2	203
Flushing Attachment - allows running engine - MPP	(not for use with Jet 65)	44357T 2	
Steering			
Ride Guide Attaching Kit - 75/90	Single Engine - Single Cable	92876A12	644
	Single Engine - Two Cable	92876A 8	646
	Dual Engine - Two Cable	92876A 9	646
Hydraulic Steering - Optional			
Hydraulic Helms	Standard 1.4L Helm w/fluid & mtg. hdwe.	8M0050098	623
	Tilt Helm w/fluid & mtg. hdwe.	8M0050099	623
Remote Fill Kit	Use with Tilt Helm Kit	64-889934A05	626
Hydraulic Hoses	Cylinder to helm	32-8M0053474 thru 8M0053491	625
Hydraulic Cylinder - Standard Rotation	Single engines	8M0054993	

V-6 Optimax (Non DTS) 1B227000 & above

Description	Part Number	Page
V-6 Optimax SmartCraft Rigging Kits		
Single Engine Data Kit with Oil Sender	System Monitor or VesselView not included (will accommodate System Tach/Speed) (will accommodate System Link gauges) (requires 84-896537_ Series Harness)	8M0056277 409
Dual Engine Data Kit with Oil Sender	System Monitor or VesselView not included (will accommodate System Tach/Speed) (will accommodate System Link gauges) (requires 84-896537_ Series Harness)	8M0056279 410
Controls		
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness 20 ft. (6.1 m) harness	8M0083666 8M0083667
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2 469
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle Finger Release - Chrome Handle Lock Bar	8M0011213 462 8M0030550 462 883710A02 463
Console Mount (single eng. with trim) - Commander		88688A25 469
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22 470
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245 464
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	897977A03 thru 897977A50
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	897978A03 thru 897978A50
Instrumentation - Analog Gauges		
135 HP. Max WOT Range = 5,000-5,600 RPM's		
150/175 HP. Max WOT Range = 5,250-5,750 RPM's		
200/225 HP. Max WOT Range = 5,000-5,750 RPM's		
250 HP. Max WOT Range = 5,500-6,000 RPM's		
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399 455
Tachometer - 8000 RPM - Flagship	Black Face White Face	79-895283A06 421 79-895283A26 426
Tachometer - 8000 RPM - Admiral	Black Face White Face	79-895283Q06 433 79-895283Q26 440
Tachometer - 7000 RPM - Flagship	Black Face White Face	79-895283A05 421 79-895283A25 426
Tachometer - 7000 RPM - Admiral	Black Face White Face	79-895283Q05 433 79-895283Q25 440
Tachometer - 6000 RPM - Flagship	Black Face White Face	79-895283A03 421 79-895283A23 425
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03 433

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
	White Face	79-895283Q23	440
Tachometer Harness - Analog	5 ft. length x 14 pin	84-892990T01	551
	10 ft. length x 14 pin	84-892990T10	551
	15 ft. length x 14 pin	84-892990T15	551
Speedometer - 80 MPH - Flagship	Black Face	79-895285A04	422
	White Face	79-895285A24	426
Speedometer - 80 MPH - Admiral	Black Face	79-895285Q04	434
	White Face	79-895285Q24	441
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03	422
	White Face	79-895285A23	426
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03	434
	White Face	79-895285Q23	441
Battery Meter - Flagship	Black Face	79-895286A01	422
	White Face	79-895286A21	427
Battery Meter - Admiral	Black Face	79-895286Q01	434
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	Black Face	79-895291A01	424
	White Face	79-895291A21	428
Fuel Gauge - Admiral	Black Face	79-895291Q01	436
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	Black Face	79-895295A01	425
	White Face	79-895295A21	429
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	White Face	79-895295Q21	443
Power Trim - Flagship - Analog	Black Face	79-895292A01	425
	White Face	79-895292A21	428
Power Trim - Admiral - Analog	Black Face	79-895292Q01	436
	White Face	79-895292Q21	443
Water Pressure Gauge - 30 PSI - Flagship	Black Face	79-895288A03	423
	White Face	79-895288A23	427
Water Pressure Gauge - 30 PSI - Admiral	Black Face	79-895288Q03	435
	White Face	79-895288Q23	442
Water Temperature Gauge (100-240 deg. F) - Flagship	Black Face	79-895287A01	423
	White Face	79-895287A21	427
Water Temperature Gauge (100-240 deg. F) - Admiral	Black Face	79-895287Q01	434
	White Face	79-895287Q21	441
Dual Engine Synchronizer - Flagship	Black Face	79-895294A01	424
	White Face	79-895294A21	429
Dual Engine Synchronizer - Admiral	Black Face	79-895294Q01	436
	White Face	79-895294Q21	443
Oil Level (for tanks w/quick connect)	Flagship - Black Face	79-895290A01	424
	Flagship - White Face	79-895290A21	428
	Admiral - Black Face	79-895290Q01	436
Oil Level (for tanks w/o quick connect)	Admiral - White Face	879346A58	

Description		Part Number	Page
(Verify engine for suitability of product.)	Instrumentation - SmartCraft Gauges		
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	398
	Round - White	79-892219K20	398
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
	Gateway Level 3 Data and SmartTow Pro	79-8M0135618	397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135619	398
	MercMonitor - no NMEA2000	79-8M0119406	398
SC1000 Black - Glass Lens	Bezels must be ordered separately.		
	Glass Lens 7,000 Tach	79-8M0135641	381
	Glass Lens, Single Engine Kit	79-8M0135633	
	Glass Lens, Dual Engine Kit	79-8M0135632	
Bezels must be ordered separately.			
SC1000 White - Glass Lens	Glass Lens 7,000 Tach	79-8M0135634	379
	Glass Lens, Single Engine Kit	79-8M0135688	
	Glass Lens, Dual Engine kit	79-8M0135626	
	Bezels must be ordered separately.		
SC1000 Gray - Glass Lens	Glass Lens 7,000 Tach	79-8M0135645	382
	Glass Lens, Single Engine Kit	79-8M0135648	
	Glass Lens, Dual Engine kit	79-8M0135649	
	Bezels must be ordered separately.		
VesselView Mobile		84-8M0115080	
VesselView403		8M0124498	371
VesselView502 Single Engine		8M0110643	371
VesselView502 Multi Engine		8M0110646	371
VesselView703 Single Engine		8M0124495	371
VesselView703 Multi Engine		8M0124496	371
VesselView903 Single Engine		8M0129543	370
VesselView903 Multi Engine		8M0129545	370
Electrical			
Ignition/Choke Assembly - 2 ft. (609 mm) harness		84-896537K02	565
Ignition/Choke Assembly - 8 ft. (2.44 m) harness		84-896537K08	565
Ignition/Choke Assembly - 11 ft. (3.35 m) harness		84-896537K11	565
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15	565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20	566
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	Single harness	84-896537K24	566
Ignition/Choke Assembly - 25 ft. (7.62 m) harnesses	Two harnesses	84-896537K25	566
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	Single harness	84-896537K29	566
Ignition/Choke Assembly - 30 ft. (9.14 m) harnesses	Two harnesses	84-896537K30	566
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	573
	Chrome bezel mounted	87- 19674A08	573
Lanyard Stop Switch, dual engine	Flush mounted	87- 19674A12	573
	Chrome bezel mounted	87- 19674A13	574

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Lanyard Stop Switch, triple or quad	Flush mounted	87- 19674A14	
	Chrome bezel mounted	87- 19674A15	
Diode Assembly - dual engine	(required to use a single lanyard)	84-898289A72	574
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)		
Water Separating Fuel Filter - canister style	Located on 3.0L EFI and all 2.5L	35- 18458Q 4	238
Fuel Filter - Element Style	Located on 3.0L DFI and DTS	35-8M0122423	249
Fuel Line 9 ft. (2.74m) - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061899	
Fuel Line 12 ft. (3.7m) - Q/S - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061887	
Fuel Line 12 ft. (3.7m) - MPP - (US-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0061896	
Fuel Line 9 ft. (2.74m) - (non-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M8026967	73
Fuel Line 12 ft. (3.7m) - Q/S - (non-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0054326	73
Fuel Line 12 ft. (3.7m) - MPP - (non-EPA)	5/16 ID - Primer Bulb - No Ends	32-8M0054331	
Bulk Fuel Line - (low permeation)	5/16 ID - no bulb or ends - 100 ft.	32-8M0038500	73
	3/8 ID - no bulb or ends - 100 ft.	32-8M0038563	73
Fuel Line Connector	3/8 to 5/16	22-8M0001721	77
Primer Bulb - MPP (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061876	
Primer Bulb - QS (US-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0061875	
Primer Bulb - MPP (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054314	
Primer Bulb - QS (non-EPA)	Used with 5/16 or 3/8 ID fuel lines	8M0054313	73
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) - Plastic Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	70
Fuel Tank (non-US) 6.6 gal. - Plastic Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	70
	Miscellaneous Accessories		
Oil Tank Extension Kit	(includes 30 ft. of double oil hose)	41729A 3	89
Oil Tank Hold Down Kit	For optional 1.8 gallon tank	824954A 1	89
	For 3 gallon tank - floor or wall mount	12335A 1	89
	For 3 gallon tank - floor mount only	884481A 1	89
Optional Oil Tank System	1.8 gallon (6.8 L)	15943A 1	88
Deck Oil Fill	Straight filler neck	15969A09	89
	80 degree filler neck	15969A10	90
Rigging Hose Kit		32-825191A03	52, 475
High Altitude Gear Kit	Converts 1.87:1 to 2:1 gear ratio	43- 44102A 2	64
Trim Limit Switch Kit - mercury switch style	Model Year 2003 & newer 3.0L Optimax	87-887979A 2	33
Trim Limit Switch Kit - electronic switch style	Analog device	899625K02	589
Trim Limit Switch Kit - electronic switch style	Digital device	899625K04	590
Trim Reducer Kit		858915A 1	33
Trailer Clip		833006A 1	34

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Big Tiller	Mechanical Power Steering Version	NLA	
Big Tiller throttle/shift cable kit	Required	8M0082353	45, 606
Big Tiller Auxiliary Light	Optional	87-897978T02	46, 607
RPM Adjuster	Optional	87-8M0083437	46, 592
Flushing Attachment - allows running engine - Q/S	(not for use with Jet)	44357Q 2	203
Flushing Attachment - allows running engine - MPP	(not for use with Jet)	44357T 2	
Dual Water Pickup Flush Seal Kit - Q/S		881150Q 1	204
Dual Water Pickup Flush Seal Kit - MPP		881150K 1	
Steering			
Ride Guide Attaching Kit - Mechanical	Single Engine - Two Cable	92876A 8	646
	Dual Engine - Two Cable	92876A 9	646
Hydraulic Steering - bolt on	Standard 1.5 Helm without hoses	8M0056139	623
	Tilt Helm w/remote fill (no hoses)	8M0056140	624
	Port Cylinder	8M0056145	623
	Starboard Cylinder	8M0050097	623
Hydraulic Hoses	Cylinder to Helm	32-8M0053474 thru 8M0053491	625
Dual Engine Tie Bars	Dual engine with single cylinder	64-8M0063473 thru 8M0063477	620
	Dual engine with two cylinders	64-892789Q22 thru 892789Q27	620
Kicker Tie Bar	Port engine mount	898370A03	621
	Starboard engine mount	898966A02	621

QUICK REFERENCE FOURSTROKE CHARTS

4-5-6 Hp FourStroke 0R411838 & above

Description		Part Number	Page
Controls			
Remote Control Conversion Kit	Converts Tiller model to RC model	8M0062241	473
Throttle/Shift Cables (two required)		8M0085937 thru 8M0085963	481
Instrumentation			
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	455
Fuel Line Assemblies, Tanks & Hardware			
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	
	QS Branded	8M0061875	

QUICK REFERENCE GUIDE-OUTBOARD

Description	Part Number	Page
Miscellaneous Accessories		
Flushing Attachment - static flush	Serial number 0R411838 and above	8M0057047 66
Flushing Attachment - allows running engine - Q/S	12612Q 2	66
Steering		
Clevis Kit	70599A 5	

8-9.9 Hp FourStroke 0R192772 & above

Description	Part Number	Page
Controls		
Panel Mount Controls - General Information	May only be used above s/n 0R052327	
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212 462
	Lock Bar	883710A01 463
Panel Mount (with trim) - MPC 4000 Series (Gen II)		
	Finger Release - Black Handle	8M0011213 462
	Finger Release - Chrome Handle	8M0030550 462
	Lock Bar	883710A02 463
Console Mount - General Information		
Console Mount (single eng. w/o-trim) - MCC 4500	Gen II	8M0060782
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686
Throttle/Shift Cables (two required) - GEN I		
Throttle/Shift Cables (two required) - GEN I	897977A03 thru 897977A04	
Throttle/Shift Cables (two required) - GEN II		
Throttle/Shift Cables (two required) - GEN II	8M0082526 thru 8M0082553	480
Instrumentation		
8/9.9 Hp. Max WOT Range = 5,000-6,000 RPM's		
Tachometer - 6000 RPM - Flagship	White Face	79-895283A43 429
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03 433
	White Face	79-895283Q23 440
Digital Depth Gauge Kit		
	White Face/White Bezel	79-879292A02
	Black Face/Black Bezel	79-879292A01
Service Monitor		
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399 455
Ignition/Charging		
Electrical		
14 pin x 2 ft. (.61 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T02 550
14 pin x 8 ft. (2.44 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T08 550
14 pin x 11 ft. (3.35 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T11 550
14 pin x 15 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T15 550
14 pin x 20 ft. (6.1 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T20 550
14 pin x 25 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T24 550
14 pin x 30 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T29 550
Keyswitch	Required for above harnesses	87- 88107A13 561
Ignition/Choke Assembly - Transom Mounted	14 pin, requires adapter harness & choke harness	15000A14 38, 567

Description		Part Number	Page
Ignition/Choke Assembly - 2 ft. (.61 m) harness	8 pin, requires adapter harness	84-816626A 2	219, 564
Ignition/Choke Assembly - 8 ft. (2.44 m) harness	8 pin, requires adapter harness	84-816626A 8	564
Ignition/Choke Assembly - 11 ft. (3.35 m) harness	8 pin, requires adapter harness	84-816626A11	564
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A15	219, 564
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	8 pin, requires adapter harness	84-816626A20	219, 565
Ignition/Choke Assembly - 25 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A24	220, 565
Ignition/Choke Assembly - 30 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A29	565
Ignition/Choke Assembly - Transom Mounted	8 pin, requires adapter harness	15000A 7	38, 567
Adapter Harness			
Adapter Harness	Adapts 14 pin control harness to engine Amp connector	84-896541T01	558
Adapter Harness	Adapts 8 pin control harness to engine Amp connector	84-892473A01	467
Choke Harness with gauge connections			
Choke Harness with gauge connections	Use if gauges are to be hooked up	84-892990T01	551
Choke Harness without gauge connections			
Choke Harness without gauge connections	Use for choke only, no gauges	84-896537T99	551
Fuel Line Assemblies, Tanks & Hardware			
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic			
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style			
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style			
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Primer Bulb Assembly (US-EPA)			
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876	
Primer Bulb Assembly (US-EPA)	QS Branded	8M0061875	
Miscellaneous Accessories			
Pro-Kicker Strap Kit			
Pro-Kicker Strap Kit	Fits ELPT & EXLPT, Pro-Kicker models	896297A01	96
Flushing Attachment - static flush - Q/S			
Flushing Attachment - static flush - Q/S		16841Q02	65
Flushing Attachment - allows running engine - Q/S			
Flushing Attachment - allows running engine - Q/S	Used with BigFoot gearcase	12612Q 2	66
Flushing Attachment - allows running engine - Q/S	Used with Standard & BigFoot gearcase	44357Q 2	203
Mounting Hardware Kit			
Mounting Hardware Kit	2 screws, washers & nuts	56- 92729A49	62

15 Hp (351cc) FourStroke 0R235949 & above

Description		Part Number	Page
Controls			
Panel Mount (non-trim) - MPC 4000 Series (Gen II)			
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212	462
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Lock Bar	883710A01	463
Panel Mount (with trim) - MPC 4000 Series (Gen II)			
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	462
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Chrome Handle	8M0030550	462
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Lock Bar	883710A02	463
Console Mount (single eng. w/o-trim) - MCC 4500			
Console Mount (single eng. w/o-trim) - MCC 4500	Gen II	8M0060782	
Console Mount (single eng. with trim) - MCC 4500			
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686	
Throttle/Shift Cables (two per engine) - (Gen I)			
Throttle/Shift Cables (two per engine) - (Gen I)	Premium Series	897977A03 thru 897977A04	

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Throttle/Shift Cables (two per engine) - (Gen II)	Premium Series	8M0082526 thru 8M0082553	480
	Instrumentation		
15 Hp. maximum WOT range = 5,000-6,000 RPM's			
Tachometer - 6000 RPM - Flagship	White Face	79-895283A43	429
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03	433
	White Face	79-895283Q23	440
Tachometer Harness	Use with 8 or 10 pin Side Mount controls or harness	84-86396A8	585
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harness	84-892990T01	551
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount controls or harness	84-892990T10	551
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount controls or harness	84-892990T15	551
Speedometer - 10/45 MPH - Flagship	White Face	79-895285A41	430
Speedometer - 10/45 MPH - Admiral	Black Face	79-895285Q01	433
	White	79-895285Q21	440
Battery Meter - Flagship	White Face	79-895286A41	430
Battery Meter - Admiral	Black Face	79-895286Q01	434
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	White Face	79-895291A41	432
Fuel Gauge - Admiral	Black Face	79-895291Q01	436
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	White Face	79-895295A41	432
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	White Face	79-895295Q21	443
Digital Depth Gauge Kit	Black Face/Black Bezel	79-879292A01	
	White Face/White Bezel	79-879292A02	
Low Oil Warning Light Kit	Dash Mounted - ERC Models only	8M0031424	
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	455
	Electrical		
14 pin x 2 ft. (.61 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T02	550
14 pin x 8 ft. (2.44 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T08	550
14 pin x 11 ft. (3.35 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T11	550
14 pin x 15 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T15	550
14 pin x 20 ft. (6.1 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T20	550
14 pin x 25 ft. (7.62 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T24	550
14 pin x 30 ft. (9.14 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T29	550
Keyswitch	Required for harnesses above	87-88107A13	561
Ignition/Choke Assembly - Transom Mounted	14 pin, requires adapter harness & choke harness	15000A14	38, 567
Ignition/Choke Assembly - 2 ft. (.61 m) harness	8 pin, requires adapter harness	84-816626A2	219, 564
Ignition/Choke Assembly - 8 ft. (2.44 m) harness	8 pin, requires adapter harness	84-816626A8	564
Ignition/Choke Assembly - 11 ft. (3.35 m) harness	8 pin, requires adapter harness	84-816626A11	564
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A15	219, 564
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	8 pin, requires adapter harness	84-816626A20	219, 565
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	8 pin, requires adapter harness	84-816626A24	220, 565

Description	Part Number	Page
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	8 pin, requires adapter harness 84-816626A29	565
Ignition/Choke Assembly - Transom Mounted	8 pin, requires adapter harness 15000A 7	38, 567
Adapter Harness		
Adapter Harness	Adapts 8 pin control harness to engine Amp connector 84-892473A01	467
Adapter Harness	Adapts 14 pin control harness to engine Amp connector 84-896541T01	558
Choke Harness with gauge connections		
Choke Harness with gauge connections	Use if gauges are to be hooked up 84-892990T01	551
Choke Harness without gauge connections	Use for choke only, no gauges 84-896537T99	551
Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge 1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge 1200-8M0047598	
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style		
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant 1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style		
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant 1200-8M0045691	
Primer Bulb Assembly (US-EPA)		
Primer Bulb Assembly (US-EPA)	MPP Branded 8M0061876	
Primer Bulb Assembly (US-EPA)	QS Branded 8M0061875	
Miscellaneous Accessories		
Oil Filter - QS	35-8M0162832	273
Oil Filter Wrench - QS	91-802653Q02	303
Flushing Attachment - allows running engine - Q/S	44357Q 2	203

20 Hp (351cc) FourStroke 0R235168 & above

Description	Part Number	Page
Controls		
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle 8M0011212	462
	Lock Bar 883710A01	463
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle 8M0011213	462
	Finger Release - Chrome Handle 8M0030550	462
	Lock Bar 883710A02	463
Console Mount (single eng. w/o-trim) - MCC 4500	Gen II 8M0060782	
Console Mount (single eng. with trim) - MCC 4500	Gen II 8M0059686	
Throttle/Shift Cables (two per engine) - (Gen I)	Premium Series 897977A03 thru 897977A50	
Throttle/Shift Cables (two per engine) - (Gen II)	Premium Series 8M0082526 thru 8M0082553	480
Instrumentation		
20 Hp. maximum WOT range = 5,100-6,100 RPM's		
Tachometer - 6000 RPM - Flagship	White Face 79-895283A43	429
Tachometer - 6000 RPM - Admiral	Black Face 79-895283Q03	433
	White Face 79-895283Q25	440

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Tachometer Harness	Use with 8 or 10 pin Side Mount controls or harness	84- 86396A 8	585
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harness	84-892990T01	551
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount controls or harness	84-892990T10	551
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount controls or harness	84-892990T15	551
Speedometer - 10/45 MPH - Flagship	White Face	79-895285A41	430
Speedometer - 10/45 MPH - Admiral	Black Face	79-895285Q01	433
	White	79-895285Q21	440
Battery Meter - Flagship	White Face	79-895286A41	430
Battery Meter - Admiral	Black Face	79-895286Q01	434
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	White Face	79-895291A41	432
Fuel Gauge - Admiral	Black Face	79-895291Q01	436
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	White Face	79-895295A41	432
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	White Face	79-895295Q21	443
Digital Depth Gauge Kit	Black Face	79-879292A01	
	White Face	79-879292A02	
Low Oil Warning Light Kit	Dash Mounted - ERC Models only	8M0031424	
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	455
	Electrical		
14 pin x 2 ft. (.61 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T02	550
14 pin x 8 ft. (2.44 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T08	550
14 pin x 11 ft. (3.35 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T11	550
14 pin x 15 ft. (4.6 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T15	550
14 pin x 20 ft. (6.1 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T20	550
14 pin x 25 ft. (7.62 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T24	550
14 pin x 30 ft. (9.14 m) harness	Requires adapter harness, choke harness & keyswitch	84-896537T29	550
Keyswitch	Required for harnesses above	87- 88107A13	561
Ignition/Choke Assembly - Transom Mounted	14 pin, requires adapter harness & choke harness	15000A14	38, 567
Ignition/Choke Assembly - 2 ft. (.61 m) harness	8 pin, requires adapter harness	84-816626A 2	219, 564
Ignition/Choke Assembly - 8 ft. (2.44 m) harness	8 pin, requires adapter harness	84-816626A 8	564
Ignition/Choke Assembly - 11 ft. (3.35 m) harness	8 pin, requires adapter harness	84-816626A11	564
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	8 pin, requires adapter harness	84-816626A15	219, 564
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	8 pin, requires adapter harness	84-816626A20	219, 565
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	8 pin, requires adapter harness	84-816626A24	220, 565
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	8 pin, requires adapter harness	84-816626A29	565
Ignition/Choke Assembly - Transom Mounted	8 pin, requires adapter harness	15000A 7	38, 567
Adapter Harness	Adapts 8 pin control harness to engine Amp connector	84-892473A01	467
Adapter Harness	Adapts 14 pin control harness to engine Amp connector	84-896541T01	558
Choke Harness with gauge connections	Use if gauges are to be hooked up	84-892990T01	551
Choke Harness without gauge connections	Use for choke only, no gauges	84-896537T99	551

Description	Part Number	Page
Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876
	QS Branded	8M0061875
Miscellaneous Accessories		
Oil Filter - QS	35-8M0162832	273
Oil Filter Wrench - QS	91-802653Q02	303
Flushing Attachment - allows running engine - Q/S	44357Q 2	203

25-30 Hp EFI FourStroke 0R106999 & above

Description	Part Number	Page
Controls		
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness, Gen II	8M0083666
	20 ft. (6.1 m) harness, Gen II	8M0083667
	Extra 6 ft. Extension (10 pin)	84-8M0058668
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212
	Lock Bar	883710A01
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213
	Finger Release - Chrome Handle	8M0030550
	Lock Bar	883710A02
Console Mount (single eng. w/o-trim) - MCC 4500	Gen II	8M0060782
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686
Console Mount (dual eng. w/o-trim) - MCC 4500	Gen II	8M0075244
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	897977A03 thru 897977A04
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	8M0082526 thru 8M0082553
Instrumentation		
25 Hp. Max WOT range = 5,000-6,000 RPM's		
30 Hp. Max WOT range = 5,250-6,250 RPM's		
Tachometer - 6000 RPM - Flagship	White Face	79-895283A43
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
	White Face	79-895283Q23	440
Tachometer Harness - Analog - 5ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T01	551
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T10	551
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T15	551
Speedometer - 10/45 MPH - Flagship	White Face	79-895285A41	430
Speedometer - 10/45 MPH - Admiral	Black Face	79-895285Q01	433
	White Face	79-895285Q21	440
Battery Meter - Flagship	White Face	79-895286A41	430
Battery Meter - Admiral	Black Face	79-895286Q01	434
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	White Face	79-895291A41	432
Fuel Gauge - Admiral	Black Face	79-895291Q01	436
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	White Face	79-895295A41	432
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	White Face	79-895295Q21	443
Power Trim - Flagship	White Face	79-895292A41	432
Power Trim - Admiral	Black Face	79-895292Q01	436
	White Face	79-895292Q21	443
Power Trim Sender Kit		822573A12	451
Water Pressure Gauge - 30 PSI - Admiral	Black Face	79-895288Q03	435
	White Face	79-895288Q23	442
	White Face/White Bezel	79-879292A02	
Low Oil Warning Light Kit	Dash Mounted - ERC Models only	8M0031424	
	Ignition/Charging		
	Electrical		
Ignition/Choke Assembly - 11 ft. (3.35 m) harness		84-896537K11	565
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15	565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20	566
Ignition/Choke Assembly - 30 ft. (9.14 m) harness		84-896537K29	566
Ignition/Choke Assembly - Transom Mounted	14 pin connector	15000A14	38, 567
MerCathode		88334A 2	180
	Fuel Line Assemblies, Tanks & Hardware		
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, without gauge	1200-8M0045692	
Fuel Tank (US-EPA) 3.2 gal. (12 L) - Plastic	US-EPA 2011 Compliant, with fuel gauge	1200-8M0047598	
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	

Description	Part Number	Page
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876
	QS Branded	8M0061875
	Miscellaneous Accessories	
Oil Filter - QS	35-8M0162832	273
Oil Filter Wrench - QS	91-802653Q02	303
Flushing Attachment - allows running engine - Q/S	44357Q 2	203
Prop Hardware Kit	Nut, thrust hub, washer & cotter pin	13914Q03
	Steering	
Steering Link Rod with engine bracket	Starboard Entry, thru-tilt tube mechanical	898101A45

40 Hp (3 cyl) FourStroke 1C049739 & above

Description	Application	Part Number	Thru	P/N	Page
	Controls				
Side Mount - MSC 4000 Series - Electric (non-trim)	15 ft. (4.6 m) harness, Gen II	8M0083860			
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness, Gen II	8M0083666			
	20 ft. (6.1 m) harness, Gen II	8M0083667			
	Extra 6 ft. Extension (10 pin)	84-8M0058668			467
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2			469
Panel Mount (non-trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011212			462
	Lock Bar	883710A01			463
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213			462
	Finger Release - Chrome Handle	8M0030550			462
	Lock Bar	883710A02			463
Console Mount (single eng. w/o-trim) - Commander		88688A27			470
Console Mount (single eng. w/o-trim) - MCC 4500	Gen II	8M0060782			
Console Mount (single eng. with trim) - Commander		88688A25			469
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686			
Console Mount (dual eng. w/o-trim) - Commander		88688A24			470
Console Mount (dual eng. w/o-trim) - MCC 4500	Gen II	8M0075244			464
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			470
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			464
Remote Control Attaching Kit	Converts EH (tiller) to ERC (remote)	880095A08			472
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	897977A03	thru	897977A50	
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	897978A03	thru	897978A50	
	Instrumentation				
40 Hp. Max. WOT Range = 5,500-6,000 RPM's					

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE GUIDE-OUTBOARD

Description	Application	Part Number	Thru P/N	Page
Tachometer - 6000 RPM - Flagship	Black Face	79-895283A03		421
	White Face	79-895283A23		425
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03		433
	White Face	79-895283Q23		440
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T01		551
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T10		551
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T15		551
Speedometer - 45/50 MPH - Flagship	Black Face	79-895285A01		422
	White Face	79-895285A21		426
Speedometer - 45/50 MPH - Admiral	Black Face	79-895285Q01		433
	White Face	79-895285Q21		440
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03		422
	White Face	79-895285A23		426
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03		434
	White Face	79-895285Q23		441
Battery Meter - Flagship	Black Face	79-895286A01		422
	White Face	79-895286A21		427
Battery Meter - Admiral	Black Face	79-895286Q01		434
	White Face	79-895286Q21		441
Fuel Gauge - Flagship	Black Face	79-895291A01		424
	White Face	79-895291A21		428
Fuel Gauge - Admiral	Black Face	79-895291Q01		436
	White Face	79-895291Q21		443
Cruiselog (hour meter) - Flagship	Black Face	79-895295A01		425
	White Face	79-895295A21		429
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01		436
	White Face	79-895295Q21		443
Power Trim - Flagship	Black Face	79-895292A01		425
	White Face	79-895292A21		428
Power Trim - Admiral	Black Face	79-895292Q01		436
	White Face	79-895292Q21		443
Power Trim Sender Kit		8M0098264		451
Water Pressure Gauge - 30 PSI - Flagship	Black Face	79-895288A03		423
	White Face	79-895288A23		427
Water Pressure Gauge - 30 PSI - Admiral	Black Face	79-895288Q03		435
	White Face	79-895288Q23		442
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399		455
	Electrical			
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15		565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20		566
Ignition/Choke Assembly - Transom Mounted		15000A14		38, 567
Power Trim Switch Kit - 10 ft. (3.0 m)		87-18286A18		28, 591

QUICK REFERENCE GUIDE-OUTBOARD

Description	Application	Part Number	Thru P/N	Page
Power Trim Switch Kit - 25 ft. (7.6 m)		87-18286A19		591
Lanyard Stop Switch, single engine	Flush mounted	87-19674A07		573
	Chrome bezel mounted	87-19674A08		573
Lanyard Stop Switch, dual engines	Flush mounted	87-19674A12		573
	Chrome bezel mounted	87-19674A13		574
MerCathode		88334A 2		180
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)			
Fuel Filter - EFI Models	In-Line	35-879885Q		240
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563		73
	5/16 ID	32-8M0038500		73
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID Line	22-8M0001721		77
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600		
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection	1200-8M0057256		
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection & integral gauge	1200-8M0047607		71
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451		70
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691		
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection	1200-8M0057254		71
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection & integral gauge	1200-8M0047603		71
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452		70
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876		
	Quicksilver Branded	8M0061875		
Primer Bulb Assembly (non-EPA)	MPP Branded	8M0054314		
	Quicksilver Branded	8M0054313		73
	Miscellaneous Accessories			
Oil Filter - QS		35-8M0162830		273
Oil Filter - MPP		35-8M0162829		
Oil Filter Wrench - QS		91-802653Q02		303
Oil Filter Wrench - MPP		91-802653K02		
Crankcase Oil Pump		802889Q 1		302
Thermostat Kit		825212A 1		236
Tiller Handle Kit	Converts ERC (remote) to EH (tiller)	880093A03		44
Flushing Attachment - allows running engine - Q/S		44357Q 2		203
Flushing Attachment - allows running engine - MPP		44357T 2		
	Steering			
Steering Bracket w/o carrying handle		816667A 2		52, 644
Ride Guide Attaching Kit	Starboard Cable Entry	19608A14		643

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE GUIDE-OUTBOARD

Description	Application	Part Number	Thru	P/N	Page
	Port Cable Entry	19609A 6			644

40-50-60 Hp FourStroke 1C050252 & above

Description	Application	Part Number	Thru	P/N	Page
	Controls				
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness, Gen I	8M0083666			
	20 ft. (6.1 m) harness, Gen I	8M0083667			
	Extra 6 ft. extension (10 pin)	84-8M0058668			467
Dual Engine Remote Control Kit	Used with side mount controls	16909A 2			469
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213			462
	Finger Release - Chrome Handle	8M0030550			462
	Lock Bar	883710A02			463
Console Mount (single eng. with trim) - Commander		88688A25			469
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686			
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22			470
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245			464
Remote Control Conversion Kit	40 BigFoot, 50 & 60 Converts EH (tiller) to ERC (remote)	880095A08			472
Remote Control Extension Harness - 10 ft. (3.0 m)		84- 17829A10			553
Remote Control Extension Harness - 20 ft. (6.1 m)		84- 17829A20			553
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	897977A03	thru	897977A50	
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	897978A03	thru	897978A50	
	Instrumentation - Analog Gauges				
40/50/60 Hp. Max WOT Range = 5,500-6,000 RPM's					
Tachometer - 7000 RPM - Flagship	Black Face	79-895283A05			421
	White Face	79-895283A25			426
Tachometer - 7000 RPM - Admiral	Black Face	79-895283Q05			433
	White Face	79-895283Q25			440
Tachometer - 6000 RPM - Flagship	Black Face	79-895283A03			421
	White Face	79-895283A23			425
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03			433
	White Face	79-895283Q23			440
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount Controls or harnesses.	84-892990T01			551
Tachometer Harness - Analog - 10 ft.	Use with 14 pin Side Mount Controls or harnesses	84-892990T10			551
Tachometer Harness - Analog - 15 ft.	Use with 14 pin Side Mount Controls or harnesses	84-892990T15			551
Speedometer - 45/50 MPH - Flagship	Black Face	79-895285A01			422
	White Face	79-895285A21			426
Speedometer - 45/50 MPH - Admiral	Black Face	79-895285Q01			433
	White Face	79-895285Q21			440

QUICK REFERENCE GUIDE-OUTBOARD

Description	Application	Part Number	Thru P/N	Page
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03		422
	White Face	79-895285A23		426
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03		434
	White Face	79-895285Q23		441
Battery Meter - Flagship	Black Face	79-895286A01		422
	White Face	79-895286A21		427
Battery Meter - Admiral	Black Face	79-895286Q01		434
	White Face	79-895286Q21		441
Fuel Gauge - Flagship	Black Face	79-895291A01		424
	White Face	79-895291A21		428
Fuel Gauge - Admiral	Black Face	79-895291Q01		436
	White Face	79-895291Q21		443
Cruiselog (hour meter) - Flagship	Black Face	79-895295A01		425
	White Face	79-895295A21		429
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01		436
	White Face	79-895295Q21		443
Power Trim - Flagship	Black Face	79-895292A01		425
	White Face	79-895292A21		428
Power Trim - Admiral	Black Face	79-895292Q01		436
	White Face	79-895292Q21		443
Water Pressure Gauge - 30 PSI - Flagship	Black Face	79-895288A03		423
	White Face	79-895288A23		427
Water Pressure Gauge - 30 PSI - Admiral	Black Face	79-895288Q03		435
	White Face	79-895288Q23		442
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399		455
(Verify engine for suitability of product)	Instrumentation - SmartCraft Gauges			
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21		398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19		
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19		398
	Round - White	79-892219K20		398
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536		397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617		397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618		397
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619		398
	MercMonitor - No NMEA2000 Data	79-8M0119406		398
SC1000 Black - Glass Lens	Bezels must be ordered separately			
	Glass Lens 7,000 Tach	79-8M0135641		381
	Glass Lens, Single Engine Kit	79-8M0135633		
	Glass Lens, Dual Engine Kit	79-8M0135632		
SC1000 White - Glass Lens	Bezels must be ordered separately			
	Glass Lens 7,000 Tach	79-8M0135634		379
	Glass Lens, Single Engine Kit	79-8M0135688		

QUICK REFERENCE GUIDE-OUTBOARD

Description	Application	Part Number	Thru	P/N	Page
	Glass Lens, Dual Engine Kit	79-8M0135626			
SC1000 - Gray Lens	Bezels must be ordered separately				
	Glass Lens 7,000 Tach	79-8M0135645			382
	Glass Lens, Single Engine Kit	79-8M0135648			
	Glass Lens, Dual Engine Kit	79-8M0135649			
VesselView Mobile		84-8M0115080			
VesselView403		8M0124498			371
VesselView502 Single Engine		8M0110643			371
VesselView502 Multi Engine		8M0110646			371
VesselView703 Single Engine		8M0124495			371
VesselView703 Multi Engine		8M0124496			371
VesselView903 Single Engine		8M0129543			370
VesselView903 Multi Engine		8M0129545			370
	Electrical				
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15			565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20			566
Ignition/Choke Assembly - Transom Mounted		15000A14			38, 567
Power Trim Switch Kit - 10 ft. (3.0 m)	With or without tiller handle	87- 18286A18			28, 591
Power Trim Switch Kit - 25 ft. (7.6 m)	With or without tiller handle	87- 18286A19			591
Lanyard Stop Switch, single engine	Flush mounted	87-19674A07			573
	Chrome bezel mounted	87-19674A08			573
Lanyard Stop Switch, dual engines	Flush mounted	87-19674A12			573
	Chrome bezel mounted	87-19674A13			574
MerCathode		88334A 2			180
	Fuel Line Assemblies, Tanks & Hardware (Low Permeation hoses shown below)				
Fuel Filter - EFI Models		35-879885Q			240
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563			73
	5/16 ID	32-8M0038500			73
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID line	22-8M0001721			77
Fuel Tank (US-EPA) 6.6 gal. (25 L) Box Style	US-EPA 2011 Compliant	1200-8M0054600			
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection	1200-8M0057256			
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Threaded fuel line connection & integral gauge	1200-8M0047607			71
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451			70
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691			
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection	1200-8M0057254			71
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Threaded fuel line connection & integral gauge	1200-8M0047603			71
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452			70
Primer Bulb Assembly (US-EPA)	MPP Branded	8M0061876			
	QS Branded	8M0061875			
Primer Bulb Assembly (non-EPA)	MPP Branded	8M0054314			
	QS Branded	8M0054313			73

Description	Application	Part Number	Thru	P/N	Page
Miscellaneous Accessories					
Oil Filter - QS		35-8M0162830			273
Oil Filter - MPP		35-8M0162829			
Oil Filter Wrench - QS		91-802653Q02			303
Oil Filter Wrench - MPP		91-802653K02			
Crankcase Oil Pump		802889Q 1			302
Tiller Handle Kit	40 BigFoot, 50 & 60 Converts ERC (remote) to EH (tiller)	880093A03			44
Big Tiller for ELPT Models	Manual mechanical, non-power steering	NLA			
Big Tiller for ELHPT Models	Manual mechanical, non-power steering	NLA			
Big Tiller throttle/shift cable kit	Required for either version	8M0082354			45
Big Tiller Auxiliary Light	Optional	87-897978T02			46, 607
Big Tiller RPM Adjuster	Optional	87-8M0083437			46, 592
Tilt Limit Switch Kit	Analog device	899625K08			590
Driveshaft Extension Kit - 5 in. - 40 BigFoot	Converts 20 in. (508 mm) to 25 in. (635 mm)	12092A20			54
Driveshaft Ext. Kit - 2-1/2 in. - 50/60 Standard	Converts 20 in. (508 mm) to 22-1/2 in. (572 mm)	879150A88			55
Driveshaft Ext. Kit - 5 in. - 50/60 BigFoot	Converts 20 in. (508 mm) to 25 in. (635 mm)	12092A20			54
Flushing Attachment - allows running engine - QS		44357Q 2			203
Flushing Attachment - allows running engine - MPP		44357T 2			
Steering					
Steering Cable Attaching Kit - Mechanical	Starboard entry	19608A14			643
	Port entry	19609A 6			644
Steering Bracket without carrying handle	Necessary to convert tiller to remote steering	816667A 2			52, 644

75-90-115 Hp FourStroke 1B366823-2B094995

Description		Part Number	Page
Controls			
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness	8M0083666	467
	20 ft. (6.1 m) harness	8M0083667	
	Extra 6 ft. extension (10 pin)	84-8M0058668	
Dual Engine Remote Control Kit	Used with side mount controls	16909A 2	469
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	462
	Finger Release - Black Handle	8M0030550	462
	Lock Bar	883710A02	463
Console Mount (single eng. with trim) - Commander		88688A25	469
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686	
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22	470
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245	464

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Throttle/Shift Cables (two per engine) - (Gen I)	Premium	897977A03 thru 897977A50	
Throttle/Shift Cables (two per engine) - (Gen II)	Premium	897978A03 thru 897978A50	
Analog Instrumentation			
75/80/90/100 hp. WOT = 5000-6000 RPMs			
115 hp. WOT = 5800-6400 RPM's			
Tachometer - 8000 RPM - Flagship	Black Face (setting 6P)	79-895283A06	421
	White Face (setting 6P)	79-895283A26	426
Tachometer - 8000 RPM - Admiral	Black Face (setting 6P)	79-895283Q06	433
	White Face setting (6P)	79-895283Q26	440
Tachometer - 7000 RPM - Flagship	Black Face (setting 6P)	79-895283A05	421
	White Face (setting 6P)	79-895283A25	426
Tachometer - 7000 RPM - Admiral	Black Face (setting 6P)	79-895283Q05	433
	White Face (setting 6P)	79-895283Q25	440
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T01	551
- Analog - 10 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T10	551
- Analog - 15 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T15	551
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03	422
	White Face	79-895285A23	426
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03	434
	White Face	79-895285Q23	441
Battery Meter - Flagship	Black Face	79-895286A01	422
	White Face	79-895286A21	427
Battery Meter - Admiral	Black Face	79-895286Q01	434
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	Black Face	79-895291A01	424
	White Face	79-895291A21	428
Fuel Gauge - Admiral	Black Face	79-895291Q01	436
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	Black Face	79-895295A01	425
	White Face	79-895295A21	429
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	White Face	79-895295Q21	443
Power Trim - Flagship	Black Face	79-895292A01	425
	White Face	79-895292A21	428
Power Trim - Admiral	Black Face	79-895292Q01	436
	White Face	79-895292Q21	443
Power Trim Sender Kit	(equipped on engine from factory)	8M0098264	451
Water Pressure Gauge - 40 PSI - Flagship	Black Face	79-895288A05	424
	White Face	79-895288A25	428
Water Pressure Gauge - 40 PSI - Admiral	Black Face	79-895288Q05	435
	White Face	79-895288Q25	442
Water Pressure Fitting	(included in 40 PSI water pressure kits)	22-896094A01	448

Description		Part Number	Page
(Verify engine for suitability of product)	SmartCraft Instrumentation		
SmartCraft Conversion Kit	Includes block water temp & pressure sensors Includes trim position & pitot sensors Gauges must be ordered separately	889250K01	409
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	398
	Round - White	79-892219K20	398
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	397
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	398
	MercMonitor - No NMEA2000 Data	79-8M0119406	
SC1000 Black - Glass Lens	Bezels must be ordered separately Glass Lens, 7,000 Tach	79-8M0135641	381
	Glass Lens, Single Engine Kit	79-8M0135633	
	Glass Lens, Dual Engine Kit	79-8M0135632	
SC1000 White - Glass Lens	Bezels must be ordered separately Glass Lens, 7,000 Tach	79-8M0135634	379
	Glass Lens, Single Engine Kit	79-8M0135658	380
	Glass Lens, Dual Engine Kit	79-8M0135688	
SC1000 Gray - Glass Lens	Bezels must be ordered separately Glass Lens, 7,000 Tach	79-8M0135645	382
	Glass Lens, Single Engine Kit	79-8M0135648	
	Glass Lens, Dual Engine Kit	79-8M0135649	
VesselView Mobile		84-8M0115080	
VesselView403		8M0124498	371
VesselView502 Single Engine		8M0110643	371
VesselView502 Multi Engine		8M0110646	371
VesselView703 Single Engine		8M0124495	371
VesselView703 Multi Engine		8M0124496	371
VesselView903 Single Engine		8M0129543	370
VesselView903 Multi Engine		8M0129545	370
	Electrical		
Ignition/Choke Assembly - 2 ft. (.61 m) harness	with keyswitch	84-896537K02	565
Ignition/Choke Assembly - 8 ft. (2.4 m) harness	with keyswitch	84-896537K08	565
Ignition/Choke Assembly - 11 ft. (3.3 m) harness	with keyswitch	84-896537K11	565
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	with keyswitch	84-896537K15	565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	with keyswitch	84-896537K20	566
Ignition/Choke Assembly - 25 ft. (6.1 m) harness	with keyswitch	84-896537K24	566
Power Trim Switch Kit - 10 ft. (3.0 m)	Surface or flush mounting	87- 18286A47	591
Power Trim Switch Kit - 25 ft. (7.6 m)	Surface or flush mounting	87- 18286A46	589
"Y" Harness for trim switches above	Allows tee-in of bow PT switch with remote controls	84-889295T	592

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	573
	Chrome bezel mounted	87- 19674A08	573
Lanyard Stop Switch, dual engines	Flush mounted	87- 19674A12	573
	Chrome bezel mounted	87- 19674A13	574
Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)			
Fuel Filter	In-Line filter	35-879885Q	240
Fuel Line 100 ft. (30.5m) - (low permeation)	5/16 ID	32-8M0038500	73
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563	73
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID line	22-8M0001721	77
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	70
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	70
Connector Kit - QS branded	Contains on-engine and mating fuel line connector	22-804787Q	76
Connector Kit - MPP branded	Contains on-engine and mating fuel line connector	22-804787T	
Miscellaneous Accessories			
Oil Filter - QS	Requires 91-889277Q01 or K01 filter wrench	35-877761Q01	273
Oil Filter - MPP	Requires 91-889277Q01 or K01 filter wrench	35-877761K01	
Oil Filter Wrench - QS	Fits the 35-877761 series filter	91-889277Q01	304
Oil Filter Wrench - MPP	Fits the 35-877761 series filter	91-889277K01	
Crankcase Oil Pump		802889Q 1	302
Oil Pump Extraction Tube	Required with pump above	32-859717A 2	303
Tiller Handle Kit		NLA	
Big Tiller	Mechanical Non-Power Steering Version	NLA	
Big Tiller	Mechanical Power Steering Version	NLA	
Big Tiller throttle/shift cable kit	Required for either version	8M0082351	45
Replacement Skeg		15985A02	91, 895
Driveshaft Extension Kit - 5 inch	Converts 20 inch (508 mm) to 25 inch (635 mm)	12092A19	54
Tilt Limit Switch Kit	Analog device	899625K02	589
	Digital device	899625K04	590
Flushing Attachment - allows running engine - QS		44357Q 2	203
Flushing Attachment - allows running engine - MPP		44357T 2	
Coastal Flush Kit		858566A03	67
Rigging Tube Kit	Includes 5 ft. of 2 inch tube, clamp & transom fit	32-825191A03	52, 475

Description	Part Number	Page
Steering - Mechanical		
Link Rod Attaching Kit	Used with starboard entry attaching cables 92876A12	644
Ride Guide Attaching Kit	Single Engine - Two Cable 92876A 8	646
	Dual Engine - Two Cable 92876A 9	646
Steering - Hydraulic		
Hydraulic Helms	Standard 1.4L Helm w/fluid & mtg. hdwe. 8M0050098	623
	Tilt Helm w/fluid & mtg. hdwe. 8M0050099	623
Remote Fill Kit	Use with Tilt Helm Kit 64-889934A05	626
Hydraulic Hoses	Cylinder to Helm 32-8M0053474 thru 8M0053491	625
	Hydraulic Cylinder - Standard Rotation 8M0054993	

75-90-115 Hp FourStroke (Standard Models, non-SeaPro and non-ProXS) 2B094996 and Up

Description	Part Number	Page
Controls		
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness 8M0083666	467
	20 ft. (6.1 m) harness 8M0083667	
	Extra 6 ft. extension (10 pin) 84-8M0058668	
Dual Engine Remote Control Kit	Used with side mount controls 16909A 2	469
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle 8M0011213	462
	Finger Release - Black Handle 8M0030550	462
	Lock Bar 883710A02	463
Console Mount (single eng. with trim) - Commander	88688A25	469
Console Mount (single eng. with trim) - MCC 4500	Gen II 8M0059686	
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle 88688A22	470
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle 8M0075245	464
Throttle/Shift Cables (two per engine) - (Gen I)	Premium 897977A03 thru 897977A50	
Throttle/Shift Cables (two per engine) - (Gen II)	Premium 897978A03 thru 897978A50	
Analog Instrumentation		
75/80 WOT = 4500-5500 RPMs		
90/100/115 hp. WOT = 5000-6000 RPM's		
Tachometer - 8000 RPM - Flagship	Black Face (setting 6P) 79-895283A06	421
	White Face (setting 6P) 79-895283A26	426
Tachometer - 8000 RPM - Admiral	Black Face (setting 6P) 79-895283Q06	433
	White Face setting (6P) 79-895283Q26	440
Tachometer - 7000 RPM - Flagship	Black Face (setting 6P) 79-895283A05	421
	White Face (setting 6P) 79-895283A25	426
Tachometer - 7000 RPM - Admiral	Black Face (setting 6P) 79-895283Q05	433
	White Face (setting 6P) 79-895283Q25	440

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Tachometer Harness - Analog - 5 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T01	551
- Analog - 10 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T10	551
- Analog - 15 ft.	Use with 14 pin Side Mount controls or harnesses.	84-892990T15	551
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03	422
	White Face	79-895285A23	426
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03	434
	White Face	79-895285Q23	441
Battery Meter - Flagship	Black Face	79-895286A01	422
	White Face	79-895286A21	427
Battery Meter - Admiral	Black Face	79-895286Q01	434
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	Black Face	79-895291A01	424
	White Face	79-895291A21	428
Fuel Gauge - Admiral	Black Face	79-895291Q01	436
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	Black Face	79-895295A01	425
	White Face	79-895295A21	429
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	White Face	79-895295Q21	443
Power Trim - Flagship	Black Face	79-895292A01	425
	White Face	79-895292A21	428
Power Trim - Admiral	Black Face	79-895292Q01	436
	White Face	79-895292Q21	443
Power Trim Sender Kit	(equipped on engine from factory)	8M0098264	451
Water Pressure Gauge - 40 PSI - Flagship	Black Face	79-895288A05	424
	White Face	79-895288A25	428
Water Pressure Gauge - 40 PSI - Admiral	Black Face	79-895288Q05	435
	White Face	79-895288Q25	442
Water Pressure Fitting	Kit to connect to analog gauge	32-8M0088855	448
(Verify engine for suitability of product)	SmartCraft Instrumentation		
SmartCraft Sensor Kits	Pitot Sensor Kit	8M0090447	419
	Water Pressure Digital Kit	8M0089111	
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	398
	Round - White	79-892219K20	398
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	397
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	398
	MercMonitor - No NMEA2000 Data	79-8M0119406	398

Description		Part Number	Page
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135641	381
	Glass Lens, Single Engine Kit	79-8M0135633	
	Glass Lens, Dual Engine Kit	79-8M0135632	
SC1000 White - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135634	379
	Glass Lens, Single Engine Kit	79-8M0135688	
	Glass Lens, Dual Engine Kit	79-8M0135626	
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens, 7,000 Tach	79-8M0135645	382
	Glass Lens, Single Engine Kit	79-8M0135648	
	Glass Lens, Dual Engine Kit	79-8M0135649	
VesselView Mobile		84-8M0115080	
VesselView403		8M0124498	371
VesselView502 Single Engine		8M0110643	371
VesselView502 Multi Engine		8M0110646	371
VesselView703 Single Engine		8M0124495	371
VesselView703 Multi Engine		8M0124496	371
VesselView903 Single Engine		8M0129543	370
VesselView903 Multi Engine		8M0129545	370
Electrical			
Ignition/Choke Assembly - 2 ft. (.61 m) harness	with keyswitch	84-896537K02	565
Ignition/Choke Assembly - 8 ft. (2.4 m) harness	with keyswitch	84-896537K08	565
Ignition/Choke Assembly - 11 ft. (3.3 m) harness	with keyswitch	84-896537K11	565
Ignition/Choke Assembly - 15 ft. (4.6 m) harness	with keyswitch	84-896537K15	565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness	with keyswitch	84-896537K20	566
Ignition/Choke Assembly - 25 ft. (6.1 m) harness	with keyswitch	84-896537K24	566
Power Trim Switch Kit - 10 ft. (3.0 m)	Surface or flush mounting	87- 18286A47	591
Power Trim Switch Kit - 25 ft. (7.6 m)	Surface or flush mounting	87- 18286A46	589
"Y" Harness for trim switches above	Allows tee-in of bow PT switch with remote controls	84-889295T	592
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	573
	Chrome bezel mounted	87- 19674A08	573
Lanyard Stop Switch, dual engines	Flush mounted	87- 19674A12	573
	Chrome bezel mounted	87- 19674A13	574
Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hoses shown below)			
Low Pressure In-line Fuel Filter	Located under cowl	35-879885K	
Water Separating Fuel Filter Kit	Located in boat, provides warning signal	8M0109543	80
Fuel Line 100 ft. (30.5m) - (low permeation)	5/16 ID	32-8M0038500	73
Fuel Line 100 ft. (30.5m) - (low permeation)	3/8 ID	32-8M0038563	73
Fuel Line Coupler	Barbed ends, couples 3/8 ID line to 5/16 ID line	22-8M0001721	77
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Fuel Tank (non-US) 6.6 gal. (25 L) Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	70
Fuel Tank (non-US) 6.6 gal. Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	70
Primer Bulb Assembly	Not used with this system		
Connector Kit - MPP branded	Contains on-engine and mating fuel line connector	22-804787T	
	Miscellaneous Accessories		
Oil Filter - MPP		35-8M0162829	
Oil Filter Wrench - MPP		91-802653K02	
Crankcase Oil Pump		802889Q 1	302
Oil Pump Extraction Tube	Required with pump above	32-859717A 2	303
Big Tiller	Mechanical Non-Power Steering Version	NLA	
Big Tiller throttle/shift cable kit		8M0082351	45
Replacement Skeg	Standard gearcase	8M0090442	91
	Command Thrust gearcase	8M0060147	92, 896
Driveshaft Extension Kit - Standard gearcase	Converts 20 inch (508 mm) to 25 inch (635 mm)	8M0105089	55
Driveshaft Extension Kit - Command Thrust	Converts 20 inch (508 mm) to 25 inch (635 mm)	8M0105090	55
Steering Trim Tab - Standard Gearcase		8M0091534	237
Tilt Converter/Limit Switch Kit	Provides digital trim signal AND limits trim range	8M0118725	452
Flushing Attachment - allows running engine - QS		44357Q 2	203
Flushing Attachment - allows running engine - MPP		44357T 2	
Rigging Tube Kit	Includes 5 ft. of 2 inch tube, clamp & transom fit	32-825191A03	52, 475
	Steering - Mechanical		
Link Rod Attaching Kit	Used with starboard entry attaching cables	92876A12	644
Ride Guide Attaching Kit	Single Engine - Two Cable	92876A 8	646
	Dual Engine - Two Cable	92876A 9	646
	Steering - Hydraulic		
Hydraulic Helms	Standard 1.4L Helm w/fluid & mtg. hdwe.	8M0050098	623
	Tilt Helm w/fluid & mtg. hdwe.	8M0050099	623
Remote Fill Kit	Use with Tilt Helm Kit	64-889934A05	626
Hydraulic Hoses	Cylinder to Helm	32-8M0053474 thru 8M0053491	625
Hydraulic Cylinder - Standard Rotation		8M0054993	

150 EFI FourStroke (Standard Models, non-SeaPro and non ProXS) 1B905505 & above

Description		Part Number	Page
Controls			
Side Mount - MSC 4000 Series - Electric w/trim	15 ft. (4.6 m) harness	8M0083666	467
	20 ft. (6.1 m) harness	8M0083667	
	Extra 6 ft. extension (10 pin)	84-8M0058668	
Dual Engine Remote Control Kit	(for side mount control stacking)	16909A 2	469
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Finger Release - Black Handle	8M0011213	462
	Finger Release - Chrome Handle	8M0030550	462
	Lock Bar	883710A02	463
Console Mount (single eng. with trim) - Commander		88688A25	469
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0059686	
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A22	470
Console Mount (dual eng. with trim) - MCC 4500	(Gen II) - single trim switch in handle	8M0075245	464
Throttle/Shift Cables (two per engine) - (Gen I)	(Premium Series)	897977A03	thru 897977A50
Throttle/Shift Cables (two per engine) - (Gen II)	(Premium Series)	897978A03	thru 897978A50
Instrumentation - Analog Gauges			
150 HP. Max WOT Range = 5,000-5,800 RPM's			
Analog Gauge Interface	Required for analog water temp or analog oil pressure Trim Sensor Converter not required if AGI is used	892486K08	418
Service Monitor	Apply 3 wraps for proper operation	79-8M0050399	455
Tachometer - 7000 RPM - Flagship	Black Face	79-895283A05	421
	White Face	79-895283A25	426
Tachometer - 7000 RPM - Admiral	Black Face	79-895283Q05	433
	White Face	79-895283Q25	440
Tachometer - 6000 RPM - Flagship	Black Face	79-895283A03	421
	White Face	79-895283A23	425
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03	433
	White Face	79-895283Q23	440
Tachometer Harness - Analog	5 ft. length x 14 pin	84-892990T01	551
	10 ft. length x 14 pin	84-892990T10	551
	15 ft. length x 14 pin	84-892990T15	551
Speedometer - 80 MPH - Flagship	Black Face	79-895285A04	422
	White Face	79-895285A24	426
Speedometer - 80 MPH - Admiral	Black Face	79-895285Q04	434
	White Face	79-895285Q24	441
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03	422
	White Face	79-895285A23	426
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03	434
	White Face	79-895285Q23	441

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Battery Meter - Flagship	Black Face	79-895286A01	422
	White Face	79-895286A21	427
Battery Meter - Admiral	Black Face	79-895286Q01	434
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	Black Face	79-895291A01	424
	White Face	79-895291A21	428
Fuel Gauge - Admiral	Black Face	79-895291Q01	436
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	Black Face	79-895295A01	425
	White Face	79-895295A21	429
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	White Face	79-895295Q21	443
Trim Sensor Converter	Converts digital trim signal to analog	8M0059529	452
Power Trim - Flagship - Analog	Black Face - Converter or AGI required	79-895292A01	425
	White Face - Converter or AGI required	79-895292A21	428
Power Trim - Admiral - Analog	Black Face - Converter or AGI required	79-895292Q01	436
	White Face - Converter or AGI required	79-895292Q21	443
Water Pressure Fitting Kit	Fitting to connect to engine block	32-8M0063663	
Water Pressure Gauge - 30 PSI - Flagship	Black Face	79-895288A03	423
	White Face	79-895288A23	427
Water Pressure Gauge - 30 PSI - Admiral	Black Face	79-895288Q03	435
	White Face	79-895288Q23	442
Water Temperature Gauge (100-240 deg. F) - Flagship	Black Face - requires AGI	79-895287A01	423
	White Face - requires AGI	79-895287A21	427
Water Temperature Gauge (100-240 deg. F) - Admiral	Black Face - requires AGI	79-895287Q01	434
	White Face - requires AGI	79-895287Q21	441
Dual Engine Synchronizer - Flagship	Black Face	79-895294A01	424
	White Face	79-895294A21	429
Dual Engine Synchronizer - Admiral	Black Face	79-895294Q01	436
	White Face	79-895294Q21	443
Instrumentation - SmartCraft Gauges			
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	397
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	398
	MercMonitor - No NMEA2000 Data	79-8M0119406	398
VesselView Mobile		84-8M0115080	
VesselView403		8M0124498	371
VesselView502 Single Engine		8M0110643	371
VesselView502 Multi Engine		8M0110646	371
VesselView703 Single Engine		8M0124495	371
VesselView703 Multi Engine		8M0124496	371
VesselView903 Single Engine		8M0129543	370
VesselView903 Multi Engine		8M0129545	370

Description		Part Number	Page
SC1000 - Black	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135641	381
	Glass Lens, Single Engine Kit	79-8M0135633	
	Glass Lens, Dual Engine Kit	79-8M0135632	
SC1000 - White	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135634	379
	Glass Lens, Single Engine Kit	79-8M0135688	
	Glass Lens, Dual Engine Kit	79-8M0135626	
SC1000 - Gray	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135645	382
	Glass Lens, Single Engine Kit	79-8M0135648	
	Glass Lens, Dual Engine Kit	79-8M0135649	
SmartCraft Pitot Sensor Kit	Components to use Pitot for Speed	8M0090447	
SmartCraft Water Pressure Fitting Kit	Components to display water pressure	8M0059531	448
Electrical			
Ignition/Choke Assembly - 2 ft. (609 mm) harness		84-896537K02	565
Ignition/Choke Assembly - 8 ft. (2.44 m) harness		84-896537K08	565
Ignition/Choke Assembly - 11 ft. (3.35 m) harness		84-896537K11	565
Ignition/Choke Assembly - 15 ft. (4.6 m) harness		84-896537K15	565
Ignition/Choke Assembly - 20 ft. (6.1 m) harness		84-896537K20	566
Ignition/Choke Assembly - 25 ft. (7.62 m) harness	Single harness	84-896537K24	566
Ignition/Choke Assembly - 25 ft. (7.62 m) harnesses	Two harnesses	84-896537K25	566
Ignition/Choke Assembly - 30 ft. (9.14 m) harness	Single harness	84-896537K29	566
Ignition/Choke Assembly - 30 ft. (9.14 m) harnesses	Two harnesses	84-896537K30	566
Lanyard Stop Switch, single engine	Flush mounted	87-19674A07	573
	Chrome bezel mounted	87-19674A08	573
Lanyard Stop Switch, dual engine	Flush mounted	87-19674A12	573
	Chrome bezel mounted	87-19674A13	574
Lanyard Stop Switch, triple or quad	Flush mounted	87-19674A14	
	Chrome bezel mounted	87-19674A15	
Diode Assembly - dual engine	(required to use a single lanyard)	84-898289A72	574
Fuel Line Assemblies, Tanks & Hardware (Low Permeation hoses shown below)			
Low Pressure Inline Fuel Filter	Located under cowl	35-879885Q	240
High Pressure Inline Fuel Filter	Located under cowl	NLA	
Water Separating Fuel Filter Kit	Locate in boat, provides warning signal	8M0109543	80
Bulk Fuel Line - (low permeation)	5/16 ID - no bulb or ends - 100 ft.	32-8M0038500	73
	3/8 ID - no bulb or ends - 100 ft.	32-8M0038563	73
Fuel Line Connector	3/8 to 5/16	22-8M0001721	77
Primer Bulb	Not used with this system	NA	
Fuel Tank (US-EPA) 6.6 gal. Box Style	US-EPA 2011 Compliant	1200-8M0054600	
Fuel Tank (US-EPA) 6.6 gal. Suitcase Style	US-EPA 2011 Compliant	1200-8M0045691	
Fuel Tank (non-US) 6.6 gal. (25 L) - Plastic Box Style	Quick connect fuel line connection/integral gauge	1200-8M0083451	70
Fuel Tank (non-US) 6.6 gal. - Plastic Suitcase Style	Quick connect fuel line connection/integral gauge	1200-8M0083452	70

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Miscellaneous Accessories			
Oil Filter		35-877761K01	
Oil Filter Wrench		91-889277K01	
Replacement Skeg		8M0060147	92, 896
Driveshaft Extension Kit	Converts an X model to an XL	8M0105087	55
Rigging Hose Kit	Includes new grommet 8M0062583	32-8M0062693	52, 475
Trim Limit Switch Kit - electronic switch style	Analog device	8M0059532	590
Big Tiller	Mechanical Power Steering Version	NLA	
Big Tiller throttle/shift cable kit	Required	8M0082355	46, 606
Big Tiller Auxiliary Light	Optional	87-897978T02	46, 607
RPM Adjuster	Optional	87-8M0083437	46, 592
Theft Deterrent System	Engine Immobilizer	8M0057383	
Jet Pump	Rated 110 HP	67-8M0064433	
Flushing Attachment - allows running engine - Q/S	(not for use with Jet)	44357Q 2	203
Flushing Attachment - allows running engine - MPP	(not for use with Jet)	44357T 2	
Hydraulic Steering			
Hydraulic Steering - Dual Engine	Standard Helm without hoses	8M0056139	623
	Tilt Helm without hoses	8M0056140	624
	Standard Cylinder	8M0050097	623
	Port Cylinder	8M0056145	623
Hydraulic Hoses	2 to 30 foot lengths	32-8M0053474 thru 8M0053491	625
Power Steering			
Power Steering - Multiple Engines	Standard Helm without hoses	892380K05 thru 892380K12	
	Tilt Helm without hoses	892560K31 thru 892560K35	
	Standard Cylinder	898349A11	610
	Counter Rotation Cylinder	898349A14	610
Power Steering Hoses (Pump)	2 to 30 ft. lengths	32-892438K02 thru 892438K30	
Dual Engine Tie Bars	Single Cylinder Tie Bars - 26, 28, 30, 32, 34 inch lengths	64-8M0063473 thru 8M0063477	620

135-150-175-200 (4 Cylinder) Verado 1B311420 & up

Description		Part Number	Page
Rigging Kits for Verado DTS Engines			
Panel Mount - Chrome - Master Rigging Kit	Single Engine	892984K31	
Panel Mount - Black - Master Rigging Kit	Single Engine	892984K32	

Description		Part Number	Page
Slim Binnacle - Chrome	Single Engine	896609K31	
Slim Binnacle - Black	Single Engine	896609K32	
Console Mount - Chrome - Master Rigging Kit	Single Engine	877775K48	
Console Mount - Black - Master Rigging Kit	Single Engine	877775K48	
Console Mount - Chrome - Master Rigging Kit	Dual Engine	8M0079499	
Console Mount - Black - Master Rigging Kit	Dual Engine	877775K31	
Controls			
Panel Mount - Chrome - Single Engine	(included in Master Kits above)	892984A01	
Panel Mount - Black - Single Engine	(included in Master Kits above)	892984A02	
Slim Binnacle - Chrome	(included in Master Kit above)	896609A01	
Slim Binnacle - Black	(included in Master Kit above)	896609A02	
Console Mount - Chrome - Single Engine	(included in Master Kits above)	NLA	
Console Mount - Black - Single Engine	(included in Master Kits above)	877775A12	
Console Mount - Chrome - Dual Engine	(included in Master Kits above)	877775A19	
Console Mount - Black - Dual Engine	(included in Master Kits above)	877775A11	
DTS Foot Throttle Control Kit	Hot Foot	893359K03	458
Instrumentation - Analog Gauges			
135 Hp. Max WOT Range = 5200-6400 RPM's 150/175/200 Max WOT = 5,800-6.400 RPM's			
Analog Gauge Interface	Converts digital signal for use of analog gauges	892486K08	418
Instrumentation - SmartCraft (Verify engine for suitability of product.)			
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	398
SC1000 System Monitor - Front Mount	Round - White	79-892219K20	398
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135641	381
	Glass Lens, Single Engine Kit	79-8M0135633	
	Glass Lens, Dual Engine Kit	79-8M0135632	
SC1000 White - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135634	379
	Glass Lens, Single Engine Kit	79-8M0135688	
	Glass Lens, Dual Engine Kit	79-8M0135626	
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135645	382
	Glass Lens, Single Engine Kit	79-8M0135648	

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
	Glass Lens, Dual Engine Kit	79-8M0135649	
MercMonitor	Gateway Level 1 Data	79-8M0135536	397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	397
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	398
	MercMonitor - No NMEA2000 Data	79-8M0119406	398
VesselView Mobile		84-8M0115080	
VesselView403		8M0124498	371
VesselView502 Single Engine		8M0110643	371
VesselView502 Multi Engine		8M0110646	371
VesselView703 Single Engine		8M0124495	371
VesselView703 Multi Engine		8M0124496	371
VesselView903 Single Engine		8M0129543	370
VesselView903 Multi Engine		8M0129545	370
	Electrical		
Key Switch - DTS - 3 position	Single	87-897716K01	562
Key Switch - DTS - 3 position	Dual	87-897716K02	562
3 position switch housing		879305A01	563
Key Switch - DTS - 4 position	(no cover or bezel)	87-893353A02	561
	(includes key cover & bezel)	87-893353A03	561
	Matched Keys - Dual	87-893353A04	562
	Matched Keys - Triple	87-893353A05	562
DTS Command Module Kit	Panel Mount - Single	84-893377K04	502
	Console/Zero Effort - Single	84-892955K04	503
	Console/Zero Effort - Dual	84-893378K04	503
	Slim Binnacle	84-896372K02	
14 Pin Data Cable	From engine to helm	84-892451T06 thru 84-892451T40	554
Lanyard Stop Switch, single engine	Flush mounted	87-19674A07	573
	Chrome bezel mounted	87-19674A08	573
Lanyard Stop Switch, dual engines	Flush mounted	87-19674A12	573
	Chrome bezel mounted	87-19674A13	574
Lanyard Stop Switch, triple or quad	Flush mounted	87-19674A14	
	Chrome bezel mounted	87-19674A15	
Accessory Power Harness Kit		84-899785K04	560
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hose shown below)		
Fuel Filter	Cartridge Element	35-8M0122423	249
Fuel Filter	In-line	35-879885Q	240
Water Separating Fuel Filter Kit	Vessel mounted, provides warning signal	35-8M0113498	81
Fuel Line - (low permeation)	3/8 inch Fuel Line Required	32-8M0038563	73
	Miscellaneous Accessories		
Oil Filter - QS		35-877767Q01	273

Description	Part Number	Page
Oil Filter - MPP	35-877767K01	
Rigging Hose Kit	32-825191A03	52, 475
Trailing Clip	833006A 1	34
Battery Cable Set	1 Pos -1 Neg - 12 ft.	84- 88439A50 34, 594
Big Tiller	DTS Power Steering Version	8M0134609 45
Tilt Limit Switch Kit	Digital device	899625K05 590
Gearcase Replacement Skeg	Fits the 4.80 torpedo gearcase	898245A01 91, 896
Flushing Attachment - allows running engine - Q/S	(not for use with Jet)	44357Q 2 203
Flushing Attachment - allows running engine - MPP	(not for use with Jet)	44357T 2
Dual Water Pickup Flush Seal Kit - Q/S		881150Q 1 204
Dual Water Pickup Flush Seal Kit - MPP		881150K 1
Hydraulic Steering		
Hydraulic Helms	Standard 1.5L Helm w/ fluid & mtg. hdwe.	8M0056139 623
	Tilt Helm w/ fluid & mtg. hdwe.	8M0056140 624
Remote Fill Kit	Use with Tilt Helm Kit	64-889934A05 626
Hydraulic Hoses	Cylinder to Helm	32-8M0053474 thru 8M0053491 625
Steering Cylinder - Standard Rotation	Used on hydraulic or power steering systems	8M0050097 623
Steering Cylinder - Counter Rotation	Used on hydraulic or power steering systems	8M0056145 623
Power Steering - Optional		
Power Steering Primer Module		91-895040K01 613
Power Steering Rigging Kit, Single Engine	Standard w/pump, signal harness & helm, 4 ft. (optional lengths available)	892380K05
	Tilt w/pump, signal harness & helm, 4 ft. (optional lengths available)	892560K35
Power Steering Rigging Kit, Dual Engines	Standard w/pump, signal harness & helm, 4 ft. (optional lengths available)	892380K36
	Tilt w/pump, signal harness & helm, 4 ft. (optional lengths available)	892560K56
Steering Helm - Standard	Single (included in kit above)	892380A02
Steering Helm - Tilt	Single (included in kit above)	8M0030272
Power Steering Kicker Kit		897478K02
Power Steering Module (pump & motor)	(with 4 ft. battery leads)	8M0080199
	(with 12 ft. battery leads)	8M0122662
	(with 24 ft. battery leads)	8M0080201
Multiple Battery Fuse Harness Assembly	50 amp power steering fuse circuit	84-898289T77 thru 84-898289T79
Power Steering Signal Harness - 10 ft.	Multiple engines require 1 harness per engine	84-8M0138676 612
Power Steering Signal Harness - 20 ft.	Multiple engines require 1 harness per engine	84-8M0138677 612
Power Steering Signal Harness - 30 ft.	Multiple engines require 1 harness per engine	84-8M0138678 612
Power Steering Signal Y Harness	Dual Engine	84-892868T01 612

QUICK REFERENCE GUIDE-OUTBOARD

Description	Part Number		Page
	Triple Engine	84-892868T02	612
Power Steering Hose Kit	Cylinder to Helm	32-8M0046914 thru 32-8M0046928	
	Power Module to Helm	32-892438K02 thru 32-892438K24	
	Pressure Hose - Dual Station	32-892825008 thru 32-892825026	615
Steering Cylinder - Standard Rotation	Used on hydraulic or power steering systems	898349A11	610
Steering Cylinder - Counter Rotation	Used on hydraulic or power steering systems	898349A14	610
	Dual Engine & Kicker Tie Bars (Common to both Hydraulic and Power Steering Options)		
Dual Engine Tie Bars	Single Cylinder - Dual Engine	64-8M0063473 thru 8M0063477	620
	Dual Cylinders - Dual Engines	64-892789Q22 thru 64-892789Q27	620
Kicker Tie Bar	Port engine mount	898370A03	621
	Starboard engine mount	898966A02	621

200-225-250-275-300 (6 cyl) Verado 1B390143 & up

Description	Part Number		Page
	Rigging Kits for Verado DTS Engines		
Panel Mount - Chrome - Master Rigging Kit	Single Engine	892984K31	
Panel Mount - Black - Master Rigging Kit	Single Engine	892984K32	
Slim Binnacle - Chrome	Single Engine	896609K31	
Slim Binnacle - Black	Single Engine	896609K32	
Console Mount - Chrome - Master Rigging Kit	Single Engine	877775K48	
Console Mount - Chrome - Master Rigging Kit	Dual Engine	8M0079499	
Console Mount - Black - Master Rigging Kit	Dual Engine	877775K31	
Triple Engine - Shadow Mode	Includes Control	877775K35	
Triple Engine - DTS Rigging Kit	Zero Effort control must be ordered separately	892955K32	504
Quad Engine - Shadow Mode		877775K17	
	Controls		
Panel Mount - Chrome - Single Engine	(included in Master Kits above)	892984A01	
Panel Mount - Black - Single Engine	(included in Master Kits above)	892984A02	
Console Mount - Chrome - Single Engine	(included in Master Kits above)	877775A23	
Console Mount - Black - Single Engine	(included in Master Kits above)	877775A12	
Console Mount - Chrome - Dual Engine	(included in Master Kits above)	877775A19	
Console Mount - Black - Dual Engine	(included in Master Kits above)	877775A11	
Triple Engine - Shadow Mode	(included in Master Kit above)	877775A21	
Zero Effort Control - 2 Lever	Order to complete Master Kit	NLA thru NLA	
Zero Effort Control - 4 Lever	Order to complete Master Kit	840714A 1 thru 840714A24	

Description		Part Number	Page
Zero Effort Control - 6 Lever	Order to complete Master Kit	840716A 2 thru 840716A19	
DTS Foot Throttle Control Kit	Hot Foot, MY2007 and newer	893359K03	458
	Instrumentation - Analog Gauges		
All Models Max WOT Range = 5,800-6,400 RPM's			
Analog Gauge Interface	Converts digital signal for use of analog gauges	892486K08	418
	Instrumentation - SmartCraft		
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	398
SC1000 System Monitor - Front Mount	Round - White	79-892219K20	398
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135641	381
	Glass Lens, Single Engine Kit	79-8M0135633	
	Glass Lens, Dual Engine Kit	79-8M0135632	
SC1000 - White - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135634	379
	Glass Lens, Single Engine Kit	79-8M0135688	
	Glass Lens, Dual Engine Kit	79-8M0135626	
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135645	382
	Glass Lens, Single Engine Kit	79-8M0135648	
	Glass Lens, Dual Engine Kit	79-8M0135649	
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	397
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	398
	MercMonitor - No NMEA2000 Data	79-8M0119406	398
VesselView Mobile		84-8M0115080	
VesselView403		8M0124498	371
VesselView502 Single Engine		8M0110643	371
VesselView502 Multi Engine		8M0110646	371
VesselView703 Single Engine		8M0124495	371
VesselView703 Multi Engine		8M0124496	371
VesselView903 Single Engine		8M0129543	370
VesselView903 Multi Engine		8M0129545	370
	Electrical		
Key Switch - DTS - 3 position	Single	87-897716K01	562
Key Switch - DTS - 3 position	Dual	87-897716K02	562
3 position switch housing		879305A01	563
Key Switch - DTS - 4 position	(no cover or bezel)	87-893353A02	561

QUICK REFERENCE GUIDE-OUTBOARD

Description	Part Number	Page
(includes key cover & bezel)	87-893353A03	561
Matched Keys - Dual	87-893353A04	562
Matched Keys - Triple	87-893353A05	562
Matched Keys - Quad	87-893353A06	562
Lanyard Stop Switch, single engine	Flush mounted 87-19674A07	573
	Chrome bezel mounted 87-19674A08	573
Lanyard Stop Switch, dual engines	Flush mounted 87-19674A12	573
	Chrome bezel mounted 87-19674A13	574
Lanyard Stop Switch, triple or quad	Flush mounted 87-19674A14	
	Chrome bezel mounted 87-19674A15	
DTS Command Module Kit	Panel Mount - Single 84-893377K04	502
	Console/Zero Effort - Single 84-892955K04	503
	Console/Zero Effort - Dual 84-893378K04	503
	Slim Binnacle 84-896372K02	
	Shadow Mode 84-896377K02	504
	Quad - (requires both harnesses shown) 84-896377K03	505
	Quad - (requires both harnesses shown) 84-892955K05	505
On/Off Hot Foot Kit	898259K01	458
14 Pin Data Cable	Standard lengths, 6-40 ft. 84-892451T06 thru 84-892451T40	554
	Long (low loss) lengths, 50-120 ft. 84-898138T70 thru 84-898138T12	
Clean Power Harness - engine to battery	Not included with XL or XXL models 84-8M0113732	559
Clean Power Harness - battery to helm J box	Not included with any engine models 84-8M0127682	559
Accessory Power Harness Kit	84-899785K04	560
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hose shown below)	
Fuel Filter	Cartridge Element, Gen IV and prior 35-8M0122423	249
Fuel Filter	35-879885Q	240
Water Separating Fuel Filter Kit	Vessel mounted Gen IV and prior 35-8M0114618	81
Water Separating Fuel Filter	Vessel mounted Canister, Gen V and newer 8M0095659	
Fuel Line - (low permeation)	3/8 inch Fuel Line Required 32-8M0038563	73
	Miscellaneous Accessories	
Oil Filter - QS	35-877769Q01	273
Oil Filter - MPP	35-877769K01	
Gearcase Oil Drain Funnel	Fits XL model only 91-892866A01	274
Rigging Hose Kit	32-825191A03	52, 475
Gearcase Fill Screw, 4.80 Gearcase	(with sealing washer) 10-880717A01	
Gearcase Fill Screw, 5.44 gearcase	(without sealing washer) 10-8M0071653	
Battery Cable Set	1 Pos -1 Neg - 12 ft. 84-88439A50	34, 594
Tilt Limit Switch Kit	Digital device 899625K06	590
Gearcase Replacement Skeg	Fits the 4.80 Torpedo gearcase 898245A01	91, 896

Description		Part Number	Page
Gearcase Replacement Skeg	Fits the 5.44 Torpedo gearcase	8M0052924	91, 896
Flushing Attachment - allows running engine - Q/S	(not for use with Jet)	44357Q 2	203
Flushing Attachment - allows running engine - MPP	(not for use with Jet)	44357T 2	
Dual Water Pickup Flush Seal Kit - Q/S		881150Q 1	204
Dual Water Pickup Flush Seal Kit - MPP		881150K 1	
Steering			
Power Steering Primer Module		91-895040K01	613
Power Steering Rigging Kit - Single Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available	892380K05	
	Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	892560K35	
Power Steering Rigging Kit - Dual Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available	892380K36	
	Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	892560K56	
Power Steering Rigging Kit - Triple Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available	892558K33	
	Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	892516K53	
Power Steering Rigging Kit - Quad Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available	NA	
	Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	892516K63	
Steering Helm - Standard	Single (included in kit above)	892380A02	
	Dual Station (included in kit above)	895816A02	
Steering Helm - Tilt	Single (included in kit above)	8M0030272	
	Dual Station (included in kit above)	895817A02	
Power Steering Kicker Kit		897478K01	
Power Steering Module (pump & motor)	(with 4 ft. battery leads)	8M0122660	
	(with 12 ft. battery leads)	892440A18	
	(with 24 ft. battery leads)	8M0122663	
Multiple Battery Fuse Harness Assembly	50 amp power steering circuit	84-898289T77 thru 84-898289T79	
Power Steering Signal Harness - 10 ft.	Multiple engines require 1 harness per engine	84-8M0138676	612
Power Steering Signal Harness - 20 ft.	Multiple engines require 1 harness per engine	84-8M0138677	612
Power Steering Signal Harness - 30 ft.	Multiple engines require 1 harness per engine	84-8M0138678	612
Power Steering Signal Y Harness	Dual Engine	84-892868T01	612
	Triple Engine	84-892868T02	612
Power Steering Hose Kit	Cylinder to Helm	32-8M0046914 thru 32-8M0046931	
	Power Module to Helm	32-892438K02 thru 32-892438K24	
	Pressure Hose - Dual Station	32-892825008 thru 32-892825026	615
Steering Cylinder for Counter Rotation Outboard		NA	
Gen 5 Dual Tie Bar Kit	25 inch to 27 inch center distance	8M0096314	619
	27 inch to 29 inch center distance	8M0096315	619
	29 inch to 31 inch center distance	8M0096316	619
	31 inch to 33 inch center distance	8M0096317	619
	33 inch to 35 inch center distance	8M0096319	619

QUICK REFERENCE GUIDE-OUTBOARD

Description	Part Number	Page	
Tie Bar, Add-an-Engine Kit	35 inch to 37 inch center distance	8M0097267	619
	25 inch to 27 inch center distance	8M0096320	619
	27 inch to 29 inch center distance	8M0096321	619
	29 inch to 31 inch center distance	8M0096322	619
	31 inch to 33 inch center distance	8M0096323	619
	33 inch to 35 inch center distance	8M0096324	619
	35 inch to 37 inch center distance	8M0097268	619
Liquid Tie Bar Kit	893396A02	620	
Kicker Bracket Engine Attachment	892822A02	621	

175-225 V6 (3.4L) & 225-300HP V8 (4.6L) 2B529482 & up

Description	Part Number	Page	
Rigging Kits for Verado DTS Engines			
Panel Mount - Chrome - Master Rigging Kit	Single Engine	892984K31	
Panel Mount - Black - Master Rigging Kit	Single Engine	892984K32	
Slim Binnacle - Chrome	Single Engine	896609K31	
Slim Binnacle - Black	Single Engine	896609K32	
Console Mount - Chrome - Master Rigging Kit	Single Engine	877775K48	
Console Mount - Chrome - Master Rigging Kit	Dual Engine	8M0079499	
Console Mount - Black - Master Rigging Kit	Dual Engine	877775K31	
Triple Engine - Shadow Mode	Includes Control	877775K35	
Triple Engine - DTS Rigging Kit	Zero Effort control must be ordered separately	892955K32	504
Quad Engine - Shadow Mode		877775K17	
Controls			
Panel Mount - Chrome - Single Engine	(included in Master Kits above)	892984A01	
Panel Mount - Black - Single Engine	(included in Master Kits above)	892984A02	
Console Mount - Chrome - Single Engine	(included in Master Kits above)	877775A23	
Console Mount - Black - Single Engine	(included in Master Kits above)	877775A12	
Console Mount - Chrome - Dual Engine	(included in Master Kits above)	877775A19	
Console Mount - Black - Dual Engine	(included in Master Kits above)	877775A11	
Triple Engine - Shadow Mode	(included in Master Kit above)	877775A21	
Zero Effort Control - 2 Lever	Order to complete Master Kit	NLA thru NLA	
Zero Effort Control - 4 Lever	Order to complete Master Kit	840714A 1 thru 840714A24	
Zero Effort Control - 6 Lever	Order to complete Master Kit	840716A 2 thru 840716A19	
DTS Foot Throttle Control Kit	Hot Foot, MY2007 and newer	893359K03	458
Instrumentation - Analog Gauges			
All Models Max WOT Range = 5,800-6,400 RPM's			

Description		Part Number	Page
Analog Gauge Interface	Converts digital signal for use of analog gauges	892486K08	418
	Instrumentation - SmartCraft		
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	398
SC1000 System Monitor - Front Mount	Round - White	79-892219K20	398
SC1000 Black - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135641	381
	Glass Lens, Single Engine Kit	79-8M0135633	
	Glass Lens, Dual Engine Kit	79-8M0135632	
SC1000 - White - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135634	379
	Glass Lens, Single Engine Kit	79-8M0135688	
	Glass Lens, Dual Engine Kit	79-8M0135626	
SC1000 Gray - Glass Lens	Bezels must be ordered separately		
	Glass Lens 7,000 Tach	79-8M0135645	382
	Glass Lens, Single Engine Kit	79-8M0135648	
	Glass Lens, Dual Engine Kit	79-8M0135649	
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	397
	Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
	Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135618	397
	Gateway Level 3 Data and SmartTow Premier	79-8M0135619	398
	MercMonitor - No NMEA2000 Data	79-8M0119406	398
VesselView Mobile		84-8M0115080	
VesselView403		8M0124498	371
VesselView502 Single Engine		8M0110643	371
VesselView502 Multi Engine		8M0110646	371
VesselView703 Single Engine		8M0124495	371
VesselView703 Multi Engine		8M0124496	371
VesselView903 Single Engine		8M0129543	370
VesselView903 Multi Engine		8M0129545	370
	Electrical		
Key Switch - DTS - 3 position	Single	87-897716K01	562
Key Switch - DTS - 3 position	Dual	87-897716K02	562
3 position switch housing		879305A01	563
Key Switch - DTS - 4 position	(no cover or bezel)	87-893353A02	561
	(includes key cover & bezel)	87-893353A03	561
	Matched Keys - Dual	87-893353A04	562
	Matched Keys - Triple	87-893353A05	562
	Matched Keys - Quad	87-893353A06	562
Lanyard Stop Switch, single engine	Flush mounted	87- 19674A07	573
	Chrome bezel mounted	87- 19674A08	573

QUICK REFERENCE GUIDE-OUTBOARD

Description		Part Number	Page
Lanyard Stop Switch, dual engines	Flush mounted	87-19674A12	573
	Chrome bezel mounted	87-19674A13	574
Lanyard Stop Switch, triple or quad	Flush mounted	87-19674A14	
	Chrome bezel mounted	87-19674A15	
DTS Command Module Kit	Panel Mount - Single	84-893377K04	502
	Console/Zero Effort - Single	84-892955K04	503
	Console/Zero Effort - Dual	84-893378K04	503
	Slim Binnacle	84-896372K02	
	Shadow Mode	84-896377K02	504
	Quad - (requires both harnesses shown)	84-896377K03	505
	Quad - (requires both harnesses shown)	84-892955K05	505
On/Off Hot Foot Kit		898259K01	458
14 Pin Data Cable	Standard lengths, 6-40 ft.	84-892451T06 thru 84-892451T40	554
	Long (low loss) lengths, 50-120 ft.	84-898138T70 thru 84-898138T12	
Clean Power Harness - engine to battery	Not included with XL or XXL models	84-8M0113732	559
Clean Power Harness - battery to helm J box	Not included with any engine models	84-8M0127682	559
Clean Power Harness - Tool	Assist with removal of outboard engine from shipping crate	91-8M0147078	
Accessory Power Harness Kit		84-899785K04	560
	Fuel Line Assemblies, Tanks & Hardware (new Low Permeation hose shown below)		
Fuel Filter	On-engine Water Separating Fuel Filter	35-8M0106635	240
Fuel Filter	Vessel mounted Water Separating Fuel Filter	35-8M0126144	240
Water Separating Fuel Filter Kit	Vessel Mounted Water Separating Fuel Filter Kit	35-8M0135386	83
Thermostat		8M0162139	
Water Strainer	In-line water strainer	8M0142515	
Spark plugs		33-8M0135348	
Alternator Belt		57-8M0142251	
Fuel Line - (low permeation)	3/8 inch Fuel Line Required	32-8M0038563	73
	Miscellaneous Accessories		
Oil Filter - MPP		35-8M0123025	240
Electronic Oil Level Sensor	Fits all models	8M0142265	94, 537
Rigging Hose Kit		32-825191A03	52, 475
Gearcase Fill Screw, 4.80 & 5.44Gearcase	(with sealing washer)	26-830749	241
Battery Cable Set	See battery cable section under controls and rigging tab	88439A50	
Transom Drilling Fixture		98234A2	
Tilt Limit Switch Kit	Digital device	899625K06	590
Water Pump Impeller		43026T2	

QUICK REFERENCE GUIDE-OUTBOARD

Description	Part Number	Page
Water Pump Repair Kit	47-8M0142980	
Flushing Attachment - allows running engine - Q/S	44357Q 2	203
Flushing Attachment - allows running engine - MPP	44357T 2	
Analog Block Pressure Kit	8M0145165	
Dual Water Pickup Flush Seal Kit - Q/S	881150Q 1	204
Dual Water Pickup Flush Seal Kit - MPP	881150K 1	
Anode	Gearcase "NEW"	97-8M0137814
	Steering	
Power Steering Primer Module	91-895040K01	613
Power Steering Rigging Kit - Single Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	892380K05 892560K35
Power Steering Rigging Kit - Dual Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	892380K36 892560K56
Power Steering Rigging Kit - Triple Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	892558K33 892516K53
Power Steering Rigging Kit - Quad Engine	Standard w/pump, signal harness & helm, 4 ft. shown, other lengths available Tilt w/ pump, signal harness & helm, 4 ft. shown, other lengths available	NA 892516K63
Steering Helm - Standard	Single (included in kit above) Dual Station (included in kit above)	892380A02 895816A02
Steering Helm - Tilt	Single (included in kit above) Dual Station (included in kit above)	8M0030272 895817A02
Power Steering Kicker Kit		897478K01
Power Steering Module (pump & motor)	(with 4 ft. battery leads) (with 12 ft. battery leads) (with 24 ft. battery leads)	8M0122660 892440A18 8M0122663
Multiple Battery Fuse Harness Assembly	50 amp power steering circuit	84-898289T77 thru 84-898289T79
Power Steering Signal Harness - 10 ft.	Multiple engines require 1 harness per engine	84-8M0138676
Power Steering Signal Harness - 20 ft.	Multiple engines require 1 harness per engine	84-8M0138677
Power Steering Signal Harness - 30 ft.	Multiple engines require 1 harness per engine	84-8M0138678
Power Steering Signal Y Harness	Dual Engine Triple Engine	84-892868T01 84-892868T02
Power Steering Hose Kit	Cylinder to Helm Power Module to Helm Pressure Hose - Dual Station	32-8M0046914 thru 32-8M0046931 32-892438K02 thru 32-892438K24 32-892825008 thru 32-892825026
Steering Cylinder for Counter Rotation Outboard		NA
Gen 5 Dual Tie Bar Kit	25 inch to 27 inch center distance 27 inch to 29 inch center distance	8M0096314 8M0096315

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICK REFERENCE GUIDE-OUTBOARD

QUICK REFERENCE GUIDE-OUTBOARD

Description	Part Number	Page	
	29 inch to 31 inch center distance	8M0096316	619
	31 inch to 33 inch center distance	8M0096317	619
	33 inch to 35 inch center distance	8M0096319	619
	35 inch to 37 inch center distance	8M0097267	619
Tie Bar, Add-an-Engine Kit	25 inch to 27 inch center distance	8M0096320	619
	27 inch to 29 inch center distance	8M0096321	619
	29 inch to 31 inch center distance	8M0096322	619
	31 inch to 33 inch center distance	8M0096323	619
	33 inch to 35 inch center distance	8M0096324	619
	35 inch to 37 inch center distance	8M0097268	619
Liquid Tie Bar Kit		893396A02	620
Kicker Bracket Engine Attachment		892822A02	621

QUICK REFERENCE GUIDE-MERCUISER

QUICK REFERENCE MERCUISER CHARTS- GAS MODELS

MerCruiser Gas Models

Description		Part Number	Page
Controls			
Panel Mount (w/o trim) - MPC 4000 Series (Gen II)	Pistol Grip	8M0011215	462
Panel Mount (with trim) - MPC 4000 Series (Gen II)	Pistol Grip	8M0011214	462
	Lock Bar	883710A03	463
Console Mount (single eng. with trim) - Commander		88688A26	469
Console Mount (single eng. w/o trim) - MCC 4500	Gen II	8M0060782	
Console Mount (single eng. with trim) - MCC 4500	Gen II	8M0060783	
Console Mount (dual eng. with trim) - Commander	Twin trim switches in handle	88688A23	470
	Single trim switch in handle	88688A94	
Console Mount (dual eng. w/o trim) - MCC 4500		8M0041425	
Console Mount (dual eng. with trim) - MCC 4500	Single trim switch in handle	8M0041428	
Throttle/Shift Cables (two per engine) - (Gen I)	Platinum	897977A03 thru 897977A50	
Throttle/Shift Cables (two per engine) - (Gen II)	Platinum	897978A03 thru 897978A50	
Instrumentation - Analog			
Tachometer - 6000 RPM - Flagship	Black Face	79-895283A03	421
	White Face	79-895283A23	425
	White Face w/Chrome Bezel	79-895283A43	429
Tachometer - 6000 RPM - Admiral	Black Face	79-895283Q03	433
	Black Face w/Chrome Bezel	79-895283Q63	437
	White Face	79-895283Q23	440
Speedometer - 80 MPH - Flagship	Black Face	79-895285A04	422
	White Face	79-895285A24	426
	White Face w/Chrome Bezel	79-895285A44	430
Speedometer - 80 MPH - Admiral	Black Face	79-895285Q04	434
	Black Face w/Chrome Bezel	79-895285Q64	437
	White Face	79-895285Q24	441
Speedometer - 65 MPH - Flagship	Black Face	79-895285A03	422
	White Face	79-895285A23	426
	White Face w/Chrome Bezel	79-895285A43	430
Speedometer - 65 MPH - Admiral	Black Face	79-895285Q03	434
	Black Face w/Chrome Bezel	79-895285Q63	437
	White Face	79-895285Q23	441
Battery Meter - Flagship	Black Face	79-895286A01	422
	White Face	79-895286A21	427
	White Face w/Chrome Bezel	79-895286A41	430
Battery Meter - Admiral	Black Face	79-895286Q01	434
	Black Face w/Chrome Bezel	79-895286Q61	438
	White Face	79-895286Q21	441
Fuel Gauge - Flagship	Black Face	79-895291A01	424
	White Face	79-895291A21	428

QUICK REFERENCE GUIDE-MERCUISER

QUICK REFERENCE GUIDE-MERCUISER

QUICK REFERENCE GUIDE-MERCUISER

Description		Part Number	Page
Fuel Gauge - Admiral	White Face w/Chrome Bezel	79-895291A41	432
	Black Face	79-895291Q01	436
	Black Face w/Chrome Bezel	79-895291Q61	439
	White Face	79-895291Q21	443
Cruiselog (hour meter) - Flagship	Black Face	79-895295A01	425
	White Face	79-895295A21	429
	White Face w/Chrome Bezel	79-895295A41	432
Cruiselog (hour meter) - Admiral	Black Face	79-895295Q01	436
	Black Face w/Chrome Bezel	79-895295Q61	439
	White Face	79-895295Q21	443
Power Trim - Flagship	Black Face	79-895292A01	425
	White Face	79-895292A21	428
	White Face w/Chrome Bezel	79-895292A41	432
Power Trim - Admiral	Black Face	79-895292Q01	436
	Black Face w/Chrome Bezel	79-895292Q61	439
	White Face	79-895292Q21	443
Water Temperature Gauge (100-240 deg. F) - Flagship	Black Face	79-895287A01	423
	White Face	79-895287A21	427
	White Face w/Chrome Bezel	79-895287A41	431
Water Temperature Gauge (100-240 deg. F) - Admiral	Black Face	79-895287Q01	434
	Black Face w/Chrome Bezel	79-895287Q61	438
	White Face	79-895287Q21	441
Water Temperature Sender - Dual Station		49734	124, 449
Oil Pressure Gauge - Flagship	Black Face	79-895289A01	424
	White Face	79-895289A21	428
	White Face w/Chrome Bezel	79-895289A41	432
Oil Pressure Gauge - Admiral	Black Face	79-895289Q01	435
	Black Face w/Chrome Bezel	79-895289Q61	439
	White Face	79-895289Q21	442
Oil Pressure Sender - Dual Station		37293T	124, 586
Dual Engine Synchronizer - Flagship	Black Face	79-895294A01	424
	White Face	79-895294A21	429
	White Face w/Chrome Bezel	79-895294A41	432
Dual Engine Synchronizer - Admiral	Black Face	79-895294Q01	436
	Black Face w/Chrome Bezel	79-895294Q61	439
	White Face	79-895294Q21	443
Service Monitor		79-8M0050399	455
(Verify engine for suitability of product)	Instrumentation - SmartCraft Gauges		
SC1000 System Monitor - Front Mount	Rectangular	79-879896K21	398
SC1000 System Monitor - Rear Mount	Rectangular	79-879896K19	
SC1000 System Monitor - Front Mount	Round - Black	79-892219K19	398
	Round - White	79-892219K20	398
MercMonitor - NMEA 2000	Gateway Level 1 Data	79-8M0135536	397

Description	Part Number	Page
Gateway Level 2 Data and SmartTow RPM	79-8M0135617	397
Gateway Level 3 Data and SmartTow Pro	79-8M0135618	397
Gateway Level 3 Data and SmartTow Pro w/GPS puck	79-8M0135619	398
MercMonitor - No NMEA2000 Data	79-8M0119406	398
SC1000 Black - Glass Lens		
Bezels must be ordered separately		
Glass Lens 7,000 Tach	79-8M0135641	381
Glass Lens, Single Engine Kit	79-8M0135633	
Glass Lens, Dual Engine Kit	79-8M0135632	
SC1000 White - Glass Lens		
Bezels must be ordered separately		
Glass Lens 7,000 Tach	79-8M0135634	379
Glass Lens, Single Engine Kit	79-8M0135688	
Glass Lens, Dual Engine Kit	79-8M0135626	
SC1000 Gray - Glass Lens		
Bezels must be ordered separately		
Glass Lens 7,000 Tach	79-8M0135645	382
Glass Lens, Single Engine Kit	79-8M0135648	
Glass Lens, Dual Engine Kit	79-8M0135649	
VesselView Mobile	84-8M0115080	
VesselView403	8M0124498	371
VesselView502 Single Engine	8M0110643	371
VesselView502 Multi Engine	8M0110646	371
VesselView703 Single Engine	8M0124495	371
VesselView703 Multi Engine	8M0124496	371
VesselView903 Single Engine	8M0129543	370
VesselView903 Multi Engine	8M0129545	370
Electrical		
Instrument Harness - 10 pin	3 ft. 84-812475A 3	551
	20 ft. 84-812475A20	551
	25 ft. 84-812475A25	551
Instrument Harness - Non DTS 14 pin	2 ft. 84-896537T02	550
	8 ft. 84-896537T08	550
	11 ft. 84-896537T11	550
	15 ft. 84-896537T15	550
	20 ft. 84-896537T20	550
	25 ft. 84-896537T24	550
	30 ft. 84-896537T29	550
	40 ft. 84-896537T40	550
Analog Guage Harness - Non DTS 14 pin	5 ft. (use with 84-896537T__)	84-892990T01 551
	10 ft. (use with 84-896537T__)	84-892990T10 551
	15 ft. (use with 84-896537T__)	84-892990T15 551
Extension Harness - 10 pin		
	10 ft. 84-812441A10	553
	15 ft. 84-812441A15	553
	20 ft. 84-812441A20	553
	30 ft. 84-812835A30	
	45 ft. 84-812835A45	
Extension Harness - 14 pin		
	6 ft. 84-892451T06	554
	10 ft. 84-892451T10	554
	15 ft. 84-892451T15	554
	20 ft. 84-892451T20	554
	25 ft. 84-892451T25	554

QUICK REFERENCE GUIDE-MERCUISER

QUICK REFERENCE GUIDE-MERCUISER

Description	Part Number	Page	
30 ft.	84-892451T30	554	
40 ft.	84-892451T40		
Adaptor Harness	Non DTS 10 pin engine to 14 pin helm	84-8M0153356	559
	Non DTS 14 pin engine to 10 pin helm	84-866337T01	559
Y Harness - Two Station 10 pin	84- 91942A 4	586	
Ignition Switch	54212A 7		
Ignition Switch w/harness - Non DTS 14 Pin	2 ft.	84-896537K02	565
	8 ft.	84-896537K08	565
	11 ft.	84-896537K11	565
	15 ft.	84-896537K15	565
	20 ft.	84-896537K20	566
	25 ft.	84-896537K24	566
	30 ft.	84-896537K29	566
	40 ft.	84-896537K40	566
Lanyard Stop Switch - Mechanical single engine - Bezel mount	87- 19674A06	573	
Lanyard Stop Switch - Mechanical single engine - Flush mount	87- 19674A05	573	
Lanyard Stop Switch - DTS single engine - Bezel mount	87- 19674A08	573	
Lanyard Stop Switch - DTS single engine - Flush mount	87- 19674A07	573	
Lanyard Stop Switch - Mechanical dual engine - Bezel or Flush mount	87-814324A 2	573	
Lanyard Stop Switch - DTS dual engine - Bezel mount	87- 19674A13	574	
Lanyard Stop Switch - DTS dual engine - Flush mount	87- 19674A12	573	
Galvanic Isolator & Monitor	NLA		
Miscellaneous Accessories			
Serpentine Belt Kit - engine w/o p/s pump	See application chart - Engine Accessories section		
Hot Water Heater Fitting Kits	See application chart - Engine Accessories section		
Exhaust Riser Kits - 1.7 in, 3 in, 4.7 in & 6 in.	See application chart - Engine Accessories section		
Thru Transom Exhaust Outlets	- 3 in.	843434A 1	206
	- 4 in.	843426A 1	206
Thru Transom Exhaust Flappers	- 3 in.	34765A 2	
	- 4 in.	12644A 1	130
Exhaust Block-off Plate	- Required when using thru transom exhaust	861776A 2	130
Exhaust Y Pipe Kit	- All V-8 engines, except 496 Mag	98-8M0117124	130
	- 496 Mag & 8.2L (also requires intermediate elbow kit)	98-8M0117125	149
Intermediate Elbow Kit (496 & 8.2L non-EC)	- 496 (0" to 2" riser)	44267A03	140
	- 496 (2" to 8" riser)	44267A02	139
Intermediate Elbow Kit (496 EC)	- use with 2" riser	44267A05	146
	- use with 4" riser	44267A06	147
	- use with 6" riser	44267A07	147
	- use with 8" riser	44267A08	147
Intermediate Elbow Kit (8.2 EC) w/ 3 catalyst exh manifolds	- use with 2" riser	879288A13	149

QUICK REFERENCE GUIDE-MERCUISER

QUICK REFERENCE GUIDE-MERCUISER

Description	Part Number	Page	
- use with 4" riser	879288A14	149	
- use with 6" riser	879288A15	149	
- use with 8" riser	NLA		
Intermediate Elbow Kit (8.2 EC) w/ single catalyst exh manifolds			
- use with 2" riser	8M0095832	148	
- use with 4" riser	8M0095833	148	
- use with 6" riser	8M0095834	148	
Exhaust "S" Pipe			
- MCM	18563A 1	132	
-Tow Sports	807611T	132	
Exhaust Reducer Kit	- reduces from 4 in. exhaust to 3 in. exhaust	44349A 1	132
Silent Choice Exhaust Valve	- all V-8 engines, except 496 Mag	NLA	
Silent Choice Exhaust Pneumatic Air Pump		16645A 4	
Closed Cooling Kits	See application chart - Engine Accessories section		
Jackshaft Extension Kits	MCM V-6 & V8 (except 4.5L & 6.2L Mercury)	98634A20	166
	MCM 4.5L & 6.2L (Mercury)	98-8M0124634	166
Remote Oil Filter Kits	MCM 3.0L Carb	N/A	
	MCM 4.3L Carb	864990A 2	169
	MCM 5.0L & 5.7L Carb	864990A 1	170
Crankcase Oil Pump - Q/S		802889Q 1	302
Crankcase Oil Pump - MPP		802889A 1	302
In-line Fuel Filter Kit (boost pump)		35-864572A 1	173
Water Separating Fuel Filter Kit - Q/S		35-802893Q 4	173
Water Separating Fuel Filter Kit - MPP		35-802893A 4	
Gear Lube Reservoir Kit	Quart bottle for added capacity	865585A02	123
Gear Lube Reservoir Relocation Kit		806054A 1	123
Tilt Up Limit Spacer Kit		15768A 3	123
Trailer Clips - Q/S		817019Q 2	123
Trailer Clips - MPP		817019T 2	
Seawater Strainer (fitting sold separately below)		35-860603	177
Seawater Stainer Fitting	1-1/2 " O.D. barb	22-816339	178
Seawater Hose Drain Kit		861505A 1	164
Flushing Attachment - allows running engine - Q/S		44357Q 2	203
Flushing Attachment - allows running engine - MPP		44357T 2	
Dual Water Pickup Flush Seal Kit - Q/S		881150Q 1	204
Dual Water Pickup Flush Seal Kit - MPP		881150K 1	
Engine Flush Kit	MCM V-6 & V-8 (305, 350, 377, 454, 502) non EC engines w/ Bravo drive	898235A01	164

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICK REFERENCE GUIDE-MERCUISER

Description		Part Number	Page
	MCM 4.3L MPI EC engine w/ Bravo drive	98-8M0123083	164
	MCM 4.5L & 6.2L (Mercury) engines w/ Bravo drive	98-8M0123083	164
	MCM V-8 (305, 350, 377) EC engines w/ Bravo drive	879288A40	165
	MCM/MIE 8.1L & 8.2L non-EC engines	898235A02	165
	MCM/MIE 8.1L & 8.2L EC	8M0057577	165
Steering			
Power Steering Pump and Cooler Kit	3.0L	861481A 2	648
Power Steering Cylinder		8M0146217	647
Dual Engine Tie Bar - stbd cable entry			
	16 in. (40 cm) to 30 in. (76 mm)	NLA	
	30 in. (76 cm) to 46 in. (117 cm)	92020A 2	
	46 in. (117 cm) to 62 in. (157 cm)	92020A 3	648
Dual Engine Tie Bar - port cable entry			
	29 in. (74 cm) to 37-1/2 in. (95 cm)	96708A 4	648

QUICK REFERENCE GUIDE-MERCUISER

TABLE OF CONTENTS

SmartCraft Instruments	362	SC 100 System Link (52mm) Plastic Lens Gray Face/Black Bezel Gauges.	400
Analog Gauge Interface Kits.	408	SC 100 System Link (52mm) Plastic Lens White Face/Chrome Bezel Gauges.	401
MercMonitor with Active Trim Support and N2K Gateway.	397	SC 100 System Link (52mm) Plastic Lens White Face/White Bezel Gauges.	402
Mercury Gateway.	399	SC 100 System Link (85mm) Plastic Lens Black Face/Chrome Bezel Gauges.	405
Mobile Device Support.	377	SC 100 System Link (85mm) Plastic Lens Gray Face/Black Bezel Gauges.	405
ROKK Mini Mount System.	376	SC 100 System Link (85mm) Plastic Lens White Face/White Bezel Gauges.	404
SC1000 - SC100 Family Glass Lens Black Face Gauges.	368	SC 100 System Link- 110MM -Bezel/Mounting Hardware.	396
SC1000 - SC100 Family Glass Lens Gray Face Gauges.	369	SC 100 System Link Gauge 52 MM Bezels.	391
SC1000 - SC100 Family Glass Lens White Face Gauges.	367	SC 100 System Link Gauge 52 MM Bezels.	406
SC1000 Smart Tow Tach/Speed (85mm) Plastic Lens White Face/Chrome Bezel.	399	SC 100 System Link Gauge 85 MM Bezels.	393
SC1000 System Monitor (52mm).	398	SC 100 System Link Gauge 85 MM Bezels.	406
SC1000 System Monitor (85mm).	398	SmartCraft Rigging and Conversion Kits.	408
SC1000 System Monitor Bezels.	398	SmartCraft System Gauge and Monitor Retaining Nuts.	407
SC 1000 System Tach/Speed (85mm) Glass Lens Black Face Gauges.	380	VesselView.	370
SC 1000 System Tach/Speed (85mm) Glass Lens Gray Face Gauges.	382	VesselView403.	365
SC 1000 System Tach/Speed (85mm) Glass Lens White Face Gauges.	379	VesselView502.	364
SC1000 System Tach/Speed (85 mm) Plastic Lens Black Face/Chrome Bezel Gauges	400	VesselView703.	363
SC1000 System Tach/Speed 85 MM Bezels.	383	VesselView903.	362
SC1000 System Tach/Speed 85 MM Bezels.	399	VesselView Family.	370
SC 100 Glass Lens Black 110 mm.	395	VesselView Link.	366
SC 100 Glass Lens Black 52 mm.	386	VesselView Mobile.	375
SC 100 Glass Lens Black 85 mm.	392	Analog Instruments	411
SC 100 Glass Lens Gray 110 mm.	396	Admiral Plus Black Face Family.	433
SC 100 Glass Lens Gray 52 mm.	389	Admiral Plus Black with Chrome Bezel.	436
SC 100 Glass Lens Gray 85 mm.	392	Admiral Plus White Face Family.	440
SC 100 Glass Lens White 110 mm.	394	Analog Gauge Interface - Digital Engines.	418
SC 100 Glass Lens White 52mm.	383	Depth Sounders.	446
SC 100 Glass Lens White 85 mm.	391	Flagship Plus Black Face Family.	421
SC 100 System Link (110mm) Plastic Lens Black Face/Chrome Bezel Gauges.	406	Flagship Plus White Face Family.	425
SC 100 System Link (110 mm) Plastic Lens White Face/White Bezel Gauges.	405	Flagship Plus White Face with Chrome Bezels.	429
SC 100 System Link (52mm) Plastic Lens Black Face/Chrome Bezel Gauges.	403	Instrument Hole Cover Kit.	455
		Instrument Sets - Admiral Plus Black Face/Chrome.	415

TABLE OF CONTENTS - CONTROLS AND RIGGING

Instrument Sets - Admiral Plus Black Face Family	414
Instrument Sets - Admiral Plus White Face Family	416
Instrument Sets - Flagship Plus Black Face Family	411
Instrument Sets - Flagship Plus White Face/Chrome	413
Instrument Sets - Flagship Plus White Face Family	412
Instrument Sets - International II Family	417
International II Family Gauges	443
Mechanical Trim Position Indicator & Bezel Chart	457
Mechanical Trim Position Indicator Actuator Kits	456
Mechanical Trim Position Indicators - 1 Pointer	455
Mechanical Trim Position Indicators - 2 Pointer	456
Mechanical Trim Position Indicators - 3 Pointer	456
Mechanical Trim Position Indicators - 4 Pointer	456
Mechanical Trim Position Indicators - 5 Pointer	456
Monitor Panels for Diesels	420
Oil Pressure Senders	450
Power Trim Sender Chart	452
Power Trim Senders	450
QSS Replacement Gauges	446
Service Monitors	455
Speedometer Pickups	447
Tachometer Selection and Settings Charts	420
VDO Family Gauges	447
Water Pressure Pick-Up Kits	448
Water Temperature Senders	449

Digital Throttle and Shift Remote Controls

Controls-Console Dual	459
Controls-Console-Single	458
Controls-Panel	458
Controls-Yacht	460

DTS Track Pads	460
Foot Throttle Control	458
Triple/ Quad- Controls	460
Zero Effort Controls	461

Mechanical Remote Controls

Bulkhead Fittings and Bellows Kits	478
Commander Series Console Mount - Dual Engine	470
Commander Series Console Mount - Single Engine	469
F5H208/___ Throttle and Shift Cables	477
Force 1992 and Prior Cable Connectors	477
Jet Drive Remote Controls	470
MCC 4500 Console Mount - Dual Engine (Gen II)	464
MCC 4500 Console Mount - Single Engine (Gen II)	463
Morse 33C Series Cable Adapters	476
MPC 4000 Panel Mount Remote Controls (Gen II)	462
MSC 4000 Side Mount - Accessories	469
MSC 4000 Side Mount - Elect, Non-Power Trim	467
MSC 4000 Side Mount - Electric, Power Trim	465
MSC 4000 Side Mount - Manual Start, W/ Switch	468
MSC 4000 Side Mount - Manual Start W/ No Switch	469
Outboard Rigging Hose Kit	475
Remote Control Attaching Kits	473
Remote Control Conversion Kits	472
Rigging Hose Chart	476
Two Station Throttle & Shift Cables Attaching Kit	477
Zero Effort Remote Controls	470

Throttle and Shift Cables

64-853951A_ Series Shift Cables	485
820671A_ Series Shift Cables	485
858342A_ Series Shift Cables	485
858342A_ Series Shift Cables	486
GEN I/SAE Platinum Plus Throttle and Shift Cables	481

GEN II/SAE Platinum Plus Throttle and Shift Cables	482	VIP Modules -Interface Panels	518
Morse 33C Series Cable Adapters	484	SmartCraft Rigging	526
Platinum Plus Throttle and Shift Cable GEN I	479	10 Pin (Blue) Data Harnesses	534
Platinum Plus Throttle and Shift Cable GEN II	480	10 Pin (Yellow) Data Harnesses	534
Platinum Plus Throttle and Shift Cable SAE .	483	Active Trim	526
Solid Core Throttle / Shift Cables	483	Active Trim	527
Two Station Throttle & Shift Attaching Kit . .	484	Active Trim Kits	527
Joystick Rigging	487	Adapter Harnesses - 10 Pin	535
Fittings	498	Adapter Harnesses - 2 Pin	536
Hose Assemblies	496	Add-On Sensor Harnesses	537
Joystick Features	492	Add-On Sensor Harnesses - MCM	547
Joystick Piloting for V6 Mercury Outboards (Optimus 360)	487	Add-On Sensor Rigging Kits - MCM	547
Joystick Piloting - Key Features	488	Block Water Pressure Sender	538
Joystick Piloting - Standard Features	489	Fuel Senders	538
Joystick Rigging	492	GPS Kits	542
Power Steering Hose Kits-Joystick Piloting .	496	Junction Boxes/Junction Box Accessories . .	530
Skyhook	490	NMEA2000	543
Skyhook Advanced Features	491	NMEA2000 Components	544
DTS Rigging	500	Pitot Kits	541
DTS Command Module and Harness Kits . .	502	SC 100 Link Harnesses	533
DTS Components	510	SmartCraft Gauge Harnesses	532
DTS Helm Board Kits (Helm Boards Only) . .	510	SmartCraft K-Planes - Harnesses	548
DTS Rigging Kits	500	SmartCraft Rigging Kits	545
SmartCraft and DTS Application Information	500	Steering Angle Sensors	548
Diesel Rigging	512	Transducers In-Hull	541
2.0L Engine Rigging Kits	512	Transducers Thru Hull	540
Adapters and Harnesses	521	Transom Mount Transducer Brackets	540
CCM Service Modules	520	Transom Mount Transducers	539
Diesel TDI Rigging	513	Trim Sensors	539
Helm Panel DTS - Main Station	520	Electrical	549
Helm Panel DTS - Second Station	520	10 Pin (Blue) Data Harnesses	556
Miscellaneous Accessories	525	10 Pin (Yellow) Data Harnesses	555
Panels DTS	512	14 Pin Data Harnesses	554
Panels DTS	517	Accessory Harnesses	559
Panels Non DTS	512	Adapter Harnesses	558
Panels Non DTS	518	Adapter Harnesses - 14 Pin	557
Vessel Panels DTS	516	Adapter Harnesses - 2 Pin	557
		Alpha/Numeric Key Chart	570
		Battery Bar - Multiple Connector	594
		Battery Cables	594

TABLE OF CONTENTS - CONTROLS AND RIGGING

Battery Isolators	595	Start / Stop Switches	567
Cable Ties	601	Tachometer Harnesses	585
Dual Station Senders	586	Tools	602
Electrical Hardware	596	Transom Mounted Ignition Keyswitch	567
Force Unique Ignition Key Chart	572	Transom Mounted Power Tilt Panel	590
Force Unique Ignition Keys	572	Trim Limit kits	589
Fuses and Circuit Breakers	598	Trim Switches	587
Ignition Key Cover	573	Troll Control	592
Ignition Keys - 3 Position - Base Number 897716		Two Station Start/Stop Panels	586
Key Switch	571	Two Station Y-Harnesses	586
Ignition Keys - 4 Position - Base Number 893353			
Key Switch	570	Steering	604
Ignition Keys - Numeric	570	Cable Seal Kit	647
Ignition Key Switches	561	Dual Cable - Single Engine Attaching Kit	646
Ignition Key Switch with Harnesses	564	Dual Engine Tie Bar Kits	646
Instrument Extension Harnesses (Diesel)	553	Front Pivot Mount Cylinder Chart	641
Instrument Extension Harnesses (Gas		Hydraulic Outboard Steering System	627
Engines)	552	Hydraulic Steering - Basic and Heavy Duty	
Instrument Harnesses	550	Systems	622
Junction Boxes/Junction Box Accessories	576	Hydraulic Steering - Common to Power	
Key Switches	568	Steering	628
Lanyard Stop Switches	573	Jet Drive 135 & 270 Deg. Steering System	648
Lanyard Switches	575	Jet Drive 540 Deg. Steering System	649
Mariner Unique Ignition Key Chart	572	Jet Drive Steering Cable Rod End	649
Mariner Unique Ignition Keys	572	MerCruiser Dual Engine Tie Bar Kits	648
Numeric Key Chart	571	MerCruiser Power Steering Kits	647
Outboard Power Trim Switch Kits	591	Outboard Cable and Pulley Attaching Kits	647
Power Trim Adaptor Harnesses	593	Power Steering Components	608
Power Trim Control Panels	587	Power Steering - Dual	607
Power Trim Extension Harnesses	592	Power Steering Hose Kits-Joystick Piloting	617
Power Trim Extension Hose/Harness Kit	593	Power Steering - Quad	608
Power Trim Power Supply Cable	593	Power Steering - Single	607
Quicksilver Funnel Entry Vinyl Terminals	597	Power Steering - Triple	607
Quicksilver Heat Shrinkable Connectors and		RideGuide Attaching Kits	643
Tubing	598	SeaStar Tie Bar Kit Chart	643
Remote Control/Ignition Choke Extension		Steering Brackets	644
Harnesses	585	Steering Cable Bulkhead Fittings/Bellows Kits	649
Remote Control Adapter Harnesses	585	Steering Link Rod Chart	645
Safety Systems	582	Steering Wheels	604
SC 100 Link Harnesses	549	Teleflex Big-T Bezel Kit/Misc	639
Security Systems	578	Teleflex Mechanical Steering Helms	639
Shadow Resistor Packs	576	Teleflex NFB Rotary Steering	635
SmartCraft Gauge Harnesses	549		

Teleflex NFB SeaStar Hydraulic Outboard Steering. 639

Teleflex NFB SeaStar Replacement Parts. . . 642

Teleflex NFB SeaStar Tie Bar Kits. 643

Teleflex Non-NFB Safe-T QC Rotary Steering Systems. 634

Teleflex Rotary Steering Cables. 638

Tie Bar Kits. 619

Tiller Handle Steering-40-300HP Tiller. . . . 605

Transom Mounted Steering Kits. 647

Uflex Mechanical Steering Cables. 633

Uflex Misc Components. 638

Uflex Rotary Steering Cables. 636

Uflex Standard Rack Steering System. 631

Uflex Standard Rack Steering System / Tilt. . 631

Uflex Standard Rotary Steering Systems. . . 634

Uflex Standard Rotary Steering Systems/ Dual Cable. 635

Uflex Standard Rotary Steering Systems/Tilt 634

Uflex Steering Components-Helms, Bezels,Tilt Mech. 636

Uflex Steering Cylinders, Helms and Hoses-Misc. 641

Uflex ZeroTorque Feedback Rack Steering System. 631

Uflex ZeroTorque Feedback Rack System/Tilt 632

Uflex ZeroTorque Feedback Rotary Steering System. 635

Uflex ZeroTorque Feedback Rotary Systems / Tilt. 636

K Planes (Trim Tabs). 651

Actuator Kits. 653

Competition K-Planes. 653

Hoses for K-Planes. 654

K-Planes Hose Kits. 653

K-Planes Sport Color Option. 652

Mechanical Trim Position Indicator Chart. 651

Mechanical Trim Position Indicators 1 Pointer 651

Mechanical Trim Position Indicators 2 Pointer 651

Mechanical Trim Position Indicators 3 Pointer 651

Mechanical Trim Position Indicators 4 Pointer 651

Mechanical Trim Position Indicators 5 Pointer 651

Sport K-Planes. 652

Installation Specifications and Tools . . . 655

DTS - ERC Console Mount Controls - Dual Engine. 669

DTS - ERC Console Mount Controls - Single Engine. 667

DTS - ERC Dual Console Mount Cutout Template. 666

DTS - ERC Panel Mount Controls. 665

DTS - ERC Panel Mount Cutout Template. . . 664

DTS - ERC Slim Binnacle - Single Engine. . . 668

Installation Aids. 655

Measuring Console Control Throttle/Shift Cables. 671

Measuring for Exhaust Risers. 671

Measuring MerCruiser Throttle/Shift Cables. 670

Measuring Outboard Throttle/Shift Cables. . 670

MPC 4000/4000 GEN II-Panel Mount Cutout Template. 663

MPC 4000 GEN II Panel Mount-Lock Bar Design. 661

MPC 4000 GEN II Panel Mount-Lock Bar Finger Release Design. 662

MPC 4000 Panel Mount Controls (Trim/Non-Trim). 660

MSC 4500 Side Mount Control Schematic. . . 659

VESSELVIEW903



VesselView903

From engine information to vessel systems, the Mercury VesselView903's 9" screen is your information portal for your boat. Mercury VesselView allows boaters to display engine information, genset, sounder info and much more...



VesselView Link



VesselView 903

- Features a bright 16x9 aspect ratio, high definition glass touchscreen with glare-reducing coating and dimmable lighting
- Features a built-in 10Hz GPS and chart plotter capability (regional electronic chart cards purchased separately)
- Unique touch-only screen interface that delivers intuitive display interaction (optional remote control button interface is available)
- Auto Notification of software updates through the embedded WiFi
- Can be integrated with all the Simrad accessories for the Go9 product line: Radar, Sonar transducers, Fish Finder transducers, AIS, VHF, Sonic Hub/Fusion Link/SiriusXM, C-Zone/Naviop digital switching and more
- Descriptive fault text display provides up-to-date information for 30+ engine parameters including: Fuel Level & Range, Oil Temperature & Pressure, Battery Voltage, Water Depth, Genset and more
- Simultaneous displays information for up to 4 engines in an easy-to-read interface
- Gateway functionality to allow SmartCraft data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Requires Mercury's VesselView Link to fully integrate the propulsion system and make your multi-function display truly multi-functional (included in the kit)
- Can be low-profile top-mount, flush or bracket-mount the display
- Full-featured chartplotter with widest available cartography (Insight, Navionics, CMAP)
- Radar display for Simrad Broadband 3G/4G and Halo Pulse Compression radar systems
- Built-in Broadband Sounder, CHIRP Sonar, StructureScan HD imaging or ForwardScan sonar support (transducer required)

Description	Part Number
VV903 Multi Engine Kit	8M0129545
VV903 Single Engine Kit	8M0129543

©2017 MERCURY MARINE. All rights reserved. Published 09/17. Printed in U.S.A. Reproduction in whole or in part without permission is prohibited. P/N 90-8M0137950

SMARTCRAFT INSTRUMENTS

VESSELVIEW703

VesselView703






Precise, reliable control with greater visibility

Discover exceptional clarity, wide viewing angles, and enhanced controls for easier display operation in all conditions. Cruise, fish, and experience an unprecedented level of built-in functionality on the all-new VesselView703.

- Features a bright 16x9 aspect ratio, high definition glass touchscreen with glare-reducing coating and dimmable lighting
- Features a built in 10Hz GPS and chart platter capability (regional electronic chart cards purchased separately)
- Hybrid touchscreen and button interface allows users preferences for display interaction
- Auto Notification of software updates through the included WiFi capability
- Can be integrated with all the Simrad accessories for the NSS Evo3 product line: Radar, Sonar transducers, Fish Finder transducers, AIS, VHF, Sonic Hub/Fusion Link, C-Zone and Naviop digital switching and more
- Simultaneously displays information for up to 4 engines in an easy-to-read interface
- Display provides up-to-date information for 30+ engine parameters Including: Fuel Level & Range, Oil Temperature & Pressure, Battery Voltage, Water Depth, Genset and more
- Gateway functionality to allow SmartCraft data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Requires Mercury's VesselView Link to fully integrate the propulsion system and make your multi-function display truly multi-functional (included in the kit)



Description	Part Number
VV703 Multi Engine Kit	8M0124496
VV703 Single Engine Kit	8M0124495

-  All-weather touchscreen
-  Integrated echosounder
-  True dual-channel CHIRP
-  Highly expandable system
-  Built-in GoFree™ Wi-Fi

VesselView703 is the next generation in the Mercury® VesselView® Multifunction Display family featuring the new Simrad® SolarMAX® HD display.



Learn more at mercurymarine.com

©2018 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited. Simrad, SolarMax HD and GoFree are registered trademarks of Navico, Inc.

P/N 90-8M0128535 rev2-0118

VESSELVIEW502

VesselView502

From engine information to vessel systems, the Mercury VesselView502's 5" screen is your information portal for your boat. Mercury VesselView allows boaters to display engine information, genset, sounder info and much more...

- Features a bright 16x9 aspect ratio, high definition glass touchscreen with glare-reducing coating and dimmable lighting
- Features a built in 10Hz GPS and chart plotter capability (regional electronic chart cards purchased separately)
- Unique touch only screen interface that delivers intuitive display interaction (optional remote control button interface is available)
- Auto Notification of software updates through the embedded WiFi and Bluetooth capability
- Can be integrated with all the Simrad accessories for the Go5 product line: Radar, Sonar transducers, Fish Finder transducers, AIS, VHF, Sonic Hub/Fusion Link, C-Zone digital switching and more
- Adaptive screen automatically presents information when it is most important
- Descriptive fault text display provides up-to-date information for 30+ engine parameters Including: Fuel Level & Range, Oil Temperature & Pressure, Battery Voltage, Water Depth, Genset and more
- Simultaneous displays information for up to 4 engines in an easy-to-read interface
- Gateway functionality to allow SmartCraft data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Requires Mercury's VesselView Link to fully integrate the propulsion system and make your multi-function display truly multi-functional (included in the kit)



Description	Part Number
VV502 Multi Engine Kit	8M0110646
VV502 Single Engine Kit	8M0110643



Learn more at mercurymarine.com

VESSELVIEW403



VesselView403

From engine information to vessel systems, Mercury VesselView – the premiere engine information display in the recreational marine industry – is your information portal to your boat. Mercury® VesselView® allows boaters to display engine information, genset, sounder and more.

- Features a bright, 4” glass screen with glare-reducing coating and dimmable lighting
- Low Profile front mount with sleek optimized button-only user interface
- Active Trim interface so that the Active Trim dash pad is not required. Requires a GPS source.
- Includes WiFi support for easier software updates
- Descriptive fault text display provides up-to-date information for over 30 engine parameters
- Supports up to 4 engines and can simultaneously display information for up to 2 engines in an easy-to-read interface
- Whether you ski, wakeboard or surf, Smart Tow® makes boating easier and more fun by delivering consistent, dialed-in pulls for all tow sport activities.
- Gateway functionality to allow SmartCraft® data to be displayed on NMEA 2000 devices
- Supports 16 languages and multiple unit conversions
- Troll Control can set engine trolling speed in increments of 10 RPM for precise control



Description	Part Number
VesselView403 Kit	8M0124498

SMART TOW



TROLL CONTROL



ENGINE INFORMATION




©2017 MERCURY MARINE. All rights reserved. Published 09/17. Printed in U.S.A. Reproduction in whole or in part without permission is prohibited. P/N 90-8M0137948

SMARTCRAFT INSTRUMENTS

VESSELVIEW LINK

Engine data linked to your vessel display. Welcome to VesselView Link by Mercury Marine®.



Looking for a display that fully integrates with your propulsion system? Mercury's VesselView Link is the answer. Offered in single engine or multi-engine (2-4 engines) versions, this is your link to all the features SmartCraft has to offer. Available on compatible Lowrance and Simrad displays, you now have all the VesselView information and control capability at your fingertips. With a user interface that's easy to navigate, you're able to integrate the following systems into one display.

- Chart plotter
- Sonar/fish finder
- Radar
- VHF
- AIS (Automatic Identification System)
- Sonic Hub/Fusion Link
- CZone/Naviop Digital Switching
- And many more

VesselView Link

- Offered as a single engine or multi engine (2-4 engine) interface, a "black box" VesselView that installs under the dash
- Can also Link a Simrad or Lowrance compatible display to the Mercury SmartCraft data and control system which provides the fully integrated and functional Mercury VesselView user interface on those displays
 - Simrad NSS evo2, NSS evo3, NSO evo2, NSO evo3 and GO series; Lowrance HDS Gen 2 Touch and HDS Gen 3
 - Excellent opportunity for those fisherman with Lowrance displays and Mercury power to get the full VesselView experience where they normally would only rely on analog gauges
- Info & Control features - ECO mode, Troll Control in 10 RPM increments, Active Trim interface to omit the dashpad, Cruise Control (RPM or Speed based), SmartTow (tow sport launch control system, RPM or Speed based), with customizable user launch profiles and new intuitive interface utilizing the Launch Target cursor
- User selectable 16 languages that cover the interface, Descriptive Fault Text, Universal Fault Codes (UFCs) and Maintenance Items (for those engines equipped with this feature)



**Included in the VV502, VV703 and VV903 kits
Can also be ordered as a component***

VesselView Link Multi	8M0110641
VesselView Link Single	8M0110639
VesselView Link Multi w/Advanced Features Bundle	8M0144269

*only supports Simrad or Lowrance compatible displays




Learn more at mercurymarine.com

©2018 MERCURY MARINE. All rights reserved. Printed in U.S.A. Reproduction in whole or in part without permission is prohibited.

P/N 8M0144269 0218

SMARTCRAFT INSTRUMENTS

SC1000 - SC100 FAMILY GLASS LENS WHITE FACE GAUGES



SMARTCRAFT INSTRUMENTS

SC1000 - SC100 FAMILY GLASS LENS BLACK FACE GAUGES



SMARTCRAFT INSTRUMENTS

SC1000 - SC100 FAMILY GLASS LENS GRAY FACE GAUGES



SMARTCRAFT INSTRUMENTS

VESSELVIEW FAMILY



VESSELVIEW

VesselView continues to evolve as the next generation full color displays with an enhanced full sunlight viewable vessel information center encompassing data from the vessel, navigation and engines. There are numerous NMEA2K input options in addition to the fully integrated Mercury Marine SmartCraft digital information and control features. Regardless of the application, we have a display solution available: VesselView4, VesselView502, VesselView702, VesselView703, VesselView Link or VesselView Mobile.

VESSELVIEW903 SINGLE ENGINE KIT



8M0129543

VesselView903 is our 16:9 HD direct sunlight viewable color touchscreen-only multi-function display. Kit includes VesselView Link, VV903 display and harnessing.

Works with all SmartCraft capable engines 40 HP and up, single engine applications only. A NMEA2000 backbone is required, starter kit available separately.

VESSELVIEW 903 MULTI ENGINE KIT



8M0129545

VesselView903 is our 16:9 HD direct sunlight viewable color touchscreen-only multi-function display. Kit includes VesselView Link, VV903 display and harnessing.

Works with all SmartCraft capable engines 40 HP and up, dual through quad engine applications only. A NMEA2000 backbone is required, starter kit available separately.

VESSELVIEW703 SINGLE ENGINE KIT



8M0124495

VesselView703 is our 16:9 HD direct sunlight viewable color touchscreen display. Kit includes the VesselView Link and harnessing. WiFi and Bluetooth are built in. Works with all SmartCraft capable engines 40 HP and up, single engine applications only. A NMEA2000 backbone is required, starter kit available separately.

VESSELVIEW703 MULTI ENGINE KIT



8M0124496

VesselView703 is our 16:9 HD direct sunlight viewable color touchscreen display. Kit includes the VesselView Link and harnessing. WiFi and Bluetooth are built in. Works with all SmartCraft capable engines 40 HP and up, dual through quad engine applications. A NMEA2000 backbone is required, starter kit available separately.

VESSELVIEW502 SINGLE ENGINE KIT



8M0110643

VesselView502 is our 16:9 HD direct sunlight viewable color touchscreen-only display. Kit includes the new VesselView Link, harnessing and GoFree WiFi module.

Works with all SmartCraft capable engines 40 HP and up, single engine applications only. A NMEA2000 backbone is required, starter kit available separately.

VESSELVIEW502 MULTI ENGINE KIT

8M0110646

VesselView502 is our 16:9 HD direct sunlight viewable color touchscreen-only display. Kit includes the new VesselView Link, harnessing and GoFree WiFi module.

Works with all SmartCraft capable engines 40 HP and up, dual through quad engine applications. A NMEA2000 backbone is required, starter kit available separately.

VESSELVIEW403 KIT



8M0124498

VesselView403 is a direct sunlight viewable color display for up to 2 engines. Kit includes display and harnessing.

Works with all SmartCraft capable engines 40 HP and above. Single through quad engine applications but display only supports data for up to 2 engines.

VESSELVIEW903 SUN COVER - MERCURY



8M0133439

Protects VesselView903 when not in use. With Mercury logo
Works with VesselView903

VESSELVIEW703 SUN COVER - MERCURY



8M6005011

Protects VesselView703 when unit is not being used. With Mercury Logo
Works with VesselView703

VESSELVIEW703 SUN COVER - CUMMINS



8M6005108

Protects VesselView703 when unit is not being used. With Cummins Logo
Works with VesselView703

VESSELVIEW502 SUN COVER - MERCURY



8M6003707

Protects VesselView502 when unit is not being used. With Mercury Logo
Works with VesselView 502

VESSELVIEW403 SUN COVER - MERCURY



8M6005019

Protects VesselView403 when not in use. With Mercury Logo
Works with VesselView403

VESSELVIEW403 SUN COVER - CUMMINS



8M6005109

Protects VesselView403 when not in use. With Cummins logo
Works with VesselView403


VESSELVIEW 903 BEZEL - BLACK



8M0141864

Replacement VesselView903 bezel accent piece - black
Works with VesselView903

VESSELVIEW703 BEZELS - BLACK



8M6005025

Replacement VesselView703 bezel accent pieces - black
Works with VesselView703


VESSELVIEW502 BEZEL - BLACK



8M6003706

Replacement VesselView502 bezel accent pieces - black
Works with VesselView502

VESSELVIEW403 BEZEL - BLACK



8M6005014

Replacement VesselView403 bezel accent piece - black
Works with VesselView403

VESSELVIEW LINK SINGLE



8M0110639

Integrate your Lowrance or Simrad display with your Mercury propulsion system and the power of VesselView.

Single SmartCraft capable engine and a compatible display (VesselView502, VesselView702, VesselView703, Simrad NSS evo2, NSS evo3, NSO evo2, GO Series, Lowrance HDS Gen 2 Touch or HDS Gen 3)

VESSELVIEW LINK MULTI

8M0110641

Integrate your Lowrance or Simrad display with your Mercury propulsion system and the power of VesselView.

Multi SmartCraft capable engines (2 to 4) and a compatible display (VesselView502, VesselView702, VesselView703, Simrad NSS evo2, NSS evo3, NSO evo2, GO Series, Lowrance HDS Gen 2 Touch or HDS Gen 3)

VESSELVIEW LINK HARNESS



84-8M0111670

Harness used to connect VesselView Link to the Junction Box, included in the VesselView Link Kits
Can be used with either the VesselView Link Single or Multi engine component

VESSELVIEW LINK MOUNTING BRACKET



8M0110649

Stainless Steel mounting bracket which allows the VesselView Link (Single or Multi) to be installed vertically to the mounting surface.
Optional bracket to be used when there is not sufficient space to mount the VesselView Link flat to the intended mounting surface.

VESSELVIEW70X POWER HARNESS



84-8M0111668

Harness provides power and SmartCraft information via a Junction Box connection
Used for VesselView702 and 703 displays, comes in the full kit

VESSELVIEW502 POWER HARNESS



84-8M0111669

Harness provides power and SmartCraft information via a Junction Box connection
Used for all VesselView502 displays, comes in the full kit

VESSELVIEW903 DISPLAY ONLY



8M0129544

Display only with harness, NMEA2000 T and extension, bezels, sun cover, mounting hardware and gasket.
VV903 display only for use with an existing VesselView Link on multi-display installations or as a service replacement.

VESSELVIEW703 DISPLAY ONLY



8M0124497

Display only with harness, NMEA2000 T and extension, bezels, sun cover, mounting hardware and gasket.
VV703 display only for use with an existing VesselView Link on multi-display installations.


VESSELVIEW502 DISPLAY ONLY



8M0110644

Display only with harness, NMEA2000 T and extension, bezels, sun cover, mounting hardware and gasket.
VV502 display only for use with an existing VesselView Link on multi-display installations.

VESSELVIEW7 AND 70X VIDEO INPUT CABLE



8M6003460

Add up to two video sources as inputs to your VesselView7 or 702 display. Can be used for viewing numerous useful locations: the swim platform area, inside the engine compartment/bilge area, from the ski tower looking aft or down in the galley/cabin below
Works with VV7, VV702 or VV703 and NTSC/PAL analog video signals

VESSELVIEW MOBILE



84-8M0157078

Connect the SmartCraft digital data stream from your engine to your iOS or Android mobile device via BLE (Bluetooth Low Energy 4.0). Works with any SmartCraft-capable 2003 or newer engine (from single to quad applications), 40 HP and higher (outboards, gas or diesel sterndrives and inboards, Joystick Piloting, Zeus pods and Racing products).


VESSELVIEW MOBILE BULK (24 UNITS)

84-8M0157080

Individually priced, sold @24. Does not contain point of sale packaging. Intended for high volume installations of the VesselView Mobile Module in Dealer, boat builder and Fleet scenarios. Connect the SmartCraft digital data stream from your engine to your iOS or Android mobile device via BLE (Bluetooth Low Energy 4.0). Get access to all the data via www.vesselviewmobile.com

Works with any SmartCraft-capable 2003 or newer engine (from single to quad applications), 40 HP and higher (outboards, gas or diesel sterndrives and inboards, Joystick Piloting, Zeus pods and Racing products).

VESSELVIEW 4 ADAPTER PLATE



8M0079348

VesselView 4 adapter plate in brushed stainless steel. Adapter plate to install a VesselView 4 into the cutout for the previous generation VesselView.

VESSELVIEW MOBILE

VesselView Mobile

Key Features:

- Connects the SmartCraft data network to your iOS or Android mobile device via BLE (Bluetooth Low Energy 4.0)
- See all the SmartCraft engine parameters: fuel flow, water temperature, oil & water pressures, battery voltage, RPM, etc (parameters available are specific to each engine family)
- Get fault code diagnostic information so you know and understand if that fault is something to be addressed when you return back to the dock or it is something more significant
- Get mapping information for your body of water: location, record a moment on the water, fuel & restaurant locations and more
- Dealer Locator and Primary Dealer selector
- Checklists associated with your boating lifestyle
- Maintenance reminders and historical maintenance information logs
- Web-based account to dive deeper into your connection with your boat – analyze fuel consumption trip to trip and year to year, relive those wonderful family trips or fantastic fishing moments
- Compatible with all Mercury SmartCraft-capable engines built since 2003 (40 HP and up)
- www.VesselViewMobile.com



Now you can have the power of SmartCraft on your mobile device (iOS or Android) with all the digital data your SmartCraft engine supports plus new features such as Maintenance Reminders, Mapping, Performance Summary and Fault Code Diagnostic information. Connect with your engine and be in the know.

Android® is a registered trademark of Google®, Inc., Bluetooth® is a registered trademark of Bluetooth SIG, Inc., iOS® is a registered trademark of Cisco Systems®, Inc. (used under license by Apple®, Inc.), SmartCraft® and VesselView® are registered trademarks of Brunswick® Corporation.

Description	Part Number
VesselView Mobile Point of Sale	8M0115080
VesselView Mobile Point of Sale (qty 12)	8M0130181
VesselView Mobile bulk kit (qty 24)	8M0120319



SMARTCRAFT INSTRUMENTS



Learn more at mercurymarine.com

ROKK MINI MOUNT SYSTEM

ROKK™ Mini Mount System

ROKK mini is a compact and multi-adjustable mounting system for smart phones, tablets, small fish finders, digital and action cameras and more! Small in size but big on features, ROKK Mini is simply the toughest, most reliable mount for your tech. No compromise.

VERSATILE

A choice of base mounts to install your devices how you want, where you want

MORE THAN A MOUNT

Designed, not just made. With features that you'll feel and hear more than you'll see

QUICK FIT | QUICK RELEASE

Install your devices instantly onboard. With one reassuring click your mobile device is both secured and released.

SOLID INSTALL

A metal-on-metal locking system multiplies your clamping efforts to achieve 100% locking force. Your electronics will never move, until you want them to.

UNIVERSAL TABLET CLAMP

Secure mount for mini and full size tablets - ratchet adjustable

Fits devices from 125mm to 220mm (5-8 1/4")

UNIVERSAL PHONE CLAMP

Secure mount for smart phones, handheld GPS and other small devices - ratchet adjustable

Fits devices from 45mm to 95mm (1 3/4" - 3 3/4")



The ultimate rapid waterproof USB charger with dual socket connectivity that can charge devices up to 3x faster than standard USB sockets. Featuring a click & lock lid and ultra low profile, the ROKK charge+ is perfect for any outdoor application.

Smaller | Faster | More Waterproof

Universal

- Universal fit for any USB Type-A connector.
- Charge up to 2 devices at a time.
- Easy Install
- Click & Lock Lid

Waterproof Charging

- IPX6 waterproof with cover closed.
- 1.5A: up to 3x faster than standard USB sockets.
- Waterproof with 1, 2 and even no cables plugged in.

Marine Ready

- 12-24V
- Anti-corrosion coating on circuit board.
- UV resistant.
- 316 stainless hinge and spring.

Great Design

- Ultra low profile: only 29mm high, 94mm long.
- Anti-snag cover aligns cables when closed.
- Standard barrel size also fits existing USB socket

Product	Part Number
Charge+ Waterproof Dual USB Power	8M6005670
USB to Lightning Waterproof Cable - 2 Meter	8M6005671
USB to Lightning Waterproof Cable - 0.6 Meter	8M6005696
USB to Micro USB Waterproof Cable - 2 Meter	8M6005695
USB to Micro USB Waterproof Cable - 0.6 Meter	8M6005697
ROKK Universal Phone Clamp	8M6005674
ROKK Universal Tablet Clamp	8M6005673
ROKK Mini Adjustable Body	8M6005672
ROKK Mini Surface Mount	8M6005675
ROKK Mini Rail Mount	8M6005676
ROKK Self-Adhesive Mount	8M6005677
ROKK Mini Suction Cup Mount	8M6005678



Learn more at mercurymarine.com

MOBILE DEVICE SUPPORT

Three easy steps to select the ROKK mini mount system that works for you.

1. Select your mobile device clamp:
 - a. phone
 - b. tablet
2. Mini adjustable body works with all clamps and bases.
3. Select your base:
 - a. surface
 - b. rail
 - c. adhesive
 - d. suction cup



ROKK UNIVERSAL PHONE CLAMP



8M6005674

ROKK universal phone clamp is used to hold a phone exactly where you want it. Used in conjunction with the Mini Adjustable Body and your choice of ROKK mounts

One of three modular pieces used in the ROKK mini mount system to position your mobile device right where you want it. A great addition to any boat, auto, motorcycle, ATV or plane.

ROKK UNIVERSAL TABLET CLAMP



8M6005673

ROKK universal tablet clamp is used to hold a tablet exactly where you want it. Used in conjunction with the Mini Adjustable Body and your choice of ROKK mounts

One of three modular pieces used in the ROKK mini mount system to position your mobile device right where you want it. A great addition to any boat, auto, motorcycle, ATV or plane.

ROKK MINI ADJUSTABLE BODY



8M6005672

ROKK mini adjustable body is used to position a mobile device exactly where you want it. Used in conjunction with a ROKK universal clamp and your choice of ROKK mounts. Easily detaches to move to various locations.

One of three modular pieces used in the ROKK mini mount system to position your mobile device right where you want it. A great addition to any boat, auto, motorcycle, ATV or plane.

ROKK MINI SURFACE MOUNT



8M6005675

ROKK mini surface mount is used to provide a "ROKK" solid mount for your mini mount system which was designed to hold your mobile device exactly where you want it. Used in conjunction with a ROKK universal clamp and the ROKK mini adjustable body.

One of three modular pieces used in the ROKK mini mount system to position your mobile device right where you want it. A great addition to any boat, auto, motorcycle, ATV or plane.

ROKK MINI RAIL MOUNT



8M6005676

ROKK mini rail mount is used to provide a "ROKK" solid mount for your mini mount system which was designed to hold your mobile device exactly where you want it. Used in conjunction with a ROKK universal clamp and the ROKK mini adjustable body.

One of three modular pieces used in the ROKK mini mount system to position your mobile device right where you want it. A great addition to any boat, auto, motorcycle, ATV or plane.

ROKK SELF-ADHESIVE MOUNT



8M6005677

ROKK mini self-adhesive mount is used to provide a "ROKK" solid mount for your mini mount system which was designed to hold your mobile device exactly where you want it. Used in conjunction with a ROKK universal clamp and the ROKK mini adjustable body.

One of three modular pieces used in the ROKK mini mount system to position your mobile device right where you want it. A great addition to any boat, auto, motorcycle, ATV or plane.

ROKK MINI SUCTION CUP MOUNT



8M6005678

ROKK mini suction cup mount is used to provide a "ROKK" solid mount for your mini mount system which was designed to hold your mobile device exactly where you want it. Used in conjunction with a ROKK universal clamp and the ROKK mini adjustable body.

One of three modular pieces used in the ROKK mini mount system to position your mobile device right where you want it. A great addition to any boat, auto, motorcycle, ATV or plane.

ROKK SURFACE WIRELESS CHARGER



8M0150736

A surface mount wireless charger for mobile devices that follow the Qi standard (such as Apple and Android phones). Qi is an open interface standard that defines wireless power transfer using inductive charging.

This wireless charger is typically installed in locations where usage occurs while the vessel is not underway since the mobile device simply rests on the surface.

ROKK EDGE WIRELESS CHARGER



8M0150735

An adjustable clamp mount wireless charger for mobile devices that follow the Qi standard (such as Apple and Android phones). Qi is an open interface standard that defines wireless power transfer using inductive charging.

This wireless charger is installed in locations where there is a desire to maintain a clamping force on the mobile device and be able to adjust the viewing angle.

ROKK ACTIVE WIRELESS CHARGER



8M0150737

A clamp mount wireless charger for mobile devices that follow the Qi standard (such as Apple and Android phones). Qi is an open interface standard that defines wireless power transfer using inductive charging.

This wireless charger is installed in locations where there is a desire to maintain a clamping force on the mobile device.

CHARGE+ WATERPROOF DUAL USB POWER



8M6005670

Easy installation of waterproof USB power for up to two of your mobile devices. 12-24V input, waterproof with 1, 2 and even no cables plugged in, up to 3x faster charging than typical USB outlets, click & lock lid, total output current capacity 4.2A. Install any place you want to have USB power close at hand.

USB TO LIGHTNING WATERPROOF CABLE - 2 METER



8M6005671

2 meter USB to Lightning waterproof cable. Use with any Apple device that has the Lightning connector and the Charge+ waterproof USB power supply.

USB TO LIGHTNING WATERPROOF CABLE - 0.6 METER
8M6005696

0.6 meter USB to Lightning waterproof cable
 Use with any Apple device that has the Lightning connector and the Charge+ waterproof USB power supply

USB TO MICRO USB WATERPROOF CABLE - 2 METER
8M6005695


2 meter USB to micro USB waterproof cable
 Use with any Android device that has the micro USB connector and the Charge+ waterproof USB power supply

USB TO MICRO USB WATERPROOF CABLE - 0.6 METER
8M6005697


0.6 meter USB to micro USB waterproof cable
 Use with any Android device that has the micro USB connector and the Charge+ waterproof USB power supply

SC 1000 SYSTEM TACH/SPEED (85MM) GLASS LENS WHITE FACE GAUGES

Software version 7.0 for all SC1000 Tachometers and Speedometers supports the Mercury global dimming feature, maintenance reminder feature, an improved user interface and have SmartTow standard (various features are engine specific)



SPEEDOMETER - 80 MPH




79-8M0135627

SC1000 80 MPH speed gauge, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPARATELY. Works with all SmartCraft capable engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

BULK SPEEDOMETER - 80 MPH
79-8M0135628

SC1000 80 MPH speed gauge, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support. BULK KIT contains 24 gauges
 Priced individually, sold @ multiples of 24


SPEEDOMETER - 50 MPH



79-8M0135624

SC1000 50 MPH speed gauge, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support


SPEEDOMETER - 50 MPH (NO LOGO)



79-8M0135659

SC1000 50 MPH Speed gauge, no logo, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

TACHOMETER - 7K



79-8M0135634

SC1000 7000 RPM tach gauge, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

BULK TACHOMETER - 7K
79-8M0135638

SC1000 7000 RPM Tach gauge, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support. BULK KIT contains 24 gauges
 Priced individually, sold @ multiples of 24

SMARTCRAFT INSTRUMENTS

TACHOMETER - 4K



79-8M0135625

SC1000 4000 RPM tach gauge, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

TACHOMETER (NO LOGO)



79-8M0079925

SC1000 4000 RPM Tach gauge, no logo, white face, glass lens. Fits 85mm dia. hole.

Fits 2001 and newer Optimax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-stroke, Verado, Diesel and all SmartCraft compatible Mercruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors. Software 7.0 supports Mercury global dimming function, 150 4-stroke Maintenance Feature, improved user interface and standard SmartTow functionality.

BEZEL SOLD SEPARATELY. Used on all SmartCraft capable engines

TACH/SPEED KIT- SINGLE ENGINE

Image not Available.

79-8M0185917

Speedo SC1000 80 MPH and 7K RPM, white face. Single Engine Kit. Must purchase 5-way Jbox separately.

TACH/SPEED KIT- DUAL ENGINE

Image not Available.

79-8M0185918

Speedo SC1000 80 MPH and 7K RPM, White Face. Dual Engine Kit. Must purchase 5-way Jbox separately.

TACHOMETER - 5K (NO LOGO)



79-8M0135658

SC1000 5000 RPM Tach gauge, no logo, white face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Used on all SmartCraft compatible engines. Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

SPEED KIT- SINGLE ENGINE



79-8M0185891

Speedo SC1000 80 mph and 7K RPM, white face. Single Engine kit. Must order 5-way Jbox separately.

SPEED KIT- DUAL ENGINE




79-8M0185892

Speedo SC1000 80 MPH and 7K RPM, White Face. Dual Engine kit. Must order 5-way Jbox separately.

SC 1000 SYSTEM TACH/SPEED (85MM) GLASS LENS BLACK FACE GAUGES

Software version 9.0 for all SC1000 Tachometers and Speedometers adds Active Trim, Active Exhaust and Oil Level Status support. (various features are engine specific)



SPEEDOMETER - 80 MPH



79-8M0135631

SC1000 80 MPH speed gauge, black face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
 Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

SPEEDOMETER - 50 MPH



79-8M0135629

SC1000 50 MPH speed gauge, black face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
 Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

TACHOMETER - 7K



79-8M0135641

SC1000 7000 RPM tach, black face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
 Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

TACH/SPEED KIT- DUAL ENGINE

Image not Available.

79-8M0185919

Speedo SC1000 80 MPH and 7K RPM, Black face. Dual Engine kit. Must purchase 5-way Jbox separately.

TACH/SPEED KIT- SINGLE ENGINE

Image not Available.

79-8M0185920

Speedo SC 1000 80 MPH and 7K RPM, Black face. Single Engine kit. Must purchase 5-way Jbox separately.


TACHOMETER - 4K



79-8M0135630

SC1000 4000 RPM tach gauge, black face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
 Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

TACHOMETER - 4K (NO LOGO)



79-8M0135656

SC1000 4000 RPM tach gauge, no logo, black face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
 Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

TACHOMETER - 5K (NO LOGO)



79-8M0135657

SC1000 5000 RPM tach, no logo, black face, glass lens. Fits 85mm dia. hole. Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
 Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

SPEED KIT - SINGLE ENGINE



79-8M0185894

Speedo SC1000 80 MPH and 7K RPM, Black face. Single Engine kit. Must purchase 5-way Jbox separately.

SPEED KIT- DUAL ENGINE




79-8M0185893


Speedo SC1000 80 MPH and 7K RPM, Black face. Must purchase 5-way Jbox separately.

SC 1000 SYSTEM TACH/SPEED (85MM) GLASS LENS GRAY FACE GAUGES

Software version 7.0 for all SC1000 Tachometers and Speedometers supports the Mercury global dimming feature, maintenance reminder feature, an improved user interface and have SmartTow standard (various features are engine specific)



SPEEDOMETER - 80 MPH



79-8M0135654

SC1000 80 MPH speed gauge, gray face, glass lens. Fits 85mm dia. hole.

Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

BULK SPEEDOMETER -80 MPH

79-8M0135655

SC1000 80 MPH speed gauge, gray face, glass lens. Fits 85mm dia. hole.

gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support
Priced individually, sold @ multiples of 24

SPEEDOMETER - 50 MPH



79-8M0135651

SC1000 50 MPH speed gauge, gray face, glass lens. Fits 85mm dia. hole.

Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

TACHOMETER - 7K



79-8M0135645

SC1000 7000 RPM tach, gray face, glass lens. Fits 85mm dia. hole.

Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support


BULK TACHOMETER - 7K

79-8M0135646

SC1000 7000 RPM tach, gray face, glass lens. Fits 85mm dia. hole.

Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support. BULK KIT contains 24 gauges
Priced individually, sold @ multiples of 24

TACHOMETER - 4K



79-8M0135644

SC1000 4000 RPM tach, gray face, glass lens. Fits 85mm dia. hole.

Gauge has RPM and Speed based SmartTow. Features available on this gauge will depend on the individual engine model and its available sensors
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.
Software version 9.0 adds Active Trim, Active Exhaust and Oil Level Status support

SPEED KIT - SINGLE ENGINE



79-8M0185895

Speedo SC1000 80MPH and 7K RPM, Gray face. Single Engine kit. Must purchase 5-way Jbox separately.


SPEED KIT- DUAL ENGINE



79-8M0185906

Speedo SC1000 80MPH and 7K RPM, Gray face. Dual Engine kit. Must purchase 5-way Jbox separately.

SC1000 SYSTEM TACH/SPEED 85 MM BEZELS



BEZEL



859074 1

Black
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors

859074B 1

Black
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors
Priced individually, sold @ multiples of 24

BEZEL



859074 2

White
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors

859074B 2

White
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors
Priced individually, sold @ multiples of 24

BEZEL



859074 3


Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors

859074B 3


Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors
Priced individually, sold @ multiples of 24

SC 100 GLASS LENS WHITE 52MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



COOLANT TEMPERATURE GAUGE




79-8M0052863

Dual scale (English and Metric) temperature gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

VOLTAGE GAUGE (12 V)




79-8M0052864

Voltage gauge (8-16V), white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

VOLTAGE GAUGE (24 V)




79-8M0069412

Voltage gauge (16-32V), white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Used on all SmartCraft capable engines

FUEL LEVEL GAUGE




79-8M0052865

Fuel Level Gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

FUEL LEVEL 2 GAUGE



79-8M0052866

Fuel Level 2 Gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

FUEL FLOW GAUGE



79-8M0069416

Dual scale fuel flow gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WATER LEVEL GAUGE



79-8M0052867

Water Level Gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WASTE LEVEL GAUGE




79-8M0052868

Waste Level Gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

OIL PRESSURE GAUGE - 0-100 PSI




79-8M0052869

Dual scale (English and Metric) 0-100 psi oil pressure gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

GEAR OIL PRESSURE GAUGE - 60 PSI



79-8M0069415

Dual scale (English and Metric) 60 psi oil pressure gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Used on all SmartCraft capable engines

TRANSMISSION OIL TEMPERATURE GAUGE




79-8M0088771

Transmission oil temperature 120-300 degree F. White face, glass lens. Fits a standard 2.125 inch (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Typically used on diesel SmartCraft capable engines.

TRIM GAUGE




79-8M0052870

Trim gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WATER PRESSURE GAUGE




79-8M0052871

Dual scale (English and Metric) water pressure gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

RUDDER ANGLE GAUGE




79-8M0052872

Rudder Angle gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

OIL TEMPERATURE GAUGE



79-8M0054374

Dual scale (English and Metric) oil temperature gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

OIL LEVEL GAUGE



79-8M0052873


Oil Level gauge, white face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SC 100 GLASS LENS BLACK 52 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



COOLANT TEMPERATURE GAUGE



79-8M0052842

Dual scale (English and Metric) coolant temperature gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

VOLTAGE GAUGE (12 V)



79-8M0052843

Voltage gauge (8-16V), black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

VOLTAGE GAUGE (24 V)



79-8M0069426

Voltage gauge (16-32V), black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Used on all SmartCraft capable engines

FUEL LEVEL GAUGE



79-8M0052844

Fuel Level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

FUEL LEVEL 2 GAUGE



79-8M0052845

Fuel Level 2 gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WATER LEVEL GAUGE



79-8M0052846

Water Level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WASTE LEVEL GAUGE



79-8M0052847

Waste Level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

OIL PRESSURE GAUGE - 0-80 PSI




79-8M0069427

Dual scale (English and Metric) 0-80 psi oil pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Used on all SmartCraft capable engines

OIL PRESSURE GAUGE - 0-100 PSI



79-8M0052848

Dual scale (English and Metric) 0-100 psi oil pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

GEAR OIL PRESSURE GAUGE - 600 PSI




79-8M0069429

Dual scale (English and Metric) 600 psi oil pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Used on all SmartCraft capable engines.

TRANSMISSION OIL TEMPERATURE GAUGE




79-8M6002607

Transmission oil temperature 120-300 degree F. Black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Typically used on diesel SmartCraft capable engines.

TRIM GAUGE




79-8M0052849

Trim gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Works with all SmartCraft compatible engines.

WATER PRESSURE GAUGE




79-8M0052850

Dual scale (English and Metric) water pressure gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Works with all SmartCraft compatible engines.

RUDDER ANGLE GAUGE




79-8M0052851

Rudder Angle gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Works with all SmartCraft compatible engines.

OIL TEMPERATURE GAUGE



79-8M0054360

Dual scale (English and Metric) oil temperature gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Works with all SmartCraft compatible engines.

OIL LEVEL GAUGE




79-8M0052852

Oil Level gauge, black face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SC 100 GLASS LENS GRAY 52 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



COOLANT TEMPERATURE GAUGE



79-8M0065962

Dual scale (English and Metric) temperature gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

VOLTAGE GAUGE



79-8M0065963

Voltage gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.


FUEL LEVEL GAUGE



79-8M0065970

Fuel Level Gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

FUEL LEVEL 2 GAUGE



79-8M0065971

Fuel Level 2 Gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

FUEL FLOW GAUGE



79-8M0069430

Dual scale fuel flow gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WATER LEVEL GAUGE



79-8M0065972

Water Level Gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WASTE LEVEL GAUGE



79-8M0065973

Waste Level Gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

OIL PRESSURE GAUGE



79-8M0065974

Dual scale (English and Metric) oil pressure gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TRIM GAUGE



79-8M0065975

Trim gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

WATER PRESSURE GAUGE



79-8M0065976

Dual scale (English and Metric) water pressure gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

RUDDER ANGLE GAUGE



79-8M0065977

Rudder Angle gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

OIL LEVEL GAUGE



79-8M0065979

Oil Level gauge, gray face, glass lens. Fits a standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

OIL TEMPERATURE GAUGE




79-8M0065978

Dual scale (English and Metric) oil temperature gauge, gray face, glass lens. Fits standard 2-1/8" (52mm) dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SC 100 SYSTEM LINK GAUGE 52 MM BEZELS



BEZEL



879871 1

Black - 52 mm
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

879871B 1

Black
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 24

BEZEL



879871 2

White - 52 mm
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

BEZEL



8M6002359


Chrome - 52 mm
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

8M0032454


Chrome
Fits small 2.125 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 24

SC 100 GLASS LENS WHITE 85 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.




SPEEDOMETER



79-8M0052874

80 MPH/KPH speed gauge, white face, glass lens. Fits 85mm dia. hole.
Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.


SPEEDOMETER



79-8M0069417

120 MPH/KPH speed gauge, white face, glass lens. Fits 85mm dia. hole.
Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER




79-8M0069418

6000 RPM tach gauge, white face, glass lens. Fits 85 mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER




79-8M0052875

7000 RPM tach gauge, white face, glass lens. Fits 85 mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0069419


8000 RPM tach gauge, white face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SC 100 GLASS LENS BLACK 85 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



SPEEDOMETER



79-8M0052853

80 MPH/KPH Speed gauge, black face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0052854

7000 RPM Tach gauge, black face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0069433


8000 RPM Tach gauge, black face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SC 100 GLASS LENS GRAY 85 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



SPEEDOMETER



79-8M0065980

80 MPH/KPH speed gauge, gray face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SPEEDOMETER



79-8M0069459

120 MPH/KPH speed gauge, gray face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0069460

6000 RPM tach gauge, gray face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0065981

7000 RPM tach gauge, gray face, glass lens. Fits 85 mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER




79-8M0069461

8000 RPM tach gauge, gray face, glass lens. Fits 85mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SC 100 SYSTEM LINK GAUGE 85 MM BEZELS



BEZEL 85 MM



879872 1

Black

Fits large 3-3/8 in. (85 mm) O.D. SC100 System Link gauges

Priced individually, sold @ multiples of 2

BEZEL 85 MM



879872 2

White

Fits large 3-3/8 in. (85 mm) O.D. SC100 System Link gauges

Priced individually, sold @ multiples of 2

BEZEL 85 MM



879872 3


Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

879872B 3


Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 24

SC 100 GLASS LENS WHITE 110 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



SPEEDOMETER




79-8M0052878

80 MPH/KPH speed gauge, white face, glass lens. Fits a 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.


TACHOMETER



79-8M0069431

8000 RPM tach gauge, white face, glass lens. Fits 110mm dia. hole.
Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0052877

7000 RPM tach gauge, white face, glass lens. Fits a 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0052876

4000 RPM tach gauge, white face, glass lens. Fits 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.


TACHOMETER (NO LOGO)



79-8M0069424

4000 RPM Tach gauge, no logo, white face, glass lens. Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Used on all SmartCraft capable engines


TACHOMETER (NO LOGO)



79-8M0069432

5000 RPM Tach gauge, no logo, white face, glass lens. Fits 110mm dia. hole.
Application of this gauge will depend on the individual engine model and its available sensors.
BEZEL SOLD SEPARATELY. Used on all SmartCraft capable engines

4 IN 1 GAUGE (24 V) NO LOGO




79-8M0069422

4 IN 1 gauge, no logo, white face, glass lens. Oil pressure (0-100 psi), oil temperature, voltage (24V), and fuel level functions. Fits 110mm dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Used on all SmartCraft capable engines

SC 100 GLASS LENS BLACK 110 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



SPEEDOMETER



79-8M0052857

80 MPH/KPH speed gauge, black face, glass lens. Fits 110mm dia. hole. Application of this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPERATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0052856

7000 RPM Tach gauge, black face, glass lens. Fits 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors. BEZEL SOLD SEPERATELY. Works with all SmartCraft compatible engines.

TACHOMETER



79-8M0052855

4000 RPM Tach gauge, black face, glass lens. Fits 110mm dia. hole. Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Works with all SmartCraft compatible engines.

TACHOMETER (NO LOGO)



79-8M0069438

4000 RPM Tach gauge, no logo, black face, glass lens. Fits 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Used on all SmartCraft capable engines

4 IN 1 GAUGE (12 V) NO LOGO



79-8M0069437

4 IN 1 gauge, no logo, black face, glass lens. Oil pressure (0-100 psi), oil temperature, voltage (12V), and fuel level functions. Fits 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Used on all SmartCraft capable engines

4 IN 1 GAUGE (24 V) NO LOGO



79-8M0069436


4 IN 1 gauge, no logo, black face, glass lens. Oil pressure (0-100 psi), oil temperature, voltage (24V), and fuel level functions. Fits 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPERATELY. Used on all SmartCraft capable engines

SC 100 GLASS LENS GRAY 110 MM

SC100 System Link gauges allow you to monitor vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a plug-in connection. SC100 link gauges can be connected to a SC1000 System Tach, a MercMonitor or System Monitor.



SPEEDOMETER




79-8M0065984

80 MPH/KPH speed gauge, gray face, glass lens. Fits a 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SPEEDOMETER



79-8M0069463

65 MPH/KPH speed gauge, gray face, glass lens. Fits a 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER




79-8M0069462

8000 RPM tach gauge, gray face, glass lens. Fits a 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

TACHOMETER




79-8M0065983

7000 RPM tach gauge, gray face, glass lens. Fits a 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

4 IN 1 GAUGE




79-8M0065985

4 in 1 gauge, gray face, glass lens. Oil pressure (0-100 psi), oil temperature, voltage (12V), and fuel level functions. Fits 110mm dia. hole.

Application of this gauge will depend on the individual engine model and its available sensors.

BEZEL SOLD SEPARATELY. Works with all SmartCraft compatible engines.

SC 100 SYSTEM LINK- 110MM -BEZEL/MOUNTING HARDWARE



BEZEL



879949 1

Black
Fits large 4-5/16" (110 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

879949 3

Chrome
Fits large 4-5/16" (110 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

879949B 3

Chrome
Fits large 4-5/16" (110 mm) O.D. SC100 System Link gauges.
Priced individually, sold @ multiples of 24

RETAINING NUT




11-879950

Fits large 4-5/16" (110 mm) SmartCraft System gauges.
Priced individually, sold @ multiples of 2

MERCMONITOR WITH ACTIVE TRIM SUPPORT AND N2K GATEWAY

MercMonitor fits in a standard SmartCraft SC1000 gauge 85 mm hole and provides constant coverage of temperature, oil level, oil pressure, water pressure, fuel level, battery voltage and other major engine systems. Easily switches among the modes of RPM, fuel range in miles and kilometers, fuel flow in gallons and liters, water depth (with use of SmartCraft transducer), engine trim and engine hours. Latest MercMonitor products support Active Trim interface. NMEA Gateway functionality comes in three different levels depending on the amount of data you want to transmit to the NMEA2000 network. This product also comes in Smart Tow versions, for use with Gen I (2007) and newer DTS engines.



MERCMONITOR NMEA 2000 DATA LEVEL 1 KIT



79-8M0135536

MercMonitor Base version has full SmartCraft functionality and will display all information that is available on selected SmartCraft engines. Includes Active Trim interface and NMEA2000 gateway Level 1. Other features include glass lenses and Tri-Color LED which allows user to pick backlight and button color. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included.
Software version 9.0 adds Active Trim, Active Exhaust, and Oil Level Status support

MERCMONITOR NMEA 2000 DATA LEVEL 2 SMARTTOW RPM KIT



79-8M0135617

MercMonitor RPM SmartTow has full SmartCraft and SmartTow RPM functionality. SmartTow allows you to launch your boat using RPM profiles ONLY. Will display all information that is available on selected SmartCraft engines. Includes Active Trim interface and NMEA2000 gateway Level 2. Other features include glass lenses and Tri-Color LED which allows user to pick backlight and button color from menu. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included.
Software version 9.0 adds Active Trim, Active Exhaust, and Oil Level Status support

MERCMONITOR NMEA 2000 DATA LEVEL 3 SMARTTOW PRO KIT



79-8M0135618

MercMonitor Gateway level 3 has full SmartCraft and SmartTow PRO functionality (GPS and Antenna INCLUDED). SmartTow Pro software allows you to launch your boat using SPEED and RPM profiles. Will display all information that is available on selected SmartCraft engines. Includes Active Trim interface and NMEA2000 multi-engine gateway Level 3. Other features include glass lenses and Tri-Color LED which allows user to pick backlight and button color from menu. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included.
Software version 9.0 adds Active Trim, Active Exhaust, and Oil Level Status support

MERCMONITOR NMEA 2000 DATA LEVEL 3 GATEWAY PREMIER KIT



79-8M0135619

MercMonitor Gateway Premier Kit has full SmartCraft and SmartTow RPM functionality. SmartTow allows you to launch your boat using RPM profiles ONLY. Will display all information that is available on selected SmartCraft engines. Includes Active Trim interface and NMEA2000 multi-engine gateway Level 3. Other features include glass lenses and Tri-Color LED which allows user to pick backlight and keybutton color from menu to match other gauges on vessel. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Three bezels included. Software version 9.0 adds Active Trim, Active Exhaust, and Oil Level Status support

MERCMONITOR - NO NMEA 2000




79-8M0119406

Software version 4.602 has full SmartCraft functionality (INCLUDING ECO SCREEN) and will display all information that is available on selected SmartCraft engines. Includes Tri-Color LED which allows user to pick backlight and button color from menu. Screens include customizable favorites, descriptive fault text (Gen I (2007) and newer engines only), speed, depth and much more. Does not include NMEA2000 Gateway functionality and does not include SmartTow or Cruise. Three bezels included.

Fits 2002 and newer OptiMax Outboards, V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product. Does not support NMEA2000, Universal Fault Codes or the latest Tab module.

SC1000 SYSTEM MONITOR (85MM)



SMARTCRAFT SC1000 SYSTEM MONITOR-ROUND/BLACK



79-892219K19

Front mount. Uses a 85 mm dia. hole. Delivers an alarm on battery, water pressure and oil pressure. May provide additional information on fuel consumption, fuel range, engine hours, coolant temperature and engine trim depending on engine type and its sensors.

Works with all SmartCraft compatible engines.

SMARTCRAFT SC1000 SYSTEM MONITOR-ROUND/WHITE




79-892219K20

Front mount. Uses a 85mm dia. hole. Delivers an alarm on battery, water pressure and oil pressure. May provide additional information on fuel consumption, fuel range, engine hours, coolant temperature and engine trim depending on engine type and its sensors.

Works with all SmartCraft compatible engines.

SC1000 SYSTEM MONITOR (52MM)



SMARTCRAFT SC1000 SYSTEM MONITOR



79-879896K21

Front mount. Uses a 52mm dia. hole. Delivers an alarm on battery, water pressure and oil pressure. May provide additional information on fuel consumption, fuel range, engine hours, coolant temperature and engine trim depending on engine type and its sensors.

Works with all SmartCraft compatible engines.

SC1000 SYSTEM MONITOR BEZELS

BEZEL MONITOR



8M6003662

Black

Fits SC1000 System Monitor (Square)

BEZEL MONITOR



8M6003663

White
Fits SC1000 System Monitor (Square)

MERCURY GATEWAY

MERCURY NMEA2000 SMARTCRAFT GATEWAY



98-8M0165589

The Mercury NMEA2000 SmartCraft Gateway converts Mercury engine and system data to NMEA 2000 for use on non-Mercury gauges and displays for 1 to 4 engines. It also converts applicable NMEA2000 data to SmartCraft data for display by applicable SmartCraft gauges and displays. Includes a NMEA 2000 "T" connector for quick installation.

Any instance where SmartCraft data is desired on the NMEA2000 bus. Applies to single through quad engine applications. Not required when a MercMonitor, VesselView Link or VesselView403, 502, 703 or 903 are being used.

QUINT ENGINE GATEWAY MODULE



98-8M0165598

CAN P module for quint engine applications. 2.0.9 not functional. Needs new software.

SMARTCRAFT CONNECT KIT UNDER HELM - SINGLE

Image not Available.

98-8M0173694

Single Engine SmartCraft Connect Kit- Under Helm

SMARTCRAFT CONNECT KIT UNDER COWL - SINGLE

Image not Available.

98-8M0173704

Single Engine SmartCraft Connect Kit- Under Cowl

SMARTCRAFT CONNECT KIT UNDER HELM - DUAL

Image not Available.

98-8M0173696

Dual Engine SmartCraft Connect Kit- Under Helm

SMARTCRAFT CONNECT KIT UNDER HELM - TRIPLE & QUAD


Image not Available.

98-8M0173703

Triple and Quad Engine SmartCraft Connect Kit- Under Helm

SC1000 SMART TOW TACH/SPEED (85MM) PLASTIC LENS WHITE FACE/CHROME BEZEL

This section lists all of the SC1000 gauges that are capable of Smart Tow RPM based and Speed based functionality. The Smart Tow products will work with all DTS engines Gen 1 (2007) and newer. Includes DTS Mercruiser and DTS Outboard. SmartTow Gauges come in Plastic Lenses only. These gauges will NOT work with the 150 4 stroke Maintenance feature. (See Glass and Grey Plastic SC1000 products for this functionality.)




SC1000 SMART TOW PRO - SPEED BASED



79-879169K14

0 - 80 MPH. White face and Chrome bezel with black numerals. Smart Tow Pro includes five profiles that allows customized launch control plus 10 additional user customizable profiles that can be named. Kit includes GPS sensor. Great for ski market and weekend sport enthusiast. New descriptive text fault displayed for easier problem recognition. Users will find profiles are programmed from soft to aggressive launch. Just hit the throttle and let the gauge do the rest. Can be used with Gen I (2007) engines and newer. *Must be used with SC1000 System Tach Version 4.0 Gauge software and newer (version is found on back of gauge)

SC1000 SYSTEM TACH/SPEED 85 MM BEZELS



SMARTCRAFT INSTRUMENTS

BEZEL



859074 1

Black
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors

859074B 1

Black
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors
Priced individually, sold @ multiples of 24

BEZEL



859074 2

White
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors

859074B 2

White
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors
Priced individually, sold @ multiples of 24

BEZEL



859074 3


Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors

859074B 3

Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC1000 System gauges and MercMonitors
Priced individually, sold @ multiples of 24

SC1000 SYSTEM TACH/SPEED (85 MM) PLASTIC LENS BLACK FACE/CHROME BEZEL GAUGES

Tach displays engine rpm, voltage, water pressure, engine temperature, engine hours, trim, fuel flow rate in gallons or liters, and much more!
Speedometer displays boat speed, clock, fuel level, oil level, mpg, gps course, water & air temp., engine synchronizer, and much more!
Meters display engine alarm conditions with information on the severity of the problem. Analog and LCD readout. Gauges each require a 3-3/8 in.(85 mm) hole in the dash. These gauges will NOT work with the 150 4 stroke Maintenance feature. (See Glass and Grey Plastic SC1000 products for this functionality.)



SC1000 SYSTEM SPEEDOMETER




79-889223K25

0-50 MPH. Contains System Speedometer air temp sensor and system speedometer harness. Black face with white numerals.
Descriptive text fault displayed for easier problem recognition. (descriptive text is displayed on all SmartCraft engines Gen I (2007) and newer. Including Mercruiser and Outboard.)
Fits 2002 and newer SmartCraft compatible Outboards, SmartCraft compatible Mercruiser and SmartCraft compatible Mercury Racing product.

SC 100 SYSTEM LINK (52MM) PLASTIC LENS GRAY FACE/BLACK BEZEL GAUGES

Easily read analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Furnished with a fog proof lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a one wire plug-in connection.



SC 100 SYSTEM LINK OIL TEMPERATURE GAUGE



79-879909K 1

Metric version oil temperature gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole.
Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible Mercruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK OIL PRESSURE GAUGE



79-879917K 1

Metric version oil pressure gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK WATER PRESSURE GAUGE



79-879919K 1

Metric version water pressure gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK VOLTAGE GAUGE



79-879921K 1

Voltage gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK WATER LEVEL GAUGE



79-879922K 1

Water level gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK WASTE LEVEL GAUGE



79-879923K 1

Waste level gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK ENGINE SYNCHRONIZER GAUGE




79-879924K 1

Engine synchronizer gauge, gray face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (52MM) PLASTIC LENS WHITE FACE/CHROME BEZEL GAUGES

Easily read analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Furnished with a fog resistant lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a one wire plug-in connection. SC100 link gauges require a master gauge such as an SC1000 System Tach, a MercMonitor, or a System Monitor in order to function. These gauges have chrome bezels.



SC 100 SYSTEM LINK RUDDER ANGLE GAUGE



79-879915K31

Steering gauge, white face/chrome bezel. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK OIL PRESSURE GAUGE




79-879916K31

English version oil pressure gauge, white face with Chrome Bezel. Fits a standard 2-1/8 in. (52 mm) dia. hole.


Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (52MM) PLASTIC LENS WHITE FACE/WHITE BEZEL GAUGES

Easily read analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Furnished with a fog proof lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a one wire plug-in connection.



SC 100 SYSTEM LINK ENGINE TEMPERATURE GAUGE




79-879920K11

English version engine temperature gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK ENGINE TEMPERATURE GAUGE




79-879907K11

Metric version engine temperature gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK OIL TEMPERATURE GAUGE



79-879909K11

Metric version oil temperature gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK OIL PRESSURE GAUGE



79-879916K11

English version oil pressure gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK OIL PRESSURE GAUGE




79-879917K11

Metric version oil pressure gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK FUEL FLOW GAUGE




79-879912K11

English version fuel flow gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK RUDDER ANGLE GAUGE



79-879915K11

Steering gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK VOLTAGE GAUGE



79-879921K11

Voltage gauge, white face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK WATER LEVEL GAUGE




79-879922K11

Water level gauge, white face. Fits a standard 2-1/8" (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (52MM) PLASTIC LENS BLACK FACE/CHROME BEZEL GAUGES



SC 100 SYSTEM LINK TRIM GAUGE



79-879914K21

Trim gauge, Black face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK VOLTAGE GAUGE



79-879921K21

Voltage gauge 8-16 volts, Black face. Fits a standard 2-1/8 in. (52 mm) dia. hole. Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK ENGINE COOLANT TEMP GAUGE



79-879920K21

English version engine coolant temperature gauge 100-250 F/40-120 C dual scale, Black face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK OIL PRESSURE GAUGE



79-879916K21

English version oil pressure gauge 0-80 psi/0-5 bar dual scale, Black face. Fits a standard 2-1/8 in. (52 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK RUDDER ANGLE GAUGE




79-879915K21

Steering gauge, black face. Fits a standard 2-1/8 in. (52 mm) dia. hole. Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (85MM) PLASTIC LENS WHITE FACE/WHITE BEZEL GAUGES

Easily read analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Furnished with a fog proof lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a one wire plug-in connection.



SC 100 SYSTEM LINK SPEEDOMETER



79-879905K11

80 (mph or km/h) speedometer, white face. Fits in a standard 3-3/8" (85 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK TACHOMETER




79-879903K11

8,000 RPM tachometer, white face. Fits in a standard 3-3/8" (85 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (85MM) PLASTIC LENS GRAY FACE/BLACK BEZEL GAUGES

Easily read analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Furnished with a fog proof lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a one wire plug-in connection.



SC 100 SYSTEM LINK SPEEDOMETER




79-879906K 1

120 (mph or km/h) speedometer, gray face. Fits in a standard 3-3/8" (85 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (85MM) PLASTIC LENS BLACK FACE/CHROME BEZEL GAUGES



SC 100 SYSTEM LINK SPEEDOMETER



79-879905K21

80 (mph or km/h) speedometer, Black face. Fits in a standard 3-3/8" (85 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK TACHOMETER




79-879903K21

8,000 RPM tachometer, Black face. Fits in a standard 3-3/8" (85 mm) dia. hole. Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (110 MM) PLASTIC LENS WHITE FACE/WHITE BEZEL GAUGES

Easily read analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Furnished with a fog proof lens, these gauges can be "daisy chain" interfaced between other SmartCraft products using a one wire plug-in connection.



SC 100 SYSTEM LINK SPEEDOMETER



79-879944K11

65 (mph or km/h) speedometer, white face, large display. Fits in a 4-5/16" (110 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK TACHOMETER




79-879943K11

8,000 RPM tachometer, white face, large display. Fits in a 4-5/16" (110 mm) dia. hole.

Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK (110MM) PLASTIC LENS BLACK FACE/CHROME BEZEL GAUGES

Easily read analog System Link gauges allow you to track vital engine and boat functions with digital accuracy. Can be easily interfaced to SmartCraft products. New larger size to make information easier to read. Fits in a 4-5/16" (110MM) dia. Hole.




SC 100 SYSTEM LINK MULTIFUNCTION GAUGE



79-879946K21

Combination water temperature, oil pressure, voltage and fuel gauge. Black face, large display. Fits in a 4-5/16" (110 mm) dia. hole. Fits 2001 and newer OptiMax Outboards, 2002 and newer V-6 EFI, 30-60 EFI 4-Stroke, all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Application of this gauge will depend on the individual engine model and its available sensors.

SC 100 SYSTEM LINK GAUGE 52 MM BEZELS



BEZEL



879871 1

Black - 52 mm
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

879871B 1

Black
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 24

BEZEL



879871 2

White - 52 mm
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

BEZEL




8M6002359

Chrome - 52 mm
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

8M0032454

Chrome
Fits small 2.125 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 24

SC 100 SYSTEM LINK GAUGE 85 MM BEZELS



BEZEL 85 MM



879872 1

Black
Fits large 3-3/8 in.(85 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

BEZEL 85 MM



879872 2

White
Fits large 3-3/8 in.(85 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

BEZEL 85 MM



879872 3

Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

879872B 3

Chrome
Fits large 3-3/8 in.(85 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 24

**SMARTCRAFT SYSTEM GAUGE AND MONITOR
RETAINING NUTS**

RETAINING NUT



11-879900

Fits small 2-1/8 in.(52 mm) SmartCraft System gauges and monitor.
Priced individually, sold @ multiples of 2

RETAINING NUT



11-859073

Fits large 3-3/8 in.(85 mm) SmartCraft System gauges.
Priced individually, sold @ multiples of 2

RETAINING NUT - REAR MOUNT



11-879902

Nut includes tabs to allow gauge to be mounted from the rear of dash panel.
Fits small 2-1/8 in.(52 mm) SmartCraft System gauges and monitor.
Priced individually, sold @ multiples of 2

RETAINING NUT



11-879950

Fits large 4-5/16" (110 mm) SmartCraft System gauges.
Priced individually, sold @ multiples of 2

RETAINING NUT



11-879900B 1

Fits small 2-1/8 in.(52 mm) SmartCraft System gauges and monitor.
Priced individually, sold @ multiples of 24

SMARTCRAFT INSTRUMENTS


RETAINING NUT



11-859073B 1

Fits large 3-3/8 in.(85 mm) SmartCraft System gauges.
Priced individually, sold @ multiples of 24


GAUGE SEAL



12-879925

Fits small 2-1/8 in.(52 mm) SmartCraft System gauges and monitor.
Priced individually, sold @ multiples of 2

GAUGE SEAL



12-859656

Fits small 3-3/8 in.(85 mm) SmartCraft System gauges.
Priced individually, sold @ multiples of 2

SMARTCRAFT GAUGE HOUSING



8M0099412

Housing for when you want to install a SmartCraft gauge in an application without a dash (primarily tiller applications), typically to the gunnel or transom.
Any 85 mm SmartCraft gauge (System Tach, System Speed, MercMonitor, SC100 link gauges). This is the housing only, gauge and harness required and sold separately

ANALOG GAUGE INTERFACE KITS

DTS ENGINE - ANALOG GAUGE HARNESS



84-8M0095716

An analog gauge harness (15 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

84-8M0095826

An analog gauge harness (20 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

84-8M0095827

An analog gauge harness (25 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

84-8M0095828

An analog gauge harness (30 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

SMARTCRAFT RIGGING AND CONVERSION KITS

SMARTCRAFT CONNECT KIT UNDER HELM - SINGLE

Image not Available.

98-8M0173694

Single Engine SmartCraft Connect Kit- Under Helm

SMARTCRAFT CONNECT KIT UNDER COWL - SINGLE

Image not Available.

98-8M0173704

Single Engine SmartCraft Connect Kit- Under Cowl

SMARTCRAFT CONNECT KIT UNDER HELM - DUAL

Image not Available.

98-8M0173696

Dual Engine SmartCraft Connect Kit- Under Helm

SMARTCRAFT CONNECT KIT UNDER HELM - TRIPLE & QUAD

Image not Available.

98-8M0173703

Triple and Quad Engine SmartCraft Connect Kit- Under Helm

CONVERSION KIT - SMARTCRAFT SENSORS



889250K01

New kit that allows you to use SmartCraft gauges on these engines
Gen II (2007) 75 HP - 115 HP 4 stroke 1.7L engines

ANALOG TO DIGITAL CONVERSION KIT



859648A 2

Converts an analog to a digital OptiMax. Contains the sensors, harnesses and instructions needed.

Fits 2000 and newer OptiMax 2.5L engines.

ANALOG TO DIGITAL CONVERSION KIT



859649A 2

Converts an analog to a digital OptiMax. Contains the sensors, harnesses and instructions needed.

Fits 2000 OptiMax 3.0L engines.

OPTIMAX MY2001 ANALOG RIGGING KIT



8M0078157

Contains necessary components allowing a digital OptiMax to operate analog speedometer, tachometer and water pressure gauges.

Fits OptiMax engines, model year 2001 and newer.

SMARTCRAFT RIGGING KIT



8M0056278

Kit contains the following:

- 1257- 8742A21 Oil Tanks with Oil Senders (2)
- 859223 Speed/Temperature Sensor (1)
- 84-859743T 1 Harness to oil, fuel and paddle wheel (2)
- 84-879981T30 SC1000R-30, 30 ft. (9.1 meter) Data Harnesses (2)
- 878492A16, 6-Plug J Box (1)
- 859318T 2 Weather Caps (2)
- 881175A 1 Male Connector Cap (1)
- 881176A 1 Female Connector Cap (1)

For dual application. Fits 2001-2005 OptiMax Outboards, 2002-2005 V-6 EFI Outboards and Pro Max Mercury Racing Outboards (when equipped with the 555 Electronic Control Module). The oil tank bracket may only be used as a floor mounted application.

SMARTCRAFT RIGGING PREP KIT FOR OPTIMAX - SINGLE



8M0056277

Kit contains the following:

- 1257- 8742A21 Oil Tank with Oil Sender (1)
- Harness to oil, fuel and paddle wheel (1)
- 84-859743T03 Boat harness for oil and fuel
- Removed the 84-879982A30 from the kit. When using the 14 pin harness for non DTS, this data harness is no longer required. (Ref 84-896537__ engine to helm harness)

Fits 2006 OptiMax Outboards, 2006 V-6 EFI Outboards and Pro Max Mercury Racing Outboards (when equipped with the 555 Electronic Control Module). The oil tank bracket may only be used as a floor mounted application.

SMARTCRAFT RIGGING PREP KIT FOR OPTIMAX - SINGLE



8M0056275

Kit contains the following:

- 1257- 8742A21 Oil Tank with Oil Sender (1)
- 84-879982A30 30 ft 2RSL SmartCraft Harness (1)
- 84-859743A 1 Harness Asy - Boat

Fits 2006 OptiMax Outboards, 2006 V-6 EFI Outboards and Pro Max Mercury Racing Outboards (when equipped with the 555 Electronic Control Module). The oil tank bracket may only be used as a floor mounted application.

SMARTCRAFT ENGINE DATA KIT



8M0056279

Kit contains the following:
 1257- 8742A22 Oil Tank without Oil Sender (1)
 79-879896K21 Front Mount SC1000 System Monitor
 Data Harness removed for 2006 (84-879982A30) - use new 14 pin harness with 84-896537 series which eliminates the data harness - 10 pin is part of primary engine to helm harness
 The oil tank bracket may only be used as a floor mounted application.
 Fits 2006 and newer OptiMax Outboards when using new 14 pin harness

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A21

Remote 3.0 US gal (11 L) Oil Tank with sender, complete with tank, lines, floor mounting bracket and all hardware.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A22

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, floor mounting bracket and all hardware.
 Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly is only used in floor mounted applications.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A23

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, mounting bracket and all hardware. Old Bracket Design
 Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly may be optionally floor or wall mounted.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A24

Remote 3.0 US gal (11 L) Oil Tank with sender, complete with tank, lines, floor mounting bracket and all hardware. Old Bracket Design
 Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly may be optionally floor or wall mounted.

REMOTE OIL TANK KIT



1257- 8742A25

Includes remote oil tank, lines, fittings and hardware to convert to a pressurized remote 2 cycle oil tank system.
 Fits Mercury/Mariner 75,90,115 hp (1.5L) OptiMax outboards, model year 2004 and newer.

ANALOG INSTRUMENTS

INSTRUMENT SETS - FLAGSHIP PLUS BLACK FACE FAMILY

Visit the Flagship Plus Black Face Family Gauges section for individual details. All tachometers and speedometers fit a standard 3-3/8 in. (85 mm) diameter hole. All other gauges fit a 2-1/8 in. (52 mm) diameter hole.



L - Large Face All speed measurement and tachometer gauges

S - Small Face All other gauges



L



L



L



L



L



L




L



S



S



S



S



S



S



S



S



S



S



S



S



S

ANALOG INSTRUMENTS

INSTRUMENT SETS - FLAGSHIP PLUS WHITE FACE FAMILY

Visit the Flagship Plus White Face Family Gauges section for individual details. All tachometers and speedometers fit a standard 3-3/8 in. (85 mm) diameter hole. All other gauges fit a 2-1/8 in. (52 mm) diameter hole.



L - Large Face All speed measurement and tachometer gauges

S - Small Face All other gauges



L



L



L



L



L



L



L



S



S



S



S



S



S



S



S



S



S



S



S



S

INSTRUMENT SETS - FLAGSHIP PLUS WHITE FACE/CHROME

Visit the Flagship Plus White Face with Chrome Bezel Family Gauges section for individual details. All tachometers and speedometers fit a standard 3-3/8 in. (85 mm) diameter hole. All other gauges fit a 2-1/8 in. (52 mm) diameter hole.



L - Large Face All speed measurement and tachometer gauges
S - Small Face All other gauges



L



L



L



L



L



L




L




S



S



S



S



S



S



S



S



S



S



S



S



S

ANALOG INSTRUMENTS

INSTRUMENT SETS - ADMIRAL PLUS BLACK FACE FAMILY

Visit the Admiral Plus Black Face Family Gauges section for individual details. All tachometers and speedometers fit a standard 3-3/8 in. (85 mm) diameter hole. All other gauges fit a 2-1/8 in. (54 mm) diameter hole.



L - Large Face All speed measurement and tachometer gauges
S - Small Face All other gauges



ANALOG INSTRUMENTS

INSTRUMENT SETS - ADMIRAL PLUS BLACK FACE/CHROME

Visit the Admiral Family Gauges section for specific gauges. All Tachometers and Speedometers fit 3 3/8 inch (85 MM) diameter hole. All other gauges fit 2 1/8 inch (52 MM) diameter hole. Gauges have studs and metal brackets.



L - Large Face All speed measurement and tachometer gauges

S - Small Face All other gauges



L



L



L




L



L



L



S



S



S



S



S



S



S



S



S



S




S


ANALOG INSTRUMENTS

INSTRUMENT SETS - ADMIRAL PLUS WHITE FACE FAMILY

Visit the Admiral Plus White Face Family Gauges section for individual details. All tachometers and speedometers fit a standard 3-3/8 in. (85 mm) diameter hole. All other gauges fit a 2-1/8 in. (54 mm) diameter hole.



L - Large Face All speed measurement and tachometer gauges
S - Small Face All other gauges



ANALOG INSTRUMENTS


INSTRUMENT SETS - INTERNATIONAL II FAMILY

Visit the International II Family Gauges section for individual details. All tachometers and speedometers fit a standard 3-3/8 in. (85 mm) diameter hole. All other gauges fit a 2-1/8 in. (54 mm) diameter hole.



L - Large Face All speed measurement and tachometer gauges

S - Small Face All other gauges



ANALOG GAUGE INTERFACE - DIGITAL ENGINES

Converts digital signal to analog

DTS ENGINE - ANALOG GAUGE HARNESS

Image not Available.

84-8M0150539

An analog gauge harness (3 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

DTS ENGINE - ANALOG GAUGE HARNESS



84-8M0095716

An analog gauge harness (15 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

EXTENSION HARNESS- 17 FT

Image not Available.

84-8M0150477

Analog gauge harness to 4pin 3ft and 17ft extension (20 ft). Enhanced Voltage suppression. Compatible with OB, DTS, V6/V8.

DTS ENGINE - ANALOG GAUGE HARNESS



84-8M0095826

An analog gauge harness (20 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

84-8M0095827

An analog gauge harness (25 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

HARNESS EXTENSION- 27 FT

Image not Available.

84-8M0150478

Analog gauge harness to 4pin 3ft and 27ft extension (30ft). Enhanced Voltage suppression. Compatible with OB, DTS, V6/V8.

DTS ENGINE - ANALOG GAUGE HARNESS



84-8M0095828

An analog gauge harness (30 feet) specific for DTS engines that is more cost effective than the AGI (Analog Gauge Interface) solution
Compatible with DTS, outboard, and V6/ V8 engines

ANALOG GAUGE INTERFACE KIT



892486K08

Used on 14-pin engines to convert a digital sensor signal into analog for Tachometer, Oil Pressure/Oil Level, Water Temperature, Trim, and Fuel Level analog gauges. There is also a connection for SC100 Link Gauges. Enhanced Voltage Suppression.

Used with a 10 Pin Junction Box connection, For Non-PCM09 ECUs - Fits SmartCraft compatible 14-pin engines

8M0109742

Used on 14-pin engines to convert a digital sensor signal into analog for Tachometer, Oil Pressure/Oil Level, Water Temperature, Trim, and Fuel Level analog gauges. There is also a connection for SC100 Link Gauges. No Voltage Suppression.

Used with a 10 Pin Junction Box connection. For PCM09 ECUs only - Fits SmartCraft compatible 14-pin engines.

ANALOG GAUGE INTERFACE (AGI) KIT



892486K07

Includes AGI Module Assembly, Harness and hardware.
For installations using analog gauges instead of SmartCraft. Use with analog tachometer, coolant temp, oil pressure or level, trim and fuel level. Enhanced Voltage Suppression.

Race MerCruiser or outboard engines in single or multiple engine installations plus MerCruiser 496Mag/Mag HO engines.

ANALOG GAUGE INTERFACE (AGI) KIT



892486K04

For installations using analog gauges instead of SmartCraft. Use with analog tachometer, coolant temp, oil temp, oil pressure or fuel pressure gauges. Enhanced Voltage Suppression.

Race MerCruiser engines with the 14 pin Deutsch connector engine wiring harness. One AGI kit per engine required.

ANALOG GAUGE INTERFACE MODULE



892486T04

Replacement AGI Module: analog outputs for tach, fuel level, trim position, block temperature and oil pressure.

For NON-PCM09 ECUs - Must have digital sensors on SmartCraft engine in order for these to be converted to analog outputs. CDS service tool used to enable Tach Link output (which can be either digital link data or analog trim)

VESSEL ANALOG GAUGE INTERFACE (AGI) KIT



892486K05

For installations using analog gauges instead of SmartCraft. Use with analog tab position (port & starboard), fuel level (two fuel tanks) and trim position gauges. Enhanced Voltage Suppression.

Race MerCruiser engines with the 14 pin Deutsch connector engine wiring harness. One AGI kit per boat required.

TROLL CONTROL WITH Y HARNESS- DASH MOUNTED- ANALOG



87-8M0083439

Troll Control will allow you to have the same functions that you get from the SmartCraft Digital gauges and adjust the speed of the boat. By pushing the button up or down, you can feather your speed every 10 RPM. Go from idle to 1000 RPM or anywhere in between (some engines can actually go lower than idle (75-115 4 stroke (Walleye), 135-200 HP Verado 4 cylinder and 3.0L Optimax) This kit will be used in analog gauge installations. RPM will reset to idle when more than 2-3% movement occurs at the throttle (TPS)

"Y" harness included in kit to connect to main engine harness. For Mechanical use only. Not compatible with DTS applications.

CONVERSION KIT - SMARTCRAFT SENSORS



889250K01

New kit that allows you to use SmartCraft gauges on these engines Gen II (2007) 75 HP - 115 HP 4 stroke 1.7L engines

SMARTCRAFT PITOT SENSOR KIT



8M0090447

Pitot sensor kit provides speed information for SmartCraft gauges. 2.1L F75-115 Four Stroke and 150 Four Stroke

ANALOG INSTRUMENTS

MONITOR PANELS FOR DIESELS

PRIMARY STATION MONITOR PANEL



806385T

Warning lights are provided for low oil pressure, excessive coolant temperature, insufficient alternator output and glow plug activation.
Fits 1.7L MS & MI 120 and 4.2 MS & MI (200 & 230)

PRIMARY STATION MONITOR PANEL



861014

Warning lights are provided for low oil pressure, excessive coolant temperature, insufficient alternator output, glow plug activation & check engine light.
Fits 1997 and newer 2.8 ES & EI 165 and 4.2 ES & EI (250 & 230)

TACHOMETER SELECTION AND SETTINGS CHARTS

Tachometer Application

Model	Description	Flagship (Black Face)	Flagship (White Face)	QSI	International II	Generic
MerCruiser MCM/MIE Gasoline Engines	6000 RPM	79-895283A03	79-895283A23	N.L.A.	79-895283Q43	N/A
	8000 RPM	79-895283A06	79-859675A11	N.L.A.	79-895283Q45	N/A
MerCruiser D1.7L DTI, D2.8L & D4.2L D-tronic	ALL	79-895283A03	79-895283A23	N.L.A.	N/A	N/A
MerCruiser D3.0, D3.6L & D4.2L	1994 and Newer	79-895283A02	N/A	79-805289A 1	N/A	N/A
MerCruiser D7.3L D-Tronic	1997 and Newer	79-895283A02	N/A	79-805289A 1	N/A	N/A
Mercury/Mariner 4-Stroke Outboards	6000 RPM	79-895283A03	79-895283A23	N.L.A.	79-895283Q43	N/A
	8000 RPM	79-895283A06	79-859675A11	N.L.A.	79-895283Q45	N/A
Mercury/Mariner 20 HP and Above (2 cycle)	6000 RPM	79-895283A03	79-895283A23	N.L.A.	79-895283Q43	N/A
	8000 RPM	79-895283A06	79-859675A11	N.L.A.	79-895283Q45	N/A
Mercury/Mariner Optimax	6000 RPM(1)	79-895283A03	79-895283A23	N.L.A.	79-895283Q43	N/A
	8000 RPM(1)	79-895283A06	79-859675A11	N.L.A.	79-895283Q45	N/A
Mariner 8-40 HP (Japanese import)	Manual start w/ lighting coil	N/A	N/A	N/A	N/A	N/A
Mariner 9.9-60 HP (Japanese import)	Electric start / 2 cylinder	N/A	N/A	N/A	N/A	N/A
Force 3	50cc	N/A	N/A	N/A	N/A	N/A
Force 40 HP and Above	6000 RPM	79-895283A03	79-895283A23	N.L.A.	79-895283Q43	N/A
	8000 RPM	79-895283A06	79-859675A11	N.L.A.	79-895283Q45	N/A

(1) Correct harness required for optimum performance

Tachometer Settings

Model	Country	Serial # Range	Positive Pulses Per Crank Revolution	Poles	(Flagship, Admiral, International II & Commodore)	(QSI Series) Tachometer Switch Setting	(Force 79-817030A 1) Tachometer Switch Setting
Mercury/Mariner (2-stroke) 6 thru 25 HP (U.S. Orig)			4	8	4P	3	N/A
Mercury/Mariner (4-stroke) 8 and 9.9 HP			3	6	3P	2	N/A
Mercury/Mariner (2-stroke) 30/40 HP		0G053314 and up	6	12	6P	4	N/A
Mercury/Mariner 35 and 40 HP (2 Cyl.)	USA	5823918 and up	4	8	4P	3	N/A
	BEL	9298955 and up	4	8	4P	3	N/A
	AUS	8070639 and up	4	8	4P	3	N/A
	CAN	7169337 and up	4	8	4P	3	N/A
Mercury/Mariner (4-stroke) 25 thru 90 HP			6	12	6P	4	N/A
Mercury/Mariner (2-stroke) 45 thru V-6 (U.S. Orig)			6	12	6P	4	N/A
Force 35			-	20	N/A	N/A	1
Force 35 HP and higher with Mercury ignition			6	12	6P	4	2

Model	Country	Serial # Range	Positive Pulses Per Crank Revolution	Poles	(Flagship, Admiral, International II & Commodore)	(QSI Series) Tachometer Switch Setting	(Force 79-817030A) 1) Tachometer Switch Setting
MerCruiser 4 cyl. gasoline engine			2	N/A	4C	1	N/A
MerCruiser 6 cyl. gasoline engine			3	N/A	6C	2	N/A
MerCruiser 8 cyl. gasoline engine			4	N/A	8C	3	N/A

FLAGSHIP PLUS BLACK FACE FAMILY

Large gauge - fits 3-3/8 in. (86 mm) hole in dash. Small gauge - fits 2-1/8 in. (54 mm) hole in dash. 12 volt system. Tachometer selection and settings charts are located following the color group images.

FLAGSHIP INSTRUMENT SET



79-895283A01

Anti-fog lens. Black face and black bezel; blue graduations. Set includes 0-6000 RPM tachometer, oil pressure gauge, battery meter and water temperature gauge. All illuminated. Mounting hardware also included.

For sterndrives and inboards only with 12 volt system.
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER KIT



79-895283A02

Anti-fog lens. 0-5000 RPM. 270 degree dial sweep. Black face and Black bezel: Blue graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

Diesel Engines only
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER KIT



79-895283A03

Anti-fog lens. 0-6000 RPM. 270 degree dial sweep. Black face and Black bezel: Blue graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboard and MCM products. Will require AGI converter for Verado (Digital) engines
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER KIT



79-895283A05

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. Black face and Black bezel: Blue graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require AGI converter with Verado (Digital) engines
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER

79-895283B03

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. Black face and bezel: blue graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash. Priced and packaged in quantities of 24 pcs.

Fits all MCM/MIE gasoline engines; also fits various outboard engines 8hp and higher. See application chart for specific engine models.

FLAGSHIP TACHOMETER KIT



79-895283A06

Anti-fog lens. 0-8000 RPM. 270 degree dial sweep. Black face and Black bezel: Blue graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

for various Mercury Outboards and MCM products. Will require AGI converter with Verado (Digital) engines
Mercury Precision Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

FLAGSHIP SPEEDOMETER



79-895285A01

Anti-fog lens. 10-45 MPH. 270 degree dial sweep. Black face and Black bezel; White/Blue graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (86 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

79-895285B01

Anti-fog lens. 10-45 MPH. 270 degree dial sweep. Black face and bezel; blue graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash. Pricing and packaging will be in quantities of 24 pcs.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A03

Anti-fog lens. 10-65 MPH. 270 degree dial sweep. Black face and Black bezel; White/Blue graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A04

Anti-fog lens. 10-80 MPH. 270 degree dial sweep. Black face and Black bezel; White/Blue graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A06

Anti-fog lens. 10-100 MPH. 270 degree dial sweep. Black face and Black bezel; White/Blue graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A08

Anti-fog lens. 10- 50 knots. 270 degree dial sweep. Black face and Black bezel; White/Blue graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

BEZEL 52 MM



879292001

Bezel-Gold 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only

FLAGSHIP VOLT METER



79-895286A01

Anti-fog lens. Black face and Black bezel; White/Blue graduations. Outboards require a tachometer harness or ignition/choke assembly for connection.

Mercury Precision Branded, Box Point of Sale Packaged.

79-895286B01

Anti-fog lens. Black face and Black bezel; White/Blue graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Pricing and packaging will be in quantities of 24 pcs.
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER TEMPERATURE GAUGE



79-895287A01

Anti-fog lens. 120 deg.-240 deg.F gauge. Black face and Black bezel; White/Blue graduations.
Fits all MCM/MIE gasoline engines and Mercury/Mariner V-6 outboards. Sender, if not already installed on the outboard, must be purchased separately.
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER TEMPERATURE GAUGE



79-895287A02

Anti-fog lens. 60 deg.-200 deg.F gauge. Black face and Black bezel; White/Blue graduations.
Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp ; and 1993 and newer Force outboards (Force models must order sender FA299791) Sender need to be ordered separately
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER TEMPERATURE GAUGE



79-895287A03

Anti-fog lens. 100 deg.-240 deg.F gauge. Black face and Black bezel; White/Blue graduations.
Diesel
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A01

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. Black face and bezel; blue graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.

Mercury Precision Branded, Box Point of Sale Packaged.

79-895288A02

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. Black face and bezel; blue graduations. Replacement gauge only

Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A03

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel with Blue/White graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Mercury Precision Branded, Box Point of Sale Packaged.

79-895288A04

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel with Blue/White graduations. Replacement Gauge only

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Mercury Precision Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

FLAGSHIP WATER PRESSURE GAUGE



79-895288A05

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and bezel; blue graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Mercury Precision Branded, Box Point of Sale Packaged.

79-895288A06

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and bezel; blue graduations.. Replacement gauge only.

Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP OIL PRESSURE GAUGE



79-895289A01

Anti-fog lens. Black face and Black bezel; Blue/White graduations.

Fits all MCM/MIE gasoline engines and Mercury/Mariner 25/30/40/45/50/225 (4-stroke) outboards. Sender, if not already installed on the outboard, must be purchased separately.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP OIL PRESSURE GAUGE



79-895289A02

Anti-fog lens. Black face and Black bezel; Blue / White graduations.

Fits D3.0L, D3.6L, and 4.2L diesels (1994 & newer) and D2.8, D4.2L, and D7.3L ES & EI models (1997 & newer).

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP OIL LEVEL GAUGE KIT




79-895290A01

Anti-fog lens. Black face and Black bezel; Blue/White graduations.

Fits V-6 outboard 3 US gal.(11.34 L) and 1.8 US gal.(6.8 L) remote oil reservoirs.
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP FUEL GAUGE



79-895291A01

Anti-fog lens. Black face and bezel; blue graduations. 12 volt system and 240 ohm sender required.

Mercury Precision Branded, Box Point of Sale Packaged.

79-895291B01

Anti-fog lens. Black face and bezel; blue graduations. 12 volt system and 240 ohm sender required. Priced and packaged in quantities of 24 pcs

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP DUAL ENGINE SYNCHRONIZER



79-895294A01

Anti-fog lens. Black face and Black bezel; Blue/White graduations. Connects to tachometers.

Fits both 2-stroke and 4-stroke gasoline engine applications. Requires a synchronizer driver unless already installed.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP POWER TRIM GAUGE



79-895292A01

Anti-fog lens. Black face and bezel; blue graduations. Designed for models that have a sender already installed or installation of a sender kit purchased separately. Fits Sterndrive and Outboards

Mercury Precision Branded, Box Point of Sale Packaged.

FUEL GAUGE SENDING UNIT



851052Q

Designed for tanks that have a 5 screw flange. Use with 12 volt system. 33-240 ohm. Adjusts from 4 in.(10.2 cm) to 24 in.(60.7 cm)

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

FLAGSHIP CRUISELOG GAUGE



79-895295A01

Anti-fog lens. Black face and Black bezel; blue graduations. No illumination. Wiring included with this single pack.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP PLUS WHITE FACE FAMILY

Large gauge - fits 3-3/8 in.(86 mm) hole in dash. Small gauge - fits 2-1/8 in.(54 mm) hole in dash. 12 volt system. Tachometer selection and settings charts are located following the color group images.

FLAGSHIP INSTRUMENT SET



79-895283A21

Anti-fog lens. White face and white bezel; black graduations. Set includes 0-6000 RPM tachometer, oil pressure gauge, battery meter and water temperature gauge. All illuminated. Mounting hardware also included.

For various Mercury Outboard and MCM products. Will require an AGI converter for Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER KIT



79-895283A22

Anti-fog lens. 0-5000 RPM. 270 degree dial sweep. White face and White bezel: Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

Diesel Engines only

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER KIT



79-895283A23

Anti-fog lens. 0-6000 RPM. 270 degree dial sweep. White face and White bezel: Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require the use of AGI converter for Verado (Digital) engines

Mercury Precision Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

FLAGSHIP TACHOMETER KIT



79-895283A25

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. White face and White bezel; Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM product. Will require use of AGI converter for Verado (Digital) engines
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER KIT



79-895283A26

Anti-fog lens. 0-8000 RPM. 270 degree dial sweep. White face and White bezel; Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require the use of an AGI converter with Verado (Digital) engines.
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A21

Anti-fog lens. 10-45 MPH. 270 degree dial sweep. White face and White bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A23

Anti-fog lens. 10-65 MPH. 270 degree dial sweep. White face and White bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A24

Anti-fog lens. 0-80 MPH. 270 degree dial sweep. White face and White bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER




79-895285A26

Anti-fog lens. 0-100 MPH. 270 degree dial sweep. White face and White bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A28

Anti-fog lens. 10-50 Knots. 270 degree dial sweep. White face and White bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

BEZEL 52 MM



879292001

Bezel-Gold 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only

FLAGSHIP VOLT METER




79-895286A21

Anti-fog lens. White face and White bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER TEMPERATURE GAUGE




79-895287A21

Anti-fog lens. 100 deg.-240 deg.F gauge. White face and White bezel; Black graduations.

Fits all MCM/MIE gasoline engines and Mercury/Mariner V-6 outboards. Sender, if not already installed on the outboard, must be purchased separately.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER TEMPERATURE GAUGE




79-895287A22

Anti-fog lens. 60 deg.-200 deg.F gauge. White face and White bezel; Black graduations.

Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp ; and 1993 and newer Force outboards (Force models must order sender FA299791) Senders must be ordered separately

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER TEMPERATURE GAUGE



79-895287A23

Anti-fog lens. 100 deg.-240 deg.F gauge. White face and White bezel; Black graduations.

Diesel

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A21

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. White face and bezel; black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288A22

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. White face and bezel; Black graduations. Replacement gauge only

Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A23

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. White face and bezel; black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288A24

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. White face and White bezel; Black graduations. Replacement gauge only
Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A25

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. White face and bezel; black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.
Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Mercury Precision Branded, Box Point of Sale Packaged.

79-895288A26

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. White face and White bezel; Black graduations. Replacement gauge only
Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP OIL PRESSURE GAUGE



79-895289A21

Anti-fog lens. White face and White bezel; black graduations.
Fits all MCM/MIE gasoline engines and Mercury/Mariner 25/30/40/45/50/225 (4-stroke) outboards. Sender, if not already installed on the outboard, must be purchased separately.
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP OIL PRESSURE GAUGE



79-895289A22

Anti-fog lens. White face and White bezel; black graduations.
Fits D3.0L, D3.6L, and 4.2L diesels (1994 & newer) and D2.8, D4.2L, and D7.3L ES & EI models (1997 & newer).
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP OIL LEVEL GAUGE KIT



79-895290A21

Anti-fog lens. White face and White bezel; black graduations.
Fits V-6 outboard 3 US gal.(11.34 L) and 1.8 US gal.(6.8 L) remote oil reservoirs.
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP FUEL GAUGE



79-895291A21

Anti-fog lens. White face and White bezel; black graduations. 12 volt system and 240 ohm sender required.
Quicksilver Branded, Box Point of Sale Packaged.

FUEL GAUGE SENDING UNIT



851052Q

Designed for tanks that have a 5 screw flange. Use with 12 volt system. 33-240 ohm. Adjusts from 4 in.(10.2 cm) to 24 in.(60.7 cm)
Quicksilver Branded, Clamshell Package Point of Sale Packaged.


FLAGSHIP POWER TRIM GAUGE



79-895292A21

Anti-fog lens. White face and bezel; black graduations. Designed for models that have a sender already installed or installation of a sender kit purchased separately.
Fits Sterndrives and Outboards
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP DUAL ENGINE SYNCHRONIZER




79-895294A21

Anti-fog lens. White face and White bezel; black graduations. Connects to tachometers.

Fits both 2-stroke and 4-stroke gasoline engine applications. Requires a synchronizer driver unless already installed.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP CRUISELOG GAUGE



79-895295A21

Anti-fog lens. White face and White bezel; black graduations. No illumination. Wiring included with this single pack.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP PLUS WHITE FACE WITH CHROME BEZELS

Large gauge - fits 3-3/8 in. (86 mm) hole in dash. Small gauge - fits 2-1/8 in. (54 mm) hole in dash. 12 volt system. Tachometer selection and settings charts are located following the color group images.

FLAGSHIP INSTRUMENT SET



79-895283A41

Anti-fog lens. White face and Chrome bezel; black graduations. Set includes 0-6000 RPM tachometer, oil pressure gauge, battery meter and water temperature gauge. All illuminated. Mounting hardware also included.

For various Mercury Outboard and MCM products. Will require an AGI converter for Verado (Digital) engines.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER



79-895283A42

Anti-fog lens. 0-5000 RPM. 270 degree dial sweep. White face and Chrome bezel; black graduations. Fits 3-3/8 in. (85 mm) hole in dash.

Diesel Engines only

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER



79-895283A43

Anti-fog lens. 0-6000 RPM. 270 degree dial sweep. White face and Chrome bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP TACHOMETER



79-895283A45

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. White face and Chrome bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require the use of an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

79-895283B43

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. White face and Chrome bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash. Priced and packaged in quantities of 24 pcs.

Fits all MCM/MIE gasoline engines; also fits various outboard engines 8hp and higher. See application chart for specific engine models.

Mercury Precision Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

FLAGSHIP TACHOMETER



79-895283A46

Anti-fog lens. 0-8000 RPM. 270 degree dial sweep. White face and Chrome bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

for various Mercury Outboards and MCM products. Will require use of an ACl converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A41

Anti-fog lens. 10-45 MPH. 270 degree dial sweep. White face and Chrome bezel; black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A43

Anti-fog lens. 10-65 MPH. 270 degree dial sweep. White face and Chrome bezel; black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

79-895285B43

Anti-fog lens. 10-65 MPH. 270 degree dial sweep. White face and Chrome bezel ; black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash. Pricing and packaging will be in quantities of 24 pcs.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A44

Anti-fog lens. 0-80 MPH. 270 degree dial sweep. White facial and Chrome bezel; black graduations.

Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER




79-895285A46

Anti-fog lens. 10-100 MPH. 270 degree dial sweep. White face and Chrome bezel; black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP SPEEDOMETER



79-895285A48

Anti-fog lens. 10-50 Knots. 270 degree dial sweep. White face and Chrome bezel; black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP VOLT METER



79-895286A41

Anti-fog lens. White face and Chrome bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection.

Quicksilver Branded, Box Point of Sale Packaged.

79-895286B41

Anti-fog lens. White face and Chrome bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Pricing and packaging will be in quantities of 24 pcs.
Mercury Precision Branded, Box Point of Sale Packaged.


FLAGSHIP WATER TEMPERATURE GAUGE



79-895287A41

Anti-fog lens. 100 deg.-240 deg.F gauge. White face and Chrome bezel; black graduations.
Fits all MCM/MIE gasoline engines and Mercury/Mariner V-6 outboards. Sender, if not already installed on the outboard, must be purchased separately.
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP WATER TEMPERATURE GAUGE



79-895287A42

Anti-fog lens. 60 deg.-200 deg.F gauge. White face and Chrome bezel; black graduations. Also requires reducer fitting 22-86306 for 75 thru 115 FourStroke and 225 FourStroke applications. Coastal flush units require the 12415A 2 temperature sender kit. Order sender separately.
Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp; and 1993 and newer Force outboards (Force models must order sender FA299791)
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A41

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. White face and Chrome bezel; black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.
Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.
Quicksilver Branded, Box Point of Sale Packaged.

79-895288A42

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. White face plate with Chrome bezel; black graduations. Replacement gauge only.
Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A43

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. White face and Chrome bezel; black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.
Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older); and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.
Quicksilver Branded, Box Point of Sale Packaged.

79-895288A44

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. White face and Chrome bezel; black graduations. Replacement Gauge
Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older); and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.
Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP WATER PRESSURE GAUGE



79-895288A45

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. White face and Chrome bezel; black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.
Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Quicksilver Branded, Box Point of Sale Packaged.

79-895288A46

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. White face and Chrome bezel; black graduations. Replacement gauge only.
Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Quicksilver Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

FLAGSHIP OIL PRESSURE GAUGE



79-895289A41

Anti-fog lens. White face and Chrome bezel; black graduations. Fits all MCM/MIE gasoline engines and Mercury/Mariner 25/30/40/45/50/225 (4-stroke) outboards. Sender, if not already installed on the outboard, must be purchased separately. Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP OIL PRESSURE GAUGE



79-895289A42

Anti-fog lens. White face and Chrome bezel; black graduations. Fits D3.0L, D3.6L, and 4.2L diesels (1994 & newer) and D2.8, D4.2L, and D7.3L ES & EI models (1997 & newer). Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP OIL LEVEL GAUGE KIT



79-895290A41

Anti-fog lens. White face and Chrome bezel; black graduations. Fits V-6 outboard 3 US gal.(11.34 L) and 1.8 US gal.(6.8 L) remote oil reservoirs. Quicksilver Branded, Box Point of Sale Packaged.

FLAGSHIP FUEL GAUGE



79-895291A41

Anti-fog lens. White face and Chrome bezel; black graduations. 12 volt system and 240 ohm sender required. Quicksilver Branded, Box Point of Sale Packaged.

79-895291B41

Anti-fog lens. White face and Chrome bezel; black graduations. 12 volt system and 240 ohm sender required. Priced and packaged in quantities of 24 pcs Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP POWER TRIM GAUGE



79-895292A41

Anti-fog lens. White face and Chrome bezel; black graduations. Designed for models that have a sender already installed or installation of a sender kit purchased separately. Fits Sterndrives and Outboards. Quicksilver Branded, Box Point of Sale Packaged.

79-895292B41

Anti-fog lens. White face and Chrome bezel; black graduations. Bulk package of 24 pcs. Designed for models that have a sender already installed or installation of a sender kit purchased separately. Fits Sterndrives and Outboards. Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP DUAL ENGINE SYNCHRONIZER



79-895294A41

Anti-fog lens. White face and Chrome bezel; black graduations. Connects to tachometers. Fits both 2-stroke and 4-stroke gasoline engine applications. Mercury Precision Branded, Box Point of Sale Packaged.

FLAGSHIP CRUISELOG GAUGE



79-895295A41

Anti-fog lens. White face and Chrome bezel; black graduations. No illumination. Wiring included with this single pack. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL PLUS BLACK FACE FAMILY

Large gauge - fits 3-3/8 in. (86 mm) hole in dash. Small gauge - fits 2-1/8 in. (54 mm) hole in dash. 12 volt system. Tachometer selection and settings charts are located following the color group images.

ADMIRAL INSTRUMENT SET



79-895283Q01

Anti-fog lens. Black face and black bezel; red graduations. Set includes 0-6000 RPM tachometer, oil pressure gauge, battery meter and water temperature gauge. All illuminated. Mounting hardware also included.

For various Mercury Outboards and MCM products. Will require use of an AGI converter with Verado (Digital) engines. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER KIT



79-895283Q02

Anti-fog lens. 0-5000 RPM. 270 degree dial sweep. Black face and Black bezel; Red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

Diesel Engines only

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER KIT



79-895283Q03

Anti-fog lens. 0-6000 RPM. 270 degree dial sweep. Black face and Black bezel; Red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require use of an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER KIT



79-895283Q05

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. Black face and Black bezel; Red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require use of an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER

79-895283B13

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. Black face and Black bezel; Red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash. Priced and packaged in quantities of 24 pcs.

For various Mercury Outboards and MCM products. Will require use of an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER KIT



79-895283Q06

Anti-fog lens. 0-8000 RPM. 270 degree dial sweep. Black face and Black bezel; Red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q01

Anti-fog lens. 10-45 MPH. 270 degree dial sweep. Black face and Black bezel; White/Red graduations. Includes 20 ft. (6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

ADMIRAL SPEEDOMETER



79-895285Q03

Anti-fog lens. 10-65 MPH. 270 degree dial sweep. Black face and Black bezel; White/Red graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q04

Anti-fog lens. 0-80 MPH. 270 degree dial sweep. Black face and Black bezel; White/Red graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q08

Anti-fog lens. 10-40 Knots. 270 degree dial sweep. Black face and Black bezel; White/Red graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.


BEZEL 52 MM



879292001

Bezel-Gold 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only

ADMIRAL VOLT METER



79-895286Q01

Anti-fog lens. Black face and Black bezel; Red/White graduations. Outboards require a tachometer harness or ignition/choke assembly for connection.

Quicksilver Branded, Box Point of Sale Packaged.

WATER TEMPERATURE GAUGE




79-895287Q01

Anti-fog lens. 100 deg.-240 deg.F gauge. Black face and Black bezel; white/red graduations. Order sender separately.. Also requires reducer fitting 22-86306 for 75 thru 115 FourStroke and 225 FourStroke applications. Coastal flush units require the 12415A 2 temperature sender kit.

Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp ; and 1993 and newer Force outboards (Force models must order sender FA299791)

Quicksilver Branded, Box Point of Sale Packaged.

WATER TEMPERATURE GAUGE



79-895287Q02

Anti-fog lens. 100 deg.-220 deg.F gauge. Black face and Black bezel; white/red graduations. Sender must be ordered separately. Also requires reducer fitting 22-86306 for 75 thru 115 FourStroke and 225 FourStroke applications. Coastal flush units require the 12415A 2 temperature sender kit.

Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp ; and 1993 and newer Force outboards (Force models must order sender FA299791 and discard sender included with gauge.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q01

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; red graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q02

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; red graduations. Replacement gauge only.

Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q03

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; red graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q04

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; red graduations. Replacement gauge only.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q05

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; red graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q06

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; red graduations. Replacement gauge only.

Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL OIL PRESSURE GAUGE



79-895289Q01

Anti-fog lens. Black face and Black bezel; Red/white graduations.

Fits all MCM/MIE gasoline engines and Mercury/Mariner 25/30/40/45/50/225 (4-stroke) outboards. Sender, if not already installed on the outboard, must be purchased separately.

Quicksilver Branded, Box Point of Sale Packaged.

OIL PRESSURE SENDER KIT



8M0068785

Includes sender and harness used with oil pressure gauges and 21 ft.(6.4 m) of wire.

Fits Mercury/Mariner 25/30/40/45/50/60 (4-stroke).

ANALOG INSTRUMENTS

ADMIRAL OIL LEVEL GAUGE KIT



79-895290Q01

Anti-fog lens. Black face and Black bezel; Red/White graduations. Fits V-6 outboard 3 US gal.(11.34 L) and 1.8 US gal.(6.8 L) remote oil reservoirs. Mercury Precision Branded, Box Point of Sale Packaged.

ADMIRAL FUEL GAUGE



79-895291Q01

Anti-fog lens. Black face and Black bezel; Red/White graduations. 12 volt system and 240 ohm sender required. Quicksilver Branded, Box Point of Sale Packaged.

79-895291B11

Anti-fog lens. Black face and Black bezel; red graduations. 12 volt system and 240 ohm sender required. Priced and packaged in quantities of 24 pcs Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL POWER TRIM GAUGE



79-895292Q01

Admiral Plus series gauge. Anti-fog lens. Black face and bezel; red graduations. Designed for models that have a sender already installed or installation of a sender kit purchased separately. Fits MCM and Outboards Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL DUAL ENGINE SYNCHRONIZER



79-895294Q01

Anti-fog lens. Black face and Black bezel; red graduations. Connects to tachometers. Fits both 2-stroke and 4-stroke gasoline engine applications. Requires a synchronizer driver unless already installed. Mercury Precision Branded, Box Point of Sale Packaged.

ADMIRAL CRUISELOG GAUGE



79-895295Q01

Anti-fog lens. Black face and Black bezel; Red/White graduations. No illumination. Wiring included with this single pack. Mercury Precision Branded, Box Point of Sale Packaged.

ADMIRAL PLUS BLACK WITH CHROME BEZEL

Large gauge - fits 3-3/8 in.(86 mm) hole in dash. Small gauge - fits 2-1/8 in.(54 mm) hole in dash. 12 volt system. Tachometer selection and setting charts are located following the color group images.

ADMIRAL INSTRUMENT SET



79-895283Q61

Anti-fog lens. Black face and Chrome bezel; red graduations. Set includes 0-6000 RPM tachometer, oil pressure gauge, battery meter and water temperature gauge. All illuminated. Mounting hardware also included. For various Mercury Outboards and MCM products. Will require an AGI converter with Verado (Digital) engines. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q62

Anti-fog lens. 0-5000 RPM. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Fits 3-3/8 in. (85 mm) hole in dash.
Diesel Engines only
Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q63

Anti-fog lens. 0-6000 RPM. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.
For various Mercury Outboards and MCM products. Will require an AGI converter for Verado (Digital) engines.L
Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q65

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.
For various Mercury Outboards and MCM products. Will require an AGI converter for Verado (Digital) engines.L
Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q66

Anti-fog lens. 0-8000 RPM. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.
For various Mercury Outboards and MCM products. Will require an AGI converter for Verado (Digital) engines.L
Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q61

Anti-fog lens. 10-45 MPH. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.
Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q63

Anti-fog lens. 10-65 MPH. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.
Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q64

Anti-fog lens. 10-80 MPH. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.
Quicksilver Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

ADMIRAL SPEEDOMETER



79-895285Q68

Anti-fog lens. 10-40 Knots. 270 degree dial sweep. Black face and Chrome bezel; red graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL VOLT METER



79-895286Q61

Anti-fog lens. Black face and Chrome bezel; red/white graduations. Outboards require a tachometer harness or ignition/choke assembly for connection.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER TEMPERATURE GAUGE



79-895287Q61

Anti-fog lens. 100 deg.-240 deg.F gauge. Black face and Chrome bezel; red graduations.

Fits all MCM/MIE gasoline engines and Mercury/Mariner V-6 outboards. Sender, if not already installed on the outboard, must be purchased separately.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER TEMPERATURE GAUGE



79-895287Q62

Anti-fog lens. 60 deg.-220 deg.F gauge. Black face and Chrome bezel; red/white graduations.

Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp ; and 1993 and newer Force outboards (Force models must order sender FA299791) Senders must be ordered separately

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q61

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. Black face and Chrome bezel; red graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q63

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Chrome bezel; red graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q64

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Chrome bezel; red graduations. Replacement gauge only.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q65

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and Chrome bezel; red graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q66

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and Chrome bezel; red graduations. Replacement gauge only. Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL OIL PRESSURE GAUGE



79-895289Q61

Anti-fog lens. Black face and Chrome bezel; red graduations. Fits all MCM/MIE gasoline engines and Mercury/Mariner 25/30/40/45/50/225 (4-stroke) outboards. Sender, if not already installed on the outboard, must be purchased separately. Quicksilver Branded, Box Point of Sale Packaged.

OIL PRESSURE SENDER KIT



8M0068785

Includes sender and harness used with oil pressure gauges and 21 ft.(6.4 m) of wire. Fits Mercury/Mariner 25/30/40/45/50/60 (4-stroke).

ADMIRAL OIL LEVEL GAUGE KIT



79-895290Q61

Anti-fog lens. Black face and Chrome bezel; Red/White graduations. Fits V-6 outboard 3 US gal.(11.34 L) and 1.8 US gal.(6.8 L) remote oil reservoirs. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL FUEL GAUGE



79-895291Q61

Anti-fog lens. Black face and Chrome bezel; red graduations. 12 volt system and 240 ohm sender required. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TRIM GAUGE



79-895292Q61

Anti-fog lens. Black face and Chrome bezel; red graduations. 12 volt system Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL DUAL ENGINE SYNCHRONIZER



79-895294Q61

Anti-fog lens. Black face and Chrome bezel; red graduations. Connects to tachometers. Fits both 2-stroke and 4-stroke gasoline engine applications. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL CRUISELOG GAUGE



79-895295Q61

Anti-fog lens. Black face and Chrome bezel; red graduations. No illumination. Wiring included with this single pack. Quicksilver Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

ADMIRAL PLUS WHITE FACE FAMILY

Large gauge - fits 3-3/8 in. (86 mm) hole in dash. Small gauge - fits 2-1/8 in. (54 mm) hole in dash. 12 volt system. Tachometer selection and settings charts are located following the color group images.

ADMIRAL INSTRUMENT SET



79-895283Q21

Anti-fog lens. White face and black bezel; black graduations. Set includes 0-6000 RPM tachometer, oil pressure gauge, battery meter and water temperature gauge. All illuminated. Mounting hardware also included.

For various Mercury Outboards and MCM engines. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q22

Anti-fog lens. 0-5000 RPM. 270 degree dial sweep. White face and Black bezel; Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

Diesel Engines only

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q23

Anti-fog lens. 0-6000 RPM. 270 degree dial sweep. White face and Black bezel; Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM engines. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q25

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. White face and Black bezel; Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM engines. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL TACHOMETER



79-895283Q26

Anti-fog lens. 0-8000 RPM. 270 degree dial sweep. White face and Black bezel; Black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM engines. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q21

Anti-fog lens. 10-45 MPH. 270 degree dial sweep. White face and Black bezel; Black graduations. Includes 20 ft. (6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q23

Anti-fog lens. 10-65 MPH. 270 degree dial sweep. White face and Black bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q24

Anti-fog lens. 0-80 MPH. 270 degree dial sweep. White face and Black bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL SPEEDOMETER



79-895285Q28

Anti-fog lens. 10-40 Knots. 270 degree dial sweep. White face and Black bezel; Black graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

BEZEL 52 MM



879292001

Bezel-Gold 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only

ADMIRAL VOLT METER



79-895286Q21

Anti-fog lens. White face and Black bezel; black graduations. Outboards require a tachometer harness or ignition/choke assembly for connection.

Quicksilver Branded, Box Point of Sale Packaged.

WATER TEMPERATURE GAUGE




79-895287Q21

Anti-fog lens. 100 deg.-240 deg.F gauge. White face and Black bezel; Black graduations. Includes sender. Also requires reducer fitting 22-86306 for 75 thru 115 FourStroke and 225 FourStroke applications. Coastal flush units require the 12415A 2 temperature sender kit.

Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp ; and 1993 and newer Force outboards (Force models must order sender FA299791 and discard sender included with gauge. Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER TEMPERATURE GAUGE



79-895287Q22

Anti-fog lens. 100 deg.-220 deg.F gauge. White face and Black bezel; Black graduations. Sender must be ordered separately. Also requires reducer fitting 22-86306 for 75 thru 115 FourStroke and 225 FourStroke applications. Coastal flush units require the 12415A 2 temperature sender kit.

Fits Mercury/Mariner 25 thru 115 FourStroke, 225 FourStroke, 40 (3 & 4 cyl.), 45, 50/60 (3 cyl.), and 70 to 125 hp ; and 1993 and newer Force outboards (Force models must order sender FA299791)

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q21

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. White face and Black bezel; Black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q22

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. White face and Black bezel; Black graduations. Replacement gauge only.

Fits Mercury/Mariner 25 E and EL (U.S. S/N 0C192155 and above; Belgium S/N 9548742 and above), 30 to 125 (except four stroke models), 1998 and older V-6 (3.0L), and Force 40/50.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q23

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. White face and Black bezel; Black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q24

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. White face and Black bezel; Black graduations. Replacement gauge only.

Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL WATER PRESSURE GAUGE



79-895288Q25

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. White face and Black bezel; Black graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.

Replacement hose not sold separate, obtain locally.

Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.

Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q26

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. White face and Black bezel; Black graduations. Replacement gauge only.

Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL OIL PRESSURE GAUGE



79-895289Q21

Anti-fog lens. White face and Black bezel; black graduations.

Fits all MCM/MIE gasoline engines and Mercury/Mariner 25/30/40/45/50/225 (4-stroke) outboards. Sender, if not already installed on the outboard, must be purchased separately.

Quicksilver Branded, Box Point of Sale Packaged.

OIL PRESSURE SENDER KIT



8M0068785

Includes sender and harness used with oil pressure gauges and 21 ft.(6.4 m) of wire.

Fits Mercury/Mariner 25/30/40/45/50/60 (4-stroke).

ADMIRAL FUEL GAUGE



79-895291Q21

Anti-fog lens. White face and Black bezel; black graduations. 12 volt system and 240 ohm sender required.
Quicksilver Branded, Box Point of Sale Packaged.

79-895291B31

Anti-fog lens. White face and Black bezel; black graduations. 12 volt system and 240 ohm sender required. Bulk package of 24 pcs.
Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL POWER TRIM GAUGE



79-895292Q21

Anti-fog lens. White face and black bezel; black graduations. Designed for models that have a sender already installed or installation of a sender kit purchased separately.

Fits MCM and Outboards

Quicksilver Branded, Box Point of Sale Packaged.


79-895292B31

Anti-fog lens. White face and black bezel; black graduations. Designed for models that have a sender already installed or installation of a sender kit purchased separately. Bulk package of 24 pcs.

Fits MCM and Outboards

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL DUAL ENGINE SYNCHRONIZER




79-895294Q21

Anti-fog lens. White face and Black bezel; black graduations. Connects to tachometers.

Fits both 2-stroke and 4-stroke gasoline engine applications. Requires a synchronizer driver unless already installed.

Quicksilver Branded, Box Point of Sale Packaged.

ADMIRAL CRUISELOG GAUGE



79-895295Q21

Anti-fog lens. White face and Black bezel; black graduations. No illumination. Wiring included with this single pack.
Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II FAMILY GAUGES

Large gauge - fits 3-3/8 in. (86 mm) hole in dash. Small gauge - fits 2-1/8 in. (54 mm) hole in dash. 12 volt system. Tachometer selection and settings charts are located following the color group images.

INTERNATIONAL II INSTRUMENT SET



79-895283Q41

Anti-fog lens. Black face and black bezel; orange/white graduations. Set includes 0-6000 RPM tachometer, oil pressure gauge, battery meter and water temperature gauge. All illuminated. Mounting hardware also included.

Fits MCM/MIE D3.0L, D3.6L, and 4.2L diesels (1994 & newer.)

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II TACH



79-895283Q43

Anti-fog lens. 0-6000 RPM. 270 degree dial sweep. Black face and Black bezel; Orange/White graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

ANALOG INSTRUMENTS

INTERNATIONAL II TACH



79-895283Q45

Anti-fog lens. 0-7000 RPM. 270 degree dial sweep. Black face and Black bezel; Orange/White graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II TACH



79-895283Q46

Anti-fog lens. 0-8000 RPM. 270 degree dial sweep. Black face and Black bezel; Orange/White graduations. Outboards require a tachometer harness or ignition/choke assembly for connection. Fits 3-3/8 in. (85 mm) hole in dash.

For various Mercury Outboards and MCM products. Will require an AGI converter with Verado (Digital) engines.

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II SPEEDOMETER



79-895285Q41

Anti-fog lens. 10-45 MPH . 270 degree dial sweep. Black face and black bezel; orange/white graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II SPEEDOMETER



79-895285Q43

Anti-fog lens. 10-65 MPH . 270 degree dial sweep. Black face and black bezel; orange/white graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II SPEEDOMETER



79-895285Q44

Anti-fog lens. 10-80 MPH . 270 degree dial sweep. Black face and black bezel; orange/white graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II SPEEDOMETER



79-895285Q48

Anti-fog lens. 10-50 Knots . 270 degree dial sweep. Black face and black bezel; orange/white graduations. Includes 20 ft.(6.1 m) of tubing. Fits 3-3/8 in. (85 mm) hole in dash.

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II VOLT METER



79-895286Q41

Anti-fog lens. Black face and Black bezel; Orange/White graduations.

Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II WATER TEMPERATURE GAUGE



79-895287Q41

Anti-fog lens. 100 deg.-240 deg.F gauge. Black face and Black bezel; Orange/White graduations.
Fits all MCM/MIE gasoline engines and Mercury/Mariner V-6 outboards. Sender, if not already installed on the outboard, must be purchased separately.
Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II WATER PRESSURE GAUGE



79-895288Q41

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; Orange graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.
Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.
Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q42

Anti-fog lens. 1 to 15 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; Orange graduation. Service replacement gauge.
Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.
Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II WATER PRESSURE GAUGE



79-895288Q43

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; Orange graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.
Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.
Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q44

Anti-fog lens. 2 to 30 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; Orange graduations. Service replacement gauge.
Fits Mercury/Mariner 25/30/40/45/50/75/90/115/225 (4-stroke), all V-6 (except 3.0L 1998 and older) ; and Force 75, 90 and 120. The 75/90/115/225 FourStroke outboards require a reducer fitting p/n 22-86306.
Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II WATER PRESSURE GAUGE



79-895288Q45

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; Orange graduations. Complete kit. Includes 25 ft.(7.6 m) of tubing and hardware.
Replacement hose not sold separate, obtain locally.
Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Quicksilver Branded, Box Point of Sale Packaged.

79-895288Q46

Anti-fog lens. 2 to 40 psi gauge with quick-connect terminals for connection to light. Black face and Black bezel; Orange graduations. Replacement gauge only.
Fits 75-115 hp EFI FourStroke Outboards, serial number 1B366823 & above.
Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II OIL PRESSURE GAUGE



79-895289Q41

Anti-fog lens. Black face and Black bezel; Orange/White graduations.
Fits all MCM/MIE gasoline engines and Mercury/Mariner 25/30/40/45/50/225 (4-stroke) outboards. Sender, if not already installed on the outboard, must be purchased separately.
Quicksilver Branded, Box Point of Sale Packaged.

OIL PRESSURE SENDER KIT



8M0068785

Includes sender and harness used with oil pressure gauges and 21 ft.(6.4 m) of wire.
Fits Mercury/Mariner 25/30/40/45/50/60 (4-stroke).

ANALOG INSTRUMENTS

INTERNATIONAL II FUEL GAUGE



79-895291Q41

Anti-fog lens. Black face and Black bezel; Orange/White graduations. Bulk Package of 24 pcs. 12 volt system and 240 ohm sender required. Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II TRIM GAUGE



79-895292Q41

Anti-fog lens. Black face and Black bezel; Orange/White graduations. 12 volt system. Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II DUAL ENGINE SYNCHRONIZER



79-895294Q41

Anti-fog lens. Black face and Black bezel; Orange/White graduations. Connects to tachometers. Fits both 2-stroke and 4-stroke gasoline engine applications. Quicksilver Branded, Box Point of Sale Packaged.

INTERNATIONAL II CRUISELOG GAUGE




79-895295Q41

Anti-fog lens. Black face and Black bezel; Orange/White graduations. No illumination. Wiring included with this single pack. Quicksilver Branded, Box Point of Sale Packaged.

QSS REPLACEMENT GAUGES

QSS VOLTMETER



79-883626Q 2

8-16 volts. White face and bezel; black graduations.

DEPTH SOUNDERS

TRANSDUCER - IN HULL/TRANSOM DEPTH ONLY



879292A08

Transducer that can be mounted In-Hull or Transom - Depth only. Can be used on most boats - mounted to the outside of the transom.

BEZEL 52 MM



879292001

Bezel-Gold 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only.

BEZEL 52 MM



879292003

Bezel-Flat Black 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only.


BEZEL 52 MM



879292004

Bezel-White 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only

FACE PLATE



879292005

Face Plate -Color Black 2 inch (52 MM) Bezel is a twist fit that has a round shape. Used on Depth Sounders only

BEZEL 52 MM



8M0120346

Bezel-Chrome, 2 inch (52 MM).
Bezel is a snap fit that has a round shape.
Priced individually, sold @ multiples of 10

VDO FAMILY GAUGES

VDO PRIMARY STATION INSTRUMENTATION - STANDARD



881800A 1

Pre-wired panel with 21 pin Deutsch connector for 1.7L stern drives/inboards. Basic Instrument Set. VDO tach, warning lights for low oil pressure, charge indicator, glow plug activation, coolant temp., water in fuel. Includes key switch, stop button, instrument lights/audio warning test switch.
Fits MCM.MIE - D1.7L DTI diesels.

SPEEDOMETER PICKUPS

SPEEDOMETER PICKUP



77409A 1

Pickup and mounting screws only

SPEEDOMETER PICKUP KIT



77409B 1

For use with bulk pack speedometers. Includes pickup, misc. hardware and 20 ft. (6.1 m) of tubing.
Priced & packaged in qty. of 24

SPEEDOMETER PICKUP TUBING



32- 54950 53

53 ft.(16.15 m) tubing.

32- 54950600

1 roll of 1500 ft.(457.5 m) tubing.

WATER PRESSURE PICK-UP KITS

HOSE KIT



32-892156A01

Contains the necessary tubing, tee fitting and instruction sheet to allow the use of a 15 PSI Analog Water Pressure Gauge with the otherwise digital 1.5L OptiMax outboard.

Fits the 75/90/115hp (1.5L) OptiMax Outboard Engine, Model Year 2004 and newer.

TUBING-BULK 100 FEET



32-859785100

Bulk water pressure tubing.
5/32 OD x 3/32 ID.
100 foot length. Color Gray.

ANALOG WATER PRESSURE FITTING KIT



32-8M0088855

Fitting kit allows installation of an analog water pressure gauges to the engine.
2.1L F75-115 Four Stroke

LAGREE FITTING FOR 2-40 PSI- WATER PRESSURE



22-896094A01

Fitting that connects to block to hook up Water pressure gauge. This fitting is included in the 40 psi gauge "kit".

Fits 75-115 hp EFI FourStroke outboards, serial number 1B366823-2B094995.

WATER PRESSURE KIT



8M0059531

Components needed for water pressure gauges
150 4 Stroke Engines

ANALOG BLOCK WATER PRESSURE SENDER



8M0145165

Optional kit to add analog block water pressure feature to a digital engine
Applicable to DTS 3.4L V6 and 4.6L V8 engines (mechanical engines have this sensor as standard)

FITTING ASSEMBLY (90 DEGREE)



22-8M0022199

Includes o-ring 896699, Adaptor fitting 896094 and 90 degree elbow fitting 891533.
Mercury 350 SCI 1B716557 thru 2B143542

FITTING (90 DEGREE)



22-891533

90 degree fitting used on pressure sensor kit.
2.5XS 2.5L DFI 0T997974 thru 1E000796

WATER TEMPERATURE SENDERS

Water temperature senders used for operation of a temperature gauge.

WATER TEMPERATURE SENDER



13536A13

A two wire temperature sender for use on V-6 outboard product. Furnished standard on engine powerhead, the fiche card specific to the application should be used to verify correct use.


WATER TEMPERATURE SENDER



13536A14

A four wire temperature sender for use on V-6 outboard product. Furnished standard on engine powerhead, the fiche card specific to the application should be used to verify correct use.

WATER TEMPERATURE SENDER



12415

(1/8"-27 NPT threads)
Fits outboard applications.

TEMPERATURE SENDER KIT



12415A 2

Allows adding a temperature sender to outboards equipped with a factory built coastal flush. Includes a temperature sender, fittings, cable ties and instruction sheet. This kit provides for the use of a coastal flush and a temperature sender at the same time.

Fits Mercury/Mariner 75-125 hp. (1993 and newer) 2 cycle outboards. Primarily designed for adding to a Saltwater model which comes with the coastal flush as standard equipment.

ADAPTER HARNESS



84- 11149A55

Allows water temperature gauge hook-up to the 225 EFI FourStroke outboard.

WATER TEMPERATURE SENDER



15995

Used for temperature gauge
Fits MCM 3.7L engines

ENGINE WATER TEMPERATURE SENDER



49734

For dual station installations, used for temperature gauge
Fits MCM/MIE engines

WATER TEMPERATURE SENDER



806490T

3/8 in. x 18 NPT threads, used for temperature gauge
Fits MCM/MIE engines

ANALOG INSTRUMENTS

WATER TEMPERATURE SENDER



97258A 1

1/2 in. x 14 NPT threads, used for temperature gauge
Fits MCM/MIE engines

COOLANT TEMPERATURE SENDER



805218T

Used for temperature gauge
Fits MCM/MIE EFI models

OIL PRESSURE SENDERS

OIL PRESSURE SENDER



8M0068784

For use with 80 psi electric oil pressure gauge

OIL PRESSURE SENDER KIT



8M0068785

Includes sender and harness used with oil pressure gauges and 21 ft.(6.4 m) of wire.

Fits Mercury/Mariner 25/30/40/45/50/60 (4-stroke).

OIL PRESSURE SENDER



8M0068784

For use with 80 psi electric oil pressure gauge

OIL PRESSURE SENDER



889835A01

150 PSI oil gauge sender with a 90 degree elbow and installation instruction sheet.
F225 4 stroke engine

POWER TRIM SENDERS

POWER TRIM SENDER



805320A03

Includes trim limit switch also.

Fits MC-I, R, MR, Alpha One, Gen II, Bravo drives.

POWER TRIM SENDER



805130A 6

For dual station applications.

Fits MCM I/R/MR/Alpha One/Gen II/Bravo One & Two drives.


POWER TRIM SENDER



805130A 8

For dual station applications.
Fits MCM TR & TRS drives.

POWER TRIM SENDER CONVERSION KIT



805134A 3

Converts single station sender to a dual station sender.
Fits MCM Alpha One/Gen II/Bravo One & Two drives.

ANALOG TRIM SENDER (PORT MOUNT)



8M0098273

Port mount analog trim sender (black color)
40-60 Family 2, 75-115 EFI and Optimax (not digital Optimax) - Port mount only

ANALOG TRIM SENDER (STARBOARD MOUNT)



8M0098264

Starboard mount analog trim sender (natural color)
40-60 Family 2, 75-115 EFI and Optimax - Starboard mount only

POWER TRIM SENDER



822573A12

Port mounted. Contains 6-32 threaded mounting screws.
Fits various in-line outboards. See application chart for specific engine models.

POWER TRIM SENDER



859187A 1

Port mounted.
Fits all SmartCraft compatible engines.

POWER TRIM SENDER



896688001

Digital Trim Sender
See Electronic Parts Catalog for all applications

POWER TRIM SENDER



888617001

Starboard mounted.
Fits the Mercury/Mariner V-225 FourStroke outboard engine.

ANALOG INSTRUMENTS

POWER TRIM SENDER



891777A01

Starboard Mounted. Required for digital gauge applications. Fits SmartCraft compatible engines.

TRIM SENSOR CONVERTER KIT



8M0059529

This kit will allow you to convert the signal from the digital sensor to an analog signal. It will allow you to drive an analog gauge for trim only without changing the sensor to an analog sensor. This kit will connect directly to the harness inside the engine cowl.

F150 EFI FourStroke outboard engine only

TRIM CONVERTER AND TILT UP LIMIT KIT



8M0118725

This kit allows the conversion of the trim signal from the analog sender to a digital output for Smartcraft gauge applications. The kit also has an additional feature that allows the max tilt up position to be set to avoid interference when tilting the engine completely up.

2.1L F75-115 Four Stroke

POWER TRIM SENDER CHART

Mercury/Mariner Trim Senders

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Port Mount Trim Sender	Stbd. Mount Trim Sender
25 FourStroke	Mercury/Mariner	Carb Models only	1998 - 2006	USA	0G590000 and up	822573A12	N/A
25 FourStroke	Mercury/Mariner	Carb Models only	1999 - 2006	BEL	0P017000 and up	822573A12	N/A
25 FourStroke	Mercury/Mariner	EFI w/ 6-32 threads	2006 - 2022	JPN	0R106999 and up	822573A12	N/A
25 FourStroke	Mercury/Mariner	EFI w/ 6-32 threads	2006 - 2022	BEL	0P401000 and up	822573A12	N/A
30	Mercury/Mariner	2 cylinder	1995 - 2022	USA	0G124405 and up	822573A12	N/A
30	Mercury/Mariner	2 cylinder	1995 - 2022	BEL	9840763 and up	822573A12	N/A
30 FourStroke	Mercury/Mariner	3 cylinder Non-BigFoot Models.	1999 - 2005	USA	0G760300 - 1B226999	N/A	8M0098264
30 FourStroke	Mercury/Mariner	3 cylinder Non-BigFoot models.	1999 - 2005	BEL	0P017000 - 0P400999	N/A	8M0098264
30 FourStroke	Mercury/Mariner	EFI w/ 6-32 threads	2006 - 2022	JPN	0R106999 and up	822573A12	N/A
30 FourStroke	Mercury/Mariner	EFI w/ 6-32 threads	2006 - 2022	BEL	0P401000 and up	822573A12	N/A
30 JET	Mercury/Mariner	4 cylinder	1993 - 1997	USA	0C159200 - 0G589999	N/A	N/A
30 JET	Mercury/Mariner	3 cylinder	1998 - 2000	USA	0G590000 - 0T178499	822573A12	N/A
30 JET	Mercury/Mariner	3 cylinder	1999 - 2000	BEL	0P017000 - 0P094499	822573A12	N/A
35	Mercury/Mariner	2 cylinder	1984 - 1989	USA	6445653 - 0C221999	N/A	N/A
35	Mercury/Mariner	2 cylinder	1984 - 1989	BEL	9384476 and up	N/A	N/A
35	Mercury/Mariner	2 cylinder	1984 - 1989	CAN	7209608 and up	N/A	N/A
40	Mercury/Mariner	4 cylinder with integral trim.	1989 - 1992	USA	0C159200 - 0D181999	N/A	N/A
40	Mercury/Mariner	4 cylinder with integral trim.	1989 - 1992	BEL	9570790 - 9740999	N/A	N/A
40	Mercury/Mariner	4 cylinder	1993 - 1997	USA	0D182000 - 0G589999	N/A	8M0098264
40	Mercury/Mariner	4 cylinder	1993 - 1997	BEL	9741000 - 9973099	N/A	8M0098264
40	Mercury/Mariner	2 cylinder	1995 - 2022	USA	0G124405 and up	822573A12	N/A
40	Mercury/Mariner	2 cylinder	1995 - 2022	BEL	9840763 and up	822573A12	N/A

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Port Mount Trim Sender	Stbd. Mount Trim Sender
40	Mercury/Mariner	3 cylinder, 59 CID, Long shaft only.	1997 1/2 - 2022	USA	0G531301 and up	822573A12	N/A
40	Mercury/Mariner	3 cylinder, 59 CID, Long shaft only.	1997 1/2 - 2022	BEL	9973100 and up	822573A12	N/A
40 FourStroke	Mercury/Mariner	3 cylinder Non-BigFoot models.	1999 - 2022	USA	0G760300 and up	N/A	8M0098264
40 FourStroke	Mercury/Mariner	3 cylinder Non-BigFoot models.	1999 - 2022	BEL	0P017000 and up	N/A	8M0098264
40 FourStroke	Mercury/Mariner	3 cylinder BigFoot models.	1999 - 2002	USA	0G760300 - 0T408999	N/A	8M0098264
40 FourStroke	Mercury/Mariner	3 cylinder BigFoot models.	1999 - 2002	BEL	0P017000 - 0P153499	N/A	8M0098264
40 FourStroke	Mercury/Mariner	4 cylinder Italy/Bodensee	1995 - 1998	USA	0G231123 - 0G760299	822573A12	N/A
40 FourStroke	Mercury/Mariner	4 cylinder Italy/Bodensee	1999 - 2000	BEL	0P073323 - 0P094499	N/A	8M0098264
40 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., BigFoot models.	2001 - 2022	USA	0T228405 - 1B344306	N/A	8M0098264
40 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., BigFoot models.	2001 - 2022	BEL	0P094500 and up	N/A	8M0098264
40 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., BigFoot models.	2006 - 2022	CHN	1C000001 and up	N/A	8M0098264
40 JET	Mercury/Mariner		2001 - 2022	USA	0T178500 and up	822573A12	N/A
40 JET	Mercury/Mariner		2001 - 2022	BEL	0P094500 and up	822573A12	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	USA	5531630 - 0D000749	N/A	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	AUS	8063985 and up	N/A	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	BEL	9248006 - 9683054	N/A	N/A
45	Mercury/Mariner	4 cylinder	1986 - 1989	CAN	7143688 and up	N/A	N/A
45 FourStroke	Mercury/Mariner	4 cylinder Italy/Bodensee	1995 - 1998	USA	0G231123 - 0G760299	822573A12	N/A
45 FourStroke	Mercury/Mariner	4 cylinder Italy/Bodensee	1999 - 2000	BEL	0P073323 - 0P094499	N/A	8M0098264
45 JET	Mercury/Mariner	3 cylinder, 51.8 CID	1993 - 1997	USA	0D182000 - 0G589999	N/A	8M0098264
45 JET	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2000	USA	0G590000 - 0T178499	822573A12	N/A
45 JET	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2000	BEL	0P017000 - 0P094499	822573A12	N/A
50	Mercury/Mariner	4 cylinder with external trim.	1976 - 1985	USA	4357640 - 6428680	N/A	N/A
50	Mercury/Mariner	4 cylinder with external trim.	1976 - 1985	AUS	8030090 and up	N/A	N/A
50	Mercury/Mariner	4 cylinder with external trim.	1976 - 1985	BEL	9107214 - 9469199	N/A	N/A
50	Mercury/Mariner	4 cylinder with external trim.	1976 - 1985	CAN	7068998 - 7208332	N/A	N/A
50	Mercury/Mariner	3 cylinder with external trim.	1986 - 1992	USA	6428681 - 0D181999	N/A	N/A
50	Mercury/Mariner	3 cylinder with external trim.	1986 - 1992	BEL	9385911 - 9733881	N/A	N/A
50	Mercury/Mariner	3 cylinder with external trim.	1986 - 1992	CAN	7208333 and up	N/A	N/A
50	Mercury/Mariner	3 cylinder, 51.8 CID	1993 - 1997	USA	0D182000 - 0G589999	N/A	8M0098264
50	Mercury/Mariner	3 cylinder, 51.8 CID	1993 - 1997	BEL	9733882 - 9973099	N/A	8M0098264
50	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2022	USA	0G590000 and up	822573A12	N/A
50	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2022	BEL	9973100 and up	822573A12	N/A
50 FourStroke	Mercury/Mariner	4 cylinder Non-BigFoot models.	1995 - 1998	USA	0G231123 - 0G760299	822573A12	N/A
50 FourStroke	Mercury/Mariner	4 cylinder Non-BigFoot models.	1999 - 2000	USA	0G760300 - 0T178499	N/A	8M0098264
50 FourStroke	Mercury/Mariner	4 cylinder BigFoot models.	1998 - 2000	USA	0G590000 - 0T178499	N/A	8M0098264
50 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., all models.	2001 - 2022	USA	0T178500 - 1B344306	N/A	8M0098264
50 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., all models.	2001 - 2022	BEL	0P094500 and up	N/A	8M0098264
50 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., BigFoot models.	2006 - 2022	CHN	1C000001 and up	N/A	8M0098264
55	Mercury/Mariner	3 cylinder, 51.8 CID	1996 - 1997	USA	0D00750 - 0G589999	N/A	N/A
55	Mercury/Mariner	3 cylinder, 51.8 CID	1996 - 1997	BEL	9741042 - 9973099	N/A	N/A
55	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2022	USA	0G590000 and up	N/A	8M0098264
55	Mercury/Mariner	3 cylinder, 59 CID	1998 - 2022	BEL	9973100 and up	N/A	8M0098264
60	Mercury/Mariner	3 cylinder with external trim.	1984 - 1987	USA	6428681 - 0B122929	N/A	N/A
60	Mercury/Mariner	3 cylinder with external trim.	1984 - 1987	BEL	9385911 - 9469199	N/A	N/A
60	Mercury/Mariner	3 cylinder with external trim.	1984 - 1987	CAN	7208333 - 0A721307	N/A	N/A
60	Mercury/Mariner	3 cylinder with internal trim.	1989 - 1992	USA	0C160936 - 0D181999	N/A	N/A
60	Mercury/Mariner	3 cylinder with internal trim.	1989 - 1992	BEL	9469200 - 9733881	N/A	N/A
60	Mercury/Mariner	3 cylinder with internal trim.	1989 - 1992	CAN	0A721308 and up	N/A	N/A
60	Mercury/Mariner	3 cylinder, all models.	1993 - 2022	USA	0D182000 and up	N/A	8M0098264
60	Mercury/Mariner	3 cylinder, all models.	1993 - 2022	BEL	9733882 and up	N/A	8M0098264
60 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., all models.	2001 - 2022	USA	0T178500 - 1B344306	N/A	8M0098264
60 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., all models.	2001 - 2022	BEL	0P094500 and up	N/A	8M0098264
60 FourStroke	Mercury/Mariner	4 cylinder, 996 cc., BigFoot models.	2006 - 2022	CHN	1C000001 and up	N/A	8M0098264

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

ANALOG INSTRUMENTS

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Port Mount Trim Sender	Stbd. Mount Trim Sender
70	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1989	USA	0A966142 - 0C221999	8M0098273	N/A
70	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1989	BEL	9502500 - 9589032	8M0098273	N/A
70	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 1989	USA	0A966142 - 0C221999	N/A	8M0098264
70	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 1989	BEL	9502500 - 9589032	N/A	8M0098264
75	Mercury/Mariner	4 cylinder with 3-ram trim.	1984 - 1987	USA	6428681 - 0B122929	8M0098273	N/A
75	Mercury/Mariner	4 cylinder with 3-ram trim.	1984 - 1987	BEL	9385911 - 9469199	8M0098273	N/A
75	Mercury/Mariner	4 cylinder with 3-ram trim.	1984 - 1987	CAN	7208333 - 0A721307	8M0098273	N/A
75	Mercury/Mariner	4 cylinder with single ram trim.	1984 - 1987	USA	6428681 - 0B122929	N/A	8M0098264
75	Mercury/Mariner	4 cylinder with single ram trim.	1984 - 1987	BEL	9385911 - 9469199	N/A	8M0098264
75	Mercury/Mariner	4 cylinder with single ram trim.	1984 - 1987	CAN	7208333 - 0A721307	N/A	8M0098264
75	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1997 1/2	USA	0A966142 - 0G531985	8M0098273	N/A
75	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1997 1/2	BEL	9502500 - 9502500	8M0098273	N/A
75	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 2022	USA	0A966142 and up	N/A	8M0098264
75	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 2022	BEL	9502500 and up	N/A	8M0098264
75 Optimax	Mercury/Mariner	1.5L DFI, non-digital sender.	2004 - 2022	USA	0T800750 and up	N/A	8M0098264(1)
75 Optimax	Mercury/Mariner	1.5L DFI, digital sender.	2004 - 2022	USA	0T800750 and up	N/A	891777A01(2)
75 FourStroke	Mercury/Mariner		2000 - 2005	USA	0G960500 - 1B366822	N/A	8M0098264
75 FourStroke	Mercury/Mariner		2006 - 2022	USA	1B366823 - 2B094955	N/A	8M0098264
80	Mercury/Mariner	4 cylinder with external trim.	1978 - 1983	USA	4831999 - 6432900	N/A	N/A
80	Mercury/Mariner	4 cylinder with external trim.	1978 - 1983	AUS	8050200 and up	N/A	N/A
80	Mercury/Mariner	4 cylinder with external trim.	1978 - 1983	BEL	9177626 - 9393855	N/A	N/A
80	Mercury/Mariner	4 cylinder with external trim.	1978 - 1983	CAN	7110998 - 7208572	N/A	N/A
80	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1989	USA	0A966142 - 0C221999	8M0098273	N/A
80	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1989	BEL	9502500 - 9589032	8M0098273	N/A
80	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 1989	USA	0A966142 - 0C221999	N/A	8M0098264
80	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 1989	BEL	9502500 - 9589032	N/A	8M0098264
90	Mercury/Mariner	6 cylinder with external trim.	1978 - 1986	USA	4845301 - 0A966141	N/A	N/A
90	Mercury/Mariner	6 cylinder with external trim.	1978 - 1986	AUS	8060545 and up	N/A	N/A
90	Mercury/Mariner	6 cylinder with external trim.	1978 - 1986	CAN	7111698 and up	N/A	N/A
90	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1997 1/2	USA	0A966142 - 0G531985	8M0098273	N/A
90	Mercury/Mariner	3 cylinder with 3-ram trim.	1987 - 1997 1/2	BEL	9502500 - 9502500	8M0098273	N/A
90	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 2022	USA	0A966142 and up	N/A	8M0098264
90	Mercury/Mariner	3 cylinder with single ram trim.	1987 - 2022	BEL	9502500 and up	N/A	8M0098264
90 Optimax	Mercury/Mariner	1.5L DFI, non-digital sender.	2004 - 2022	USA	0T800750 and up	N/A	8M0098264(1)
90 Optimax	Mercury/Mariner	1.5L DFI, digital sender.	2004 - 2022	USA	0T800750 and up	N/A	891777A01(2)
90 FourStroke	Mercury/Mariner		2000 - 2006	USA	0G960500 - 1B366822	N/A	8M0098264
90 FourStroke	Mercury/Mariner		2006 - 2022	USA	1B366823 - 2B094955	N/A	8M0098264
100	Mercury/Mariner	4 cylinder with 3-ram trim.	1988 - 1993	USA	0B209468 - 0D283221	8M0098273	8M0098264
100	Mercury/Mariner	4 cylinder with 3-ram trim.	1988 - 1993	BEL	9523034 - 9793576	8M0098273	8M0098264
100	Mercury/Mariner	4 cylinder with single ram trim.	1988 - 2022	USA	0B209468 and up	N/A	8M0098264
100	Mercury/Mariner	4 cylinder with single ram trim.	1988 - 2022	BEL	9523034 and up	N/A	8M0098264
115	Mercury/Mariner	6 cylinder with external trim.	1978 - 1988	USA	4855153 - 0C099999	N/A	N/A
115	Mercury/Mariner	6 cylinder with external trim.	1978 - 1988	AUS	8051950 and up	N/A	N/A
115	Mercury/Mariner	6 cylinder with external trim.	1978 - 1988	CAN	7112248 and up	N/A	N/A
115	Mercury/Mariner	4 cylinder with 3-ram trim.	1988 - 1993	USA	0B209468 - 0D283221	8M0098273	8M0098264
115	Mercury/Mariner	4 cylinder with 3-ram trim.	1988 - 1993	BEL	9523034 - 9793576	8M0098273	8M0098264
115	Mercury/Mariner	4 cylinder with single ram trim.	1988 - 2022	USA	0B209468 and up	N/A	8M0098264
115	Mercury/Mariner	4 cylinder with single ram trim.	1988 - 2022	BEL	9523034 and up	N/A	8M0098264
115 Optimax	Mercury/Mariner	2.5L DFI, non-digital sender.	2000	USA	0G960500 - 0T178499	8M0098273(1)	N/A
115 Optimax	Mercury/Mariner	2.5L DFI, digital sender.	2000	USA	0G960500 - 0T178499	859187A 1(2)	N/A
115 Optimax	Mercury/Mariner	1.5L DFI, non-digital sender.	2004 - 2022	USA	0T800750 and up	N/A	8M0098264(1)
115 Optimax	Mercury/Mariner	1.5L DFI, digital sender.	2004 - 2022	USA	0T800750 and up	N/A	891777A01(2)
115 FourStroke	Mercury/Mariner	EFI	2001 - 2005	USA	0T178500 - 1B366822	N/A	8M0098264
115 FourStroke	Mercury/Mariner	EFI	2006 - 2022	USA	1B366823 - 2B094955	N/A	8M0098264
125	Mercury/Mariner	4 cylinder	1994 - 2022	USA	0D283222 and up	N/A	8M0098264
125	Mercury/Mariner	4 cylinder	1994 - 2022	BEL	9793577 and up	N/A	8M0098264

Model	Brand	Model Notes	Year Range	Country	Serial # Range	Port Mount Trim Sender	Stbd. Mount Trim Sender
225 FourStroke	Mercury/Mariner		2003 - 2022	USA	0T653945 and up	N/A	888617001(1)
V-6	Mercury/Mariner	Non-digital sender & 3-ram trim.	All	USA	All - All	8M0098273(1)	N/A
V-6	Mercury/Mariner	Digital sender & 3-ram trim.	2000 - 2022	USA	0G960500 and up	859187A 1(2)	N/A

(1) For use with analog gauges.

(2) For use with 555 controller and SmartCraft gauges or monitors.

SERVICE MONITORS

Digital tach and hourmeter. Features LCD display and resettable hourmeter.

SERVICE MONITOR



79-8M0050399

Fits most Outboards and gasoline MCM/MIE engines. Will not work with diesel product, Verado outboards or the F75-115 FourStroke outboard 1B366823-2B094955. Replaces old versions with a universal product. Quicksilver Branded, Clamshell Package Point of Sale Packaged.

INSTRUMENT HOLE COVER KIT

Allows pre-drilling dash for adding 2-1/8 in.(54 mm) gauges at a later date.

INSTRUMENT HOLE COVER KIT




79- 79889A 1

MECHANICAL TRIM POSITION INDICATORS - 1 POINTER

Cables not included with indicator kits. Order F5H208/_ cables or 64-820676A_ cables to proper length. Trim position indicator and bezel selection chart available within the Instrument section.

TRIM POSITION INDICATOR



848445A 1

1 pointer. Top cable entry. Gray faceplate and black bezel. Fits single sterndrive.

TRIM POSITION INDICATOR



848445A 6

1 pointer. Top cable entry. White faceplate and bezel. Fits single sterndrive.

ANALOG INSTRUMENTS

MECHANICAL TRIM POSITION INDICATORS - 2 POINTER

Cables not included with indicator kits. Order F5H208/_ cables or 64-820676A_cables to proper length. Trim position indicator and bezel selection chart available within the Instrument section.

MECHANICAL TRIM POSITION INDICATORS - 3 POINTER

Cables not included with indicator kits. Order F5H208/_ cables or 64-820676A_cables to proper length. Trim position indicator and bezel selection chart available within the Instrument section.

MECHANICAL TRIM POSITION INDICATORS - 4 POINTER

Cables not included with indicator kits. Order F5H208/_ cables or 64-820676A_cables to proper length. Trim position indicator and bezel selection chart available within the Instrument section.

TRIM POSITION INDICATOR



844945A 1

4 pointer. Bottom cable entry. Gray faceplate and black bezel. Fits twin MCM sterndrives and twin trim tabs.

TRIM POSITION INDICATOR



844944A 1

4 pointer. Top cable entry. Gray faceplate and black bezel. Fits twin MCM sterndrives and twin trim tabs

TRIM POSITION INDICATOR



845983A 1

4 pointer. Bottom cable entry. Gray faceplate and black bezel. Fits twin MCM sterndrives and twin trim tabs.

MECHANICAL TRIM POSITION INDICATORS - 5 POINTER

Cables not included with indicator kits. Order F5H208/_ cables or 64-820676A_cables to proper length. Trim position indicator and bezel selection chart available within the Instrument section.

MECHANICAL TRIM POSITION INDICATOR ACTUATOR KITS

ACTUATOR KIT



846063A 1

Single
Fits MCM Alpha - V SSM sterndrives

CABLE GRIP KIT



846066A 1

Angled stainless steel through-transom fitting for trim position (cable not included).

CABLE GRIP KIT



846793A 1

Straight stainless steel through-transom fitting for trim position (cable not included).

**MECHANICAL TRIM ACTUATOR KIT M-SERIES
TRANSOM**



8M0124387

Attaching kit for mechanical trim indication.
To be used on M-Series transom when using mechanical indicators

**MECHANICAL TRIM POSITION INDICATOR &
BEZEL CHART**

Trim Position Indicators

Model	Model Note	Black Bezel Gray Faceplate Bottom Cable Entry	White Bezel White Faceplate Bottom Cable Entry	Black Bezel Gray Faceplate Top Cable Entry	White Bezel White Faceplate Top Cable Entry
1 pointer	1 sterndrive or 1 paralift		N.L.A.	848445A 1	848445A 6
2 pointer	2 MCM Alpha - V SSM sterndrives or 2 trim tabs		N.L.A.	N.L.A.	N.L.A.
2 pointer	2 MCM VI - VII SSM sterndrives or 2 trim tabs	N.L.A.	N.L.A.		N.L.A.
3 pointer	3 MCM Alpha - V SSM sterndrives	N.L.A.	N.L.A.		N.L.A.
3 pointer	3 MCM VI - VII SSM sterndrives or 1 MCM sterndrive		N.L.A.	N.L.A.	N.L.A.
4 pointer	2 MCM Alpha - V SSM sterndrives and 2 trim tabs	844945A 1	N.L.A.	844944A 1	N.L.A.
4 pointer	2 MCM VI - VII SSM sterndrives and 2 trim tabs or	845983A 1	N.L.A.	N.L.A.	N.L.A.
5 pointer	3 MCM Alpha - V SSM sterndrives and 2 trim tabs	845457A 1	845457A 6	N.L.A.	N.L.A.
5 pointer	3 MCM VI - VII SSM sterndrives and 2 trim tabs or	N.L.A.	N.L.A.	N.L.A.	N.L.A.

DIGITAL THROTTLE AND SHIFT REMOTE CONTROLS

DIGITAL THROTTLE AND SHIFT REMOTE CONTROLS

CONTROLS-PANEL

PANEL MOUNT DTS ERC



8M0133237

This DTS panel mount Electronic Remote Control (ERC) offers the following features: Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

PANEL MOUNT DTS ERC- ELECTRIC STEERING



8M0144227

This DTS panel mount Electronic Remote Control (ERC) offers the following features: Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, mounting hardware, and Quick Steer button for vessels with Single Outboard Electric Steering. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

FOOT THROTTLE CONTROL

DTS HOT FOOT THROTTLE KIT



893359K01

Allows for precise throttle control with a foot pedal. Allows use of "Hot Foot" floor mounted foot throttle with DTS single engines. Switch button sold separately. 2006 model year only- needs to be run with new 891661005 Command Module and software
Verado 135 - 275 and OptiMax 200 and 225

DTS HOT FOOT



893359K03

This feature allows for precise throttle control with a foot pedal. The use of the Hot Foot floor mounted foot throttle will allow the driver to operate with both hands on the steering wheel while operating the throttle with the Hot Foot.

Switch button sold separately. Only used for DTS GEN I panel mount controls. Compatible with 892984A01 and 892984A02 panel mount controls.

SWITCH KIT- ON / OFF KIT



898259K01

This switch will allow you to turn the foot throttle on or off and has a light that will advise if it is on. The kit snaps into the current DTS Panel Mount controls.

This switch kit is designed for 2007 DTS applications and newer. To backfit to 2006 engines a DTS Command Module Harness is needed. Switch kit included in the 893359K03 kit. Used with DTS gen1, only purchased for service.

FOOT THROTTLE HELM KIT

Image not Available.

98-8M0169383

FOOT THROTTLE HELM KIT

Module hoffoot, dash button, and harness used with single and multi engine DTS gen2 hoffoot, panel, console, shadow, ZE. Must purchase additional kit 893359K01.

CONTROLS-CONSOLE-SINGLE

SLIM BINACLE CONTROL WITH NO TRIM



8M0079290

The single engine DTS Electronic Remote Control (ERC) features include: Start stop button, Dock mode button, Helm transfer button, Throttle only function button and a Mercury global dimming button.

This control is designed for 2007 DTS engines and newer. This control is a non-trim control.

DTS-SLIM CONSOLE-SINGLE-TRIM



8M0079291

The single engine DTS Electronic Remote Control (ERC) features include: Start stop button, Dock mode button, Helm transfer button, Throttle only function button and a Mercury global dimming button.

This control is designed for 2007 DTS engines and newer.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM



8M0163917

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, Helm transfer, Global dimming, Active trim, Profile select LED indicators, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

SINGLE ENGINE CONSOLE DTS ERC - NO TRIM



8M0166583

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, Helm transfer, Global dimming, and mounting hardware. ERC included is programmed for single-helm configuration.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM - ELECTRIC STEERING



8M0166584

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, Helm transfer, Global dimming, Active trim, Profile select LED indicators, mounting hardware, and Quick Steer button for vessels with Single Outboard Electric Steering. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

CONTROLS-CONSOLE DUAL

DUAL ENGINE DTS ERC



8M0133240

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

DUAL ENGINE DTS ERC NO TRIM



8M0133242

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, start/stop all engines, individual engine start/stop, and a neutral indicator light.

DTS Controls

PREMIER DUAL ENGINE DTS ERC



8M0133243

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

DIGITAL THROTTLE AND SHIFT REMOTE CONTROLS

TRIPLE/ QUAD- CONTROLS

TRIPLE ENGINE DTS ERC



8M0133244

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

PREMIER TRIPLE ENGINE DTS ERC



8M0133245

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

QUAD ENGINE DTS ERC



8M0133246

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

PREMIER QUAD ENGINE DTS ERC



8M0133247

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

CONTROLS-YACHT

DTS TRACK PADS

DASH MOUNTED CAN TRACK PAD



87-889305T01

Dash mounted CAN track pad that allows all the functions that are present with the controls but mounted on the dash. Ideal for use with Yacht controls. Track pad functions include Warm Up, Dock, 1 Lever Mode, Helm Transfer, Sync, Troll, Neutral Indicator and + and - for user control

Gen I (2007) DTS engines and newer

REMOTE DASH PAD-SMARTTOW



87-889305T02

Remote Dash Pad provides a solution for hard-to-reach gauge installations by allowing the user to remotely navigate between VesselView, SC1000 Tach, SC1000 Speed, and new MercMonitor gauges. For tow sport applications, the pad also allows direct access to SmartTow® functionality by providing a dedicated On/Off button.

Navigate seamlessly between SC1000 Tach & Speed, VesselView and MercMonitor.

ZERO EFFORT CONTROLS

ZERO EFFORT DIGITAL CONTROL



8M0085615

Top mounted 2 lever digital shift/shift remote control. Lever knobs are clear anodized. Port mount.
For use with Race outboards and stern drive engines equipped with DTS (digital throttle and shift).

SINGLE ENGINE LCM ZERO EFFORT KIT

Image not Available.

98-8M0171388

Single Engine Legacy Control Module enables Zero Effort Controls to become compatible with Next Gen DTS Harnessing

DUAL ENGINE LCM ZERO EFFORT KIT

Image not Available.

98-8M0165552

Dual Legacy Control Module enables Zero Effort Controls to become compatible with Next Gen DTS Harnessing

TRIPLE ENGINE LCM ZERO EFFORT KIT

Image not Available.

84-8M0169308

Triple Legacy Control Module enables Zero Effort Controls to become compatible with Next Gen DTS Harnessing

QUAD ENGINE LCM ZERO EFFORT KIT

Image not Available.

84-8M0169311

Quad Legacy Control Module enables Zero Effort Controls to become compatible with Next Gen DTS Harnessing

HARNESS ASY-ZERO EFFORT 2 LEVER CONTROLS



84-891963A01

Included in all Zero Effort Control kits
2004 and newer Models

EXTENSION HARNESS



84-8M8026041

7 ft. wiring extension harness for shift function. Labeled lever 1.
For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

ZERO EFFORT R.C. EXTENSION HARNESS - 3'

Image not Available.

84-8M0169399

ZERO EFFORT R.C. EXTENSION HARNESS - 3'


EXTENSION HARNESS



84-8M8026042

7 ft. wiring extension harness for shift function. Labeled lever 2.
For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

EXTENSION HARNESS



84-8M8026043

7 ft. length wiring extension harness for throttle function. Labeled lever 3.
For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

EXTENSION HARNESS



84-8M8026044

7 ft. length wiring extension harness for throttle function. Labeled lever 4.
For use with Race DTS (digital throttle and shift) 14 pin data harnesses.

MECHANICAL REMOTE CONTROLS

MPC 4000 PANEL MOUNT REMOTE CONTROLS (GEN II)

The Panel Mount Controls are applicable for outboard and MCM/MIE engines. The handle is designed to provide optimal ergonomic use while the best-in-class mechanics offer smooth operation, improved responsiveness and increased strength. All panel mount controls have an integral lanyard stop switch which is sealed for water resistance. The power trim models incorporate a single rocker type trim switch in handle for ease of operation.

MPC PANEL-GEN II- FINGER RELEASE-O/B



8M0011213

The Panel Mount control features a black handle and comes with a 4ft. (1.22 m) trim harness with the 3 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends.

The control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).

The control uses GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-MCM/MIE



8M0011214

The Panel Mount control features a black handle and comes with a 4ft. (1.22 m) trim and trailer switch harness with the 4 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends. Must use Gen II Throttle/Shift cables. (897978A_)

The power trim extension harness also needs to be ordered separately:
 (84-817659T01 & 84-881125A1 = 4 pin Molex to traditional Mercury 3 blade P/T connector)
 (84-865772T01 & 84-865772T02 = 4 pin Molex to the Packard 3 pin P/T connector)

Fits all current MCM and Mercury/Mariner 3.4L outboards with external trim cylinders.

MPC PANEL-GEN II- FINGER RELEASE-O/B NO TRIM



8M0011212

The Panel Mount control features a black handle and is designed for outboard engines w/o power trim. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The power trim adapter harness is included to convert 3 pin molex connector to the traditional 3 blade Mercury connector. The neutral safety switch leads are 6.5 ft. (1.98 m) long and have bullet connectors on the ends. The lanyard switch leads also have bullet connectors on the ends.

Used on Outboard engines only - Non Trim versions
 The control must use GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-MCM/MIE NO TRIM

8M0011215

The Panel Mount control features a black handle and is designed for MCM/MIE engines w/o power trim. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The power trim adapter harness is included to convert 3 pin molex connector to the traditional 3 blade Mercury connector. The neutral safety switch leads are 6.5 ft. (1.98 m) long and have bullet connectors on the ends. The lanyard switch leads also have bullet connectors on the ends.

This control is designed for MIE and MCM engines.
 The control must use GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-O/B (CHROME)



8M0030550

The Panel Mount control features a chrome handle and comes with a 4ft. (1.22 m) trim harness with the 3 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends.

The control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).
 The control uses GEN II T/S cables.

MPC PANEL-GEN II- FINGER RELEASE-MCM (CHROME)



8M0030551

The Panel Mount control features a chrome handle and comes with a 4ft. (1.22 m) trim and trailer switch harness with the 4 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends. Must use Gen II Throttle/Shift cables. (897978A_)

The power trim extension harness also needs to be ordered separately:
(84-817659T01 & 84-881125A1 = 4 pin Molex to traditional Mercury 3 blade P/T connector)
(84-865772T01 & 84-865772T02 = 4 pin Molex to the Packard 3 pin P/T connector)

Fits all current MCM and Mercury/Mariner 3.4L outboards with external trim cylinders.

PANEL MOUNT REMOTE CONTROL-GEN II- LOCK BAR



883710A02

The Panel Mount control features a chrome handle and comes with a 4ft. (1.22 m) trim harness with the 3 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends.

The control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).

The control uses GEN II T/S cables.

883710A03

The Panel Mount control features a chrome handle and comes with a 4ft. (1.22 m) trim and trailer switch harness with the 4 pin molex connector. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The neutral safety switch leads are 6.5 ft. (1.98 m) and have a bullet connector on the ends. The lanyard switch leads also have bullet style connector ends. Must use Gen II Throttle/Shift cables. (897978A_)

The power trim extension harness also needs to be ordered separately:
(84-817659T01 & 84-881125A1 = 4 pin Molex to traditional Mercury 3 blade P/T connector)
(84-865772T01 & 84-865772T02 = 4 pin Molex to the Packard 3 pin P/T connector)

Fits all current MCM and Mercury/Mariner 3.4L outboards with external trim cylinders.

883710A01

The Panel Mount control features a chrome handle and is designed for outboard engines w/o power trim. All installations require a separate Ignition/Choke assembly and T/S cables to complete the installation. The power trim adapter harness is included to convert 3 pin molex connector to the traditional 3 blade Mercury connector. The neutral safety switch leads are 6.5 ft. (1.98 m) long and have bullet connectors on the ends. The lanyard switch leads also have bullet connectors on the ends.

Used on Outboard engines only - Non Trim versions.
The control uses GEN II T/S cables.

BEZEL KIT-CUSTOM UPGRADE



891648001

Woodgrain cover allows you to customize the look of your control. Snap out the black inner bezel and snap in the custom bezel to enrich the appearance of your control.

Use on 4000 Gen II Panel Mount controls- Lock Bar one piece design

BEZEL KIT-CUSTOM UPGRADE



891648002

Burlwood Gold Woodgrain cover allows you to customize the look of your control. Snap out the black inner bezel and snap in the custom bezel to enrich the appearance of your control.

Use on 4000 Gen II Panel Mount controls- Lock Bar one piece design

MCC 4500 CONSOLE MOUNT - SINGLE ENGINE (GEN II)

The single station console controls are applicable for outboard and MCM/MIE engines. The handle is designed to provide optimal ergonomic use while the best-in-class mechanics offer smooth operation, improved responsiveness and increased strength. The throttle only button is located at the base of handle.

CONSOLE MOUNT SINGLE OB - NO TRIM



8M4507540

Single Console Mount for Outboard. Chrome, no trim. New Mechanical Remote Control with neutral lock.

New lever supports ABYC P14.5.7 requirements which went into effect July 1st, 2022.

MECHANICAL REMOTE CONTROLS

CONSOLE MOUNT SINGLE OB TRIM



8M4507538

Single Console Mount for Outboard with Trim, Chrome. New Mechanical Remote Control with neutral lock. New lever supports ABYC P14.5.7 requirements which went into effect on July 1st, 2022.

CONSOLE MOUNT SINGLE OB TRIM - BLACK



8M4507541

Single Console Mount for Outboard with trim, Black. New Mechanical Remote Control with neutral lock. New lever supports ABYC P14.5.7 requirements which went into effect July 1st, 2022.

CONSOLE MOUNT SINGLE MCM TRIM



8M4507539

Single Console Mount for MerCruiser Marine with trim. New Mechanical Remote Control with neutral lock. New lever supports ABYC P14.5.7 requirements which went into effect July 1st, 2022.

SPACER KIT FOR 4500 SINGLE CONTROLS



98-8M0075237

Allows the control to be raised approximately 2 inches for applications that require clearance with handle movement
Used only with newer 8M0059686, 8M0060783 and 8M0060782 single handle consoles

RETRO KIT FOR SINGLE CONSOLE CONTROLS



8M0061334

This kit allows you to convert the housing and bracket on the older single handle control.
Single Handle Console Conversion Kit for older version to look like 8M0059686, 8M0060783, 8M0060782 models.

MCC 4500 CONSOLE MOUNT - DUAL ENGINE (GEN II)

The single station dual handled console controls are applicable for outboard and MCM/MIE engines. The handles are designed to provide optimal ergonomic use while the best-in-class mechanics offer smooth operation, improved responsiveness and increased strength. The throttle only button is located at the base of the handle.

CONSOLE MOUNT REMOTE CONTROL-GEN II



8M0075244

This control is designed for dual MIE inboards & outboards w/o power trim. All installations require an Ignition/Choke assembly and T/S cables to complete the installation.
This control fits MIE inboards and all current Mercury/Mariner outboards (without power trim), and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (without power trim).

Must use Gen II T/S cables for the installation.

CONSOLE REMOTE CONTROL-GEN II-DUAL



8M0075245

This control features a single trim switch in the port handle for simultaneous dual engine trim and trailering. There are individual engine trim buttons in the cover. All installations require an Ignition/Choke assembly and T/S cables to complete the installation.
This control fits all current Mercury/Mariner outboards (with integral trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim).
Must use GEN II T/S cables.

CONSOLE MOUNT REMOTE CONTROL-GEN II



8M0075246

This control features a single trim switch in the port handle for simultaneous dual engine trim and trailering. There are individual trim buttons in the cover. All installations require T/S cables to complete the installation.

The control will need Power trim harness, 4 pin Molex connector to the Packard 3 pin connector 84-865772T01 or T02
This control will use GEN II T/S cables.
Fits all MCM applications.

SPACER KIT FOR 4500 DUAL CONTROLS



8M0085790

The spacer will raise the control approximately 2 in. for the applications that require clearance with handle movement.

Used only with 8M0075244, 8M0075245, 8M0075246 dual handle console controls.

RETRO KIT FOR DUAL CONSOLE CONTROLS



8M0085733

This kit will allow you to convert the housing and bracket of older style dual consoles to resemble current dual console mount controls.

Dual Handle Conversion Kits for older version to look like 8M0075244, 8M0075245, 8M0075246 models.

MSC 4000 SIDE MOUNT - ELECTRIC, POWER TRIM

These controls provide a smooth shift/load feel and an improved aesthetics. The control utilizes a 14 pin connector wiring harness and lanyard stop switch. The power trim models incorporate a single rocker type trim/trailer switch in the handle. This control is not for use with engines that have counter rotating lower units. Older engines may require a harness adapter.

SIDE MOUNT REMOTE CONTROL-14 PIN



8M0176287

This control features a handle mounted power trim switch and a 15 ft. (4.58 m) harness with 14 pin Deutsch connector. The control will connect to the engine models below without the use of an adapter harness.

For 2006 and newer non DTS 25-300 HP Outboard engines.
GEN II cables must be used. CANP 2pin connection for SmartCraft added. Must purchase additional 2pin resistor 893388A01

8M0176288

This control features a handle mounted power trim switch and a 20 ft. (6.1 m) harness with 14 pin Deutsch connector. The control will connect to the engine models below without the use of an adapter harness.

For 2006 and newer non DTS 25-300 HP Outboard engines.
GEN II cables must be used. CANP 2pin connection for SmartCraft added. Must purchase additional 2pin resistor 893388A01

SIDE MOUNT REMOTE CONTROL- 8 PIN TRADITIONAL

Image not Available.

8M0176294

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness, built-in warning horn and power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9/15/20 FourStroke outboards an adapter harness is required. For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN II cables must be used.

SIDE MOUNT REMOTE CONTROL- 8 PIN TRADITIONAL



8M0176295

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness, built-in warning horn and includes power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9, 15/20 FourStroke outboards an adapter harness is required.

For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN II cables must be used.

MECHANICAL REMOTE CONTROLS

SIDE MOUNT REMOTE CONTROL- 8 PIN AMP

8M0103449

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness with Amp 8-pin connector. The control will connect to the engine models below without the use of an adapter.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN II cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL

8M0176297

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness with push to choke 14-pin connector. Push to choke key may require additional engine adapter.

Fits all current Mercury/Mariner outboards 6 HP and above and 1993 and newer Force outboards 40 HP and above (with power trim). GEN II cables must be used.

SIDE MOUNT REMOTE CONTROL

Image not Available.

8M0176291

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness with Amp 10-pin connector. The control will connect to the engine models below without the use of an adapter harness.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim. For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables. GEN II cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL-14 PIN (PORT SIDE MOUNT)



8M0053636

This side mount control is for mounting on the port side and controlling with the left hand. This control features a handle mounted power trim switch and 15ft.(4.58m) harness with 14 pin Deutsche connector.

For 2006 and newer non DTS 25-300 HP Outboard engines. GEN I cables must be used.

No Adapter harness required.

SIDE MOUNT REMOTE CONTROL-14 PIN



881170A13

Has a handle mounted power trim switch and a 15 ft. (4.58 m) harness with 14 pin Deutsche connector and will direct connect to the engine models below without the use of an adapter harness.

Ref. Throttle/shift cable Gen I - 897977A. Throttle/Shift cables (896143A) for MY2005 and newer 8/9.9 FourStroke outboards. 8-9.9 4 Stroke engines generation change above S/N OR192772 and new 15/20 4 Stroke engines will use Gen I series T/S Cables

2006 - 25- 300 HP 4 Stroke Any engine that has the 14 pin connector from the primary harness. Gen I cables are required with this control

881170A14

Has a handle mounted power trim switch and a 20 ft. (6.1 m) harness with 14 pin Deutsche connector and will direct connect to the engine models below without the use of an adapter harness.

Ref. Throttle/shift cable Gen I - 897977A. Throttle/Shift cables (896143A) for MY2005 and newer 8/9.9 FourStroke outboards. 8-9.9 4 Stroke engines generation change above S/N OR192772 and new 15/20 4 Stroke engines will use Gen I series T/S Cables

2006 - 25- 300 HP 4 Stroke Any engine that has the 14 pin connector from the primary harness. Gen I cables are required with this control

SIDE MOUNT REMOTE CONTROL- 8 PIN TRADITIONAL



881170A15

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness, built-in warning horn and power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9/15/20 FourStroke outboards an adapter harness is required.

For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN I cables must be used.

881170A20

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness, built-in warning horn and includes power trim leads for front mount switch.

Fits all current Mercury/Mariner outboards (with integral power trim) and 1993 and newer Force outboards 40 HP and higher utilizing Mercury style cables (with power trim). When used with MY2005 and newer 8/9.9, 15/20 FourStroke outboards an adapter harness is required.

For MY2005 and newer 8/9.9 FourStroke outboards SAE T/S cables must be used. GEN I cables must be used.

SIDE MOUNT REMOTE CONTROL- 10 PIN AMP



881170A10

This control features a handle mounted power trim switch, 15 ft. (4.58 m) harness with Amp 10-pin connector. The control will connect to the engine models below without the use of an adapter.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables.

GEN I cables must be used on other engines.

SIDE MOUNT REMOTE CONTROL

881170A11

This control features a handle mounted power trim switch, 20 ft. (6.1 m) harness with Amp 10-pin connector. The control will connect to the engine models below without the use of an adapter harness.

Used on MY2005 and newer, 8/9.9, 15/20 FourStroke engines with electric start and power trim.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables.

GEN I cables must be used on other engines.

REMOTE CONTROL ADAPTER HARNESS



84-892473A01

Converts the traditional Mercury connector to an Amp 8-pin connector. Converts side mount controls 881170A 3, 15, 16 and the 816626A series ignition keyswitch harness to connect to the MY2005 and newer 8/9.9 hp. FourStroke outboard.

MY2005 and newer 8/9.9 hp. FourStroke outboard and the 15/20 hp. FourStroke (351cc) outboard when a 8 pin side mount control or keyswitch harness is used.

HARNESS EXTENSION- 10 PIN



84-8M0058668

This harness extension will allow you to increase the length by 6 feet of the 10 pin drop for instruments. The extension will work with Side Mount controls as well as any 896537 series main engine / boat harness.

MSC 4000 SIDE MOUNT - ELECT, NON-POWER TRIM

The 8M0083860 is not "push to choke" and has a 14 pin connector wiring harness, lanyard stop, throttle only feature. This control also requires Gen II throttle and shift cables, is starboard mounted and not stackable.

The remainder of controls 881170A3, 881170A5, 881170A7, 881170A12 can be mounted starboard or port side and are stackable. They offer "push to choke" ignition switch, 8 pin connector wiring harness, lanyard stop switch, separate neutral warm-up lever and requires Gen I throttle and shift cables. All controls have a 5 pin accessory plug for tachometer and an adjustable throttle friction. These controls are not for use with engines that have counter rotating lower units. Older engines may require an adapter harness.

SIDE MOUNT REMOTE CONTROL- 14 PIN



8M0176289

This control features non - power trim and a 15ft. (4.58m) harness with 14 pin Deutsch connector.

Fits all current Mercury/Mariner Outboards 6 HP and above (without power trim), and 1993 and newer Force Outboards 40 HP and higher utilizing Mercury cables (without power trim).

When used with a MY2005 and newer 8/9.9, 15/20 FourStroke Outboard an Adapter harness is required. 2 pin connector is now included to allow for use of SmartCraft accessories with analog gauges. Gen II cable must be used.

SIDE MOUNT REMOTE CONTROL

8M0103451

This control features a non - trim handle and a 15 ft. (4.58 M) harness with Amp connector and will direct connect to the engine models below without the use of an Adapter harness.

For MY2005 and newer, 8/9.9, 15/20 HP FourStroke Outboards with electric start and non-trim.

For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables.

GEN II cables must be used on other engines.

8M0103454

This control features a non-power trim handle, 15 ft.(4.58 m) harness and built-in warning horn.

Fits all current Mercury/Mariner Outboards 6 HP and above (without power trim) and 1993 and newer Force Outboards 40 HP and higher utilizing Mercury style cables (with power trim).

For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables.

When used with a MY2005 and newer 8/9.9, 15/20 FourStroke Outboard an Adapter harness is required.

GEN II cables must be used on other engines.

MECHANICAL REMOTE CONTROLS

SIDE MOUNT REMOTE CONTROL- 14 PIN



881170A16

For non-power trim models, 15 ft.(4.58 m) harness and built-in warning horn. New design with soft grip. Ref. Throttle/shift cable Gen I - 897977A. Throttle/Shift cables (896143A) for MY2005 and newer 8/9.9 FourStroke outboards. 8-9.9 4 Stroke engines generation change above S/N OR192772 and new 15/20 4 Stroke engines will use Gen I series T/S Cables

Fits all current Mercury/Mariner outboards 6 hp. and above (without power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (with power trim). When used with a MY2005 and newer 8/9.9/15/20 FourStroke outboard an adapter harness 892473A01 is required. Gen I cable must be used with this control

SIDE MOUNT REMOTE CONTROL



881170A 3

This control features a non-power trim handle, 15 ft.(4.58 m) harness and built-in warning horn.

Fits all current Mercury/Mariner Outboards 6 HP and above (without power trim) and 1993 and newer Force Outboards 40 HP and higher utilizing Mercury style cables (with power trim).

For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables.

When used with a MY2005 and newer 8/9.9, 15/20 FourStroke Outboard an Adapter harness is required.

GEN I cables must be used on other engines.

881170A 5

This control features a non-powered trim handle with a 15 ft.(4.58 m) harness. This control does not have a warning horn and features push throttle cable operation.

Fits Mercury/Mariner Outboards 20/25 HP (U.S. S/N 0G044026 and below; Belgium S/N 9807908 and below).

GEN I cables must be used.

SIDE MOUNT REMOTE CONTROL



881170A 7

This control features a non-power trim handle with a 15 ft.(4.58 m) harness. This control does not have a warning horn.

Fits Mariner 30 to 55 HP (Japanese origin) except 30/40 HP (2 cyl.) with integral oil injection.

GEN I cables must be used.

SIDE MOUNT REMOTE CONTROL



881170A12

This control features a non-trim handle and a 15 ft. (4.58 M) harness with Amp connector and will direct connect to the engine models below without the use of an Adapter harness.

For MY2005 and newer, 8/9.9, 15/20 HP FourStroke Outboards with electric start and non-trim.

For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables.

GEN I cables must be used on other engines.

MSC 4000 SIDE MOUNT - MANUAL START, W/ SWITCH

These controls are for Outboard engines and can be mounted on the Port or Starboard side. These controls feature an ignition stop switch and lanyard stop switch only.

SIDE MOUNT REMOTE CONTROL



881170A 4

This control is for manual start models and has a 20 ft.(6.1 m) harness. The control features a Toggle switch for remote shut off of the engine.

Fits current pull style throttle, manual start Mercury/Mariner 6/25 HP, 30/40 HP (2 cyl.- U.S. origin), 40 (3 & 4 cyl.) to 45 HP, 8/9.9, 15/20 HP FourStroke models (1996 and newer), and Force 25 HP (3 cyl.)

For MY2005 and newer 8/9.9 FourStroke Outboards SAE T/S cables must be used.

For 8/9.9 FourStroke engines generation change above S/N OR192772 and 15/20 FourStroke engines will use GEN I cables.

GEN I cables must be used on other engines.

881170A 6

This control is for manual start models and has a 20 ft.(6.1 m) harness. This control features a push throttle cable operation and a Toggle switch for remote shut off of the engine.

Fits older push style throttle Mercury/Mariner 20/25 HP (U.S. S/N 0G044026 and below; Belgium S/N 9807908 and below) and Force 9.9/15 HP (1997 and older).

MSC 4000 SIDE MOUNT - MANUAL START W/ NO SWITCH

These controls are for Outboard engines and can be mounted on the Port or Starboard side. The controls do not include switches or harness.

SIDE MOUNT REMOTE CONTROL



881170A 8

This control is for manual start models.
Fits Mercury/Mariner 4/5 HP and Mariner 8/55 HP (2 cyl.)
GEN I cables must be used.

MSC 4000 SIDE MOUNT - ACCESSORIES

DUAL ENGINE MOUNT KIT



16909A 2

This kit contains all necessary hardware for mounting or stacking two controls together for dual engine installations.

REMOTE CONTROL SPACER PLATE



17063T

Included with Commander 2000/MSC 4000 side mount control. Generally, one spacer is adequate for most installations; however, two or more can be stacked to provide additional side clearance. Measures 1/2 in. (13 mm) thick.

REMOTE CONTROL SPACER PLATE



8M0114782

Spacer is included with the side mount control and is adequate for most installations. However, additional spacers may be stacked to provide additional side clearance.

This spacer kit is used with the updated silver control box side mount controls only.

COMMANDER SERIES CONSOLE MOUNT - SINGLE ENGINE

The control has an adjustable throttle friction and neutral detent. Power trim models incorporate a single toggle type trim switch in handle and trim harness.

CONSOLE MOUNT REMOTE CONTROL



88688A25

Comes with 4 ft. (1.22 m) trim harness. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__ (adapter for 3 pin P/T - 84-898286T01)

Fits all current Mercury / Mariner outboards (with integral power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (with power trim).

CONSOLE MOUNT REMOTE CONTROL



88688A26

Comes with 20 ft. (6.1 m) trim harness and trailer switch. All installations require a separate Ignition Switch and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all MCM/MIE and Mercury/Mariner 3.4L outboards with external trim cylinders.

MECHANICAL REMOTE CONTROLS

CONSOLE MOUNT REMOTE CONTROL



88688A27

For non-power trim models. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all current Mercury / Mariner outboards (without power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (without power trim).

COMMANDER SERIES CONSOLE MOUNT - DUAL ENGINE

The control has an adjustable throttle friction and neutral detent.

CONSOLE MOUNT REMOTE CONTROL



88688A22

Comes with 4 ft.(1.22 m) trim harness. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all current Mercury / Mariner outboards (with integral power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (with power trim).

CONSOLE MOUNT REMOTE CONTROL



88688A23

Comes with 20 ft.(6.1 m) trim harness and trailer switch. All installations require a separate Ignition Switch and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all MCM/MIE and Mercury/Mariner 3.4L outboards with external trim cylinders.

CONSOLE MOUNT REMOTE CONTROL



88688A24

For non-power trim models. All installations require a separate Ignition/Choke assembly and Throttle/Shift Cables to complete the installation. Ref throttle/shift cables 897977A__

Fits all current Mercury / Mariner outboards (without power trim), and 1993 and newer Force outboards 40 hp and higher utilizing Mercury style cables (without power trim).

JET DRIVE REMOTE CONTROLS

Must be used with Sport Jet due to the design of the jet drive. This is due to strength and mounting requirements. Any substitutions must meet ABYC/Coast Guard standards for mini jet boats.

SIDE MOUNT REMOTE CONTROL



802755

Forward or aft cable entry. Accepts 40 series shift cables.

Fits Sport-Jet 175 and may be used on 90/95/120 applications with Remote Control Conversion Kit 850698A 1. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

ZERO EFFORT REMOTE CONTROLS

Starboard mounted FWD CANT controls can be rotated 180 degrees and installed in port mounted AFT CANT configuration. Likewise, starboard mounted AFT CANT controls can be rotated 180 degrees and installed in port mounted FWD CANT configuration. All controls with shift levers include a neutral safety switch for start in gear protection. Controls with trim switch are for starboard installation only. All levers are listed in left to right configurations. Order F5H208/___ or 64-820676A___ series cables separately.

ZERO EFFORT CONTROL



844630A31

2 levers - 1 shift & 1 throttle/ Black/ FWD CANT (no trim)

Fits Mercury/Mariner and MCM/MIE.

ZERO EFFORT CONTROL



844464A30

2 throttle levers / Black/ FWD CANT (no trim)
Fits Mercury/Mariner and MCM/MIE.

ZERO EFFORT CONTROL



844466A70

3 throttle levers / White/ FWD CANT (w/ trim)
Fits Mercury/Mariner and MCM/MIE.

ZERO EFFORT CONTROL

844466A90

3 throttle levers / White/ AFT CANT (w/ trim)
Fits Mercury/Mariner and MCM/MIE.

ZERO EFFORT CONTROL



844634A74

6 levers - 2 shift & 3 throttle & 1 shift/ White/ FWD CANT (w/ trim)
Fits Mercury/Mariner and MCM/MIE.

DIODE KIT



812497T03

Prevents feedback in the down trim circuits between multiple engines. Also need to order Diode Kit 812497A 4.

Required and only used on boats with "dual" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT



812497A 4

Prevents feedback in the up trim circuits between multiple engines. Also need to order Diode Kit 812497A 3. Blue Trim UP, Dual Diode, 1 Bullet In - 4 Bullet Out
Required and only used on boats with "dual" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT



812497A 5

Prevents feedback in the down trim circuits between multiple engines. Also need to order Diode Kit 812497A 6. Green Trim Down , Quad Diode, 1 Bullet In - 6 Bullet Out

Required and only used on boats with "triple" engines when updating zero effort control levers without trim switches to levers with trim switches.

DIODE KIT



812497A 6

Prevents feedback in the up trim circuits between multiple engines. Also need to order Diode Kit 812497A 5. Blue Trim Up , Quad Diode, 1 Bullet In - 6 Bullet Out
Required and only used on boats with "triple" engines when updating zero effort control levers without trim switches to levers with trim switches.

REMOTE CONTROL CONVERSION KITS

REMOTE CONTROL CONVERSION KIT



895284A01

Converts an electric start tiller handle outboard to an electric start remote throttle and shift operation. Suitable controls, throttle/shift cables and keyswitch harnessing are additionally required. The appropriate carburetor and the steering link rod attaching hardware are included in the kit.

Fits 9.9 hp. FourStroke, Model Year 2005-2006, both standard and BigFoot models requiring SAE ended throttle/shift cables. Serial Numbers JPN-0R042475-0R192771 & BEL-0P325500-0P513329.

REMOTE CONTROL CONVERSION KIT



895284A02

Converts a manual start tiller handle outboard to a manual start remote throttle and shift operation. Suitable controls, throttle/shift cables and stopswitch harnessing are additionally required. The steering link rod attaching hardware is included in the kit.

Fits 8/9.9 hp. FourStroke, Model Year 2005-2006, standard models requiring SAE ended throttle/shift cables. Serial Numbers JPN-0R042475-0R192771 & BEL-0P325500-0P513329.

REMOTE CONTROL CONVERSION KIT



889246A80

Converts an 8/9.9 hp. FourStroke MH (manual start tiller model) to a MRC (manual start remote control model).

Fits the 8/9.9 hp. FourStroke MH outboard, 209 cc., all calibrations requiring Mercury style ended throttle/shift cables.

REMOTE CONTROL CONVERSION KIT



889246A81

Converts a 9.9 hp. FourStroke EH (electric start tiller model) to a ERC (electric start remote control model). Remote controls and throttle/shift cables are required separate.

Fits the 9.9 hp. FourStroke EH outboard, 209 cc., EPA calibrations requiring Mercury style ended throttle/shift cables, JPN-0R192772 & newer.

REMOTE CONTROL CONVERSION KIT



889246A33

Remote control and throttle/shift cables are required separate. This kit converts an EH (electric start tiller) to an ERC (electric start remote control).

Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R106999 & above.

REMOTE CONTROL CONVERSION KIT



889246A34

Remote control and throttle/shift cables are required separate. This kit converts an MH (manual start tiller) to an MRC (manual start remote control).

Fits the 25-30 Hp EFI FourStroke Outboard, serial number 0R106999 & above.

REMOTE CONTROL CONVERSION KIT



880095A08

Converts an electric start tiller model to an electric start remote model. Suitable remote controls are required separate.

Fits Mercury 40 hp (3 cylinder) FourStroke EFI outboards (CHN-1C049739 & above) and 40/50/60 hp (4 cylinder) FourStroke EFI outboards (CHN-1C050252 & above).

REMOTE CONTROL CONVERSION KIT



880095A11

Converts a 15 Hp. FourStroke outboard from an EH (electric tiller) model to an ERC (electric remote control) model. Remote controls, cables, etc. are not included in this kit. Power trim models require additional trim harness kit 84-856554A02. Fits the 15 Hp. FourStroke EH outboard, 351cc., 0R235949 and above.

REMOTE CONTROL CONVERSION KIT



880095A12

Converts a 20 Hp. FourStroke outboard from an EH (electric tiller) model to an ERC (electric remote control) model. Remote controls, cables, etc. are not included in this kit. Power trim models require additional trim harness kit 84-856554A02. Fits the 20 Hp. FourStroke EH outboard, 351cc., 0R235168 and above.

POWER TRIM HARNESS KIT



84-856554A02

Required to complete the conversion of the 15/20 Hp. FourStroke (351cc) outboard from a tiller handle power trim model to a remote controlled power trim model. Fits the 15/20 Hp. FourStroke, 351cc., EHPT model outboard beginning with serial number 0R235168 and above.


REMOTE CONTROL CONVERSION KIT



8M0172938

Also requires the addition of an Electrical Harness 17162. This kit will not fit engines equipped with integral fuel tank assemblies. Fits Mercury/Mariner 4/5/6 hp. FourStroke outboards with remote fuel tanks, serial number 0R000001-0R411837.

REMOTE CONTROL CONVERSION KIT



8M0062241

Fits Mercury/Mariner 4/5/6 hp. FourStroke outboards, serial number 0R411838 and above.

HARNESS ASSEMBLY



84-17162

Required for the 4/5 hp. 4-Stroke along with the Attaching Kit. This kit will not fit engines equipped with integral fuel tank assemblies.

Fits Mercury/Mariner 4/5/6 hp. FourStroke outboards with remote fuel tanks.

REMOTE CONTROL ATTACHING KITS

REMOTE CONTROL ATTACHING KIT



42805A 6

Fits Mercury/Mariner 6/8/9.9 and 15 (U.S. origin).

REMOTE CONTROL ATTACHING KIT



826633A 1

For side shift or shift in handle models. Also requires the installation of Ride Guide Attaching Kit 41323A03. Electric start models will require installation of Remote Control Harness Assembly 95723A 4.

Fits Mercury/Mariner 20/25 (U.S. S/N 0G044027 and above; Belgium S/N 9807909 and above). This kit does NOT fit the 20 JET outboard.

MECHANICAL REMOTE CONTROLS

REMOTE CONTROL ATTACHING KIT



859186A 1

Fits Mercury/Mariner 25 Hp Carb FourStroke outboard.

REMOTE CONTROL ATTACHING KIT



826557A 1

Fits Mercury/Mariner 30/40 (2-Stroke - 2 cyl. - U.S. origin)(1994 and newer)

REMOTE CONTROL ATTACHING KIT



859185A 1

Fits Mercury/Mariner 30/40 (4-Stroke), 3 cylinder, carbureted models through Model Year 2005, and fits the Mercury/Mariner 40 hp. (3 cyl.) FourStroke, Model Year 2006 carbureted models with short shaft and vertical shift.


REMOTE CONTROL ATTACHING KIT



859185A 2

Fits Mercury/Mariner 30/40 (4-Stroke), 3 cylinder, EFI models through Model Year 2005, and fits Mercury/Mariner 40 hp. (3 cyl.) FourStroke EFI models, Model Year 2006 with a short shaft and vertical shift.

REMOTE CONTROL ATTACHING KIT



859185A04

Fits the Mercury/Mariner 40 hp. (3 cyl.) FourStroke, Model Year 2006 EFI models with long shaft and rotary shift.

REMOTE CONTROL ATTACHING KIT



859219A 1

This kit should be used with a remote steering attaching kit to provide complete remote control operation.

Fits Mercury/Mariner 40 hp. (USA 0G531301 and Newer, BEL 9973100 and Newer) and 50 (USA 0G590000 and Newer, BEL 9973100 and Newer).

REMOTE CONTROL ATTACHING KIT



880093A 1

Fits 2001 and newer Mercury 40 hp 4-Stroke Bigfoot and 50/60 hp 4-Stroke Carb outboards (s/n 0T178500 and up).

REMOTE CONTROL ATTACHING KIT



880093A 2

Fits 2002-2006 Mercury 40 hp 4-Stroke Bigfoot and 50/60 hp 4-Stroke EFI outboards (USA-0T409000-1B344306, BEL-0P401000-0P515896, CHN-1C000001-1C050251).

OUTBOARD RIGGING HOSE KIT

Used to enclose remote harness, hoses, cables, etc. between engine cowl and boat transom.

RIGGING TUBE KIT



8M0149598

Rigging Tube kit includes 5 ft length (2 in. dia. x 2.3 threads per inch) tube that screws into the fitting coming out of the 3.4L V6 and 4.6L V8. Included in the kit is the plastic transom fitting that screws to the other end of the tube and can be fastened to the boat. Also included are the 3 different grommets that may be needed for different installations with the 3.4L or 4.6L engine platforms (CMS mech, CMS DTS, and AMS Verado).

3.4L and 4.6L outboard engines

32-825191A03

Rigging Tube kit includes 5 ft length (2 in. dia. x 2.3 threads per inch) tube that screws into the fitting coming out of the Verado. If OptiMax engine, requires the use of the clamp to attach to fitting coming out of engine. Included in the kit is plastic transom fitting that screws to the tube and can be fastened to the boat. 2005 and newer Verado engines as well as all Opti Max engines

32-8M0088822

Rigging Tube kit includes 5 ft length (2 in. dia. x 2.3 threads per inch) tube that screws into the fitting coming out of the engine. Includes new grommet 8M0075942 that is used when installing rigging tubes. Remove existing grommet from cowl and replace with this grommet.

New 75-115 4 stroke

32-8M0062693

Rigging Tube kit includes 5 ft length (2 in. dia. x 2.3 threads per inch) tube that screws into the fitting coming out of the engine. Includes new grommet 8M0061160 that is used when installing rigging tubes. Remove existing grommet from cowl and replace with this grommet.

Used on 150 EFI 4-Stroke engine only

GROMMET - INGRESS



8M0062583

Special Grommet used with Rigging Kits
150 HP 4 Stroke only

RIGGING HOSE



32-859055 5

Replacement Hose, 2 in. dia. x 2.3 threads per inch, furnished in a 5 ft. length. Fits various Mercury / Mariner V-6 outboards. See application chart for specific engine models.

32-859055 50

Replacement Hose, furnished in a 50 ft. bulk length that can be cut to required length.

Fits various Mercury / Mariner V-6 outboards. See application chart for specific engine models.

Priced individually, sold @ multiples of 2

COWL FITTING



875266A 2

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000. See application chart for specific engine models.

COWL FITTING



8M8027677

Used on engine end of rigging hose.

Fits various Mercury / Mariner V-6 outboards. Furnished standard with the engines beginning with model year 2,000.

RIGGING HOSE CHART

Mercury/Mariner Rigging Hoses

Model	Brand	Year Range	Country	Serial # Range	Rigging Hose Kit Part Number	Cowl Fitting Required
2.0L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.0L V-6	Mercury/Mariner	2000 - 2022	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L V-6	Mercury/Mariner	1996 - 1999	USA	0G303046 - 0G949999	32-825191A03	875266A 2
2.5L V-6	Mercury/Mariner	2000 - 2022	USA	0T065504 and up	32-825191A03	Incl. With Engine
2.5L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	875266A 2
2.5L OPTIMAX	Mercury/Mariner	2000 - 2022	USA	0T065504 and up	32-825191A03	Incl. With Engine
3.0L V-6	Mercury/Mariner	1994 - 1999	USA	0D280813 - 0G949999	32-825191A03	875266A 2
3.0L V-6	Mercury/Mariner	2000 - 2022	USA	0T014000 and up	32-825191A03	Incl. With Engine
3.0L DFI	Mercury/Mariner	1997	USA	0G386496 - 0G589999	32-825191A03	875266A 2
3.0L OPTIMAX	Mercury/Mariner	1998 - 1999	USA	0G590000 - 0G949999	32-825191A03	8M8027677
3.0L OPTIMAX	Mercury/Mariner	2000 - 2022	USA	0T014000 and up	32-825191A03	Incl. With Engine
225 EFI FourStroke	Mercury/Mariner	2003 - 2022	USA	0T635945 and up	32-825191A03	Incl. With Engine
Verado	Mercury/Mariner	2005 - 2022	USA	0T980000 and up	32-825191A03	Incl. With Engine
150 EFI FourStroke	Mercury/Mariner	2011 - 2022	USA	1B905505 and up	32-8M0062693	Incl. With Engine

MORSE 33C SERIES CABLE ADAPTERS

CABLE ADAPTER



82779

To convert control end of Morse 33C style cable to 64-809894- cable application.

ADAPTER KIT -MERCURY (T/S)



64-892790A01

Adapts 33C style cables for use with Mercury engines- Includes 2 sets of parts for two cables

ADAPTER KIT -JOHNSON/EVINRUDE (T/S)



64-892790A02

Adapts 33C style cables for use with Johnson/Evinrude engines. Includes 2 sets of parts for two cables

CABLE ADAPTER KIT



898289A21

Converts an older SAE cable engine to accept Mercury style throttle/shift cables. Fits the 8/9.9 hp. FourStroke (209cc) outboard, serial number 0R192771 and prior.

F5H208/ __ THROTTLE AND SHIFT CABLES

Available in 1 ft.(305 mm) increments up to 26 ft.(7.9 m). Packaged two cables per carton. Connectors are not shipped with cables and must be purchased separately. Fits Force outboards (1992 and prior)

FORCE THROTTLE AND SHIFT CABLE



F5H208/18

Cable end connectors not included
5.5 m (18 ft.)

FORCE 1992 AND PRIOR CABLE CONNECTORS


THROTTLE CABLE CONNECTOR



FA58976-1

Fits Force outboards (1992 and prior)

SHIFT CABLE CONNECTOR



F58685-2

Fits Force outboards (1992 and prior)

TWO STATION THROTTLE & SHIFT CABLES ATTACHING KIT

For use with Dual station Two Lever Controls.

TWO STATION THROTTLE/SHIFT KIT



89645A34

For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits. Fits MCM/MIE carburetor and EFI (TBI) models

TWO STATION THROTTLE/SHIFT KIT



89645A37

For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits. Fits MCM/MIE MPI models, except 4.5L and 6.2L (2015 and newer) and 8.2L engines

TWO STATION THROTTLE/SHIFT KIT



8M0046250

For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits. Fits MCM/MIE 8.2L models

BULKHEAD FITTINGS AND BELLOWS KITS

BULKHEAD COMPRESSION FITTINGS



820675

Fits Sport-Jet 90/95/120 and 175 with 40 series cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

SHIFT CABLE BELLOWS



877581A 5

For 40 series cable, installs on cable outside of transom.

Fits Sport-Jet 120XR2 and 175 (2000 and newer) with 40 series shift cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

BULKHEAD BELLOWS KIT



850697A 2

Fits Jet Drive models with 40 series cables

THROTTLE AND SHIFT CABLES


PLATINUM PLUS THROTTLE AND SHIFT CABLE GEN I

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.

Layered Technology Featuring -

- Tough Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

PLATINUM PLUS THROTTLE AND SHIFT CABLE



8M0082479
6 FT (1.8m) qty. 1
Gen I Controls

PLATINUM PLUS THROTTLE AND SHIFT CABLE, QTY. 1
8M0082480
7 FT (2.1m)
Gen I Controls

8M0082481
8 FT (2.4m)
Gen I Controls

8M0082482
9 FT (2.7m)
Gen I Controls

PLATINUM PLUS THROTTLE AND SHIFT CABLE
8M0082483
10 FT (3.0m), qty. 1
Gen I Controls

8M0082484
11 FT (3.4m), qty. 1
Gen I Controls

8M0082485
12 FT (3.7m), qty. 1
Gen I Controls

8M0082486
13 FT (4.0m), qty. 1
Gen I Controls

8M0082487
14 FT (4.3m), qty. 1
Gen I Controls

8M0082488
15 FT (4.6m), qty. 1
Gen I Controls

8M0082489
16 FT (4.9m), qty. 1
Gen I Controls

8M0082490
17 FT (5.2m), qty. 1
Gen I Controls

8M0082491
18 FT (5.5m), qty. 1
Gen I Controls

8M0082492
19 FT (5.8m), qty. 1
Gen I Controls

8M0082493
20 FT (6.1m), qty. 1
Gen I Controls

8M0082494
21 FT (6.4m), qty. 1
Gen I Controls

8M0082495
22 FT (6.7m), qty. 1
Gen I Controls

8M0082496
23 FT (7.0m), qty. 1
Gen I Controls

8M0082497
24 FT (7.3m), qty. 1
Gen I Controls

8M0082498
25 FT (7.6m), qty. 1
Gen I Controls

8M0082499
26 FT (7.9m), qty. 1
Gen I Controls

8M0082500
27 FT (8.2m), qty. 1
Gen I Controls

8M0082501
28 FT (8.5m), qty. 1
Gen I Controls

8M0082502
29 FT (8.8m), qty. 1
Gen I Controls

8M0082503
30 FT (9.1m), qty. 1
Gen I Controls

8M0082504
32 FT (9.4m), qty. 1
Gen I Controls

8M0082505
34 FT (10.4m), qty. 1
Gen I Controls

8M0082506
36 FT (11.0m), qty. 1
Gen I Controls

8M0082507
38 FT (11.6m), qty. 1
Gen I Controls

8M0082508
40 FT (12.2m), qty. 1
Gen I Controls

THROTTLE AND SHIFT CABLES

THROTTLE AND SHIFT CABLES

PLATINUM PLUS THROTTLE AND SHIFT CABLE GEN II

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.

Layered Technology Featuring -

- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

PLATINUM PLUS THROTTLE AND SHIFT CABLE



8M0082526
3 FT (.92m)
Gen II Controls
8M0082527
4 FT (1.2m)
Gen II Controls
8M0082528
5 FT (1.5m)
Gen II Controls
8M0082529
6 FT (1.8m)
Gen II Controls
8M0082530
7 FT (2.1m)
Gen II Controls
8M0082531
8 FT (2.4m)
Gen II Controls
8M0082532
9 FT (2.7m)
Gen II Controls
8M0082533
10 FT (3.0m)
Gen II Controls
8M0082534
11 FT (3.4m)
Gen II Controls
8M0082535
12 FT (3.7m)
Gen II Controls
8M0082536
13 FT (4.0m)
Gen II Controls
8M0082537
14 FT (4.3m)
Gen II Controls
8M0082538
15 FT (4.6m)
Gen II Controls

8M0082539
16 FT (4.9m)
Gen II Controls
8M0082540
17 FT (5.2m)
Gen II Controls
8M0082541
18 FT (5.5m)
Gen II Controls
8M0082542
19 FT (5.8m)
Gen II Controls
8M0082543
20 FT (6.1m)
Gen II Controls
8M0082544
21 FT (6.4m)
Gen II Controls
8M0082545
22 FT (6.7m)
Gen II Controls
8M0082546
23 FT (7.0m)
Gen II Controls
8M0082547
24 FT (7.3m)
Gen II Controls
8M0082548
25 FT (7.6m)
Gen II Controls
8M0082549
26 FT (7.9m)
Gen II Controls
8M0082550
27 FT (8.2m)
Gen II Controls
8M0082551
28 FT (8.5m)
Gen II Controls
8M0082552
29 FT (8.8m)
Gen II Controls
8M0082553
30 FT (9.2m)
Gen II Controls
8M0082554
32 FT (9.8m)
Gen II Controls
8M0082555
34 FT (10.4m)
Gen II Controls
8M0082556
36 FT (11.0m)
Gen II Controls
8M0082557
38 FT (11.6m)
Gen II Controls
8M0082558
40 FT (12.2m)
Gen II Controls
8M0085107
10 FT (3.0m)
Gen II Controls

Priced individually, sold @ multiples of 24

8M0085108

11 FT (3.4m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085109

12 FT (3.7m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085110

13 FT (4.0m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085111

14 FT (4.3m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085112

15 FT (4.6m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085113

16 FT (4.9m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085114

17 FT (5.2m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085115

18 FT (5.5m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085116

19 FT (5.8m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085117

20 FT (6.1m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085121

22 FT (6.7m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085122

23 FT (7.0m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085123

24 FT (7.3m)
Gen II Controls
Priced individually, sold @ multiples of 24

8M0085124

25 FT (7.6m)
Gen II Controls
Priced individually, sold @ multiples of 24


8M0085125

26 FT (7.9m)
Gen II Controls
Priced individually, sold @ multiples of 24

GEN I/SAE PLATINUM PLUS THROTTLE AND SHIFT CABLES

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.
Layered Technology Featuring –
- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

PLATINUM PLUS THROTTLE AND SHIFT CABLE GEN I SAE



8M0085942

5 FT (1.5m)
GEN I Controls

8M0085940

6 FT (1.8m)
GEN I Controls

8M0085964

7 FT (2.1m)
GEN I Controls

8M0085941

8 FT (2.4m)
GEN I Controls

8M0085946

9 FT (2.7m)
GEN I Controls

8M0085937

10 FT (3.0m)
GEN I Controls

8M0085951

11 FT (3.4m)
GEN I Controls

8M0085949

12 FT (3.7m)
GEN I Controls

8M0085952

13 FT (4.0m)
GEN I Controls

8M0085945

14 FT (4.3m)
GEN I Controls

8M0085960

15 FT (4.6m)
GEN I Controls

8M0085963

16 FT (4.9m)
GEN I Controls

8M0085956

17 FT (5.2m)
GEN I Controls

THROTTLE AND SHIFT CABLES

8M0085947

18 FT (5.5m)
GEN I Controls

8M0085954

19 FT (5.8m)
GEN I Controls

8M0085957

20 FT (6.1m)
GEN I Controls

8M0085962

21 FT (6.4m)
GEN I Controls

8M0085959

22 FT (6.7m)
GEN I Controls

8M0085958

23 FT (7.0m)
GEN I Controls

8M0085943

24 FT (7.3m)
GEN I Controls

8M0085939

25 FT (7.6m)
GEN I Controls

8M0085950

26 FT (7.9m)
GEN I Controls

8M0085944

27 FT (8.2m)
GEN I Controls

8M0085938

28 FT (8.5m)
GEN I Controls

8M0085961

29 FT (8.8m)
GEN I Controls

8M0085953

30 FT (9.1m)
GEN I Controls

GEN II/SAE PLATINUM PLUS THROTTLE AND SHIFT CABLES

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.

Layered Technology Featuring -

- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

PLATINUM PLUS THROTTLE AND SHIFT CABLES GEN II SAE



8M0085966

5 FT (1.5m)
GEN II Controls

8M0085967

6 FT (1.8m)
GEN II Controls

8M0085968

7 FT (2.1m)
GEN II Controls

8M0085969

8 FT (2.4m)
GEN II Controls

8M0085970

9 FT (2.7m)
GEN II Controls

8M0085971

10 FT (3.0m)
GEN II Controls

8M0085972

11 FT (3.4m)
GEN II Controls

8M0085973

12 FT (3.7m)
GEN II Controls

8M0085974

13 FT (4.0m)
GEN II Controls

8M0085975

14 FT (4.3m)
GEN II Controls

8M0085976

15 FT (4.6m)
GEN II Controls

8M0085977

16 FT (4.9m)
GEN II Controls

8M0085978


17 FT (5.2m)
GEN II Controls

8M0085979
18 FT (5.5m) GEN II Controls
8M0085980
19 FT (5.8m) GEN II Controls
8M0085981
20 FT (6.1m) GEN II Controls
8M0085982
21 FT (6.4m) GEN II Controls
8M0085983
22 FT (6.7m) GEN II Controls
8M0085984
23 FT (7.0m) GEN II Controls
8M0085985
24 FT (7.3m) GEN II Controls
8M0085986
25 FT (7.6m) GEN II Controls
8M0085987
26 FT (7.9m) GEN II Controls
8M0085988
27 FT (8.2m) GEN II Controls
8M0085989
28 FT (8.5m) GEN II Controls
8M0085990
29 FT (8.8m) GEN II Controls
8M0085991
30 FT (9.1m) GEN II Controls

SOLID CORE THROTTLE / SHIFT CABLES

- Single core cables, 100% compatible with Gen I remote controls:
- Compatible with 881170-series side mount remote controls (MSC 4000)
 - Compatible with 88688-series single and dual commander console mounts
 - Services consoles prior to 1998
- High quality cable features:
- Tight tolerance motion reaction
 - 100% wire wrapped outer conduit for added cable strength
 - Solid stainless steel inner core
 - Sealed lubrication system
 - Cable and packaging Mercury branded

SOLID CORE THROTTLE AND SHIFT CABLE


8M0080432
6 ft.
8M0080433
7 ft.

8M0080434
8 ft.
8M0080435
9 ft.
8M0080436
10 ft.
8M0080437
11 ft.
8M0080438
12 ft.
8M0080439
13 ft.
8M0080440
14 ft.
8M0080441
15 ft.
8M0080442
16 ft.
8M0080443
17 ft.
8M0080444
18 ft.
8M0080445
19 ft.
8M0080446
20 ft.
8M0080447
21 ft.
8M0080448
22 ft.


PLATINUM PLUS THROTTLE AND SHIFT CABLE SAE

Platinum Plus Throttle and Shift cable is built for a long life and is designed for maximum performance in all weather conditions – even down to 0 degrees Fahrenheit.

Layered Technology Featuring –

- Tough polypropylene outer jacket is UV and abrasion resistant
- 22 oil-tempered wires for increased compression strength and durability
- Lubricated core liner to stand up to the harsh marine environment while remaining flexible
- Patented hexagonal shape allows for minimal contact with the liner
- Stainless steel core is specially designed to handle tough compression loads, but flexible for severe applications

PLATINUM PLUS THROTTLE AND SHIFT CABLE


8M0082575
3 FT (.92m) SAE Controls
8M0082576
4 FT (1.2m) SAE Controls
8M0082577
5 FT (1.5m) SAE Controls

THROTTLE AND SHIFT CABLES

THROTTLE AND SHIFT CABLES

8M0082578

6 FT (1.8m)
SAE Controls

8M0082579

7 FT (2.1m)
SAE Controls

8M0082580

8 FT (2.4m)
SAE Controls

8M0082581

9 FT (2.7m)
SAE Controls

8M0082582

10 FT (3.0m)
SAE Controls

8M0082583

11 FT (3.4m)
SAE Controls

8M0082584

12 FT (3.7m)
SAE Controls

8M0082585

13 FT (4.0m)
SAE Controls

8M0082586

14 FT (4.3m)
SAE Controls

8M0082587

15 FT (4.6m)
SAE Controls

8M0082588

16 FT (4.9m)
SAE Controls

8M0082589

17 FT (5.2m)
SAE Controls

8M0082590

18 FT (5.5m)
SAE Controls

8M0082591

19 FT (5.8m)
SAE Controls

8M0082592

20 FT (6.1m)
SAE Controls

8M0082593

21 FT (6.4m)
SAE Controls

8M0082594

22 FT (6.7m)
SAE Controls

8M0082595

23 FT (6.7m)
SAE Controls

8M0082596

24 FT (7.0m)
SAE Controls

8M0082597

25 FT (7.3m)
SAE Controls

8M0082598

26 FT (7.6m)
SAE Controls

8M0082599

27 FT (7.9m)
SAE Controls

8M0082600

28 FT (8.5m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082601

29 FT (8.8m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082602

30 FT (9.2m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

PLATINUM PLUS THROTTLE AND SHIFT

8M0082603

31 FT (9.5m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082604

34 FT (10.4m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082605

36 FT (11.0m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082606

38 FT (11.6m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

8M0082607

40 FT (12.2m) Tough polypropylene outer jacket is UV and abrasion resistant. The stainless steel core cables are coated with a patented hexagonal shape and the lubricated core provides exceptionally smooth operation.

MORSE 33C SERIES CABLE ADAPTERS

CABLE ADAPTER



82779

To convert control end of Morse 33C style cable to 64-809894- cable application.

TWO STATION THROTTLE & SHIFT ATTACHING KIT

For use with Dual station Two Lever Controls.

TWO STATION THROTTLE/SHIFT KIT



89645A34

For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits. Fits MCM/MIE carburetor and EFI (TBI) models

TWO STATION THROTTLE/SHIFT KIT



89645A37

For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits. Fits MCM/MIE MPI models, except 4.5L and 6.2L (2015 and newer) and 8.2L engines

TWO STATION THROTTLE/SHIFT KIT



8M0046250

For use in dual MerCruiser control stations. Includes hardware for attaching throttle and shift cables from both stations to the engine. Twin engines require two kits. Fits MCM/MIE 8.2L models

858342A_ SERIES SHIFT CABLES

SHIFT CABLE



858342A10

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives. 3.0 m (10 ft.)

858342A12

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives. 3.7 m (12 ft.)

858342A14

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives. 4.3 m (14 ft.)

858342A16

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives. 4.9 m (16 ft.)

858342A18

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives. 5.5 m (18 ft.)

858342A20

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives. 6.1 m (20 ft.)

858342A22

40 series cable with cable end connector. Includes shift cable bellows kit. Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives. 6.7 m (22 ft.)

820671A_ SERIES SHIFT CABLES

30 Series cable with 10/32 end threads.

SHIFT CABLE



820671A18

30 series cable with 10/32 end threads. Fits Sport-Jet 90/95/120 (1993-96) 5.5 m (18 ft.)

64-853951A_ SERIES SHIFT CABLES

SHIFT CABLE



64-853951A10

40 series cable with 1/4-28 end threads. Includes shift cable bellows kit. Fits Sport-Jet 175 (1997 thru 1999) and can also be used for 90/95/120 when used with optional Remote Control and Conversion Kit 850698A 1. 3.0 m (10 ft.)

64-853951A16

40 series cable with 1/4-28 end threads. Includes shift cable bellows kit. Fits Sport-Jet 175 (1997 thru 1999) and can also be used for 90/95/120 when used with optional Remote Control and Conversion Kit 850698A 1. 4.9 m (16 ft.)

64-853951A18

40 series cable with 1/4-28 end threads. Includes shift cable bellows kit. Fits Sport-Jet 175 (1997 thru 1999) and can also be used for 90/95/120 when used with optional Remote Control and Conversion Kit 850698A 1. 5.5 m (18 ft.)

858342A_ SERIES SHIFT CABLES

SHIFT CABLE



858342A10

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
3.0 m (10 ft.)

858342A12

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
3.7 m (12 ft.)

858342A14

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
4.3 m (14 ft.)

858342A16

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
4.9 m (16 ft.)

858342A18

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
5.5 m (18 ft.)

858342A20

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
6.1 m (20 ft.)

858342A22

40 series cable with cable end connector. Includes shift cable bellows kit.
Fits Sport-Jet 120XR2 (1999 and newer) and 175 (2000 and newer). Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.
6.7 m (22 ft.)

JOYSTICK RIGGING

JOYSTICK PILOTING FOR V6 MERCURY OUTBOARDS (OPTIMUS 360)

Mercury and Dometic have collaborated and worked together to provide a fully validated joystick package for installation on all Mercury's 175, 200 and 225hp FourStroke outboard engines.

With the launch of this offering, Mercury will bring joystick piloting to a broader audience. Boaters who are interested in boat packages outfitted with dual 175hp, 200hp or 225hp outboards will have access to joystick controls.

In addition to joystick docking and manoeuvring, the system allows the driver to hold a boat in position, hold its heading, or hold its position and heading simultaneously. For EMEA, the product will be exclusively available through the Mercury Marine channel from February 2021 onwards.

In 2013, Mercury introduced Joystick Piloting for Outboards, the first of its kind in the marine marketplace. It remains the most precise system on the market and the only system from helm to stern designed to work with a Mercury engine.

Please contact your local sales office to compose your built of material via our configuration tool.

NOW AVAILABLE

***JOYSTICK PILOTING
FOR 175HP, 200HP & 225HP***

Joystick piloting is now available for Mercury OEM partners to install on vessels powered by Mercury V6 3.4L 175 hp, 200 hp and 225 hp FourStroke outboards with DTS and V6 3.4L 200hp SeaPro outboards with DTS. In addition to joystick docking and maneuvering, the system allows the driver to hold a boat in position, hold its heading, and hold its position and heading simultaneously.



V6 JOYSTICK SYSTEM COMPONENTS



Mercury Digital Throttle & Shift



SeaStar Optimus 360 Joystick



SeaStar Optimus CANtrak Display



SeaStar Optimus Hydraulic Steering Pump



SeaStar Optimus Sport Tilt Helm



SeaStar Optimus SmartCylinder



Joystick Piloting

Total control at your fingertips



Relax. Everything's under control.

Forget complex. Forget stressful positioning or maneuvering in tight spaces during less-than-ideal situations. Focus instead on a new feeling. One of total confidence. Confidence that comes from being effortlessly, intuitively, completely in control of your boat, thanks to the Mercury's Joystick Piloting system. The power to make your boat do exactly what you want, with just a touch of your fingertips. You don't have to be a control freak to appreciate that.

- Easy joystick docking and maneuvering
- Quieter and more capable than competitive systems
- Proportional joystick allows control of both throttle and steering with one hand
- SmartCraft® Digital Throttle & Shift (DTS) and electro-hydraulic power steering
- System can be maintained while boat is in the water
- Mercury's engine-matched warranty provides confident boating for years to come
- All components manufactured and fully integrated by Mercury

JOYSTICK PILOTING - STANDARD FEATURES



Joystick functionality

- Easy positioning of the boat sideways, at an angle, or rotating in place
- Intuitive, proportional control of thrust and speed
- Hold prolonged low speeds through no-wake harbors
- Auto trim sets engine trim at optimal level when joystick is engaged

Safety, reliability and durability

- Engine Guardian for protection and peace of mind
- Based on the proven Mercury technology of Joystick Piloting for Outboards, Sterndrives and Zeus® pod technology

Engine options

GAS STERNDRIVE

4.5L, 6.2L and 8.2L

DIESEL STERNDRIVE

4.2L QSD, 3.0L TDI, 4.2L TDI

OUTBOARDS

250HP Verado®, 300HP Verado, 350HP Verado, 400R Verado

ADDITIONAL FEATURES

DTS, SmartCraft®, Dual helm



SKYHOOK®

Uses GPS technology to maintain your boat's position and heading - and helps you maintain control of your boat.

ROUTE

With your approved chart plotter, Route will follow the predetermined vessel's course. The vessel will turn automatically to the next point.

HEADING

Uses a built-in digital compass to maintain vessel course. Heading can be adjusted by 1° if you bump the joystick left or right or 10° if you twist the joystick.

VESSELVIEW®*

Access and monitor all of your vessel's systems from a central location, or set the Cruise Control feature.



*available with VesselView4, VesselView5D2 or VesselView7D2



Skyhook® digital anchor

by Mercury Marine®



Keep your boat in place with the push of a button

Mercury Skyhook digital anchor allows you to lock your boat's position using a GPS satellite antenna. Then, working with your engines and drives, Skyhook maintains your position and heading regardless of wind or current.

Key features

- Ideal for holding your boat over a fishing spot, waiting for bridges to open or holding position while next in line at a fuel docking station
- GPS technology and electronic compass automatically control shifting, throttling and steering to maintain heading and approximate position
- Simple to operate – just place the levers in neutral and push the Skyhook button to lock both position and heading
- Standard on all Joystick Piloting for Outboards (JPO), Joystick Piloting for Sterndrives (JPS) and Zeus applications



MercuryMarine.com

© 2016 MERCURY MARINE. All rights reserved. Published 6/16 Printed in U.S.A.
Reproduction in whole or in part without permission is prohibited. P/N 90-8M0079989



SKYHOOK ADVANCED FEATURES



Skyhook® Advanced Features

The ultimate vessel control experience

Mercury's latest innovative offering, Skyhook Advanced Features, provides even more control over your Joystick equipped vessel for very specific situations. Available as downloadable content (DLC) through the GoFree Shop, you can purchase the exact features you want or bundle them all together for the ultimate vessel control experience.

These features require Mercury's latest joystick system and the VesselView703 (available June 2017). VesselView502, VesselView702 and compatible Lowrance and Simrad displays will have these features available for purchase after a software update in late 2017. The electronic control modules on your Joystick system may need to be have firmware updated by your Mercury certified dealer in order to utilize these advanced features.

Heading Adjust a SKYHOOK feature

Capability to adjust the heading lock in 1 and 10 degree increments while SkyHook is active. Boating made easy just got easier.

BowHook a SKYHOOK feature

Unlock heading and just maintain position, allowing the boat to point in whatever direction the winds and currents dictate. Useful when a locked in heading is not necessary.

DriftHook a SKYHOOK feature

Maintain heading and unlock the position of the vessel allowing winds and currents to move the vessel along. Adjustments of 1 and 10 degree increments can be made while drifting when bundled with Heading Adjust..



©2017 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited. Simrad, SolarMax HD and GoFree are registered trademarks of Navico, Inc. Published 2/17 Printed in U.S.A. P/N 90-8M0128535

MercuryMarine.com

JOYSTICK RIGGING

JOYSTICK FEATURES



JOYSTICK RIGGING

AUXILIARY JOYSTICK DUAL ENGINE

8M0115487

Auxiliary joystick is a joystick only station, perfect for larger boats and able to be mounted in a convenient location. Includes all components necessary for mounting. If 2 auxiliary joysticks are being installed, a DTS shadow mode resistor pack is needed in addition to this. If full remote controls are being added at those auxiliary stations as well, need (1) additional 898091T02 for each. Dual engine JPO, JPS, JPI, and Zeus

AUXILIARY JOYSTICK - TRIPLE ENGINE

8M0115490

Auxiliary joystick is a joystick only station, perfect for larger boats and able to be mounted in a convenient location. Includes all components necessary for mounting. If 2 auxiliary joysticks are being installed, a DTS shadow mode resistor pack is needed in addition to this. If full remote controls are being added at those auxiliary stations as well, need (1) additional 898091T02 for each. Triple engine JPO and Zeus

AUXILIARY JOYSTICK QUAD ENGINE



8M0117143

Auxiliary joystick is a joystick only station, perfect for larger boats and able to be mounted in a convenient location. Includes all components necessary for mounting. If 2 auxiliary joysticks are being installed, a DTS shadow mode resistor pack is needed in addition to this. If full remote controls are being added at those auxiliary stations as well, need (1) additional 898091T02 for each. Quad engine JPO and Zeus

JOYSTICK ASSEMBLY



879365A21

The Joystick assembly is part of multiple Joystick Piloting kits to make boating easy.

The Joystick steering is offered across multiple engine systems. Joystick Piloting for Outboards (JPO), Joystick Piloting for Sterndrive (JPS) and ZEUS for Diesel.

JOYSTICK ASSEMBLY

Image not Available.

8M0178012

Joystick Assembly used in Joystick Piloting applications, included in the rigging kits.
Service component for Joystick Piloting applications circa mid-2016 and later.

JOYSTICK ASSEMBLY



8M0118806

Joystick assembly used in Joystick Piloting for Inboards - single engine applications, included in the rigging kit.
Service component for Joystick Piloting for Inboards - single engine applications.


JOYSTICK ASSEMBLY



8M0118808

Joystick assembly used in Joystick Piloting for Inboards - dual engine applications, included in the rigging kits.
Service component for Joystick Piloting for Inboards - dual engine applications.

HELM PANEL BOARD -AUXILIARY JOYSTICK



8M0071505

This panel board includes parts needed to add Auxiliary Joystick for SC 2.5. Twin (SC 2.5 - QSB).

ELECTRONIC STEERING HELM ACTUATOR



8M8025733

Electronic Steering Helm Actuator used in Joystick Piloting applications, included in the rigging kits.
Service component for Joystick Piloting applications prior to mid-2016 and earlier

INERTIAL MEASUREMENT UNIT



8M6002180

The Inertial Measurement Unit (IMU) contains software version 3.1.
The IMU is used with all Joystick Piloting applications - Outboard, Sterdrive and Zeus.

SMARTCRAFT GPS ANTENNA 400



8M0091565

SmartCraft GPS Antenna (4.0.12SC) Used with SmartTow Pro SC1000 gauges, MercMonitors, and VesselViews 4 and 7.
Sends CAN H and CAN P GPS data for use with GPS SmartTow and Joystick Piloting boats with Auto Pilot. Software 4.0.12SC

COMBO GPS/IMU



8M0168463

Combo GPS/IMU used in Joystick Piloting applications.
Service component for Joystick Piloting applications circa mid-2016 and later.

CAN H GATEWAY



8M0095543

Utilized in Joystick applications (typically included in the full rigging kit), provides an interface between CAN H GPS & IMU and the NMEA2000 device (approved chart plotter). Allows for advanced features such as Waypoint Sequencing, AutoHeading and SkyHook

Can be used on any Joystick application as an interface between CAN H and NMEA0183 OR NMEA2000. Not required for systems with the VesselView 4 or 7 display RTM5 software release that are using a NMEA2000 approved chartplotter

JOYSTICK: MAIN POWER RELAY HARNESS - 20 FT.



84-897345T08

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. (20 ft. long)

JOYSTICK: MAIN POWER RELAY HARNESS - 40 FT.



84-879172T85

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. (40 ft. long)

JOYSTICK: MAIN POWER RELAY HARNESS - 60 FT.

84-879172T86

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. 60 ft. long

MAIN POWER RELAY HARNESS (DUAL HELM)



84-8M0047753

Power for upper helm CCM for Joystick installations. Tees off of lower helm main power relay harness. (20 ft. long)

84-8M0047754

Power for upper helm CCM for Joystick installations. Tees off of lower helm main power relay harness. (40 ft. long)

84-8M0047755

Power for upper helm CCM for Joystick installations. Tees off of lower helm main power relay harness. (60 ft. long)

10 PIN TO 5 PIN CAN H ADAPTER




84-8M0115495

Adapter harness that goes from 10 pin SmartCraft connector to 5 pin CAN H connector

Used for certain Joystick applications

JOYSTICK LINK CABLE - 26 INCH CENTERS



8M0077126

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 27 inch cable, which is to be used with engines mounted at a 26 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 26 inch centers.

JOYSTICK LINK CABLE - 27 INCH CENTERS

8M0077129

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 28 inch cable, which is to be used with engines mounted at a 27 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 27 inch centers.

JOYSTICK LINK CABLE - 28 INCH CENTERS

8M0077130

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 29 inch cable, which is to be used with engines mounted at a 28 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 28 inch centers.

JOYSTICK LINK CABLE - 29 INCH CENTERS

8M0077133

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 30 inch cable, which is to be used with engines mounted at a 29 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 29 inch centers.

JOYSTICK LINK CABLE - 30 INCH CENTERS

8M0077134

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 31 inch cable, which is to be used with engines mounted at a 30 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 30 inch centers.

JOYSTICK LINK CABLE - 31 INCH CENTERS

8M0077135

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 32 inch cable, which is to be used with engines mounted at a 31 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 31 inch centers.

JOYSTICK LINK CABLE - 32 INCH CENTERS

8M0077136

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 33 inch cable, which is to be used with engines mounted at a 32 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 32 inch centers.

JOYSTICK LINK CABLE - 33 INCH CENTERS

8M0077137

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 34 inch cable, which is to be used with engines mounted at a 33 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 33 inch centers.

JOYSTICK LINK CABLE - 34 INCH CENTERS


Image not Available.

8M0077138

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 35 inch cable, which is to be used with engines mounted at a 34 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 34 inch centers.

JOYSTICK LINK CABLE - 35 INCH CENTERS



8M0077139

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 36 inch cable, which is to be used with engines mounted at a 35 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 35 inch centers.

JOYSTICK LINK CABLE - 36 INCH CENTERS

8M0077140

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 37 inch cable, which is to be used with engines mounted at a 36 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 36 inch centers.

JOYSTICK LINK CABLE - 38 INCH CENTERS

8M0079408

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 39 inch cable, which is to be used with engines mounted at a 38 inch center distance.

Mercury Joystick Piloting for Outboards, with engines mounted on 38 inch centers.

JOYSTICK LINK CABLE - 25 INCH CENTERS, QUAD ONLY



8M0109000

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 23 inch adjustable cable, which is to be used with engines mounted at a 25 inch center distance. (quads only)

Mercury Joystick Piloting for Outboards, with quad engines mounted on 25 inch centers.

JOYSTICK LINK CABLE - 26 INCH CENTERS, QUAD ONLY

8M0108999

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 24 inch adjustable cable, which is to be used with engines mounted at a 26 inch center distance. (quads only)

Mercury Joystick Piloting for Outboards, with quad engines mounted on 26 inch centers.

JOYSTICK LINK CABLE - 27 INCH CENTERS, QUAD ONLY



8M0079292

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 25 inch adjustable cable, which is to be used with engines mounted at a 27 inch center distance. (quads only)

Mercury Joystick Piloting for Outboards, with quad engines mounted on 27 inch centers.

JOYSTICK LINK CABLE - 28 INCH CENTERS, QUAD ONLY

8M0079945

Link cable to be used on outboard joystick applications to ensure prevention of engines contacting each other. This item includes a 26 inch adjustable cable, which is to be used with engines mounted at a 28 inch center distance. (quads only)

Mercury Joystick Piloting for Outboards, with quad engines mounted on 28 inch centers.

JPI SIDE POWER THRUSTER ADAPTOR HARNESS



84-8M0125880

Allows Side Power brand thrusters to be used with Mercury's Joystick Piloting for Inboards. JPI kits are compatible with Vetus brand thrusters without this adaptor. One of these adaptor harnesses is required for each Side Power thruster on the boat.

Provides boats being equipped with Joystick Piloting for Inboards with the option to utilize Side Power brand thrusters.

HOSE ASSEMBLIES

POWER STEERING HOSE - BULKHEAD TO CYLINDER TANK



32-8M0077079

.5 inch hose, bulkhead to cylinder tank for joystick applications.

32-8M0077080

.5 inch hose, bulkhead to cylinder tank for joystick applications.

32-8M0077081

.5 inch hose, bulkhead to cylinder tank for joystick applications.

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE



32-8M0077082

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

32-8M0077083

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

32-8M0077084

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

POWER STEERING HOSE KITS-JOYSTICK PILOTING

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-8M0150604

Kit includes two hoses of same length (2 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150605

Kit includes two hoses of same length (3 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150606

Kit includes two hoses of same length (4 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150607

Kit includes two hoses of same length (5 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150608

Kit includes two hoses of same length (6 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150610

Kit includes two hoses of same length (7 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150612

Kit includes two hoses of same length (8 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)


All Mercury power steering.

32-8M0150613

Kit includes two hoses of same length (10 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-8M0150614

Kit includes two hoses of same length (12 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-8M0150615

Kit includes two hoses of same length (14 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150616

Kit includes two hoses of same length (18 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150617

Kit includes two hoses of same length (18 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150618

Kit includes two hoses of same length (20 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150619

Kit includes two hoses of same length (22 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150620

Kit includes two hoses of same length (24 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150621

Kit includes two hoses of same length (26 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150622

Kit includes two hoses of same length (28 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150623

Kit includes two hoses of same length (30 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150624

Kit includes two hoses of same length (32 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

PRESSURE HOSE

Image not Available.

32-8M6004888

Order qty. 2 per cylinder. ORFS -6 female to ORFS -6 female. Measure from bulkhead to cylinder for correct sizing. Return and pressure hoses make a pair for each engine, must be ordered separately.

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE



32-8M0077082

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

32-8M0077083

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

PRESSURE HOSE ASSEMBLY-3/8 ORFS

Image not Available.

32-8M6004890

3.5 ft. Order qty. 2 per cylinder. ORFS -6 female to ORFS -6 female. Measure from bulkhead to cylinder for correct sizing. Return and pressure hoses make a pair for each engine, must be ordered separately.

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE



32-8M0077084

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

JPO BULKHEAD PLATE



8M0146247

Improved bulkhead plate with threaded passage for multiple hose installations. Joystick, multiple Hose Installations.

FITTINGS

BULKHEAD FITTING - RETURN LINE - SHORT



22-8M6001488

Required for all JPO systems. Return line, .75 inch thickness.

BULKHEAD FITTING - RETURN LINE - LONG



22-8M6002264

Required for all JPO systems. Return line, 3 inch thickness.

BULKHEAD FITTING - PRESSURE LINE - SHORT



22-8M6001495

Required for all JPO systems. Pressure line, .75 inch thickness.

BULKHEAD FITTING - PRESSURE LINE - LONG



22-8M6001497

Required for all JPO systems. Pressure line, 3 inch thickness.

BULKHEAD FITTING - 90 DEGREE RETURN LINE



22-8M0031467

Used on top of bulkhead fittings. .5 inch female to .5 inch male.

BULKHEAD FITTING - 90 DEGREE PRESSURE LINE



22-8M0031539

Used on top of bulkhead fittings. .375 inch female to .375 inch male.

STEERING CYLINDER FITTING - STRAIGHT RETURN LINE



22-8M2007090

This straight fitting can be used to replace the standard 90 degree cylinder fitting for some installs where needed. .375 inch male to .5 inch male.

STEERING CYLINDER FITTING - STRAIGHT PRESSURE LINE



22-8M0033226

This straight fitting can be used to replace the standard 90 degree cylinder fitting for some installs where needed. .375 inch male to .375 inch male.

STEERING CYLINDER FITTING - .8125 INCH**22-8M0131184**

This fitting can be used for some JPO installs where needed to further stabilize engines. .8125 inch (13/16).

DTS RIGGING

SMARTCRAFT AND DTS APPLICATION INFORMATION

Mercury Marine strongly recommends that boat builders and dealers use only Mercury Marine brand SmartCraft and DTS accessories. The throttle and shift functions on a boat are safety critical components. Mercury Marine validated the design and manufacture of the various SmartCraft and DTS accessories sold by Mercury Marine through an extensive product qualification testing protocol. Each of the Mercury Marine accessories for these systems has passed through that qualification process. It is not possible for Mercury Marine to test its systems with all of the accessories manufactured and sold by other entities. As a result, if a boat builder or dealer chooses to disregard the recommendation that only Mercury Marine accessories be used, the boat builder or dealer should adhere to specifications provided by Mercury Marine for all non-Mercury Marine components which interface with the Mercury Marine SmartCraft and/or DTS System. Documentation exhibiting compliance with these specifications should be submitted and approved by Mercury Marine prior to the finished product being released for sale. The Mercury Marine Limited Warranty does not provide coverage for damage caused by the use of accessories or parts not manufactured or sold by Mercury Marine.

DTS RIGGING KITS

The DTS complete master rigging kits listed in this section are for the 2007 DTS engines and newer. The DTS kits for older engines can be found in the "DTS Command Module Kits" section of this book. Please note, when buying the "DTS Command Module Kits" the control will need to be purchased separately. The controls can be found in the "Digital Throttle and Shift Controls" section of this book.

PANEL MOUNT DTS ERC



8M0133237

This DTS panel mount Electronic Remote Control (ERC) offers the following features: Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

PANEL MOUNT DTS ERC- ELECTRIC STEERING



8M0144227

This DTS panel mount Electronic Remote Control (ERC) offers the following features: Throttle only, engine start/stop, Active trim button and system status light, profile select buttons, Profile indicator LEDs, mounting hardware, and Quick Steer button for vessels with Single Outboard Electric Steering. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM



8M0163917

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, Helm transfer, Global dimming, Active trim, Profile select LED indicators, and mounting hardware. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

SINGLE ENGINE CONSOLE DTS ERC - NO TRIM



8M0166583

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, Helm transfer, Global dimming, and mounting hardware. ERC included is programmed for single-helm configuration.

SINGLE ENGINE CONSOLE DTS ERC W/TRIM - ELECTRIC STEERING



8M0166584

This DTS single engine console Electronic Remote Control (ERC) features: Throttle only, engine start/stop, Helm transfer, Global dimming, Active trim, Profile select LED indicators, mounting hardware, and Quick Steer button for vessels with Single Outboard Electric Steering. ERC included is programmed for single-helm configuration. GPS required for Active Trim feature.

DUAL ENGINE DTS ERC



8M0133240

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

TRIPLE ENGINE DTS ERC



8M0133244

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

DUAL ENGINE DTS ERC NO TRIM



8M0133242

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, start/stop all engines, individual engine start/stop, and a neutral indicator light.

DTS Controls

PREMIER TRIPLE ENGINE DTS ERC



8M0133245

This DTS dual handle Electronic Remote Control (ERC) for triple engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

PREMIER DUAL ENGINE DTS ERC



8M0133243

This DTS dual handle Electronic Remote Control (ERC) for dual engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

QUAD ENGINE DTS ERC



8M0133246

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

DTS RIGGING

PREMIER QUAD ENGINE DTS ERC



8M0133247

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself, as well as an integrated display that will provide select informational pop-ups and feature status indicators.

DTS Controls

5 & 6 ENGINE DTS ERC



8M0153980

This DTS dual handle Electronic Remote Control (ERC) for quad engine installs includes these features: Throttle only, 1 Lever Mode, Helm transfer, Mercury global dimming, trim all engines, individual engine trim, start/stop all engines, individual engine start/stop, and a neutral indicator light. This control also has Mercury's Active trim integrated into the ERC itself.

DTS Controls

ELECTRIC STEERING HELM CORE KIT



98-8M0157716

Electric steering helm used in Joystick Piloting applications and Single Outboard Electric Steering.

DTS Controls

AMS MECHANICAL KICKER KIT

Image not Available.

98-8M0164826

This tie bar kicker kit is used to attach the kicker engine to the primary engine on vessels with a 250-450hp Verado as the primary engine

DTS COMMAND MODULE AND HARNESS KITS

The "DTS Command Module Kits" include: Command module(s), command module harness(es), and Key switch(es). These kits are listed in this section from most current model year and back to 2004 (where still supported). **Controls are sold separately** Controls can be found in the "Digital Throttle and Shift Controls" section of this book.

COMMAND MODULE

Image not Available.

77-8M0121241

Racing Command Module with shared guardian. Compatible with Verado 80

PANEL MOUNT / SLIM BINNACLE - DTS COMMAND MODULE KIT



84-893377K04

SmartCraft DTS Command Module required for Gen I (2007) and newer DTS systems. Includes DTS Command Module (891661T10), panel mount harness (893377T03), key switch and mounting hardware. Used with 892984A01 and 892984A02 Panel Mount Controls, and 8M0079290 and 8M0079291 Slim Binnacle Controls.

Gen I (2007) DTS Engines and newer. MCM requires serial number break to define use.

PANEL MOUNT CONTROL- DTS COMMAND MODULE KIT



84-893377K03

SmartCraft DTS Command Module (891661T05) required for 2006 DTS systems. Includes DTS Command Module, panel mount harness, key switch and mounting hardware. Used with 892984A01 and 892984A02 Panel Mount Controls.

2006 DTS engines only

PANEL MOUNT CONTROL- DTS COMMAND MODULE KIT




84-893377K01

SmartCraft DTS Command Module required for 2005 DTS systems. Includes DTS Command Module (891661T03), panel mount harness, key switch and mounting hardware. Used with 892984A01 and 892984A02 Panel Mount Controls. (uses 891661T03)

2005 DTS engines

SLIM BINNACLE - COMMAND MODULE KIT



84-896372K01

Smartcraft Command Module used on 2006 DTS engines- Includes command module (891661T05) and harness, keyswitch and mounting hardware. Used with ERC Slim Binnacle.

2006 DTS engines only

SINGLE CONSOLE/ZERO EFFORT COMMAND MODULE KIT



84-892955K04

Smartcraft Command Module used on 2007 (Gen I) DTS engines- Includes command module (891661T06) and command module harness (892955A02), keyswitch(893353A03) and mounting hardware. Used with 877775A08, A10, A12, ERC's and Zero Effort 840712A__ series controls

Gen I (2007) DTS Engines and newer

SINGLE CONSOLE/ZERO EFFORT COMMAND MODULE KIT



84-892955K03

Smartcraft Command Module used on 2006 DTS engines- Includes command module and harness, keyswitch and mounting hardware. Used with 877775A08, A10, A12, ERC's and Zero Effort 840712A__ series controls Does not backfit. (uses 891661005)

2006 DTS engines only

DUAL CONSOLE/ZERO EFFORT DTS COMMAND MODULE KIT



84-893378K04

SmartCraft DTS Command Module required for 2007 (Gen I) DTS systems. Includes DTS Command Module(2 each- 891661T06),matched key switch (1 each-893353A04),command module harness (893378A02) and mounting hardware. Used with 877775a07, 877775a11, 877775a09 Dual Engine Console Mount Controls or Dual Engine Zero Effort Controls 840714A__ series Gen I (2007) DTS Engines and newer

DUAL CONSOLE/ZERO EFFORT DTS COMMAND MODULE KIT



84-893378K03

SmartCraft DTS Command Module required for 2006 DTS systems. Includes DTS Command Module(2), key switch(2), harness and mounting hardware. Used with 877775a07, 877775a11, 877775a09 Dual Engine Console Mount Controls or Dual Engine Zero Effort Controls 840714A__ series

2006 DTS engines only

DTS RIGGING**DUAL CONSOLE/ZERO EFFORT DTS COMMAND MODULE KIT****84-893378K01**

SmartCraft DTS Command Module required for 2005 DTS systems. Includes DTS Command Module(2), key switch(2), harness and mounting hardware. Used with 877775a07, 877775a11, 877774a09 Dual Engine Console Mount Controls or Dual Engine Zero Effort Controls 840714A__series

2005 DTS outboards and 8.1L/496 Mag DTS MCM/ MIE
Serial Number OW 040000 thru 0W649999

COMMAND MODULE TRIPLE**892955K32**

This DTS Rigging Kit includes 1 Command Module Kits with matched keys (892955K06 with 3 each 891661T10 and 893353A05 matched keyswitch), 1 Triple Engine Lanyard harness Kit (895725A04), 1 Triple Engine Start/Stop Kit (887767K03), 4 four way junction boxes (878492K14), 2 Boat Harnesses (859743T03), 1 Link Cable (84-893452A01), Triple Engine DTS Link Harness (84-896206T15), 4 position dash mounted trim switch, (897635K01), adapter harness (84-896394T01) and 1 Accessory/Relay Harnesses (889611K01). Zero Effort Control and data Harness (892451T/B__ - one per engines to correct length) must be ordered separately.

Gen I (2007) DTS Engines and newer. MCM requires serial number break to define use. For products using Zero Effort Controls

COMMAND MODULE TRIPLE**892955K22**

This DTS Rigging Kit includes 3 Command Module Kits with keys (892955K03), 1 Triple Engine Lanyard harness Kit (895725A01), 1 Triple Engine Start/Stop Kit (887767K03), 3 four way junction boxes (878492K14), 3 Boat Harnesses (859743T03), Triple Engine DTS Link Harness (84-896206T15), 4 position dash mounted trim switch, (897635K01), adapter harness (84-896394T01) and 1 Accessory/Relay Harnesses (889611K01). Zero Effort Control and data Harness (892451T/B__ - one per engines to correct length) must be ordered separately.

2006 DTS engines

DUAL CONSOLE/ZERO EFFORT DTS COMMAND MODULE KIT**84-891925K01**


SmartCraft DTS Command Module required for 2004 DTS systems. Includes DTS Command Module(2), key switch(2), harness and mounting hardware. Used with 877775a1, 877775a3, 877774a5 Dual Engine Console Mount Controls or Dual Engine Zero Effort Controls 840714A__series

2004 OptiMax 225 DTS outboards and 8.1L/496 Mag MerCruiser DTS sterndrive and inboard engines.

COMMAND MODULE KIT- DTS (TRIPLE) SHADOW**84-896377K02**

SmartCraft DTS Command Module required for Gen I (2007) and newer DTS systems. Includes DTS Command Module(3) (891661T06), matches key switch kit(1) (893353A05), command module harness(896377T02), DTS link adapter(893452A01) and mounting hardware. Used with ERC 877775A21

Gen I (2007) DTS Engines and newer. MCM requires serial number break to define use.

TRIPLE ENGINE SHADOW MODE DTS COMMAND MODULE KIT**84-896377K01**

SmartCraft DTS Command Module required for 2006 DTS systems. Includes DTS Command Module(3), key switch(3). Used with ERC 877775A15

2006 DTS engines


COMMAND MODULE KIT- DTS (QUAD)



84-896377K03

*** ALSO NEED 892955K05 FOR COMPLETE QUAD INSTALL ***
 SmartCraft DTS Command Module required for 2007 (Gen I) DTS systems. Includes DTS Command Module(3-891661T10), matches key switch kit(1-893353A06) command Module harness (896377T02), DTS link adapter (893452A01) and mounting hardware. Used with ERC 87775A21. Gen I (2007) DTS Engines and newer

COMMAND MODULE KIT- QUAD ENGINE



84-892955K05

Smartcraft Command Module used on 2007 (Gen I) DTS engines- Includes command module, harness, and mounting hardware. Used with ERC 87775A21 (uses 891661T06). Key switches are not included in this kit as there is a matched set (4) in the 896377K03 kit (matched keys kit is 893353A06) Gen I (2007) DTS Engines

LCM MODULE PROGRAMMED - SURF CODE

Image not Available.

77-8M0173267

LCM MODULE Programmed - Surf Code

DTS COM MODULE HARNESS- CONSOLE SINGLE/ZE



84-892955A02

Harness needed to connect Single Console and single zero Effort controls 2006 DTS engines and newer

DTS COM MODULE HARNESS- CONSOLE SINGLE/ZE



84-892955T03

Command Module Harness 2007 (Gen II) DTS engines. Will backfit to 2006 engine

DTS-COM MODULE HARNESS-CONSOLE DUAL/ZE



84-893378A01

Harness that connects DTS components- Dual Console and Zero Effort Controls 2005 DTS engines


HARNESS ASY- DUAL CONSOLE



84-891925A01

Legacy service harness – used in the old 891925K01 kit – Dual Zero Effort command module harness 2004 DTS engines

DTS-COM MODULE HARNESS-CONSOLE DUAL/ZE



84-893378A02

Harness that connects DTS components- Dual Console and Zero Effort Controls 2006 and newer DTS engines


HELM HARNESS- SINGLE ENGINE



84-8M0159746

Next Gen DTS Helm Harness – Single Engine Single Helm - Single Station Harness

LOWER HELM HARNESS- SINGLE ENGINE



84-8M0159747

Next Gen DTS Helm Harness – Single Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses) Helm Harness for rigging- Single Engine, Single Helm


TRIPLE MID HELM HARNESS- SINGLE ENGINE



84-8M0159748

Next Gen DTS Helm Harness – Single Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)


UPPER DUAL HELM HARNESS- SINGLE ENGINE



84-8M0159749

Next Gen DTS Helm Harness – Single Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)

HELM HARNESS- DUAL ENGINE



84-8M0157213

Next Gen DTS Helm Harness – Dual Engine Single Helm – Single Station Harness

LOWER HELM HARNESS- DUAL



84-8M0157214

Next Gen DTS Helm Harness – Dual Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses)


MID TRIPLE HELM HARNESS- DUAL ENGINE

Image not Available.

98-8M0165544

Next Gen DTS Helm Harness – Dual Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)


UPPER HELM HARNESS- DUAL



84-8M0157215

Next Gen DTS Helm Harness – Dual Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)

HELM HARNESS- TRIPLE ENGINE



84-8M0157216

Next Gen DTS Helm Harness – Triple Engine Single Helm - Single Station Harness

HELM HARNESS TRIPLE ENGINE- LOWER



84-8M0157217

Next Gen DTS Helm Harness – Triple Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses)


TRIPLE MID HELM HARNESS- TRIPLE ENGINE

Image not Available.

98-8M0165540

Next Gen DTS Helm Harness – Triple Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)

UPPER DUAL HELM HARNESS- TRIPLE ENGINE



84-8M0157218

Next Gen DTS Helm Harness – Triple Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)


HELM HARNESS- QUAD ENGINE



84-8M0157219

Next Gen DTS Helm Harness – Quad Engine Single Helm - Single Station Harness

LOWER DUAL HELM HARNESS- QUAD ENGINE



84-8M0157220

Next Gen DTS Helm Harness – Quad Engine Dual Helm - Lower Harness (must also order a Upper harness and the applicable helm-to-helm extension harnesses)

MID TRIPLE HELM HARNESS- QUAD ENGINE

Image not Available.

98-8M0165541

Next Gen DTS Helm Harness – Quad Engine Triple Helm – Middle Harness (must also order an upper and lower helm harness and the applicable helm-to-helm extension harnesses)

UPPER DUAL HELM HARNESS- QUAD ENGINE



84-8M0157222

Next Gen DTS Helm Harness – Quad Engine Dual Helm - Upper Harness (must also order a lower harness and the applicable helm-to-helm extension harnesses)

DTS COMMAND MODULE HARNESS-SHADOW MODE (TRIPLE)



84-896377T02

Harness for command module connections. Direct replacement for 84-896377A01 2007 (Gen I) and newer DTS engines

DTS TAB INTERFACE MODULE KIT

Image not Available.

98-8M0169899

DTS TAB INTERFACE MODULE KIT. FOR NEXT GEN DTS

2ND STATION DELIVERY HARNESS KIT - SINGLE

Image not Available.

98-8M0169904

2nd STATION DELIVERY HARNESS KIT - SINGLE

2ND STATION DELIVERY HARNESS KIT - DUAL

Image not Available.

98-8M0169905

2nd STATION DELIVERY HARNESS KIT - DUAL

2ND STATION DELIVERY HARNESS KIT - TRIPLE

Image not Available.

98-8M0169906

2nd STATION DELIVERY HARNESS KIT - TRIPLE

2ND STATION DELIVERY HARNESS KIT - QUADImage not
Available.**98-8M0169907**

2nd STATION DELIVERY HARNESS KIT - QUAD

5 FEET NEXT-GEN ERC EXT. HARNESS KIT (SINGLE)Image not
Available.**98-8M0173751**

5 FEET NEXT-GEN ERC EXT. HARNESS KIT (SINGLE)

5 FEET NEXT-GEN ERC EXT. HARNESS KIT (DUAL)Image not
Available.**98-8M0173753**

5 FEET NEXT-GEN ERC EXT. HARNESS KIT (DUAL)

5 FEET NEXT-GEN ERC EXT. HARNESS KIT (TRIPLE)Image not
Available.**98-8M0173754**

5 FEET NEXT-GEN ERC EXT. HARNESS KIT (TRIPLE)

5' FEET NEXT-GEN ERC EXT. HARNESS KIT (QUAD)Image not
Available.**98-8M0173755**

5' FEET NEXT-GEN ERC EXT. HARNESS KIT (QUAD)

10 FEET NEXT-GEN ERC EXT. HARNESS KIT (TRIPLE)Image not
Available.**98-8M0173880**

10 FEET NEXT-GEN ERC EXT. HARNESS KIT (TRIPLE)

10 FEET NEXT-GEN ERC EXT. HARNESS KIT (QUAD)Image not
Available.**98-8M0173881**

10 FEET NEXT-GEN ERC EXT. HARNESS KIT (QUAD)

OUTER HELM EXT. HARNESS 15 FEET**84-8M0159751**

OUTER HELM EXT. HARNESS 15 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 20 FEET**84-8M0159752**

OUTER HELM EXT. HARNESS 20 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 25 FEET**84-8M0159753**

OUTER HELM EXT. HARNESS 25 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 30 FEET**84-8M0159754**

OUTER HELM EXT. HARNESS 30 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 35 FEET**84-8M0159755**

OUTER HELM EXT. HARNESS 35 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 40 FEET**84-8M0159756**

OUTER HELM EXT. HARNESS 40 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 50 FEETImage not
Available.**84-8M0173571**

OUTER HELM EXT. HARNESS 50 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 60 FEETImage not
Available.**84-8M0173572**

OUTER HELM EXT. HARNESS 60 FEET. Used on outer engines on Triple and Quad engine configurations

OUTER HELM EXT. HARNESS 70 FEETImage not
Available.**84-8M0173573**

OUTER HELM EXT. HARNESS 70 FEET. Used on outer engines on Triple and Quad engine configurations

INNER HELM EXT. HARNESS 15 FEET**84-8M0159758**

INNER HELM EXT. HARNESS 15 FEET. Used on inner engine(s) on Triple and Quad engine configurations

INNER HELM EXT. HARNESS 20 FEET**84-8M0159759**

INNER HELM EXT. HARNESS 20 FEET. Used on inner engine(s) on Triple and Quad engine configurations

INNER HELM EXT. HARNESS 25 FEET**84-8M0159760**

INNER HELM EXT. HARNESS 25 FEET. Used on inner engine(s) on Triple and Quad engine configurations

INNER HELM EXT. HARNESS 30 FEET**84-8M0159761**

INNER HELM EXT. HARNESS 30 FEET. Used on inner engine(s) on Triple and Quad engine configurations

INNER HELM EXT. HARNESS 40 FEET

84-8M0159763

INNER HELM EXT. HARNESS 40 FEET. Used on inner engine(s) on Triple and Quad engine configurations

INNER HELM EXT. HARNESS 50 FEET

Image not Available.

84-8M0173574

INNER HELM EXT. HARNESS 50 FEET. Used on inner engine(s) on Triple and Quad engine configurations

INNER HELM EXT. HARNESS 60 FEET

Image not Available.

84-8M0173575

INNER HELM EXT. HARNESS 60 FEET. Used on inner engine(s) on Triple and Quad engine configurations


INNER HELM EXT. HARNESS 70 FEET

Image not Available.

84-8M0173576

INNER HELM EXT. HARNESS 70 FEET. Used on inner engine(s) on Triple and Quad engine configurations

2-PIN GAUGE CLEAN POWER, 15 FEET



84-8M0159764

2-PIN GAUGE CLEAN POWER, 15 FEET. All DTS and Joystick applications. When crank batteries are located near the helm or mitigation of excessive voltage drop is desired

2-PIN GAUGE CLEAN POWER, 20 FEET

84-8M0159765

2-PIN GAUGE CLEAN POWER, 20 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

2-PIN GAUGE CLEAN POWER, 25 FEET

84-8M0159766

2-PIN GAUGE CLEAN POWER, 25 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

2-PIN GAUGE CLEAN POWER, 30 FEET

84-8M0159767

2-PIN GAUGE CLEAN POWER, 30 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

2-PIN GAUGE CLEAN POWER, 35 FEET

84-8M0159768

2-PIN GAUGE CLEAN POWER, 35 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

2-PIN GAUGE CLEAN POWER, 40 FEET

84-8M0159769

2-PIN GAUGE CLEAN POWER, 40 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

50 FEET GLOBAL WAKE HARNESS

Image not Available.

84-8M0173580

50 FEET GLOBAL WAKE HARNESS

60 FEET GLOBAL WAKE HARNESS

Image not Available.

84-8M0173581

60 FEET GLOBAL WAKE HARNESS

70 FEET GLOBAL WAKE HARNESS

Image not Available.

84-8M0173582

70 FEET GLOBAL WAKE HARNESS

CLEAN POWER TEE - 14/4



84-8M0158086

CLEAN POWER TEE - 14/4. All DTS and Joystick applications. Helps mitigate excessive voltage drop

CLEAN POWER HARNESS (4-PIN) - 5 FEET



84-8M0158087

CLEAN POWER HARNESS (4-PIN) - 5 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

CLEAN POWER HARNESS (4-PIN)- 10 FEET

84-8M0158088

CLEAN POWER HARNESS (4-PIN)- 10 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

CLEAN POWER HARNESS (4-PIN)- 15 FEET

84-8M0158089

CLEAN POWER HARNESS (4-PIN)- 15 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

CLEAN POWER HARNESS (4-PIN)- 20 FEET

84-8M0158090

CLEAN POWER HARNESS (4-PIN)- 20 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

CLEAN POWER HARNESS (4-PIN)- 25 FEET

84-8M0169292

CLEAN POWER HARNESS (4-PIN)- 25 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

CLEAN POWER HARNESS (4-PIN)- 30 FEET

84-8M0169293

CLEAN POWER HARNESS (4-PIN)- 30 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

DTS RIGGING

CLEAN POWER HARNESS (4-PIN)- 35 FEET

84-8M0169294

CLEAN POWER HARNESS (4-PIN)- 35 FEET. All DTS and Joystick applications. Helps mitigate excessive voltage drop

CLEAN POWER ADAPTOR - DIESEL

Image not
Available.

84-8M0165564

Helps mitigate excessive voltage drop

15 FEET GLOBAL WAKE HARNESS



84-8M0163381

15 FEET GLOBAL WAKE HARNESS

20 FEET GLOBAL WAKE HARNESS

84-8M0163382

20 FEET GLOBAL WAKE HARNESS

25 FEET GLOBAL WAKE HARNESS

84-8M0163383

25 FEET GLOBAL WAKE HARNESS

30 FEET GLOBAL WAKE HARNESS

84-8M0163384

30 FEET GLOBAL WAKE HARNESS

35 FEET GLOBAL WAKE HARNESS

84-8M0163385

35 FEET GLOBAL WAKE HARNESS


40 FEET GLOBAL WAKE HARNESS

84-8M0163386

40 FEET GLOBAL WAKE HARNESS

DTS HELM BOARD KITS (HELM BOARDS ONLY)

DUAL ENGINE HELM BOARD DTS KIT



899859K01

Kit includes J-Box, Command Module Harness, Command Module, Accessory Power Relay and Terminal Strip all components come pre-mounted on plastic board includes mounting hardware for vessel install.

For Dual ERC. DTS GEN I and newer.

HELM BOARD DTS KIT - SLIM



899859K02

Kit includes J-Box, Command Module Harness, Command Module, Accessory Power Relay and Terminal Strip all components come pre-mounted on plastic board includes mounting hardware for vessel install

For Slim Binnacle ERC. DTS GEN I and newer. Not compatible with new Slim ERC with can pad. Only compatible with old chrome Slim.

HELM BOARD DTS KIT - PANEL / SLIM BINNACLE



899859K03

Kit includes J-Box, Command Module Harness, Command Module, Accessory Power Relay and Terminal Strip all components come pre-mounted on plastic board includes mounting hardware for vessel install

For Single Panel Mount and GEN 2 Slim Binnacle ERC. DTS GEN I and newer.

DTS COMPONENTS

COMMAND MODULE KIT



77-8M0109482

Command Module Kit software version 80. The module can be reprogrammed using the CDS - G3 service tool

Match the software version needed with engine feature requirements

HARDWARE BAG ASSEMBLY



56-820386A85

Legacy Command Module Mounting Kit - Rubber Isolation System

DIESEL RIGGING

2.0L ENGINE RIGGING KITS

2.0L RIGGING KIT - MECHANICAL ALPHA

Image not Available.

8M0161907

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, fuel level harness, e-stop harness, diagnostic port and harness, fuel filter, sterndrive harness, transom hardware, helm harness and 4 way junction box
2.0L Diesel Mechanical Sterndrive (Alpha)

2.0L RIGGING KIT - MECHANICAL BRAVO

Image not Available.

8M0161908

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, fuel level harness, e-stop harness, diagnostic port and harness, fuel filter, sterndrive harness, transom hardware, helm harness and 4 way junction box.
2.0L Diesel Mechanical Sterndrive (Bravo)

2.0L RIGGING KIT - DTS BRAVO

Image not Available.

8M0161902

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, fuel level harness, e-stop harness, diagnostic port and harness, fuel filter, sterndrive harness, transom hardware and shift plate
2.0L Diesel DTS Sterndrive (Bravo)

2.0L RIGGING KIT - DTS INBOARD



8M0161904

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, fuel level harness, e-stop harness, diagnostic port and harness, inboard harness, fuel filter, sea water filter, thru hull fitting and hose
2.0L Diesel DTS Inboard

2.0L RIGGING KIT - MECHANICAL INBOARD

Image not Available.

8M0161909

Rigging kit includes VIP panel, 20 foot power harness, 10 foot vessel extension harness, fuel level harness, e-stop harness, diagnostic port and harness, inboard harness, fuel filter, sea water filter, thru hull fitting and hose, helm harness and 4 way junction box.
2.0L Diesel Mechanical Inboard

PANELS DTS

TDI 3.0L 260 HP ENGINE ASSEMBLY KIT - DTS STERNDRIVE

98-8M0078877

Engine Assembly Kit includes Drive Lube Monitor, MerCathode, Shift Actuator, Fuel Module, Exhaust Bullhorn, Literature Kit, Vessel Adapter Assembly and Vessel Sensor Harness.
Must be used with the correct engine during installation
Mercury Diesel TDI 3.0L 260 HP DTS Sterndrive

TDI 4.2L 335 HP ENGINE ASSEMBLY KIT - DTS STERNDRIVE

98-8M0078875

Engine Assembly Kit includes Drive Lube Monitor, MerCathode, Shift Actuator, Fuel Module, Exhaust Bullhorn, Literature Kit, Vessel Adapter Assembly and Vessel Sensor Harness.
Must be used with the correct engine during installation
Mercury Diesel TDI 4.2L 335 HP DTS Sterndrive

TDI 4.2L 370 HP ENGINE ASSEMBLY KIT - DTS STERNDRIVE

98-8M0078873

Engine Assembly Kit includes Drive Lube Monitor, MerCathode, Shift Actuator, Fuel Module, Exhaust Bullhorn, Literature Kit, Vessel Adapter Assembly and Vessel Sensor Harness.
Must be used with the correct engine during installation
Mercury Diesel TDI 4.2L 370 HP DTS Sterndrive

TDI 3.0L 260 HP ENGINE ASSEMBLY KIT - DTS INBOARD

98-8M0078885

Engine Assembly Kit includes Fuel Module, Literature Kit, Vessel Adapter Assembly, Vessel Sensor Harness, Drive Application Harness and Gear Actuation Harness. Must be used with the correct engine during installation
Mercury Diesel TDI 3.0L 260 HP DTS Inboard

TDI 4.2L 335 HP ENGINE ASSEMBLY KIT - DTS INBOARD

98-8M0078884

Engine Assembly Kit includes Fuel Module, Literature Kit, Vessel Adapter Assembly, Vessel Sensor Harness, Drive Application Harness and Gear Actuation Harness. Must be used with the correct engine during installation
Mercury Diesel TDI 4.2L 335 HP DTS Inboard

TDI 4.2L 370 HP ENGINE ASSEMBLY KIT - DTS INBOARD

98-8M0078883

Engine Assembly Kit includes Fuel Module, Literature Kit, Vessel Adapter Assembly, Vessel Sensor Harness, Drive Application Harness and Gear Actuation Harness. Must be used with the correct engine during installation
Mercury Diesel TDI 4.2L 370 HP DTS Inboard

PANELS NON DTS

TDI 4.2L 335 HP ENGINE ASSEMBLY KIT - MECH STERNDRIVE

98-8M0078876

Engine Assembly Kit includes - Drive Lube Monitor, MerCathode, Shift Actuator, Exhaust Bullhorn, Literature Kit, Vessel Adapter Assembly and Vessel Sensor Harness.
Must be used with the correct engine during installation
Mercury Diesel TDI 4.2L 335 HP Mechanical Sterndrive

MERCURY DIESEL MECHANICAL HELM HARNESS



84-8M0084296

Non DTS Helm Harness
Mercury Diesel: Mechanical versions of TDI 3.0L and 4.2L, Tier 2 and Tier 3 (use one per engine at the helm), does not support SmartCraft depth or steering sensors

DIESEL TDI RIGGING

MERCURY DIESEL TDI STERNDRIVE HARNESS KIT

8M0099152

Kit to simplify ordering engine rigging components specific to a TDI Sterndrive application - contains a 3 meter engine to VAA harness, 20 foot engine unswitched power harness, 10 foot vessel sensor extension harness, fuel level harness, 10 foot trim pump/sender extension harness, a diagnostic port and a 3 foot diagnostic yellow CAN cable. Does not include helm rigging (control, harnessing, gauges, etc).

Can be used on all Mercury Diesel TDI sterndrive packages.

MERCURY DIESEL TDI AXIUS HARNESS KIT



8M0099153

Kit to simplify ordering engine rigging components specific to a TDI Axius application - contains a 3 meter engine to VAA harness, 20 foot engine unswitched power harness, 10 foot vessel sensor extension harness, fuel level harness, 10 foot trim pump/sender extension harness, a 3 foot diagnostic yellow CAN cable, TVM to VAA cable, 40 foot helm clean power harness, key switch kit and two Axius adapter harnesses. Does not include helm rigging (control, harnessing, gauges, etc).

Use only on Mercury Diesel TDI Axius applications

MERCURY DIESEL TDI INBOARD HARNESS KIT



8M0099154

Kit to simplify ordering engine rigging components specific to a TDI Inboard application - contains a 3 meter engine to VAA harness, 20 foot engine unswitched power harness, 10 foot vessel sensor extension harness, fuel level harness, 10 foot drive application extension harness, a diagnostic port and a 3 foot diagnostic yellow CAN cable. Does not include helm rigging (control, harnessing, gauges, etc).

Can be used on all Mercury Diesel TDI inboard packages.

SIMS MODULE



77-8M0086461

Sim module(Service) with unique software for the engine
100 DTS Sterndrive TDI - V6

77-8M0086455

Sim module(Service) with unique software for the engine
260 DTS Sterndrive TDI - V6

77-8M0086462

Sim module(Service) with unique software for the engine
100 Mech Sterndrive TDI - V6

77-8M0086456

Sim module(Service) with unique software for the engine
230 DTS Sterndrive TDI - V6

77-8M0086459

Sim module(Service) with unique software for the engine
230 Mech Sterndrive TDI - V6

77-8M0086454

Sim module(Service) with unique software for the engine
260 DTS Sterndrive TDI - V6

77-8M0086465

Sim module(Service) with unique software for the engine
230 DTS Inboard TDI - V6 (4000 RPM)

77-8M0086467

Sim module(Service) with unique software for the engine
230 Mech Inboard TDI - V6 (4000 RPM)

77-8M0086469

Sim module(Service) with unique software for the engine
230 Mech Inboard TDI - V6 (3500 RPM)

77-8M0086463

Sim module(Service) with unique software for the engine
260 DTS Inboard TDI - V6

77-8M0086464

Sim module(Service) with unique software for the engine
260 Mech Inboard TDI - V6

77-8M0041733

Sim module(Service) with unique software for the engine
335 DTS Sterndrive TDI - V8

77-8M0041757

Sim module(Service) with unique software for the engine
335 Mech Sterndrive TDI - V8

77-8M0041718

Sim module(Service) with unique software for the engine
370 DTS Sterndrive TDI - V8

77-8M0041734

Sim module(Service) with unique software for the engine
370 Mech Sterndrive TDI - V8

77-8M0041674

Sim module(Service) with unique software for the engine
335 DTS Inboard TDI - V8

77-8M0041671

Sim module(Service) with unique software for the engine
370 DTS Inboard TDI - V8

MERCURY DIESEL TDI ENGINE HARNESS - ENGINE TO VAA



84-8M0066846

2 meter engine to VAA harness
Mercury Diesel TDI 3.0L and 4.2L Engines


8M0066847

3 meter engine to VAA harness
Mercury Diesel TDI 3.0L and 4.2L Engines

8M0066848

4 meter engine to VAA harness
Mercury Diesel TDI 3.0L and 4.2L Engines

MERCURY DIESEL TDI MECHANICAL JOHNNY THROTTLE EXTENSION HARNESS



84-8M0079850

Extension harness - Throttle Mechanical - 10 ft
Mercury Diesel TDI 3.0L and 4.2L Diesels, included in the mechanical engine assembly kit

84-8M0079851

Extension harness - Throttle Mechanical - 20 ft
Mercury Diesel TDI 3.0L and 4.2L Diesels, included in the mechanical engine assembly kit

MERCURY DIESEL TDI LIFT PUMP HARNESS EXTENSION



84-8M0079847

Extension Harness, 20 ft.
Used in conjunction with off engine Racor lift pump, included in mechanical engine assembly kits

MERCURY DIESEL TDI VESSEL SENSOR HARNESS



84-8M0118364

Harness - Vessel Sensor
Mercury Diesel TDI 3.0L and 4.2L Diesels, included in the engine assembly kit, does not support SmartCraft depth or steering sensors

MERCURY DIESEL MECHANICAL HELM HARNESS



84-8M0084296

Non DTS Helm Harness
Mercury Diesel: Mechanical versions of TDI 3.0L and 4.2L, Tier 2 and Tier 3 (use one per engine at the helm), does not support SmartCraft depth or steering sensors

MERCURY DIESEL TDI DRIVE APPLICATION EXTENSION HARNESS



84-8M0080191

5 foot TDI Drive Application Extension Harness. Inboard only
Mercury Diesel TDI 3.0L and 4.2L Engines

MERCURY DIESEL TDI DRIVE APPLICATION EXTENSION HARNESS

84-8M0080192

10 foot TDI Drive Application Extension Harness, Inboard only
Mercury Diesel TDI 3.0L and 4.2L Engines

MERCURY DIESEL TDI DRIVE APPLICATION EXTENSION HARNESS



84-8M0080193

15 foot TDI Drive Application Extension Harness, Inboard only
Mercury Diesel TDI 3.0L and 4.2L Engines

84-8M0080194

20 foot TDI Drive Application Extension Harness, Inboard only
Mercury Diesel TDI 3.0L and 4.2L Engines

POWER HARNESS



84-899887T13

Engine unswitched power harness (10 ft)
All diesels - both Non DTS and DTS

84-899887T14

Engine unswitched power harness (20 ft)
All diesels - both Non DTS and DTS

VESSEL SENSOR EXTENSION HARNESS



84-899888T21

Vessel sensor extension harness (Optional) 5 feet
All Diesel products Non DTS and DTS including Axis

84-899888T22

Vessel sensor extension harness (Optional) 10 feet
All Diesel products Non DTS and DTS including Axis

84-899888T23

Vessel sensor extension harness (Optional) 15 feet
All Diesel products Non DTS and DTS including Axis

VESSEL SENSOR EXTENSION HARNESS



84-899887T17

Vessel sensor extension harness (Optional) 20 feet
All Diesel products Non DTS and DTS including Axis

MERCURY DIESEL TDI AXIUS HARNESS ADAPTER



84-8M0079849

Harness adapter Axis
Mercury Diesel TDI 3.0L and 4.2L Sterndrive

MERCURY DIESEL TDI DRIVE LUBE MONITOR EXTENSION HARNESS



84-8M0080787

Harness Extension - Drive Lube Monitor
Mercury Diesel TDI 3.0L and 4.2L Sterndrive

SHIFT ACTUATOR HARNESS



84-879312T12

Shift actuation harness.
Sterndrive harness extension

EXTENSION HARNESS- NEUTRAL SAFETY



84-899887T01

Harness extension used with neutral safety switch. (DTS Shift Actuator) Sterndrives (DTS)

SWITCH EMERGENCY STOP



84-8M6000699

E-Stop switch for emergency stop
All diesel engines (SC 2.5)

KEY SWITCH EXTENSION - NO CRANK - 20 FOOT



84-879312T77

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 20 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 30 FOOT

84-879312T78

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 30 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 40 FOOT

84-879312T79

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 40 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 50 FOOT

84-879312T80

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 50 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 60 FOOT

84-879312T81

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 60 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 70 FOOT

84-879312T82

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 70 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 80 FOOT

84-879312T83

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 80 foot length
Used on all DTS engines.

VESSEL PANELS DTS

VESSEL INTERFACE PANEL



84-8M0070056

Vessel interface Panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard (SC 2.2)

8M0086566

Vessel interface panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard (SC 2.5)

84-8M0070058

Vessel interface panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard + Troll (SC 2.2)

8M0086567

Vessel interface panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Inboard + Troll (SC 2.5)

VESSEL INTERFACE PANEL - QSB/QSC/QLS/QSM

84-8M0070060

Vessel interface panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data.
NON-DTS Inboard (SC 2.2), QSB/QSC/QLS/QSM

VESSEL PANEL -VIP - QSB/QSC/QLS/QSM

8M0086565

Vessel interface panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
NON-DTS Inboard (SC 2.5)

84-8M0070062

Vessel interface panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Sterndrive (SC 2.2)

77-8M0078038

Vessel interface panel for QSB/QSC/QLS/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Sterndrive (SC 2.5)

VESSEL INTERFACE PANEL - QSB/QSC/QL/QSM

84-8M0070063

Vessel interface panel for QSB/QSC/QL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
NON-DTS Sterndrive (SC 2.2), QSB/QSC/QL/QSM

VESSEL PANEL -VIP - QSB/QSC/QL/QSM

77-8M0078039

Vessel interface panel for QSB/QSC/QL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
NON-DTS Sterndrive (SC 2.5)

VESSEL PANEL KIT



8M0070435

VIP Kit with Harness, VIP and Operations Manual. Flashed with software. (Includes 8M0070064)
Zeus Twin (SC 2.2)

VESSEL PANEL KIT



8M0072599

VIP Kit with Harness, VIP and Operations Manual. Flashed with software. (Includes 8M0078774)
Zeus Twin (SC 2.5)

VESSEL PANEL -VIP - QSB/QSC/QL/QSM



84-8M0070064

Vessel integration panel for QSB/QSC/QL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Zeus (SC 2.2)

8M0088792

Vessel integration panel for QSB/QSC/QL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Zeus (SC 2.5)

VESSEL INTERFACE PANEL

84-8M0070055

Vessel integration panel for QSB/QSC/QL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Hydra Triple Zeus (SC 3.0)

VESSEL PANEL -VIP - QSB/QSC/QL/QSM

84-8M0070053

Vessel integration panel for QSB/QSC/QL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
DTS Hydra Quad Zeus (SC 3.0)

VESSEL INTERFACE PANEL - NO SIM

84-8M6001456

Service Vessel interface panel without Sim. Used to service all VIP boxes for single and twin models. (White Box)
QSB/QSC/QL/QSM Single and Twin engines (Inboard, Sterndrive and Zeus)

84-8M6001455

Service Vessel interface panel without Sim. Used to service all VIP boxes for triple models. (White Box)
QSB/QSC/QL/QSM Triple engines (Zeus)

84-8M6001454

Service Vessel interface panel without Sim. Used to service all VIP boxes for Quad models. (White Box)
QSB/QSC/QL/QSM Quad engines (Zeus)

PANELS DTS

MERCURY DIESEL VESSEL INTERFACE PANEL - DTS INBOARD



84-8M0070066

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Mercury Diesel - DTS Inboard (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

MERCURY DIESEL VESSEL INTERFACE PANEL - DTS INBOARD (TROLL)

84-8M0070068

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data.
Mercury Diesel - DTS Inboard + Troll (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

MERCURY DIESEL VESSEL INTERFACE PANEL - DTS STERNDRIVE

84-8M0070069

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Mercury Diesel - DTS Sterndrive (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

MERCURY DIESEL VESSEL INTERFACE PANEL - AXIUS GEN II

84-8M0070070

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Mercury Diesel - Axius Gen II (SC 2.5), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

VESSEL INTERFACE PANEL - NO SIM

84-8M6000701

service Vessel Interface Panel without Sim. Used to service all VIP boxes DTS models. (White Box)
DTS QSD engines (Inboard, Sterndrive and Axis)

PANELS NON DTS

VESSEL INTERFACE PANEL - QSB/QSC/QSL/QSM



84-8M0070060

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data.
NON-DTS Inboard (SC 2.2), QSB/QSC/QSL/QSM

VESSEL PANEL -VIP - QSB/QSC/QSL/QSM

8M0086565

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
NON-DTS Inboard (SC 2.5)

VESSEL INTERFACE PANEL - QSB/QSC/QSL/QSM

84-8M0070063

Vessel interface panel for QSB/QSC/QSL/QSM diesel engines that includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
NON-DTS Sterndrive (SC 2.2), QSB/QSC/QSL/QSM

VESSEL INTERFACE PANEL - NO SIM

84-8M6001456

Service Vessel interface panel without Sim. Used to service all VIP boxes for single and twin models. (White Box)
QSB/QSC/QSL/QSM Single and Twin engines (Inboard, Sterndrive and Zeus)

MERCURY DIESEL VESSEL INTERFACE PANEL - MECH INBOARD

84-8M0070071

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Mercury Diesel - Mechanical Inboard (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

MERCURY DIESEL VESSEL INTERFACE PANEL - MECH STERNDRIVE

84-8M0070072

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Mercury Diesel - Mechanical Sterndrive (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

VESSEL INTERFACE PANEL - NO SIM

84-8M6000703

Service Vessel Interface Panel without Sim. Used to service all VIP boxes for Non DTS models. (White Box)
Non DTS QSD engines (Inboard and Sterndrives)

VESSEL INTEGRATION PANEL (VIP)- SERVICE



8M2004361

Service Panel with SIMS (service software)
QSD Non DTS -Inboard and Sterndrive

SIMS MODULE- SERVICE

8M2004362

Sims Only with software (service software)
QSD Non DTS - Inboard (SC 2.0)

8M2004360

Sims Only with software (service software)
QSD Non DTS - Sterndrive (SC 2.0)

VESSEL INTEGRATION PANEL (VIP)- NO SIMS



8M2004358

Service replacement - with complete software loaded
QSD Non DTS-Inboard / Jet (non current - SC 2.0)

VIP MODULES -INTERFACE PANELS

VIP MODULE WITH SOFTWARE



77-8M0075826

VIP Module loaded with specific software
QSD Inboard SC 2.2 DTS and QSB, QSC and QSM Inboard SC 2.2 DTS

77-8M0089513

VIP Module loaded with specific software
QSB, QSC, QSM Inboard SC 2.5 DTS

77-8M0075829

VIP Module loaded with specific software
QSD Inboard Plus Troll SC 2.2 DTS and QSB,QSC,QSM Inboard Plus Troll SC 2.2 DTS

77-8M0089514

VIP Module loaded with specific software
QSB,QSC,QSM Inboard Plus Troll SC 2.5 DTS

77-8M0075831

VIP Module loaded with specific software
QSB,QSC, QSM Inboard SC 2.2 Non DTS

77-8M0089515

VIP Module loaded with specific software
QSB,QSC,QSM Inboard SC 2.5 Non DTS

77-8M0075833

VIP Module loaded with specific software
QSD Sterndrive SC 2.2 DTS and QASB,QSC,QSM Sterndrive SC 2.2 DTS

VIP MODULE

77-8M0078044

VIP Modules with Software
QSB/QSC/QSL/QSM Sterndrive DTS SC 2.5

VIP MODULE STERNDRIVE NON DTS SC 2.5

77-8M0078045

VIP Modules with Software
QSB/QSC/QSL/QSM Sterndrive Non DTS SC 2.5

VIP MODULE WITH SOFTWARE

77-8M0075836

VIP Module loaded with specific software
QSB,QSC,QSM Zeus SC 2.2 DTS

77-8M0089516

VIP Module loaded with specific software
QSB,QSC,QSM Zeus SC 2.5 DTS

77-8M0075824

VIP Module loaded with specific software
Zeus Hydra Triple and Quad SC 3.0 DTS

MERCURY DIESEL VESSEL INTERFACE PANEL - MECH INBOARD



84-8M0070071

Vessel Interface Panel: includes a SIM and loaded software for a specific engine family. (White Box)
VIP communicates diesel engine data
Mercury Diesel - Mechanical Inboard (SC 2.2), Tier 2 (2.0L, 2.8L and 4.2L inline engines)

VIP MODULE WITH SOFTWARE



77-8M0075826

VIP Module loaded with specific software
QSD Inboard SC 2.2 DTS and QSB, QSC and QSM Inboard SC 2.2 DTS

77-8M0075829

VIP Module loaded with specific software
QSD Inboard Plus Troll SC 2.2 DTS and QSB,QSC,QSM Inboard Plus Troll SC 2.2 DTS

77-8M0075833

VIP Module loaded with specific software
QSD Sterndrive SC 2.2 DTS and QASB,QSC,QSM Sterndrive SC 2.2 DTS

77-8M0075841

VIP Module loaded with specific software
QSD Axis Gen I SC 2.2 DTS

77-8M0075842

VIP Module loaded with specific software
QSD Axis Gen II SC 2.5 DTS

77-8M0075843

VIP Module loaded with specific software
QSD Inboard SC 2.2 Non DTS

77-8M0075835

VIP Module loaded with specific software
QSD Sterndrive SC 2.2 Non DTS

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - DTS INBOARD



8M0089492

Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - DTS Inboard, Tier 3

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - DTS STERNDRIVE

8M0089494

Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - DTS Sterndrive, Tier 3

MERCURY DIESEL 2.0LVESSEL INTERFACE PANEL - MECH INBOARD

8M0089495

Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - Mechanical Inboard, Tier 3

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - MECH STERNDRIVE (ALPHA)

8M0089496

Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - Mechanical Sterndrive (Alpha), Tier 3

MERCURY DIESEL 2.0L VESSEL INTERFACE PANEL - MECH STERNDRIVE (BRAVO)




8M0091581

Vessel Interface Panel: loaded with software specific to this application.
Mercury Diesel 2.0L - Mechanical Sterndrive (Bravo), Tier 3

HELM PANEL DTS - MAIN STATION

HELM PANEL BOARD



8M0071493

This helm board includes CCM, harness, and hardware used to install DTS Single engine applications.
Cummins Single DTS.


MERCURY DIESEL SINGLE ENGINE SINGLE HELM PANEL DTS BOARD



84-8M0071357

This helm board includes CCM, harness and hardware needed to install DTS on single applications.
Mercury Diesel Tier 2: Single engine DTS applications (Inboards and Sterndrives (SC 2.2))


HELM PANEL BOARD



8M0071494

This helm board includes CCM, harness, and hardware used to install DTS Twin engine applications
Cummins Dual DTS

MERCURY DIESEL HELM PANEL BOARD - AXIUS GEN II



98-8M3800000

This helm board will include CCM's, Harness and Hardware needed to Gen II Axius on diesel DTS engines (specific application)
Mercury Diesel Axius Gen II (SC 2.5) on Tier 2 4.2L engine

ZEUS HELM BOARD



84-8M0139671

Zeus helm board for 2.5+ applications
Zeus dual engine only

HELM PANEL DTS - SECOND STATION

MERCURY DIESEL DUAL ENGINE SECOND HELM PANEL DTS KIT

8M0071420

This helm panel kit is used for the second helm station for dual diesel engine applications. It includes the helm board with CCM loaded software, hardware, harness, start/stop switch and hardware.
Mercury Diesel Tier 2: Dual DTS engine (Inboards, Inboards +Troll and Sterndrive - Uses CCM 48)

CCM SERVICE MODULES

CCM MODULE SC 2.5



77-8M0075773

CCM Module with Software (CCM10)
QSB,QSC,QSL,QSM Inboard, Inboard plus Troll and Sterndrive CCM Module SC 2.5

CCM MODULE SC 2.2 STBD



77-8M0075786

CCM Module with Software (CCM 48)
QSB,QSC,QSM Zeus CCM Module SC 2.2

CCM MODULE SC 2.2 PORT

77-8M0075787

CCM Module with Software (CCM 48)
QSB,QSC,QSM Zeus CCM Module SC 2.2

CCM MODULE SC 2.2

77-8M0075795

CCM Module with Software (CCM 48)
QSB, QSC, QSM, QSD Inboards and Sterndrives - CCM Module SC 2.2

CCM MODULE - ZEUS HYDRA



77-8M0075767

CCM Module with Software (CCM10)
Multiple Engine Zeus Hydra - Triple and Quad

CCM MODULE SC 2.2



77-8M0075809

CCM Module with Software (CCM 48)
QSD, QSB, QSC, QSM AutoPilot Module

CCM MODULE - ZEUS HYDRA

8M0107056

CCM Module with 3.0 Software (Auto Pilot Module)
Multiple Engine Zeus Hydra - Triple and Quad

CCM MODULE AXIUS GEN II



77-8M0075769

CCM Module with Software (CCM10)
QSD Axius Gen II SC 2.5 (CCM 10) Twin Engines

CCM MODULE SC 2.2 PORT



77-8M0075794

CCM Module with Software (CCM 48)
QSD Axius Gen I - CCM Module SC 2.2

CCM MODULE SC 2.2

77-8M0075795

CCM Module with Software (CCM 48)
QSB, QSC, QSM, QSD Inboards and Sterndrives - CCM Module SC 2.2

ADAPTERS AND HARNESSES

SHIFT ACTUATOR HARNESS



84-879312T12

Shift actuation harness.
Sterndrive harness extension

VESSEL SENSOR HARNESS



84-879312T13

Vessel sensor harness with neutral safety.


EXTENSION HARNESS- NEUTRAL SAFETY



84-899887T01

Harness extension used with neutral safety switch. (DTS Shift Actuator)
Sterndrives (DTS)


GEAR ACTUATOR HARNESS



84-879312T10

Gear actuator harness.
On/Off
Forward/Reverse.
Inboard with DIN connector.

GEAR ACTUATOR EXTENSION HARNESS



84-879312T11

Actuator extension harness DTS Troll with DIN Connector
Gear On/Off, Forward/Reverse
Twin Disc gear actuation

GEAR ACTUATOR HARNESS



84-879312T23

DTS Inboard with fuel injector connector (ZF gear actuation)


ACTUATOR WIRING HARNESS



84-879312T09

Gear forward/reverse.
Sterndrive
DTS Troll with fuel injector connector.

HARNESS MERCATHODE 12 V



84-879148T41

Harness for 12 volt MerCathode installation
Zeus QSB/QSC EA 9164 QSM SV 2709

HARNESS MERCATHODE 24 V



84-897345T63

Harness used with MerCathode 24 volt
Zeus QSB/QSC EA 9165 QSM SV2709

HARNESS SKYHOOK



84-879150A33

Harness to connect to Skyhook Warning System
Zeus Optional EA 8314

MUS ID JUMPER



84-8M2004357

MUS ID Jumper - assigns the City ID to be used for a diesel engine
Used to identify the Port Outer diesel engine in a dual, triple or quad application

84-8M0069106

MUS ID Jumper - assigns the City ID to be used for a diesel engine
Used to identify the Port Inner diesel engine in a quad application

84-8M0109294

MUS ID Jumper - assigns the City ID to be used for a diesel engine
Used to identify the Starboard Inner diesel engine in a triple or quad application

84-8M0109337

MUS ID Jumper - assigns the City ID to be used for a diesel engine
Used to identify the Starboard Outer diesel engine in a single, dual, triple or quad application

HARNESS ASSEMBLY



84-899887T02

Mercury Diesel Inboards (both DTS and Mechanical)

DRIVE APPLICATION HARNESS EXTENSION



84-879172T90

5 foot drive application extension harness
Zeus applications

84-879172T91

10 foot drive application extension harness
Zeus applications

84-879172T92

15 foot drive application extension harness
Zeus applications

84-879172T93

20 foot drive application extension harness
Zeus applications

HARNESS EXTENSION - ENGINE TO VIP



84-879345T61

Harness extension used to extend length from engine to VIP 5 ft
Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

84-879345T62

Harness extension used to extend length from engine to VIP 10 ft
Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

84-879345T63

Harness extension used to extend length from engine to VIP 15 ft
Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

84-879345T64

Harness extension used to extend length from engine to VIP 20 ft
Mercury Diesel - Sterndrives and Inboards (DTS and Mechanical) - does not apply to TDI

POWER HARNESS




84-899887T13

Engine unswitched power harness (10 ft)
All diesels - both Non DTS and DTS

84-899887T14

Engine unswitched power harness (20 ft)
All diesels - both Non DTS and DTS

VESSEL SENSOR HARNESS STERNDRIVE



84-8M0118368

Harness used to connect vessel sensors - Optional
All Sterndrive Diesels Non DTS and DTS Including Axis (not for TDI) and does not work with SmartCraft depth or steering sensors

VESSEL SENSOR HARNESS - INBOARDS



84-899887T08

Harness used to connect vessel sensors - Optional
All Inboards Diesels Non DTS and DTS (not for TDI) and does not work with SmartCraft depth or steering sensors

VESSEL SENSOR KIT



84-899887T09

Vessel sensor Connector Kit for building your own harness (optional)
All Diesel products

VESSEL SENSOR EXTENSION HARNESS



84-899888T21

Vessel sensor extension harness (Optional) 5 feet
All Diesel products Non DTS and DTS including Axius

84-899888T22

Vessel sensor extension harness (Optional) 10 feet
All Diesel products Non DTS and DTS including Axius

84-899888T23

Vessel sensor extension harness (Optional) 15 feet
All Diesel products Non DTS and DTS including Axius

84-899888T23

Vessel sensor extension harness (Optional) 15 feet
All Diesel products Non DTS and DTS including Axius

VESSEL SENSOR EXTENSION HARNESS



84-899887T17

Vessel sensor extension harness (Optional) 20 feet
All Diesel products Non DTS and DTS including Axius

HARNESS ADAPTER HALON



84-879312T20

This adapter harness (halon) is used on non DTS diesel installations. Order 1 for singles and 2 for twin engine installs.
Mercury Diesel Mechanical engines

HARNESS ADAPTER LANYARD




84-879312T21

This lanyard adapter harness is used in the helm station for Non DTS Diesel engines. Order 1 for singles and 2 for twin engine installs
Non DTS QSB, QSC, QSL, QSM and QSD helm stations

84-879312T22

This lanyard adapter harness is used in the helm station for Non DTS Diesel engines. Order 1 for singles and 2 for twin engine installs
Non DTS QSB, QSC, QSL, QSM and QSD helm stations

HARNESS -ADAPTOR- GENSET CONVERTER



84-879312T08

Converts SCv1 Genset to SCv2 connector
All Diesels

JOYSTICK: MAIN POWER RELAY HARNESS - 20 FT.



84-897345T08

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. (20 ft. long)

JOYSTICK: MAIN POWER RELAY HARNESS - 40 FT.



84-879172T85

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. (40 ft. long)

JOYSTICK: MAIN POWER RELAY HARNESS - 60 FT.

84-879172T86

Powers CCMs and TVMs for Joystick installations. Used in addition to 5 amp clean power harness. 60 ft. long

FUEL LEVEL HARNESS



84-8M0089989

4 pin fuel level harness used in conjunction with the applicable diesel vessel sensor harness to get up to two tank inputs per diesel engine.

Applies to all diesel applications from calendar year 2014 and later. Number of available tank inputs are specific to each diesel engine application (typically 1 to 2 per engine).

MISCELLANEOUS ACCESSORIES

These electrical accessories are for Diesel Installations

SHIFT ACTUATOR ASY



8M0111459

DTS Shift Actuator
Diesel Sterndrives (DTS)

CONVERTER - 12 TO 24 VOLT



8M0069711

This product will convert voltage from 12 V to 24 V 25 Amp
DTS Inboards and Sterndrives

VIBRATION ISOLATOR KIT



8M2011935

Vibration isolator kit
For mounting a Mercury ECU (which does need vibration isolation)

MATCHED KEY SWITCH KIT



87-8M3001384

Matched pair of 4 position key switches and keys along with the switch housings.
Any dual engine application which utilizes the 6 pin key switch connectors at the helm

DIESEL RIGGING

ACTIVE TRIM

Active Trim

Active Trim is an integrated GPS, speed-based automatic engine trim system from Mercury Marine. This intuitive, hands-free system continually adjusts engine trim based on changes in boat speed to improve performance, fuel economy, and ease of operation. It responds to boat maneuvers with precision and delivers a better overall driving experience. No knowledge of trimming an engine is needed to take advantage of Active Trim.



- As the boat accelerates, the engine will trim out
- As the boat decelerates, e.g. making a turn, the engine will trim in
- Active Trim can be overridden at any time by using the manual trim buttons
- Active Trim allows the boat operator to compensate for changes in boat load, driver preferences, and weather conditions while maintaining full automatic control

Active Trim is compatible with:

- Mercury FourStroke outboards from 40 to 400 HP
- Mercury SmartCraft-capable two-stroke outboards
- Mercury SmartCraft-capable gas and diesel sterndrive engines with digital trim senders

Engine Applications	Number of Engines	Part Number w Dash Pad	Part Number no Dash Pad
Digital Throttle & Shift (DTS) (Outboard and MerCruiser)	1 - 4	8M0111544	8M0129437
Race DTS (Outboard and MerCruiser)	1 - 4	8M0113442	8M0129438
150HP FourStroke / 150-250HP OptiMax (tiller excluded)	1	8M0111545	8M0129439
150HP FourStroke / 150-250HP OptiMax	2	8M0111552	8M0129440
75 - 115HP FourStroke (tiller excluded)	1	8M0111546	8M0129442
75 - 115HP FourStroke	2	8M0111553	8M0129456
40 - 60HP FourStroke (tiller excluded)	1	8M0111547	N/A
4.5L & 6.2L 300/350HP mechanical MerCruiser with digital trim sender	1	8M0111550	8M0129457
4.5L & 6.2L 300/350HP mechanical MerCruiser with digital trim sender	2	8M0111554	8M0129458

Note: The Active Trim Kit may include the Active Trim pad, ECU, harness and if necessary, digital trim sender. Active Trim part numbers are specific to engine families. Additional parts may be required dependent on boat rigging.



Learn more at mercurymarine.com

ACTIVE TRIM

Active Trim is Mercury Marine's patented GPS-based automatic engine trim system. This intuitive, hands-free system continually adjusts engine trim for changes in operating conditions to improve performance, fuel economy, and ease of operation. It responds to boat maneuvers with precision and delivers a better overall driving experience.



ACTIVE TRIM KITS

ACTIVE TRIM - DTS



8M0111544

The Active Trim Kit includes Active Trim pad, ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single - Quad Engine Verado 200-400HP and Single & Dual Engine DTS/JPS MerCruiser Sterndrive

ACTIVE TRIM - MECHANICAL MERCUISER - SINGLE ENGINE



8M0111550

The Active Trim Kit includes Active Trim pad, ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single Engine Mechanical Sterndrive 4.5L and 6.2L 300-350HP Only

ACTIVE TRIM - MECHANICAL MERCUISER - DUAL ENGINE



8M0111554

The Active Trim Kit includes Active Trim pad, ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Dual Engine Mechanical Sterndrive 4.5L and 6.2L 300 & 350HP only

ACTIVE TRIM - 3.4L V6 AND 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - SINGLE ENGINE



8M0111545

The Active Trim Kit includes Active Trim pad, ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single Engine 3.4L V6 175-225hp, 4.6L V8 200-300hp, 150HP FourStroke, Optimax 150-250hp

ACTIVE TRIM - 3.4L V6, 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - DUAL ENGINE



8M0111552

The Active Trim Kit includes Active Trim pad, ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Dual Engine 3.4L V6, 4.6L V8, 150HP FourStroke and Optimax 150-250hp

ACTIVE TRIM - 75-115HP FOURSTROKE - SINGLE ENGINE




8M0111546

The Active Trim Kit includes Active Trim pad, ECU, harness and digital trim sender. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single Engine 75-115HP FourStroke (SN 2B095049 and up)

ACTIVE TRIM - 75-115HP FOURSTROKE - DUAL ENGINE



8M0111553

The Active Trim Kit includes Active Trim pad, ECU, harness and digital trim sender. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Dual Engine 75-115HP FourStroke (SN 2B095049 and up)

ACTIVE TRIM - 40-60HP FOURSTROKE - SINGLE ENGINE



8M0111547

The Active Trim Kit includes Active Trim pad, ECU, harness and digital trim sender. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single Engine Gen 5 40-60HP FourStroke (SN 1C453940 and up)

PERFORMANCE ACTIVE TRIM



8M0113442

The Active Trim Kit includes Active Trim pad, ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Greater than 70 mph Single - Quad Engine Verado 200-400HP and Single - Dual Engine 500+HP DTS High Performance Sterndrives

ACTIVE TRIM - DTS (WITHOUT TRIM PAD)



8M0129437

The Active Trim Kit includes the ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single - Quad Engine Verado 200-400HP and Single & Dual Engine DTS/JPS MerCruiser Sterndrive and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

PERFORMANCE ACTIVE TRIM (WITHOUT TRIM PAD)



8M0129438

The Active Trim Kit includes the ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Greater than 70 mph Single - Quad Engine Verado 200-400HP and Single - Dual Engine 500+HP DTS High Performance Sterndrives and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 3.4L V6, 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - SINGLE ENGINE (WITHOUT TRIM PAD)



8M0129439

The Active Trim Kit includes the ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single Engine 3.4L V6, 4.6L V8, 150HP FourStroke and Optimax 150-250hp and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 3.4L V6, 4.6L V8, 150HP FOURSTROKE, OPTIMAX 150-250HP - DUAL ENGINE (WITHOUT TRIM PAD)



8M0129440

The Active Trim Kit includes the ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Dual Engine 3.4L V6, 4.6L V8, 150HP FourStroke and Optimax 150-250hp and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 75-115HP FOURSTROKE - SINGLE ENGINE (WITHOUT TRIM PAD)



8M0129442

The Active Trim Kit includes the ECU, harness and digital trim sender. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single Engine 75-115HP FourStroke and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display. (SN 2B095049 and up)

ACTIVE TRIM - MECHANICAL MERCUISER - SINGLE ENGINE (WITHOUT TRIM PAD)




8M0129457

The Active Trim Kit includes the ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Single Engine Mechanical Sterndrive 4.5L and 6.2L 300-350HP only and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - 75-115HP FOURSTROKE - DUAL ENGINE (WITHOUT TRIM PAD)



8M0129456

The Active Trim Kit includes the ECU, harness and digital trim sender. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Dual Engine 75-115HP FourStroke and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display. (SN 2B095049 and up)

ACTIVE TRIM - MECHANICAL MERCURISER - DUAL ENGINE (WITHOUT TRIM PAD)



8M0129458

The Active Trim Kit includes the ECU and harness. Active Trim part numbers are specific to engine families. Ensure correct kit is ordered. Additional parts may be required dependent on boat rigging.

Dual Engine Mechanical Sterndrive 4.5L and 6.2L 300 & 350HP only and using a VesselView 502 or 702 and newer display or using a VesselView Link and Lowrance or Simrad display.

ACTIVE TRIM - PAD ONLY



8M0112041

Active trim pad for second helm and/or service replacement

DIGITAL TRIM SENDER KIT - 40-60HP FOURSTROKE



8M0109720

Digital Trim Sender Kit
40-60HP FourStroke

DIGITAL TRIM SENDER KIT - 75-115HP FOURSTROKE



8M0109722

Digital Trim Sender Kit
2.1L 75-115HP FourStroke

TRIM SENSOR CONVERTER KIT



8M0059529

This kit will allow you to convert the signal from the digital sensor to an analog signal. It will allow you to drive an analog gauge for trim only without changing the sensor to an analog sensor. This kit will connect directly to the harness inside the engine cowl.

F150 EFI FourStroke outboard engine only

DIGITAL TO ANALOG CONVERTER




8M0111837

Enables use of analog trim gauge with digital trim sender

F2 40-60 HP FourStrokes, 2.1L 75-115 HP FourStrokes and Optimax V6

ACTIVE TRIM SIDE MOUNT ADAPTER KIT



84-8M0114502

Kit contains bullet to Molex connector to make Active Trim compatible with mechanical side mount control

Only required on boats utilizing mechanical side mount control

JUNCTION BOXES/JUNCTION BOX ACCESSORIES

SMARTCRAFT WEATHER CAP



859318T 2

Weather Cap for SmartCraft Junction Box

Provides weather protection at unused junction box connection points

859318B 2

Weather Cap for SmartCraft Junction Box
Provides weather protection at unused junction box connection points
Priced individually, sold @ multiples of 24

10 PIN WEATHER CAP



888507T

10 pin weather cap with mounting tab.
Used for harnessing that could plug into a Junction Box.

SMARTCRAFT J-BOX TERMINATOR/RESISTOR



859318T 1

SmartCraft Yellow 10-pin Terminator/Resistor
Provides CAN Bus termination for CAN P network.

TERMINATOR ASSEMBLY

Image not Available.

859318A04

Terminator Assembly for CAN 1 and 3.

SMARTCRAFT J-BOX TERMINATOR/RESISTOR



859318B 1

SmartCraft Yellow Junction Box Terminator/Resistor
Provides CAN Bus termination where installed
Priced individually, sold @ multiples of 24

TERMINATOR ASSEMBLY



8M0055652

SmartCraft Red Terminator Can 1/P & H

TERMINATOR 10 PIN CAN V



859318T05

10 Pin terminator Can V
All Diesels

RESISTOR- TERMINATION- 2 PIN



893388A01

Blue 2-pin terminator/resistor
Provides CAN bus termination for CAN Networks.

HELM MPR 2 PIN WEATHER CAP



86-8M0054244

GT280 2 pin male weather cap.
Used on Joystick (Zeus, Axius and JPO) applications for the Helm MPR connection harness 8M2021476.

PLUG ASY DIAGNOSTIC PORT



8M0046339

10 pin diagnostic port for use on any SmartCraft application. Used as a 10 pin diagnostic port for connecting Mercury Computer Diagnostic System (CDS) junction box connection. Typically gets mounted at the helm, out of line of sight so that a technician does not have to disassemble helm to plug into a 10 pin connection. Requires a harness from back of diagnostic port to a 10 pin SmartCraft connection in the rigging.

J-BOX Y HARNESS

Image not Available.

84-8M0165555

J-BOX Y HARNESS

5-WAY J-BOX KIT W/3 WEATHER CAPS

Image not Available.

98-8M0165557

5-WAY J-BOX KIT w/3 WEATHER CAPS

5-WAY J-BOX KIT @ 24 KIT

Image not Available.

8M0175293

5-WAY J-BOX KIT @ 24 Kit
Priced individually, sold @ multiples of 24

J-BOX STACKING PLUG KIT

Image not Available.

23-8M0174363

J-BOX STACKING PLUG KIT. J-BOX Stacking Plug designed for easily vertical stackability of J-Boxes, allows for all plugs to be positioned on one side

BLUE CAN P RESISTOR

Image not Available.

82-8M0171627

BLUE CAN P RESISTOR

SMARTCRAFT GAUGE HARNESSES

SC1000 SYSTEM TACHOMETER HARNESS



84-879979T11

3 ft. (.9 meters) Tachometer Harness
Provides connection to SC1000 System Tachometer, horn and SC100 Series Gauges. Requires the use of SmartCraft Junction Boxes listed in SC1000 Section.

SC1000 SYSTEM SPEEDOMETER HARNESS



84-879978T11

3 ft. (.9 meters) Speedometer Harness
Provides connection to SC1000 System Speedometer, air temp, GPS (0183) and horn. Requires the use of SmartCraft Junction Boxes listed in SC1000 Section. See SC1000 System Speedometer product in SC1000 Section.

3 FOOT SMARTCRAFT EXTENSION HARNESS



84-8M0138593

All 10 pins are populated in this SmartCraft 3 foot extension harness
Used to extend SmartCraft connections up to 3 feet

DUAL ENGINE INSTRUMENT ADAPTER



84-892323T01

Allows gauges to be powered from any key switch on dual applications
Works with all SmartCraft compatible engines

TRIPLE ENGINE INSTRUMENT ADAPTER

84-892323T08

Allows gauges to be powered from any key switch on triple applications.
Works with all SmartCraft compatible engines

HARNESS ASSEMBLY- DUAL

Image not Available.

84-892323A10

Racing Dual engine Mechanical jbox adapter with CANP link and diodes. Use with racing mech 14 pin helm harness

QUAD ENGINE INSTRUMENT ADAPTER



84-898284T01

Allows gauges to be powered from any key switch on triple applications.
Works with all SmartCraft compatible engines.

TROLL CONTROL Y HARNESS



84-8M0042976

Y harness allows you to connect directly to main engine harness and the Troll Control kit without using a "J" box. Mechanical 14pin CANP breakout harness only. Not compatible with Next Gen DTS or any other CANH system. Used with Troll Control Kit 879365K08 (879365A08)

SC 100 LINK HARNESSES

SYSTEM LINK ADAPTER KIT



84-8M0052774

Kit that drives SC100 Link Gauges from 10 Pin connection at the helm. Contains 10 pin to 3 pin adapter and 3 pin to 3 pin low voltage reset module. Engine must be capable of providing Tach Link output and gray analog tach wire must be populated in 10 pin connection at helm in order to utilize this kit.

SYSTEM LINK RESET HARNESS



898289T42

Resets SC 100 gauges in the event of voltage drops due to starting engine with a low/weak battery. Use in conjunction with System Link Harness (84-892821K01) SmartCraft SC 100 gauges

SC 100 DATA HARNESS



84-880756T05

6 in. SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

SC 100 DATA HARNESS



84-880756T 1

1 ft. (.3 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

84-880756T 3

3 ft. (.9 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

84-880756T10

10 ft. (3.0 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

84-880756T30

30 ft. (9.1 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

10 PIN (YELLOW) DATA HARNESSES

CAN DATA HARNESS - 10 PIN - NO RESISTORS DTS (YELLOW)



84-879312T44

Contains CAN 1,2, and 3. 1 ft. (0.3 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

84-879312T45

Contains CAN 1,2, and 3. 2 ft. (0.6 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

84-879312T46

Contains CAN 1,2, and 3. 3 ft. (0.9 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

84-879312T47

Contains CAN 1,2, and 3. 4 ft. (1.2 meter) SmartCraft data harness without resistors

Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

CAN DATA HARNESS - 10 PIN - NO RESISTORS (YELLOW)

84-879969T 6

6 ft. (1.8 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T10

10 ft. (3.0 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T15

15 ft. (4.6 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T20

20 ft. (6.1 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T30

30 ft. (9.1 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

DATA CABLE- 40 FT




Image not Available.

84-8M0166624

40 ft. (12.1 meter) SmartCraft data harness without resistors.
Provides data link between SmartCraft CAN P, X and H components

CAN DATA HARNESS - 10 PIN WITH ONE RESISTOR (YELLOW)



84-879980T10

10 ft. (3.0 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.

84-879980B10

10 ft. (3.0 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.
Priced individually, sold @ multiples of 12

84-879980T15

15 ft. (4.6 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.

84-879980T30

30 ft. (9.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.

84-879980B30

30 ft. (9.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.
Priced individually, sold @ multiples of 12

10 PIN (BLUE) DATA HARNESSES

CAN DATA HARNESS - 10 PIN NON DTS WITH RESISTORS (BLUE)



84-879982T20

20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879982B20

20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.
Priced individually, sold @ multiples of 12

84-879982T25

25 ft. (7.6 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879982T30

30 ft. (9.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879982B30

30 ft. (9.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.
Priced individually, sold @ multiples of 12

CAN DATA HARNESS - 10 PIN - NO RESISTORS NON DTS (BLUE)



84-879968T 6

6 ft. (1.8 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft CAN P Components.

84-879968T10

10 ft. (3.0 meter) SmartCraft data harness without resistors and no additional connections
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879968B10

10 ft. (3.0 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components
Priced individually, sold @ multiples of 12

84-879968T15

15 ft. (4.6 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-879968T20

20 ft. (6.1 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-879968T25

25 ft. (7.6 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-879968T30

30 ft. (9.1 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-879968B30

30 ft. (9.1 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components
Priced individually, sold @ multiples of 12

84-879968T50

50 ft. (15.2 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-879968T80

80 ft. (24.4 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

CAN DATA HARNESS - 10 PIN - ONE RESISTOR NON DTS (BLUE)



84-879981T10

10 ft. (3.0 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-879981T15

15 ft. (4.6 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-879981T20

20 ft. (6.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-879981B20

20 ft. (6.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components
Priced individually, sold @ multiples of 12

84-879981T25

25 ft. (7.6 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-879981T30

30 ft. (9.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-879981T50

50 ft. (15.2 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

84-879981T80

80 ft. (24.4 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft System CAN Bus Components

ADAPTER HARNESSES - 10 PIN

ADAPTER-10 PIN



84-892452T01

Male to male 10 pin adapter cable. Allows connection between CAN 1 communication cable and Command Module harness in applications where a junction box is used.

ADAPTER-10 PIN



84-892453A01

Used to adapt a 10-pin male connector to another 10-pin male connector.

"Y" ADAPTER HARNESS - LINK ADAPTER



84-8M0082859

Used on DTS engines that require extend length CAN networks. Used for long data run multi-engine applications, primarily those utilizing CAN H.

TRIPLE/QUAD LINK HARNESS - 10 FOOT



98-8M0071598

Allows multiple Joystick engines to communicate, 10 foot length 10 pin Joystick link harness containing CAN P and CAN H

TRIPLE/QUAD DTS LINK HARNESS

84-8M0077124

Allows multiple DTS engine connections to link systems to communicate with each command module. 15 ft
2005 - Present DTS engines CAN P and CAN H Data

84-8M0077125

Allows multiple DTS engine connections to link systems to communicate with each command module. 20 ft
2005 - Present DTS engines CAN P and CAN H Data

HARNESS

Image not Available.

84-8M0176943

Allows multiple DTS engine connections to link systems to communicate with each command module. 25 ft
2005 - Present DTS engines CAN P and CAN H Data

HARNESS

Image not Available.

84-8M0176944

Allows multiple DTS engine connections to link systems to communicate with each command module. 30 ft
2005 - Present DTS engines CAN P and CAN H Data

CAN P LINK HARNESS ASSEMBLY



84-891957K01

Link cable in connected between junction boxes to allow communication between port and starboard systems in dual applications.

ADAPTER HARNESSES - 2 PIN

2 PIN LINK HARNESS- CAN



84-893452A01

Used to link CAN Networks together.

2 PIN "Y" ADAPTER HARNESS - LINK ADAPTER



84-896370T01

Used on DTS engines that require extended length CAN networks.

HARNESS

Image not Available.

84-8M0060420

6pin engine to 2pin WIF sensor
No SmartCraft fuel or paddle included.

ADD-ON SENSOR HARNESSES

ADVANCED SOUND CONTROL KIT



8M0143359

Provides an interface for a dash-mounted dedicated button or switch to manipulate the Advanced Sound Control capability on Verdao AMS applications (4.6L V8 only) Optional kit for Verado AMS applications (4.6L V8) that is not required when a version 9 SmartCraft gauge or a VesselView403/502/702/903 or compatible Simrad or Lowrance display is used (control capability is within the user interface).

OIL LEVEL STATUS KIT



8M0142265

Optional kit for to report oil level status to be used in conjunction with SmartCraft gauges or displays. Feature comes standard on 4.6L V8 Verado AMS. Can be added to 3.4L V6 and 4.8L V8 engines that do not have this feature. Oil level status can be viewed on VesselViews and SmartCraft gauges.

DIGITAL BLOCK WATER PRESSURE SENSOR



71-8M0142696

Optional kit to add digital block water pressure to the SmartCraft data stream Applicable to the non-DTS 3.4L V6 and 4.6L V8 engines (DTS versions have this sensor as standard)

ANALOG BLOCK WATER PRESSURE SENDER



8M0145165

Optional kit to add analog block water pressure feature to a digital engine Applicable to DTS 3.4L V6 and 4.6L V8 engines (mechanical engines have this sensor as standard)


BOAT HARNESS - FUEL/PADDLE



84-8M0146321

6-Pin male harness connects tanks and paddle wheel to SmartCraft system. Fixes fuel reading fluctuations For all Verado and 2006 and newer SmartCraft compatible outboard engines 75 HP and above. Also fits MCM/MIE engines (s/n 0W650000 and above). Includes fuel/paddle harness, 6 pin adapter, male bullet insulator and terminals.


BOAT HARNESS - FUEL/PADDLE



84-8M0075945

6-Pin male harness connects tanks and paddle wheel to SmartCraft system For all Verado and 2006 and newer SmartCraft compatible outboard engines 75 HP and above. Also fits MCM/MIE engines (s/n 0W650000 and above).

BOAT HARNESS ADAPTER



84-898285T01

Needed in order to adapt newer engines that are equipped with a female 6-pin connector to a 6-pin female boat harness.

SMARTCRAFT RIGGING

HARNESS ADAPTER

Image not Available.

84-8M0060421

Harness adapter

BOAT HARNESS ADAPTER- 6 PIN F- 6 PIN F 6'



84-883459T01

Needed in order to adapt newer engines that are equipped with a female 6-pin connector to connect to a 6-pin female boat harness.

PADDLE WHEEL HARNESS - 5 FOOT EXTENSION



84-8M0122787

Paddle Wheel extension harness - 5 feet

PADDLE WHEEL HARNESS - 10 FOOT EXTENSION

84-864988

Paddle Wheel extension harness - 10 feet

PADDLE WHEEL HARNESS - 15 FOOT EXTENSION

84-8M0122618

Paddle Wheel extension harness - 15 feet

PADDLE WHEEL HARNESS - 20 FOOT EXTENSION

84-8M0122619

Paddle Wheel extension harness - 20 feet

FUEL TANK HARNESS



84-898289T75

120 inch Harness needed to connect tank senders to the 350 Verado SCI and sterndrive models 565 through 1650. Used with all engines, including 450R and V12

84-898289T76

240 inch Harness needed to connect fuel tank senders to the 350 Verado SCI and sterndrive models 565 through 1650

VESSEL ADAPTER HARNESS



84-898289T74

Harness is used to connect the traditional 6pin SmartCraft boat harness to the Verado 350 SCI to communicate with tank sensors.

HARNESS

Image not Available.

84-8M0060420

6pin engine to 2pin WIF sensor
No SmartCraft fuel or paddle included.

ADAPTER HARNESS

Image not Available.

84-8M0137199

Racing 350SCI to 400R Fuel/Paddle/Vessel harness adapter

BLOCK WATER PRESSURE SENDER

BLOCK WATER PRESSURE DIGITAL KIT



8M0089111

Digital sensor to provide block water pressure on SmartCraft gauges.
2.1L F75-115 Four Stroke

FUEL SENDERS

FUEL GAUGE SENDING UNIT



851052Q

Designed for tanks that have a 5 screw flange. Use with 12 volt system. 33-240 ohm. Adjusts from 4 in.(10.2 cm) to 24 in.(60.7 cm)
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TRIM SENSORS

POWER TRIM SENDER



891777A01

Starboard Mounted. Required for digital gauge applications. Fits SmartCraft compatible engines.

SENSOR ASSEMBLY- TRIM



8M0095310

Fits all MerCruiser DTS engines, 496 Mag and 8.2L MPI models that do not require an analog sender to run analog gauges. All PCM 112 Mercury 4.5L & 6.2 engines. All MCM Racing engines 2003 and later. All MCM Diesel SmartCraft engines w/2.2 and 2.5 software.

SENSOR KIT- TRIM



863187A 2

Fits all SmartCraft compatible MerCruiser and Mercury Racing product when these models have the 555 ECM. Also used on CMD engines

ROTOR KIT



805134A 6

Optional rotor required when using SmartCraft instrumentation with the analog trim senders on 2001-2002 MPI engines.

Note: In May of 2002, the ECM 555 controller was modified to allow use of the standard rotor 805134A4 for use with SmartCraft instrumentation which has eliminated the need to swap out the standard H1 rotor with this optional J1 rotor.

For use on 2001-2002 MCM 4.3L, 5.0L, 350 Mag & 6.2L MPI engines with SmartCraft instrumentation. (s/n 0M300000-0M362927)

TRANSOM MOUNT TRANSDUCERS

DEPTH/SPEED/TEMP TRANSDUCER - TRANSOM MOUNT



79-8M0122503

Mounts to boat's transom and provides depth/speed/temp input to SmartCraft instruments. Beam is 11 degree conical with a useful depth range to 100 meters. Fits SmartCraft compatible engines

ADAPTER - HARNESS/SENSOR



84-881244A 1

2 to 4 pin adapter with power leads to connect depth transducers to 2002-2005 V6 EFI and OptiMax. This harness is included in the depth transducer kits(879295A01, 881933A11, 884207A11).

SPEED/TEMPERATURE SENSOR



859223A01

Single unit which measures boat speed via paddle wheel as well as water temperature.

Fits SmartCraft compatible engines.

859223B21

Fits SmartCraft compatible engines. BULK KIT

Priced individually, sold @ multiples of 24

TEMPERATURE SENSOR



56-820386A76

SC 1000 Speedo kit and VesselView Axisus and Outboard.

TRANSOM MOUNT TRANSDUCER BRACKETS

BRACKET-TRANSDUCER



859223001

Bracket only, used with the 859223 Speed/Temp sender.

TRANSDUCERS THRU HULL

TRANSDUCER INSERT HOUSING - THRU HULL



879296T01

This part is a housing that mounts thru boat's hull allows the insert of a speed/temp transducer (879296T02) or a speed/depth/temp transducer (8M0122504). Must be used with either an 879296T02 or 8M0122504.

DEPTH/SPEED/TEMP TRANSDUCER INSERT - THRU HULL



79-8M6004807

Mounts thru boat's hull, provides speed/depth/temp data input to SmartCraft instruments. Beam is 10 X 44 degree fan with a useful depth range to 70 meters. Recommended dead rise is 0 to 22 degrees.

*Must be used with transducer housing part# 879296T01. *This is not a stand alone part.

DEPTH/TEMP SENSOR/ THRU HULL/ 10 FT/ 20 DEGREE



79-8M0122505

10 foot thru hull depth and temp sensor. Beam is 12 degree conical with a useful depth range of 100 meters. Recommended dead rise is 16 to 24 degrees. Fits 2002 and newer SmartCraft engines

79-8M0122881

10 foot thru hull depth and temp sensor. Beam is 12 degree conical with a useful depth range of 100 meters. Recommended dead rise is 16 to 24 degrees. Fits 2002 and newer SmartCraft engines.

Priced individually, sold @ multiples of 12

DEPTH/TEMP SENSOR/ THRU HULL/ 19 FT/ 20 DEGREE



79-8M0122506

19 foot thru hull depth and temp sensor. Beam is 12 degree conical with a useful depth range of 100 meters. Recommended dead rise is 16 to 24 degrees. Fits 2002 and newer SmartCraft engines.

79-8M0122888

19 foot thru hull depth and temp sensor. Beam is 12 degree conical with a useful depth range of 100 meters. Recommended dead rise is 16 to 24 degrees. Fits 2002 and newer SmartCraft engines.

Priced individually, sold @ multiples of 12

DEPTH/TEMP SENSOR/ THRU HULL/ 19 FT/ 0 DEGREE



79-8M0122507

19 foot thru hull depth and temp sensor. Beam is 12 degree conical with a useful depth range of 100 meters. Recommended dead rise is 0 degrees. Fits 2002 and newer SmartCraft engines.

DEPTH/TEMP SENSOR/ THRU HULL/ 19 FT/ 0 DEGREE



79-8M0123434

19 foot thru hull depth and temp sensor. Beam is 12 degree conical with a useful depth range of 100 meters. Recommended dead rise is 0 degrees. Fits 2002 and newer SmartCraft engines.

Priced individually, sold @ multiples of 12

SPEED SENSOR & TEMP /THRU HULL



883090A01

19 ft.

Fits 2002 and newer SmartCraft engines

SPEED SENSOR & TEMP/ THRU HULL

883090B 1

19 ft.

Fits 2001 and newer OptiMax, 2002 and newer V-6 EFI & 30-60 EFI FourStroke and MerCruiser engines having the 555 ECM.

Priced individually, sold @ multiples of 12

TRANSDUCERS IN-HULL

DEPTH FINDER TRANSDUCER - IN HULL



79-8M0122502

Mounts in boat's hull and provides depth input to SmartCraft instruments. Plastic body.

In-Hull depth transducer. Beam is 7 degree conical with a useful depth range to 100 meters. Recommended dead rise is 0 to 22 degrees. Fits 2002 and newer SmartCraft engines.

PITOT KITS

PITOT/SPEED SENSOR KIT



881879A 2

100 PSI for speeds less than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit.

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

PITOT/SPEED SENSOR KIT



881879A 3

200 PSI for speeds greater than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit.

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

PITOT/SPEED SENSOR KIT



881879A22

This kit provides a hose hook up from the gearcase to a sensor to be engine mounted, allowing SmartCraft (digital) applications for a speedometer to receive a signal from the engine.

Fits the 75/90/115hp. (1.5L) OptiMax outboard engines, Model Year 2004 and newer.

PITOT/SPEED SENSOR KIT



881879A13

100 PSI for speeds less than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit. Includes 84-863931 harness (flat 4 pin to transom 10 pin) and 84-863737 harness (round 3 pin to flat 4 pin). Used on current 10 pin harness applications only.

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

PITOT/SPEED SENSOR KIT



881879A15

100 PSI for speeds less than 80 mph. Mounts to either the MerCruiser sterndrive transom bracket or to the boat near the engine. All parts required for mounting and connecting the sensor are included in the kit. Only includes the 84-863737 harness (round 3 pin to flat 4 pin)

Fits all SmartCraft compatible MerCruiser and Mercury Racing product.

SMARTCRAFT PITOT SENSOR KIT



8M0090447

Pitot sensor kit provides speed information for SmartCraft gauges. 2.1L F75-115 Four Stroke and 150 Four Stroke

SMARTCRAFT PITOT SENSOR (SPEED)



8M0103315

100 psi SmartCraft Pitot sensor for speed input
Verado Gen 5 350 HP engine only, all other Gen 5 Verado engines come with Pitot speed sensor

PRESSURE TRANSDUCER KIT



859210A 1

Speed pressure transducer is either mounted to the transom bracket or a location near the engine. 100 PSI sensor is plumbed to a speed pickup tube and then wired to the engine sensor plug included with SmartCraft Gauges.

Fits 2002 and newer OptiMax outboard engines at speeds less than 80 mph.

GPS KITS

NEW GPS ONLY KIT

Image not Available.

98-8M6009517

Low Cost GPS kit. Includes GPS, both mounts with GPS, and both brackets. No cable included. N2K or 10pin to 5pin required.

TOP MOUNT KIT - GPS

Image not Available.

98-8M6009518

Compact SmartCraft / N2K gps top mount kit. Note, the 8M6009517 kit has this mount included.

UNDER HELM GPS MOUNT KIT

Image not Available.

98-8M6009519

Compact SmartCraft / N2K gps under-helm mount kit. Note, the 8M6009517 kit has this mount included.

GPS EXTENSION CABLE



84-879171T21

3.2 foot extension cable to be used with GPS Kit (8M0024918)

CAN P GPS signal for non Auto Pilot equipped boats

84-879171T22

6.6 foot extension cable to be used with GPS Kit (8M0024918)

CAN P GPS signal for non Auto Pilot equipped boats

84-879171T23

9.8 foot extension cable to be used with GPS Kit (8M0024918)

CAN P GPS signal for non Auto Pilot equipped boats

NMEA2000

Mercury NMEA 2000®


Truly smart boating

Mercury Marine improves the process of connecting marine electronic devices by offering only top-performing products. All Mercury components have undergone rigorous testing and validation. The likelihood of failed connections can be reduced by limiting the number of connectors under the helm, thus improving communication between electronics.

With an almost endless number of options, you can make your on-board network as advanced as you like.



VesselView 903



6-way Junction Box

Starter Kit



All Mercury Controls & Rigging have a two year warranty. However, Controls & Rigging purchased with a propulsion package have the same warranty time frame as the propulsion package, including any additional extended warranty from Mercury (MPP), which could go up to seven years.

Mercury NMEA 2000 Components	
Description	Part Number
NMEA 2000 6-way Junction Box	8M0138268
NMEA 2000 SmartCraft Gateway	8M0105243
NMEA 2000 Starter Kit	8M0110642
NMEA 2000 Power Harness	8M0114012
0.5 meter NMEA Extension Harness	879171T01
1 meter NMEA Extension Harness	879171T02
2 meter NMEA Extension Harness	879171T03
3 meter NMEA Extension Harness	879171T04
4 meter NMEA Extension Harness	879171T05
5 meter NMEA Extension Harness	879171T06
6 meter NMEA Extension Harness	879171T07
7 meter NMEA Extension Harness	879171T08
8 meter NMEA Extension Harness	879171T09
9 meter NMEA Extension Harness	879171T10
10 meter NMEA Extension Harness	879171T11
NMEA 2000 "T" Connector	8M6004829
NMEA 2000 Resistor – Female	8M6004831
NMEA 2000 Resistor – Male	8M6004830
NMEA 2000 Weather Cap	8M6000708



Learn more at mercurymarine.com

©2018 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited. Simrad, SolarMax HD and GoFree are registered trademarks of Navico, Inc.

P/N 90-8M0143459

NMEA2000 COMPONENTS

NMEA2000 6-WAY JUNCTION BOX



84-8M0138268

Rather than using individual T's, use a rock-solid distribution block to build your NMEA2000 network. Has 6 individual connectors.

Works with any NMEA2000 standard 5 pin connector and can support both male and female termination resistors.

MALE - FEMALE 5-PIN EXTENSION HARNESS



84-879171T01

0.5 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T02

1 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T03

2 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T04

3 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T05

4 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T06

5 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T07

6 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T08

7 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T09

8 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T10

9 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

84-879171T11

10 meter long harness to extend any NMEA 2000 backbone or Mercury CAN H bus for IMU/GPS signal.

NMEA 2000 MULTI STARTER KIT

Image not Available.

98-8M0155341

Starter Kit includes NMEA 2000 power harness, 1 male termination resistor, 1 female termination resistor and a 6 connector NMEA 2000 distribution block (4way T)

Whenever a NMEA 2000 backbone is required, these are the basic components required to start that architecture

NMEA 2000 STARTER KIT



8M0110642

Kit includes NMEA 2000 power harness, 1 male termination resistor, 1 female termination resistor and a "T" connector

Whenever a NMEA2000 backbone is required, these are the basic components required to start that architecture

EXTENSION HARNESS KIT

Image not Available.

84-8M0133385

NMEA 2000 extension harness kit. Includes resistor cap, NMEA 2K T-fitting, harness assembly (4000 mm), harness assembly (6000 mm).

NMEA 2000 POWER HARNESS



84-8M0114012

NMEA 2000 power harness. Overmolded NMEA 2000 connector with fused harness.

Used to provide power to the NMEA 2000 bus.

NMEA2000 "T" CONNECTOR



8M6004829

NMEA2000 architecture requires "T" connectors to connect cable drops from the network to devices.

Useful for any NMEA2000 network application

NMEA2000 RESISTOR - FEMALE



8M6004831

NMEA2000 Resistor - Female pins
NMEA2000 networks require two termination resistors: one male and one female

NMEA2000 RESISTOR - MALE



8M6004830

NMEA2000 Resistor - Male pins
NMEA2000 networks require two termination resistors: one male and one female

NMEA 2000 WEATHER CAP



86-8M6000708

NMEA 2000 weather cap (male thread in).
Used to cap an open connection on NMEA 2000 network.

NMEA2000 WEATHER CAP - FEMALE



8M6001762

Replacement weather cap for NMEA2K connector on back of VesselView.
Used on VV403, VV502, VV703 and VV903

SMARTCRAFT RIGGING KITS

SMARTCRAFT RIGGING KIT



8M0056278

Kit contains the following:

- 1257- 8742A21 Oil Tanks with Oil Senders (2)
- 859223 Speed/Temperature Sensor (1)
- 84-859743T 1 Harness to oil, fuel and paddle wheel (2)
- 84-879981T30 SC1000R-30, 30 ft. (9.1 meter) Data Harnesses (2)
- 878492A16, 6-Plug J Box (1)
- 859318T 2 Weather Caps (2)
- 881175A 1 Male Connector Cap (1)
- 881176A 1 Female Connector Cap (1)

For dual application. Fits 2001-2005 OptiMax Outboards, 2002-2005 V-6 EFI Outboards and Pro Max Mercury Racing Outboards (when equipped with the 555 Electronic Control Module). The oil tank bracket may only be used as a floor mounted application.

SMARTCRAFT ENGINE DATA KIT



8M0056279

Kit contains the following:

- 1257- 8742A22 Oil Tank without Oil Sender (1)
- 79-879896K21 Front Mount SC1000 System Monitor
- Data Harness removed for 2006 (84-879982A30) - use new 14 pin harness with 84-896537 series which eliminates the data harness - 10 pin is part of primary engine to helm harness
- The oil tank bracket may only be used as a floor mounted application.
- Fits 2006 and newer OptiMax Outboards when using new 14 pin harness

ANALOG TO DIGITAL CONVERSION KIT



859648A 2

Converts an analog to a digital OptiMax. Contains the sensors, harnesses and instructions needed.
Fits 2000 and newer OptiMax 2.5L engines.

ANALOG TO DIGITAL CONVERSION KIT



859649A 2

Converts an analog to a digital OptiMax. Contains the sensors, harnesses and instructions needed.

Fits 2000 OptiMax 3.0L engines.

OPTIMAX MY2001 ANALOG RIGGING KIT



8M0078157

Contains necessary components allowing a digital OptiMax to operate analog speedometer, tachometer and water pressure gauges.

Fits OptiMax engines, model year 2001 and newer.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A21

Remote 3.0 US gal (11 L) Oil Tank with sender, complete with tank, lines, floor mounting bracket and all hardware.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A22

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, floor mounting bracket and all hardware.

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly is only used in floor mounted applications.

REMOTE 3.0 US GAL (11 L) OIL TANK



1257- 8742A23

Remote 3.0 US gal (11 L) Oil Tank without sender, complete with tank, lines, mounting bracket and all hardware. Old Bracket Design

Optional tank size for Mercury/Mariner 2 cycle outboards, to be used wherever a pressurized oil reservoir system is already in use. This tank and bracket assembly may be optionally floor or wall mounted.

MECHANICAL SMARTTOW HELM KIT



8M0101650

SmartTow and Cruise are now available on MerCruiser gas engine platforms that utilize mechanical throttle and shift controls! What was previously only available on DTS applications can now be used on the latest gas engine platforms from MerCruiser

NOTE: This helm kit requires an engine to helm harness and can be utilized on the applicable marine-specific MerCruiser gas engine platforms developed by Mercury. Also requires a gauge that is Cruise/SmartTow capable. Can be used with Zero Off capable gauges when Zero Off Security token is added. Single engine applications only

SMARTTOW: ENGINE TO HELM HARNESS



84-8M0101640

Connects the marine-specific MerCruiser gas engine to the helm kit for Cruise/SmartTow functionality on mechanical engines. Harness is 10 feet
Single engine only marine-specific MerCruiser gas engine applications

84-8M0101641

Connects the marine-specific MerCruiser gas engine to the helm kit for Cruise/SmartTow functionality on mechanical engines. Harness is 15 feet
Single engine only marine-specific MerCruiser gas engine applications

84-8M0101642

Connects the marine-specific MerCruiser gas engine to the helm kit for Cruise/SmartTow functionality on mechanical engines. Harness is 20 feet
Single engine only marine-specific MerCruiser gas engine applications

84-8M0101643

Connects the marine-specific MerCruiser gas engine to the helm kit for Cruise/SmartTow functionality on mechanical engines. Harness is 25 feet
Single engine only marine-specific MerCruiser gas engine applications

84-8M0101644

Connects the marine-specific MerCruiser gas engine to the helm kit for Cruise/SmartTow functionality on mechanical engines. Harness is 30 feet
Single engine only marine-specific MerCruiser gas engine applications

SMARTCRAFT AUTHENTICATION DEVICE



8M0105518

Now you can operate applicable MerCruiser engines (mechanical and DTS) with applicable gauges (Medallion, FW Murphy, etc) by using this authentication interface device to enable advanced SmartCraft features.

Mechanical marine-specific MerCruiser gas engines and all DTS engines in conjunction with an applicable third-party SmartCraft gauge that is specifically compatible with this authentication interface device.

ADD-ON SENSOR RIGGING KITS - MCM

SPEEDO-PITOT HARNESS



84-863737T

Required for newer engines that do not have the speedo-pitot harness included with engine harness.

Fits non-DTS smallblock and V-6 MerCruiser engines prior to serial 0W600000.

STEERING/SPEEDO-PITOT HARNESS



84-863736T

Required for engines that do not have the steering/speedo-pitot harness included with engine harness.

Fits all SmartCraft compatible MerCruiser and Mercury Racing products.

ADD-ON SENSOR HARNESSES - MCM

PADDLE WHEEL HARNESS



84-864553T

Harness connects paddle wheel to SmartCraft system.

Fits non-DTS smallblock and V-6 MerCruiser engines prior to serial 0W600000.

TRANSOM HARNESS



84-863931A 1

Used to connect Steering/Speedo Sensor Kit 863188A 3 to MCM 4.3L, 5.0L, 5.7L (350Mag) and 6.2L MPI sterndrive engines.

Fits non-DTS smallblock and V-6 MerCruiser engines prior to serial 0W600000.

3-PIN TANK HARNESS



84-864218

Fits older MCM/MIE mechanical engines that are equipped with a 3-pin tank harness connector.

3.4L/4.6L REPOWER HARNESS KIT



84-8M0145987

Make easy work of repowering that Optimax or Verado to the newer 3.4L V6 or 4.6L V8 Fourstroke engines. Kit contains a wide variety of harnesses: 4 pin depth extension harness, 2 pin clean power extension harness, 2 pin WIF extension harness, 6 pin fuel/paddle extension harness, 14 pin data cable extension harness, 10 pin blue data cable extension harness, 3 pin power steering extension harness and 10 pin male to male gender bender harness

Repower harness kit has a wide variety of harnesses that makes repowering an existing Optimax or Verado application with the 3.4L V6 or 4.6L V8 Fourstroke engine easy

STEERING ANGLE SENSORS

STEERING/SPEEDO SENSOR KIT



863188A 3

Provides steering angle and degrees, and speed to SmartCraft instruments so gauge can display steering position and speed - useful when docking. Includes steering/speedo-pitot harness P/N 84-863736, required for newer engines that do not have the steering/speedo-pitot harness included with engine harness. Fits all SmartCraft compatible MerCruiser and Mercury Racing products.

STEERING SENSOR KIT



863188T 4

Provides steering angle and degrees to SmartCraft instruments so gauge can display steering position - useful when docking. Fits all SmartCraft compatible MerCruiser and Mercury Racing products.

STEERING SENSOR KIT



863188A 5

Provides steering angle and degrees to SmartCraft instruments so gauge can display steering position - useful when docking. Includes steering harness 84-864219 & 84-863931. Fits all SmartCraft compatible MerCruiser and Mercury Racing product. Also used on CMD engines.

SMARTCRAFT K-PLANES - HARNESSSES

TRIM TAB INTERFACE KIT



8M0100069

Shows digital K-Plane trim on SmartCraft Instrumentation. For use with digital K-Planes and SmartCraft Instrumentation.

K-PLANE Y HARNESS



84-895820T02

K-Plane Tab Y harness for dual tabs. Harness from bullet tab sensor to 4 pin tab interface.

HARNESS ASSEMBLY



84-898059T15

Tab extension, 15 feet. Used to extend the harness included with Digital Trim Tabs to plug directly into the harness included with SystemView Race Edition. REQUIRED for all installations with Digital Tabs and SystemView Race Edition EXCEPT Mercury Racing Sterndrives with New Style 14-Pin Engine Harness connector.

84-898059T20

Tab extension, 20 feet. Used to extend the harness included with Digital Trim Tabs to plug directly into the harness included with SystemView Race Edition. REQUIRED for all installations with Digital Tabs and SystemView Race Edition EXCEPT Mercury Racing Sterndrives with New Style 14-Pin Engine Harness connector.

84-898059T25

Tab extension, 25 feet. Used to extend the harness included with Digital Trim Tabs to plug directly into the harness included with SystemView Race Edition. REQUIRED for all installations with Digital Tabs and SystemView Race Edition EXCEPT Mercury Racing Sterndrives with New Style 14-Pin Engine Harness connector.

84-898059T30

Tab extension, 30 feet. Used to extend the harness included with Digital Trim Tabs to plug directly into the harness included with SystemView Race Edition. REQUIRED for all installations with Digital Tabs and SystemView Race Edition EXCEPT Mercury Racing Sterndrives with New Style 14-Pin Engine Harness connector.

ELECTRICAL

SMARTCRAFT GAUGE HARNESSES**SC1000 SYSTEM TACHOMETER HARNESS****84-879979T11**

3 ft. (.9 meters) Tachometer Harness

Provides connection to SC1000 System Tachometer, horn and SC100 Series Gauges. Requires the use of SmartCraft Junction Boxes listed in SC1000 Section.

SC1000 SYSTEM SPEEDOMETER HARNESS**84-879978T11**

3 ft. (.9 meters) Speedometer Harness

Provides connection to SC1000 System Speedometer, air temp, GPS (0183) and horn. Requires the use of SmartCraft Junction Boxes listed in SC1000 Section. See SC1000 System Speedometer product in SC1000 Section.

3 FOOT SMARTCRAFT EXTENSION HARNESS**84-8M0138593**All 10 pins are populated in this SmartCraft 3 foot extension harness
Used to extend SmartCraft connections up to 3 feet**DUAL ENGINE INSTRUMENT ADAPTER****84-892323T01**Allows gauges to be powered from any key switch on dual applications
Works with all SmartCraft compatible engines**TRIPLE ENGINE INSTRUMENT ADAPTER****84-892323T08**Allows gauges to be powered from any key switch on triple applications.
Works with all SmartCraft compatible engines**HARNESS ASSEMBLY- DUAL**Image not
Available.**84-892323A10**

Racing Dual engine Mechanical jbox adapter with CANP link and diodes. Use with racing mech 14 pin helm harness

QUAD ENGINE INSTRUMENT ADAPTER**84-898284T01**Allows gauges to be powered from any key switch on triple applications.
Works with all SmartCraft compatible engines.**TROLL CONTROL Y HARNESS****84-8M0042976**Y harness allows you to connect directly to main engine harness and the Troll Control kit without using a "J" box. Mechanical 14pin CANP breakout harness only. Not compatible with Next Gen DTS or any other CANH system.
Used with Troll Control Kit 879365K08 (879365A08)**SC 100 LINK HARNESSES****SYSTEM LINK ADAPTER KIT****84-8M0052774**

Kit that drives SC100 Link Gauges from 10 Pin connection at the helm. Contains 10 pin to 3 pin adapter and 3 pin to 3 pin low voltage reset module.

Engine must be capable of providing Tach Link output and gray analog tach wire must be populated in 10 pin connection at helm in order to utilize this kit.

SYSTEM LINK RESET HARNESS



898289T42

Resets SC 100 gauges in the event of voltage drops due to starting engine with a low/weak battery. Use in conjunction with System Link Harness (84-892821K01) SmartCraft SC 100 gauges

SC 100 DATA HARNESS



84-880756T05

6 in. SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

SC 100 DATA HARNESS



84-880756T1

1 ft. (.3 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

84-880756T3

3 ft. (.9 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

84-880756T10

10 ft. (3.0 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.


84-880756T30

30 ft. (9.1 meters) SmartCraft Extension Harness
Provides data link extension between SC100 Series products.

INSTRUMENT HARNESSES

Harnesses have ring terminal leads bundled for each gauge.

IGNITION HARNESS - NON DTS 14 PIN



84-896537T02

2 ft. harness (896537A02) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537T08

8 ft. harness (896537A08) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537T11

11 ft. harness (896537A11) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537T15

15 ft. harness (896537A15) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537T20

20 ft. harness (896537A20) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537T24

25 ft. harness (896537A24) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537T29

30 ft. harness (896537A29) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537T40

40 ft. harness (896537A40) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

HARNESS - NON DTS 14 PIN- ANALOG GAUGE**84-892990T01**

This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash and allows the choke function to work on the 8/9.9/15/20 FourStroke carbureted outboards with serial numbers beginning with "OR". 5 ft long Used with 84-896537__ harness

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-892990T10

This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. 10 ft long Used with 84-896537__ harness

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors


84-892990T15

This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. 15 ft long Used with 84-896537__ harness

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

HARNESS EXTENSION- 10 PIN**84-8M0058668**

This harness extension will allow you to increase the length by 6 feet of the 10 pin drop for instruments. The extension will work with Side Mount controls as well as any 896537 series main engine / boat harness.

CHOKE HARNESS**84-896537T99**

Allows a 14 pin harness to provide choke function for a carbureted engine when a remote control is used. Use this harness only if there are no gauges to be hooked up.

INSTRUMENT HARNESS**84-812475A 3**

3 ft.(915 mm) 10 pin harness

Fits 1986 and newer MCM/MIE gasoline engines.

84-812475A20

20 ft.(6.1 m) 10 pin harness

Fits 1986 and newer MCM/MIE gasoline engines.

84-812475A25

25 ft.(7.62 m) 10 pin harness

Fits 1986 and newer MCM/MIE gasoline engines.

INSTRUMENT HARNESS**84-860618**

1 m (3.3 ft.) harness, 21 pin Deutsch connector.

Fits all diesel models.


LIGHT - DASH MOUNTED - CATALYST MALFUNCTION**8M0046481**

Light will go on indicating that a malfunction has occurred with your catalyst on your engine. This means you will need to get your engine serviced soon. Works similar to your check Engine light in your truck or car. (harness to be sold separately)

Harness numbers for single helms
(M0048049,8M0048054,8M0048055,8M0048056,8M0048057,
8M0048058,8M0048059)

MerCruiser products that are equipped with a catalyst

OBDM ADAPTER HARNESS (EC)



84-8M0053083

Adapter harness for installation of the OBDM light kit
 This adapter is needed for EC engines prior to the base engine harness change.
 3.0 Alpha MPI EC (serial number 1A610609 and below), 5.0 Brave DTS MPI EC (serial number 1A612238 and below), 5.0 Alpha MPI EC (serial number 1A610409 and below), 350 Mag Bravo EC (serial number 1A610686 and below) and 350 Mag Bravo DTS EC (serial number 1A610698)

HARNESS - MALFUNCTION LIGHT



84-8M0048049

This harness is to connect the OBDM malfunction light for single helm applications. 10 ft.

All Mercruiser engines that have a catalyst

84-8M0048054

This harness is to connect the OBDM malfunction light for single helm applications. 15 ft.

All Mercruiser engines that have a catalyst

84-8M0048055

This harness is to connect the OBDM malfunction light for single helm applications. 20 ft.

All Mercruiser engines that have a catalyst

84-8M0048056

This harness is to connect the OBDM malfunction light for single helm applications. 25 ft.

All Mercruiser engines that have a catalyst

84-8M0048057

This harness is to connect the OBDM malfunction light for single helm applications. 30 ft.

All Mercruiser engines that have a catalyst

84-8M0048058

This harness is to connect the OBDM malfunction light for single helm applications. 40 ft.

All Mercruiser engines that have a catalyst

84-8M0048059

This harness is to connect the OBDM malfunction light for single helm applications. 50 ft.

All Mercruiser engines that have a catalyst

HARNESS - MALFUNCTION LIGHT



84-8M0048040

This harness is to connect the OBDM malfunction light for dual helm applications. 10 ft.

All Mercruiser engines that have a catalyst

84-8M0048043

This harness is to connect the OBDM malfunction light for dual helm applications. 15 ft.

All Mercruiser engines that have a catalyst

84-8M0048044

This harness is to connect the OBDM malfunction light for dual helm applications. 20 ft.

All Mercruiser engines that have a catalyst

84-8M0048046

This harness is to connect the OBDM malfunction light for dual helm applications. 30 ft.

All Mercruiser engines that have a catalyst

84-8M0048047

This harness is to connect the OBDM malfunction light for dual helm applications. 40 ft.

All Mercruiser engines that have a catalyst

84-8M0048048

This harness is to connect the OBDM malfunction light for dual helm applications. 50 ft.

All Mercruiser engines that have a catalyst

INSTRUMENT EXTENSION HARNESSSES (GAS ENGINES)

Fits 1986 and newer MCM/MIE gasoline engines.

3.4L/4.6L REPOWER HARNESS KIT



84-8M0145987

Make easy work of repowering that Optimax or Verado to the newer 3.4L V6 or 4.6L V8 Fourstroke engines. Kit contains a wide variety of harnesses: 4 pin depth extension harness, 2 pin clean power extension harness, 2 pin WIF extension harness, 6 pin fuel/paddle extension harness, 14 pin data cable extension harness, 10 pin blue data cable extension harness, 3 pin power steering extension harness and 10 pin male to male gender bender harness

Repower harness kit has a wide variety of harnesses that makes repowering an existing Optimax or Verado application with the 3.4L V6 or 4.6L V8 Fourstroke engine easy

INSTRUMENT EXTENSION HARNESS**84-812441A10**

10 ft.(3.05 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-812441A15

15 ft.(4.57 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-812441A20

20 ft.(6.1 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

INSTRUMENT EXTENSION HARNESSES (DIESEL)

All 1994-2000 MCM/MIE diesel models (except D-Tronic models) require both an 8 lead and a 9 lead extension harness to connect instrumentation to the engine.

EXTENSION HARNESS**84-17829A10**

10 ft.(3.05 m) harness, 8 lead harness.
Used as harness extension or to complete two station installations.

84-17829A20

20 ft.(6.1 m) harness, 8 lead harness.
Used as harness extension or to complete two station installations.

INSTRUMENT EXTENSION HARNESS**84-812441A10**

10 ft.(3.05 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-812441A15

15 ft.(4.57 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

84-812441A20

20 ft.(6.1 m) harness, 9 lead harness.
Used as harness extension or to complete two station installations.

INSTRUMENT EXTENSION HARNESS**84-855390**

20 ft.(6 m) harness
Fits (1997-2000) D2.8L and D4.2L Electronic diesel models

INSTRUMENT EXTENSION HARNESS**84-860615002**

4 m (13.2 ft.) harness, 21 pin Deutsch connector
Fits D1.7L, 2001 and newer D4.2L, D2.8L and 4.2L ES and EI; 1997 and newer D7.3L ES diesel models.

84-860616002

8 m (26.3 ft.) harness, 21 pin Deutsch connector
Fits MCM/MIE D1.7L; also 2001 and newer D4.2L, D2.8L and 4.2L ES & EI diesel models; also fits 1997 and newer D7.3L Electronic diesel models

HARNESS ADAPTER**84-860622**

21 pin female Deutsche connector to 8 pin & 9 pin female connector
Adapts newer diesel engines with 21 pin Deutsch connector engine harnesses to older diesel engines instrument harness with the 8 pin & 9 pin connectors.

HARNESS ADAPTER**84-860624**

Adapts engine harness 84-806389A 2 (used on 1994-1997 D3.0L, D3.6L and D4.2L diesel models) to extension harnesses 84-860615 or 84-860616.

HARNESS ADAPTER



84-860625

Adapts engine harness 84-855509 or 84-803626 (used on 1997 & up D2.8L and D4.2L ES and EI diesel models) to extension harnesses 84-860615 or 84-860616. 21 pin to 17 pin connector

14 PIN DATA HARNESSES

EXTENSION HARNESS - 14 PIN



84-892451T06

6 ft. (1.8 meter) data harness. Provides data link between DTS engines and Next Gen DTS remote control harnesses.

Works with all engines equipped with 14-pin connectors.

84-892451T10

10 ft. (3.0 meter) data harness. Provides data link between DTS engines and Next Gen DTS remote control harnesses.

Works with all engines equipped with 14-pin connectors.

84-892451T15

15 ft. (4.6 meter) data harness. Provides data link between DTS engines and Next Gen DTS remote control harnesses.

Works with all engines equipped with 14-pin connectors.

84-892451T20

20 ft. (6.1 meter) data harness. Provides data link between DTS engines and Next Gen DTS remote control harnesses.

Works with all engines equipped with 14-pin connectors.

84-892451B20

20 ft. (6.1 meter) data harness. Provides data link between DTS engines and Next Gen DTS remote control harnesses.

Bulk Pack - 6 harnesses to a box.

Works with all engines equipped with 14-pin connectors.

Priced individually, sold @ multiples of 6

84-892451T25

25 ft. (7.6 meter) data harness. Provides data link between DTS engines and Next Gen DTS remote control harnesses.


Works with all engines equipped with 14-pin connectors.

84-892451T30

30 ft. (9.1 meter) data harness. Provides data link between DTS engines and Next Gen DTS remote control harnesses.

Works with all engines equipped with 14-pin connectors.

EXTENSION HARNESS - 14 PIN



84-8M0149640

35 ft. (10.7 meter) data harness. Provides data link between DTS engines and DTS Next Gen remote control harnesses.

Works with all engines equipped with 14-pin connectors.

14 PIN DATA HARNESS



84-8M0146749

40 foot 14-pin Low Loss Data Harness

All 14 Pin Engines

14 PIN DATA HARNESS



84-8M0146742

Low Loss, All 14 PIN Engines, Data Harness, 5 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

All 14 Pin Engines

84-8M0146743

Low Loss, All 14 PIN Engine, Data Harness, 10 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

All 14 Pin Engines

84-8M0146744

Low Loss, All 14 PIN Engine, Data Harness, 15 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

All 14 Pin Engines

84-8M0146745

Low Loss, All 14 PIN Engine, Data Harness, 20 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

All 14 Pin Engines

14 PIN DATA HARNESS



84-8M0146746

25 foot 14-pin Low Loss Data Harness

All 14 Pin Engines

84-8M0146747

30 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146748

35 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146749

40 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

14 PIN DATA HARNESS**84-8M0146750**

45 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146751

50 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146752

55 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146753

60 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

14 PIN DATA HARNESS**84-8M0146754**

70 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146755

80 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146756

90 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146757

100 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146758

110 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

84-8M0146759

120 foot 14-pin Low Loss Data Harness
All 14 Pin Engines

14 PIN FEMALE WEATHER CAP**8M0126960**

Heavy Duty 14 pin Female Weather Cap
Reusable weather cap to be used to protect the integrity of the 14 pin data cable when connections are not able to be immediately made

14 PIN MALE WEATHER CAP**8M0126959**

Heavy Duty 14 pin Male Weather Cap
Reusable weather cap to be used to protect the integrity of the 14 pin data cable when connections are not able to be immediately made

10 PIN (YELLOW) DATA HARNESSES**CAN DATA HARNESS - 10 PIN - NO RESISTORS DTS (YELLOW)****84-879312T44**

Contains CAN 1, 2, and 3. 1 ft. (0.3 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

84-879312T45

Contains CAN 1, 2, and 3. 2 ft. (0.6 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

84-879312T46

Contains CAN 1, 2, and 3. 3 ft. (0.9 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

84-879312T47

Contains CAN 1, 2, and 3. 4 ft. (1.2 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft System CAN Bus components on DTS applications (Digital Throttle & Shift)

CAN DATA HARNESS - 10 PIN - NO RESISTORS (YELLOW)

84-879969T 6

6 ft. (1.8 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T10

10 ft. (3.0 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T15

15 ft. (4.6 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T20

20 ft. (6.1 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

84-879969T30

30 ft. (9.1 meter) SmartCraft data harness without resistors
Provides data link between SmartCraft CAN P, X and H components.

DATA CABLE- 40 FT

Image not Available.

84-8M0166624

40 ft. (12.1 meter) SmartCraft data harness without resistors.
Provides data link between SmartCraft CAN P, X and H components

CAN DATA HARNESS - 10 PIN WITH ONE RESISTOR (YELLOW)



84-879980T10

10 ft. (3.0 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.

84-879980B10

10 ft. (3.0 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.
Priced individually, sold @ multiples of 12

84-879980T15

15 ft. (4.6 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.

84-879980T30

30 ft. (9.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.

84-879980B30

30 ft. (9.1 meter) SmartCraft data harness with one resistor
Provides data link between SmartCraft CAN P, X and H components.
Priced individually, sold @ multiples of 12

10 PIN (BLUE) DATA HARNESSES

CAN DATA HARNESS - 10 PIN NON DTS WITH RESISTORS (BLUE)



84-879982T20

20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879982B20

20 ft. (6.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.
Priced individually, sold @ multiples of 12

84-879982T25

25 ft. (7.6 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879982T30

30 ft. (9.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879982B30

30 ft. (9.1 meter) SmartCraft data harness with (2) termination resistors
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.
Priced individually, sold @ multiples of 12

CAN DATA HARNESS - 10 PIN - NO RESISTORS NON DTS (BLUE)



84-879968T 6

6 ft. (1.8 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft CAN P Components.

84-879968T10

10 ft. (3.0 meter) SmartCraft data harness without resistors and no additional connections
Includes connections for horn and link gauge. Provides data link between SmartCraft CAN P Components.

84-879968B10

10 ft. (3.0 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components
Priced individually, sold @ multiples of 12

84-879968T15

15 ft. (4.6 meter) SmartCraft data harness without resistors and no additional connections
Provides data link between SmartCraft System CAN Bus Components

84-879968T20

20 ft. (6.1 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

84-879968T25

25 ft. (7.6 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

84-879968T30

30 ft. (9.1 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

84-879968B30

30 ft. (9.1 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

Priced individually, sold @ multiples of 12

84-879968T50

50 ft. (15.2 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

84-879968T80

80 ft. (24.4 meter) SmartCraft data harness without resistors and no additional connections

Provides data link between SmartCraft System CAN Bus Components

CAN DATA HARNESS - 10 PIN - ONE RESISTOR NON DTS (BLUE)



84-879981T10

10 ft. (3.0 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-879981T15

15 ft. (4.6 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-879981T20

20 ft. (6.1 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-879981B20

20 ft. (6.1 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

Priced individually, sold @ multiples of 12

84-879981T25

25 ft. (7.6 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-879981T30

30 ft. (9.1 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-879981T50

50 ft. (15.2 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

84-879981T80

80 ft. (24.4 meter) SmartCraft data harness with one resistor

Provides data link between SmartCraft System CAN Bus Components

ADAPTER HARNESSES - 14 PIN

DUAL HELM ADAPTER KIT- DTS



84-893330K01

Used with dual stations/ dual helms - Requires one for single-engine installation and two for dual-engine installation. Adapts primary 14-pin data harness to dual helms.

ADAPTER HARNESSES - 2 PIN

2 PIN LINK HARNESS- CAN



84-893452A01

Used to link CAN Networks together.

2 PIN "Y" ADAPTER HARNESS - LINK ADAPTER



84-896370T01

Used on DTS engines that require extended length CAN networks.

HARNESS

Image not Available.


84-8M0060420

6pin engine to 2pin WIF sensor

No SmartCraft fuel or paddle included.

ADAPTER HARNESSES

ADAPTER - NON DTS 14 PIN TO 8 PIN



84-896539T01

1 ft adapter that allows you to connect a 14 pin (Female) boat harness to an 8 pin (Male) engine connection. Includes bracket and screws
2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors


84-896539T05

5 ft adapter that allows you to connect a 14 pin (Female) boat harness to a 8 pin (Male) engine connection. Includes bracket and screws
2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

84-896539T08

8 ft adapter that allows you to connect a 14 pin (Female) boat harness to a 8 pin (Male) engine connection. Includes bracket and screws
2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

ADAPTER - NON DTS 8 PIN TO 14 PIN



84-896542T01

1 ft. 15hp-20hp adapter that allows you to connect 8 pin (Female) boat harness to the 14 pin (Male) engine connection. Includes bracket and screws.
2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

84-896542T05


5 ft adapter that allows you to connect 8 pin (Female) boat harness to the 14 pin (Male) engine connection. Includes bracket and screws
2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector

ADAPTER - NON DTS 8 PIN TO 14 PIN

84-896542T08

8 ft adapter that allows you to connect 8 pin (Female) boat harness to the 14 pin (Male) engine connection. Includes bracket and screws
2006 Non DTS Outboards from 25 Hp to 250 HP- 14 pin connector


ADAPTER - NON DTS 10 PIN TO 14 PIN



84-858740T06

6 ft adapter that allows you to connect 10 pin (Female) boat harness to the 14 pin (Female) engine connection.
2006 Non DTS 75, 90, 115 HP 4 stroke EFI


ADAPTER - NON DTS 8 PIN TO 14 PIN



84-896540T01

3 ft adapter that allows you to connect 8 pin (Male) boat harness to the 14 pin (Male) engine connection.
2005, 2006 - 8/9.9 HP 4 stroke and newer

ADAPTER - NON DTS 14 PIN TO 8 PIN - 3 FOOT



84-896541T01

3 foot adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Female) engine connection.
2005, 2006 - 8/9.9 HP 4 stroke and newer

ADAPTER - NON DTS 14 PIN TO 8 PIN - 5 FOOT

84-896541T05


5 foot adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Female) engine connection.
2005, 2006 - 8/9.9 HP 4 stroke and newer

ADAPTER - NON DTS 14 PIN TO 8 PIN - 8 FOOT

84-8M0127018

8 foot adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Female) engine connection.
2005, 2006 - 8/9.9 HP 4 stroke and newer

ADAPTER - NON DTS 14 PIN TO 8 PIN




84-892092T01

1 ft adapter that allows you to connect 14 pin (Female) boat harness to the 8 pin (Male) engine connection.
Older Outboards that are SmartCraft compatible engines

ADAPTER-NON DTS 10 PIN TO 14 PIN W/SMARTCRAFT CAN DATA**84-8M0153356**

Adapter allows connection of 10-pin engine harness to a 14-pin boat harness when using SmartCraft gauges. This adapter includes a 10-pin CAN output to drive SmartCraft gauges using the 14-pin boat harness without having to install a blue CAN data harness. A termination resistor 859318T1 is required, and may be ordered separately. This is required for Quicksilver and Mercury Remanufacturing Plus Series 10-pin engines when installed in boats using SmartCraft gauges that use a 14-pin boat harness.

ADAPTER - NON DTS 14 PIN TO 10 PIN**84-866337T01**

Adapter that allows you to connect engines that have the newer 14 pin engine harness to the older 10 pin helm harness
MCM/MIE engines that have the 14 pin engine harness. Also used on Race product (outboards only) that have a 14 pin engine harness being connected to a 10 pin helm harness.

ADAPTER HARNESS- ANALOG GAUGE - MCM**84-866377T01**

Mounts between the 14 pin Command Module harness and the data harness
DTS- MCM only

ACCESSORY HARNESSES**DTS CLEAN POWER - HELM - 10 FOOT****84-8M0127681**

10 foot DTS clean power for use at the helm.

All DTS and Joystick applications. When crank batteries are located near the helm or mitigation of excessive voltage drop is desired.

DTS CLEAN POWER - HELM - 15 FOOT**84-8M0127682**

15 foot DTS clean power for use at the helm

All DTS and Joystick applications. When crank batteries are located near the helm or mitigation of excessive voltage drop is desired

HARNESS- 25 FT CLEAN POWER**84-896333T25**

25 ft. harness. Used to reduce voltage drop when battery is located near the helm of the boat. Connects to junction box at the helm.

Used on all DTS Engines

POWER HARNESS-ENGINE**84-8M0113732**

15 foot DTS clean power harness. Used when battery is located near the engine. Connects to 2 pin clean power connector on the engine.

All L4 SC Verados, 200/225 Opti DTS, 20 in. L6 Verados and MCM DTS and EC engines have this harness as part of the engine package. Must order loose for 25 in. and 30 in. L6 Verados.

HARNESS - POWER 25 FT



84-889244T01

25 ft Clean Power harness with heavy gauge (10 ga) wire for lower voltage drop. Use from crank battery to 2 pin connector on engine. DTS and MCM EC engines.

ACCESSORY POWER HARNESS / RELAY HARNESS KIT



84-899785K15

Used to provide accessory power to auxiliary loads when the keyswitch is in the "Run" or "Accessory" positions. Includes 40 amp relay, harness and 15 ft power cable with 40 amp fuse and three pole terminal block.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

ACCESSORY POWER HARNESS / RELAY HARNESS KIT



84-899785K30

Used to provide accessory power to auxiliary loads when the keyswitch is in the "Run" or "Accessory" positions. Includes 40 amp relay, harness and 30 ft power cable with 40 amp fuse and three pole terminal block.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

ACCESSORY POWER HARNESS KIT



84-899785K04

Accessory power cable is designed to connect battery to terminal block to provide connection point and power auxiliary loads. Includes 30 ft power cable with 40 amp fuse and 3 pole terminal block.

Used on 14-pin boat harnesses that have a 3-pin accessory power relay connector.

ACCESSORY POWER HARNESS KIT



84-899785K02

Accessory power cable is designed to connect battery to terminal block to provide connection point and power auxiliary loads. Includes 15 ft power cable with 40 amp fuse and 3 pole terminal block.

Used on 14-pin boat harness's that have a 3-pin accessory power relay connector.

ACCESSORY RELAY KIT



84-888429K11

Used in conjunction with accessory power harness to provide power to auxiliary loads.

Used on 14-pin boat harness's that have a 3-pin accessory power relay connector.

TERMINAL BLOCK




86-889679

3 pole terminal block

Useful for up to 40 Amp circuit connections, used in Accessory Power kits

ACCESSORY RELAY HARNESS KIT



84-888429K12

Used to provide accessory power to auxiliary loads. Cable is connected to the junction box and provides power to loads when the key switch is in the "Run" position. Includes 40 amp relay and harness.

TVS NOISE SUPPRESSION HARNESS



84-8M0072192

Reduce noisy voltage spikes from Mercury solenoid coils (trim & tab). Kit contains 2 harnesses that are used across solenoid coils to help reduce electrical noise.

JACKPLATE HARNESS ASSEMBLY



84-881133T 1

Two 5 pin connector harness to 4 bullet (2 male, 2 female) connectors and 3 ring terminals. For jackplate control.

HARNESS ASSEMBLY




Image not Available.

84-8M0074825

14pin (similar to non-DTS OB/MCM)

IGNITION KEY SWITCHES

KEY SWITCH ASSEMBLY



F5H268

For dash mount installations in panels up to 1/2 in.(12.7 mm). "Push to choke" feature. Fits all electric start Force outboards.

KEY SWITCH ASSEMBLY



F5H078

For dash mount installations in panels up to 1-7/16 in.(36 mm). "Push to choke" feature. Fits all electric start Force outboards.

KEY SWITCH ASSEMBLY WITH CHOKE



87-88107A13

3 ft.(915 mm) harness without audio warning horn. Has 6 pin connector that adapts to harness 84-896537K_14 pin harness. 3/4 inch cut out with housing. Used with 2 cycle engines that require push to choke feature.

KEY SWITCH -4 POSITION



87-893353A02

Four position keyswitch (Off, Accessory, Run and Start) Loose switch only. 7/8 in. cut out. Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION W/MOUNTING HARDWARE



87-893353A03

Four position keyswitch (Off, Accessory, Run and Start) Includes keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out. Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-DUALS



87-893353A04

Four position keyswitch- dual engines (Off, Accessory, Run and Start) Includes matched keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out.

Dual engine - matched key set. Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-DUALS




87-893353T04

Four position keyswitch- dual engines (Off, Accessory, Run and Start) Includes matched keyswitch and mounting hardware. 7/8 in. cut out. Does not include housing

Dual engine - matched key set. Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-TRIPLES




87-893353A05

Four position keyswitch- triple engines (Off, Accessory, Run and Start) Includes matched keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out.

Triple engine - matched key set

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-QUADS




87-893353A06

Four position keyswitch-Quad engines (Off, Accessory, Run and Start) Includes matched keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out.

Quad engine - matched key set

KEY SWITCH -3 POSITION WITH DECAL/WASHER



87-897716K01

Three position keyswitch with shorter key and mounting length (Off, Run and Start) Loose switch only. 3/4 in. cut out. Includes switch with decal and washer.

Can be used on DTS as well as Non DTS installations.

KEY SWITCH -3 POSITION WITH DECAL/WASHER



87-897716K02

Three position keyswitch with shorter key and mounting length (Off, Run and Start) Loose switch only. 3/4 in. cut out. Includes switch with decal and washer.

Matched set for dual engine installs

Can be used on DTS as well as Non DTS installations. Matched keyswitches for dual installations

KEY SWITCH -3 POSITION WITH DECAL/WASHER



87-897716K03

Three position keyswitch with shorter key and mounting length (Off, Run and Start) Loose switch only. 3/4 in. cut out. Includes switch with decal and washer.

Matched Key set for Triple engine installs

Can be used on DTS as well as Non DTS installations. Matched keyswitches for Triple installations

KEY SWITCH -3 POSITION WITH DECAL/WASHER**87-897716K04**

Three position keyswitch with shorter key and mounting length (Off, Run and Start) Loose switch only, 3/4 in. cut out. Includes switch with decal and washer. Matched Key set for Quad engine installs
Can be used on DTS as well as Non DTS installations. Matched keyswitches for Quad installations

KEY SWITCH -3 POSITION HOUSING**879305A01**

New keyswitch housing kit for 897716 series 3 position keyswitch. Kit includes 2 inch (52 MM) housing with mounting disc and bezel. Spin nut included in kit for easy mounting. (Key Switch is not included in this kit)
Can be used on DTS as well as Non DTS installations.

KEY SWITCH EXTENSION - NO CRANK - 5 FOOT**84-896691T05**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 5 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 10 FOOT**84-896691T10**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 10 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 15 FOOT**896691T15**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 15 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 20 FOOT**84-879312T77**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 20 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 30 FOOT**84-879312T78**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 30 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 40 FOOT**84-879312T79**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 40 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 50 FOOT**84-879312T80**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 50 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 60 FOOT**84-879312T81**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 60 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 70 FOOT**84-879312T82**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 70 foot length
Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 80 FOOT**84-879312T83**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 80 foot length
Used on all DTS engines.

DECAL/WASHER KIT- 3 POSITION KEY SWITCH**37-899203A01**

Used with 87-897716 when not supplied in harness kit

KEY SWITCH ASSEMBLY



87- 88107A 3

3 ft.(915 mm) harness without audio warning horn. Has bullet connectors that adapt to harness 84-84711M.
Fits (Japanese origin) Mariner 30, 40 (2 cyl. - w/o integral oil injection) and 55 (2 cyl.) outboards used with optional remote controls.

KEY SWITCH KIT



87- 88107A 5

KEY SWITCH KIT



87- 88107A10

Three position keyswitch (Off, Run and Start) Includes keyswitch and mounting hardware.
2004 OptiMax 225 DTS outboards and 496 Mag MerCruiser DTS sterndrive and inboard engines.

KEY SWITCH ASSEMBLY WITH CHOKE



87- 88107A13

3 ft.(915 mm) harness without audio warning horn. Has 6 pin connector that adapts to harness 84-896537K_14 pin harness. 3/4 inch cut out with housing
Used with 2 cycle engines that require push to choke feature.

KEY SWITCH KIT



87- 88107T12

Three position keyswitch (Off, Run and Start) Push to Choke Keyswitch
Used with 2 cycle engines that require push to choke feature.

KEY SWITCH KIT



87- 893449T01

3 position Key Switch Kit

IGNITION KEY SWITCH WITH HARNESSSES

Mounts in a 2-1/8 in.(54 mm) hole. Includes warning horn and electrical connections for power trim, instrumentation and lanyard stop switch.

KEY SWITCH W/ HARNESS



84- 816626A 2

2 ft.(610 mm) harness with audio warning horn.

Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84- 816626A 8

8 ft.(2.44 m) harness with audio warning horn.

Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury/Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84- 816626A11

11 ft.(3.35 m) harness with audio warning horn.

Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury/Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84- 816626A15

15 ft.(4.57 m) harness with audio warning horn.

Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury/Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84-816626A20

20 ft.(6.1 m) harness with audio warning horn.
Fits Mercury/Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury/Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84-816626A24

25 ft.(7.6 m) harness with audio warning horn.
Fits Mercury / Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives. When used with MY2005 and newer 8/9.9 hp. FourStroke outboards an adapter harness 892473A01 is required.

84-816626A25

25 ft.(7.6 m) harnesses with audio warning horn. Packaged with 2 harnesses with matched keys for dual engine applications.
Fits Mercury / Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives.

84-816626A29

30 ft.(9.1 m) harnesses with audio warning horn.
Fits Mercury / Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives.

84-816626A30

30 ft.(9.1 m) harnesses with audio warning horn. Packaged with 2 harnesses with matched keys for dual engine applications.
Fits Mercury / Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards, Force 40 hp. and Higher (1993 and Newer) and Mercury Jet Drives.

8 PIN KEY SWITCH AND IGNITION HARNESS**84-8M0125748**

2 foot harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
-Single Engine Application.

84-8M0125749

8 foot harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
-Single Engine Application.

84-8M0125750

11 foot harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
-Single Engine Application.

84-8M0125751

15 foot harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
-Single Engine Application.

84-8M0125752

20 foot harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
-Single Engine Application.

84-8M0125753

25 foot harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
-Single Engine.

84-8M0125755

30 foot harness with horn, push to choke key switch, instrumentation connector, trim connector and lanyard connector
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
single engine.

8 PIN KEY SWITCH AND IGNITION HARNESS**84-8M0125754**

25 foot harness with horns, push to choke key switches, instrumentation connectors, trim connectors and lanyard connectors
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar)
Dual Engine Application.

84-8M0125756

30 foot harness with horns, push to choke key switches, instrumentation connectors, trim connectors and lanyard connectors
Connects to 8 pin AMP connector engines (8/9.9 HP FourStrokes and similar).Dual Engine Application.

KEY SWITCH W/ HARNESS - NON DTS 14 PIN**84-896537K02**

2 ft. harness (896537A02) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)
2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors

84-896537K08

8 ft. harness (896537A08) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)
2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors.

84-896537K11

11 ft. harness (896537A11) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)
2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors.

84-896537K15

15 ft. harness (896537A15) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)
2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors
All MCM / MIE engines equipped with 14 pin connectors.

84-896537K20

20 ft. harness (896537A20) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537K24

25 ft. harness (896537A24) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537K25

2 each of 25 ft. harness (896537A24) with new 14 pin connector for the dual engine applications and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (Matched keyswitch for dual engine applications). (897716K02)

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537K29

30 ft. harness (896537A29) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537K30

2 each of 30 ft. harness (896537A29) with new 14 pin connector for the dual engine applications and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch (Matched keyswitch for dual engine applications). (897716K02)


2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537K40

40 ft. harness (896537A40) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Included in this kit is also the new 3 position water-proof high quality keyswitch. (897716)

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

IGNITION HARNESS - NON DTS 14 PIN



84-896537T02

2 ft. harness (896537A02) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537T08

8 ft. harness (896537A08) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537T11

11 ft. harness (896537A11) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537T15

15 ft. harness (896537A15) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537T20

20 ft. harness (896537A20) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537T24

25 ft. harness (896537A24) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537T29

30 ft. harness (896537A29) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-896537T40

40 ft. harness (896537A40) with new 14 pin connector for the engine and additional connectors that allow easy quick connect solutions to the rigging process. Loose harness.

Analog gauges also require the use of harness 84-892990T01, T10 or T15.

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

HARNESS - NON DTS 14 PIN- ANALOG GAUGE



84-892990T01

This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash and allows the choke function to work on the 8/9, 9/15/20 FourStroke carbureted outboards with serial numbers beginning with "OR". 5 ft long Used with 84-896537__ harness

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-892990T10

This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. 10 ft long Used with 84-896537__ harness

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

84-892990T15

This harness will connect directly to the non DTS harness at the helm. It will allow you to connect to analog gauges on the dash. 15 ft long Used with 84-896537__ harness

2006 and newer Non DTS Outboards from 25 Hp to 250 HP- 14 Pin Connectors All MCM / MIE engines equipped with 14 pin connectors

TRANSOM MOUNTED IGNITION KEYSWITCH

A transom mounted keyswitch allowing for activation of the starter solenoid, a choke or enricher valve.

TRANSOM MOUNTED IGNITION KEYSWITCH**15000A 7**

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has an 8 pin engine connector.

Fits many varying outboards and applications through Model Year 2005 where a keyswitch with warning horn and choke (enricher) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

TRANSOM MOUNTED IGNITION KEYSWITCH**15000A14**

Includes a push-to-choke function and a warning horn. Has a 6 ft. (182 cm) cable length. Has the 14 pin engine connector.

Fits many varying outboards and applications beginning in Model Year 2006 where a keyswitch with warning horn and choke (enricher) function is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards.

TRANSOM MOUNTED IGNITION KEYSWITCH**87-8M0090402**

Includes a key function and a warning horn. Has a 6 ft. (182 cm) cable length. Has a 14 pin engine connector.

Fits EFI outboards and applications after Model Year 2006 where a keyswitch with warning horn is desired. Outboards require a remote control engine harness be used in conjunction with this switch in order for it to function. Warning horn feature is not present on all model outboards. For EFI models only (14 pin connector engine) DOES NOT HAVE PUSH TO CHOKE

START / STOP SWITCHES**SINGLE ENGINE START/STOP PAD****87-8M0117136**

Low profile mount single engine start/stop pad which allows start and stop of engine with keyswitch in the RUN position.

Can be used on all single engine DTS applications

DUAL ENGINE START/STOP PAD**87-8M0117137**

Low profile mount dual engine start/stop pad which allows start and stop of engines with keyswitches in the RUN position.

Can be used on all dual engine DTS applications

TRIPLE ENGINE START/STOP PAD**87-8M0117138**

Low profile mount triple engine start/stop pad which allows start and stop of engines with keyswitches in the RUN position.

Can be used on all triple engine DTS applications

QUAD ENGINE START/STOP PAD - STARBOARD**87-8M0117139**

Low profile mount quad engine start/stop pad (STBD) which allows start and stop of engines with keyswitches in the RUN position.

Can be used on all quad engine DTS applications (STBD)

QUAD ENGINE START/STOP PAD - PORT



87-8M0117140

Low profile mount quad engine start/stop pad (PORT) which allows start and stop of engines with keyswitches in the RUN position.
Can be used on all quad engine DTS applications (PORT)

BEZEL



879315T01

Black
Start/Stop switch kit, flush mount. For single, dual, triple and quad application.

BEZEL



879315T02

White
Start/Stop switch kit, flush mount. For single, dual, triple and quad application.

START/STOP EXTENSION HARNESS



84-896380T05

5 ft. Allows you to extend the harness an extra 5 ft from the start/stop button.
Compatible with 3pin extension if 10ft, 15ft, or 20ft start/stop extension needed.
Used on all DTS engines.

KEY SWITCHES

KEY SWITCH -3 POSITION WITH DECAL/WASHER



87-897716K01

Three position keyswitch with shorter key and mounting length (Off, Run and Start) Loose switch only. 3/4 in. cut out. Includes switch with decal and washer.
Can be used on DTS as well as Non DTS installations.

KEY SWITCH -3 POSITION WITH DECAL/WASHER



87-897716K02

Three position keyswitch with shorter key and mounting length (Off, Run and Start) Loose switch only. 3/4 in. cut out. Includes switch with decal and washer.
Matched set for dual engine installs
Can be used on DTS as well as Non DTS installations. Matched keyswitches for dual installations

KEY SWITCH -4 POSITION



87-893353A02

Four position keyswitch (Off, Accessory, Run and Start) Loose switch only. 7/8 in. cut out
Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION W/MOUNTING HARDWARE**87-893353A03**


Four position keyswitch (Off, Accessory, Run and Start) Includes keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out

Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-DUALS**87-893353A04**


Four position keyswitch- dual engines (Off, Accessory, Run and Start) Includes matched keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out.

Dual engine - matched key set. Can be used on DTS as well as non DTS installations

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-TRIPLES**87-893353A05**

Four position keyswitch- triple engines (Off, Accessory, Run and Start) Includes matched keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out.

Triple engine - matched key set

KEY SWITCH KIT - 4 POSITION MATCHED KEYS-QUADS**87-893353A06**

Four position keyswitch-Quad engines (Off, Accessory, Run and Start) Includes matched keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out.

Quad engine - matched key set

KEY SWITCH KIT - 4 POSITION MATCHED KEYS - QUINTS**87-8M0077850**

Four position keyswitch-Quint engines (Off, Accessory, Run and Start) Includes matched keyswitch , key cover, bezel, 2 1/8 in. Dia. mounting housing and mounting hardware. 7/8 in. cut out.

Quint engine - matched key set

KEY SWITCH KIT

Image not Available.

87-8M0157375

Four position six matched keys

KEY SWITCH EXTENSION - NO CRANK - 5 FOOT**84-896691T05**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 5 foot length

Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 10 FOOT**84-896691T10**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 10 foot length

Used on all DTS engines.

KEY SWITCH EXTENSION - NO CRANK - 15 FOOT**896691T15**

This extension is used when the remote mounting a keyswitch (no crank possible). Only has off/on functions - 15 foot length

Used on all DTS engines.

IGNITION KEYS - NUMERIC

To order correct key, convert the number stamped on your key to a part number.

REPLACEMENT IGNITION KEY



30431104

Key stamped with "104"
Priced individually, sold @ multiples of 2

30431108

Key stamped with "108"
Priced individually, sold @ multiples of 2

30431123

Key stamped with "123"
Priced individually, sold @ multiples of 2

30431124

Key stamped with "124"
Priced individually, sold @ multiples of 2

30431125

Key stamped with "125"
Priced individually, sold @ multiples of 2

30431126

Key stamped with "126"
Priced individually, sold @ multiples of 2

30431127

Key stamped with "127"
Priced individually, sold @ multiples of 2

30431128

Key stamped with "128"
Priced individually, sold @ multiples of 2

30431129

Key stamped with "129"
Priced individually, sold @ multiples of 2

30431130

Key stamped with "130"
Priced individually, sold @ multiples of 2

30431131

Key stamped with "131"
Priced individually, sold @ multiples of 2

30431132

Key stamped with "132"
Priced individually, sold @ multiples of 2

30431133

Key stamped with "133"
Priced individually, sold @ multiples of 2

30431134

Key stamped with "134"
Priced individually, sold @ multiples of 2

ALPHA/NUMERIC KEY CHART

Key Chart A - Alpha/Numeric Keys

Key Number	Part Number	Status
1A	89491 1	Active
1B	89491 2	Active
1C	89491 3	Active
1D	89491 4	Active
1E	89491 5	Active
1F	89491 6	Active
2A	89491 7	Active
2B	89491 8	Active
2C	89491 9	Active
2D	89491 10	Active
2E	89491 11	Active
2F	89491 12	Active

IGNITION KEYS - 4 POSITION - BASE NUMBER 893353 KEY SWITCH

To order correct key, convert the number stamped on your separate plate for part number.

REPLACEMENT IGNITION KEY



896919951

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #951

896919952

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #952

896919953

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #953

896919954

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #954

896919955

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #955

896919956

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #956

896919957

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #957

896919958

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #958

896919959

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #959

896919960

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #960

896919961

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #961

896919962

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #962

896919963

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #963

896919964

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #964

896919965

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #965

896919966

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #966

896919967

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #967

896919968

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #968

896919969

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #969

896919970

Replacement for new 4 position Key switch (893353A__ series) Number is on metal plate that comes with keys- #970

IGNITION KEYS - 3 POSITION - BASE NUMBER 897716 KEY SWITCH

To order correct key, convert the number stamped on your key to a part number.

REPLACEMENT IGNITION KEYS



87-897716451

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys

87-897716457

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #457

87-897716460

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #460

87-897716461

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #461

87-897716462

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #462

87-897716463

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #463

87-897716821

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #821

87-897716827

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #827

87-897716830

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #830

87-897716831

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #831

87-897716832

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #832

87-897716833

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #833

87-897716841

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #841

87-897716847

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #847

87-897716850

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #850

87-897716851

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #851

87-897716852

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #852

87-897716853

Replacement keys for 3 position 87-897716 key switch. Number is on plate that comes with original keys #853

NUMERIC KEY CHART

Key Chart B - Numeric Keys

Key Number	Part Number	Status
101	30431101	N.L.A.
102	30431102	N.L.A.
103	30431103	N.L.A.
104	30431104	Active
105	30431105	Active
106	30431106	Active
107	30431107	N.L.A.
108	30431108	Active
109	30431109	Active
110	30431110	N.L.A.
111	30431111	N.L.A.
112	30431112	N.L.A.
113	30431113	Active
114	30431114	N.L.A.
115	30431115	N.L.A.
116	30431116	Active
117	30431117	Active
118	30431118	Active
119	30431119	Active
120	30431120	Active
121	30431121	N.L.A.
122	30431122	Active
123	30431123	Active
124	30431124	Active
125	30431125	Active

ELECTRICAL

Key Number	Part Number	Status
126	30431126	Active
127	30431127	Active
128	30431128	Active
129	30431129	Active
130	30431130	Active
131	30431131	Active
132	30431132	Active
133	30431133	Active
134	30431134	Active

MARINER UNIQUE IGNITION KEYS

To order correct key, convert the number stamped on your key to a Quicksilver part number. Fits Mariner (Japanese Origin) dash mounted key panels

MARINER UNIQUE IGNITION KEY CHART

Key Chart C

Key Number	Part Number	Status
111	93092M	N.L.A.
112	93093M	N.L.A.
113	93094M	N.L.A.
121	93095M	Active
122	93096M	N.L.A.
123	93097M	Active
221	93078M	N.L.A.
222	93079M	N.L.A.
223	93080M	N.L.A.
224	93081M	N.L.A.
225	93082M	N.L.A.
226	93083M	N.L.A.
227	93084M	N.L.A.
228	93085M	N.L.A.
229	93086M	N.L.A.
230	93087M	N.L.A.
231	93088M	N.L.A.
232	93089M	N.L.A.
233	93090M	N.L.A.
234	93091M	N.L.A.
451	13294451	Active
452	13294452	N.L.A.
453	13294453	Active
454	13294454	N.L.A.
455	13294455	Active
456	13294456	Active
457	13294457	Active
458	13294458	Active
459	13294459	Active
460	13294460	N.L.A.
461	13294461	Active
462	13294462	Active
463	13294463	Active
464	13294464	Active
465	13294465	Active
466	13294466	Active
467	13294467	N.L.A.

Key Number	Part Number	Status
468	13294468	Active
469	13294469	N.L.A.
470	13294470	Active

FORCE UNIQUE IGNITION KEYS

To order correct key, convert the number stamped on your key to a Quicksilver part number. Fits Force Ignition switches 1992 and prior.

REPLACEMENT IGNITION KEY



817782 1

Key stamped with "A" or not stamped with anything.

817883 1

Key stamped with "B"

817891 1

Key stamped with "C"

817928 1

Key stamped with "D"

817929 1

Key stamped with "E"

819012

Key stamped with "51"

819013

Key stamped with "55"

819014

Key stamped with "65"

819015

Key stamped with "66"

819016

Key stamped with "67"

FORCE UNIQUE IGNITION KEY CHART

Key Chart D

Key Number	Part Number	Status
Not Stamped	817782 1	Active
A	817782 1	Active
B	817883 1	Active
C	817891 1	Active
D	817928 1	Active
E	817929 1	Active
51	819012	Active
55	819013	Active
65	819014	Active
66	819015	Active
67	819016	Active

IGNITION KEY COVER**BLACK PLASTIC KEY COVER****90468A 1**

Fits most ignition switch keys

LANYARD STOP SWITCHES

Lanyard cord attaches to the toggle switch or cap and boat driver. When switch toggles or cap pulls off switch, the ignition is interrupted and the engine shuts down.

LANYARD STOP SWITCH**87- 19674A05**

5 ft.(1.53 m) harness. Surface mount or flush mount. Used when mounting controls with no lanyard switch included
MCM/MIE engines. Do not use on DTS engines

LANYARD STOP SWITCH**87- 19674A06**

5 ft.(1.53 m) harness. 2 inch cut out with Black bezel. Used when mounting controls with no lanyard switch included.
Chrome bezel optional - order separate.
MCM/MIE engines. Do not use on DTS engines

LANYARD STOP SWITCH**87- 19674A07**


5 ft.(1.53 m) harness. Surface or Flush mount. Used when mounting controls with no lanyard switch included
Used on Outboards and DTS engines

LANYARD STOP SWITCH**87- 19674A08**

5 ft.(1.53 m) harness. 2 inch cut out with Black bezel. Used when mounting controls with no lanyard switch included.
Chrome bezel optional - order separate.
Used on Outboards and DTS engines

LANYARD STOP SWITCH - DUAL FLUSH MOUNT**87-814324A 2**

Dual engine kit. 5 ft.(1.53 m) harness. Surface mount or flush mount. Used when mounting controls with no lanyard switch included
Used on Non DTS MCM/MIE Engine - See 87-19674A12 and A13 for OB/DTS Installations

LANYARD STOP SWITCH -DUAL FLUSH MOUNT**87- 19674A12**

5 ft.(1.53 m) harness. Surface or Flush mount. Used for Dual Engine installations
Used on Outboards and DTS engines

LANYARD STOP SWITCH - DUAL BEZEL 2 INCH



87-19674A13

5 ft. (1.53 m) harness. 2 inch cut out with Black bezel. Used with dual engine installations.
 Chrome bezel optional - order separate.
 Used on Outboards and DTS engines

LANYARD STOP SWITCH - TRIPLE FLUSH MOUNT



8M0139419

Flush mount lanyard stop switch kit. Must order additional bezel retro fit kit 8M0182075.
 Triple engine applications

LANYARD STOP SWITCH - QUAD FLUSH MOUNT



8M0139420

Flush Mount lanyard stop switch kit. Must order additional bezel retro fit kit 8M0182075.
 Quad engine applications

LANYARD STOP SWITCH



87-823037A04

Fits Mercury/Mariner 2.5, 3.3, 4, 5 hp (U.S. S/N 0A809601 and above; Belgium S/N 9589154 and above) and 4/5/6 FourStroke.

LANYARD STOP SWITCH



87-856654A 2

3-1/2 in. (89 mm) wires, does not include cap. Normally closed switch
 Fits Mercury/Mariner outboards.

LANYARD STOP SWITCH



87-856654A 4

20 ft. (6.2 m) harness. Includes 2 caps.
 Fits Mercury/Mariner outboards and MCM/MIE engines.

LANYARD DIODE KIT



84-898289A72

This kit is dual engine adapter that is required when connecting one lanyard stop switch to two engines. Without this kit the engines would not be able to start or stop independently.
 Fits Mercury / Mariner outboards.

LANYARD STOP SWITCH CAP



75095Q 2

Replacement cap for (65503A__ and 856654A__ series) Lanyard Stop Switches.
 Fits Mercury/Mariner outboards and MCM/MIE engines.
 Priced individually, sold @ multiples of 2
 Quicksilver Branded, Clamshell Package Point of Sale Packaged.

LANYARD CORD - 54 INCH**8M0092849**

Lanyard cord with new ergonomic plastic clip, 54 inches in length. Can be utilized on any Mercury Marine/Quicksilver lanyard stop switch at the helm. Does not work with engine mounted stop switches.

Priced individually, sold @ multiples of 2
Mercury Precision Branded, Clamshell Package Point of Sale Packaged.

LANYARD COUNTER DISPLAY KIT**8M0092854**

Contains 12 Mercury Point-of-Sale packaged Lanyards for counter display.

LANYARD CORD - 70 INCH**8M0092851**

Lanyard cord with improved ergonomic plastic clip, 70 inches in length. Intended for use on Big Tiller applications.

LANYARD CORD**823054Q**

Fork style lanyard used with the engine mounted stop switch on the 2.5, 3.3, 4/5 HP (2-cycle), 4/5/6 (FourStroke) outboard engines.


Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

LANYARD SWITCHES**LANYARD STOP SWITCH****87- 19674A08**

5 ft. (1.53 m) harness. 2 inch cut out with Black bezel. Used when mounting controls with no lanyard switch included. Chrome bezel optional - order separate. Used on Outboards and DTS engines

LANYARD STOP SWITCH -DUAL BEZEL 2 INCH**87- 19674A13**

5 ft. (1.53 m) harness. 2 inch cut out with Black bezel. Used with dual engine installations. Chrome bezel optional - order separate. Used on Outboards and DTS engines

LANYARD STOP SWITCH -DUAL FLUSH MOUNT**87- 19674A12**

5 ft. (1.53 m) harness. Surface or Flush mount. Used for Dual Engine installations. Used on Outboards and DTS engines

SHADOW RESISTOR PACKS

RESISTOR PACK- DTS SHADOW MODE



898091T01

Resistor pack used with DTS Shadow Mode applications. (#93) Included with the harness for this versions Helm 1, Starboard 2
Triple engine / single helm applications 2006 models and newer

RESISTOR PACK #94 - QUAD DTS SHADOW MODE



898091T02

Resistor pack #94 used on Quad DTS Shadow control single helm applications. Helm 1, Port 2
Quad engine / single helm applications 2006 models and newer

RESISTOR PACK- DTS SHADOW MODE



898091T03

Resistor pack used with DTS Shadow Mode applications. (#97) Helm 2, Starboard 2
Included in lower or primary helm for dual helm installs (895816A, 895817A, 895818A, and 895819A series helms)
Triple engine / dual helm applications 2006 models and newer.

RESISTOR PACK #98 ASSEMBLY - QUAD SHADOW MODE



898091T04

Resistor pack #98 used with Quad DTS Shadow control dual helm applications. (#98) Helm 2, Port 2
Quad engine / dual helm applications 2006 models and newer.

RESISTOR ASSEMBLY

Image not Available.

898091T05

Used for Helm 3 Shadow STBD inner. EPHS does not support triple hydraulic helm.
Not compatible with DTS Gen II unless used with ZE or 3rd party ERC.

RESISTOR ASSEMBLY

Image not Available.

898091T06

Used for Helm 3 Shadow port inner. EPHS does not support triple hydraulic helm.
Not compatible with DTS GEN II unless used with ZE or 3rd party ERC

JUNCTION BOXES/JUNCTION BOX ACCESSORIES

SMARTCRAFT WEATHER CAP



859318T 2

Weather Cap for SmartCraft Junction Box
Provides weather protection at unused junction box connection points

859318B 2

Weather Cap for SmartCraft Junction Box
Provides weather protection at unused junction box connection points
Priced individually, sold @ multiples of 24

10 PIN WEATHER CAP



888507T

10 pin weather cap with mounting tab.
Used for harnessing that could plug into a Junction Box.

SMARTCRAFT J-BOX TERMINATOR/RESISTOR**859318T 1**

SmartCraft Yellow 10-pin Terminator/Resistor
Provides CAN Bus termination for CAN P network.

TERMINATOR ASSEMBLY

Image not
Available.

859318A04

Terminator Assembly for CAN 1 and 3.

SMARTCRAFT J-BOX TERMINATOR/RESISTOR**859318B 1**

SmartCraft Yellow Junction Box Terminator/Resistor
Provides CAN Bus termination where installed
Priced individually, sold @ multiples of 24

TERMINATOR ASSEMBLY**8M0055652**

SmartCraft Red Terminator Can 1/P & H

TERMINATOR 10 PIN CAN V**859318T05**

10 Pin terminator Can V
All Diesels

RESISTOR- TERMINATION- 2 PIN**893388A01**

Blue 2-pin terminator/resistor
Provides CAN bus termination for CAN Networks.

HELM MPR 2 PIN WEATHER CAP**86-8M0054244**

GT280 2 pin male weather cap.
Used on Joystick (Zeus, Axius and JPO) applications for the Helm MPR connection harness 8M2021476.

PLUG ASY DIAGNOSTIC PORT**8M0046339**

10 pin diagnostic port for use on any SmartCraft application.
Used as a 10 pin diagnostic port for connecting Mercury Computer Diagnostic System (CDS) junction box connection. Typically gets mounted at the helm, out of line of sight so that a technician does not have to disassemble helm to plug into a 10 pin connection. Requires a harness from back of diagnostic port to a 10 pin SmartCraft connection in the rigging.

J-BOX Y HARNESS

Image not
Available.

84-8M0165555

J-BOX Y HARNESS

5-WAY J-BOX KIT W/3 WEATHER CAPS

Image not
Available.

98-8M0165557

5-WAY J-BOX KIT w/3 WEATHER CAPS

5-WAY J-BOX KIT @ 24 KIT

Image not Available.

8M0175293

5-WAY J-BOX KIT @ 24 Kit

Priced individually, sold @ multiples of 24

J-BOX STACKING PLUG KIT

Image not Available.

23-8M0174363

J-BOX STACKING PLUG KIT. J-BOX Stacking Plug designed for easily vertical stackability of J-Boxes, allows for all plugs to be positioned on one side

BLUE CAN P RESISTOR

Image not Available.

82-8M0171627

BLUE CAN P RESISTOR

SECURITY SYSTEMS

This section will include security devices that will help protect your engine against theft..

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT SINGLE ENGINE KIT



98-8M6007933

1st Mate Safety & Security System is an engine integrated wireless man overboard (MOB) and theft deterrent system.

1st Mate has three main features:

1. Wireless MOB (man overboard) monitoring for the captain and up to 7 additional passengers (passenger wearables sold separately)
2. Distress Messaging texts that provide location, date and time via cellular on the mobile device to emergency contacts set up in the app
3. Theft Deterrent capability that prevents the engines from starting unless unlocked with proximity of the Captain's wearable and/or unocking the vessel through the 1st Mate app (PIN, fingerprint, face recognition).

Single Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the red wristband and carabiner clip wearables)

Single engine use on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT DUAL ENGINE KIT



98-8M6007934

1st Mate Safety & Security System is an engine integrated wireless man overboard (MOB) and theft deterrent system.

1st Mate has three main features:

1. Wireless MOB (man overboard) monitoring for the captain and up to 7 additional passengers (passenger wearables sold separately)
2. Distress Messaging texts that provide location, date and time via cellular on the mobile device to emergency contacts set up in the app
3. Theft Deterrent capability that prevents the engines from starting unless unlocked with proximity of the Captain's wearable and/or unocking the vessel through the 1st Mate app (PIN, fingerprint, face recognition).

Dual Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the red wristband and carabiner clip wearables)

Dual engine use on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT TRIPLE ENGINE KIT



98-8M6007937

1st Mate Safety & Security System is an engine integrated wireless man overboard (MOB) and theft deterrent system.

1st Mate has three main features:

1. Wireless MOB (man overboard) monitoring for the captain and up to 7 additional passengers (passenger wearables sold separately)
2. Distress Messaging texts that provide location, date and time via cellular on the mobile device to emergency contacts set up in the app
3. Theft Deterrent capability that prevents the engines from starting unless unlocked with proximity of the Captain's wearable and/or unocking the vessel through the 1st Mate app (PIN, fingerprint, face recognition). Triple Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the red wristband and carabiner clip wearables)

Triple engine use on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details

1ST MATE SAFETY & SECURITY SYSTEM - MERCURY SMARTCRAFT 4/5/6 ENGINE KIT



98-8M6007938

1st Mate Safety & Security System is an engine integrated wireless man overboard (MOB) and theft deterrent system.

1st Mate has three main features:

1. Wireless MOB (man overboard) monitoring for the captain and up to 7 additional passengers (passenger wearables sold separately)
2. Distress Messaging texts that provide location, date and time via cellular on the mobile device to emergency contacts set up in the app
3. Theft Deterrent capability that prevents the engines from starting unless unlocked with proximity of the Captain's wearable and/or unocking the vessel through the 1st Mate app (PIN, fingerprint, face recognition).

4/5/6 Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the red wristband and carabiner clip wearables)

4/5/6 engines on Mercury SmartCraft engine applications. Visit www.1stMate.net to get all the latest details

1ST MATE CAPTAIN'S WEARABLE FOB KIT



98-8M6007943

1st Mate Safety & Security System - Captain's wearable fob kit contains the Captain's fob along with the red wristband and carabiner clip wearables for retaining the fob.

For use with any 1st Mate Safety & Security System. Only 1 Captain's fob and up to 7 additional passenger fobs can be in use simultaneously. However, up to 3 Captain's fobs can be paired to a vessel.

1ST MATE PASSENGER'S WEARABLE FOB KIT



98-8M6007944

1st Mate Safety & Security System - Passenger's wearable fob kit contains the Passenger's fob along with the black wristband and carabiner clip wearables for retaining the fob.

For use with any 1st Mate Safety & Security System. Up to 7 additional passenger fobs can be in use simultaneously on one vessel.

1ST MATE SAFETY & SECURITY SYSTEM - SINGLE ENGINE KIT



98-8M6007939

1st Mate Safety & Security System is an engine integrated wireless man overboard (MOB) and theft deterrent system.

1st Mate has three main features:

1. Wireless MOB (man overboard) monitoring for the captain and up to 7 additional passengers (passenger wearables sold separately)
2. Distress Messaging texts that provide location, date and time via cellular on the mobile device to emergency contacts set up in the app
3. Theft Deterrent capability that prevents the engines from starting unless unlocked with proximity of the Captain's wearable and/or unocking the vessel through the 1st Mate app (PIN, fingerprint, face recognition).

Single Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the blue wristband and carabiner clip wearables)

Single engine use on All Leading Engine Brands (Mercury SmartCraft engine applications have a specific set of SKUs to gain additional integrated functionality). Visit www.1stMate.net to get all the latest details

1ST MATE SAFETY & SECURITY SYSTEM - DUAL/TRIPLE ENGINE KIT

98-8M6007940

1st Mate Safety & Security System is an engine integrated wireless man overboard (MOB) and theft deterrent system.

1st Mate has three main features:

1. Wireless MOB (man overboard) monitoring for the captain and up to 7 additional passengers (passenger wearables sold separately)
2. Distress Messaging texts that provide location, date and time via cellular on the mobile device to emergency contacts set up in the app
3. Theft Deterrent capability that prevents the engines from starting unless unlocked with proximity of the Captain's wearable and/or unocking the vessel through the 1st Mate app (PIN, fingerprint, face recognition).

Dual/Triple Engine Kit contains these components: intelligent hub and harness, one RFID tag, and one Captain's wearables fob kit (Captain's fob and the blue wristband and carabiner clip wearables)

Dual/Triple engine use on All Leading Engine Brands (Mercury SmartCraft engine applications have a specific set of SKUs to gain additional integrated functionality). Visit www.1stMate.net to get all the latest details

1ST MATE CAPTAIN'S WEARABLE FOB KIT



98-8M6007947

1st Mate Safety & Security System - Captain's wearable fob kit contains the Captain's fob along with the blue wristband and carabiner clip wearables for retaining the fob.

For use with any 1st Mate Safety & Security System. Only 1 Captain's fob and up to 7 additional passenger fobs can be in use simultaneously. However, up to 3 Captain's fobs can be paired to a vessel.

1ST MATE PASSENGER'S WEARABLE FOB KIT



98-8M6007948

1st Mate Safety & Security System - Passenger's wearable fob kit contains the Passenger's fob along with the black wristband and carabiner clip wearables for retaining the fob.

For use with any 1st Mate Safety & Security System. Up to 7 additional passenger fobs can be in use simultaneously on one vessel.

1ST MATE RED WEARABLES KIT



98-8M6007945

1st Mate Safety & Security System - Lost a 1st Mate wearable or prefer a different color? Red wearables kit contains the red wristband and carabiner clip for retaining a 1st Mate fob. Kit does not include a fob.

For use with any 1st Mate fob

1ST MATE BLUE WEARABLES KIT



98-8M6007932

1st Mate Safety & Security System - Lost a 1st Mate wearable or prefer a different color? Blue wearables kit contains the blue wristband and carabiner clip for retaining a 1st Mate fob. Kit does not include a fob.

For use with any 1st Mate fob

1ST MATE BLACK WEARABLES KIT



98-8M6007946

1st Mate Safety & Security System - Lost a 1st Mate wearable or prefer a different color? Black wearables kit contains the black wristband and carabiner clip for retaining a 1st Mate fob. Kit does not include a fob.

For use with any 1st Mate fob

CONTROL MODULE THEFT - MERCURY TDS



8M0056987

Control Module that communicates information as part of the Mercury TDS (Theft Deterrent System) Service replacement part

Used in kit 8M0057383 See Kit for applications

FOB -MERCURY TDS (THEFT DETERRENT SYSTEM)



8M0056988

Fob replacement kit to activate Theft Deterrent System as part of the Mercury TDS (Theft Deterrent System) Service replacement part

Used in kit 8M0057383 See Kit for applications

DOCKING STATION - THEFT - MERCURY TDS



8M0056994

Docking station that communicates information as part of the Mercury TDS (Theft Deterrent System) Service replacement part

Used in kit 8M0057383 See Kit for applications

WIRING HARNESS - THEFT - MERCURY TDS



84-8M0056993

Service replacement part. Main harness that connects docking station and module as part of the Mercury TDS (Theft Deterrent System)

Used in kit 8M0057383 See Kit for applications

BEZEL

**8M6002359**

Chrome - 52 mm
Fits small 2-1/8 in.(52 mm) O.D. SC100 System Link gauges
Priced individually, sold @ multiples of 2

IRIDIUM SATELLITE ANTENNA

**8M0059430**

Iridium Satellite antenna used in the Mercury TDS - Premium security system.
Mercury TDS - Premium Kits

ADHESIVE PAD, SQUARE

8M0059439

Adhesive square (Iridium) used in the Mercury TDS - Premium security system.
Mercury TDS - Premium Kits

GPS ANTENNA

**8M0059429**

GPS antenna used in the Mercury TDS - Premium security system.
Mercury TDS - Premium Kits

ADHESIVE PAD , OVAL

8M0059438

Adhesive oval pad (GPS) used in the Mercury TDS - Premium security system.
Mercury TDS - Premium Kits

POWER HARNESS

**84-8M0059434**

Power cord used in the Mercury TDS - Premium security system.
Mercury TDS - Premium Kits

J-BOX EXTENSION

**84-8M0059435**

J-Box extension used in the Mercury TDS - Premium security system.
Mercury TDS - Premium Kits

OUTBOARD NUT LOCK TRANSOM - SCM CERTIFIED

**11-8M0162394**

SCM certified High Strength Outboard Motor Lock for added security that fits most turnbuckle design bolts. This kit features anti drill protection from the hardened case, polished Marine Grade steel, noise dampening to reduce rattle and 2 security keys that can not be duplicated.

For outboards that use the turnbuckle (thumb screw) mounting bolts.

OUTBOARD TURNBUCKLE LOCK - SCM CERTIFIED

**8M0162395**

SCM+VbV certified High Strength Outboard Motor Lock for added security and protection for your Outboard. Features 2 security keys that can not be duplicated, Anti-Drill hardened Marine Grade Steel to make it harder to saw or drill through, and will fit up to 1/2 inch (12 MM) engine bolts.

For outboards that use transom mounted bolts

OUTBOARD MOTOR LOCK - BASIC



67-8M0054123

Outboard Motor Lock for added security and protection for your Outboard. Features heavy carbon steel desing, recessed solid brass lock and noise dampening to reduce rattle. Good security protection at a good value.

Outboards that use turnbuckle (thumb screw) mounting bolts

OUTBOARD MOTOR LOCK - HIGH SECURITY



67-8M0054122

High Strength Outboard Motor Lock for added security that fits most turnbuckle design bolts. This kit features anti drill protection from the hardened case, polished 316 stainless steel , noise dampening to reduce rattle and 2 security keys that can not be duplicated.

Outboards that use the turnbuckle (thumb screw) mounting bolts.

OUTBOARD MOTOR LOCK - TRANSOM



67-8M0054121

High Strength Outboard Motor Lock for added security and protection for your Outboard. Features 2 security keys that can not be duplicated, Anti-Drill hardened material to make it harder to saw or drill thru and will fuit up to 1/2 inch (12 MM) engine bolts

Outboards that use transom mounted bolts

OUTBOARD MOTOR LOCK



67-8M0126685

SSF certified High Strength Outboard Motor Lock for added security that fits most turnbuckle design bolts. This kit features anti drill protection from the hardened case, polished Marine Grade steel, noise dampening to reduce rattle and 2 security keys that can not be duplicated.

For outboards that use the turnbuckle (thumb screw) mounting bolts.

OUTBOARD MOTOR LOCK



67-8M0126686

SSF certified High Strength Outboard Motor Lock for added security and protection for your Outboard. Features 2 security keys that can not be duplicated, Anti-Drill hardened Marine Grade Steel to make it harder to saw or drill thru and will fit up to 1/2 inch (12 MM) engine bolts.

For outboards that use transom mounted bolts

SAFETY SYSTEMS

WARNING HORN KIT



816492A 9

Kit includes the new style piezo horn used with 1986 and newer remote controls and wiring harnesses.

Fits 2000 and newer Mercury/Mariner V-6 outboards. Also fits MY2002 and newer 525-1200 Hp. Race Stern drives.

LIGHT - DASH MOUNTED - CATALYST MALFUNCTION



8M0046481

Light will go on indicating that a malfunction has occurred with your catalyst on your engine. This means you will need to get your engine serviced soon. Works similar to your check Engine light in your truck or car. (harness to be sold seperately)

Harness numbers for single helms
(M0048049,8M0048054,8M0048055,8M0048056,8M0048057,
8M0048058,8M0048059)

Mer cruiser products that are equipped with a catalyst

HARNESS - MALFUNCTION LIGHT**84-8M0048049**

This harness is to connect the OBDM malfunction light for single helm applications. 10 ft.

All Mercruiser engines that have a catalyst

84-8M0048054

This harness is to connect the OBDM malfunction light for single helm applications. 15 ft.

All Mercruiser engines that have a catalyst

84-8M0048055

This harness is to connect the OBDM malfunction light for single helm applications. 20 ft.

All Mercruiser engines that have a catalyst

84-8M0048056

This harness is to connect the OBDM malfunction light for single helm applications. 25 ft.

All Mercruiser engines that have a catalyst

84-8M0048057

This harness is to connect the OBDM malfunction light for single helm applications. 30 ft.

All Mercruiser engines that have a catalyst

84-8M0048058

This harness is to connect the OBDM malfunction light for single helm applications. 40 ft.

All Mercruiser engines that have a catalyst

84-8M0048059

This harness is to connect the OBDM malfunction light for single helm applications. 50 ft.

All Mercruiser engines that have a catalyst

HARNESS - MALFUNCTION LIGHT**84-8M0048040**

This harness is to connect the OBDM malfunction light for dual helm applications. 10 ft.

All Mercruiser engines that have a catalyst

84-8M0048043

This harness is to connect the OBDM malfunction light for dual helm applications. 15 ft.

All Mercruiser engines that have a catalyst

84-8M0048044

This harness is to connect the OBDM malfunction light for dual helm applications. 20 ft.

All Mercruiser engines that have a catalyst

84-8M0048046

This harness is to connect the OBDM malfunction light for dual helm applications. 30 ft.

All Mercruiser engines that have a catalyst

84-8M0048047

This harness is to connect the OBDM malfunction light for dual helm applications. 40 ft.

All Mercruiser engines that have a catalyst

84-8M0048048

This harness is to connect the OBDM malfunction light for dual helm applications. 50 ft.

All Mercruiser engines that have a catalyst

NON SMARTCRAFT MOVING PROP ALERT LIGHT SYSTEM - OVAL**8M0109508**

Moving Prop (MP Alert) Alert Light system is a highly visible light system that provides additional notice to swimmers when the engine is running and the propeller is in motion. This kit is a two light kit that includes 2 smart lights with 6 LED lights, a control module (connected to the engine computer) and a 20 ft wiring harness (other lengths available). Also included is hardware needed to mount the lights. Additional lights can be purchased to add to the system. (Oval Shape)
Analog Engine / Non Smartcraft (Single Engines Only)

MOVING PROP ALERT LIGHT SYSTEM - OVAL**8M0109507**

Moving Prop (MP Alert) Alert Light system is a highly visible light system that provides additional notice to swimmers when the engine is running and the propeller is in motion. This kit is a two light kit that includes the smart lights with 6 LED lights each, a control module (connected to the engine computer) and a 20 ft wiring harness (other lengths available). Also included is hardware needed to mount the light. Additional lights can be purchased to add to the system. (Oval Shape)

Works with all SmartCraft compatible engines.

MP ALERT - ADD A LIGHT**8M0109505**

This kit will allow you to add additional lights to the MP Alert kits. Each kit includes one light and a Y harness to allow you to easily add a third or fourth light on the boat. (Oval Shape)

Works with all SmartCraft compatible engines.

MP ALERT LIGHT



8M0109506

Service replacement light for the MP Alert kit (Oval Shape)

MP ALERT - OVAL STAINLESS BEZEL



8M0072341

Stainless bezel to be used for any oval MP Alert light
Can be used on any of the new cowl-mounted oval MP Alert options for the 3.4L V6/4.6L V8 Fourstrokes

MP ALERT - OVAL WARM FUSION BEZEL



8M0138978

Warm Fusion bezel to be used for any oval MP Alert light
Should be used on warm fusion cowl-mounted oval MP Alert options for the 3.4L V6/4.6L V8 Fourstrokes

MODULE, MP ALERT




8M0117114

Module used to control the lights on MP Alert.
Controller is used with MP Alert light system on SmartCraft applications. Also can turn on/off with SkyHook feature on Joystick applications

8M0117116

Module used to control the lights on MP Alert.
Used with MP Alert light system (controller) Analog and Non-Mercury Engines

LIGHT SWITCH WITH LED - MP ALERT



8M0052292

Optional switch and warning light kit for the MP Alert Light System. This switch can be added to the system to control the on-off function manually.
Works with all SmartCraft compatible engines.

MP ALERT - Y HARNESS



84-8M0053250

Y Harness for MP Alert to allow easy installation of third or fourth light on the boat.
Works with any SmartCraft compatible engine.

HARNESS EXTENSION MP ALERT



84-8M0054183

Harness for connecting MP Alert light to front of boat - 10 ft

84-8M0054185

Harness for connecting MP Alert light to front of boat - 20 ft

84-8M0054186


Harness for connecting MP Alert light to front of boat - 30 ft

84-8M0054187

Harness for connecting MP Alert light to front of boat - 50 ft

TACHOMETER HARNESSSES

TACHOMETER HARNESS

**84- 46239A 1**

Three blade style. Used with 61490A__ series controls and ignition/Choke panels 77777A 2 and A 4.

TACHOMETER HARNESS

**84- 69108A 5**

Four pin style. Used with 84-87364A__ series harnesses, 65640A__ series controls and 76334A__ series controls.

TACHOMETER HARNESS

**84- 86396A 8**

Five pin style. 4 ft. (1.2 m). Used with Commander, Commander 2000 series & MSC 4000 (8 pin) series side mount controls and Ignition/Choke assemblies.

84- 86396A24

Five pin style. 13 ft. (4 m). Used with Commander, Commander 2000 series & MSC 4000 series side mount controls and Ignition/Choke assemblies.

TACHOMETER HARNESS

**84-827593A 2**

Bullet pin style.

Fits Mercury/Mariner 30 to 90 electric start tiller handle models.

REMOTE CONTROL ADAPTER HARNESSSES

REMOTE CONTROL ADAPTER HARNESS

**84-892473A01**

Converts the traditional Mercury connector to an Amp 8-pin connector. Converts side mount controls 881170A 3, 15, 16 and the 816626A__ series ignition keyswitch harness to connect to the MY2005 and newer 8/9.9 hp. FourStroke outboard.

MY2005 and newer 8/9.9 hp. FourStroke outboard and the 15/20 hp. FourStroke (351cc) outboard when a 8 pin side mount control or keyswitch harness is used.

REMOTE CONTROL/IGNITION CHOKE EXTENSION HARNESSSES

Fits Mercury / Mariner 6 hp. and Higher (2 cycle, USA & BEL Origin) outboards, Mariner 30/40 hp. with oil injection (2 cycle, Japanese Origin), all Mercury / Mariner 4-Stroke (USA Origin) outboards and Force 40 hp. and Higher (1993 and Newer). Various applications include 7,8 and 10 pin harnesses and 12 wire (8 pin plus 4 bullet connectors) used on side mount controls and ignition/choke assemblies.

EXTENSION HARNESS

**84- 17829A 2**

2 ft. (0.6 m) harness, 8 lead harness.

Used as harness extension or to complete two station installations.

84- 17829A10

10 ft. (3.05 m) harness, 8 lead harness.

Used as harness extension or to complete two station installations.

84- 17829A20

20 ft. (6.1 m) harness, 8 lead harness.

Used as harness extension or to complete two station installations.

TWO STATION Y-HARNESSES

For boats with two station applications.

POWER TRIM "Y" HARNESS



58366T 2

Used with Trim Control Panels and Extension Harnesses (46838__ series). Fits MCM engines and Mercury/Mariner outboards with power trim.

TWO STATION "Y" HARNESS



84-91942A 4

Used with Instrument Harness (84-812475A3 or 84-812476A 3), Instrument Extension Harness (84-812441A__ series or 84-812835A__ series), Stop/Start Panel (76426A 9) and Ignition Switch (54212A 7). Includes two station sending units.

Fits 1986 and newer MCM/MIE gasoline engines and 1994 and newer MCM/MIE diesel engines (except D-Tronic D2.8L, D4.2L and D7.3L diesels).

TWO STATION "Y" HARNESS



84-93347A 3

38 in.(96 cm) harness. Used with Ignition/Choke Assembly (84-816626A 2), Start/Stop Panel (76426A 7) and Remote Control Extension Harness (84-17829A__ series).

Fits Mercury/Mariner outboards with 8 pin engine harnesses.

TWO STATION "Y" HARNESS



84-850782

Fits 1997-2000 D2.8L and D4.2L Electronic models

DUAL STATION SENDERS

Replaces factory installed sender on engine. For use with dual station instrumentation.

ENGINE OIL PRESSURE SENDER



37293T

Fits MCM/MIE gasoline engines

ENGINE WATER TEMPERATURE SENDER



49734

For dual station installations, used for temperature gauge
Fits MCM/MIE engines

ENGINE OIL PRESSURE SENDER



87-805268

For dual station installations
Fits 1994 and newer MCM/MIE Diesel engines

TWO STATION START/STOP PANELS

Mounts in a 3-3/8 in.(86 mm) hole.

TWO STATION START/STOP PANEL



76426A 9

3 ft.(910 mm) harness connects in place of ignition switch.
Fits MCM/MIE gasoline Carb engines (0W650000 and below).

8M0078892

3 ft.(910 mm) harness connects in place of ignition switch.
Used on Outboard installations that have Mechanical Non DTS requirements for Remote Start/Stop. Uses 6 Pin connection and services second station installations. Similar to 76426A 9 MCM version.

POWER TRIM CONTROL PANELS

DUAL ENGINE POWER TRIM CONTROL

**90362A 3**

Toggle switch style with 20 ft.(6.1 m) harness and circuit control box. Mounts in a 3-3/8 in.(86 mm) hole. Designed for dual engine installations equipped with externally mounted tie bars. Simultaneously tilts both drives with a single toggle switch.

Fits Alpha & Bravo sterndrives that are not equipped with Auto Trim.

TRIM SWITCHES

TRIM PAD - DTS DUAL ENGINES

**87-879303A02**

Low profile mount trim pad for dual engine applications
Gen1 (2007 and newer) DTS Dual engines

TRIM PAD - DTS TRIPLE ENGINES

**87-879303A03**


Low profile mount trim pad for triple engine applications
Gen I (2007 and newer) DTS triple engines

TRIM PAD - DTS QUAD ENGINES

**87-879303A04**

Low profile mount trim pad for quad engine applications
Gen I (2007 and newer) DTS Quad engines

BEZEL

**879315T08**

White

Trim switch, triple/quad.

BEZEL

**879315T09**

Chrome

Trim switch, triple/quad.

BEZEL

**879315T05**

Grey

Trim switch, triple/quad.

BEZEL

**879315T07**

Black

Trim switch, triple/quad.

AUXILIARY TRIM HARNESS



84-895388T02

Allows connection of trim wires for use of a helm trim lever or secondary trim device.

2004 and newer DTS engines with panel mount remote control

HARNESS

Image not Available.

84-8M0169503

Fuse adapter only.

V6/V8 DTS engine must have L6SC fuse

BOW TRIM HARNESS



84-8M0169506

Allows connection of trim wires for use of a bow mounted trim button. Harness runs from bow trim switch to engine cowl trim switch.

2004 and newer DTS engines

HARNESS-AUXILIARY DASH SWITCH- DUALS



84-866704T01

This harness allows the connection to a auxiliary trim switch. Mounts between the 8 pin trim connector and the command module harness. No diode trim all.

DTS engines

TRIM ALL ADAPTER HARNESS



84-8M0094269

Harness allows for use of "trim all" switch on dual console ERCs when retrofitting with previous generation helm harnessing. Can also be used for SF2 dual ZE LCM between pad and handle

Should only be used in a repower situation where "trim all" handle switch in dual ERC does not match up with existing DTS helm harnessing

TRIM ALL - HARNESS ADAPTOR



84-8M0163379

TRIM ALL - HARNESS ADAPTOR

4 POSITION TRIM SWITCH ADAPTER



84-896394T01

Used with all dash mounted triple and quad trim switches to adapt to Zero Effort Controls

Triple/Quad engines

2006 / 2007 (Gen II) DTS engines

TRIM ADAPTOR - PADDLE / BLINKER TRIM - ZE



84-8M0163378

TRIM ADAPTOR - PADDLE / BLINKER TRIM - ZE

TRIM ADAPTOR - PADDLE / BLINKER TRIM - STD

Image not Available.

84-8M0165559

TRIM ADAPTOR - PADDLE / BLINKER TRIM - STD

TRIM ADAPTOR (8-PIN TO 3-PIN)**84-8M0163380**

TRIM ADAPTOR (8-PIN TO 3-PIN)

TRIPLE ENGINE TRIM HARNESS KIT-DTS**84-895744A02**

Allows connection of multiple DTS engines to trim switches (triple engine with Zero Effort Controls-included in kit)

QUAD ENGINE TRIM HARNESS KIT-DTS**84-895744A04**

Allows connection of multiple DTS engines to trim switches (Quad engines with Zero Effort Controls-included in kit)

ZERO EFFORT TRIM ADAPTER HARNESS**84-8M0109408**Included in Race Rigging Kits.
Required for any newer style Zero Effort control with 8 pin Trim All connector.
Harness is 8 pin Zero Effort to bullet connectors**DUAL ENGINE ZERO EFFORT 8 PIN TRIM ALL HARNESS****84-8M0047784**Harness that provides individual bullet drops for rocker switches from the 8 pin Trim All connector on the newer Zero Effort remote controls. Individual dash trim rockers with dash trim all
Connects a dual engine Zero Effort control with the newer 8 pin Trim All connector to individual rocker switches via bullets**HARNESS EXTENSION- QUAD**

Image not Available.

84-8M0158127

48" extension with dash, ERC pad, and Y harness

TRIM LIMIT KITS

Trim limit kits available to adjust trim up limits

POWER TRIM SWITCH KIT**87-18286A46**

Rocker switch style with 25 ft.(7.62 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location.

Fits Mercury/Mariner 75-115 hp. FourStroke outboards beginning with serial number 1B366823-2B094955.

TRIM LIMIT SWITCH KIT**899625K02**

Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is an analog device.

Fits the Mercury/Mariner Opti Max 1.5L (75-115), 2.5L (135,150,175 and 3.0L (200-300) Can also be used in 75-115hp 1.7L 4-stroke engines (Serial number 1B366823-2B094955.)

TRIM LIMIT SWITCH KIT



899625K04

Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is a digital device.

Fits the Mercury/Mariner Opti Max 1.5L (75-115), 2.5L (135,150,1750 and 3.0L (200-250) Can also be used in 75-115 4 stroke engines (Serial number 1B366823 and above. (ref 14 Pin Harness)

TRIM LIMIT SWITCH KIT



899625K05

Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is an digital device.

Fits the Mercury Verado 4 cylinder (135-175)

TRIM LIMIT SWITCH KIT



899625K06

Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is an digital device.

Fits the Mercury Verado 6 cylinder (200-275)

TRIM LIMIT SWITCH KIT



899625K07

Limits the up travel of the power trim to minimize potential interferences when fully tilted.

Fits the Mercury/Mariner 90 HP 2 cycle outboard

899625K08

Limits the up travel of the power trim to minimize potential interferences when fully tilted.

Fits the Mercury/Mariner 40-60 4 Stroke outboard

TRIM CONVERTER AND TILT UP LIMIT KIT



8M0118725

This kit allows the conversion of the trim signal from the analog sender to a digital output for Smartcraft gauge applications. The kit also has an additional feature that allows the max tilt up position to be set to avoid interference when tilting the engine completely up.

2.1L F75-115 Four Stroke

TRIM LIMIT SWITCH KIT



8M0059532

Limits the up travel of the power trim to minimize potential interferences when fully tilted. This is an digital device.

Fits the 150 HP 4 Stroke only

TRANSOM MOUNTED POWER TILT PANEL

TRANSOM MOUNTED POWER TILT PANEL



87-815200A 1

Rocker switch style with 6 ft. (1.8 m) harness and bullet connectors. Provides tilt control from the outside of the boat when trailering and launching. "T" harness (included in kit) connects directly to trim pump with traditional 3 blade connector. Fits MCM models with power trim having the traditional 3 blade connector.

TRANSOM MOUNTED POWER TILT PANEL



87- 815200A02

Rocker switch style with 6 ft.(1.8 m) harness and bullet connectors. Provides tilt control from the outside of the boat when trailering and launching. "T" harness (included in kit) connects directly to trim pump with 3 pin Packard connector. Fits MCM models with newer power trim having the 3 pin Packard connector.

OUTBOARD POWER TRIM SWITCH KITS

POWER TRIM SWITCH KIT



87- 14645A 4

Toggle switch style. Tiller handle mounted. Fits Mercury/Mariner 40 JET and 50/60 hp. outboards and operates the power trim kit added to a base ELHO model engine. See Tiller application chart for specific engine models.

POWER TRIM SWITCH KIT



87- 18286A17

Rocker switch style with 10 ft.(3.05 m) harness and 3 blade connector. Installation requires power trim "Y" harness (58366A 2). Provides tilt control from the bow or transom location. Fits Mercury/Mariner models equipped with remote mounted trim pump.

POWER TRIM SWITCH KIT



87- 18286A18

Rocker style switch with 10 ft. harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location. Fits Mercury/Mariner models equipped with integral trim pump.

POWER TRIM SWITCH KIT



87- 18286A46

Rocker switch style with 25 ft.(7.62 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location. Fits Mercury/Mariner 75-115 hp. FourStroke outboards beginning with serial number 1B366823-2B094955.

POWER TRIM SWITCH KIT



87- 18286A19

Rocker switch style with 25 ft.(7.62 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location. Fits Mercury/Mariner models equipped with integral trim pump.

POWER TRIM SWITCH KIT



87- 18286A47

Rocker switch style with 10 ft.(3.0 m) harness and bullet connectors. Can be surface mounted or flush mounted. Provides tilt control from the bow or transom location. Fits Mercury/Mariner 75-115 hp. FourStroke outboards beginning with serial number 1B366823-2B094955.


TRIM LIMIT SWITCH KIT



87-814407A 3

Kit includes a mercury switch to limit power trim travel and a new, shorter tilt bracket. Fits all Mercury/Mariner V-6 outboard applications which use engine mounted power trim solenoids.

TRIM SWITCH Y-HARNESS



84-889295T

Allows for tee-in of bow power trim switch with remote controls. Fits the F75-90-115 hp. FourStroke outboard, 1B366823 and above.

TROLL CONTROL

TROLL CONTROL- DASH MOUNTED- J BOX SMARTCRAFT INSTALLATIONS



87-8M0083438

Troll Control will allow you to have the same functions that you get from the SmartCraft Digital gauges and adjust the speed of the boat. By pushing the button up or down, you can feather your speed every 10 RPM. Go from idle to 1000 RPM or anywhere in between (some engines can actually go lower than idle (75-115 4 stroke(Walleye), 135-200 HP Verado 4 cylinder and 3.0L Optimax). RPM will reset to idle when more than 2-3% movement occurs at the throttle (TPS)

Includes Troll Control button pad. For Mechanical use only. Not compatible with DTS applications.

TROLL CONTROL WITH Y HARNESS- DASH MOUNTED- ANALOG

87-8M0083439

Troll Control will allow you to have the same functions that you get from the SmartCraft Digital gauges and adjust the speed of the boat. By pushing the button up or down, you can feather your speed every 10 RPM. Go from idle to 1000 RPM or anywhere in between (some engines can actually go lower than idle (75-115 4 stroke(Walleye), 135-200 HP Verado 4 cylinder and 3.0L Optimax) This kit will be used in analog gauge installations. RPM will reset to idle when more than 2-3% movement occurs at the throttle (TPS)

"Y" harness included in kit to connect to main engine harness. For Mechanical use only. Not compatible with DTS applications.

TROLL CONTROL Y HARNESS



84-8M0042976

Y harness allows you to connect directly to main engine harness and the Troll Control kit without using a "J" box. Mechanical 14pin CANP breakout harness only. Not compatible with Next Gen DTS or any other CANH system.

Used with Troll Control Kit 879365K08 (879365A08)

TROLL CONTROL KIT



87-8M0083437

RPM adjustment at your finger tips. This kit can be added to the Big Tiller Mechanical without P/S as an option

Y Harness not included. Mechanical use only. Not compatible with DTS applications.

POWER TRIM EXTENSION HARNESSES

Plugs into remote control or trim panel with 3 blade connectors.

POWER TRIM EXTENSION HARNESS



46838A 4

10 ft.(3.05 m) harness and 3 blade connectors.

Fits Mercury/Mariner and MCM models with power trim.

46838A 6

20 ft.(6.1 m) harness and 3 blade connectors. Note: Use with dual solenoid trim pump only.

Fits Mercury/Mariner and MCM models with power trim.

POWER TRIM EXTENSION HARNESS



84-817659T01

16 ft.(4.88 m) harness.

This harness connects the remote control 4 pin Molex connector to the traditional 3 blade Mercury pump trim pump connector.

MCM/MIE

84-881125A 1

24 ft.(4.88 m) harness.

This harness connects the remote control 4 pin Molex connector to the traditional 3 blade Mercury pump trim pump connector.

MCM/MIE

POWER TRIM EXTENSION HARNESS**84-865772T01**

16 ft.(4.88 m) harness.
This harness connects the remote control 4 pin Molex connector to the newer design 3 pin Packard pump trim pump connector.
MCM/MIE

POWER TRIM EXTENSION HARNESS**84-865772T02**

24 ft.(4.88 m) harness.
This harness connects the remote control 4 pin Molex connector to the newer design 3 pin Packard pump trim pump connector.
MCM/MIE

POWER TRIM EXTENSION HOSE/HARNESS KIT**POWER TRIM EXTENSION HOSE/HARNESS KIT****32-865384A01**

Includes a 6 ft (1.8M) harness and 4 ft (1.2M) hoses
Fits 1983 and newer MCM models

POWER TRIM ADAPTOR HARNESSES**POWER TRIM ADAPTER HARNESS****84-865770A02**

12 in.(305 mm) harness.
To convert older P/T pump with 3 blade connector to newer remote control harness with 3 pin Packard connector.

POWER TRIM ADAPTER HARNESS**84-865771A02**

12 in.(305 mm) harness.
To convert newer P/T pump with 3 pin Packard connector to older remote control harness with 3 blade connector.

POWER TRIM POWER SUPPLY CABLE

Recommend by the ABYC for use with MerCruiser power trim pumps installed in boats with batteries (or battery banks) rated more than 800 CCA or with a battery switch.

POWER TRIM CABLE ASSEMBLY**84-889282A01**

102 cm (48 in.), Sheathed w/o fuse

POWER TRIM CABLE ASSEMBLY



84-889282A02

183 cm (72 in.), Fused and sheathed

BATTERY CABLES

BATTERY CABLE KIT



84-88439A50

Pair of 12 ft.(3.7 m) cables, 1 red (+) Positive and 1 black (-) Negative, 4 gauge with ring terminals. 105C 4AWG SGT, 5/16 engine direct to battery, 3/8 and 5/16 boat. This is an optional accessory kit and may not reflect the original cables on your engine. For original manufactured service part replacement, the Electronic Parts Catalog should always be used for each specific engine. For alternate length cables, consult the appropriate service manual. Fits Mercury/Mariner outboard engines.

BATTERY BAR - MULTIPLE CONNECTOR

BATTERY MULTIPLE CONDUCTOR KIT (WITH COVERS)



898289Q45

New Battery Bus Bar Kit allows multiple connection points that result in clean and direct connections for various electrical power needs. This will eliminate stacking of ring terminals and reduce corrosion and loose connections resulting in poor or faulty electrical connections.

Kit includes a 3/8 inch and a 5/16 inch mounting plate made of brass with all the fasteners needed for multiple connections. This kit also includes a positive (red) and negative (black) cover that snaps to the plate and provides protection to the battery connections. (ABYC compliant)

Any 12 volt battery that has a 3/8 inch and 5/16 inch mounting stud

BATTERY MULTIPLE CONDUCTOR KIT (NO COVERS)



898289T47

New Battery Bus Bar Kit allows multiple connection points that result in clean and direct connections for various electrical power needs. This will eliminate stacking of ring terminals and reduce corrosion and loose connections resulting in poor or faulty electrical connections.

Kit includes a 3/8 inch and a 5/16 inch mounting plate made of brass with all the fasteners needed for multiple connections. This kit does not include plastic snap on covers (ABYC compliant)

Any 12 Volt battery with 3/8 inch and 5/16 inch studs

BATTERY COVER - RED/POSITIVE



898289045

Positive(Red) Snap on cover used with Battery Bus Bar kits

Any 12 volt battery that uses the new Bus Bar Kit

BATTERY COVER - BLACK/NEGATIVE



898289046

Negative (Black) Snap on cover used with Battery Bus Bar kits

Any 12 volt battery that uses the new Bus Bar Kit

BATTERY PLATE - 3/8 INCH (WITH FASTENERS)



898289A71

Multiple Conductor Battery Plate 3/8 inch (with fasteners) Clean up your battery solutions with direct isolated connections

BATTERY PLATE - 5/16 INCH (WITH FASTENERS)**898289A48**

Multiple Conductor Battery Plate with fasteners (No Covers)
Clean up your battery solutions with direct isolated connections

BATTERY ISOLATORS

Multi-battery drain occurs when there are two or more batteries in a charging system. Without a battery isolator, accessories attached to one battery will draw power from all other batteries in the circuit, leaving them seriously rundown, or even dead. The Quicksilver Battery Isolator is an electric current controlling device which isolates each battery in the circuit. Each battery then discharges and charges accordingly. Never does the load on one battery drain power from other batteries in the system.

BATTERY ISOLATOR - 80 AMP**87-8M6005583**

80 amp battery isolator. Ensure battery cables meet ABYC/CFR regulations.
All MerCruiser and Outboard engines.

BATTERY ISOLATOR - 200 AMP**87-8M6005584**

200 amp battery isolator. Ensure battery cables meet ABYC/CFR regulations.
All MerCruiser and Outboard engines.

BATTERY ISOLATOR HARNESS KIT**84-8M0094239**

Allows the connection of any battery isolator to Mercury/Mariner outboard. Kit includes a 10 gauge red cable (8 ft.[2.44 m] length) that connects from the regulator output terminal to the battery isolator input terminal.

Fits Mercury/Mariner 50-125 hp. (2000 & prior) with high output (16 amp.) alternator and V-6 models (1999 & prior) equipped with 40 amp. alternator or dual 20-amp alternator systems and fits the F75-115 hp. (2.1L) FourStroke and the F150 EFI FourStroke outboard. Connections from battery isolator to the batteries are not included.

BATTERY ISOLATOR STARTER CABLE**84-8M0045743**

Required in addition to the standard Battery Isolator Harness Kit.
Only required with the F75-115 FourStroke outboard 1B366823-2B094995.

175HP+ KICKER ELECTRICAL KIT**8M0149838**

This system allows you to run your kicker engine and use the power steering system without your primary engine running. This system allows you to connect to a deep cell battery (not your starter battery) and the system will provide normal power steering from the wheel. The system will alert you when your auxiliary battery is below 9.5 volts. This signal means that you must start your primary engine to change the battery system. This kit will save the starting battery for primary starting use only. Must select the appropriate isolator and isolator cables to be paired with this system, dependent on engine configuration.

175hp+ power steering systems with a kicker engine. 200-350 Verado 2015 (Gen 5) and newer and all 175-300hp 3.4L and 4.6L engines.

ELECTRICAL ISOLATOR KIT- DUAL OPTI AND 150 FOURSTROKE

Image not
Available.

8M0134605

Used to add Power steering option to Dual OptiMax or 150 FourStroke engines
Dual OptiMax or 150 FourStroke Engines

ELECTRICAL ISOLATOR KIT- TRIPLE OPTI AND 150 FOURSTROKE

Image not
Available.

8M0134606

Used to add Power steering option to Triple OptiMax or 150 FourStroke engines
Triple OptiMax and 150 FourStroke Engines

ELECTRICAL HARDWARE

ELECTRICAL HARDWARE KIT



86-813937A 2

Contains a broad selection of the electrical connectors used on Mercury/Mariner/Force and MerCruiser products.

BULLET TERMINAL RECEPTACLE



86-813936T

.18 in.(5 mm) Dia.
Priced & packaged in qty. of 20

BULLET TERMINAL RECEPTACLE



86-87223T

.156 in.(4 mm) Dia., two wire.
Priced & packaged in qty. of 20

BULLET TERMINAL RECEPTACLE



86-814433T

.156 in.(4 mm) Dia.
Priced & packaged in qty. of 20

BULLET TERMINAL



86-814434T

.156 in.(4 mm) Dia.
Priced & packaged in qty. of 20

BULLET TERMINAL



86-813937T

.18 in.(5 mm) Dia.
Priced & packaged in qty. of 20

RING TERMINAL



86-60878T

#10
Priced & packaged in qty. of 20

RING TERMINAL



86-98199T

#10 Self Locking
Priced & packaged in qty. of 20

RING TERMINAL

**86- 60602T**

.25 in.(6 mm) Dia.
Priced & packaged in qty. of 20

RING TERMINAL

**86- 61606T**

.312 in.(8 mm) Dia. ring terminal.
Priced & packaged in qty. of 20

BULLET TERMINAL RECEPTACLE INSULATOR

**85- 17198**

.156 in.(4 mm) Dia.
Priced individually, sold @ multiples of 20

BULLET TERMINAL RECEPTACLE INSULATOR

**85- 17199**

.156 in.(4 mm) Dia., one wire
Priced individually, sold @ multiples of 20

CABLE BOOT

Image not
Available.

85-8M0084147

Red battery cable boot. (Quantity of 5 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

BULLET TERMINAL RECEPTACLE INSULATOR

**85- 17200**

.156 in.(4 mm) Dia., two wire
Priced individually, sold @ multiples of 20

HEAT SHRINK TUBING

**57908 11**

Heat Shrink Tubing. .25 in.(6 mm) Dia. x 10 inches long.

SPLICE CLIP

**86- 60831T**

Splice Clip.
Priced & packaged in qty. of 20

CRIMPING TOOL

**91-808696**

Crimps the electrical connector to the wire.


QUICKSILVER FUNNEL ENTRY VINYL TERMINALS

FEMALE TAB DISCONNECT

**67-851766**

16-14 gauge, .250 in.
Priced & packaged in qty. of 25

MALE NYLON COUPLER




67-851773

16-14 gauge, .250 in.
Priced & packaged in qty. of 50

QUICKSILVER HEAT SHRINKABLE CONNECTORS AND TUBING

MALE QUICK DISCONNECT



67-851706

16-14 gauge
Priced & packaged in qty. of 100

FUSES AND CIRCUIT BREAKERS

BUSHING

Image not Available.

23-8M0011889

Fuse Bushing, adapts 0.25" ring terminal to 0.375" stud
Victron APS to Mercury Steering pump harnesses

FUSE



88-79091

20 amp
Priced individually, sold @ multiples of 5

FUSE HOLDER CABLE



84-95084A10

Female connector, 5 inches.

FUSE HOLDER CABLE



84-95084A13

Male connector, 64 inches.

CABLE ASSEMBLY

Image not Available.

84-8M0060271

5 amp Mercathode atc fuse harness

FUSE



88-832969 2

2 amp mini fuse

BRACKET

Image not Available.

899719T01

Breaker mounting bracket

FUSE



88-832969T05

5 amp mini fuse

FUSE



88-832969 10

10 amp mini fuse
Fits 1999 & newer V-6 & V-8 EFI engines with MEFI 3 ignition

FUSE



88-832969T15

15 amp mini fuse
Fits 1999 & newer V-6 & V-8 EFI engines with MEFI 3 ignition


FUSE



88-832969T20

20 amp mini fuse

FUSE



88-832969T25

25 amp mini fuse

FUSE



88-832969 30

30 amp mini fuse

FUSE



862646

5 amp
Among other applications, this fuse can be found in the DTS Power Harness.

FUSE



862647

10 amp fuse


FUSE



88-812619

20 amp fuse

FUSE ASSEMBLY



88- 79023A93

90 amp with 13/32 in. (10 mm) diameter mounting hole
Used on Verado power steering as well as various MerCruiser starter applications.

FUSE 50 AMP



88- 79023A94

Maxi 50 Amp fuse used with Power Steering System. APS to Battery. Compatible with GenB Kline steering pump
Power Steering System


60 AMP FUSE MAXI. GENB CAN STEERING PUMP

Image not Available.

88-8M0133062

60Amp Fuse

FUSE ASSEMBLY



88- 79023T56

55 amp

88- 79023T90

90 amp with 5/16 in. (8 mm) diameter mounting hole

88- 79023A91

90 amp with 13/32 in. (10 mm) diameter mounting hole
Used on Verado power steering as well as various MerCruiser starter applications.

88- 79023T10

110 amp

FUSE-30 AMP

Image not Available.

896755

Fuse, 30 amp, green.

FUSE ASSEMBLY



88-8M6001960

90 amp - Hot stud fuse
Used on MCM 4.5L & 6.2L engines

FUSE

88-8M0129533

Light Green, 30 amp
Main Power

MRPF FUSE

88-8M0129534

Red, 50 amp
Main Power

FUSE

88-8M0129535

Lime, 80 amp
ehps power steering pump fuse
Main Power

88-8M0130941

Yellow, 100 amp
Main Power

FUSE



88-8M0129562

Green, 125 amp, V12 engine fuse
Main Power

FUSE



88-8M0129528

Orange, 150 amp
Main Power

FUSE

Image not
Available.**88-8M0174088**MRBF fuse - 175 amp. (Quantity of 2 needed)
Fits Mercury 7.6L V12 600hp Verado and 500hp SeaPro

FUSE

**88-8M0129530**Blue, 200 amp
Main Power**88-8M0129531**Pink, 250 amp
Main Power

FUSE COVER ASY


**879346T24**Used with Fuse/Harness asy for Power Steering Systems
Power Steering Systems

BREAKER-15 AMP

Image not
Available.**88-8M2011907**

Circuit breaker, 15 amp.

CIRCUIT BREAKER

**88-8M0085705**

20 amp for power trim pump

CIRCUIT BREAKER

**88-11178A01**

50 amp w/ nut connections. Includes attaching hardware

FUSE BAR HOLDER KIT

Image not
Available.**88-8M0129529**Fuse Holder, washer, and nut. 3/8" Mounting hole and 1/4-20 stud
Main Power

FUSE BAR HOLDER KIT

Image not
Available.**56-8M0144608**

Bussman MRBF fuse holder (3/8" mounting hole with M8 1.25 (5/16) stud) and hardware

CABLE TIES

CABLE TIES

**56762**Standard small zip tie, 4"x0.09" (narrow)
Priced individually, sold @ multiples of 5

CABLE TIE

**69355**

5-1/2 in. (140 mm) long, 0.14 in. wide, black color, 1/16 in. to 1-1/4 in. (1.6-32 mm) bundle diameter.

Priced individually, sold @ multiples of 100

TIE STRAP

Image not Available.

69356

8"x 0.14"

CABLE TIE



54-816311T

8 in. (203 mm) long, 0.18 in. wide, black color, 3/8 in. to 1-3/4 in. (9.5-44 mm) bundle diameter, 60 lbs.(27 kg) minimum loop tensile strength
Priced individually, sold @ multiples of 100

CLIP

Image not Available.

54-899145

8"x 0.2", tie with push-in 0.25"-0.27" hole

STANDARD CABLE TIE



54-8M0064023

Standard 11 in. (280 mm) long, 0.177 in. wide, black color, 1/16 in.-3 in.(1.6-76 mm) bundle diameter, 50 lbs.(23 kg) minimum loop tensile strength, 1000 pcs./bag
Priced individually, sold @ multiples of 100

CABLE TIE

Image not Available.

54-8M0064024

Nylon. White, 5.62" x 0.10" (T18I9C2) or Black, 6.1" x 0.10" (62-N011)

ANCHOR

Image not Available.

822434

Anchor - Cable Tie @each (Dennison #10028) 0.75" long hole 0.200 (up to #10 screw). Cable ties up to 0.190" wide x 0.08" thick

TOOLS

14 PIN DEPINNING TOOL



91-896352A01

Used to remove pins on 14 pin DTS and non-DTS harnesses.

LOW LOSS 14/8 GRAY HARNESS 5 FEET



84-8M0154725

Low Loss 14/8 Gray Harness 5 FEET . Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 10 FEET

84-8M0154726

Low Loss 14/8 Gray Harness 10 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 15 FEET

84-8M0154727

Low Loss 14/8 Gray Harness 15 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 20 FEET

84-8M0154728

Low Loss 14/8 Gray Harness 20 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 25 FEET

84-8M0154729

Low Loss 14/8 Gray Harness 25 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 30 FEET

84-8M0154730

Low Loss 14/8 Gray Harness 30 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 35 FEET

84-8M0154731

Low Loss 14/8 Gray Harness 35 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 40 FEET**84-8M0154732**

Low Loss 14/8 Gray Harness 40 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 45 FEET**84-8M0154733**

Low Loss 14/8 Gray Harness 45 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 50 FEET**84-8M0154734**

Low Loss 14/8 Gray Harness 50 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 55 FEET**84-8M0154735**

Low Loss 14/8 Gray Harness 55 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 60 FEET**84-8M0154736**

Low Loss 14/8 Gray Harness 60 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 70 FEET**84-8M0154737**

Low Loss 14/8 Gray Harness 70 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 80 FEET**84-8M0154738**

Low Loss 14/8 Gray Harness 80 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 90 FEET**84-8M0154740**

Low Loss 14/8 Gray Harness 90 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 100 FEET**84-8M0154744**

Low Loss 14/8 Gray Harness 100 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 110 FEET**84-8M0154745**

Low Loss 14/8 Gray Harness 110 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

LOW LOSS 14/8 GRAY HARNESS 120 FEET**84-8M0154746**

Low Loss 14/8 Gray Harness 120 FEET. Scenarios when Low Loss cables are required - for harness length where the overall data cable run from engine to helm is 35 FEET or more, all multi-helm applications, all Joystick piloting and electric steering helm applications, and all applications with three or more engines

DATA CABLE PULLER**888462A 1**

Attaches to end of data harness to aid in pulling harness through boat. Prevents damage to data harness.

STEERING

STEERING

STEERING WHEELS

STEERING WHEEL

**67-829140A01**

Legend Steering Wheel with soft grip and wheel center This product is a four-spoke wheel design.

Wheel Dia.: 13-1/2 inch
Dish: 3-7/8 inch

STEERING WHEEL-V60 BLACK

**67-892762A05**

This wheel is a great value with soft grip and great looks. This Steering Wheel is a three-spoke design with a black grip and black spokes. Thermoplastic antishock material. Meets with EN 28848 and ABYC P22 standards. (includes hub)

13.8 inch (350 mm) wheel diameter • Standard .75 inch (19 mm) taper

STEERING WHEEL-CORSE B/S

**67-892762A01**

This wheel is a great value with soft grip and great looks. This Steering Wheel is a three-spoke design with a soft black grip and silver spokes. Meets with EN 28848 and ABYC P22 standards. (includes hub).

13.8 inch (350 mm) wheel diameter • Standard .75 inch (19 mm) taper

STEERING WHEEL- NISIDA B/B

**67-892762A02**

This wheel is a great value with polyurethane grip and great looks. This Steering Wheel is a three-spoke design with a black leather look soft grip and black spokes. Meets with EN 28848 and ABYC P22 standards. (includes hub)

Wheel Dia.: 13.8 inch (350 mm)
Std 3/4 inch taper

STEERING WHEEL - GRIMANI SS/CP

**8M0121295**

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and silver inserts.

Standard taper.

STEERING WHEEL - GRIMANI BRS/CP

**8M0121296**

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and burl wood inserts.

Standard taper.

STEERING WHEEL - GRIMANI CT/CP

**8M0121297**

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and brown-bronze inserts.

Standard taper.

STEERING WHEEL - LOREDAN SS/CP



8M0121300

This wheel is a great value with comfortable grip and updated, sporty styling. Silver spokes, black grip, and chrome inserts. Standard taper.

TILLER HANDLE STEERING-40-300HP TILLER

Mercury offers an industry-leading portfolio of tillers for outboards. For 40-115HP, a new optimally-sized, feature-rich, and fully adjustable tiller was recently introduced. It also provides Troll Control as a standard feature and a new industry-first heated grip is available as well. The Big Tiller is an ideal pairing from 150HP, now all the way up to 300HP FourStrokes.

Mechanical Tillers under 40hp are listed in Engine Accessories

STD TILLER TO 40-60HP FOURSTROKE TILLER



98-8M0159447

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

This is a conversion kit that allows installation of this tiller on a current tiller handle model ELHPT "standard tiller" 40 - 60 HP FourStroke with generation change S/N 1C050252 and above. T/S cables are included.

RC/BT TO 40-60HP FOURSTROKE TILLER

98-8M0159449

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

T/S cables are included.

40-60 HP FourStroke used with ELPT generation change S/N 1C050252 and above, currently outfitted with no tiller or Big Tiller.

RC/BT TO 35-40HP JET FOURSTROKE TILLER

98-8M0159451

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

T/S cables are included.

35-40HP Jet FourStroke models that are currently outfitted with no tiller or Big Tiller.

RC/BT TO 75-115HP FOURSTROKE TILLER

98-8M0159456

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

T/S cables are included.

75-115HP FourStroke, currently outfitted with no tiller or Big Tiller.

RC/BT TO 65-80HP JET FOURSTROKE TILLER

98-8M0159458

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

T/S cables are included.

65-80HP Jet FourStroke, currently outfitted with no tiller or Big Tiller.

RC/BT TO 40-60HP SEA PRO FOURSTROKE TILLER



98-8M0159453

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

T/S cables are included.

40-60 HP Sea Pro FourStroke currently outfitted with no tiller or Big Tiller.

RC/BT TO 75-115HP SEA PRO FOURSTROKE TILLER

98-8M0159460

This new tiller is designed for optimal performance and ergonomic control and comfort in any usage. It offers industry-leading adjustability, an integrated engine warning display, the ability to accommodate left- or right-handed operation, and Mercury's famous Troll Control is standard. It is also available with an optional heated grip for users in cold climates.

T/S cables are included.

75-115HP Sea Pro FourStroke, currently outfitted with no tiller or Big Tiller.

TILLER HEATED GRIP KIT



8M0158400

Optional heated grip offers three levels of heat for cold-weather operation. Anglers can warm their hands after handling their catch, and electronic features prevent excessive battery drain.

Includes grip and module.

Compatible with all 35-115HP Tiller models.

STEERING

MECHANICAL TILLER WITH P/S



98-8M0151561

The Big Tiller is designed for optimal performance and ergonomic comfort. With improved friction adjustments, a hydraulic locking feature to eliminate torque, easy access to the throttle shift handle and a trim button at the end of the handle, the Big Tiller provides safe and effortless operation. The RPM Adjustment switch (Troll Control) is included as standard equipment on this model. This model uses the latest steering pump technology, the Gen C.

The LED light switch is available as an option on this model.

Power steering is required on all tiller-operated outboards at 150hp and above.

DTS TILLER HANDLE WITH P/S



98-8M0151560

The Big Tiller is designed for optimal performance and ergonomic comfort. With improved friction adjustments, a hydraulic locking feature to eliminate torque, easy access to the throttle and shift handle and a trim button at the end of the handle, the Big Tiller provides safe and effortless operation. This model features the latest steering pump technology, the Gen C.

The RPM Adjustment (Troll Control) and LED light switch are standard on this model.

Power steering is required on all tiller-operated outboards at 150hp and above.

MECHANICAL TILLER WITH P/S



98-8M0151564

The Big Tiller is designed for optimal performance and ergonomic comfort. With improved friction adjustments, a hydraulic locking feature eliminating torque, easy access to the throttle and shift handle and a trim button at the end of the handle the Big Tiller provides safe and effortless operation. The RPM adjustment switch (Troll Control) is included as standard equipment on this model.

The LED light switch is available as an option on this model.

Power steering is required on all tiller-operated outboards at 150hp and above.

THROTTLE AND SHIFT KIT- 35 AND 40 JET FOURSTROKE BIG TILLER



8M0143358

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 35 and 40HP Jet FourStroke engines with Big Tiller.

THROTTLE AND SHIFT KIT- 75-115 FOURSTROKE TILLER

8M0083500

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 2.1L 75-115 HP FourStroke engines. (Upgrade with no spacer Ref Tiller Arm 8M0093581).

THROTTLE AND SHIFT KIT- 135HP+ OPTIMAX




8M0082353

The kit includes 2 - T/S cables. These cables are designed to provide the best in class installation for this engine family.

The kit is designed to work with the 135HP+ OptiMax engines.

THROTTLE AND SHIFT KIT- 3.0L 150 FOURSTROKE TILLER



8M0082355

The kit includes 2 - T/S cables. These cables are designed to provide best in class installation for this engine family.

The kit is designed to work with the 3.0L 150 HP FourStroke engines.

THROTTLE AND SHIFT KIT- 150-250

Image not Available.

8M0141907

The kit includes 2 - T/S cables. These cables are designed to provide the best in class installation for this engine family.

This kit is intended to be paired with the mechanical Big Tiller on the 3.4L (V6) and 4.6L (V8) FourStrokes up to 300hp.


TROLL CONTROL KIT



87-8M0083437

RPM adjustment at your finger tips. This kit can be added to the Big Tiller Mechanical without P/S as an option
Y Harness not included. Mechanical use only. Not compatible with DTS applications.

LED LIGHT AND SWITCH KIT



87-897978T02

New LED light and Switch Kit is an option on all Mechanical Big Tiller units. Allows for easy installation on the new Big Tiller. Light up your boat with a soft Amber light to make night fishing or early morning fishing more flexible.

OUTBOARD STABILIZER CLIPS- TRAILERING



64-891762A04

Helps keep engine centered during trailering
Safety orange durable plastic material
Fits most cylinder rods on engines manufactured in 1997 and newer.
Snaps over outboard's hydraulic steering cylinder rods

POWER STEERING - SINGLE

STEERING KIT 40 CM3 STD HELM - SINGLE

Image not Available.

98-8M0151555

Power Steering Single Rigging Kit that includes the Gen C pump, Std 40 CM3 Helm, Single engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well.
Verado and other power steering applications.

STEERING KIT 40 CM3 TILT HELM - SINGLE

Image not Available.

98-8M0151557

Power Steering Single Rigging Kit that includes the Gen C pump, Tilt 40 CM3 Helm, Single engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well.

Verado and other power steering applications.

POWER STEERING - DUAL

STEERING KIT 40 CM3 STD HELM - DUAL

Image not Available.

98-8M0151554

Power Steering Dual Rigging Kit that includes the Gen C pump, Std 40 CM3 Helm, Dual engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well.

Multiple Engine 150 FourStrokes and Optimax (No Single engines) and Verado.

STEERING KIT 50 CM3 STD HELM - DUAL

Image not Available.

98-8M0151558

Power Steering Dual Rigging Kit that includes the Gen C pump, Std 50 CM3 Helm, Dual engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well. Purchase of extra cylinder required.

Verado and other power steering applications.

STEERING KIT 40 CM3 TILT HELM - DUAL

Image not Available.

98-8M0151556

Power Steering Dual Rigging Kit that includes the Gen C pump, Tilt 40 CM3 Helm, Dual engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well.

Multiple Engine 150 FourStrokes and Optimax (No Single engines) and Verado.

STEERING KIT 50 CM3 TILT HELM - DUAL

Image not Available.

98-8M0151559

Power Steering Dual Rigging Kit that includes the Gen C pump, Tilt 50 CM3 Helm, Dual engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft. power steering harnesses are now sold separately as well. Must purchase additional cylinder.

Verado and other power steering applications.

POWER STEERING - TRIPLE

STEERING KIT 50 CM3 STD HELM - TRIPLE

Image not Available.

98-8M0151565

Power Steering Triple Rigging Kit that includes the Gen C pump, Std 50 CM3 Helm, Triple engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well.

Verado and other power steering applications.

STEERING

STEERING KIT 50 CM3 TILT HELM - TRIPLE

Image not
Available.

98-8M0151566

Power Steering Triple Rigging Kit that includes the Gen C pump, Tilt 50 CM3 Helm, Triple engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well.

Verado and other power steering applications.

HELM DUAL STATION - TILT



8M0137456

Power Steering dual helm with a tilt position mount. Includes cover, bracket and mounting hardware. (40 CM3) Needs 32-892825 ___ hose to attach pressure lines (lengths come in 8 ft to 25 ft lengths) Use as primary station when using dual helms or stations. Use standard helm as the secondary station. Requires tilt mechanism to be ordered separately.

Multiple Engine 150 4 strokes and Optimax (No Single engines) , Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

POWER STEERING - QUAD

STEERING KIT 50 CM3 TILT HELM - QUAD

Image not
Available.

98-8M0151563

Power Steering Quad Rigging Kit that includes the Gen C pump, Tilt 50 CM3 Helm, Quad engine adapter harness, and Automatic Power switch. Hoses need to be ordered separately. 4, 12, or 24 ft power steering harnesses are now sold separately as well.

Verado and other power steering applications.

POWER STEERING COMPONENTS

HELM - POWER STEERING - STANDARD



8M0137445

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware. (40 CM3) 4.1 turns lock to lock with one cylinder
Multiple Engine 150 4 strokes and Optimax (No Single engines) , Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM - POWER STEERING - TILT - HD



8M0137447

Power Steering Helm 40 CM3 Tilt. Includes all brackets and hardware needed to install helm.

Provides 4.1 turns lock to lock with one cylinder

Multiple Engine 150 4 strokes and Optimax (No Single engines) , Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM - POWER STEERING - STANDARD - HD



8M0137449

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware. (50 CM3) Use with dual cylinder applications such as triple/quad engine installations. (6.5 turns lock to lock with two cylinders)

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM - POWER STEERING - TILT - HD



8M0137451

Power Steering Helm 50 CM3 Tilt. Includes all brackets and hardware needed to install helm.

Provides 6.5 turns lock to lock with two cylinders. Recommended for triple and quad engine installations.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM - POWER STEERING - STANDARD

Image not
Available.

8M0162224

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware. (80 CM3)

Multiple Engine or high steering load applications, 300-450HP. Intended for use only when paired with the Gen C HD pump.

HELM - POWER STEERING - TILT

Image not Available.

8M0162225

Power Steering Helm 80 CM3 Tilt. Includes all brackets and hardware needed to install helm.

Recommended for triple and quad engine installations.

Multiple Engine or high steering load applications, 300-450HP. Intended for use only when paired with the Gen C HD pump.

HELM - POWER STEERING - STANDARD



8M0137439

Power Steering helm with a fixed position mount. Includes cover, bracket and mounting hardware. (32 CM3) Provides 5.1 turns lock to lock vs 4.1 turns lock to lock as option with one cylinder.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM - POWER STEERING - TILT



8M0137442

Power Steering Helm 32 CM3 Tilt. Includes all brackets and hardware needed to install helm.

Provides 5.1 turns lock to lock vs 4.1 turns lock to lock as option with one cylinder

Verado 200- 300 HP- Optional on 135 to 200 HP

Multiple OptiMax Engines

HELM DUAL STATION - STANDARD



8M0137453

Power Steering dual helm with a fixed position mount. Includes cover, bracket and mounting hardware.(40 CM3) Needs 32-892825___ hose to attach pressure lines (lengths come in 8 ft to 25 ft lengths). Use as primary station when using dual helms or stations. Use standard helm as the secondary station.

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM DUAL STATION - TILT



8M0137456

Power Steering dual helm with a tilt position mount. Includes cover, bracket and mounting hardware. (40 CM3) Needs 32-892825___ hose to attach pressure lines (lengths come in 8 ft to 25 ft lengths) Use as primary station when using dual helms or stations. Use standard helm as the secondary station. Requires tilt mechanism to be ordered separately.

Multiple Engine 150 4 strokes and Optimax (No Single engines) , Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM DUAL STATION - STANDARD



8M0137459

Power Steering dual helm with a fixed position mount. Includes cover, bracket and mounting hardware. (50 CM3) Needs 32-892825___ hose to attach pressure lines (lengths come in 8 ft to 25 ft lengths) Use as primary station when using dual helms or stations. Use standard helm as the secondary station.

Multiple Engine 150 4 strokes and Optimax (No Single engines) , Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

HELM DUAL STATION - TILT



8M0137461

Power Steering dual helm with a tilt position mount. Includes cover, bracket and mounting hardware. (50CM3) Needs 32-892825___ hose to attach pressure lines (lengths come in 8 ft to 25 ft lengths) Use as primary station when using dual helms or stations. Use standard helm as the secondary station. Requires tilt mechanism to be ordered separately.

Multiple Engine 150 4 strokes and Optimax (No Single engines) , Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

STEERING

POWER STEERING TILT



8M6003710

Replacement part for Power Steering Tilt System
All Power Steering Verado Systems

KEYWAY - POWER STEERING-SHORT KEY



28-893394002

Used with power steering to locate steering wheel hub.
2005 and newer Verado 200-275 and 2006 Verado 135-175 Power Steering installs
Priced individually, sold @ multiples of 2

CYLINDER - HYDRAULIC OR POWER STEERING



898349A11

Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design in the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine.
Verado 175-200 - both Power Steering or Hydraulic V6/1.5 Opti Max Hydraulic - 1.5L Opti needs to order arm 898082A03 to provide clearance
75-150 4 stroke engines.

CYLINDER - HYDRAULIC OR P/S- COUNTER ROTATION



898349A14

Port of counter rotation cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design in the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine
Verado 135-200 - both Power Steering or Hydraulic. Multiple Engines
V6/1.5 Opti Max Hydraulic - 1.5L Opti needs to order arm 898082A03 to provide clearance
75-115 4 stroke engines Multiple OptiMax engines - P/S 150 4 Stroke engines.

CYLINDER - BIG TILLER



898349A15

Cylinder included in Tiller Kit. Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design in the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine.
Big Tiller Cylinder - 75-115 4 Stroke, 75-115 1.5L Opti, 135-250 2.5L/3.0L Opti and 135-200 4 Cylinder Verado


CYLINDER- POWER STEERING - BIG TILLER



8M0058944

This cylinder was released with a special bent arm that provides more clearance and is longer than the others. It is unique to the Big Tiller Power Steering . Used in complete Kit 8M0061721. 150 - 4S
150 HP 4 Stroke Big Tiller

CYLINDER - DUAL CYLINDER POWER STEERING




8M0129513

This cylinder is designed to meet all power steering strength and performance requirements. It is the most robust design in the market and includes all hardware to mount the cylinder including the strongest bolts to attach to the engine. The UC128 cylinder link is attached to the steering head. 1 engine (parallel cylinders), 40cm helm. 2 engine (liquid tiebar, 4 cylinder) 50cm helm.

Verado 225+ horsepower and 200 Pro FourStroke. Intended for use on pontoons, which have exceptionally high steering loads. This system increases steering torque capacity by more than 80%.

POWER STEERING CYLINDER



8M0118141

Used to add a cylinder to a counter rotation engine for multiple engine installations. Also used with liquid tie bar 893396A01 to add a cylinder to operate engines mounted more than 34 in. apart

2005 and newer Verado 200-300 L6 and 350 SCI

CYLINDER - SHORTER STROKE




8M0129527

This cylinder has a shorter stroke than the normal production cylinders. It is used for installations where engines are mounted inside the normal 26 inch distance. This cylinder reduces the chances of the engines hitting with these tight mounting options

Verado 6 Cylinder Power Steering applications for mounting engines closer than the normal tie bar 26 inch distance.

GEN C POWER STEERING PUMP - STANDARD



8M0148159

This latest pump design - noted as the Gen C - is more robust than ever before and takes a more modular approach than in the past. This SKU includes only the pump and the needed fluid.

All power steering applications. Work with your Mercury representative to determine necessary version for usage.

FUSE ASSEMBLY



88- 79023A93

90 amp with 13/32 in. (10 mm) diameter mounting hole

Used on Verado power steering as well as various MerCruiser starter applications.

FUSE 50 AMP



88- 79023A94

Maxi 50 Amp fuse used with Power Steering System. APS to Battery. Compatible with GenB Kline steering pump

Power Steering System

FUSE COVER ASY



879346T24

Used with Fuse/Harness asy for Power Steering Systems

Power Steering Systems

FUSE/HARNESS ASSEMBLY



84-8M0144917

New 3 FT fuse /harness asy will be used with the new 50 amp Power Steering circuit. It will connect from the APS module to the battery. Used with Power Steering Pumps 892440A17,A18 and A19

Used on all Power Steering installations

84-8M0144923

New 5 FT fuse /harness asy will be used with the new 50 amp Power Steering circuit. It will connect from the APS module to the battery. Used with Power Steering Pumps 892440A17,A18 and A19

Used on all Power Steering installations

STEERING

FUSE/HARNESS ASSEMBLY



84-8M0144924

New 10 FT fuse /harness assembly will be used with the new 50 amp Power Steering circuit. It will connect from the APS module to the battery. Used with Power Steering Pumps 892440A17, A18 and A19

Used on all Power Steering installations

POWER STEERING HOSE- DAMPENER



32-897643A01

Hose used to reduce noise of the power steering system

Multiple Engine 150 4 strokes and Optimax (No Single engines), Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

SYNTHETIC POWER STEERING FLUID SAE 0W-30



92-8M0133951

Recommended for electric power steering systems such as Verado, JPO and Axis Gen I only. Recommended for transmission and steering and actuator systems for Zeus drives

946 ml (32 fl oz) plastic bottle

DUAL ENGINE ADAPTER-P/S "Y" HARNESS



84-892868T01

Used to connect two engines and two signal harnesses together to run both engines from one power module. "Y" harness

Verado Engines 200-300 HP and 350 SCI - Optional on 135-200 HP

TRIPLE ENGINE ADAPTER- P/S "Y" HARNESS



84-892868T02

Used to connect three engines and three signal harnesses together to run three engines from one power module. Each engine requires a signal harness hooked up to the Power Module.

2005 Verado Engines 200-300 HP and 350 SCI - Optional on 135-200 4 cylinder Verado

QUAD ENGINE ADAPTER- P/S "Y" HARNESS



84-892868T03

Used to connect four engines and four signal harnesses together to run Quad engines from one power module. Each engine requires a signal harness hooked up to the Power Module.

2006 Verado Engines 200-300 HP and 350 SCI - Optional on 135-200 4 cylinder verado

HARNESS- POWER STEERING - SIGNAL



84-8M0138676

Connects the power steering module to the engine which provides communication from engine to the power steering. 10 foot length. Multiple engine installations require one harness per engine.

Verado Engines 200-400 HP - Optional on 135-200 HP

84-8M0138677

Connects the power steering module to the engine which provides communication from engine to the power steering. 20 foot length. Multiple engine installations require one harness per engine.

Verado Engines 200-400 HP - Optional on 135-200 HP

84-8M0138678

Connects the power steering module to the engine which provides communication from engine to the power steering. 30 foot length. Multiple engine installations require one harness per engine.

Verado Engines 200-400 HP - Optional on 135-200 HP

80 AMP AUTOMATIC POWER SWITCH



87-8M0149746

Up to three batteries can be used on the 80 Amp automatic power switch. Includes 4 insulator boots (not shown). Better stand offs. Used with multiple engine/battery installations when a Verado power steering pump is used. Allows the Power steering pump to run off of either the port or starboard crank battery.


ELECTRICAL ISOLATOR KIT- DUAL OPTI AND 150 FOURSTROKE



8M0073037

Used to add Power steering option to Dual OptiMax or 150 FourStroke engines Dual OptiMax or 150 FourStroke Engines

ELECTRICAL ISOLATOR KIT- TRIPLE OPTI AND 150 FOURSTROKE



8M0134606

Used to add Power steering option to Triple OptiMax or 150 FourStroke engines Triple OptiMax and 150 FourStroke Engines


POWER STEERING PRIMER MODULE



91-895040K01

Used to prep the Power Steering system. Module allows pump to be run without starting engine. Allows bleeding and testing of power Steering system out of the water. Verado Engines 200-300 HP- Optional on 135-200 HP

HOSE KIT- P/S AND MERCURY HYDRAULIC -CYL/HELM



32-8M0167281

Kit includes two hoses of same length (2 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167282

Kit includes two hoses of same length (3 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167284

Kit includes two hoses of same length (5 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167285

Kit includes two hoses of same length (6 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167287

Kit includes two hoses of same length (8 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167288

Kit includes two hoses of same length (10 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167289

Kit includes two hoses of same length (12 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167290

Kit includes two hoses of same length (14 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167291

Kit includes two hoses of same length (16 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167292

Kit includes two hoses of same length (18 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167293

Kit includes two hoses of same length (20 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

32-8M0167294

Kit includes two hoses of same length (22 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SCI

STEERING

32-8M0167295

Kit includes two hoses of same length (24 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SC

32-8M0167296

Kit includes two hoses of same length (26 ft) to connect the Helm to the Cylinder on the engine. (Power Steering)

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SC

32-8M0167297

Kit includes two hoses of same length (28 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SC

32-8M0167298

Kit includes two hoses of same length (30 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SC

32-8M0167299

Kit includes two hoses of same length (32 ft) to connect the Helm to the Cylinder on the engine.

Verado Engines 200-300 HP- 135-200 HP (Power Steering and Mercury Hydraulic Steering) MCM Power Steering (879273A01/A02) 350 SC

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-8M0150604

Kit includes two hoses of same length (2 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150606

Kit includes two hoses of same length (4 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150607

Kit includes two hoses of same length (5 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150608

Kit includes two hoses of same length (6 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150610

Kit includes two hoses of same length (7 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150613

Kit includes two hoses of same length (10 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150615

Kit includes two hoses of same length (14 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150616

Kit includes two hoses of same length (18 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150617

Kit includes two hoses of same length (18 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150618

Kit includes two hoses of same length (20 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150619

Kit includes two hoses of same length (22 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

32-8M0150620

Kit includes two hoses of same length (24 ft) to connect the Gen C Power Module to the Helm.

(Power Steering)

All Mercury power steering.

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE



32-8M0077082

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

32-8M0077084

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

HOSE- PRESSURE- DUAL STATION




32-8M0148099

Used to connect dual station/ Helm together (6 ft) Power Steering

Verado Engines - 135 to 350 HP Power Steering Can also be used for MCM PS System

HOSE- PRESSURE- DUAL STATION



32-892825008

Used to connect dual station/ Helm together (8 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825010

Used to connect dual station/ Helm together (10 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825012

Used to connect dual station/ Helm together (12 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825014

Used to connect dual station/ Helm together (14 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825016

Used to connect dual station/ Helm together (16 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825018

Used to connect dual station/ Helm together (18 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825020

Used to connect dual station/ Helm together (20 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825022

Used to connect dual station/ Helm together (22 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825024

Used to connect dual station/ Helm together (24 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

32-892825026

Used to connect dual station/ Helm together (26 ft) Power Steering Verado Engines - 135 to 300 HP Power Steering Can also be used for MCM PS System

POWER STEERING HOSE- DAMPENER



32-897643A01

Hose used to reduce noise of the power steering system Multiple Engine 150 4 strokes and Optimax (No Single engines) , Verado 135-200 4 cylinder, 200-300 Verado 6 cylinder, 350 SCI

FITTING - BULKHEAD 3/4 IN. MALE TO MALE



22-892517

Fitting - Bulkhead 3/4 in. Male To Male. Used to install a bulkhead installation 0 in. to 3/4 in Maximum wall thickness grip length- Power Steering.


FITTING- BULKHEAD 3 IN. MALE TO MALE



22-892518

Fitting- Bulkhead 3 in. - Male To Male Power Steering Fittings. Used to install bulkhead installations 3/4 in. to 3 in. maximum wall thickness grip length.

STRAIGHT FITTING 9/16 IN.



22-892519

Fitting- Straight 9/16 in. to Cylinder - 6 to 4. Power Steering fittings. Allows straight cylinder hose connections at Outboard Steering cylinder vs 90 degree (replaces 889552)

TEE FITTING MALE 9/16 IN.



22-892520

Tee Fitting Male 9/16 in. Power Steering Fitting- Allows Tee connection of the cylinder hose ends Verado Engines - 135 to 300 HP Power Steering

STEERING

TEE FITTING FEMALE 9/16 IN.



22-892521

Tee Fitting Female 9/16 in. Power Steering Fitting- Allows "T" connection of 2 cylinder hoses ends with cylinder of helm fittings
Verado Engines - 135 to 300 HP Power Steering

CAP BRASS FEMALE 11/16 IN.



22-892525

Cap - 4 ORFS Zinc plated brass Female 11/16 in. Power Steering Fittings- Allows you to cap helm for service

CAP MALE 9/16 IN.



22-892522

Cap - Zinc plated brass 9/16 in. Male. Power Steering Fitting- allows you to cap cylinder hoses for service. Plug -6 ORFS

UNION FITTING MALE TO MALE 9/16 IN.



22-892526

Union Fitting Male to Male 9/16 in. Power Steering Fittings-- For connecting 2 cylinder hoses end to end

CAP MALE 11/16 IN.



22-892523

Cap - Zinc plated brass 11/16 in. Male. -4 ORFS. Power Steering Fitting- allows you to cap pressure hoses for service


UNION FITTING MALE TO MALE 11/16 IN.



22-892527

Union Fitting Male to Male 11/16 in. Power Steering Fittings- to connect 2 pressure hoses end to end

CAP FEMALE 9/16 IN.



22-892524

Cap -6 ORFS Zinc plated brass 9/16 in. Female. Power Steering Fittings- allows you to cap cylinder: helm (right and left) fittings for service
Verado Engines - 135 to 300 HP Power Steering

ELBOW FITTING FEMALE 9/16 IN.



22-892528

Elbow Fitting Female to Male 9/16 in.. Power Steering Fittings to allow 90 degree connection at helm (R&L port)
Verado Engines - 135 to 300 HP Power Steering

FITTING KIT BULKHEAD



64-8M0088973

Improved bulkhead fitting kit with chrome housing for multiple hose installations. Multiple Hose Installations for Compression style hoses.

STANDARD BULKHEAD PLATE - FITTINGS NOT INCLUDED



8M0147011

Improved standard bulkhead plate with threaded passage for multiple hose installations. JPO and DTS. Multiple Hose Installations.

DTS BULKHEAD PLATE



8M0146246

Improved DTS bulkhead plate with threaded passage for multiple hose installations. Multiple Hose Installations.

ELBOW- FEMALE TO MALE



22-897726

Female to Male .6875 Inch (11/16) -4 ORFS Power Steering Fittings- To allow 90 degree connection at helm (R&L port) Power Steering Fittings

POWER STEERING DIAGNOSTICS ADAPTOR - GEN C




Image not Available.

84-8M0156168

This adaptor is used to plug in to the Gen C or Gen C HD power steering pumps to access diagnostic information. Compatible with the Gen C and Gen C HD power steering pumps.

POWER STEERING HOSE KITS-JOYSTICK PILOTING

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-8M0150604

Kit includes two hoses of same length (2 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

32-8M0150605

Kit includes two hoses of same length (3 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

32-8M0150606

Kit includes two hoses of same length (4 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

32-8M0150607

Kit includes two hoses of same length (5 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

32-8M0150608

Kit includes two hoses of same length (6 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

32-8M0150610

Kit includes two hoses of same length (7 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

32-8M0150612

Kit includes two hoses of same length (8 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

32-8M0150613

Kit includes two hoses of same length (10 ft) to connect the Gen C Power Module to the Helm. (Power Steering) All Mercury power steering.

STEERING

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150614

Kit includes two hoses of same length (12 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM



32-8M0150615

Kit includes two hoses of same length (14 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150616

Kit includes two hoses of same length (18 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150617

Kit includes two hoses of same length (18 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150618

Kit includes two hoses of same length (20 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150619

Kit includes two hoses of same length (22 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

32-8M0150620

Kit includes two hoses of same length (24 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150621

Kit includes two hoses of same length (26 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150622

Kit includes two hoses of same length (28 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150623

Kit includes two hoses of same length (30 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

POWER STEERING HOSE KIT - GEN C POWER MODULE TO HELM

Image not Available.

32-8M0150624

Kit includes two hoses of same length (32 ft) to connect the Gen C Power Module to the Helm.
(Power Steering)

All Mercury power steering.

PRESSURE HOSE

Image not Available.

32-8M6004888

Order qty. 2 per cylinder. ORFS -6 female to ORFS -6 female. Measure from bulkhead to cylinder for correct sizing. Return and pressure hoses make a pair for each engine, must be ordered separately.

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE



32-8M0077082

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

32-8M0077083

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

PRESSURE HOSE ASSEMBLY-3/8 ORFS

Image not Available.

32-8M6004890

3.5 ft. Order qty. 2 per cylinder. ORFS -6 female to ORFS -6 female. Measure from bulkhead to cylinder for correct sizing. Return and pressure hoses make a pair for each engine, must be ordered separately.

POWER STEERING HOSE - BULKHEAD TO CYLINDER PRESSURE



32-8M0077084

.375 inch hose, bulkhead to cylinder pressure for joystick applications.

JPO BULKHEAD PLATE



8M0146247

Improved bulkhead plate with threaded passage for multiple hose installations. Joystick, multiple Hose Installations.

TIE BAR KITS

HEAVY DUTY TIE BAR KIT- DUAL



8M0096314

Heavy Duty 26 inch Tie Bar allows two engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved retaining design.

26 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines

8M0096315

Heavy Duty 28 inch Tie Bar allows two engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved retaining design.

28 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0096316

Heavy Duty 30 inch Tie Bar allows two engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved retaining design.

30 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0096317

Heavy Duty 32 inch Tie Bar allows two engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved retaining design.

32 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0096319

Heavy Duty 34 inch Tie Bar allows two engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved retaining design.

34 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0097267

Heavy Duty 36 inch Tie Bar allows two engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved retaining design.

36 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

HEAVY DUTY TIE BAR ADD AN ENGINE KIT



8M0096320

Add An Engine 26 inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved heavy duty design.

26 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0096321

Add An Engine 28 inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved heavy duty design.

28 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0096322

Add An Engine 30 inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved heavy duty design.

30 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0096323

Add An Engine 32 inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved heavy duty design.

32 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0096324

Add An Engine 34 inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved heavy duty design.

34 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

8M0097268

Add An Engine 36 inch Tie Bar allows triple and quad engines to be attached together +/- 1.25 inches.

Tie Bar has been engineered for higher horse power applications with improved heavy duty design.

36 +/- 1.25 inches

2.6L L6 Gen 5 and 4.6L Verado Engines.

STEERING

TIE BAR- SINGLE CYLINDER DUAL ENGINE



64-8M0063473

This tie bar can be used on a dual installation with just one cylinder. 26 inch length with 1 inch of total adjustability.

75-115 HP EFI 4 Stroke OB (s/n 1B366823 & above), 150 4 Stroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications

64-8M0063474

This tie bar can be used on a dual installation with just one cylinder. 28 inch length with 1 inch of total adjustability.

75-115 HP EFI 4 Stroke OB (s/n 1B366823 & above), 150 4 Stroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

64-8M0063475

This tie bar can be used on a dual installation with just one cylinder. 30 inch length with 1 inch of total adjustability.

75-115 HP EFI 4 Stroke OB (s/n 1B366823 & above), 150 4 Stroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

64-8M0063476

This tie bar can be used on a dual installation with just one cylinder. 32 inch length with 1 inch of total adjustability.

75-115 HP EFI 4 Stroke OB (s/n 1B366823 & above), 150 4 Stroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

64-8M0063477

This tie bar can be used on a dual installation with just one cylinder. 34 inch length with 1 inch of total adjustability.

75-115 HP EFI 4 Stroke OB (s/n 1B366823 & above), 150 4 Stroke, 135-200 4 cylinder Verado, OptiMax, and 3.4 & 4.6L FourStrokes up to 250hp. Use only with Mercury cylinders for dual engine applications.

TIE BARS - DUAL ENGINES



64-892789Q22

26 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 66.0 cm (26 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q23

28 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 71.1 cm (28 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q25

30 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 76.2 cm (30 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q26

32 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 81.3 cm (32 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q27

34 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 86.4 cm (34 in.)


For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q24

36 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 91.5 cm (36 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

TIE BARS - TRIPLE ENGINES



892789Q32

26 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 66.0 cm (26 in.)

For use with the 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes. Also used on multiple 150 4 strokes.

892789Q33

28 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 71.1 cm (28 in.)

For use with the 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes. Also used on multiple 150 4 strokes.

LIQUID TIE BAR KIT



893396A02

Sequence valve for use with dual engines mounted more than 34 inches apart, or 2 sets of 2, for a total of 4 engines. With additional steering cylinder with wide dual engines, steering cylinders are connected in series. Valve allows for alignment / re-alignment. Add additional cylinder on counter rotation engines. Dual engines require 1 valve, 2 cylinders, and up to 300hp per engine. Quad engines still 1 valve, 4 cylinders, and up to 1800hp per engine.

2005 and newer Verado Engines and can also be used with the 75-115 EFI FourStroke outboard (s/n 1B366823 & above).


BRACKET- TIE BAR (WITH BOSSES)



892367T03

Gen1-Gen4 Verado M8 bolts
Verado 200-300 HP engines.

TIE BAR KIT - PORT MOUNTED KICKER



898370A03

Tie bar for Manual Hydraulic Steering System to attach primary engine to kicker engine. Engine will be mounted on the Port side of the primary engine Verado 175-200 HP as well as Mercury's bolt-on steering system for OptiMax, 75-115 FourStrokes, and the 3.4 and 4.6L FourStrokes.


TIE BAR KIT - STARBOARD MOUNTED KICKER



898966A02

Tie bar for Manual Hydraulic Steering System to attach primary engine to kicker engine. Engine will be mounted on the Starboard side of the primary engine Verado 175-200 HP as well as Mercury's bolt-on steering system for OptiMax, 75-115 FourStrokes, and 3.4 & 4.6L FourStrokes.

DRIVE BRACKET ONLY



67-892763A15

Heavy duty stainless steel bracket.
Bracket used on Panther Model 55-2700
Panther Model 55-2750

BRACKET-KICKER ENGINE ATTACHMENT



892822A02

Unique bracket used to hook up a kicker engine with Verado. Special bracket is attached to Verado engine to allow attachments.
2005 Verado Engines 200-300 HP

KICKER ENGINE BRACKET

8M0097850

Bracket is used to mount a kicker engine with a Verado engine.
Bracket is used on Gen 5 Verado engines

TROLLING MOTOR TIE BAR KIT WITHOUT DRIVE UNIT




67-892763A24

Heavy duty auxiliary steering kit connects an auxiliary trolling motor to your main motor. It is 1/2 inch thick. Ideal for large Walleye/ Great Lakes boats with rough water running conditions

Panther Model 55-2700

TROLLING MOTOR TIE BAR KIT



67-892763A14

Heavy duty auxiliary steering kit connects an auxiliary trolling motor to your main motor. It is 1/2 inch thick. Drive bracket is 100% stainless steel. Ideal for large Walleye/ Great Lakes boats with rough water running conditions

Panther Model 55-2700

STEERING

175HP+ KICKER ELECTRICAL KIT



8M0149838

This system allows you to run your kicker engine and use the power steering system without your primary engine running. This system allows you to connect to a deep cell battery (not your starter battery) and the system will provide normal power steering from the wheel. The system will alert you when your auxiliary battery is below 9.5 volts. This signal means that you must start your primary engine to change the battery system. This kit will save the starting battery for primary starting use only. Must select the appropriate isolator and isolator cables to be paired with this system, dependent on engine configuration.

175hp+ power steering systems with a kicker engine. 200-350 Verado 2015 (Gen 5) and newer and all 175-300hp 3.4L and 4.6L engines.

COUPLER ASSEMBLY KIT- 26 INCH

Image not Available.

8M0099084

Requires 2 per install

COUPLER ASSEMBLY KIT- 28 INCH

Image not Available.

8M0099085

Requires 2 per install

ASSEMBLY EXTENSION ARM KIT- TIE BAR

Image not Available.

8M0099090

Extension Arm Kit

EXTENSION ARM HARDWARE KIT

Image not Available.

8M0099091

Extension arm hardware kit

TIE ROD KIT

Image not Available.

8M0099092

Tie Rod Kit with Hardware

CLEVIS ASSEMBLY KIT- DUAL

Image not Available.

8M0099093

Clevis Assembly Kit

CLEVIS ASSEMBLY KIT- TRIPLE

Image not Available.

8M0099094

Triple Clevis Assembly Kit

HARDWARE KIT- COUPLER/TIE ROD

Image not Available.

8M0099104

Coupler/Tie Rod Hardware Kit

TIE ROD ASSEMBLY- BUSHING KIT

Image not Available.

23-8M0099105

HYDRAULIC STEERING - BASIC AND HEAVY DUTY SYSTEMS

Both the Basic and the Heavy Duty Hydraulic Systems in this section will use the hoses listed. (8M0053474 to 8M0053492) Note that the Basic is for single engines only - 150 HP and below. The Heavy Duty systems are for single engines above 150 HP as well as multiple engines. Fittings are listed in this section that can be installed to the compression style connections.

CYLINDER - HYDRAULIC - STANDARD



8M0141911

This Basic hydraulic cylinder has the same robust performance design requirement as our heavy duty cylinder. It is qualified to the same 300,000 cycle as our other steering systems, has high strength fasteners, stainless steel arm, heavy duty triple seal cartridges for enhanced durability and longevity high quality fittings using swaged compression style hose connections.

All Single Outboard - 150 HP and below
(1.5L Opti engine requires the special arm - cylinder 8M0056619)

CYLINDER - HYDRAULIC - STANDARD



8M0056619

This Basic hydraulic cylinder has the same robust performance design requirement as our heavy duty cylinder. It is qualified to the same 300,000 cycle as our other steering systems, has high strength fasteners, stainless steel arm, with a special bend for clearance, heavy duty triple seal cartridges for enhanced durability and longevity. High quality fittings using swaged compression style hose connections.
Mercury OB - 1.5L OptiMax

HYDRAULIC HELM - BASIC SYSTEM



8M0050098

This hydraulic helm is a std 20 CC / 1.2 Cu Inch helm with compression style fittings. It is used with the 8M0054993 Basic cylinder. The shaft is anodized steel with a composite tank. The pressure relief is 1000 PSI for high torque applications for improved performance. (5.2 Lock to lock wheel turns). Single engine 75-150 HP (includes new 150 HP 4 Stroke)

HYDRAULIC HELM - BASIC SYSTEM



8M0050099

This hydraulic helm is a Tilt 20 CC / 1.2 Cu Inch helm with compression style fittings. It is used with the 8M0054993 Basic cylinder. The shaft is anodized steel with a composite tank. The pressure relief is 1000 PSI for high torque applications for improved performance. (5.2 Lock to lock wheel turns). Single engine 75-150 HP OB (Includes new 150 HP 4 stroke)

HYDRAULIC HELM AND CYLINDER- SMALL- STD W-O HOSES



8M0077699

This kit includes a small cylinder and a new 1.2 Cubic Inch (20cc) Standard Helm. They do not come with hoses, you will need to order Compression Style fitting hoses 8M0053474 thru 8M0053491 hose kits (1000 PSI relief). Used on any brand Single Engine Outboard 150 HP and below

HYDRAULIC HELM AND CYLINDER- SMALL- TILT W-O HOSES



8M0077701

This kit includes a small cylinder and a new 1.2 Cubic Inch (20cc) Tilt Helm. They do not come with hoses, you will need to order Compression Style fitting hoses 8M0053474 thru 8M0053491 hose kits (1000 PSI relief). Used on any brand Single Engine Outboard 150 HP and below

CYLINDER WITH COMPRESSION STYLE FITTINGS



8M0050097

Heavy Duty Hydraulic standard cylinder that uses compression hoses 8M0053474 - 8M005053491. This cylinder is tested to Mercury's rigid standards that include higher loads and cycle testing to 300,000 cycles. It includes machined, high strength fasteners, electro polished SS arm, and heavy duty triple seal cartridges for enhanced durability and longevity
135-300 HP OPTI Max Outboards and 4 Cylinder Verado (Hydraulic only) Use on single, dual and triple installations

CYLINDER WITH COMPRESSION STYLE FITTINGS- PORT



8M0056145

Heavy Duty Hydraulic cylinder counter rotation that uses compression hoses 8M0053474 - 8M005053491. This cylinder is tested to Mercury's rigid standards that include higher loads and cycle testing to 300,000 cycles. It includes machined, high strength fasteners, electro polished SS arm, and heavy duty triple seal cartridges for enhanced durability and longevity
135-300 HP OPTI Max Outboards and 4 Cylinder Verado (Hydraulic only) Use on dual and triple installations (Counter rotation)

HYDRAULIC HELM PUMP - COMPRESSION STYLE FITTINGS



8M0056139

Front Mount Standard helm - 1.5 cu in (25 CC.) displacement. Approximately 5 turns lock to lock on singles (Use Compression style fittings and hoses) and 8 on dual cylinders
Compact design
Built-in valve for positive rudder lock
Integral relief valve for over pressure protection- 1500 PSI
Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

STEERING

HYDRAULIC HELM PUMP - COMPRESSION STYLE FITTINGS



8M0056140

Front Mount Tilt helm - 1.5 cu in (25 CC.) displacement. Approximately 5 turns lock to lock on singles and 8 on dual cylinders
 Compact design
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection - 1500 PSI (Use Compression style fittings and hoses)

Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

HYDRAULIC HELM PUMP - COMPRESSION STYLE FITTINGS



8M0056141

Front Mount Standard helm - 2.0 cu in (33CC.) displacement. Approximately 4.7 turns lock to lock on singles and 7.3 on dual cylinders
 Compact design
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection - 1500 PSI (Use Compression style fittings and hoses)

Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

HYDRAULIC HELM PUMP - COMPRESSION STYLE FITTINGS



8M0056142

Front Mount Tilt helm - 2.0 cu in (33 CC.) displacement. Approximately 4.7 turns lock to lock on singles and 7.3 on dual cylinders
 Compact design
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection - 1500 PSI (Use Compression style fittings and hoses)

Use with cylinder 8M0184533 and hoses 8M0053474 thru 8M0053492. Use on single or multiple OptiMax powered boats. Use on Verado 4 cylinder Hydraulic steering installation.

HYDRAULIC HELM PUMP -Q/S



8M0056143

Front Mount 2.4 cu in (39 CC) displacement. Approximately 3 turns lock to lock on singles (Use Compression style fittings and hoses) and 6.5 on dual cylinders

Compact design
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection

Hydraulic Steering for Verado 135 to 175-4 stroke engines
 Also can be used on OptiMax with Mercury hydraulic cylinder and hoses. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses Also can be used on 75-115 4 stroke and 1.5L opti 75-115 HP
 Use cylinder 8M0184533 for Std and 8M0184534 for counter for multiple engine installs. Hose series is 8M0053474 thru 8M0053492

HYDRAULIC HELM PUMP -Q/S-TILT



8M0056144

Front Mount 2.4 cu in (39 CC) displacement. Approximately 3 turns lock to lock on singles (Use Compression style fittings and hoses) and 6.5 on dual cylinders

Compact design
 Tilt Range of 48 Deg and 5 locking positions
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection

Hydraulic Steering for Verado 135 to 175-4 stroke engines
 Also can be used on OptiMax with Mercury hydraulic cylinder and hoses. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses Also can be used on 75-115 4 stroke and 1.5L opti 75-115 HP
 Use cylinder 8M0184533 for Std and 8M0184534 for counter for multiple engine installs. Hose series is 8M0053474 thru 8M0053492

HYDRAULIC STEERING KIT -Q/S



8M0073922

Quicksilver 1.5 cu in displacement Std Helm kit with Cylinder and Hoses. (14 ft)
 Approximately 5 turns lock to lock on a single engine
 Hydraulic Steering - 75 HP engines and above

8M0073923

Quicksilver 1.5 cu in displacement Std Helm kit with Cylinder and Hoses. (16 ft)
 Approximately 5 turns lock to lock on a single engine
 Hydraulic Steering - 75 HP engines and above

8M0073924

Quicksilver 1.5 cu in displacement Std Helm kit with Cylinder and Hoses. (18 ft)
Approximately 5 turns lock to lock on a single engine
Hydraulic Steering - 75 HP engines and above

8M0073925

Quicksilver 1.5 cu in displacement Std Helm kit with Cylinder and Hoses. (20 ft)
Approximately 5 turns lock to lock on a single engine
Hydraulic Steering - 75 HP engines and above

8M0073927

Quicksilver 1.5 cu in displacement Std Helm kit with Cylinder and Hoses. (22 ft)
Approximately 5 turns lock to lock on a single engine
Hydraulic Steering - 75 HP engines and above

8M0073928

Quicksilver 1.5 cu in displacement Std Helm kit with Cylinder and Hoses. (24 ft)
Approximately 5 turns lock to lock on a single engine
Hydraulic Steering - 75 HP engines and above

HYDRAULIC HOSE - COMPRESSION STYLE FITTINGS



32-8M0053474

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (2 ft)
Used with 8M0054993/8M0056619 "Basic" Cylinders as well as the 8M0184533/8M0054145 "Heavy Duty" systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053475

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (3 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053476

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (4 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053477

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (5 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053478

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (6 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053479

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (7 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053480

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (8 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053481

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (10 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053482

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (12 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053483

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (14 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053484

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (16 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053485

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (18 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053486

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (20 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053487

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (22 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053488

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (24 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053489

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (26 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053490

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (28 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053491

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (30 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053492

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (32 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems. Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

STEERING

VENTED HELM CAP-VCAP



64-891667Q01

VCAP Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01

VENTED HELM CAP-VCAP



64-891667Q01

VCAP Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01

NON VENTED CAP



19-898432

Required for dual station installations of steering system.

ADAPTER FOR POWER PURGE



64-889934A06

Adapter for the Power Purge system
Hydraulic Steering for Verado 135 to 200-4 stroke engines
Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

REMOTE FILL KIT FOR HYDRAULIC STEERING



64-889934A05

Remote fill adapter for rear mount and tilt mount Hydraulic pumps
Hydraulic Steering for Verado 135 to 200-4 stroke engines
Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

FITTING - 90 DEGREE



22-8M6000760

90 degree fitting used with compression style hydraulic systems (1/4 - 18 NPT to 3/8 compression)

HYDRAULIC STEERING ARM



898082A03

This arm attaches the cylinder to the engine for 1.5L OptiMax engines. Remove existing arm on 898349A01 cylinder and replace it with this arm for proper clearances
1.5L OptiMax engines

TEE FITTING



22-8M6000771

.375 Inch, Tee fitting used with compression style hydraulic system. (3/8 compression)
Hydraulic Compression Steering systems

BULKHEAD FITTING - COMPRESSION STYLE



22-8M6001381

Bulkhead fitting for Compression style Hydraulic Steering Systems
 .375 x 2.50 inch
 Compression Style Hydraulic Systems


FITTING-TEE BLEEDER



22-8M0041173

3/8 Comp x 6 ORFS
 Tee fitting used on the compression style cylinders (1500 PSI)
 8M0184533 and 8M0054993 cylinders

FITTING BULKHEAD 3 INCH



22-8M0055326

Bulkhead fitting used with compression style steering hoses (.375 inch
 compression X 3 inch LG)
 Hydraulic Compression Steering Systems


FITTING KIT BULKHEAD



64-8M0088973

Improved bulkhead fitting kit with chrome housing for multiple hose installations.
 Multiple Hose Installations for Compression style hoses.


FITTING - TEE



22-8M6001390

Used with Compression style hydraulic systems.
 Tee - 3/8 in. Compression X 3/8 in. male
 Hydraulic Compression style systems - Basic and Heavy Duty

FITTING - 90 DEGREE



22-8M6001392

Used with Compression style hydraulic systems.
 90 degree- 3/8 in. Compression X 3/8 in. male
 Hydraulic Compression style systems - Basic and Heavy Duty

HYDRAULIC OUTBOARD STEERING SYSTEM

HYDRAULIC OUTBOARD STEERING KIT UP TO 115HP



8M0153154

Kit includes: Intermediate mount helm pump, front mount outboard cylinder, hose
 kit(1/4 in. - 6m length) and fitting pre-assembled at one end. For outboards from
 40HP-115HP. Includes synthetic power steering fluid SAE 0W30 (2L) (PN
 8M0133951).

STEERING

HYDRAULIC STEERING - COMMON TO POWER STEERING

These parts are used to install Hydraulic Steering with the Power Steering components. Use hoses 8M0046914 thru 8M0046932 are the hoses that go with these cylinders and helms. All fittings are Power steering fittings found in the Power Steering section.

CYLINDER - HYDRAULIC OR POWER STEERING



898349A11

Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design in the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine.

Verado 175-200 - both Power Steering or Hydraulic V6/1.5 Opti Max Hydraulic - 1.5L Opti needs to order arm 898082A03 to provide clearance 75-150 4 stroke engines.

CYLINDER - HYDRAULIC OR P/S- COUNTER ROTATION



898349A14

Port of counter rotation cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design in the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine

Verado 135-200 - both Power Steering or Hydraulic. Multiple Engines V6/1.5 Opti Max Hydraulic - 1.5L Opti needs to order arm 898082A03 to provide clearance 75-115 4 stroke engines Multiple OptiMax engines - P/S 150 4 Stroke engines.

CYLINDER - BIG TILLER



898349A15

Cylinder included in Tiller Kit. Cylinder designed to meet all Power Steering strength and performance requirements. This cylinder is the most robust design in the market. Includes all hardware to mount this cylinder including the strongest bolts to attach to the engine.

Big Tiller Cylinder - 75-115 4 Stroke, 75-115 1.5L Opti, 135-250 2.5L/3.0L Opti and 135-200 4 Cylinder Verado

HYDRAULIC HELM PUMP -Q/S



64-891665Q01

Front Mount 1.5 cu in displacement. Approximately 5 turns lock to lock on singles and 10 on dual cylinders

Compact design

Built-in valve for positive rudder lock

Integral relief valve for over pressure protection

Hydraulic Steering for Verado 135 to 175-4 stroke engines

Also can be used on OptiMax with Mercury hydraulic cylinder and hoses. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses Also can be used on 75-115 4 stroke and 1.5L opti 75-115 HP

HYDRAULIC HELM PUMP -Q/S



64-891665Q04

Front Mount 2.0 cu in displacement. Approximately 4 turns lock to lock on singles and 8 on dual cylinders

Compact design

Built-in valve for positive rudder lock

Integral relief valve for over pressure protection

Hydraulic Steering for Verado 135 to 200-4 stroke engines

Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

HYDRAULIC HELM PUMP -Q/S



64-8M0124205

Front Mount 2.4 cu in displacement. Approximately 3 turns lock to lock on singles and 6.5 on dual cylinders

Compact design

Built-in valve for positive rudder lock

Integral relief valve for over pressure protection

Hydraulic Steering for Verado 135 to 200-4 stroke engines

Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

HYDRAULIC HELM PUMP -Q/S-TILT



64-891666Q05

Front Mount 1.5 cu in displacement. Approximately 5 turns lock to lock for singles and 10 on dual cylinders
 Compact design
 Tilt Range of 48 Deg and 5 locking positions
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection
 Hydraulic Steering for Verado 135 to 175-4 stroke engines
 Also can be used on OptiMax with Mercury hydraulic cylinder and hoses. Also can be used on OptiMax with Mercury hydraulic cylinder and hoses. Also can be used on 75-115 4 stroke and 1.5L opti 75-115 HP

HYDRAULIC HELM PUMP -Q/S-TILT



64-8M0124208

Front Mount 2.0 cu in displacement. Approximately 4 turns lock to lock on singles and 8 on dual cylinders
 Compact design
 Tilt Range of 48 Deg and 5 locking positions
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection
 Hydraulic Steering for Verado 135 to 200-4 stroke engines
 Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

HYDRAULIC HELM PUMP -Q/S-TILT



64-891666Q04

Front Mount 2.4 cu in displacement. Approximately 3 turns lock to lock on singles and 6.5 on dual cylinders
 Compact design
 Tilt Range of 48 Deg and 5 locking positions
 Built-in valve for positive rudder lock
 Integral relief valve for over pressure protection
 Hydraulic Steering for Verado 135 to 200-4 stroke engines
 Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

MERCURY HYD BOLT-ON STEERING KIT- STD -W/O HOSES



898349A02

This kit includes a standard helm (1.5Cu Inch) with all the needed components to install the helm along with a bolt-on cylinder with hardware . This bolt-on kit is the most robust hydraulic system in the market. The cylinder was tested to all Verado standards for load and strength. The kit also includes high strength machined stainless steel screws that are used at each attachment point. Order Verado hoses 897982K__ series separately

Used on all Verado 135-200 L4 engines, 75-115 4 Cylinder 4 strokes , OptiMax 1/5L and V6 engines (order arm 898082A03 when used on 1.5L Opti) (Use with Power Steering Hoses 8M0046914 thru 8M00469932)

MERCURY HYD BOLT-ON STEERING KIT-TILT -W/O HOSES



898349A03

This kit includes a Tilt helm (1.5 Cu Inch) with all the needed components to install the helm along with a bolt-on cylinder with hardware and remote fill kit. This bolt-on kit is the most robust hydraulic system in the market. The cylinder was tested to all Verado standards for load and strength. The kit also includes high strength machined stainless steel screws that are used at each attachment point. Order Verado hoses (897982K__) separately

Used on all Verado 135-200 L4 engines, 75-115 4 Cylinder 4 strokes , OptiMax 1/5L and V6 engines (order arm 898082A03 when used on 1.5L Opti) (Use with Power Steering Hoses 8M0046914 thru 8M00469932)

VENTED HELM CAP-VCAP



64-891667Q01

VCAP Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01

STEERING

NON VENTED CAP



19-898432

Required for dual station installations of steering system.

REMOTE FILL KIT FOR HYDRAULIC STEERING



64-889934A05

Remote fill adapter for rear mount and tilt mount Hydraulic pumps
Hydraulic Steering for Verado 135 to 200-4 stroke engines
Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

HYDRAULIC HELM STEERING FLUID



92-858078QB1

For use in MCM compact hydraulic helm steering systems.
Also used on Mercury Hydraulic Steering - Verado 135-175 and bolt-on steering system.

1 L (33.8 fl oz) plastic bottle

HYDRAULIC STEERING ARM



898082A03

This arm attaches the cylinder to the engine for 1.5L OptiMax engines. Remove existing arm on 898349A01 cylinder and replace it with this arm for proper clearances

1.5L OptiMax engines

VENTED HELM CAP-VCAP



64-891667Q01

VCAP Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01

X52- TILT MECHANISM



8M6003709

X52 Tilt- Used with T81 FC, T83 FC helms

ADAPTER FOR POWER PURGE



64-889934A06

Adapter for the Power Purge system
Hydraulic Steering for Verado 135 to 200-4 stroke engines
Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

VERADO KICKER ELECTRICAL KIT



8M0134611

Battery isolated system that allows you to run your kicker engine and use the Power Steering system without you primary engine running. This system allows you to connect to a deep cell battery (not your starter battery) and the system will provide normal power steering from the wheel. The system will alert you when your auxiliary battery is below 9.5 volts. This signal means that you must start your primary engine to change the battery system. This kit will save the starting battery for primary starting use only.

Verado Power Steering systems with a kicker engine 135-200 Verado

UFLEX STANDARD RACK STEERING SYSTEM

Racktech steering system. Kits will include a helm, x34 bezel and M86 steering cables. The cables have stainless steel output fitting ends, 3/4 " tapered shaft and can be mounted in multiple positions.

STANDARD RACK AND PINION STEERING SYSTEM



64-889935A12

12 ft
Racktech 12 steering kit. Kit includes helm,90 degree bezel(X34) and a 12 ft steering cable (M86).

64-889935A17

17 ft
Racktech 17 steering kit. Kit includes helm,90 degree bezel(X34) and a 17 ft steering cable (M86).

64-889935A18

18 ft
Racktech 18 steering kit. Kit includes helm,90 degree bezel(X34) and a 18 ft steering cable (M86).

64-889935A19

19 ft
Racktech 19 steering kit. Kit includes helm,90 degree bezel(X34) and a 19 ft steering cable (M86).

64-889935A20

20 ft
Racktech 20 steering kit. Kit includes helm,90 degree bezel (X34) and a 20 ft steering cable (M86).

UFLEX STANDARD RACK STEERING SYSTEM / TILT

Racktech steering system. Kits include a helm, X52 tilt mechanism and M86 steering cables. Cables have stainless steel output fitting ends, 3/4 " tapered shaft and can be mounted in multiple positions.

STANDARD RACK STEERING SYSTEM-TILT



64-889936A08

8 ft
Rotech Tilt 08 kit. The kit includes helm, X52 tilt mechanism, and 8 ft steering cable(M86)

64-889936A09

9 ft
Rotech Tilt 09 kit. The kit includes helm, X52 tilt mechanism, and 9 ft steering cable(M86)

64-889936A10

10 ft
Rotech Tilt 10 kit. The kit includes helm, X52 tilt mechanism, and 10 ft steering cable(M86)

64-889936A11

11 ft
Rotech Tilt 11 kit. The kit includes helm, X52 tilt mechanism, and 11 ft steering cable(M86)

64-889936A12

12 ft
Rotech Tilt 12 kit. The kit includes helm, X52 tilt mechanism, and 12 ft steering cable(M86)

64-889936A13

13 ft
Rotech Tilt 13 kit. The kit includes helm, X52 tilt mechanism, and 13 ft steering cable(M86)

64-889936A14

14 ft
Rotech Tilt 14 kit. The kit includes helm, X52 tilt mechanism, and 14 ft steering cable(M86)

UFLEX ZEROTORQUE FEEDBACK RACK STEERING SYSTEM

Accutech Zero Torque Feedback steering system. Kits include a helm, X34 bezel and M86 steering cable. Cables have stainless steel output fitting ends, 3/4 " tapered shaft and can be mounted in multiple positions.

Ref Service Bulletin 2007-13 for Ride Guide replacement Information

ZERO TORQUE FEEDBACK RACK STEERING SYSTEM



64-889937Q08

8 ft Replaces Ride Guide System per Service Bulletin 2007-13
Accutech 08 kit. Kit includes helm, X34 bezel and 8 ft steering cable (M86)

ZERO TORQUE FEEDBACK RACK STEERING SYSTEM



64-889937Q11

11 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 11 kit. Kit includes helm, X34 bezel and 11 ft steering cable (M86)

STEERING

ZERO TORQUE FEEDBACK RACK STEERING SYSTEM

**64-889937Q13**

13 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 13 kit. Kit includes helm, X34 bezel and 13 ft steering cable (M86)

ZERO TORQUE FEEDBACK RACK STEERING SYSTEM

**64-889937Q14**

14 ft
Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 14 kit. Kit includes helm, X34 bezel and 14 ft steering cable (M86)

ZERO TORQUE FEEDBACK RACK STEERING SYSTEM

**64-889937Q15**

15 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 15 kit. Kit includes helm, X34 bezel and 15 ft steering cable (M86)

64-889937Q16

16 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 16 kit. Kit includes helm, X34 bezel and 16 ft steering cable (M86)

64-889937Q19

19 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 19 kit. Kit includes helm, X34 bezel and 19 ft steering cable (M86)

64-889937Q22

22 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 22 kit. Kit includes helm, X34 bezel and 22 ft steering cable (M86)

64-889937Q23

23 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 23 kit. Kit includes helm, X34 bezel and 23 ft steering cable (M86)

64-889937Q25

25 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 25 kit. Kit includes helm, X34 bezel and 25 ft steering cable (M86)

64-889937Q26

26 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 26 kit. Kit includes helm, X34 bezel and 20 ft steering cable (M86)

64-889937Q27

27 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 27 kit. Kit includes helm, X34 bezel and 27 ft steering cable (M86)

64-889937Q30

30 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 30 kit. Kit includes helm, X34 bezel and 30 ft steering cable (M86)

64-889937Q32

32 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 232kit. Kit includes helm, X34 bezel and 32 ft steering cable (M86)

64-889937Q38

38 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 38 kit. Kit includes helm, X34 bezel and 38 ft steering cable (M86)

64-889937Q42

42 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 42 kit. Kit includes helm, X34 bezel and 42 ft steering cable (M86)

64-889937Q44

44 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accutech 44 kit. Kit includes helm, X34 bezel and 44 ft steering cable (M86)

UFLEX ZEROTORQUE FEEDBACK RACK SYSTEM/
TILT

Accutech Zero Torque Feedback steering system. Kit includes a helm, X52 tilt mechanism and M86 steering cable. Cables have stainless steel output fitting ends, 3/4 " tapered shaft and can be mounted in multiple positions.

ZERO TORQUE FEEDBACK RACK TILT STEERING
SYSTEM**64-889938A08**

8 ft
Accutech Tilt 08 Kit. Kit includes helm, X52 tilt mechanism, and 8 ft Steering cable (M86).

64-889938A09

9 ft
Accutech Tilt 09 Kit. Kit includes helm, X52 tilt mechanism, and 9 ft Steering cable (M86).

64-889938A10

10 ft
Accutech Tilt 10 Kit. Kit includes helm, X52 tilt mechanism, and 10 ft Steering cable (M86).

64-889938A11

11 ft
Accutech Tilt 11 Kit. Kit includes helm, X52 tilt mechanism, and 11 ft Steering cable (M86).

64-889938A12

12 ft
Accutech Tilt 12 Kit. Kit includes helm, X52 tilt mechanism, and 12 ft Steering cable (M86).

64-889938A18

18 ft
Accutech Tilt 18 Kit. Kit includes helm, X52 tilt mechanism, and 18 ft Steering cable (M86).

UFLEX MECHANICAL STEERING CABLES

Replacement rack steering cable for Accutech and Racktech steering systems. Also replaces Morse Command 200 and teleflex "The Rack" cables.

RACK REPLACEMENT STEERING CABLE



- 64-889940A08
8 ft
M86x08
- 64-889940A09
9 ft
M86x09
- 64-889940A10
10 ft
M86x10
- 64-889940A11
11 ft
M86x11
- 64-889940A12
12 ft
M86x12
- 64-889940A13
13 ft
M86x13
- 64-889940A14
14 ft
M86x14
- 64-889940A15
15 ft
M86x15
- 64-889940A16
16 ft
M86x16
- 64-889940A17
17 ft
M86x17
- 64-889940A18
18 ft
M86x18
- 64-889940A19
19 ft
M86x19
- 64-889940A20
20 ft
M86x20
- 64-889940A21
21 ft
M86x21
- 64-889940A22
22 ft
M86x22
- 64-889940A23
23 ft
M86x23

- 64-889940A24
24 ft
M86x24
- 64-889940A25
25 ft
M86x25
- 64-889940A26
26 ft
M86x26
- 64-889940A27
27 ft
M86x27
- 64-889940A28
28 ft
M86x28
- 64-889940A29
29 ft
M86x29
- 64-889940A30
30 ft
M86x30
- 64-889940A32
32 ft
M86x32
- 64-889940A34
34 ft
M86x34
- 64-889940A36
36 ft
M86x36
- 64-889940A38
38 ft
M86x38
- 64-889940A40
40 ft
M86x40
- 64-889940A42
42 ft
M86x42
- 64-889940A44
44 ft
M86x44
- 64-889940A46
46 ft
M86x46
- 64-889940A48
48 ft
M86x48
- 64-889940A50
50 ft
M86x50

STEERING

TELEFLEX NON-NFB SAFE-T QC ROTARY STEERING SYSTEMS

Designed with standard 3/4 in. (19 mm) round taper steering shaft and stainless steel cable output ends for maximum corrosion resistance. Features cable with quick connect to steering helm. Three turns lock-to-lock for standard travel. 90 degree helm mount.

SAFE-T QUICK CONNECT STEERING SYSTEM



64-826472A 8

8 ft. (2.4m)

64-826472A 9

9 ft. (2.7m)

64-826472A12

12 ft. (3.7m)

64-826472A13

13 ft. (4.0m)

64-826472A19

19 ft. (5.87m)

UFLEX STANDARD ROTARY STEERING SYSTEMS

Rotech steering system features planetary gear design for increased longevity, greater efficiency and smooth operation. Kits include T71 FC helm, X34 bezel and M66 steering cables. SS output fittings, 3/4" tapered shaft and flexible mounting positions

STANDARD ROTARY STEERING SYSTEM



64-889930A08

8 ft

Rotech 08 kit. Kit includes T71 FC helm, X34 mounting bezel and 8 ft Steering cable (M66).

64-889930A09

9 ft

Rotech 09 kit. Kit includes T71 FC helm, X34 mounting bezel and 9 ft Steering cable (M66).

64-889930A10

10 ft

Rotech 10 kit. Kit includes T71 FC helm, X34 mounting bezel and 10 ft Steering cable (M66).

64-889930A11

11 ft

Rotech 11 kit. Kit includes T71 FC helm, X34 mounting bezel and 11 ft Steering cable (M66).

64-889930A12

12 ft

Rotech 12 kit. Kit includes T71 FC helm, X34 mounting bezel and 12 ft Steering cable (M66).

64-889930A13

13 ft

Rotech 13 kit. Kit includes T71 FC helm, X34 mounting bezel and 13 ft Steering cable (M66).

64-889930A14

14 ft

Rotech 14 kit. Kit includes T71 FC helm, X34 mounting bezel and 14 ft Steering cable (M66).

64-889930A15

15 ft

Rotech 15 kit. Kit includes T71 FC helm, X34 mounting bezel and 15 ft Steering cable (M66).

64-889930A16

16 ft

Rotech 16 kit. Kit includes T71 FC helm, X34 mounting bezel and 16 ft Steering cable (M66).

64-889930A17

17 ft

Rotech 17 kit. Kit includes T71 FC helm, X34 mounting bezel and 17 ft Steering cable (M66).

64-889930A18

18 ft

Rotech 18 kit. Kit includes T71 FC helm, X34 mounting bezel and 18 ft Steering cable (M66).

64-889930A19

19 ft

Rotech 19 kit. Kit includes T71 FC helm, X34 mounting bezel and 19 ft Steering cable (M66).

64-889930A20

20 ft

Rotech 20 kit. Kit includes T71 FC helm, X34 mounting bezel and 20 ft Steering cable (M66).

UFLEX STANDARD ROTARY STEERING SYSTEMS/ TILT

Rotech steering system features a planetary gear design for increased longevity, greater efficiency and smooth operation. Includes T81 FC helm, X52 tilt mechanism and M66 steering cables. Automotive style, 5 position tilt range.

STANDARD ROTARY STEERING SYSTEM TILT



64-889931A08

8 ft

Rotech Tilt 08 kit. Kit includes the T81 FC helm and 8 ft steering cable (M66).

64-889931A09

9 ft

Rotech Tilt 09 kit. Kit includes the T81 FC helm and 9 ft steering cable (M66).

64-889931A10

10 ft

Rotech Tilt 10 kit. Kit includes the T81 FC helm and 10 ft steering cable (M66).

64-889931A11

11 ft

Rotech Tilt 11 kit. Kit includes the T81 FC helm and 11 ft steering cable (M66).

64-889931A12

12 ft
Rotech Tilt 12 kit. Kit includes the T81 FC helm and 12 ft steering cable (M66).

64-889931A14

14 ft
Rotech Tilt 14 kit. Kit includes the T81 FC helm and 14 ft steering cable (M66).

64-889931A17

17 ft
Rotech Tilt 17 kit. Kit includes the T81 FC helm and 17 ft steering cable (M66).

64-889931A19

19 ft
Rotech Tilt 19 kit. Kit includes the T81 FC helm and 19 ft steering cable (M66).

**UFLEX STANDARD ROTARY STEERING SYSTEMS/
DUAL CABLE**

Dual cable Rotech steering system. Features planetary gear design for longevity, greater efficiency and smoother operation. Includes T72 FC helm, X34 bezel and two M66 steering cables. SS ends, 3/4 " tapered shaft and flexible mounting positions.

STANDARD DUAL CABLE ROTARY STEERING SYSTEM



64-889932A10

10 ft
Rotech II 10 kit. Kit includes T72 FC helm, X34 bezel and 10 ft steering cable (M66).

64-889932A12

12 ft
Rotech II 12 kit. Kit includes T72 FC helm, X34 bezel and 12 ft steering cable (M66).

64-889932A17

17 ft
Rotech II 17 kit. Kit includes T72 FC helm, X34 bezel and 17 ft steering cable (M66).

TELEFLEX NFB ROTARY STEERING

No Feedback Steering Control. Used on Bass boats, runabouts, center consoles--virtually all of today's outboard boats with wheels to 16" diameter. Replaces Teleflex Safe-T steering systems without dash modifications.

NFB 4.2 ROTARY SYSTEM SINGLE CABLE



64-851622A10

10 ft. (3.0m)

64-851622A11

11 ft. (3.4m)

64-851622A12

12 ft. (3.7m)

64-851622A13

13 ft. (4.0m)

64-851622A14

14 ft. (4.3m)

64-851622A15

15 ft. (4.6m)

64-851622A16

16 ft. (4.9m)


64-851622A17

17 ft. (5.2m)

64-851622A18

18 ft. (5.5m)

NFB 4.2 SINGLE HELM REPLACEMENT PARTS



64-851622A 1

NFB 4.2 Single Helm

**UFLEX ZEROTORQUE FEEDBACK ROTARY
STEERING SYSTEM**

Accura Zero Torque feedback steering systems features a clutch that eliminates rudder torque and a planetary gear design for increased longevity, greater efficiency and smooth operation. Kits include the T73 FC helm, X34 bezel and M66 steering cable.

Ref Service Bulletin 2007-13 for Ride Guide replacement Information

**ZERO TORQUE FEEDBACK ROTARY STEERING
SYSTEM**



64-889933Q08

8 ft Replaces Ride Guide System Ref Service Bulletin 2007-13
Accura 8 kit. Kit includes helm, X34 bezel and 8 ft Steering cable (M66).

64-889933Q10

10 ft Replacement for Ride Guide System Ref to service Bulletin 2007-13

64-889933Q11

11 ft Replacement for Ride Guide System Ref to service Bulletin 2007-13

64-889933Q12

12 ft Replacement for Ride Guide System Ref to service Bulletin 2007-13

64-889933Q13

13 ft Replacement for Ride Guide System Ref to service Bulletin 2007-13

64-889933Q19

19 ft Replacement for Ride Guide System Ref to service Bulletin 2007-13

STEERING

UFLEX ZEROTORQUE FEEDBACK ROTARY SYSTEMS / TILT

Accura Zero Tirque Feedback steering system features a clutch that eliminates rudder torque and a planetary gear design for increased longevity, greater efficiency and smooth operation. Kit includes the T73 FC helm, X52 tilt mechanism and the M66 cables.

ZERO TORQUE FEEDBACK ROTARY STEERING SYSTEM TILT



64-889934A08

8 ft

Accura Tilt 08 Kit includes T73 FC helm, X52 tilt mechanism and 8 ft Steering cable (M66).

64-889934A09

9 ft

Accura Tilt 09 Kit includes T73 FC helm, X52 tilt mechanism and 9 ft Steering cable (M66).

64-889934A10

10 ft

Accura Tilt 10 Kit includes T73 FC helm, X52 tilt mechanism and 10 ft Steering cable (M66).

64-889934A11

11 ft

Accura Tilt 11 Kit includes T73 FC helm, X52 tilt mechanism and 11ft Steering cable (M66).

64-889934A14

14 ft

Accura Tilt 14 kit Includes T73 FC helm, X52 tilt mechanism and 14ft steering cable (M66).

64-889934A15

15 ft

Accura Tilt 15 kit Includes T73 FC helm, X52 tilt mechanism and 15ft steering cable (M66).

64-889934A19

19 ft

Accura Tilt 19 kit Includes T73 FC helm, X52 tilt mechanism and 19ft steering cable (M66).

UFLEX ROTARY STEERING CABLES

Replacement rotary steering cables for Rotech and Accura steering systems. Also replaces Morse Command 290 and Teleflex QC cables.

ROTARY STEERING CABLE (M66)



64-889939A09

9 ft

Replacement cable

64-889939A10

10 ft

Replacement cable

64-889939A11

11 ft

Replacement cable

64-889939A12

12 ft

Replacement cable

64-889939A13

13 ft

Replacement cable

64-889939A14

14 ft

Replacement cable

64-889939A15

15 ft

Replacement cable

64-889939A16

16 ft

Replacement cable

64-889939A17

17 ft

Replacement cable

64-889939A18

18 ft

Replacement cable

64-889939A19

19 ft

Replacement cable

64-889939A20

20 ft

Replacement cable

ADAPTER KIT -M47 TO 290 HELM



64-892790A03

Adapts M47 steering cable to Morse D290 helm

UFLEX STEERING COMPONENTS-HELMS, BEZELS, TILT MECH.

X35- 20 DEGREE MOUNTING BEZEL



64-889930A03

Use to adjust helm angles

X35- Used with T71 FC, T72 FC, T73 FC, G22, G22 NR helms or Mercury Power Steering (2005 Verado)

X34- 90 DEGREE MOUNTING BEZEL



64-889930A02

Use with helms to adjust helm angles
X34- Used with T71 FC, T72 FC, T73 FC, G22, G22 NR helms or Mercury Power Steering (2005 Verado)

STANDARD ROTARY STEERING HELM-T71 FC



64-889930A01

T71 FC helm

ZERO TORQUE FEEDBACK STEERING HELM-T73 FC



64-889933A01

T73 FC helm-

STANDARD ROTARY STEERING HELM TILT-T81 FC



64-889931A01

T81 FC helm-Tilt

ZERO TORQUE FEEDBACK ROTARY STEERING HELM-TLIT-T83



64-889934A01

T83 FC helm-Zero Torque Feedback -Tilt


STANDARD RACK HELM-TILT-G96



64-889936A01

G96- Standard Rack Helm- Tilt

ZERO TORQUE FEEDBACK RACK STEERING HELM-G88 NR



64-889937A01

G88 NR- Zero Torque Rack Helm

ZERO TORQUE FEEDBACK RACK HELM-TILT- G98 NR



64-889938A01

G98 NR- Zero Torque Rack Helm-Tilt

STEERING

UFLEX MISC COMPONENTS

TIE BARS - DUAL ENGINES



64-892789Q22

26 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 66.0 cm (26 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q23

28 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 71.1 cm (28 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q25

30 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 76.2 cm (30 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q26

32 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 81.3 cm (32 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q27

34 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 86.4 cm (34 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

64-892789Q24

36 Inches long with 1 inch of total adjustability.
Outboard centerline spacing of 91.5 cm (36 in.)

For use with the 75-115 hp EFI FourStroke (s/n 1B366823 & above), 175-200 L4 Verado, V6 OptiMax, and 3.4 & 4.6L FourStrokes - Up to 600 HP dual Install with one Counter Rotation Engine. Also used on multiple 150 4 strokes.

SECOND STATION HOSE AND FITTING KIT-KIT 95 2S



64-891667A03

Kit 95 2S- Hose and fitting kit for second station installations

COPPER TUBE FITTING KIT



64-891667A04

Includes two 1.6 ft nylon tubes and all necessary fitting for a single station.
.375 Inch

ADAPTER KIT -M47 TO 290 HELM



64-892790A03

Adapts M47 steering cable to Morse D290 helm

TELEFLEX ROTARY STEERING CABLES

Will work with Non-NFB and NFB Rotary helms with quick connects.

REPLACEMENT CABLES



64-851621A11

11 ft. (3.4m)

64-851621A12

12 ft. (3.7m)

64-851621A14

14 ft. (4.3m)

64-851621A16

16 ft. (4.9m)

64-851621A18

18 ft. (5.5m)

64-851621A20

20 ft. (6.1m)

TELEFLEX MECHANICAL STEERING HELMS

SAFE-T "TS" STEERING HELM



64-826470A 1

TELEFLEX BIG-T BEZEL KIT/MISC

BIG-T BEZEL KIT



64-809883A 1

20/90 Degree mount


BEZEL 90 DEG



64-826465

Bezel 90 deg. Safe-T QC

BEZEL 20 DEG



64-826464

Bezel 20 deg. 4.2 Rotary

TELEFLEX STEERING CONNECTION KITS



64-826449A 1

Clamp Block, Outboard Stainless steel

TELEFLEX NFB SEASTAR HYDRAULIC OUTBOARD STEERING

The most popular outboard hydraulic steering system offering smooth, super-efficient No FeedBack Steering designed for today's high performance hulls with single or multiple outboards up to 600 HP combined. SeaStar Steering systems are totally self-contained, non-power-assisted units that make steering a boat a truly enjoyable experience. Their super-efficient hydraulic operations produces an effect most people equate with "power steering". Although some dash modifications are required when you upgrade from a mechanical system, there are no pressure vessels or powers units to mount. 4.5 turns lock-to-lock. Packaged complete with helm, cylinder, hoses, fittings, oil, bleeder kit and detailed instruction sheet.

SEASTAR HELM



64-826501A 1

SEA STAR TILT HELM




862250

Sport tilt helm

Standard equipment used on MCM sterndrives w/ CHS

STEERING

SEASTAR HELM BACK PLATE KIT



64-826483A 1

Allows SeaStar and SeaStar Pro helms retrofit into boats where the following helms were previously installed: SyTen, pre-1991 square SeaStar, or mechanical rotary steering. The kit also reduces helm protrusion by thickness of dash.

FRONT PIVOT MOUNT OUTBOARD CYLINDER



64-804378A 1

Outboard front pivot mount cylinder.

FRONT PIVOT MOUNT OUTBOARD CYLINDER



64-889457A01

Fits Mercury 225 EFI FourStroke outboard engine, model year 2002 and newer.

FRONT MOUNT OUTBOARD CYLINDER (STANDARD)



64-826491A 1

SEASTAR HOSE KIT



64-826513A14

2 hoses - 14 ft (4.3m)
Also fits MCM sterndrives w/ CHS

64-826513A16

2 hoses - 16 ft (4.9m)
Also fits MCM sterndrives w/ CHS

64-826513A18

2 hoses- 18 ft (5.5m)
Also fits MCM sterndrives w/ CHS

64-826513A20

2 hoses- 20 ft (6.1m)
Also fits MCM sterndrives w/ CHS

64-826513A22

2 hoses - 22 ft (6.7m)
Also fits MCM sterndrives w/ CHS

64-826513A24

2 hoses - 24 ft (7.3m)
Also fits MCM sterndrives w/ CHS

HOSE CONNECTION KIT



64-826497A 1

Connects 3/8 in. (9.5mm) diameter copper tubing to SeaStar Cylinders (using 3/8 in. [9.5 mm] diameter nylon tubing).

HOSE CONNECTION KIT



64-826498A 1

Connects 3/8 in. (9.5mm) diameter copper tubing to SeaStar Cylinders (using SeaStar Outboard Hoses)

FRONT PIVOT MOUNT CYLINDER CHART

Front Pivot Mount Outboard Cylinder

See Teleflex application guide for additional Information

Brand	Year Range	Model	Front Pivot Mount O/B Cylinder
Honda	1996 - 2022	75-90 HP	64-804378A 1
Honda	1998 - 2022	30-50 HP	64-804378A 1
Johnson/Evinrude	1997 - 2022	65-175 HP	64-804378A 1
Johnson/Evinrude	1991 - 2022	200-225 HP	64-804378A 1
Johnson/Evinrude	1991 - 2022	250-300 HP	64-804378A 1
Johnson/Evinrude	1996 - 2022	90-225 HP Ficht	64-804378A 1
Johnson/Evinrude	1998 - 2022	65-70 HP 4-Stroke	64-804378A 1
Mercury/Mariner	1984 - 1994	2.4/2.5 EFI	64-804378A 1
Mercury/Mariner	1989 - 2022	75-300 HP	64-804378A 1
Mercury/Mariner	1998 - 2022	30-60 HP	64-804378A 1
Mercury	2002 - 2022	225 EFI FourStroke	64-889457A01
Nissan/Tohatsu	1990 - 2022	90-140 HP	64-804378A 1
Suzuki	1986 - 2022	100 HP	64-804378A 1
Suzuki	1986 - 2022	115-140 HP	64-804378A 1
Suzuki	1986 - 2022	150-225 HP	64-804378A 1
Suzuki	1998 - 2022	65-70 HP 4-Stroke	64-804378A 1
U S Marine/Force	1996 - 2022	90-120 HP	64-804378A 1
Yamaha	1997 - 2022	100-225 HP	64-804378A 1
Yamaha	1987 - 2022	225HP	64-804378A 1
Yamaha	1990 - 2022	250 HP	64-804378A 1
Yamaha	1998 - 2022	40-50-60 HP	64-804378A 1
Yamaha	1998 - 2022	70and 90 HP	64-804378A 1
Yamaha	1994 - 2022	80,100 HP 4-Stroke	64-804378A 1

UFLEX STEERING CYLINDERS, HELMS AND HOSES- MISC

HYDRAULIC HOSE - COMPRESSION STYLE FITTINGS



32-8M0053483

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (14 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053484

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (16 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053485

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (18 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053486

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (20 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053487

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (22 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053488

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (24 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053489

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (26 ft)
Used with 8M0054993/8M0056619 Basic Cylinders as well as the 8M0184533/8M0054145 Heavy Duty systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

32-8M0053474

New high strength 1500 PSI hose with compression type fittings. Fittings are made of brass with a nickel plating for extra corrosion resistance. (2 ft)
Used with 8M0054993/8M0056619 "Basic" Cylinders as well as the 8M0184533/8M0054145 "Heavy Duty" systems, Also match to helms 8M0050098/8M0050099 and 8M0056139 thru 8M0056144

HYDRAULIC HELM PUMP - Q/S-TILT



64-891666Q04

Front Mount 2.4 cu in displacement. Approximately 3 turns lock to lock on singles and 6.5 on dual cylinders
Compact design
Tilt Range of 48 Deg and 5 locking positions
Built-in valve for positive rudder lock
Integral relief valve for over pressure protection
Hydraulic Steering for Verado 135 to 200-4 stroke engines
Also can be used on OptiMax with Mercury hydraulic cylinder and hoses

VENTED HELM CAP-VCAP



64-891667Q01

VCAP Vented helm cap for use on Q/S helms 891665Q02 and 891666Q01

STEERING

NON VENTED CAP



19-898432

Required for dual station installations of steering system.

SECOND STATION HOSE AND FITTING KIT-KIT 95 2S



64-891667A03

Kit 95 2S- Hose and fitting kit for second station installations

TELEFLEX NFB SEASTAR REPLACEMENT PARTS

HELM VENTED FILL PLUG



64-826523

Comes with every SeaStar helm. Must be used in all single steering station systems or on the uppermost helm in multiple steering stations.

HELM NON-VENTED FILL PLUG



64-826524

For use on lower station in multi-station systems only. Included with kit 64-826495A 1 (HK5501)

OUTBOARD ADD-A-STATION/AUTOPILOT KIT



64-826495A 1

Contains fittings for adding either a steering station or an autopilot system to an existing SeaStar outboard steering system. Includes 25 ft. (7.3 m) of SeaStar 3/8 in. (9.5 mm) diameter nylon tubing and non-vented fill plug for helm at lower most station.

STERNDRIVE ADD-A-STATION/AUTOPILOT KIT



64-826496A 1

Contains fittings for adding either a steering station or an autopilot system to an existing SeaStar stern drive steering system. Allows use of SeaStar nylon tubing (with SeaStar 1.7 helms only). Includes non-vented fill plug for helm at lower most station.

CYLINDER SEAL KIT



64-826532A 1

Replacement front seal for kit for SeaStar front mount cylinders (HC5340/HC5342/HC5365). Includes 2 seal glands, pin wrench and guide tool.

BOTTLE FILLER KIT



64-826525A 1

For filling and bleeding of the hydraulic system.

TELEFLEX NFB SEASTAR TIE BAR KITS

TIE BAR KIT



64-826507A 2

Includes the adapter plates, tie bar and hardware required to connect twin engines utilizing single or twin front mount outboard cylinder(s) p/n 64-826491A 1(HC5342). Fits Mercury/Mariner V-6 135-200 HP (1989), 75-250 HP (1990), 75-275 HP (1991 and newer) and Hi-Perf 2.4/2.5L EFI (1995 and newer).

TIE BAR KIT



64-826512A 2

Includes the adapter plates, tie bar and hardware required to connect twin engines utilizing single or twin front mount outboard cylinder(s) p/n 64-826491A 1(HC5342). Fits Mercury/Mariner 90-115 HP (1984), 115-220 (1985-1988), 100-115 (1989). Also fits Johnson/Evinrude 80-225 HP (1991 and newer)

TWIN ENGINE ADAPTER PLATE



64-826511A 2

Replacement adapter plate only. Used to connect twin engines utilizing single or twin front mount outboard cylinder(s) p/n 64-826491A 1(HC5342). Fits Mercury/Mariner V-6 135-200 HP (1989), 75-250 HP (1990), 75-275 HP (1991 and newer) and Hi-Perf 2.4/2.5L EFI (1995 and newer).

SEASTAR TIE BAR KIT CHART

Tie Bar Kits

For use with old style front mount outboard cylinder 64-826491A 1

Brand	Year Range	Model	Tie Bar Kit - Plate Only
Johnson/Evinrude	2022	90-300 HP	N.L.A.
Johnson/Evinrude	2022	300 HP	N.L.A.
Johnson/Evinrude	2022	65-155 HP	N.L.A.
Johnson/Evinrude	2022	100-155 HP	N.L.A.
Johnson/Evinrude	2022	90-225 HP	64-826512A 2
Johnson/Evinrude	2022	150-175 HP	64-826512A 2
Johnson/Evinrude	2022	80-105 HP	64-826512A 2

Brand	Year Range	Model	Tie Bar Kit - Plate Only
Mercury/Mariner	2022	90-115 HP	64-826512A 2
Mercury/Mariner	2022	115-220 HP	64-826512A 2
Mercury/Mariner	2022	135-250 HP	64-826507A 2
Mercury/Mariner	2022	100-115 HP	64-826512A 2
Mercury/Mariner	2022	75-250 HP	64-826507A 2
Mercury/Mariner	2022	75-250 HP	64-826507A 2
Mercury/Mariner	2022	2.4/2.5 EFI(Perf)	64-826507A 2
Suzuki	2022	150-225 HP	N.L.A.
Suzuki	2022	100HP	N.L.A.

RIDEGUIDE ATTACHING KITS

Through tilt tube type. When converting tiller handle steering to remote steering, the existing co-pilot friction control should be disabled or removed.

STEERING LINK ROD KIT




11606A 1

Starboard cable entry.

Fits Mercury/Mariner 6/8/9.9/15 hp. (2 cyl.) 2 cycle outboards (USA 0A197112 and Newer, BEL 9461526 and Newer), 8 hp. 4-Stroke outboards (232 cc) and 9.9 hp. 4-Stroke outboards (0H000058-0H016909).

STEERING LINK ROD KIT



17024A03

Starboard cable entry.

Fits MY2005 & newer 8/9.9 Hp. FourStroke outboards.

STEERING ATTACHING KIT



19608A14

Starboard cable entry.

Fits various Mercury/Mariner 25 thru 60 hp. and Force 40/50 hp. outboards. See application chart for specific engine models.

STEERING

STEERING ATTACHING KIT



19609A 6

Port cable entry.

Fits various Mercury/Mariner 25 thru 60 hp. and Force 40/50 hp. outboards. See application chart for specific engine models.

STEERING ATTACHING KIT



41323A03

For port or starboard entry.

Fits various Mercury/Mariner 8/9.9/15 hp. 4-Stroke (323 cc) and also fits the 20/25 2-cycle (1984 & newer) outboards.

Will also work as the port entry attaching kit for the Mercury/Mariner 8/9.9 hp. FourStroke (MY 2005 & newer) when used with the Ezy Glide stick steering system. Do not use this link rod with this engine when using the traditional rotary or rack steering systems.

STEERING LINK ROD KIT



92876A12

Link rod, screw, washers & nuts for use with a starboard entry attaching cable.

Fits Mercury/Mariner V-6 outboards USA 5464486 and above, Force 75-150 outboards 0E093700 and above, 75-115 FourStroke 1B366823 and above, and the 150 EFI FourStroke 1B905505 and above..

STEERING LINK ROD



889454A02

Furnished standard with the engine, this kit uses the same link rod as the standard 2-cycle V-6 outboard, however, the attaching hardware is different and makes them not interchangeable.

Fits the 225 EFI FourStroke outboard engine.

STEERING LINK ROD KIT



853824A04

Fits the Mercury/Mariner 15hp. FourStroke outboard, s/n 0R235949 & above and the 20hp. FourStroke outboard, s/n 0R235168 & above.

STEERING LINK ROD KIT



898101A45

This link rod fits a starboard entry, thru-tilt tube mechanical system.

Fits the 25-30 Hp EFI FourStroke outboard (JPN- 0R106999 & above, BEL-0P401000 & above).

STEERING LINK ROD



898101045

Fits the 25-30 Hp EFI FourStroke outboard, serial number 0R106999 & above.

STEERING BRACKETS

Used with RideGuide attaching kits to convert tiller handle models to remote steering. When converting tiller handle steering to remote steering, the existing co-pilot friction control should be disabled or removed.

STEERING BRACKET WITHOUT CARRYING HANDLE



816667A 2

Fits Mercury/Mariner 30/40 hp. (2 cyl.) 2 cycle outboards (USA 0G055314 and Newer, BEL 9854537 and Newer) and 25/30/40/45/50 hp. 4-Stroke outboards.

STEERING BRACKET



76535T

Converts manual tiller to remote steering.
Fits Mercury / Mariner 35/45 hp. manual outboards. See application chart for specific engine models.

BRACKET

Image not Available.

8M0086774

JPO Gen1 Trailer Bracket - service part

STEERING LINK ROD CHART

Steering Link Rod Attaching Kits

Model	Year Range	Model Notes	Country	Serial # Range	Stbd. Cable Entry Steering Link Rod Attaching Kit	Port Cable Entry Steering Link Rod Attaching Kit	Required Steering Bracket
8 FourStroke	2005 - 2022		JPN	0R042475 and up	17024A03	N/A(3)	N/A
8 FourStroke	2005 - 2022		BEL	0P325500 and up	17024A03	N/A(3)	N/A
9.9	1986 - 2022		USA	0A197112 and up	11606A 1	11606A 2	N/A
9.9	1986 - 2022		BEL	9461526 and up	11606A 1	11606A 2	N/A
9.9 FourStroke	2005 - 2022		JPN	0R042475 and up	17024A03	N/A(3)	N/A
9.9 FourStroke	2005 - 2022		BEL	0P325500 and up	17024A03	N/A(3)	N/A
15	1988 - 2022		USA	0B292414 and up	11606A 1	11606A 2	N/A
15	1988 - 2022		BEL	9542620 and up	11606A 1	11606A 2	N/A
15 FourStroke (Carb)	1998 - 2008	323 cc	USA	0G590000 and up	41323A03	41323A03	N/A
15 FourStroke	2008 - 2022		JPN	0R235949 and up	853824A04		898103138(2)
20 FourStroke	2008 - 2022		JPN	0R235168 and up	853824A04		898103138(2)
25 FourStroke (EFI)	2006 - 2022	Only manual start models require steering bracket	JPN	0R106999 and up	898101A45	N/A(4)	98-8M0127351(5)
25 FourStroke (EFI)	2006 - 2022	Only manual start models require steering bracket	BEL	0P401000 and up	898101A45	N/A(4)	98-8M0127351(5)
30 FourStroke (EFI)	2006 - 2022	Only manual start models require steering bracket	JPN	0R106999 and up	898101A45	N/A(4)	98-8M0127351(5)
30 FourStroke (EFI)	2006 - 2022	Only manual start models require steering bracket	BEL	0P401000 and up	898101A45	N/A(4)	98-8M0127351(5)
40 FourStroke (3 cylinder)	1999 - 2007	Only manual start models require steering bracket	USA	0T409000 - 1B344398	19608A14		893696(2)
40 FourStroke (3 cylinder)	2007 - 2022	Only manual start models require steering bracket	CHN	1C000001 and up	19608A14		893696(2)
40 FourStroke (4 cylinder)	2001 - 2007	BigFoot gearcase 996 cc.	USA	0T178500 - 1B344306	19608A14	19609A 6	816667A 2(2)
40 FourStroke (4 cylinder)	2001 - 2007	BigFoot gearcase 996 cc.	BEL	0P094500 and up	19608A14	19609A 6	816667A 2(2)
40 FourStroke (4 cylinder)	2007 - 2022		CHN	1C000001 and up	19608A14	19609A 6	816667A 2(2)
50 FourStroke (4 cylinder)	2001 - 2007	996 cc.	USA	0T178500 - 1B344306	19608A14	19609A 6	816667A 2(2)
50 FourStroke (4 cylinder)	2001 - 2022	996 cc.	BEL	0P094500 and up	19608A14	19609A 6	816667A 2(2)
50 FourStroke (4 cylinder)	2007 - 2022		CHN	1C000001 and up	19608A14	19609A 6	816667A 2(2)
60 FourStroke	2001 - 2007	996 cc.	USA	0T178500 - 1B344306	19608A14	19609A 6	816667A 2(2)
60 FourStroke	2001 - 2022	996 cc.	BEL	0P094500 and up	19608A14	19609A 6	816667A 2(2)
60 FourStroke	2007 - 2022		CHN	1C000001 and up	19608A14	19609A 6	816667A 2(2)
75-115 FourStroke	2007 - 2022		USA	1B366823 and up	92876A12	N/A	N/A
75-115 FourStroke	2007 - 2022		BEL	0P401000 and up	92876A12	N/A	N/A
135 thru 275 (V-6)	1980 - 2022		USA	5464486 and up	92876A12	N/A	N/A
150 EFI FourStroke	2011 - 2022		USA	1B905505 and up	92876A12	N/A	N/A

STEERING

Model	Year Range	Model Notes	Country	Serial # Range	Stbd. Cable Entry Steering Link Rod Attaching Kit	Port Cable Entry Steering Link Rod Attaching Kit	Required Steering Bracket
135-200 Verado (4 cylinder)	2006 - 2022		USA	1B227001 and up	(6)		
200-300 Verado (6 cylinder)	2005 - 2022		USA	0T980000 and up	(7)		

(1) Bracket part number listed is without carrying handle.

(2) Bracket already furnished on remote models.

(3) When using port entry Ezy Glide stick steering, order attaching kit 41323A 2.

(4) When using port entry Ezy Glide stick steering, order attaching kit 899659A01.

(5) Steering bracket is part of the steering link rod attaching kit.

(6) Hydraulic Steering is standard.

(7) Power Steering is standard.

DUAL CABLE - SINGLE ENGINE ATTACHING KIT

Tension-compression only with both cables installed on the starboard side.

DUAL CABLE ATTACHING KIT



92876A 8

Fits Mercury / Mariner 70-300 hp. outboards (1985 and Newer) and Force 90/120 hp. outboards (1996 and Newer).

DUAL ENGINE TIE BAR KITS

Dual cables are required for installations of 80 hp. (combined total of 160 hp.) or higher.

TIE BAR EXTENSION



8M0026098

Standard Tie Bar Extension Coupler. 15 in.(381 mm). For clearance problems see optional extension couplers.

Fits Mercury/Mariner with standard cowling clearance. Outboard center line distance between 23-1/2 in. thru 27-1/2 in. (597 mm thru 699 mm)

TIE BAR EXTENSION



814951 4

Standard Tie Bar Extension Coupler. 18 in.(458 mm). For clearance problems see optional extension couplers.

Fits Mercury/Mariner with standard cowling clearance. Outboard center line distance between 26-1/2 in. thru 30-1/2 in. (673 mm thru 755 mm)

DUAL ENGINE TIE BAR



92876A 9

Includes 15 in. (381 mm) extension coupler. Adjusts from 22 in. (560 mm) to 26-1/2 in. (675 mm). See extension couplers for additional length.

Fits various Mercury/Mariner 70 thru 3.0 Litre outboards with two piece steering arms.

STEERING ARM EXTENSION KIT



17729A 1

Used with dual engine tie bar kits. Not designed for use with hydraulic or power steering systems or as a primary steering attachment point.

Fits Mercury/Mariner 70/75/80 hp. when installing a single cable-dual engine tie bar kit and included standard in a dual cable-dual engine tie bar kit.

CABLE SEAL KIT


SEAL KIT



19624A 1

Used in outboard applications. Seals output end of tilt tube, helping to prevent corrosion of the RideGuide cable in a thru tube steering arrangement.

SEAL KIT



8M0045604

Verado Cylinder seal kit

TRANSOM MOUNTED STEERING KITS

For single cable-single engine outboard applications.

OUTBOARD CABLE AND PULLEY ATTACHING KITS

STEERING CABLE ATTACHMENT



12569A 1

Fits Mercury / Mariner 6 thru 15 hp. outboards.

STEERING CABLE ATTACHMENT



17024

Included with remote control attaching kit. Fits Mercury/Mariner 4/5 hp. outboards (USA 0A855097 and Newer, BEL 9586000 and Newer).

STEERING ARM BRACKET



96186A 2

Used along with cable & pulley attaching kit. Fits Mercury / Mariner 20/25(2 cyl.) outboards.

STEERING BRACKET



76535T

Converts manual tiller to remote steering. Fits Mercury / Mariner 35/45 hp. manual outboards. See application chart for specific engine models.

MERCUISER POWER STEERING KITS


P/S CYLINDER ASSEMBLY



8M0149869

Power Steering Cylinder Assembly. Fits 1983 to 1993 R/MR/Alpha One/Gen II & Bravo models

POWER STEERING CYLINDER ASSEMBLY



8M0146217

Fits 1994 and newer Alpha One Gen II & Bravo models

STEERING

P/S PUMP AND COOLER KIT



861481A 2

Power Steering Pump and Cooler Kit. For complete installation, order DHB power steering cylinder 8M0063382 separately.
Fits 1995 and newer 3.0L/LX (S/N 0F353100 and up)

SECOND STATION DUAL ENGINE MERCURISER ELECTRONIC STEERING

Image not Available.

8M0134374

Kit includes components necessary to install electronic steering, including Mercury's award winning electronic steering helm. This is particularly beneficial and intended for large, non-planing vessels such as houseboats that may be 80+ feet in length. The addition of a VesselView 502 or higher adds autopilot capability. Dual engine second station DTS Bravo 2 or 3 sterndrive gas or diesel engine applications. Due to autopilot calibration, this is intended for non-planing hulls only.

MERCURISER DUAL ENGINE TIE BAR KITS

DUAL ENGINE TIE BAR KIT



92020A 3

Used with power steering cylinder mounted on the starboard transom plate. Adjusts from 46 in.(1168 mm) to 62 in.(1575 mm)
Fits 1983 and newer R/MR/Alpha One/Gen II and Bravo models, except D7.3L diesel.

DUAL ENGINE TIE BAR KIT



96708A 4

Used with power steering cylinder mounted on the port transom plate. Adjusts from 29 in.(737 mm) to 37-1/2 in.(952 mm)
Fits 1983 and newer R/MR/Alpha One/Gen II and Bravo models, except D7.3L diesel.

JET DRIVE 135 & 270 DEG. STEERING SYSTEM

The 135 deg. system allows 135 degrees rotation of the steering wheel (3/8 turn lock to lock). The 270 deg. system allows 270 degrees rotation of the steering wheel (3/4 turn lock to lock). Order helm, bezel, and steering cable separately. If the size required is not listed, use the next larger size.

STEERING HELM



809486

135 Degree Steering Helm.
Fits all Sport Jet models, except V-6 models.

STEERING HELM



805699

270 Degree Steering Helm.
Fits all Jet Drive models

TILT STEERING HELM



64-879686

270 Degree Steering Helm.
Fits all Jet Drive models

BEZEL KIT



809485

Fits all Jet Drive models

STEERING CABLE



64-835457A11

11 ft.(3.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A13

13 ft.(4.0 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A15

15 ft.(4.6 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A17

17 ft.(5.2 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A19

19 ft.(5.8 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A21

21 ft.(6.4 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

64-835457A23

23 ft.(7.0 m) 60 series cable with 5/16-24 end threads. Includes steering cable bellows kit.

Fits all Jet Drive models.

STEERING CABLE BELLOWS



877581A 4

Installs on cable outside of transom

Fits Jet Drive models with 270 Degree system and 60 series cables

JET DRIVE 540 DEG. STEERING SYSTEM

Allows 540 degrees rotation of the steering wheel (1-1/2 turns lock to lock). Includes helm and steering cable. If the size required is not listed, use the next larger size.

REPLACEMENT BEZEL



820728

Fits Sport Jet models

JET DRIVE STEERING CABLE ROD END

STEERING ROD END



883053A 1

For 135 & 540 deg. steering systems. 5/16 in. (7.9 mm)

Fits Sport Jet models with 60 series cables

STEERING CABLE BULKHEAD FITTINGS/ BELLOWS KITS

Hardware used to complete Sport Jet installations. Use either bulkhead fittings or bellows kit. Not for use together.

BULKHEAD COMPRESSION FITTINGS



820675

Fits Sport-Jet 90/95/120 and 175 with 40 series cables. Also fits 200 OptiMax, 210 & 240 EFI Jet Drives.

BULKHEAD BELLOWS KIT



850005A 2

For 135 & 270 deg. steering systems and 60 series cables.
Fits Jet Drive models with 60 series cables

BULKHEAD BELLOWS KIT



850697A 2

Fits Jet Drive models with 40 series cables

K PLANES (TRIM TABS)

MECHANICAL TRIM POSITION INDICATORS 1 POINTER

Cables not included with indicator kits. Order 897979A__.


TRIM POSITION INDICATOR



848445A 1

1 pointer. Top cable entry. Gray faceplate and black bezel. Fits single sterndrive.

TRIM POSITION INDICATOR



848445A 6

1 pointer. Top cable entry. White faceplate and bezel. Fits single sterndrive.

MECHANICAL TRIM POSITION INDICATORS 2 POINTER

Cables not included with indicator kits. Order 897979A__.

MECHANICAL TRIM POSITION INDICATORS 3 POINTER

Cables not included with indicator kits. Order 897979A__ cables to proper length.

MECHANICAL TRIM POSITION INDICATORS 4 POINTER

Cables not included with indicator kits. Order 897979A__.

TRIM POSITION INDICATOR



845983A 1

4 pointer. Bottom cable entry. Gray faceplate and black bezel. Fits twin MCM sterndrives and twin trim tabs.

MECHANICAL TRIM POSITION INDICATORS 5 POINTER

Cables not included with indicator kits. Order F5H208/___ cables or 64-820676A__ cables to proper length.

MECHANICAL TRIM POSITION INDICATOR CHART

Trim Position Indicators

Model	Model Note	Black Bezel Gray Faceplate Bottom Cable Entry	White Bezel White Faceplate Bottom Cable Entry	Black Bezel Gray Faceplate Top Cable Entry	White Bezel White Faceplate Top Cable Entry
1 pointer	1 sterndrive or 1 paralift		N.L.A.	848445A 1	848445A 6
2 pointer	2 MCM Alpha - V SSM sterndrives or 2 trim tabs		N.L.A.	N.L.A.	N.L.A.
2 pointer	2 MCM VI - VII SSM sterndrives or 2 trim tabs	N.L.A.	N.L.A.		N.L.A.
3 pointer	3 MCM Alpha - V SSM sterndrives	N.L.A.	N.L.A.		N.L.A.
3 pointer	3 MCM VI - VII SSM sterndrives or 1 MCM sterndrive		N.L.A.	N.L.A.	N.L.A.


K PLANES (TRIM TABS)

Model	Model Note	Black Bezel Gray Faceplate Bottom Cable Entry	White Bezel White Faceplate Bottom Cable Entry	Black Bezel Gray Faceplate Top Cable Entry	White Bezel White Faceplate Top Cable Entry
4 pointer	2 MCM Alpha - V SSM sterndrives and 2 trim tabs	844945A 1	N.L.A.	844944A 1	N.L.A.
4 pointer	2 MCM VI - VII SSM sterndrives and 2 trim tabs or	845983A 1	N.L.A.	N.L.A.	N.L.A.
5 pointer	3 MCM Alpha - V SSM sterndrives and 2 trim tabs	845457A 1	845457A 6	N.L.A.	N.L.A.
5 pointer	3 MCM VI - VII SSM sterndrives and 2 trim tabs or	N.L.A.	N.L.A.	N.L.A.	N.L.A.

SPORT K-PLANES

Each kit contains two K-Planes, two electric/hydraulic pumps, hydraulic cylinders, two harnesses, mounting hardware, installation instructions, drilling and mounting templates. Hoses need to be ordered separately.


SPORT K-PLANES



841944A02

Model 150S, assembly with digital trim position sender. To be used with VesselView-Race Edition or Mercury Racing sterndrive engines with 892486K05 (Vessel Analog Gauge Interface) to convert system link data to drive standard analog gauges. For all other applications use optional analog gauge driver P/N 884359A03 to drive two standard analog gauges.
For 21 ft.(6.4 m) to 30 ft.(9.1 m) boats.

SPORT K-PLANES



842768A05

Model 280S, assembly with digital trim position sender. To be used with VesselView-Race Edition or Mercury Racing sterndrive engines with 892486K05 (Vessel Analog Gauge Interface) to convert system link data to drive standard analog gauges. For all other applications use optional analog gauge driver P/N 884359A03 to drive two standard analog gauges.
For 31 ft.(9.4 m) to 40 ft.(12.2 m) boats.

SPORT K-PLANES



841945A02

Model 380S, assembly with digital trim position sender. To be used with VesselView-Race Edition or Mercury Racing sterndrive engines with 892486K05 (Vessel Analog Gauge Interface) to convert system link data to drive standard analog gauges. For all other applications use optional gauge driver P/N 884359A03 to drive two standard analog gauges.
For 31 ft.(9.4 m) to 40 ft.(12.2 m) boats.

HYDRAULIC PUMP



8M0083288

Standard pump for use with Sport K-Planes.

K-PLANES SPORT COLOR OPTION

Custom color K-Planes offered in 12 optional colors to match your custom colored Mercury Racing sterndrive engine package. Not available on 150S models. Please call Mercury Racing Sales at 866-637-2234 to place your custom order.

280S K-PLANE COLOR



8M0114911

Custom color K-Planes offered in 12 optional colors to match your custom colored Mercury Racing sterndrive engine package. Not available on 150S models. Please call Mercury Racing Sales at 866-637-2234 to place your custom order.

380S K-PLANE COLOR



8M0114912

Custom color K-Planes offered in 12 optional colors to match your custom colored Mercury Racing sterndrive engine package. Not available on 150S models. Please call Mercury Racing Sales at 866-637-2234 to place your custom order.

COMPETITION K-PLANES

Each kit contains two K-Planes, two electric/hydraulic pumps, competition stainless steel hydraulic cylinders, two harnesses, mounting hardware, installation instructions, drilling and mounting templates. Hoses need to be ordered separately.

HYDRAULIC PUMP



846860T 1

Heavy-duty pump for use with Competition K-Planes

ACTUATOR KITS

ACTUATOR KIT



845532A 1

Stainless steel cable grip
Fits old style K-Logo, K-Planes.

ACTUATOR KIT



845630A 1

Plastic cable grip
Fits old style K-Logo, K-Planes.

ACTUATOR KIT



845630A02

Plastic Grip
Fits new style M-Logo, K-Planes.

ACTUATOR KIT



845532A02

Stainless Steel grip
Fits new style M-Logo, K-Planes.

K-PLANES HOSE KITS

K-PLANES HOSE KIT



32-843556A 1

30 inch K-Planes hose kit. Set of 4 hoses with unions in each kit.

32-843675A 1

60 inch K-Planes hose kit. Set of 4 hoses with unions in each kit.

K PLANES (TRIM TABS)

HOSES FOR K-PLANES

Each K-Plane requires four hoses. Priced and sold separately.

K-PLANE HOSE



32-845976

30 in. (76 cm) long

K-PLANE HOSE



32-845977

60 in. (152 cm) long

K-PLANE HOSE



32-846051

96 in. (244 cm) long

K-PLANE HOSE



32-848789

115 in. (292 cm) long

INSTALLATION SPECIFICATIONS AND TOOLS

INSTALLATION AIDS

14 PIN BRACKET



8M0076435

Rounded edges and anti-rotation
Rigging aid for 14 pin data cable

NUT



11-889664

(1.500-18) Black Nylon

BOAT HARNESS ADAPTER



84-898285T01

Needed in order to adapt newer engines that are equipped with a female 6-pin connector to a 6-pin female boat harness.

DUAL STATION RIG HARNESS



91-8M0119480

Kit contains one harness and two weather caps

Used to temporarily rig a second station such that the vessel can be operated while the second station is not installed (shipping, rigging installation, short term rework, etc). Not compatible with sf2 next gen DTS.


TOOL KIT-DIAG G3

Image not Available.

91-8M0168921

Full kit with license, harnesses, and kvaser cable

TRANSOM DRILLING FIXTURE KIT - PROFESSIONAL OPTION



91-8M0138402

Kit includes: Suction cup for a seriously good hold for accurate drilling, suction cup manual & cover, 2" drill guide blocks that ensure straight drill path for thick transoms and 2 holes per guide block that reduces the likelihood of drilling into the wrong hole.

Fits: L4 and L6 Verado, 175-300 HP V6 (3.4L) & V8 (4.6L), 150 HP FourStroke & 75-115 HP (2.1L) EFI FourStroke engines.

TRANSOM DRILLING FIXTURE - STANDARD

Image not Available.

91-8M0149520

Only includes the drill fixture, standard 20 hole, 1" block.

Fits: L4 and L6 Verado, 175-300 HP V6 (3.4L) & V8 (4.6L), 150 HP FourStroke & 75-115 HP (2.1L) EFI FourStroke engines.

DRILL GUIDE BLOCK - OEM 2 INCH



91-8M0149527

2-Inch drill guide block with 2 holes.

Profession option for OEM boat builders (utilize on new / undrilled transoms to ensure thick transoms are drilled straight).

DRILL GUIDE BLOCK - 2 INCH

Image not Available.


91-8M0149526

2-Inch drill guide block with 5 holes

Professional option (use on thick transoms to ensure straight drill path).

INSTALLATION SPECIFICATIONS AND TOOLS

DRILL GUIDE BLOCK - 1 INCH



91-8M0149525

1-Inch drill guide block with 5 holes.
Standard option


TRANSOM DRILLING FIXTURE



91-98234A 2

Used to assist drilling of the holes for the outboard engine transom bracket mounting bolts.
Mercury/Mariner 30/40 hp. & above (2 cycle), 25 hp. Bigfoot & above (4-Stroke), and Force 40-150 hp (1993 and newer).


CONTROL DRILLING FIXTURE



91-828363A 1

Used to assist drilling of the holes for side mount control and panel mount control mounting bolts.
For use with the Commander 2000 side mount and the Commander 3000 panel mount controls.

TRANSOM DRILL FIXTURE KIT



91-866590A02

Used to assist drilling of the holes for the MerCruiser transom plate mounting bolts.
For MCM 1.6L Vazer models.


DRILL FIXTURE KIT



91-43693A 2

Used to assist drilling of the holes for the MerCruiser transom plate mounting bolts.
For MCM 3.0L to 350 Magnum (Alpha One), Bravo One, Two, Three and Blackhawk models.

ENGINE MOUNTING FIXTURE



91-806794A02

Gasoline engine mount installation tool fixture.
MerCruiser gasoline engines, except Vazer engines.

91-807903A 1

Diesel engine mount installation tool fixture.
MerCruiser 2.8 ES (s/n 88010499 and below), D3.0 L, D3.6 L; D4.2 MS / ES (s/n 88020199 and below)

ENGINE MOUNTING FIXTURE



91-8M0114831

Primary mount assembly. To be used in conjunction with Mount Fixture 22.5 in.(571 mm) p/n 8M0114832 and/or Mount Fixture 25.2 in.(640 mm) p/n 8M0114833
For use with all Mercury high speed diesel engines

ENGINE MOUNTING FIXTURE



91-8M0114832

Fixture mount assembly. To be used in conjunction with Primary Mount Assembly p/n 8M0114831
For use with all Mercury high speed diesel engines, except the V8 TDI

ENGINE MOUNTING FIXTURE



91-8M0114833

Fixture mount assembly. To be used in conjunction with Primary Mount Assembly p/n 8M0114831

For use with Mercury high speed V8 TDI diesel engines

TRIM HARNESS INSTALLATION TOOL

Image not Available.

91-8M0147078

Provides both battery and clean power to allow power tilt operation during outboard rigging.

For FourStroke V6 and V8

ALIGNMENT SHAFT TOOL



91-805475A 1

Used to align the engine to the standard Bravo transom assembly for sterndrive installation.

For MerCruiser drives, except Vazer drives.

ALIGNMENT SHAFT



91-8M0125730

For MerCruiser drives used with the 4.2L TDI engines

ALIGNMENT SHAFT

Image not Available.

91-8M0114829

For MerCruiser 4.2L TDI engines with ITS transoms

ALIGNMENT SHAFT



91-8M2001017

Aids in aligning the engine to the transom assembly for sterndrive installation. Works with Vazer, Alpha and Bravo sterndrives.

PRELIMINARY SHIFT ADJUSTMENT TOOL



91-12427T

Attaches over the shift cable and aids in proper shift cable adjustment at the shift plate.

For MCM Bravo One and Bravo Two models.

CENTER LIFTING EYE



863678

Fits MCM/MIE D1.7L DTI diesel engines.

LIFTING EYE - ZEUS POD



10-8M0080049

Attaches to transmission.

For installation or removal of the Zeus Transmissions.

INSTALLATION SPECIFICATIONS AND TOOLS

OUTBOARD ENGINE LIFTING EYE



91-90455 1

Threads into the flywheel to remove the power head assembly from the driveshaft housing, or to lift entire engine for removal/installation.
Fits most 2 cycle Mercury/Mariner Outboards from the 30/40 (2 cyl.) on up.

LIFTING EYE/FLYWHEEL PULLER



91-895343T02

A combination tool utilized for both lifting the engine and for pulling the flywheel.
Fits the 75-115 hp. FourStroke outboards (s/n 1B366823 and above), 135-400 hp. Verado outboards and the F150 EFI FourStroke outboard. Verado 400R outboard.

ALIGNMENT TOOL

Image not Available.

91-8M0180314

New V12 dual prop shaft alignment tool. Multiple engine applications. Must order min. quantity 2.

DRIVE ALIGNMENT TOOL



91-8M0029055

Used with Axius, Zeus, JPS and MerCruiser electric steering to align the drives with the boat. Two pieces required for alignment. Also compatible with Bravo 3 tiebar

TOOL- DRIVE ALIGNMENT

Image not Available.

91-8M0169135

Outboard 1" and 1.2" prop shaft alignment tool for multiple engine applications.
Order qty. 2 required

TOOL- SERVICE HARNESS

Image not Available.

91-892333

Fuel Circuit Board

LICENSE KEY-G3

Image not Available.

8M0179828

License only, 2018 version

GEARCASE HEIGHT TOOL KIT

Image not Available.

91-8M0130705

Engine and gearcase height measurement tool.
Measures engine (gearcase) height in reference to the boat bottom.
All engine gearcase types.

LIFTING STRAP



91-883705T01

GW Lifting strap v6/v8


An engine lifting strap for handling of the 225 EFI and the "NEW" V6 (3.4L) and V8 (4.6L) FourStroke outboards

MSC 4500 SIDE MOUNT CONTROL SCHEMATIC

Required mounting clearances:

The remote control must be mounted on a hard, flat vertical surface no less than 6.3 mm (1/4 in.) thick.


- a) 90 degree forward rotation from center of handle
- b) 70 degree reverse rotation from center of handle
- c) Hand clearance



INSTALLATION SPECIFICATIONS AND TOOLS

MPC 4000 PANEL MOUNT CONTROLS (TRIM/NON-TRIM)

Required mounting clearances for 858690A 1, 2, 3.



INSTALLATION SPECIFICATIONS AND TOOLS

MPC 4000 GEN II PANEL MOUNT-LOCK BAR DESIGN



(Trim/Non-Trim)

_Required mounting clearances for 883710A__ series controls

Mechanical Panel Control (Trim/Non-Trim)

IMPORTANT: Ensure that the remote control has adequate clearance and does not contact other components. The cable path should be free of obstructions. See shaded area.

IMPORTANT: The minimum bend radius of the remote control cable is 305 mm (12 in.). For optimum performance, plan a cable route that does not require bends smaller than the minimum. A bend radius less than the minimum creates cable friction and may reduce cable life.




ob00853

INSTALLATION SPECIFICATIONS AND TOOLS

MPC 4000 GEN II PANEL MOUNT-LOCK BAR FINGER RELEASE DESIGN

(Trim/Non-Trim)

_Required mounting clearances for series controls - Common to 883710A__ series Lock Bar




25027

INSTALLATION SPECIFICATIONS AND TOOLS

MPC 4000/4000 GEN II-PANEL MOUNT CUTOUT TEMPLATE

Template is combined 4000 control and 4000 Gen II control.

- A = HOLES REQUIRED FOR MOUNTING 4000 SERIES MPC. MDL #'S: 858690-A01 THRU A11 & 883709-A01 THRU A03
- B = HOLES REQUIRED FOR MOUNTING 4000 GEN II MPC. MDL #'S: 883710-A01 THRU A03
- C = HOLE REQUIRED FOR THROTTLE FRICTION ACCESS, 4000 SERIES MPC. MDL #'S: 858690-A01 THRU A11




Size not to scale- refer instruction sheet included in control for correct template

INSTALLATION SPECIFICATIONS AND TOOLS

DTS - ERC PANEL MOUNT CUTOUT TEMPLATE


← FRONT OF BOAT



00020


Size not to scale- refer instruction sheet included in control for correct template

DTS - ERC PANEL MOUNT CONTROLS



INSTALLATION SPECIFICATIONS AND TOOLS



DTS - ERC DUAL CONSOLE MOUNT CUTOUT TEMPLATE



Size not to scale- refer instruction sheet included in control for correct template


INSTALLATION SPECIFICATIONS AND TOOLS

DTS - ERC CONSOLE MOUNT CONTROLS - SINGLE ENGINE




INSTALLATION SPECIFICATIONS AND TOOLS

DTS - ERC SLIM BINNACLE - SINGLE ENGINE





SLIM BINNACLE

DTS - ERC CONSOLE MOUNT CONTROLS - DUAL ENGINE




HAND CLEARANCE



INSTALLATION SPECIFICATIONS AND TOOLS

MEASURING OUTBOARD THROTTLE/SHIFT CABLES


Boats with side mount controls.



1. Add boat measurements A-B in inches (mm) and add 18 in. (457 mm) to the total. Dimension B represents the distance from the remote control location measured along the gunwale to the transom.
2. In dual engine installations, dimension A is measured from the gunwale to each engine center-line.
3. Divide by 12 in. (304 mm).
4. This is the length of the throttle and shift cables in feet (meters).
5. For left hand (Port) remote control installation, use the same measuring procedure following routing along the opposite side of the boat.

MEASURING MERCUISER THROTTLE/SHIFT CABLES


Boats with side mount controls.



1. Add A-B-C in inches (mm). Dimension B represents the distance from the remote control location measured along the gunwale to the transom. The C dimension represents distance from the transom, forward to the throttle/shift attaching point.
2. In dual engine installations, dimension A is measured from gunwale to each engine center-line.
3. Divide by 12 in. (304 mm).
4. This is the length of the throttle and shift cables in feet (meters).
5. For left hand (Port) remote control installation, use the same measuring procedure following routing along the opposite side of the boat.

MEASURING CONSOLE CONTROL THROTTLE/SHIFT CABLES

Boats with either Outboard or MerCruiser applications.



1. When measuring cable length for a console mount remote control, measure along the actual selected cable routing path and add 18 inches (457 mm) to the total.
2. Divide by 12 inches (304 mm).
3. This is the length of the throttle or shift cables in feet (meters).

MEASURING FOR EXHAUST RISERS

The exhaust elbows must be located a sufficient distance above the waterline (at rest with maximum load) to prevent water from entering cylinders through the exhaust system. Available in both 3 in. (76 mm) or 6 in. (152 mm) sizes, risers may be selected using the required minimum distance chart found in the appropriate engine installation manual.




TABLE OF CONTENTS

Step 1 - Select Hardware Quicksilver . . .	676	Composite	724
Step 2 - Select Propeller Quicksilver . . .	677	Mercury Outboard Propeller Selector Chart . . .	723
Step 1 - Select Hardware Mercury	678	Mercury Propeller Selector	723
Step 2 - Select Propeller Mercury	679	Mercury SternDrive Propeller Selector Chart	724
Propeller Material and Blade Facts	680	SpitFire	725
Mercury Propeller Application Charts	681	SpitFire 25 - 30 HP	725
Mercury MerCruiser Application Charts	687	SpitFire 25 CT - 60 HP	725
Mercury Outboard Application Charts	681	SpitFire 40 CT - 125 HP	725
Mercury Zeus Application Charts	689	SpitFire 90 CT - 300 HP, Alpha/Bravo I Sterndrive	726
Non-Mercury Engine Application Charts	690	Mercury Propeller Type - Stainless Steel	731
Propeller Selecting Tools	694	Bravo Four S	741
Mercury Propeller Rigging Chart	695	Bravo I 90 CT - 400 HP	736
Bass: 115 - 250 HP	710	Bravo Three	742
Freshwater Fish / Runabout / Fish and Ski / Mod V / V Bottom: 60 - 400 HP	695	Bravo Three Diesel	742
Offshore / Bay / Flats Center Console: 40 - 350 HP	713	Bravo Two - Stainless Steel	741
Tri / Pontoon: 40 - 350 HP	701	Enertia 90 CT - 400 HP	734
Mercury Propeller Type - Aluminum	723	Enertia ECO 90 CT - 400 HP	734
Alpha 4	729	Fury 4 90 CT - 400 HP	736
Black Max	726	Fury 90 CT - 400 HP	735
Black Max 2.5 - 3.5 HP	726	HighFive 90 CT - 400 HP	738
Black Max 25 - 30 HP FourStroke	727	Maximus 90 CT - 400 HP	736
Black Max 25 CT - 60 HP	728	Mercury Stainless Steel Propeller Cross Reference Chart	732
Black Max 40 - 60 HP CT	728	Mirage Plus 90 CT - 400 HP	739
Black Max 40 CT - 125 HP	728	M - Series Propeller	743
Black Max 4 - 6 HP	726	Revolution 4 90 CT - 400 HP	735
Black Max 6 - 15 HP	726	Spitfire X7 40 CT - 125 HP	737
Black Max 8 - 9.9 HP FourStroke	727	SSR Hub Kit Selector	731
Black Max 9.9 BF - 25 HP	727	Tempest Plus 90 CT - 400 HP	737
Black Max 9.9 CT - 20 HP FourStroke	727	Trophy Plus 40 CT - 225 HP	738
Black Max 90 CT - 300 HP, Alpha/Bravo I Sterndrive	729	Trophy Sport 30 - 60 HP	738
Bravo Two - Aluminum	729	Vengeance	739
		Vengeance 25 - 30 HP FS	739
		Vengeance 25 BF - 60 HP	739
		Vengeance 40 CT - 125 HP	740
		Vengeance 90 CT - 300 HP	740
		Verado12 500 - 600 HP	740

TABLE OF CONTENTS - PROPELLERS

Z - Series Propeller	743
Mercury Racing Propeller Type	745
Bravo I FS Pro Finished	748
Bravo I Lab Finished	752
Bravo I LT Pro Finished	747
Bravo I OC Lab Finished	752
Bravo I XC Pro Finished	748
Bravo I XS Pro Finished	747
Bravo Three XR Pro Finished	758
Chopper II - Mercury 30 (U.S. Origin) and 40 - 60 HP	745
Cleaver 40 - 60 HP	745
CNC Cleaver 5 Blade 12 Degree Rake Lab Finished	762
CNC Cleaver 5 Blade 15 Degree Rake Lab Finished	762
CNC Cleaver 5 Blade 18 Degree Rake Lab Finished	762
CNC Cleaver 5 Blade 21 Degree Rake Lab Finished	762
CNC Cleaver 6 Blade 15 Degree Rake Lab Finished	762
CNC Cleaver 6 Blade 18 Degree Rake Lab Finished	762
CNC Cleaver 6 Blade 21 Degree Rake Lab Finished	763
CNC Outboard Cleaver 400 HP 15 Degree Rake	758
CNC Outboard Cleaver 500 HP 15 Degree Rake	759
CNC Outboard Cleaver 500 HP 18 Degree Rake	760
Enertia ECO XP	750
Lightning E.T.	746
MAX 5 Lab Finished	753
MAX 5 ST Lab Finished	755
Maximus Long Tube Lab Finished	756
Maximus Short Tube Lab Finished	757
Pro Max Propeller	746
Revolution 4 Lab Finished	751
Revolution 4 Satin Lab Finished	751
Revolution 4 XP	749
Spitfire XP	745

Mercury Racing Propeller Charts	764
Bravo I - 4 Blade SS Lab Finished	767
Bravo I FS Pro Finished	765
Bravo I LT Pro Finished	765
Bravo I OC Lab Finished	767
Bravo I XC Pro Finished	765
Bravo I XS Pro Finished	765
Bravo Three XR Pro Finished	769
CNC Cleaver 5 Blade 15 Degree Rake Polished Lab Finished Sterndrive Propeller	770
CNC Cleaver 5 Blade 18 Degree Rake Polished Lab Finished Sterndrive Propeller	778
CNC Cleaver 5 Blade 21 Degree Rake Polished Lab Finished Sterndrive Propeller	782
CNC Cleaver 6 Blade 15 Degree Rake Polished Lab Finished Sterndrive Propeller	785
CNC Cleaver 6 Blade 18 Degree Rake Polished Lab Finished Sterndrive Propeller	791
CNC Cleaver 6 Blade 21 Degree Rake Polished Lab Finished Sterndrive Propeller	794
CNC Outboard Cleaver 400 HP 15 Degree Rake	769
CNC Outboard Cleaver 500 HP 15 Degree Rake	770
CNC Outboard Cleaver 500 HP 18 Degree Rake	770
Enertia ECO XP Propeller	766
Lightning E.T.	764
MAX 5 Lab Finished Propeller	767
MAX 5 ST Lab Finished Propeller	768
Maximus Long Tube 5 Blade SS Lab Finished	768
Maximus Short Tube 5 Blade SS Lab Finished	769
Pro Max® - 4 Blade Stainless Steel	764
Revolution 4 Lab Finished Propeller	766
Revolution 4 Satin Lab Finished Propeller	767
Revolution 4 XP Pro Finished Propeller	766
Spitfire XP	764
Quicksilver Propeller Application Charts	798
Evinrude/Johnson Outboard Application Charts	798

Force Outboard Application Charts 801
 Honda Outboard Application Charts 803
 MerCruiser Sterndrive Application Charts 818
 Mercury/Mariner Outboard Application
 Charts 805
 OMC Sterndrive Application Charts 822
 Suzuki Outboard Application Charts 810
 Tohatsu/Nissan Outboard Application
 Charts 813
 Volvo Penta Sterndrive Application Charts . .
 825
 Yamaha Outboard Application Charts . . . 815
 Yamaha Sterndrive Application Chart . . . 826

Quicksilver Propeller Type 828

Black Diamond 828
 Black Diamond 40 - 60 HP Standard 828
 Black Diamond 40 CT - 125 HP 828
 Black Diamond 90 CT - 300 HP 828
 Black Diamond Bravo Two 833
 Black Diamond for 85 - 140 HP Evinrude/Johnson
 V-4 829
 Nemesis 829
 Nemesis 25 - 30 HP 829
 Nemesis 40 - 60 HP 829
 Nemesis 40 CT - 125 HP 830
 Nemesis 90 CT - 300 HP 830
 Q3 90 CT - 400 HP 830
 Q4 40 CT - 125 HP 831
 Q4 90 CT - 400 HP 831
 Quicksilver Bravo Three 833
 Silverado 832
 Silverado 40 - 60 HP 832
 Silverado 40 CT - 125 HP 832
 Silverado 90 CT - 300 HP 832
 Thunderbolt 90 CT - 400 HP 832

**OEM - Quicksilver Propeller Cross
 Reference 834**

**Evinrude/Johnson/OMC Prop Cross
 Reference 834**

Force Propeller Cross Reference 835
Honda Propeller Cross Reference 835

**Mercury/Mariner/MerCruiser Prop Cross
 Reference 836**
Suzuki Propeller Cross Reference 838
**Tohatsu/Nissan Propeller Cross Reference . .
 838**
Volvo Propeller Cross Reference 838
Yamaha Propeller Cross Reference 839

Historical Propeller Charts 840

Chrysler Outboards 860
Force Outboards 857
Mariner Electric Motor 850
Mariner Outboard 852
MerCruiser Sterndrives 860
Mercury Electric Motors 840
Mercury Outboard 840

Propeller Hardware and Accessories . . . 871

Anodes 880
 Cotter Pins 887
 Diffuser Rings 881
Flo-Torq Application Charts 871
 Flo-Torq II & SSR Hub Kits 873
 Flo-Torq Reflex Hub Kits 872
Hub Cross-Reference Chart 871
 Marine Grease 900
 Mercury Racing Propeller Accessories 900
 Paints 901
 Performance Vent Plugs 896
 Point of Purchase Marketing Material 901
 Prop Nut Kits 882
 Prop Nuts 885
 Rubber Hubs 893
 Shear Pins 886
 Skegs 895
 Spacers 887
 Stainless Steel Impellers 897
 Tab Washers 889
 Thrust Washers 889
 Tools 898
 Trim Tabs 893
 Washers 888

STEP 1 - SELECT HARDWARE QUICKSILVER



EASY 2 STEP
Propeller Selection!

Step 1: Identify the Flo Torq hub system and propeller application for your engine model

Step 2: Locate the preferred propeller part number

PROPELLER APPLICATION		Runabout	Saltwater Fish	Freshwater Fish	Pontoon	Cruiser	Bass	Performance
Stainless Steel								
Silverado	Increased performance & durability over standard aluminum. One piece cast steel for exceptional strength & durability	■	■	■	■	■	■	■
Thunderbolt	Best overall performing high-horsepower propeller. Large diameter design works well across a wide range of applications. Fits 135hp and above outboards and V8 sterndrives.	■	■	■	■	■	■	■
Q3	The highest performing propeller in the Quicksilver line-up. The Q3 improves both holeshot and top speed on runabouts, center consoles, pontoons and tritoons.	■	■	■	■	■	■	■
Q4	The premier fishing propeller. Will improve holeshot and handling on center consoles, multi-species fishing boats, bay/flats and bass boats.	■	■	■	■	■	■	■
Aluminum								
Black Diamond	World's best selling Aluminum propeller. Perfect combination of performance, durability and value. Fits outboards 2.5hp - 250hp and Alpha One sterndrives.	■	■	■	■	■	■	■
Nemesis	State-of-the-art propeller provides 3-blade speed with 4-blade holding and acceleration. Aggressive design with high rake angles and added cup for tenacious holding. Fits 20hp - 250hp outboards and Alpha One sterndrives.	■	■	■	■	■	■	■

STEP 1: SELECT HARDWARE

Locate the model, year and horsepower of your outboard or stern drive. Match the Hub Kit color to a like-colored propeller choice to the right.

Model, Year and Horsepower	Hub Kit/Hardware
Mercury®, Mariner®, and Force® Outboards, and MerCruiser® Sterndrives	
Mercury 40 CT - 225 HP (1" prop shaft) FourStroke Outboards and Bravo One Sterndrives	8M0150152
Mercury 40 CT - 300 HP (1" prop shaft) FourStroke Outboards and Bravo One Sterndrives for High Performance and Surface-Piercing Applications	8M0101604
Mercury V8 FourStroke Outboards, 350 - 400 HP Verado (1.25" prop shaft)	8M0101603
Mercury 40 CT - 300 HP TwoStroke Outboards and Alpha One Sterndrives	835257Q 1
Mercury / Mariner 75 HP 1984 & Newer, 90 & 115 HP 1978 & Newer, 125 HP 1994 & Newer	835257Q 1
Mercury / Mariner 25 HP CommandThrust - 60 HP FourStroke Outboards	Included with Prop
Mercury 225 HP EFI FourStroke Outboards	835274Q 1
MerCruiser 400 HP+ Bravo Sterndrives	835258Q 2
Mercury Racing Choppers & Cleavers for V6 Outboards	835258Q 1
MerCruiser XZ & XR Racing Sport & Torque Master, 250 RroXS with Torque Master II, Verado 350, 350 SCI and 400R (1-1/4 Shaft)	840389Q06
Force 75 HP 1999, 90 - 115 HP 1995 and Newer Outboards	835274Q1
Yamaha® Outboards and Sterndrives	
Yamaha T25 - 60 HP Outboards	Included with Prop
Yamaha 50 - 100 HP Outboards with Splined Forward Washer	835272Q 1
Yamaha 115 & 130 HP 1984 and Newer	835271Q 2
Yamaha 150 - 300 HP HPDI and VMAX and 130 - 300 HP Sterndrives	835271Q 2
Yamaha 150-300 HP 4-Stroke outboards (excluding V8) and 115 - 250 SHO 2015 and Newer	835274Q 1
Yamaha 200 - 250 HP SHO 2014 and Older	8M0075402
Evinrude® and Johnson® Outboards, and Volvo and OMC Sterndrives	
Evinrude ETEC G2 150 - 300 HP	8M0107220
Johnson 90 - 115 HP 4-Stroke Outboards	835283Q 1
Johnson 140 HP 4-Stroke Outboards	835283Q 2
Evinrude / Johnson V4 Outboards	835266Q 1
Evinrude / Johnson Outboards and OMC Sterndrives with V8 and V8 Gearcases, Cobra Sterndrives 1991 and Newer	8M0119081
Evinrude / Johnson Outboards and OMC Sterndrives with V8 and V8 Gearcases, Cobra Sterndrives 1990 and Older**	8M0119082
Volvo SX 1996 and Newer and OMC Cobra SX Sterndrives 1994 and Newer, 7.4L 1984 and Newer (19 tooth spline)**	8M0119083
Suzuki® Outboards	
Suzuki 35 - 65 HP Outboards	8M0088039
Suzuki 60 HP 4-Stroke 1998 and Newer 70 HP 4-Stroke 1998-2008 75 - 140 HP 2-Stroke Outboards	835282Q 1
Suzuki 70 - 90 HP 2009 and Newer Outboards	835283Q03
Suzuki 90 - 115 HP 4-Stroke 2001-2008 Outboards	835283Q 1
Suzuki 100 - 115 HP 4-Stroke 2009 and Newer 140 HP 4-Stroke Outboards	835283Q 2
Suzuki 150 - 300 HP 4-Stroke 150 - 225 HP 2-Stroke Outboards	835281Q 1
Honda® Outboards	
Honda 35-50, 60 HP Small Gearcase Outboards	8M0046466
Honda 75 - 90 HP Outboards 1998 and Older	835277Q 1
Honda 75 - 90 HP Outboards 1998 and Newer and 115 - 130 HP	835279Q 2
Honda 135 - 225 HP 4-Stroke Outboards	835278Q 1
Tohatsu® and Nissan® Outboards	
Tohatsu 35 - 50 HP Outboards	8M0053074
80 - 140 HP Outboards	835284Q 1

STEP 2 - SELECT PROPELLER QUICKSILVER

STEP 2: SELECT PROPELLER				
Size	Blades	Model	RH Part #	LH Part #
12 1/2 X 8 RH	3	Black Diamond	QA2060X	—
12 1/4 X 9 RH	3	Black Diamond	QA2062X	—
11 1/4 X 10 RH	3	Black Diamond	QA2064X	—
10 7/8 X 11 RH	3	Black Diamond	QA2070X	—
10 3/4 X 12 RH	3	Black Diamond	QA2072X	—
10 5/8 X 12 RH	3	Black Diamond	QA2074X	—
10 1/2 X 13 RH	3	Black Diamond	QA2076X	—
10 3/8 X 13 RH	3	Black Diamond	QA2078X	—
10 3/8 X 14 RH	3	Black Diamond	QA2080X	—
10 1/4 X 14 RH	3	Black Diamond	QA2082X	—
10 1/8 X 15 RH	3	Black Diamond	QA2084X	—
10.6X 12 RH	4	Nemesis	8M8027511	—
10.3 X 13 RH	4	Nemesis	8M8027512	—
10.1 X 14 RH	4	Nemesis	8M8027513	—
10.1 X 15 RH	4	Nemesis	8M8027514	—
10 1/2 X 13 RH	3	Silverado	Q55166X	—
10 3/8 X 14 RH	3	Silverado	Q55168X	—
10 1/4 X 15 RH	3	Silverado	Q55170X	—
16 x 11	3	Black Diamond	QA2000X	—
16 x 13	3	Black Diamond	QA2004X	—
16 x 14	3	Black Diamond	QA2006X	—
15 1/2 x 15	3	Black Diamond	QA2008X	—
16 x 16	3	Black Diamond	QA2010X	—
15 x 17	3	Black Diamond	QA1912X	—
15 1/2 x 18	3	Black Diamond	QA2014X	—
14 1/2 x 19	3	Black Diamond	QA1916X	—
14 1/4 x 21	3	Black Diamond	QA1918X	—
14 x 23	3	Black Diamond	QA1920X	—
14 x 12	4	Nemesis Pontoon	8M0055531	—
14 x 14	4	Nemesis Pontoon	8M0055533	—
14 x 17	4	Nemesis	8M0055534	—
14 x 19	4	Nemesis	8M0055535	—
14 x 21	4	Nemesis	8M0055536	—
14 x 23	4	Nemesis	8M0055537	—
14 1/2 x 15	3	Silverado	Q55050X	—
14 1/2 x 17	3	Silverado	Q55052X	—
14 x 19	3	Silverado	Q55054X	—
13 1/2 x 21	3	Silverado	Q55056X	—
16 x 11	3	Q3	8M0103516	—
15 1/2 x 13	3	Q3	8M0103517	—
15 1/2 x 14	3	Q3	8M0103518	—
15 x 15	3	Q3	8M0103519	—
14 1/2 x 16	3	Q3	8M0103520	—
14 1/2 x 17	3	Q3	8M0103521	—
14 1/2 x 18	3	Q3	8M0103522	—
14 x 19	3	Q3	8M0103523	—
13 1/2 x 21	3	Q3	8M0103525	—
14 1/2 x 17	4	Q4	8M0103526	8M0103527
14 1/2 x 19	4	Q4	8M0103528	8M0103529
14 1/4 x 21	4	Q4	8M0103530	8M0103531
14 1/2 x 23	4	Q4	8M0103532	8M0103533
15 1/2 x 15	3	Thunderbolt	Q55002X	Q55003X
15 1/2 x 17	3	Thunderbolt	Q55004X	Q55005X
15 1/2 x 19	3	Thunderbolt	Q55006X	Q55007X
14 3/4 x 21	3	Thunderbolt	Q55008X	Q55009X

Size	Blades	Model	RH Part #	LH Part #
14 x 9	3	Black Diamond	QA2026X	—
14 x 10	3	Black Diamond	QA2028X	—
14 x 10 Extra Cup	3	Black Diamond	QA2828X	—
14 x 11	3	Black Diamond	QA2030X	—
14 x 11 Extra Cup	3	Black Diamond	QA2830X	—
14 x 13	3	Black Diamond	QA2032X	—
14 x 13 Extra Cup	3	Black Diamond	QA2832X	—
13 1/2 x 15	3	Black Diamond	QA2034X	—
13 1/2 x 17	3	Black Diamond	QA2036X	—
13 x 19	3	Black Diamond	QA2038X	—
12 1/2 x 21	3	Black Diamond	QA2040X	—
12 1/2 x 23	3	Black Diamond	QA2042X	—
13 1/2 x 10	4	Nemesis Pontoon	8M8027497	—
13 1/2 x 11	4	Nemesis Pontoon	8M8027498	—
13 1/2 x 13	4	Nemesis Pontoon	8M8027500	—
13 1/2 x 15	4	Nemesis	8M8027502	—
13 x 17	4	Nemesis	8M8027504	—
12 1/2 x 19	4	Nemesis	8M8027506	—
14 x 13	4	Q4	8M0055559	—
13 1/2 x 15	4	Q4	8M0055560	—
13 x 17	4	Q4	8M0055561	—
12 3/4 x 19	4	Q4	8M0055562	—
12 3/4 x 21	4	Q4	8M0055563	—
13 1/2 x 14	3	Silverado	Q55114X	—
13 1/2 x 16	3	Silverado	Q55116X	—
13 x 18	3	Silverado	Q55118X	—
14 x 13 Extra Cup	3	Black Diamond	QA3832X	—
13 1/2 x 15	3	Black Diamond	QA2208X	—
13 1/2 x 17	3	Black Diamond	QA2206X	—
Bravo III				
Size	Blades	Model	Rear (RH) #	Front (LH) #
16 x 19	4	Bravo Three	—	8M0123400
14.4 x 19	3	Bravo Three	8M0123399	—
16 x 20	4	Bravo Three	—	8M0123402
14.4 x 20	3	Bravo Three	8M0123401	—
15.9 x 21	4	Bravo Three	—	8M0123404
14.3 x 21	3	Bravo Three	8M0123403	—
15.8 x 22.5	4	Bravo Three	—	8M0123406
14.3 x 22.5	3	Bravo Three	8M0123405	—
15.5 x 24	4	Bravo Three	—	8M0123408
14 x 24	3	Bravo Three	8M0123407	—
15.3 x 26	4	Bravo Three	—	8M0123410
13.8 x 26	3	Bravo Three	8M0123409	—
15 x 28	4	Bravo Three	—	8M0123412
13.5 x 28	3	Bravo Three	8M0123411	—



BM0129047 re 02-0519

STEP 1 - SELECT HARDWARE MERCURY



Step 1: Select Hardware

Locate the model, year and horsepower of your outboard or sterndrive to find your hub kit. Match the 'options' color to a like-colored propeller choice in step 2.

Mercury®, Mariner®, and Force® Outboards, and Mercruiser® Sterndrives	Options	Hub Kit
Mercury 250-300 HP FourStroke, Mercury 200-300 HP Pro XS, Mercury 300-350 HP Verado, Mercury Racing 400R (any engine with a 1.25" prop shaft)	✓	8M0101601
Mercury 150-225 HP FourStroke in surpace-piercing applications	✓	8M0101602
Mercury/Mariner 40 CT -- 300 HP (1" prop shaft), MerCruiser Alpha & Bravo I Sterndrives	✓	8M0150151
Mercury/Mariner 135 - 300 HP (1" prop shaft), MerCruiser 120 - 375 Alpha and Bravo I Sterndrives in non-surface piercing applications	✓	835257K1
Mercury/ Mariner 75 HP 1984 and newer, 90 & 115 HP 1978 and newer, 125 HP 1994 and newer	✓	835257K1
Mercruiser 400 HP + Bravo One sterndrives	✓	835258K2
Mercury V6 used with surfacing propellers; Revolution4, Trophy Plus, Fury and Tempest	✓	835257K6
Mercury Racing Choppers and Cleavers for V6 outboards	✓	835258K1
Mercruiser XZ & XR Racing Sport and Torque Master, Verado SCI 350 HP (1.25 shaft)	✓	840389K06
Force 75 HP 1999, 90-150 Hp 1995 and newer outboards	✓	835257K1
Yamaha® Outboards and Sterndrives	Options	Hub Kit
Yamaha 50-100 HP outboards with splined forward washer	✓	835272Q 1
Yamaha 115 & 130 HP 1984 and newer	✓	835271Q 2
Yamaha 150-300 HP HPDI and VMAX and 130-300 HP sterndrives	✓	835271Q 2
Yamaha 150-300 HP 4-Stroke outboards (excluding V8 models) 115-250 HP SHO 2015 and Newer	✓	835274Q 1
Yamaha 200-250 HP SHO 4-Stroke outboards 2014 and older	✓	8M0075402
Evinrude® and Johnson® Outboards, Volvo® and OMC® Sterndrives	Options	Hub Kit
Johnson 90-115 HP 4-Stroke outboards	✓	835283Q 1
Johnson 140 HP 4-Stroke outboards	✓	835283Q 2
Evinrude/Johnson V4 outboards	✓	835266Q 1*
Evinrude ETEC G2 200-300 HP	✓	8M0107220
Evinrude/Johnson outboards and OMC sterndrives with V6 and V8 gearcases, Cobra and King Cobra sterndrives 1991 and newer	✓	8M0119081
Evinrude/Johnson outboards and OMC sterndrives with V6 and V8 gearcases, Cobra and King Cobra sterndrives 1990 and older**	✓	8M0119082
Volvo SX 1996 and newer, OMC Cobra SX sterndrives 1994 and newer, 7.4L 1994 and newer (19 tooth spline)**	✓	8M0119083
Suzuki® Outboards	Options	Hub Kit
Suzuki 60 HP 4-Stroke 1998 and newer, 70 HP 4-Stroke 1998-2008, and 75-140 HP 2-Stroke outboards	✓	835282Q 1*
Suzuki 70-90 HP 2009 and newer outboards	✓	835283Q03
Suzuki 90-115 HP 4-Stroke 2001-2008 outboards	✓	835283Q 1
Suzuki 100-115 Hp 4-Stroke 2009 and newer, 140 HP 4-Stroke outboards	✓	835283Q 2
Suzuki 150-300 HP 4-Stroke, 150-225 2-Stroke outboards	✓	835281Q 1
Honda® Outboards	Options	Hub Kit
Honda 75-90 HP outboards 1998 and older	✓	835277Q 1
Honda 75-90 HP outboards 1999 and newer, and 115-130 HP	✓	835279Q 2
Honda 135-225 HP 4-Stroke outboards	✓	835278Q 1
Tohatsu® and Nissan® Outboards	Options	Hub Kit
60-140 HP outboards	✓	835284Q 1

*Small labyrinth seal propeller required. See Mercury Accessories Guide for full selection of application specific propellers.

**WARNING: Interference exists between the ribs on Quicksilver Stainless Steel Propellers and the add-on OMC/Volvo Anode P/N 3852970. Anode and attaching hardware must be removed for proper clearance.

Honda is a registered trademark of Honda Motor Co. Nissan is a registered trademark of Nissan Motor Co., Inc. Suzuki is a registered trademark of Suzuki Motor Co., Ltd. Tohatsu is a registered trademark of Tohatsu Corp. Volvo is a registered trademark of Volvo Ltd. Yamaha is a registered trademark of Yamaha Corp. Evinrude, Johnson and OMC are registered trademarks of Bombardier. All other trademarks belong to the Brunswick Corporation.

STEP 2 - SELECT PROPELLER MERCURY



Step 2: Select Propeller

Select a propeller by choosing a diameter and pitch that best compliments your boat and general usage.

Dia X Pthch	Matl	Blades	Model	LH	RH
12.5 X 23	Alum	3	Black Max	--	77350A45
12.75 X 21	Alum	3	Black Max	--	77348A45
13 X 19	Alum	3	Black Max	--	77346A45
13.25 X 17	Alum	3	Black Max	--	77344A45
13.25 X 16	Alum	3	Black Max	--	854360A45
13.75 X 15	Alum	3	Black Max	--	77342A45
14 X 13	Alum	3	Black Max	--	77340A45
14 X 13	Alum	3	Black Max Pontoon	--	8M0151358
14 X 11	Alum	3	Black Max	--	77338A45
14 X 11	Alum	3	Black Max Pontoon	--	8M0151356
14 X 10	Alum	3	Black Max	--	854342A45
14 X 10	Alum	3	Black Max Pontoon	--	8M0151354
14 X 9	Alum	3	Black Max	--	854340A45
12.75 X 19	Alum	4	SpitFire	--	8M8026600
12.75 X 17	Alum	4	SpitFire	--	8M8026590
12.75 X 15	Alum	4	SpitFire	--	8M8026580
13.75 X 13	Alum	4	SpitFire Pontoon	--	8M8026570
13.75 X 11	Alum	4	SpitFire Pontoon	--	8M8026560
13.75 X 10	Alum	4	SpitFire Pontoon	--	8M8026555
12.75 X 21	SS	4	SpitFire X7	--	8M0151364
12.75 X 19	SS	4	SpitFire X7	--	8M0151363
13 X 17	SS	4	SpitFire X7	--	8M0151362
13.5 X 15	SS	4	SpitFire X7	--	8M0151361
14 X 13	SS	4	SpitFire X7	--	8M0151360
13 X 18	SS	3	Vengeance	--	8M0151402
13.1 X 16	SS	3	Vengeance	--	8M0151401
13.4 X 14	SS	3	Vengeance	--	8M0151399
14 X 12	SS	3	Vengeance	--	8M0151398
14 X 10	SS	3	Vengeance	--	8M0151397
13.75 X 26	SS	4	Trophy Plus	--	8M0151395
13.75 X 25	SS	4	Trophy Plus	--	8M0151394
13.75 X 24	SS	4	Trophy Plus	--	8M0151393
13.75 X 23	SS	4	Trophy Plus	--	8M0151392
13.75 X 21	SS	4	Trophy Plus	--	8M0151391
13.75 X 19	SS	4	Trophy Plus	--	8M0151390
13.75 X 17	SS	4	Trophy Plus	--	8M0151389
14 X 23	Alum	3	Black Max	--	832834A45
14.25 X 21	Alum	3	Black Max	--	832832A45
14.5 X 19	Alum	3	Black Max	--	832830A45
15.5 X 18	Alum	3	Black Max	--	11324A45
15 X 17	Alum	3	Black Max	--	832828A45
16 X 16	Alum	3	Black Max	--	16440A45
15.25 X 15	Alum	3	Black Max	--	78116A45
15.5 X 15	Alum	3	Black Max Pontoon	--	78116CP1
16 X 14	Alum	3	Black Max	--	16438A45
16 X 14	Alum	3	Black Max Pontoon	--	16438CP1
16 X 13	Alum	3	Black Max	--	78114A45
16 X 13	Alum	3	Black Max Pontoon	--	78114CP1
16 X 12	Alum	3	Black Max	--	16436A45
16 X 12	Alum	3	Black Max Pontoon	--	16436CP1
16 X 11	Alum	3	Black Max	--	78112A45
14 X 23	Alum	4	SpitFire	--	8M0084497
14 X 21	Alum	4	SpitFire	--	8M0084496
14 X 19	Alum	4	SpitFire	--	8M0084495
14 X 17	Alum	4	SpitFire	--	8M0084494
14 X 14	Alum	4	SpitFire	--	8M0084493
14 X 12	Alum	4	SpitFire	--	8M0084491
14 X 12	Alum	4	SpitFire	--	8M0084491
13.75 X 21	SS	3	Vengeance	--	8M0151408
14 X 19	SS	3	Vengeance	8M0151406	8M0151407
14.5 X 17	SS	3	Vengeance	8M0151404	8M0151405
14.5 X 15	SS	3	Vengeance	--	8M0151403

Dia X Pthch	Matl	Blades	Model	LH	RH
14.5 X 25	SS	3	Mirage Plus	--	8M0151313
14.5 X 23	SS	3	Mirage Plus	8M0151311	8M0151312
14.75 X 21	SS	3	Mirage Plus	8M0151309	8M0151310
15.25 X 19	SS	3	Mirage Plus	8M0151307	8M0151308
15.5 X 17	SS	3	Mirage Plus	8M0151303	8M0151304
15.75 X 15	SS	3	Mirage Plus	8M0151301	8M0151302
16 X 13	SS	3	Mirage Plus	--	8M0151300
14.5 X 27	SS	3	Tempest Plus	--	8M0151388
14.6 X 26	SS	3	Tempest Plus	--	8M0151387
14.6 X 25	SS	3	Tempest Plus	--	8M0151386
14.6 X 24	SS	3	Tempest Plus	--	8M0151385
14.6 X 23	SS	3	Tempest Plus	--	8M0151384
14.6 X 22	SS	3	Tempest Plus	--	8M0151383
14.6 X 21	SS	3	Tempest Plus	--	8M0151382
14.6 X 19	SS	3	Tempest Plus	--	8M0151381
14.6 X 17	SS	3	Tempest Plus	--	8M0151380
13.75 X 26	SS	4	Trophy Plus	--	8M0151395
13.75 X 25	SS	4	Trophy Plus	--	8M0151394
13.75 X 24	SS	4	Trophy Plus	--	8M0151393
13.75 X 23	SS	4	Trophy Plus	--	8M0151392
13.75 X 21	SS	4	Trophy Plus	--	8M0151391
13.75 X 19	SS	4	Trophy Plus	--	8M0151390
13.75 X 17	SS	4	Trophy Plus	--	8M0151389
13.25 X 21	SS	5	High Five	--	8M0151292
13.25 X 19	SS	5	High Five	--	8M0151291
13.5 X 17	SS	5	High Five	--	8M0151290
14.6 X 25	SS	4	Revolution 4	8M0151328	8M0151329
14.6 X 23	SS	4	Revolution 4	8M0151326	8M0151327
14.6 X 21	SS	4	Revolution 4	8M0151324	8M0151325
14.6 X 20	SS	4	Revolution 4	8M0151322	8M0151323
14.6 X 19	SS	4	Revolution 4	8M0151320	8M0151321
14.6 X 18	SS	4	Revolution 4	8M0151318	8M0151319
14.6 X 17	SS	4	Revolution 4	8M0151316	8M0151317
14.6 X 15	SS	4	Revolution 4	8M0151314	8M0151315
15.25 X 32	SS	4	Bravo I	8M0151220	8M0151221
15.25 X 30	SS	4	Bravo I	8M0151218	8M0151219
15.25 X 28	SS	4	Bravo I	8M0151216	8M0151217
15.25 X 26	SS	4	Bravo I	8M0151214	8M0151215
15.25 X 24	SS	4	Bravo I	8M0151212	8M0151213
15.25 X 22	SS	4	Bravo I	8M0151210	8M0151211
13.5 X 22	SS	3	Eneria	--	8M0151245
13.6 X 21	SS	3	Eneria	8M0151242	8M0151243
13.75 X 20	SS	3	Eneria	--	8M0151241
14 X 19	SS	3	Eneria	8M0151238	8M0151239
14.25 X 18	SS	3	Eneria	--	8M0151237
14.5 X 17	SS	3	Eneria	8M0151234	8M0151235
14.75 X 16	SS	3	Eneria	--	8M0151233
15 X 15	SS	3	Eneria	8M0151230	8M0151231
15.25 X 14	SS	3	Eneria	8M0151228	8M0151229
15.6 X 13	SS	3	Eneria	8M0151226	8M0151227
16 X 11	SS	3	Eneria	8M0151224	8M0151225
14 X 27	SS	3	Fury	--	8M0151275
14 X 26	SS	3	Fury	--	8M0151274
14 X 25	SS	3	Fury	--	8M0151273
14 X 24	SS	3	Fury	--	8M0151272
14 X 23	SS	3	Fury	--	8M0151271
14.5 X 26	SS	4	Fury 4	--	8M0151281
14.5 X 25	SS	4	Fury 4	--	8M0151280
14.5 X 24	SS	4	Fury 4	--	8M0151279
14 X 21	SS	4	Fury V	--	8M0151287
14 X 20	SS	4	Fury V	--	8M0151286
14.5 X 19	SS	4	Fury V	--	8M0151285
16 X 23	SS	3	Eneria ECO	8M0151262	8M0151263
16 X 22	SS	3	Eneria ECO	8M0151260	8M0151261
16 X 21	SS	3	Eneria ECO	8M0151258	8M0151259
16 X 20	SS	3	Eneria ECO	8M0151256	8M0151257
16 X 19	SS	3	Eneria ECO	8M0151254	8M0151255
16 X 18	SS	3	Eneria ECO	8M0151252	8M0151253
16 X 17	SS	3	Eneria ECO	8M0151250	8M0151251

PROPELLER MATERIAL AND BLADE FACTS

METAL OPTIONS

- Mercury makes propellers out of aluminum and stainless steel.
- Aluminum propellers are inexpensive and suitable for general purpose boating. Mercury uses Mercalloy aluminum that provides superior strength and thinner blades for top performance.
- Stainless steel is favored by boaters who are more conscious about performance and durability. Stainless propellers offer substantially better hole shot and top speed in comparison to an aluminum propeller. In terms of durability, stainless steel props will withstand impacts that would destroy an aluminum propeller. Over the long run, one stainless propeller will last as long as multiple aluminum propellers



- Mercury's legendary X7 stainless steel alloy provides incredible strength that allows propeller designs that would be impossible with other alloys. X7 is featured on Mercury's Enertia and Fury line of propellers.
- Many boaters have questions about whether or not a stainless steel propeller can cause lower unit damage in the event of hitting an underwater obstruction. With Mercury's Flo-Torq II hub system, the hub is designed to sacrifice its drive sleeve well below the failure threshold of modern drive units. This assures protection for your drive no matter what kind of propeller material you run.



PROPELLER SHAFT TORQUE AT UNDERWATER IMPACT

REPLACE DRIVE SLEEVE					REPLACE LOWER UNIT				
STAINLESS									
ALUMINUM									

BLADE CONFIGURATIONS

- For most boats, a three blade propeller provides a good blend of smoothness, acceleration, handling and top speed.
- Four-plus blade propellers typically provide the following advantages vs. three blade propellers:
 - o Plane the boat faster
 - o Keep the boat on plane at lower speed
 - o Less likely to ventilate in sharp turns
 - o Better holding power in rough conditions
- In high-performance applications at high drive heights, a four blade propeller may be a better all around choice than a three blade, simply because you are getting more blade area in the water for better control, handling and bow lift.
- Five blade propellers (like Mercury's HighFive propeller) provide superior rough water holding and strong acceleration for tow sports. However the HighFive does not reach the same top speeds as other three and four blade props in our line-up.



SPARE PROPELLERS

- It's always a good idea to keep a spare prop aboard for safety. One way to get the most use out of your spare is to buy a spare that is 2 inches lower in pitch than your regular prop, and use this prop as a water sports propeller. The improved tow sports performance will have a significant impact on your acceleration while pulling a tube, skier or wakeboarder. Remember to change back to your regular prop when it is time for normal usage.

If you still have questions about what propeller is right for you, consult your local Mercury dealer.

Or visit our industry-leading prop selector at: MercuryMarine.com

MERCURY PROPELLER APPLICATION CHARTS

MERCURY OUTBOARD APPLICATION CHARTS

Mercury/Mariner Thruster Electric Fishing Motors

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model	Application
11	4	Plastic	2		N/A	Black Machete	MotorGuide
11	5	Plastic	2		N/A	Clear Machete	R33, RX33, T33, R45, RL45, RX45, T45
9.3	3	Plastic	2		N/A	Clear Machete	Direct Drive
10	3.5	Plastic	2	48-MAF12406T	N/A	Clear Machete	MotorGuide

Mercury/Mariner 2.5 - 3.5 HP Outboard

2.5 and 3.3 HP Two Stroke
 2.5 and 3.5 HP FourStroke 2007 and Newer
 Pin Drive
 Shear Pin for Plastic 17-815111
 Shear Pin for Aluminum 17-815111-1
 Cotter Pin 18-95295

Diameter	Pitch	Material	Blades	RH Rotation	Model
7.4	6	Plastic	3	48-815083A01(1)	Black Max
7.4	7	Plastic	3	48-815083A02	Black Max

(1) Standard with 2.5 HP (Two and FourStroke), 3.5 HP FourStroke and 3.3 HP Two Stroke (Non-Shift)

Mercury/Mariner 4 - 6 HP Outboard

4-6 HP FourStroke (1999 and newer)
 4 & 5 HP Two Stroke (1987 and newer)
 12 Tooth Spline
 Thrust Washer 16145 1
 Aft Prop Washer 12-16146
 Prop Nut 11-16147
 Cotter Pin 18-815026

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
7.8	8	Alum	3	N/A	48-812950A02(2)	Black Max
7.8	7	Alum	3	N/A	48-812949A02	Black Max
8.4	6	Alum	3	N/A	48-812951A02(1)	Black Max High Thrust Sail

(1) Standard with 4 HP FourStroke

(2) Standard with 5 HP FourStroke and 6 HP FourStroke

Mercury/Mariner 8 - 9.9 HP FourStroke Outboard

8 - 9.9 FourStroke (2005 and newer)
 12 Tooth Spline
 Standard Gearcase Only
 Forward Thrust Washer (Std. gearcase) 803743002
 Aft Washer (Std. gearcase) 12-16146
 Prop Nut 11-16147
 Flo-Torq Rubber Hub 897453T
 Cotter Pin 18-815026

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
8.7	5	Alum	4	N/A	48-812954A10	Std. Gearcase Black Max
8.9	7.5	Alum	3	N/A	48-897614A10(1)	Std. Gearcase Black Max
8.9	8.5	Alum	3	N/A	48-897618A10(2)	Std. Gearcase Black Max

(1) Standard with 8 HP.

(2) Standard with 9.9 HP.

MERCURY PROPELLER APPLICATION CHARTS

Mercury/Mariner 6 - 15 HP Outboard

6, 8, 9.9 and 15 HP Two Stroke
 9.9 HP FourStroke (1995-2004)
 15 HP FourStroke (2007 and earlier)
 SeaPro/Marathon 10-15 HP
 8 Tooth Spline
 Flo-Torq Rubber Hub 827598T
 Prop Nut Kit 11-13914A 2

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
9	10.5	Alum	3	N/A	48-828158A12	Black Max
9	9	Alum	3	N/A	48-828156A12(1)	Black Max
9	8	Alum	3	N/A	48-828154A12	Black Max
9.3	7	Alum	3	N/A	48-828152A12	Black Max
9.8	6.5	Alum	3	N/A	48-828150A12	Black Max

(1) Standard with 6, 8, 9.9, and 15 HP Two Strokes and SeaPro/Marathon 10 - 15HP

Mercury/Mariner 9.9 - 25 HP Outboard

9.9 and 15 HP FourStroke Bigfoot (1999-2004)
 20 & 25 HP Two Stroke Classic (1980-2006)
 SeaPro/Marathon 25 HP
 10 Tooth Spline
 Prop Nut 11-88228
 Forward Thrust Washer 858498
 Prop Nut 11-40119-12
 Flo-Torq Rubber Hub 19669T
 Forward Thrust Washer 858498

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10.4	13	Alum	3	N/A	48-19640A40(1)	Black Max
10.4	12	Alum	3	N/A	48-19639A40	Black Max
10.4	11	Alum	3	N/A	48-19638A40(3)	Black Max
10.4	9.5	Alum	3	N/A	48-19636A10(2)	Black Max

(1) Standard with 20-25 HP

(2) Standard with 9.9 & 15 HP Bigfoot FourStroke (1999-2004)

(3) Standard with SeaPro/Marathon 25 HP

Mercury/Mariner 9.9 - 20 HP FourStroke Outboard

9.9 HP Bigfoot/Command Thrust (CT) (2005 and newer)
 9.9 HP Pro Kicker
 15 - 20 HP (2008 and newer)
 14 Tooth Spline
 Forward Thrust Washer 803743
 Aft Washer 12-16140 2
 Prop Nut 11-16147 1
 Flo-Torq Rubber Hub 8M0054769
 Cotter Pin 18-815026 4

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10	7	Alum	4	N/A	48-812950A10	Black Max(1)
10	7	Alum	4	N/A	48-812948A10	Black Max(2)
9.5	8	Alum	3	N/A	48-897748A11	Black Max
9.3	9	Alum	3	N/A	48-897750A11	Black Max(3)
9.3	10	Alum	3	N/A	48-897752A11	Black Max(4)
9.3	11.5	Alum	3	N/A	48-897754A11	Black Max

(1) Standard with 9.9 Bigfoot / Command Thrust (CT)

(2) Standard with 9.9 Pro Kicker, Painted Silver

(3) Standard with 15 HP FourStroke

(4) Standard with 20 HP FourStroke

Mercury/Mariner 25 - 30 HP FourStroke Outboard

25-30 HP FourStroke (2006 and newer)
 10 Tooth Spline
 Standard Gearcase Only
 Forward Thrust Washer 161452
 Cotter Pin 18-815026
 Aft Washer 12-16140-2
 Flo-Torq Rubber Hub 897001T
 Prop Nut 11-161471

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10	8	Alum	3	N/A	48-896890A10	Black Max
9.8	9.5	Alum	3	N/A	48-896892A40	Black Max
9.5	11	Alum	3	N/A	48-896896A40	Black Max
9.3	12.5	Alum	3	N/A	48-896900A40	Black Max
9.3	9.5	Alum	4	N/A	48-8M8026650	Spitfire
9.3	11	Alum	4	N/A	48-8M8026655	Spitfire
9.8	9.5	SS	3	N/A	48-899818A05	Vengeance
9.5	11	SS	3	N/A	48-899820A05	Vengeance

Mercury/Mariner 25 HP Bigfoot/Command Thrust - 60 HP Outboard

25 HP Bigfoot/Command Thrust (CT) FourStroke
 30 HP Two Stroke
 30 HP BigFoot/Command Thrust (CT) (2010 and newer)
 30-40 HP SeaPro/Marathon
 30 FourStroke (1994-2005)
 40-60 HP Two and FourStroke, standard gearcase (1977 and Newer)
 Sea Pro/Marathon 55 HP
 13 Tooth Spline
 Flo-Torq Reflex Hub Kit 835257K12 Included with propeller
 Reflex Sleeve Part Number: 8M0047148
 For older rubber hub propellers - use Mercury hardware kit 11-31990Q02. Purchase separately.
 Propeller hardware is not compatible between rubber hub propellers and Flo-Torq Reflex propellers.

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10	17	Alum	3	N/A	48-73144A45	Black Max
10	16	Alum	3	N/A	48-73142A45	Black Max
10.1	15	Alum	3	N/A	48-73140A45	Black Max
10.3	14	Alum	3	N/A	48-73138A45	Black Max
10.4	14	Alum	3	N/A	48-816706A45(1)	Black Max
10.5	13	Alum	3	N/A	48-816704A45(1)	Black Max
10.4	13	Alum	3	N/A	48-73136A45	Black Max
10.6	12	Alum	3	N/A	48-73134A45	Black Max
10.8	12	Alum	3	N/A	48-816702A45(1)	Black Max
10.9	11	Alum	3	N/A	48-85632A45	Black Max
12	10.5	Alum	3	N/A	48-42740A45(1)	Black Max
11.6	10.5	Alum	3	N/A	48-827312A45	Black Max
11.3	10	Alum	3	N/A	48-73132A45	Black Max
12.3	9	Alum	3	N/A	48-87818A45	Black Max
12.5	8	Alum	3	N/A	48-42738A45(1)	Black Max
12.5	8	Alum	3	N/A	48-42738CP1(1)(2)	Black Max XC
10.1	15	Alum	4	N/A	48-8M8026640	Spitfire
10.1	14	Alum	4	N/A	48-8M8026635	Spitfire
10.3	13	Alum	4	N/A	48-8M8026630	Spitfire
10.6	12	Alum	4	N/A	48-8M8026625	Spitfire
10.6	11	Alum	4	N/A	48-8M8026620	Spitfire
10.3	15	SS	3	N/A	48-855862A46	Vengeance
10.4	14	SS	3	N/A	48-855860A46	Vengeance
10.5	13	SS	3	N/A	48-855858A46	Vengeance
11	12	SS	3	N/A	48-855856A46	Vengeance
11.6	11	SS	3	N/A	48-823478A46	Vengeance
10.6	14	SS	4	N/A	48-878616A46	Trophy Sport

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
10.6	13	SS	4	N/A	48-878614A46	Trophy Sport
10.6	12	SS	4	N/A	48-878612A46	Trophy Sport

(1) Large Blade Area

(2) Extra Cup for superior performance and holding on pontoon boats

Mercury/Mariner 40 HP Bigfoot/Command Thrust - 125 HP Outboard

40 - 60 HP Bigfoot/Command Thrust (CT) (All Years)

75-125 HP (1978 and newer)

15 Tooth Spline

Aluminum propellers include hub kit

Stainless steel propellers, hub kit sold separately

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
12.5	23	Alum	3	N/A	48-77350A45	Black Max
12.8	21	Alum	3	N/A	48-77348A45	Black Max
13	19	Alum	3	N/A	48-77346A45	Black Max
13.3	17	Alum	3	N/A	48-77344A45	Black Max
13.3	16	Alum	3	N/A	48-854360A45	Black Max
13.8	15	Alum	3	N/A	48-77342A45	Black Max
13.9	14	Alum	3	N/A	48-854352A45	Black Max
14	13	Alum	3	N/A	48-77340A45	Black Max
14	13	Alum	3	N/A	48-8M0151358	Black Max - Extra Cup(2)
14	11	Alum	3	N/A	48-77338A45	Black Max
14	11	Alum	3	N/A	48-8M0151356	Black Max - Extra Cup(2)
14	10	Alum	3	N/A	48-854342A45	Black Max
14	10	Alum	3	N/A	48-8M0151354	Black Max - Extra Cup(2)
14	9	Alum	3	N/A	48-854340A45	Black Max
13.8	15	Alum	3	N/A	48-8M0151359	Black Max(3)
14	13	Alum	3	N/A	48-8M0151357	Black Max(3)
14	11	Alum	3	N/A	48-8M0151355	Black Max(3)
14	10	Alum	3	N/A	48-8M0151353	Black Max(3)
14	9	Alum	3	N/A	48-8M0151352	Black Max(3)
12.8	19	Alum	4	N/A	48-8M8026600	Spitfire
12.8	17	Alum	4	N/A	48-8M8026590	Spitfire
12.8	15	Alum	4	N/A	48-8M8026580	Spitfire
13.8	13	Alum	4	N/A	48-8M8026570	Spitfire Pontoon(2)
13.8	11	Alum	4	N/A	48-8M8026560	Spitfire Pontoon(2)
13.8	10	Alum	4	N/A	48-8M8026555	Spitfire Pontoon(2)
12.7	21	SS	4	N/A	48-8M0151364	Spitfire X7(1)
12.7	19	SS	4	N/A	48-8M0151363	Spitfire X7(1)
13.0	17	SS	4	N/A	48-8M0151362	Spitfire X7(1)
13.5	15	SS	4	N/A	48-8M0151361	Spitfire X7(1)
14.0	13	SS	4	N/A	48-8M0151360	Spitfire X7(1)
13	18	SS	3	N/A	48-8M0151402	Vengeance
13.1	16	SS	3	N/A	48-8M0151401	Vengeance
13.3	15	SS	3	N/A	48-8M0151400	Vengeance
13.4	14	SS	3	N/A	48-8M0151399	Vengeance
14	12	SS	3	N/A	48-8M0151398	Vengeance
14	10	SS	3	N/A	48-8M0151397	Vengeance
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus(1)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus(1)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus(1)
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus(1)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus(1)

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus(1)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus(1)

(1) Performance Vent System

(2) For superior performance and holding on pontoon applications

(3) For vibration reduction, includes SSR hub system. Replaces legacy A33 propellers with rubber hub

Mercury/Mariner 90 - 115 HP Command Thrust, 135 - 400 HP Outboard

135 - 400 HP (1978 and newer)

90 - 115 CT (2014 and newer)

For 300+ HP engines use only stainless steel (SS) propellers

Stainless steel propellers, hub kit sold separately

V6 FourStroke (2018 and newer) and 40 CT - 150 HP FourStroke use Flo-Torq SSR hub kit 8M0150151

V8 FourStroke (2018 and newer) and 350 - 400 HP Verado requires Flo-Torq SSR HD hub kit 8M0101601

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14	23	Alum	4	N/A	48-8M0084497	SpitFire
14	21	Alum	4	N/A	48-8M0084496	SpitFire
14	19	Alum	4	N/A	48-8M0084495	SpitFire
14	17	Alum	4	N/A	48-8M0084494	SpitFire
14	14	Alum	4	N/A	48-8M0084493	SpitFire CT(1)(3)
14	12	Alum	4	N/A	48-8M0084491	SpitFire CT(1)(3)
14	23	Alum	3	N/A	48-832834A45	Black Max
14.3	21	Alum	3	N/A	48-832832A45	Black Max
14.5	19	Alum	3	N/A	48-832830A45	Black Max
15.5	18	Alum	3	N/A	48-11324A45	Black Max
15	17	Alum	3	N/A	48-832828A45	Black Max
16	16	Alum	3	N/A	48-16440A45	Black Max
15.3	15	Alum	3	N/A	48-78116A45	Black Max
15.3	15	Alum	3	N/A	48-78116CP1	Black Max - Extra Cup(3)
16	14	Alum	3	N/A	48-16438A45	Black Max
16	14	Alum	3	N/A	48-16438CP1	Black Max - Extra Cup(3)
16	13	Alum	3	N/A	48-78114A45	Black Max
16	13	Alum	3	N/A	48-78114CP1	Black Max - Extra Cup(3)
16	12	Alum	3	N/A	48-16436A45	Black Max
16	12	Alum	3	N/A	48-16436CP1	Black Max - Extra Cup(3)
16	11	Alum	3	N/A	48-78112A45	Black Max
16	11	Alum	3	N/A	48-78112CP1	Black Max - Extra Cup(3)
13.8	21	SS	3	N/A	48-8M0151408	Vengeance
14	19	SS	3	48-8M0151406	48-8M0151407	Vengeance
14.5	17	SS	3	48-8M0151404	48-8M0151405	Vengeance
14.5	15	SS	3	N/A	48-8M0151403	Vengeance
13.5	22	SS	3	N/A	48-8M0151245	Enertia(2)
13.6	21	SS	3	48-8M0151242	48-8M0151243	Enertia(2)
13.8	20	SS	3	N/A	48-8M0151241	Enertia(2)
14	19	SS	3	48-8M0151238	48-8M0151239	Enertia(2)
14.2	18	SS	3	N/A	48-8M0151237	Enertia(2)
14.5	17	SS	3	48-8M0151234	48-8M0151235	Enertia(2)
14.7	16	SS	3	N/A	48-8M0151233	Enertia(2)
15	15	SS	3	48-8M0151230	48-8M0151231	Enertia(2)
15.3	14	SS	3	48-8M0151228	48-8M0151229	Enertia(2)
15.6	13	SS	3	48-8M0151226	48-8M0151227	Enertia(2)
16	11	SS	3	48-8M0151224	48-8M0151225	Enertia(2)
16	23	SS	3	48-8M0151262	48-8M0151263	Enertia ECO(2)
16	22	SS	3	48-8M0151260	48-8M0151261	Enertia ECO(2)
16	21	SS	3	48-8M0151258	48-8M0151259	Enertia ECO(2)
16	20	SS	3	48-8M0151256	48-8M0151257	Enertia ECO(2)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
16	19	SS	3	48-8M0151254	48-8M0151255	Enerzia ECO(2)
16	18	SS	3	48-8M0151252	48-8M0151253	Enerzia ECO(2)
16	17	SS	3	48-8M0151250	48-8M0151251	Enerzia ECO(2)
14.5	25	SS	3	N/A	48-8M0151313	Mirage Plus(2)
14.6	23	SS	3	48-8M0151311	48-8M0151312	Mirage Plus(2)
14.8	21	SS	3	48-8M0151309	48-8M0151310	Mirage Plus(2)
15.3	19	SS	3	48-8M0151307	48-8M0151308	Mirage Plus(2)
15.5	17	SS	3	48-8M0151303	48-8M0151304	Mirage Plus(2)
15.8	15	SS	3	48-8M0151301	48-8M0151302	Mirage Plus(2)
14	27	SS	3	N/A	48-8M0151275	Fury(2)
14	26	SS	3	N/A	48-8M0151274	Fury(2)
14	25	SS	3	N/A	48-8M0151273	Fury(2)
14	24	SS	3	N/A	48-8M0151272	Fury(2)
14	23	SS	3	N/A	48-8M0151271	Fury(2)
14	22	SS	3	N/A	48-8M0151270	Fury (2)
14.5	26	SS	4	N/A	48-8M0151281	Fury 4(2)
14.5	25	SS	4	N/A	48-8M0151280	Fury 4(2)
14.5	24	SS	4	N/A	48-8M0151279	Fury 4(2)
14.5	23	SS	4	N/A	8M0151278	Fury 4(2)
14.6	27	SS	3	N/A	48-8M0151388	Tempest Plus(2)
14.6	26	SS	3	N/A	48-8M0151387	Tempest Plus(2)
14.6	25	SS	3	N/A	48-8M0151386	Tempest Plus(2)
14.6	24	SS	3	N/A	48-8M0151385	Tempest Plus(2)
14.6	23	SS	3	N/A	48-8M0151384	Tempest Plus(2)
14.6	22	SS	3	N/A	48-8M0151383	Tempest Plus(2)
14.6	21	SS	3	N/A	48-8M0151382	Tempest Plus(2)
14.6	19	SS	3	N/A	48-8M0151381	Tempest Plus(2)
14.6	17	SS	3	N/A	48-8M0151380	Tempest Plus(2)
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus (SM)(2)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus (SM)(2)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus (SM)(2)
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus (SM)(2)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus (SM)(2)
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus (SM)(2)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus (SM)(2)
13.3	21	SS	5	N/A	48-8M0151292	HighFive(2)
13.3	19	SS	5	N/A	48-8M0151291	HighFive(2)
13.5	17	SS	5	N/A	48-8M0151290	HighFive(2)
14.6	25	SS	4	48-8M0151328	48-8M0151329	Revolution 4(2)
14.6	23	SS	4	48-8M0151326	48-8M0151327	Revolution 4(2)
14.6	21	SS	4	48-8M0151324	48-8M0151325	Revolution 4(2)
14.6	20	SS	4	48-8M0151322	48-8M0151323	Revolution 4(2)
14.6	19	SS	4	48-8M0151320	48-8M0151321	Revolution 4(2)
14.6	18	SS	4	48-8M0151318	48-8M0151319	Revolution 4(2)
14.6	17	SS	4	48-8M0151316	48-8M0151317	Revolution 4(2)
14.6	15	SS	4	48-8M0151314	48-8M0151315	Revolution 4(2)
15.8	32	SS	4	48-8M0151220	48-8M0151211	Bravo I
15.8	30	SS	4	48-8M0151218	48-8M0151219	Bravo I
15.8	28	SS	4	48-8M0151216	48-8M0151217	Bravo I
15.8	26	SS	4	48-8M0151214	48-8M0151215	Bravo I
15.8	24	SS	4	48-8M0151212	48-8M0151213	Bravo I
15.8	22	SS	4	48-8M0151210	48-8M0151211	Bravo I

(1) Recommended for 90 - 115 HP Command Thrust outboards for Tri/Pontoons

(2) Performance Vent System

(4) Provides superior holding and performance for pontoon applications

MERCURY MERCUISER APPLICATION CHARTS

Mercury MerCruiser Alpha & Bravo One

For all engines with an Alpha or Bravo One drive

15 Tooth Spline

For 300+ HP engines use only stainless steel (SS) propellers

For 400HP + use Flo-Torq solid hub assembly. Replace A46 with A55 or order hub kit part number 835258K2

For Bravo One XR and XZ drives, Use Flo-Torq 1.25" hub kit. Replace A46 with A65 or order hub kit part number 840389K06

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14	12	Alum	4	N/A	48-8M0084491	SpitFire CT
14	14	Alum	4	N/A	48-8M0084493	SpitFire CT
14	17	Alum	4	N/A	48-8M0084494	SpitFire
14	19	Alum	4	N/A	48-8M0084495	SpitFire
14	21	Alum	4	N/A	48-8M0084496	SpitFire
14	23	Alum	4	N/A	48-8M0084497	SpitFire
14	23	Alum	3	N/A	48-832834A45	Black Max
14.3	21	Alum	3	N/A	48-832832A45	Black Max
14.5	19	Alum	3	N/A	48-832830A45	Black Max
15.5	18	Alum	3	N/A	48-11324A45	Black Max
15	17	Alum	3	N/A	48-832828A45	Black Max
16	16	Alum	3	N/A	48-16440A45	Black Max
15.3	15	Alum	3	N/A	48-78116A45	Black Max
15.3	15	Alum	3	N/A	48-78116CP1	Black Max - EC(3)
16	14	Alum	3	N/A	48-16438A45	Black Max
16	14	Alum	3	N/A	48-16438CP1	Black Max - EC(3)
16	13	Alum	3	N/A	48-78114A45	Black Max
16	13	Alum	3	N/A	48-78114CP1	Black Max - EC(3)
16	12	Alum	3	N/A	48-16436A45	Black Max
16	12	Alum	3	N/A	48-16436CP1	Black Max - EC(3)
16	11	Alum	3	N/A	48-78112A45	Black Max
16	11	Alum	3	N/A	48-78112CP1	Black Max - EC(3)
13.5	22	SS	3	N/A	48-8M0151245	Enertia(1)
13.6	21	SS	3	48-8M0151242	48-8M0151243	Enertia(1)
13.8	20	SS	3	N/A	48-8M0151241	Enertia(1)
14	19	SS	3	48-8M0151238	48-8M0151239	Enertia(1)
14.2	18	SS	3	N/A	48-8M0151237	Enertia(1)
14.5	17	SS	3	48-8M0151234	48-8M0151235	Enertia(1)
14.7	16	SS	3	N/A	48-8M0151233	Enertia(1)
15	15	SS	3	48-8M0151230	48-8M0151231	Enertia(1)
15.3	14	SS	3	48-8M0151228	48-8M0151229	Enertia(1)
15.6	13	SS	3	48-8M0151226	48-8M0151227	Enertia(1)
16	11	SS	3	48-8M0151224	48-8M0151225	Enertia(1)
13.8	21	SS	3	N/A	48-8M0151408	Vengeance
14	19	SS	3	48-8M0151406	48-8M0151407	Vengeance
14.5	17	SS	3	48-8M0151404	48-8M0151405	Vengeance
14.5	15	SS	3	N/A	48-8M0151403	Vengeance
13.3	21	SS	5	N/A	48-8M0151292	HighFive(1)
13.3	19	SS	5	N/A	48-8M0151291	HighFive(1)
13.5	17	SS	5	N/A	48-8M0151290	HighFive(1)
15.3	32	SS	4	48-8M0151220	48-8M0151221	Bravo I(2)
15.3	30	SS	4	48-8M0151218	48-8M0151219	Bravo I(2)
15.3	28	SS	4	48-8M0151216	48-8M0151217	Bravo I(2)
15.3	26	SS	4	48-8M0151214	48-8M0151215	Bravo I(2)
15.3	24	SS	4	48-8M0151212	48-8M0151213	Bravo I(2)
15.3	22	SS	4	48-8M0151210	48-8M0151211	Bravo I(2)
16	23	SS	3	48-8M0151262	48-8M0040398	Enertia ECO(1)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
16	22	SS	3	48-8M0151260	48-8M0151263	Enertia ECO(1)
16	21	SS	3	48-8M0151258	48-8M0151258	Enertia ECO(1)
16	20	SS	3	48-8M0151256	48-8M0151257	Enertia ECO(1)
16	19	SS	3	48-8M0151254	48-8M0151255	Enertia ECO(1)
16	18	SS	3	48-8M0151252	48-8M0151253	Enertia ECO(1)
16	17	SS	3	48-8M0151250	48-8M0151251	Enertia ECO(1)
14.4	27	SS	3	48-18281A46	48-18280A46	Mirage Plus(1)
14.5	25	SS	3	N/A	48-8M0151313	Mirage Plus(1)
14.6	23	SS	3	48-8M0151311	48-8M0151312	Mirage Plus(1)
14.8	21	SS	3	48-8M0151309	48-8M0151310	Mirage Plus(1)
15.3	19	SS	3	48-8M0151307	48-8M0151308	Mirage Plus(1)
15.5	17	SS	3	48-8M0151303	48-8M0151304	Mirage Plus(1)
15.8	15	SS	3	48-8M0151301	48-8M0151302	Mirage Plus(1)
14.6	25	SS	4	48-8M0151328	48-8M0151329	Revolution 4(1)(2)
14.6	23	SS	4	48-8M0151326	48-8M0151327	Revolution 4(1)(2)
14.6	20	SS	4	48-8M0151324	48-8M0151325	Revolution 4(1)(2)
14.6	21	SS	4	48-8M0151322	48-8M0151323	Revolution 4(1)(2)
14.6	19	SS	4	48-8M0151320	48-8M0151321	Revolution 4(1)(2)
14.6	18	SS	4	48-8M0151318	48-8M0151319	Revolution 4(1)(2)
14.6	17	SS	4	48-8M0151316	48-8M0151317	Revolution 4(1)(2)
14.6	15	SS	4	48-8M0151314	48-8M0151315	Revolution 4(1)(2)
15.6	34	SS	5	48-8M0151340	48-8M0151341	Maximus (1)(2)
15.6	32	SS	5	48-8M0151338	48-8M0151339	Maximus(1)(2)
15.6	30	SS	5	48-8M0151336	48-8M0151337	Maximus(1)(2)
15.6	28	SS	5	48-8M0151334	48-8M0151335	Maximus(1)(2)
15.6	26	SS	5	48-8M0151332	48-8M0151333	Maximus(1)(2)
15.6	24	SS	5	48-8M0151330	48-8M0151331	Maximus(1)(2)

- (1) Performance Vent System
- (2) Recommended for Bravo One Drives only
- (3) Extra cup provides superior holding and performance for pontoon applications

Mercury MerCruiser Bravo Two

For all engines with a Bravo Two drive

Bravo Two propeller attachment hardware is not included with the propeller

Use with:

- 55074T Forward Thrust Washer
- 55073A 2 Aft Washer
- 34817 Tab Washer
- 826711 27 Propeller Nut

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
17.5	23	Alum	3	48-18619A40	48-18618A40	Bravo Two
17.8	21	Alum	3	48-18617A40	48-18616A40	Bravo Two
18.3	19	Alum	3	48-18615A40	48-18614A40	Bravo Two
18.8	17	Alum	3	48-8M0155029	48-8M0155030	Bravo Two
19.3	15	Alum	3	48-8M0155027	48-8M0155028	Bravo Two
19.5	13	Alum	3	48-8M0155025	48-8M0155026	Bravo Two
20	11	Alum	3	48-8M0155023	48-8M0155024	Bravo Two
17.5	23	SS	3	48-18619A 6	48-18618A 6	Bravo Two
17.8	21	SS	3	48-18617A 6	48-18616A 6	Bravo Two
18.3	19	SS	3	48-18615A 6	48-18614A 6	Bravo Two
18.8	17	SS	3	48-18613A 6	48-18612A 6	Bravo Two
19.3	15	SS	3	48-18611A 6	48-18610A 6	Bravo Two
19.5	13	SS	3	48-18609A 6	48-18608A 6	Bravo Two
20	11	SS	3	48-18607A 6	48-18606A 6	Bravo Two

- (1) Recommended for single diesel applications

MERCURY PROPELLER APPLICATION CHARTS

Mercury MerCruiser Bravo Three

For all engines with a Bravo Three drive
4 blade front and 3 blade rear propeller

If boat is propped correctly with original Bravo Three propellers drop down one inch of pitch to maintain engine RPM with Bravo Three Diesel propellers.

Bravo Three propeller attachment hardware is not included with the propeller

Use with:

- 805100 Aft Thrust Washer
- 805101T Forward Thrust Washer
- 862907 Aft Prop Nut
- 8M0105210 Forward Prop Nut
- 805457T 1 Bravo Three Inner Prop Nut Wrench

Pitch	Material	Finish	Blades (Front & Rear)	LH Rotation Front Prop	RH Rotation Rear Prop	Model
28	SS	Matte	4 & 3	48-8M8022460	48-8M8022470	Bravo Three
26	SS	Matte	4 & 3	48-8M8022440	48-8M8022450	Bravo Three
24	SS	Matte	4 & 3	48-8M8022420	48-8M8022430	Bravo Three
22.5	SS	Matte	4 & 3	48-8M8022400	48-8M8022410	Bravo Three
21	SS	Matte	4 & 3	48-8M8022380	48-8M8022390	Bravo Three
20	SS	Matte	4 & 3	48-8M8022360	48-8M8022370	Bravo Three
19	SS	Matte	4 & 3	48-8M8022340	48-8M8022350	Bravo Three
28	SS	High Polish	4 & 3	48-8M8022469	48-8M8022479	Bravo Three
26	SS	High Polish	4 & 3	48-8M8022449	48-8M8022459	Bravo Three
24	SS	High Polish	4 & 3	48-8M8022429	48-8M8022439	Bravo Three
22.5	SS	High Polish	4 & 3	48-8M8022409	48-8M8022419	Bravo Three
21	SS	High Polish	4 & 3	48-8M8022389	48-8M8022399	Bravo Three
20	SS	High Polish	4 & 3	48-8M8022369	48-8M8022379	Bravo Three
19	SS	High Polish	4 & 3	48-8M8022349	48-8M8022359	Bravo Three
27	SS	Matte	4 & 3	48-8M0074871	48-8M0074872	Bravo Three Diesel
25	SS	Matte	4 & 3	48-8M0074869	48-8M0074870	Bravo Three Diesel
23	SS	Matte	4 & 3	48-8M0074867	48-8M0074868	Bravo Three Diesel
21	SS	Matte	4 & 3	48-8M0074865	48-8M0074866	Bravo Three Diesel

MERCURY ZEUS APPLICATION CHARTS



Zeus 3500 M-Series and Z-Series Propeller Chart

Zeus 3500	RPM Range	Overall Ratio	Drive Speed (Knots)	Drive Speed (MPH)																							
				21.7	22.6	23.5	24.3	25.2	26.1	26.9	27.8	28.7	29.5	30.4	31.3	32.2	33.0	33.9	34.8	35.6	36.5	37.4	38.2	39.1	40.0		
355 hp	2800-2850	2.059:1	Z Series					9	10	11	12	13	14	15	16	17	18	19									
355 hp	2800-2850	2.244:1	M Series	5/6	6/7	7	8	9	10	11	12	12/13	13/14	14													
380 hp	3000-3050	2.059:1	Z Series					8	9	10	11	12	13	14	15	16	17	18	19								
380 hp	3000-3050	2.244:1	M Series	4	4/5	5/6	6/7	7	8	9	10	11	12	12/13	13/14	14											
425 hp	3000-3050	2.059:1	Z Series									11	12	13	14	15	16	17	18	19							
425 hp	3000-3050	2.059:1	M Series			4	4/5	5	6	7	7/8	8	9	10	11	11/12	12	13	14								
425 hp	3000-3050	2.244:1	M Series	4	4/5	5/6	6/7	7	8	9	10	11	12	12/13	13/14	14											
480 hp	3400-3450	2.059:1	Z Series											6	7	8	9	10	11	12	13	14	15	16	17	18	19

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER APPLICATION CHARTS

Zeus 3500	RPM Range	Overall Ratio	Drive Speed (Knots)																								
			Drive Speed (MPH)	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46		
480 hp	3400-3450	2.059:1	M Series									4	4/5	5	6	7	7/8	8	9	9/10	10/11	11	12	12/13	13	14	
480 hp	3400-3450	2.244:1	M Series				4	5	6	7	8	8/9	9	10	11	12	12/13	13	14								

Zeus 3800 M-Series Propeller Chart

Zeus 3800	RPM	Overall Ratio	Drive Speed (Knots)																								
			Drive Speed (MPH)	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49		
550	3000-3050	1.795:1	M Series					4	4/5	5	6	7	7/8	8	9	9/10	10/11	11	12	12/13	13	14					
550	3000-3050	1.957:1	M Series	4	5	6	7	8	8/9	9	10	11	12	12/13	13	14											
600	3000-3050	1.795:1	M Series					4	4/5	5	6	7	7/8	8	9	9/10	10/11	11	12	12/13	13	14					
600	3000-3050	1.957:1	M Series			6	7	8	8/9	9	10	11	12	12/13	13	14											
715	2500-2550	1.337:1	M Series											4	5	5/6	6	6/7	7	8	8/9	9	10	10/11	11	12	

NON-MERCURY ENGINE APPLICATION CHARTS

Non-Mercury Outboard (4.25" Gearcase)

- Non-Mercury Outboard (4.25" Gearcase)
- Suzuki/Johnson 90-115 HP 4-stroke (2001-2008) - use hub kit 835283Q1
- Suzuki/Johnson 100-115 HP 4-stroke (2009 and newer), 140 HP 4-stroke - use hub kit 835283Q2
- Suzuki 70-90 HP 4-stroke (2009 and newer) - use hub kit 835283Q03
- Honda 75-90 HP (1998 and older) - use hub kit 835277Q1
- Honda 75-90 HP (1999 and newer), 115-130 HP - use hub kit 835279Q2
- Yamaha 50-100 HP - use hub kit 835272Q 1
- Yamaha 115-130 HP - use hub kit 835271Q 2

Aluminum propellers include hub kit
 Stainless steel propellers, hub kit sold separately

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
12.5	23	Alum	3	N/A	48-77350A45	Black Max
12.8	21	Alum	3	N/A	48-77348A45	Black Max
13	19	Alum	3	N/A	48-77346A45	Black Max
13.3	17	Alum	3	N/A	48-77344A45	Black Max
13.3	16	Alum	3	N/A	48-854360A45	Black Max
13.8	15	Alum	3	N/A	48-77342A45	Black Max
13.9	14	Alum	3	N/A	48-854352A45	Black Max
14	13	Alum	3	N/A	48-77340A45	Black Max
14	11	Alum	3	N/A	48-77338A45	Black Max
14	10	Alum	3	N/A	48-854342A45	Black Max
14	9	Alum	3	N/A	48-854340A45	Black Max
12.8	19	Alum	4	N/A	48-8M8026600	Spitfire
12.8	17	Alum	4	N/A	48-8M8026590	Spitfire
12.8	15	Alum	4	N/A	48-8M8026580	Spitfire
13.8	13	Alum	4	N/A	48-8M8026570	Spitfire Pontoon(2)
13.8	11	Alum	4	N/A	48-8M8026560	Spitfire Pontoon(2)
13.8	10	Alum	4	N/A	48-8M8026555	Spitfire Pontoon(2)
12.7	21	SS	4	N/A	48-8M0151364	Spitfire X7(1)
12.7	19	SS	4	N/A	48-8M0151363	Spitfire X7(1)
13	17	SS	4	N/A	48-8M0151362	Spitfire X7(1)
13.5	15	SS	4	N/A	48-8M0151361	Spitfire X7(1)

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14	13	SS	4	N/A	48-8M0151360	Spitfire X7(1)
13	18	SS	3	N/A	48-8M0151402	Vengeance
13.1	16	SS	3	N/A	48-8M0151401	Vengeance
13.3	15	SS	3	N/A	48-8M0151400	Vengeance
13.4	14	SS	3	N/A	48-8M0151399	Vengeance
14	12	SS	3	N/A	48-8M0151398	Vengeance
14	10	SS	3	N/A	48-8M0151397	Vengeance
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus(1)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus(1)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus(1)
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus(1)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus(1)
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus(1)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus(1)

(1) Performance Vent System

(2) For superior performance and holding on pontoon applications

Non-Mercury Outboard/Stern Drive (4.75" Gearcase)

Non-Mercury Outboards & Stern Drives (4.75" Gearcase)

Evinrude/Johnson/OMC (1991 and newer) - use hub kit 835265Q02

Evinrude/Johnson/OMC (1990 and older) - use hub kit 835267Q1

Evinrude ETEC G2 (2015 and newer) - use hub kit 8M0107220

Honda 135-225 HP - use hub kit 835278Q1

Suzuki 150-300 HP - use hub kit 835281Q1

Yamaha 150-300 HP including SHO (2015 and newer) - use hub kit 835274Q1

Yamaha 200-250 HP SHO (2014 and older) - use hub kit 8M0075402

Aluminum propellers include hub kit

Stainless steel propellers, hub kit sold separately

EC propellers contain extra cup for pontoon applications

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14	12	Alum	4	N/A	48-8M0084491	SpitFire
14	14	Alum	4	N/A	48-8M0084493	SpitFire
14	17	Alum	4	N/A	48-8M0084494	SpitFire
14	19	Alum	4	N/A	48-8M0084495	SpitFire
14	21	Alum	4	N/A	48-8M0084496	SpitFire
14	23	Alum	4	N/A	48-8M0084497	SpitFire
14	23	Alum	3	N/A	48-832834A45	Black Max
14.3	21	Alum	3	N/A	48-832832A45	Black Max
14.5	19	Alum	3	N/A	48-832830A45	Black Max
15.5	18	Alum	3	N/A	48-11324A45	Black Max
15	17	Alum	3	N/A	48-832828A45	Black Max
16	16	Alum	3	N/A	48-16440A45	Black Max
15.3	15	Alum	3	N/A	48-78116A45	Black Max
15.3	15	Alum	3	N/A	48-78116CP1	Black Max - EC
16	14	Alum	3	N/A	48-16438A45	Black Max
16	14	Alum	3	N/A	48-16438CP1	Black Max - EC
16	13	Alum	3	N/A	48-78114A45	Black Max
16	13	Alum	3	N/A	48-78114CP1	Black Max - EC
16	12	Alum	3	N/A	48-16436A45	Black Max
16	12	Alum	3	N/A	48-16436CP1	Black Max - EC
16	11	Alum	3	N/A	48-78112A45	Black Max
13.8	21	SS	3	N/A	48-8M0151408	Vengeance
14	19	SS	3	48-8M0151406	48-8M0151407	Vengeance
14.5	17	SS	3	48-8M0151404	48-8M0151405	Vengeance
14.5	15	SS	3	N/A	48-8M0151403	Vengeance

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER APPLICATION CHARTS

Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
13.5	22	SS	3	N/A	48-8M0151245	Enertia
13.6	21	SS	3	48-8M0151242	48-8M0151243	Enertia
13.8	20	SS	3	N/A	48-8M0151241	Enertia
14	19	SS	3	48-8M0151238	48-8M0151239	Enertia
14.2	18	SS	3	N/A	48-8M0151237	Enertia
14.5	17	SS	3	48-8M0151234	48-8M0151235	Enertia
14.7	16	SS	3	N/A	48-8M0151233	Enertia
15	15	SS	3	48-8M0151230	48-8M0151231	Enertia
15.3	14	SS	3	48-8M0151228	48-8M0151229	Enertia
15.6	13	SS	3	48-8M0151226	48-8M0151227	Enertia
16	11	SS	3	48-8M0151224	48-8M0151225	Enertia
16	17	SS	3	48-8M0151250	48-8M0151251	Enertia ECO
16	18	SS	3	48-8M0151252	48-8M0151253	Enertia ECO
16	19	SS	3	48-8M0151254	48-8M0151255	Enertia ECO
16	20	SS	3	48-8M0151256	48-8M0151257	Enertia ECO
16	21	SS	3	48-8M0151258	48-8M0151259	Enertia ECO
16	22	SS	3	48-8M0151260	48-8M0151261	Enertia ECO
16	23	SS	3	48-8M0151262	48-8M0151263	Enertia ECO
14.5	25	SS	3	N/A	48-8M0151313	Mirage Plus
14.6	23	SS	3	48-8M0151311	48-8M0151312	Mirage Plus
14.8	21	SS	3	48-8M0151309	48-8M0151310	Mirage Plus
15.3	19	SS	3	48-8M0151307	48-8M0151308	Mirage Plus
15.5	17	SS	3	48-8M0151303	48-8M0151304	Mirage Plus
15.8	15	SS	3	48-8M0151301	48-8M0151302	Mirage Plus
14	22	SS	3	N/A	48-8M0151270	Fury
14	23	SS	3	N/A	48-8M0151271	Fury
14	24	SS	3	N/A	48-8M0151272	Fury
14	25	SS	3	N/A	48-8M0151273	Fury
14	26	SS	3	N/A	48-8M0151274	Fury
14	27	SS	3	N/A	48-8M0151275	Fury
14.5	23	SS	4	N/A	48-8M0151278	Fury 4
14.5	24	SS	4	N/A	48-8M0151279	Fury 4
14.5	25	SS	4	N/A	48-8M0151280	Fury 4
14.5	26	SS	4	N/A	48-8M0151281	Fury 4
14.6	27	SS	3	N/A	48-8M0151388	Tempest Plus
14.6	26	SS	3	N/A	48-8M0151387	Tempest Plus
14.6	25	SS	3	N/A	48-8M0151386	Tempest Plus
14.6	24	SS	3	N/A	48-8M0151385	Tempest Plus
14.6	23	SS	3	N/A	48-8M0151384	Tempest Plus
14.6	22	SS	3	N/A	48-8M0151383	Tempest Plus
14.6	21	SS	3	N/A	48-8M0151382	Tempest Plus
14.6	19	SS	3	N/A	48-8M0151381	Tempest Plus
14.6	17	SS	3	N/A	48-8M0151380	Tempest Plus
13.8	26	SS	4	N/A	48-8M0151395	Trophy Plus (SM)
13.8	25	SS	4	N/A	48-8M0151394	Trophy Plus (SM)
13.8	24	SS	4	N/A	48-8M0151393	Trophy Plus (SM)
13.8	23	SS	4	N/A	48-8M0151392	Trophy Plus (SM)
13.8	21	SS	4	N/A	48-8M0151391	Trophy Plus (SM)
13.8	19	SS	4	N/A	48-8M0151390	Trophy Plus (SM)
13.8	17	SS	4	N/A	48-8M0151389	Trophy Plus (SM)
13.3	21	SS	5	N/A	48-8M0151292	HighFive
13.3	19	SS	5	N/A	48-8M0151291	HighFive
13.5	17	SS	5	N/A	48-8M0151290	HighFive
14.6	25	SS	4	48-8M0151328	48-8M0151329	Revolution 4
14.6	23	SS	4	48-8M0151326	48-8M0151327	Revolution 4
14.6	21	SS	4	48-8M0151324	48-8M0151325	Revolution 4

MERCURY PROPELLER APPLICATION CHARTS


Diameter	Pitch	Material	Blades	LH Rotation	RH Rotation	Model
14.6	20	SS	4	48-8M0151322	48-8M0151323	Revolution 4
14.6	19	SS	4	48-8M0151320	48-8M0151321	Revolution 4
14.6	18	SS	4	48-8M0151318	48-8M0151319	Revolution 4
14.6	17	SS	4	48-8M0151316	48-8M0151317	Revolution 4
14.6	15	SS	4	48-8M0151314	48-8M0151315	Revolution 4
15.3	32	SS	4	48-8M0151220	48-8M0151221	Bravo I
15.3	30	SS	4	48-8M0151218	48-8M0151219	Bravo I
15.3	28	SS	4	48-8M0151216	48-8M0151217	Bravo I
15.3	26	SS	4	48-8M0151214	48-8M0151215	Bravo I
15.3	24	SS	4	48-8M0151212	48-8M0151213	Bravo I
15.3	22	SS	4	48-8M0151210	48-8M0151211	Bravo I

PROPELLER SELECTING TOOLS

Mercury Propeller Selecting Tools Available:

1. Mercury Propeller Selector on mercurymarine.com

- a. Follow the required steps. Choose the boat type, engine and detailed boat information (Length, Weight or Current Performance) to identify an estimated pitch and propeller offering



2. Mercury Outboard Propeller Rigging Charts

- a. Choose an engine and boat type combination from the following charts.
- b. Identify the line with the customer’s boat weight (with engine, fuel, people and gear) and approximate speed. This will result in a propeller and pitch recommendation for the application
- c. Not all propellers are shown helping identify the best performing propellers for the specific application
- d. Only current Mercury outboards are shown, refer to the application charts for additional engine offerings

Example Rigging Chart:

Verado 250 HP and 250 HP Pro FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.62"	25	4	2500-2800	69-78	48-857032A46	Revolution 4	Comp Series
14.62"	23	4	2700-3100	63-71	48-857030A46	Revolution 4	Comp Series
14.62"	21	4	3100-3500	57-64	48-857028A46	Revolution 4	Comp Series
14.62"	20	4	3250-3750	54-61	48-8M0070052	Revolution 4	Comp Series
14.62"	19	4	3400-4000	51-58	48-857026A46	Revolution 4	Comp Series
14.62"	17	4	3900-5000	39-49	48-857024A46	Revolution 4	Comp Series
14.62"	15	4	4600-6000	35-45	48-857022A46	Revolution 4	Comp Series
13.45"	22	3	2900-3300	60-68	48-899202A46	Enerzia	Comp Series
13.63"	21	3	3100-3500	57-64	48-899102A46	Enerzia	Comp Series
13.80"	20	3	3250-3750	54-61	48-899000A46	Enerzia	Comp Series
14.00"	19	3	3400-4000	51-58	48-898998A46	Enerzia	Comp Series
14.22"	18	3	3650-4500	45-54	48-898996A46	Enerzia	Comp Series
14.45"	17	3	3900-5000	39-49	48-898994A46	Enerzia	Comp Series
14.72"	16	3	4300-5500	37-47	48-898992A46	Enerzia	Comp Series
15.00"	15	3	4600-6000	35-45	48-898990A46	Enerzia	Comp Series
14.62"	23	3	2700-3100	63-71	48-825964A47	Tempest Plus	Elite Series
14.62"	23	3	2700-3100	63-71	48-8M8026820	Tempest Plus	Elite Series
14.62"	21	3	3100-3500	57-64	48-825962A47	Tempest Plus	Elite Series
14.62"	19	3	3400-4000	51-58	48-825960A47	Tempest Plus	Elite Series
14.62"	17	3	3900-5000	39-49	48-8M8026790	Tempest Plus	Elite Series

MERCURY PROPELLER RIGGING CHART

FRESHWATER FISH / RUNABOUT / FISH AND SKI / MOD V / V BOTTOM: 60 - 400 HP

Verado 350 HP and 400 HP - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 350 HP 5800-6400, 400 HP 6200-6800 Gearcase Ratio: 1.75:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	Performance Category
16	23	3	3700-4200	65-74	48-8M0151263	Energia ECO	Comp Series
16	22	3	3900-4500	63-70	48-8M0151261	Energia ECO	Comp Series
16	21	3	4200-4700	59-66	48-8M0151259	Energia ECO	Comp Series
16	20	3	4400-5000	56-63	48-8M0151257	Energia ECO	Comp Series
16	19	3	4600-5300	53-60	48-8M0151255	Energia ECO	Comp Series
16	18	3	4900-5800	49-55	48-8M0151253	Energia ECO	Comp Series
16	17	3	5300-6300	46-53	48-8M0151251	Energia ECO	Comp Series
14.6	25	4	3300-3800	71-81	48-8M0151329	Revolution 4	Comp Series
14.6	23	4	3700-4200	65-74	48-8M0151327	Revolution 4	Comp Series
14.6	21	4	4200-4700	59-66	48-8M0151325	Revolution 4	Comp Series
14.6	20	4	4400-5000	56-63	48-8M0151323	Revolution 4	Comp Series
14.6	19	4	4600-5300	53-60	48-8M0151321	Revolution 4	Comp Series
14.6	18	4	5000-5600	49-56	48-8M0151319	Revolution 4	Comp Series
14.6	17	4	5300-6300	46-53	48-8M0151317	Revolution 4	Comp Series
14.6	15	4	6300-7500	39-46	48-8M0151315	Revolution 4	Comp Series
14.6	23	3	3700-4200	65-74	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	3900-4500	62-70	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	4200-4700	59-66	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	4600-5300	53-60	48-8M0151381	Tempest Plus	Elite Series

Verado 300 HP and 300 HP Pro FourStroke - Freshwater Fish / Runabout / Fish and Ski

For 300 L6 Verado and 300 HP Pro L6 FourStroke (2018 and older), Engine RPM Range: 5800-6400, Gearcase Ratio: 1.75:1 or 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.6	25	4	2800-3300	71-81	48-8M0151329	Revolution 4	Comp Series
14.6	23	4	3100-3600	65-74	48-8M0151327	Revolution 4	Comp Series
14.6	21	4	3600-4100	59-66	48-8M0151325	Revolution 4	Comp Series
14.6	20	4	3800-4300	56-63	48-8M0151323	Revolution 4	Comp Series
14.6	19	4	4000-4600	53-60	48-8M0151321	Revolution 4	Comp Series
14.6	18	4	4300-4800	49-56	48-8M0151319	Revolution 4	Comp Series
14.6	17	4	4600-5400	46-53	48-8M0151317	Revolution 4	Comp Series
14.6	15	4	5400-6500	39-46	48-8M0151315	Revolution 4	Comp Series
13.4	22	3	3300-3800	62-70	48-8M0151245	Energia	Comp Series
13.6	21	3	3600-4100	59-66	48-8M0151243	Energia	Comp Series
13.8	20	3	3800-4300	56-63	48-8M0151241	Energia	Comp Series
14	19	3	4000-4600	53-60	48-8M0151239	Energia	Comp Series
14	18	3	4300-4900	50-56	48-8M0151237	Energia	Comp Series
14.4	17	3	4600-5400	46-53	48-8M0151235	Energia	Comp Series
14.7	16	3	4900-5800	43-50	48-8M0151233	Energia	Comp Series
15	15	3	5400-6500	39-46	48-8M0151231	Energia	Comp Series
14.6	23	3	3100-3600	65-74	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	3300-3800	62-70	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	3600-4100	59-66	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	4000-4600	53-60	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	4600-5400	46-53	48-8M0151380	Tempest Plus	Elite Series

MERCURY PROPELLER RIGGING CHART

Verado 250 HP and 250 HP Pro FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.6	25	4	2500-2800	69-78	48-8M0151329	Revolution 4	Comp Series
14.6	23	4	2700-3100	63-71	48-8M0151327	Revolution 4	Comp Series
14.6	21	4	3100-3500	57-64	48-8M0151325	Revolution 4	Comp Series
14.6	20	4	3250-3750	54-61	48-8M0151323	Revolution 4	Comp Series
14.6	19	4	3400-4000	51-58	48-8M0151321	Revolution 4	Comp Series
14.6	18	4	3750-4400	47-54	48-8M0151319	Revolution 4	Comp Series
14.6	17	4	3900-5000	39-49	48-8M0151317	Revolution 4	Comp Series
14.6	15	4	4600-6000	35-45	48-8M0151315	Revolution 4	Comp Series
13.4	22	3	2900-3300	60-68	48-8M0151245	Enertia	Comp Series
13.6	21	3	3100-3500	57-64	48-8M0151243	Enertia	Comp Series
13.8	20	3	3250-3750	54-61	48-8M0151241	Enertia	Comp Series
14	19	3	3400-4000	51-58	48-8M0151239	Enertia	Comp Series
14.2	18	3	3650-4500	45-54	48-8M0151237	Enertia	Comp Series
14.4	17	3	3900-5000	39-49	48-8M0151235	Enertia	Comp Series
14.7	16	3	4300-5500	37-47	48-8M0151233	Enertia	Comp Series
15	15	3	4600-6000	35-45	48-8M0151231	Enertia	Comp Series
14.6	23	3	2700-3100	63-71	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2700-3100	63-71	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	3100-3500	57-64	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	3400-4000	51-58	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	3900-5000	39-49	48-8M0151380	Tempest Plus	Elite Series

Verado 225 HP and 225 HP Pro FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.6	25	4	2200-2500	69-78	48-8M0151329	Revolution 4	Comp Series
14.6	23	4	2500-2800	63-71	48-8M0151327	Revolution 4	Comp Series
14.6	21	4	2800-3200	57-64	48-8M0151325	Revolution 4	Comp Series
14.6	20	4	2950-3400	54-61	48-8M0151323	Revolution 4	Comp Series
14.6	19	4	3100-3600	51-58	48-8M0151321	Revolution 4	Comp Series
14.6	18	4	3300-3700	48-54	48-8M0151319	Revolution 4	Comp Series
14.6	17	4	3500-4100	45-52	48-8M0151317	Revolution 4	Comp Series
14.6	15	4	4100-5500	35-45	48-8M0151315	Revolution 4	Comp Series
13.4	22	3	2700-3100	60-68	48-8M0151245	Enertia	Comp Series
13.6	21	3	2800-3200	57-64	48-8M0151243	Enertia	Comp Series
13.8	20	3	2950-3400	54-61	48-8M0151241	Enertia	Comp Series
14	19	3	3100-3600	51-58	48-8M0151239	Enertia	Comp Series
14.2	18	3	3300-3850	48-55	48-8M0151237	Enertia	Comp Series
14.4	17	3	3500-4100	45-52	48-8M0151235	Enertia	Comp Series
14.7	16	3	3800-4800	40-49	48-8M0151233	Enertia	Comp Series
15	15	3	4100-5500	35-45	48-8M0151231	Enertia	Comp Series
14.6	23	3	2500-2800	63-71	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2700-3100	60-68	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2800-3200	57-64	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	3100-3600	51-58	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	3500-4100	45-52	48-8M0151380	Tempest Plus	Elite Series

MERCURY PROPELLER RIGGING CHART

Pro FourStroke 200 HP - V6 - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	2300-2600	59-68	48-8M0151245	Enertia	Comp Series
13.6	21	3	2500-2800	57-64	48-8M0151243	Enertia	Comp Series
13.8	20	3	2750-2950	54-63	48-8M0151241	Enertia	Comp Series
14	19	3	2800-3200	51-58	48-8M0151239	Enertia	Comp Series
14.3	18	3	2950-3450	47-55	48-8M0151237	Enertia	Comp Series
14.5	17	3	3100-3700	45-52	48-8M0151235	Enertia	Comp Series
14.7	16	3	3350-4250	41-50	48-8M0151233	Enertia	Comp Series
15	15	3	3600-4400	38-47	48-8M0151231	Enertia	Comp Series
14.6	23	3	2200-2500	63-71	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2500-2800	57-64	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2800-3200	51-58	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	3000-3500	45-52	48-8M0151380	Tempest Plus	Elite Series
14	23	3	2200-2500	63-71	48-8M0084497	SpitFire	Elite Series
14	21	3	2500-2800	57-64	48-8M0084496	SpitFire	Elite Series
14	19	3	2800-3200	51-58	48-8M0084495	SpitFire	Elite Series
14	17	3	2200-2500	63-71	48-8M0084494	SpitFire	Elite Series
14.3	21	3	2500-2800	57-64	48-832832A45	Black Max	Sport Series
14.5	19	3	2800-3200	51-58	48-832830A45	Black Max	Sport Series
15	17	3	2500-2800	45-52	48-832828A45	Black Max	Sport Series

Verado 200 HP – 4Cyl - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5800-6400 Gearcase Ratio: 2.08:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.4	22	3	2800-3200	51-58	48-8M0151245	Enertia	Comp Series
13.6	21	3	2900-3300	49-55	48-8M0151243	Enertia	Comp Series
13.8	20	3	3000-3600	46-53	48-8M0151241	Enertia	Comp Series
14	19	3	3300-3900	43-50	48-8M0151239	Enertia	Comp Series
14.2	18	3	3500-4300	39-47	48-8M0151237	Enertia	Comp Series
14.4	17	3	3800-4700	36-44	48-8M0151235	Enertia	Comp Series
14.7	16	3	4100-5200	33-41	48-8M0151233	Enertia	Comp Series
15	15	3	4400-6000	29-38	48-8M0151231	Enertia	Comp Series
14.6	21	3	2900-3300	49-55	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	3300-3900	43-50	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	3800-4700	36-44	48-8M0151380	Tempest Plus	Elite Series
14	21	3	2900-3300	49-55	48-8M0084496	SpitFire	Elite Series
14	19	3	3300-3900	43-50	48-8M0084495	SpitFire	Elite Series
14	17	3	3800-4700	36-44	48-8M0084494	SpitFire	Elite Series
14.3	21	3	2900-3300	49-55	48-832832A45	Black Max	Sport Series
14.5	19	3	3300-3900	43-50	48-832830A45	Black Max	Sport Series
15	17	3	3800-4700	36-44	48-832828A45	Black Max	Sport Series
15.3	15	3	4400-6000	29-38	48-78116A45	Black Max	Sport Series

150 HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	2100-2600	47-57	48-8M0151245	Enertia	Comp Series
13.6	21	3	2200-2800	44-54	48-8M0151243	Enertia	Comp Series
13.8	20	3	2300-3000	42-52	48-8M0151241	Enertia	Comp Series
14	19	3	2500-3200	39-49	48-8M0151239	Enertia	Comp Series
14.3	18	3	2700-3200	35-46	48-8M0151237	Enertia	Comp Series
14.5	17	3	2900-4000	32-43	48-8M0151235	Enertia	Comp Series
14.8	16	3	3100-4500	29-40	48-8M0151233	Enertia	Comp Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
15	15	3	3400-5100	26-37	48-8M0151231	EnerTia	Comp Series
15.1	14	3	3800-6200	22-34	48-8M0151229	EnerTia	Comp Series
14.6	25	3	1800-2200	55-65	48-8M0151386	Tempest Plus	Elite Series
14.6	24	3	1900-2300	53-62	48-8M0151385	Tempest Plus	Elite Series
14.6	23	3	2000-2400	50-60	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2100-2600	47-57	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2200-2800	44-54	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2500-3200	39-49	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2900-4000	32-43	48-8M0151380	Tempest Plus	Elite Series

115 CT Pro XS FourStroke - Freshwater Fish

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.6	22	3	2000-2700	38-50	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2100-2900	35-47	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2400-3500	30-42	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2700-4500	24-37	48-8M0151380	Tempest Plus	Elite Series
14	21	4	2100-2900	35-47	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3500	30-42	48-8M0084495	SpitFire	Elite Series
14	17	4	2700-4500	24-37	48-8M0084494	SpitFire	Elite Series
15	21	3	2100-2900	35-47	48-832832A45	Black Max	Sport Series
14.5	19	3	2400-3500	30-42	48-832830A45	Black Max	Sport Series
15	17	3	2700-4500	24-37	48-832828A45	Black Max	Sport Series

115 STD Pro XS FourStroke - Freshwater Fish

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2300	43-55	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2700	38-49	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3300	31-44	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2700-4300	25-37	48-8M0151361	SpitFire X7	Elite Series
13	18	3	2100-2900	35-46	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2400-3800	28-41	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2700-4300	25-37	48-8M0151400	Vengeance	Sport Series
12.8	19	4	2000-2700	38-49	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3300	31-44	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2700-4300	25-37	48-8M8026580	SpitFire	Elite Series
12.5	23	3	1600-2000	49-60	48-77350A45	Black Max	Sport Series
12.8	21	3	1800-2300	43-55	48-77348A45	Black Max	Sport Series
13	19	3	2000-2700	38-49	48-77346A45	Black Max	Sport Series
13.3	17	3	2300-3300	31-44	48-77344A45	Black Max	Sport Series
13.3	16	3	2400-3800	28-41	48-854360A45	Black Max	Sport Series

115 CT HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	2000-2800	35-47	48-8M0151245	EnerTia	Comp Series
13.8	21	3	2100-3100	32-45	48-8M0151243	EnerTia	Comp Series
13.8	20	3	2300-3500	29-42	48-8M0151241	EnerTia	Comp Series
14	19	3	2400-3700	27-40	48-8M0151239	EnerTia	Comp Series
14.2	18	3	2600-4300	24-37	48-8M0151237	EnerTia	Comp Series
14.5	17	3	2800-5000	21-35	48-8M0151235	EnerTia	Comp Series
14.7	16	3	3100-5600	19-32	48-8M0151233	EnerTia	Comp Series
15	15	3	3500-6700	16-29	48-8M0151231	EnerTia	Comp Series
15.3	14	3	3900-7800	14-26	48-8M0151229	EnerTia	Comp Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
15.6	13	3	4300-10300	11-24	48-8M0151227	Enertia	Comp Series
16	11	3	7000+	1-18	48-8M0151225	Enertia	Comp Series
14.6	23	3	1900-2600	38-49	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2000-2800	35-47	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2100-3100	32-45	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2400-3700	27-40	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2800-5000	21-35	48-8M0151380	Tempest Plus	Elite Series
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire	Elite Series
14	14	4	3900-7800	14-26	48-8M0084493	SpitFire	Elite Series
14	12	4	7000+	1-24	48-8M0084491	SpitFire	Elite Series
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2800-5000	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	3500-6700	16-29	48-78116A45	Black Max	Sport Series
16	13	3	4300-10300	11-24	48-78114A45	Black Max	Sport Series
16	12	3	5000+	9-21	48-16436A45	Black Max	Sport Series
16	11	3	7000+	1-18	48-78112A45	Black Max	Sport Series

115 STD HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7	Elite Series
14	13	4	3500-6700	16-29	48-8M0151360	SpitFire X7	Elite Series
13	18	3	2200-3200	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2500-4100	25-38	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2800-4700	22-35	48-8M0151400	Vengeance	Sport Series
13.3	14	3	3100-5600	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	3900-8500	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	3500-6700	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4500-11500	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1600-2100	45-57	48-77350A45	Black Max	Sport Series
12.8	21	3	1800-2400	40-52	48-77348A45	Black Max	Sport Series
13	19	3	2000-2900	34-47	48-77346A45	Black Max	Sport Series
13.3	17	3	2300-3600	28-41	48-77344A45	Black Max	Sport Series
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2800-4700	22-35	48-77342A45	Black Max	Sport Series
13.8	14	3	3100-5600	19-32	48-854352A45	Black Max	Sport Series
14	13	3	3500-6700	16-29	48-77340A45	Black Max	Sport Series
14	11	3	4700+	1-23	48-77338A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

90 CT HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.8	21	3	1600-2400	32-45	48-8M0151243	Enertia	Comp Series
13.8	20	3	1800-2700	29-42	48-8M0151241	Enertia	Comp Series
14	19	3	1900-2900	27-40	48-8M0151239	Enertia	Comp Series
14.2	18	3	2100-3300	24-37	48-8M0151237	Enertia	Comp Series
14.5	17	3	2200-3900	21-35	48-8M0151235	Enertia	Comp Series
14.7	16	3	2400-4400	19-32	48-8M0151233	Enertia	Comp Series
15	15	3	2700-5300	16-29	48-8M0151231	Enertia	Comp Series
15.3	14	3	3100-6100	14-26	48-8M0151229	Enertia	Comp Series
15.6	13	3	3300-8100	11-24	48-8M0151227	Enertia	Comp Series
16	11	3	6000+	1-18	48-8M0151225	Enertia	Comp Series
13.8	21	3	1600-2400	32-45	48-8M0151408	Vengeance	Sport Series
14	19	3	1900-2900	27-40	48-8M0151407	Vengeance	Sport Series
14.5	17	3	2200-3900	21-35	48-8M0151405	Vengeance	Sport Series
14	21	4	1600-2400	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	1900-2900	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2200-3900	21-35	48-8M0084494	SpitFire	Elite Series
14	14	4	3300-8100	11-24	48-8M0084493	SpitFire	Elite Series
14	12	4	6000+	1-18	48-8M0084491	SpitFire	Elite Series
14	23	3	1500-1900	38-49	48-832834A45	Black Max	Sport Series
14.3	21	3	1600-2400	32-45	48-832832A45	Black Max	Sport Series
14.5	19	3	1900-2900	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2200-3900	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	2700-5300	16-29	48-78116A45	Black Max	Sport Series
16	13	3	3300-8100	11-24	48-78114A45	Black Max	Sport Series
16	11	3	6000+	1-18	48-78112A45	Black Max	Sport Series

90 STD HP FourStroke - Freshwater Fish / Runabout / Fish and Ski

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1400-1900	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	1600-2300	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	1800-2800	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2200-3700	22-35	48-8M0151361	SpitFire X7	Elite Series
13	18	3	4000+	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2000-3200	25-38	48-8M0151401	Vengeance	Sport Series
13.25	15	3	2200-3700	22-35	48-8M0151400	Vengeance	Sport Series
13.3	14	3	2400-4400	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	2700-5300	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1600-2300	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1800-2800	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2200-3700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2700-5300	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4000+	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1300-1600	45-57	48-77350A45	Black Max	Sport Series
12.75	21	3	1400-1900	40-52	48-77348A45	Black Max	Sport Series
13	19	3	1600-2300	34-47	48-77346A45	Black Max	Sport Series
13.25	17	3	1800-2800	28-41	48-77344A45	Black Max	Sport Series
13.25	16	3	2000-3200	25-38	48-854360A45	Black Max	Sport Series
13.75	15	3	2200-3700	22-35	48-77342A45	Black Max	Sport Series
13.8	14	3	2400-4400	19-32	48-854352A45	Black Max	Sport Series
14	13	3	2700-5300	16-29	48-77340A45	Black Max	Sport Series
14	11	3	4000+	1-22	48-77338A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

75 STD HP FourStroke - Freshwater Fish (V and Mod V)

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1300-1900	34-47	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	1500-2300	29-42	48-8M0151363	SpitFire X7	Elite Series
13	17	4	1700-2900	23-37	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2100-3900	18-31	48-8M0151361	SpitFire X7	Elite Series
13	18	3	1600-2500	26-40	48-8M0151402	Vengeance	Sport Series
13.1	16	3	1900-3400	20-34	48-8M0151401	Vengeance	Sport Series
13.25	15	3	2100-3900	18-31	48-8M0151400	Vengeance	Sport Series
13.3	14	3	2300-4700	15-28	48-8M0151399	Vengeance	Sport Series
14	12	3	2900-7500	10-23	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1500-2300	29-42	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1700-2900	23-37	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2100-3900	18-31	48-8M8026580	SpitFire	Elite Series
12.5	23	3	1200-1600	39-52	48-77350A45	Black Max	Sport Series
12.75	21	3	1300-1900	34-47	48-77348A45	Black Max	Sport Series
13	19	3	1500-2300	29-42	48-77346A45	Black Max	Sport Series
13.25	17	3	1700-2900	23-37	48-77344A45	Black Max	Sport Series
13.25	16	3	1900-3400	20-34	48-854360A45	Black Max	Sport Series
13.75	15	3	2100-3900	18-31	48-77342A45	Black Max	Sport Series
13.8	14	3	2300-4700	15-28	48-854352A45	Black Max	Sport Series

60 STD HP FourStroke - Freshwater Fish (V and Mod V)

Engine RPM Range: 5500-6000 Gearcase ratio: 2.33:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.6	14	4	1300-1700	16-30	48-878616A46	Trophy Sport	Elite Series
10.6	13	4	1500-2000	17-26	48-878614A46	Trophy Sport	Elite Series
10.6	12	4	1700-2500	19-22	48-878612A46	Trophy Sport	Elite Series
10.25	15	3	1200-1600	15-33	48-855862A46	Vengeance	Sport Series
10.4	14	3	1300-1700	16-30	48-855860A46	Vengeance	Sport Series
10.5	13	3	1500-2000	17-26	48-855858A46	Vengeance	Sport Series
10.1	15	4	1200-1600	15-33	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1300-1700	16-30	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1500-2000	17-26	48-8M8026630	SpitFire	Elite Series
10	17	3	1000-1300	13-40	48-73144A45	Black Max	Sport Series
10	16	3	1100-1400	14-37	48-73142A45	Black Max	Sport Series
10.1	15	3	1200-1600	15-33	48-73140A45	Black Max	Sport Series
10.25	14	3	1300-1700	16-30	48-73138A45	Black Max	Sport Series
10.4	13	3	1500-2000	17-26	48-73136A45	Black Max	Sport Series

TRI / PONTOON: 40 - 350 HP

Verado 350 HP - Tri / Pontoon (Single and Twin)

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.75:1

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	13.4	22	3	3900-4500	62-70	48-8M0151245	Enerzia		Comp Series
Single	13.6	21	3	4200-4700	59-66	48-8M0151243	Enerzia		Comp Series
Single	13.8	20	3	4400-5000	56-63	48-8M0151241	Enerzia		Comp Series
Single	14	19	3	4600-5300	53-60	48-8M0151239	Enerzia		Comp Series
Single	14.2	18	3	5000-5700	50-56	48-8M0151237	Enerzia		Comp Series
Single	14.4	17	3	5300-6300	46-53	48-8M0151235	Enerzia		Comp Series
Single	14.7	16	3	5700-6700	43-50	48-8M0151233	Enerzia		Comp Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	15	15	3	6300-7500	39-46	48-8M0151231	Enertia		Comp Series
Single	15.3	14	3	6700-8500	35-43	48-8M0151229	Enertia		Comp Series
Single	15.6	13	3	7500-9800	31-39	48-8M0151227	Enertia		Comp Series
Single	16	23	3	3700-4200	65-74	48-8M0151263	Enertia ECO		Comp Series
Single	16	22	3	3900-4500	62-70	48-8M0151261	Enertia ECO		Comp Series
Single	16	21	3	4200-4700	59-66	48-8M0151259	Enertia ECO		Comp Series
Single	16	20	3	4400-5000	56-63	48-8M0151257	Enertia ECO		Comp Series
Single	16	19	3	4600-5300	53-60	48-8M0151255	Enertia ECO		Comp Series
Single	16	18	3	5000-5700	50-56	48-8M0151253	Enertia ECO		Comp Series
Single	16	17	3	5300-6300	46-53	48-8M0151251	Enertia ECO		Comp Series
Single	14.6	25	4	3300-3800	71-81	48-8M0127039	Revolution 4		Comp Series
Single	14.6	23	4	3700-4200	65-74	48-8M0127037	Revolution 4		Comp Series
Single	14.6	21	4	4200-4700	59-66	48-8M0127035	Revolution 4		Comp Series
Single	14.6	20	4	4400-5000	56-63	48-8M0127033	Revolution 4		Comp Series
Single	14.6	19	4	4600-5300	53-60	48-8M0127031	Revolution 4		Comp Series
Single	14.6	18	4	5000-5800	49-56	48-8M0137924	Revolution 4		Comp Series
Single	14.6	17	4	5300-6300	46-53	48-8M0127029	Revolution 4		Comp Series
Single	14.6	15	4	6300-7500	39-46	48-8M0127027	Revolution 4		Comp Series
Twin	13.6	21	3	7000-8300	59-66	48-8M0151243	Enertia	48-8M0151242	Comp Series
Twin	14	19	3	8100-9600	53-60	48-8M0151239	Enertia	48-8M0151238	Comp Series
Twin	14.4	17	3	9600-12200	46-53	48-8M0151235	Enertia	48-8M0151234	Comp Series
Twin	15	15	3	11600-15300	39-46	48-8M0151231	Enertia	48-8M0151230	Comp Series
Twin	16	23	3	5800-7200	65-74	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
Twin	16	22	3	3900-4500	62-70	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
Twin	16	21	3	7000-8300	59-66	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
Twin	16	20	3	7600-9000	56-63	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
Twin	16	19	3	8100-9600	53-60	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
Twin	16	18	3	5000-5700	50-56	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
Twin	16	17	3	9600-12200	46-53	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
Twin	14.6	25	4	5000-6300	71-81	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
Twin	14.6	23	4	5800-7200	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
Twin	14.6	21	4	7000-8300	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
Twin	14.6	20	4	7600-9000	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
Twin	14.6	19	4	8100-9600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
Twin	14.6	18	4	9000-10800	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
Twin	14.6	17	4	9600-12200	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
Twin	14.6	15	4	11600-15300	39-46	48-8M0151315	Revolution 4	48-8M0151314	Comp Series

Verado 300 HP - Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.75:1 and 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.4	22	3	3300-3800	62-70	48-8M0151245	Enertia		Comp Series
13.6	21	3	3600-4100	59-66	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	3800-4300	56-63	48-8M0151241	Enertia		Comp Series
14	19	3	4000-4600	53-60	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	4300-4900	50-56	48-8M0151237	Enertia		Comp Series
14.4	17	3	4600-5400	46-53	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4900-5800	43-50	48-8M0151233	Enertia		Comp Series
15	15	3	5400-6500	39-46	48-8M0151231	Enertia	48-8M0151230	Comp Series
15	14	3	6700-8500	35-43	48-8M0151229	Enertia	48-8M0151228	Comp Series
15	13	3	7500-9800	31-39	48-8M0151227	Enertia	48-8M0151226	Comp Series
16	23	3	3100-3600	65-74	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	3300-3800	62-70	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	3600-4100	59-66	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	3800-4300	56-63	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	4000-4600	53-60	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	18	3	4300-4900	50-56	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	4600-5400	46-53	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
14.6	25	4	2800-3300	71-81	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	3100-3600	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	3600-4100	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3800-4300	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	4000-4600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	4300-4900	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	4600-5400	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	5400-6500	39-46	48-8M0151315	Revolution 4	48-8M0151314	Comp Series

Verado 250 HP - Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.4	22	3	2900-3300	60-68	48-8M0151245	Enertia		Comp Series
13.6	21	3	3100-3500	57-64	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	3250-3750	54-61	48-8M0151241	Enertia		Comp Series
14	19	3	3400-4000	51-58	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3650-4500	45-54	48-8M0151237	Enertia		Comp Series
14.4	17	3	3900-5000	39-49	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4300-5500	37-47	48-8M0151233	Enertia		Comp Series
15	15	3	4600-6000	35-45	48-8M0151231	Enertia	48-8M0151230	Comp Series
15	14	3	5000-5500	25-38	48-8M0151229	Enertia	48-8M0151228	Comp Series
15	13	3	5500+	1-28	48-8M0151227	Enertia	48-8M0151226	Comp Series
14.6	21	4	3100-3500	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3250-3750	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	3400-4000	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	3750-4300	47-54	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3900-5000	39-49	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4600-6000	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.8	21	3	3100-3500	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3400-4000	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3900-5000	39-49	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4600-6000	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 225 HP - Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.4	22	3	2700-3100	60-68	48-8M0151245	Enertia		Comp Series
13.6	21	3	2800-3200	57-64	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2950-3400	54-61	48-8M0151241	Enertia		Comp Series
14	19	3	3100-3600	51-58	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3300-3850	48-55	48-8M0151237	Enertia		Comp Series
14.4	17	3	3500-4100	45-52	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	3800-4800	40-49	48-8M0151233	Enertia		Comp Series
15	15	3	4100-5500	35-45	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.3	14	3	4500-6000	30-41	48-8M0151229	Enertia	48-8M0151228	Comp Series
15.6	13	3	5000+	25-38	48-8M0151227	Enertia	48-8M0151226	Comp Series
14.6	25	4	2200-2500	69-78	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	2500-2800	63-71	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	2800-3200	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	2950-3400	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	3100-3600	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
14.6	18	4	3400-3800	48-54	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3500-4100	45-52	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4100-5500	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.5	25	3	2200-2500	69-78	48-8M0151313	Mirage Plus		Elite Series
14.6	23	3	2500-2800	63-71	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	2800-3200	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3100-3600	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3500-4100	45-52	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4100-5500	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Pro FourStroke 200 HP - V6 - Tri / Pontoon

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.8	20	3	2750-2950	54-63	48-8M0151241	Energia	Comp Series
14	19	3	2800-3200	51-58	48-8M0151239	Energia	Comp Series
14.2	18	3	2950-3450	47-55	48-8M0151237	Energia	Comp Series
14.5	17	3	3100-3700	45-52	48-8M0151235	Energia	Comp Series
14.7	16	3	3350-4250	41-50	48-8M0151233	Energia	Comp Series
15	15	3	3600-4400	38-47	48-8M0151231	Energia	Comp Series
15.3	14	3	3900-5200	35-43	48-8M0151229	Energia	Comp Series
15.6	13	3	4100-5800	31-40	48-8M0151227	Energia	Comp Series
16	11	3	6000+	1-29	48-8M0151225	Energia	Comp Series
14	23	3	2200-2500	63-71	48-8M0084497	SpitFire	Elite Series
14	21	3	2500-2800	57-64	48-8M0084496	SpitFire	Elite Series
14	19	3	2800-3200	51-58	48-8M0084495	SpitFire	Elite Series
14	17	3	2200-2500	63-71	48-8M0084494	SpitFire	Elite Series
14	14	3	3900-5200	35-43	48-8M0084493	SpitFire	Elite Series
14	12	3	4900-6800	26-35	48-8M0084491	SpitFire	Elite Series
14.3	21	3	2500-2800	57-64	48-832832A45	Black Max	Sport Series
14.5	19	3	2800-3200	51-58	48-832830A45	Black Max	Sport Series
15	17	3	3100-3700	45-52	48-832828A45	Black Max	Sport Series
14.5	19	3	2800-3200	51-58	48-832830A45	Black Max	Sport Series
15	17	3	3100-3700	45-52	48-832828A45	Black Max	Sport Series
15.3	15	3	3600-4400	38-47	48-78116A45	Black Max	Sport Series
16	13	3	4100-5800	31-40	48-78114A45	Black Max	Sport Series

Verado 200 HP - 4Cyl - Tri / Pontoon

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	19	3	3300-3900	43-50	48-8M0151239	Energia	Comp Series
14.2	18	3	3500-4300	39-47	48-8M0151237	Energia	Comp Series
14.4	17	3	3800-4700	36-44	48-8M0151235	Energia	Comp Series
14.7	16	3	4100-5200	33-41	48-8M0151233	Energia	Comp Series
15	15	3	4400-6000	29-38	48-8M0151231	Energia	Comp Series
15.3	14	3	4900-6800	26-35	48-8M0151229	Energia	Comp Series
15.6	13	3	5400-8200	22-32	48-8M0151227	Energia	Comp Series
16	11	3	6000+	1-25	48-8M0151225	Energia	Comp Series
15.3	19	3	3300-3900	43-50	48-8M0084496	SpitFire	Elite Series
15.5	17	3	3800-4700	36-44	48-8M0084494	SpitFire	Elite Series
15.8	14	3	3600-4400	29-38	48-8M0084493	SpitFire	Elite Series
16	12	3	5400-8200	22-32	48-8M0084491	SpitFire	Elite Series
15.3	19	3	3300-3900	43-50	48-832830A45	Black Max	Sport Series
15.5	17	3	3800-4700	36-44	48-832828A45	Black Max	Sport Series
15.3	15	3	3600-4400	29-38	48-78116A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
16	13	3	5400-8200	22-32	48- 78114A45	Black Max	Sport Series
16	11	3	6000+	1-25	48- 78112A45	Black Max	Sport Series

150 HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	2100-2600	47-57	48-8M0151245	Enertia	Comp Series
13.6	21	3	2200-2800	44-54	48-8M0151243	Enertia	Comp Series
13.8	20	3	2300-3000	42-52	48-8M0151241	Enertia	Comp Series
14	19	3	2500-3200	39-49	48-8M0151239	Enertia	Comp Series
14.3	18	3	2700-3200	35-46	48-8M0151237	Enertia	Comp Series
14.5	17	3	2900-4000	32-43	48-8M0151235	Enertia	Comp Series
14.8	16	3	3100-4500	29-40	48-8M0151233	Enertia	Comp Series
15	15	3	3400-5100	26-37	48-8M0151231	Enertia	Comp Series
15.3	14	3	3800-6200	22-34	48-8M0151229	Enertia	Comp Series
15.6	13	3	4500-7000	1-28	48-8M0151227	Enertia	Comp Series
16	11	3	7000+	1-25	48-8M0151225	Enertia	Comp Series
14	19	4	2500-3200	39-49	48-8M0084495	SpitFire	Elite Series
14	17	4	2900-4000	32-43	48-8M0084494	SpitFire	Elite Series
14	14	4	3800-6200	22-34	48-8M0084493	SpitFire	Elite Series
14	12	4	7000+	1-25	48-8M0084491	SpitFire	Elite Series
14.5	19	3	2500-3200	39-79	48-832830A45	Black Max	Sport Series
15	17	3	2900-4000	32-43	48-832828A45	Black Max	Sport Series
15.3	15	3	3400-5100	26-37	48- 78116A45	Black Max	Sport Series
16	13	3	4500-7000	1-28	48- 78114A45	Black Max	Sport Series
16	11	3	7000+	1-25	48- 78112A45	Black Max	Sport Series

115 CT HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	2000-2800	35-47	48-8M0151245	Enertia	Comp Series
13.8	21	3	2100-3100	32-45	48-8M0151243	Enertia	Comp Series
13.8	20	3	2300-3500	29-42	48-8M0151241	Enertia	Comp Series
14	19	3	2400-3700	27-40	48-8M0151239	Enertia	Comp Series
14.2	18	3	2600-4300	24-37	48-8M0151237	Enertia	Comp Series
14.5	17	3	2800-5000	21-35	48-8M0151235	Enertia	Comp Series
14.7	16	3	3100-5600	19-32	48-8M0151233	Enertia	Comp Series
15	15	3	3500-6700	16-29	48-8M0151231	Enertia	Comp Series
15.3	14	3	3900-7800	14-26	48-8M0151229	Enertia	Comp Series
15.6	13	3	4300-10300	11-24	48-8M0151227	Enertia	Comp Series
16	11	3	7000+	1-18	48-8M0151225	Enertia	Comp Series
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire	Elite Series
14	14	4	3900-7800	14-26	48-8M0084493	SpitFire	Elite Series
14	12	4	7000+	1-24	48-8M0084491	SpitFire	Elite Series
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2800-5000	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	3500-6700	16-29	48- 78116A45	Black Max	Sport Series
16	13	3	4300-10300	11-24	48- 78114A45	Black Max	Sport Series
16	12	3	5000+	9-21	48- 16436A45	Black Max	Sport Series
16	11	3	7000+	1-18	48- 78112A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

115 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7	Elite Series
14	13	4	3500-6700	16-29	48-8M0151360	SpitFire X7	Elite Series
13	18	3	2200-3200	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2500-4100	25-38	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2800-4700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	3100-5600	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	3900-8500	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	3500-6700	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4500-11500	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1600-2100	45-57	48-77350A45	Black Max	Sport Series
12.8	21	3	1800-2400	40-52	48-77348A45	Black Max	Sport Series
13	19	3	2000-2900	34-47	48-77346A45	Black Max	Sport Series
13.3	17	3	2300-3600	28-41	48-77344A45	Black Max	Sport Series
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2800-4700	22-35	48-77342A45	Black Max	Sport Series
13.8	14	3	3100-5600	19-32	48-854352A45	Black Max	Sport Series
14	13	3	3500-6700	16-29	48-77340A45	Black Max	Sport Series
14	11	3	4700+	1-23	48-77338A45	Black Max	Sport Series

90 CT HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.8	21	3	2100-3100	32-45	48-8M0151243	Enerzia	Comp Series
13.3	20	3	2300-3500	29-42	48-8M0151241	Enerzia	Comp Series
14	19	3	2400-3700	27-40	48-8M0151239	Enerzia	Comp Series
14.2	18	3	2600-4300	24-37	48-8M0151237	Enerzia	Comp Series
14.5	17	3	2800-5000	21-35	48-8M0151235	Enerzia	Comp Series
14.7	16	3	3100-5600	19-32	48-8M0151233	Enerzia	Comp Series
15	15	3	3500-6700	16-29	48-8M0151231	Enerzia	Comp Series
15.3	14	3	3900-7800	14-26	48-8M0151229	Enerzia	Comp Series
15.6	13	3	4300-10300	11-24	48-8M0151227	Enerzia	Comp Series
16	11	3	7000+	1-18	48-8M0151225	Enerzia	Comp Series
14	23	4	1500-1900	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	1600-2400	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	1900-2900	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2200-3900	21-35	48-8M0084494	SpitFire	Elite Series
14	23	3	1500-1900	38-49	48-832834A45	Black Max	Sport Series
14.3	21	3	1600-2400	32-45	48-832832A45	Black Max	Sport Series
14.5	19	3	1900-2900	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2200-3900	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	2700-5300	16-29	48-78116A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

90 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1400-1900	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	1600-2300	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	1800-2800	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2200-3700	22-35	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2700-5300	16-29	48-8M0151360	SpitFire X7	Elite Series
13	18	3	1700-2500	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2000-3200	25-38	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2200-3700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2400-4400	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	2700-5300	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1600-2300	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1800-2800	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2200-3700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2700-5300	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4000+	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1300-1600	45-57	48-77350A45	Black Max	Sport Series
12.8	21	3	1400-1900	40-52	48-77348A45	Black Max	Sport Series
13	19	3	1600-2300	34-47	48-77346A45	Black Max	Sport Series
13.3	17	3	1800-2800	28-41	48-77344A45	Black Max	Sport Series
13.3	16	3	2000-3200	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2200-3700	22-35	48-77342A45	Black Max	Sport Series
13.8	14	3	2400-4400	19-32	48-854352A45	Black Max	Sport Series
14	13	3	2700-5300	16-29	48-77340A45	Black Max	Sport Series
14	11	3	4000+	1-22	48-77338A45	Black Max	Sport Series

75 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1300-1900	34-47	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	1500-2300	29-42	48-8M0151363	SpitFire X7	Elite Series
13	17	4	1700-2900	23-37	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2100-3900	18-31	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2500-6100	12-26	48-8M0151360	SpitFire X7	Elite Series
13	18	3	1600-2500	26-40	48-8M0151402	Vengeance	Sport Series
13.1	16	3	1900-3400	20-34	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2100-3900	18-31	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2300-4700	15-28	48-8M0151399	Vengeance	Sport Series
14	12	3	2900-7500	10-23	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1500-2300	29-42	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1700-2900	23-37	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2100-3900	18-31	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2500-6100	12-26	48-8M8026570	SpitFire	Elite Series
13.8	11	4	3800+	1-20	48-8M8026560	SpitFire	Elite Series
13.8	10	4	4200+	1-18	48-8M8026555	SpitFire	Elite Series
12.5	23	3	1200-1600	39-52	48-77350A45	Black Max	Sport Series
12.8	21	3	1300-1900	34-47	48-77348A45	Black Max	Sport Series
13	19	3	1500-2300	29-42	48-77346A45	Black Max	Sport Series
13.3	17	3	1700-2900	23-37	48-77344A45	Black Max	Sport Series
13.3	16	3	1900-3400	20-34	48-854360A45	Black Max	Sport Series
13.8	15	3	2100-3900	18-31	48-77342A45	Black Max	Sport Series
13.9	14	3	2300-4700	15-28	48-854352A45	Black Max	Sport Series
14	13	3	2500-6100	12-26	48-77340A45	Black Max	Sport Series
14	11	3	3800+	1-20	48-77338A45	Black Max	Sport Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	10	3	4200+	1-18	48-854342A45	Black Max	Sport Series

60 CT HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13	17	4	1400-1800	34-38	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	1700-2300	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2000-3300	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	17	4	1400-1800	34-38	48-8M8026590	SpitFire	Elite Series
12.8	15	4	1700-2300	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2000-3300	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2700-5400	18-25	48-8M8026560	SpitFire	Elite Series
13.3	17	3	1400-1800	34-38	48-77344A45	Black Max	Sport Series
13.3	16	3	1500-2000	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1700-2300	28-34	48-77342A45	Black Max	Sport Series
13.9	14	3	1800-2700	26-32	48-854352A45	Black Max	Sport Series
14	13	3	2000-3300	23-30	48-77340A45	Black Max	Sport Series
14	11	3	2700-5400	18-25	48-77338A45	Black Max	Sport Series
14	10	3	3500+	1-18	48-854342A45	Black Max	Sport Series
14	9	3	4000+	1-15	48-854340A45	Black Max	Sport Series

60 STD HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase ratio: 2.33:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.3	15	3	1200-1600	15-33	48-855862A46	Vengeance	Sport Series
10.4	14	3	1300-1700	16-30	48-855860A46	Vengeance	Sport Series
10.5	13	3	1500-2000	17-26	48-855858A46	Vengeance	Sport Series
11	12	3	1700-2500	19-22	48-855856A46	Vengeance	Sport Series
11.6	11	3	2000-3100	18-21	48-823478A46	Vengeance	Sport Series
10.1	15	4	1200-1600	15-33	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1300-1700	16-30	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1500-2000	17-26	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1700-2500	19-22	48-8M8026625	SpitFire	Elite Series
10	17	3	1000-1300	13-40	48-73144A45	Black Max	Sport Series
10	16	3	1100-1400	14-37	48-73142A45	Black Max	Sport Series
10.1	15	3	1200-1600	15-33	48-73140A45	Black Max	Sport Series
10.3	14	3	1300-1700	16-30	48-73138A45	Black Max	Sport Series
10.4	13	3	1500-2000	17-26	48-73136A45	Black Max	Sport Series
10.7	12	3	1700-2500	19-22	48-73134A45	Black Max	Sport Series
10.9	11	3	2000-3100	18-21	48-85632A45	Black Max	Sport Series
11.3	10	3	2100-3500	16-22	48-73132A45	Black Max	Sport Series

50 CT HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1400-2000	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	1700-2700	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	15	4	1400-2000	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	1700-2700	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2300-4500	18-25	48-8M8026560	SpitFire	Elite Series
14	10	4	3000-5000	1-18	48-8M8026555	SpitFire	Elite Series
13.3	16	3	1300-1700	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1400-2000	28-34	48-77342A45	Black Max	Sport Series
13.9	14	3	1500-2300	26-32	48-854352A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
14	13	3	1700-2700	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	2300-4500	18-25	48- 77338A45	Black Max	Sport Series
14	10	3	3000-5000	1-18	48- 854342A45	Black Max	Sport Series
14	9	3	4000+	1+	48- 854340A45	Black Max	Sport Series

50 STD HP FourStroke - Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.83:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.3	15	3	1000-1300	33-41	48- 855862A46	Vengeance	Sport Series
10.4	14	3	1100-1400	30-38	48- 855860A46	Vengeance	Sport Series
10.5	13	3	1300-1700	26-34	48- 855858A46	Vengeance	Sport Series
11	12	3	1400-2100	22-31	48- 855856A46	Vengeance	Sport Series
11.6	11	3	1600-2600	18-27	48- 823478A46	Vengeance	Sport Series
10.1	15	4	1000-1300	33-41	48- 8M8026640	SpitFire	Elite Series
10.1	14	4	1100-1400	30-38	48- 8M8026635	SpitFire	Elite Series
10.3	13	4	1300-1700	26-34	48- 8M8026630	SpitFire	Elite Series
10.6	12	4	1400-2100	22-31	48- 8M8026625	SpitFire	Elite Series
10	17	3	900-1000	40-47	48- 73144A45	Black Max	Sport Series
10	16	3	900-1100	37-44	48- 73142A45	Black Max	Sport Series
10.1	15	3	1000-1300	33-41	48- 73140A45	Black Max	Sport Series
10.3	14	3	1100-1400	30-38	48- 73138A45	Black Max	Sport Series
10.4	13	3	1300-1700	26-34	48- 73136A45	Black Max	Sport Series
10.6	12	3	1400-2100	22-31	48- 73134A45	Black Max	Sport Series
10.8	11	3	1600-2600	18-27	48- 85632A45	Black Max	Sport Series
12	10.5	3	1800-2900	16-25	48- 42740A45	Black Max	Sport Series
11.3	10	3	1900-3400	14-24	48- 73132A45	Black Max	Sport Series
12.3	9	3	2300-4500	11-20	48- 87818A45	Black Max	Sport Series
12.5	8	3	2900-7400	7-16	48- 42738A45	Black Max	Sport Series

40 CT HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1100-1600	28-34	48- 8M0151361	SpitFire X7	Elite Series
14	13	4	1400-2200	23-30	48- 8M0151360	SpitFire X7	Elite Series
13.4	14	3	1200-1800	26-32	48- 8M0151399	Vengeance	Sport Series
14	12	3	1600-2800	20-27	48- 8M0151398	Vengeance	Sport Series
14	10	3	2000+	1-18	48- 8M0151397	Vengeance	Sport Series
12.8	15	4	1100-1600	28-34	48- 8M8026580	SpitFire	Elite Series
13.8	13	4	1400-2200	23-30	48- 8M8026570	SpitFire	Elite Series
13.8	11	4	1800-3600	18-25	48- 8M8026560	SpitFire	Elite Series
14	10	4	2000+	1-18	48- 8M8026555	SpitFire	Elite Series
13.8	15	3	1100-1600	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1200-1800	26-32	48- 854352A45	Black Max	Sport Series
14	13	3	1400-2200	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	1800-3600	18-25	48- 77338A45	Black Max	Sport Series
14	10	3	2000+	1-18	48- 854342A45	Black Max	Sport Series
14	9	3	3000+	1+	48- 854340A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

40 STD HP FourStroke – Tri / Pontoon

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.00:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.3	15	3	900-1200	29-37	48-855862A46	Vengeance	Sport Series
10.4	14	3	1000-1400	25-34	48-855860A46	Vengeance	Sport Series
10.5	13	3	1200-1600	22-30	48-855858A46	Vengeance	Sport Series
11	12	3	1300-2100	18-27	48-855856A46	Vengeance	Sport Series
11.6	11	3	1500-2500	15-24	48-823478A46	Vengeance	Sport Series
10.1	15	4	900-1200	29-37	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1000-1400	25-34	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1200-1600	22-30	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1300-2100	18-27	48-8M8026625	SpitFire	Elite Series
10	17	3	800-1000	35-43	48-73144A45	Black Max	Sport Series
10	16	3	800-1100	32-40	48-73142A45	Black Max	Sport Series
10.1	15	3	900-1200	29-37	48-73140A45	Black Max	Sport Series
10.3	14	3	1000-1400	25-34	48-73138A45	Black Max	Sport Series
10.4	13	3	1200-1600	22-30	48-73136A45	Black Max	Sport Series
10.6	12	3	1300-2100	18-27	48-73134A45	Black Max	Sport Series
10.8	11	3	1500-2500	15-24	48-85632A45	Black Max	Sport Series
12	10.5	3	1600-3000	13-22	48-42740A45	Black Max	Sport Series
11.3	10	3	1800-3600	11-20	48-73132A45	Black Max	Sport Series
12.3	9	3	2200-5100	8-17	48-87818A45	Black Max	Sport Series
12.5	8	3	2700-8700	5-14	48-42738A45	Black Max	Sport Series

BASS: 115 - 250 HP

250 Pro XS - 2 Stroke - Bass

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.75:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2600	75-83	48-8M0151275	Fury	Comp
14	26	3	Up to 2700	71-79	48-8M0151274	Fury	Comp
14	25	3	2400-2900	64-75	48-8M0151273	Fury	Comp
14	24	3	2500-3000	62-75	48-8M0151272	Fury	Comp
14	23	3	2600-3100	60-68	48-8M0151271	Fury	Comp
14	22	3	2700-3200	58-65	48-8M0151270	Fury	Comp
14.5	26	4	Up to 2700	71-79	48-8M0151281	Fury 4	Comp
14.5	25	4	2400-2900	64-75	48-8M0151280	Fury 4	Comp
14.5	24	4	2500-3000	62-72	48-8M0151279	Fury 4	Comp
14.5	23	4	2600-3100	60-70	48-8M0151278	Fury 4	Comp
14.6	27	3	Up to 2600	75-83	48-8M0151388	Tempest	Elite
14.6	26	3	Up to 2700	71-79	48-8M0151387	Tempest	Elite
14.6	25	3	Up to 2800	67-75	48-8M0151386	Tempest	Elite
14.6	24	3	2700-3000	65-72	48-8M0151385	Tempest	Elite
14.6	23	3	2900-3200	62-68	48-8M0151384	Tempest	Elite

225 Pro XS - 2 Stroke - Bass

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.75:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2600	67-80	48-8M0151275	Fury	Comp
14	26	3	Up to 2700	65-77	48-8M0151274	Fury	Comp
14	25	3	2400-2900	62-73	48-8M0151273	Fury	Comp
14	24	3	2500-3000	60-73	48-8M0151272	Fury	Comp
14	23	3	2600-3100	58-68	48-8M0151271	Fury	Comp

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	22	3	2700-3200	55-65	48-8M0151270	Fury	Comp
14.5	26	4	Up to 2700	65-77	48-8M0151281	Fury 4	Comp
14.5	25	4	2400-2900	62-73	48-8M0151280	Fury 4	Comp
14.5	24	4	2500-3000	60-70	48-8M0151279	Fury 4	Comp
14.5	23	4	2600-3100	58-68	48-8M0151278	Fury 4	Comp
14.6	27	3	Up to 2600	67-80	48-8M0151388	Tempest	Elite
14.6	26	3	Up to 2700	65-77	48-8M0151387	Tempest	Elite
14.6	25	3	2400-2900	62-73	48-8M0151386	Tempest	Elite
14.6	24	3	2500-3000	60-70	48-8M0151385	Tempest	Elite
14.6	23	3	2600-3200	57-67	48-8M0151384	Tempest	Elite

200 Pro XS - 2 Stroke - Bass

Engine RPM Range: 5250-5750 Gearcase Ratio: 1.75:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2200	70-78	48-8M0151275	Fury	Comp
14	26	3	2100-2300	67-75	48-8M0151274	Fury	Comp
14	25	3	2200-2500	64-72	48-8M0151273	Fury	Comp
14	24	3	2300-2600	62-68	48-8M0151272	Fury	Comp
14	23	3	2400-2700	59-65	48-8M0151271	Fury	Comp
14	22	3	2500-2800	57-63	48-8M0151270	Fury	Comp
14.5	26	4	2100-2300	67-75	48-8M0151281	Fury 4	Comp
14.5	25	4	2200-2500	64-72	48-8M0151280	Fury 4	Comp
14.5	24	4	2300-2600	62-68	48-8M0151279	Fury 4	Comp
14.5	23	4	2400-3700	60-65	48-8M0151278	Fury 4	Comp
14.6	27	3	Up to 2200	70-78	48-8M0151388	Tempest	Elite
14.6	26	3	2100-2300	67-75	48-8M0151387	Tempest	Elite
14.6	25	3	2200-2500	64-72	48-8M0151386	Tempest	Elite
14.6	24	3	2300-2600	62-68	48-8M0151385	Tempest	Elite
14.6	23	3	2400-2700	59-65	48-8M0151384	Tempest	Elite
14.6	22	3	2600-2900	56-62	48-8M0151383	Tempest	Elite

175 Pro XS - 2 Stroke - Bass

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.87:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Category
14	27	3	Up to 2000	68-76	48-8M0151275	Fury	Comp
14	26	3	1900-2100	66-73	48-8M0151274	Fury	Comp
14	25	3	1900-2200	63-70	48-8M0151273	Fury	Comp
14	24	3	2000-2300	60-67	48-8M0151272	Fury	Comp
14	23	3	2100-2400	55-62	48-8M0151271	Fury	Comp
14	22	3	2200-2400	48-60	48-8M0151270	Fury	Comp
14.5	26	4	1900-2100	66-73	48-8M0151281	Fury 4	Comp
14.5	25	4	1900-2200	63-70	48-8M0151280	Fury 4	Comp
14.5	24	4	2000-2300	60-67	48-8M0151279	Fury 4	Comp
14.5	23	4	2100-2400	55-62	48-8M0151278	Fury 4	Comp
14.6	27	3	Up to 2000	68-76	48-8M0151388	Tempest	Elite
14.6	26	3	1900-2100	66-73	48-8M0151387	Tempest	Elite
14.6	25	3	1900-2200	63-70	48-8M0151386	Tempest	Elite
14.6	24	3	2000-2300	60-67	48-8M0151385	Tempest	Elite
14.6	23	3	2200-2400	58-64	48-8M0151384	Tempest	Elite
14.6	22	3	2300-2600	55-61	48-8M0151383	Tempest	Elite

MERCURY PROPELLER RIGGING CHART

150 HP FourStroke - Bass

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	25	3	1800-2200	55-65	48-8M0151273	Fury	Comp Series
14	24	3	1900-2300	53-62	48-8M0151272	Fury	Comp Series
14	23	3	2100-2500	50-60	48-8M0151271	Fury	Comp Series
14	22	3	2300-2700	48-58	48-8M0151270	Fury	Comp Series
14.5	25	4	1800-2200	55-65	48-8M0151280	Fury 4	Comp Series
14.5	24	4	1900-2300	53-62	48-8M0151279	Fury 4	Comp Series
14.5	23	4	2000-2400	50-59	48-8M0151278	Fury 4	Comp Series
14.6	25	3	1800-2200	55-65	48-8M0151386	Tempest Plus	Elite Series
14.6	24	3	1900-2300	53-62	48-8M0151385	Tempest Plus	Elite Series
14.6	23	3	2000-2400	50-60	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2100-2600	47-57	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2200-2800	44-54	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2500-3200	39-49	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2900-4000	32-43	48-8M0151380	Tempest Plus	Elite Series

115 CT Pro XS FourStroke - Bass

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	25	3	1700-2100	46-57	48-8M0151273	Fury	Comp Series
14	24	3	1800-2300	43-55	48-8M0151272	Fury	Comp Series
14	23	3	1900-2500	40-53	48-8M0151271	Fury	Comp Series
14	22	3	2000-2700	37-50	48-8M0151270	Fury	Comp Series
14.6	25	3	1700-2100	46-57	48-8M0151386	Tempest Plus	Elite Series
14.6	24	3	1800-2300	43-55	48-8M0151385	Tempest Plus	Elite Series
14.6	23	3	1900-2400	41-52	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2000-2700	38-50	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2100-2900	35-47	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2400-3500	30-42	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2700-4500	24-37	48-8M0151380	Tempest Plus	Elite Series
14	23	4	1900-2400	41-52	48-8M0084497	SpitFire	Elite Series
14	21	4	2100-2900	35-47	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3500	30-42	48-8M0084495	SpitFire	Elite Series
14	17	4	2700-4500	24-37	48-8M0084494	SpitFire	Elite Series
14.5	23	3	1900-2400	41-52	48-832834A45	Black Max	Sport Series
15	21	3	2100-2900	35-47	48-832832A45	Black Max	Sport Series
14.5	19	3	2400-3500	30-42	48-832830A45	Black Max	Sport Series
15	17	3	2700-4500	24-37	48-832828A45	Black Max	Sport Series

115 STD Pro XS FourStroke - Bass

Engine RPM Range: 5300-6300 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2300	43-55	48-8M0055551	SpitFire X7	Elite Series
12.7	19	4	2000-2700	38-49	48-8M0055550	SpitFire X7	Elite Series
13	17	4	2300-3300	31-44	48-8M0055549	SpitFire X7	Elite Series
13.5	15	4	2700-4300	25-37	48-8M0055548	SpitFire X7	Elite Series
12.8	19	4	2000-2700	38-49	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3300	31-44	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2700-4300	25-37	48-8M8026580	SpitFire	Elite Series
12.5	23	3	1600-2000	49-60	48-77350A45	Black Max	Sport Series
12.8	21	3	1800-2300	43-55	48-77348A45	Black Max	Sport Series
13	19	3	2000-2700	38-49	48-77346A45	Black Max	Sport Series
13.3	17	3	2300-3300	31-44	48-77344A45	Black Max	Sport Series
13.3	16	3	2400-3800	28-41	48-854360A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

115 CT HP FourStroke - Bass

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14	24	3	1600-2300	38-49	48-8M0151272	Fury	Comp Series
14	23	3	1900-2600	36-45	48-8M0151271	Fury	Comp Series
14	22	3	2000-2700	34-43	48-8M0151270	Fury	Comp Series
14.6	24	3	1600-2300	38-49	48-8M0151385	Tempest Plus	Elite Series
14.6	23	3	1900-2600	38-49	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	2000-2800	35-47	48-8M0151383	Tempest Plus	Elite Series
14.6	21	3	2100-3100	32-45	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	2400-3700	27-40	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2800-5000	21-35	48-8M0151380	Tempest Plus	Elite Series
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire	Elite Series
14.5	23	3	1900-2600	27-40	48-832834A45	Black Max	Sport Series
15	21	3	2100-3100	21-35	48-832832A45	Black Max	Sport Series
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2800-5000	21-35	48-832828A45	Black Max	Sport Series

115 STD HP FourStroke - Bass

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7	Elite Series
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire	Elite Series
12.5	23	3	1600-2100	45-57	48-77350A45	Black Max	Sport Series
12.8	21	3	1800-2400	40-52	48-77348A45	Black Max	Sport Series
13	19	3	2000-2900	34-47	48-77346A45	Black Max	Sport Series
13.3	17	3	2300-3600	28-41	48-77344A45	Black Max	Sport Series
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max	Sport Series

OFFSHORE / BAY / FLATS CENTER CONSOLE: 40 - 350 HP

Verado 350 HP - Offshore / Bay / Flats Center Console (Single and Twin)

Engine RPM Range: 5800 - 6400 Gearcase Ratio 1.75:1

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	16	23	3	3700-4200	65-74	48-8M0151263	Enertia ECO		Comp Series
Single	16	22	3	3700-4200	62-71	48-8M0151261	Enertia ECO		Comp Series
Single	16	21	3	4200-4700	59-66	48-8M0151259	Enertia ECO		Comp Series
Single	16	20	3	4400-5000	55-63	48-8M0151257	Enertia ECO		Comp Series
Single	16	19	3	4600-5300	53-60	48-8M0151255	Enertia ECO		Comp Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

No. of Engine	Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Description	LH Part Number	Performance Category
Single	16	18	3	8900-10400	65-74	48-8M0151253	Enertia ECO		Comp Series
Single	16	17	3	5300-6300	46-53	48-8M0151251	Enertia ECO		Comp Series
Single	14.6	25	4	3300-3800	71-81	48-8M0151329	Revolution 4		Comp Series
Single	14.6	23	4	3700-4200	65-75	48-8M0151327	Revolution 4		Comp Series
Single	14.6	21	4	4200-4700	59-66	48-8M0151325	Revolution 4		Comp Series
Single	14.6	20	4	4400-5000	55-63	48-8M0151323	Revolution 4		Comp Series
Single	14.6	19	4	4600-5300	53-60	48-8M0151321	Revolution 4		Comp Series
Single	14.6	18	4	5000-5750	49-55	48-8M0151319	Revolution 4		Comp Series
Single	14.6	17	4	5300-6300	46-53	48-8M0151317	Revolution 4		Comp Series
Single	14.6	15	4	6300-7500	39-46	48-8M0151315	Revolution 4		Comp Series
Single	14.5	25	3	3300-3800	71-81	48-8M0151313	Mirage Plus		Elite Series
Single	14.6	23	3	3700-4200	65-74	48-8M0151312	Mirage Plus		Elite Series
Single	14.8	21	3	4200-4700	59-66	48-8M0151310	Mirage Plus		Elite Series
Single	15.3	19	3	4600-5300	53-60	48-8M0151308	Mirage Plus		Elite Series
Single	15.5	17	3	5300-6300	46-53	48-8M0151304	Mirage Plus		Elite Series
Single	15.8	15	3	6300-7500	39-46	48-8M0151302	Mirage Plus		Elite Series
Twin	16	23	3	5800-7200	65-74	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
Twin	16	22	3	5800-7200	65-74	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
Twin	16	21	3	7000-8300	59-66	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
Twin	16	20	3	7500-8900	56-63	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
Twin	16	19	3	8100-9600	53-60	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
Twin	16	18	3	8900-10400	65-74	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
Twin	16	17	3	9600-12200	46-53	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
Twin	14.6	25	4	5000-6300	71-81	48-8M0151329	Revolution 4	48-8M0127038	Comp Series
Twin	14.6	23	4	5800-7200	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
Twin	14.6	21	4	7000-8300	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
Twin	14.6	20	4	7500-8900	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
Twin	14.6	19	4	8100-9600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
Twin	14.6	18	4	8900-11200	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
Twin	14.6	17	4	9600-12200	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
Twin	14.6	15	4	11600-15300	39-46	48-8M0151315	Revolution 4	48-8M0151314	Comp Series

MERCURY PROPELLER RIGGING CHART

Verado 300 HP - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.75:1 and 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	3100-3600	65-74	48-8M0151263	Enerlia ECO	48-8M0151262	Comp Series
16	22	3	3300-3800	62-70	48-8M0151261	Enerlia ECO	48-8M0151260	Comp Series
16	21	3	3600-4100	59-66	48-8M0151259	Enerlia ECO	48-8M0151258	Comp Series
16	20	3	3800-4300	56-63	48-8M0151257	Enerlia ECO	48-8M0151256	Comp Series
16	19	3	4000-4600	53-60	48-8M0151255	Enerlia ECO	48-8M0151254	Comp Series
16	18	3	4300-4900	50-56	48-8M0151253	Enerlia ECO	48-8M0151252	Comp Series
16	17	3	4600-5400	46-53	48-8M0151251	Enerlia ECO	48-8M0151250	Comp Series
13.4	22	3	3300-3800	62-70	48-8M0151245	Enerlia		Comp Series
13.6	21	3	3600-4100	59-66	48-8M0151243	Enerlia	48-8M0151242	Comp Series
13.8	20	3	3800-4300	56-63	48-8M0151241	Enerlia		Comp Series
14	19	3	4000-4600	53-60	48-8M0151239	Enerlia	48-8M0151238	Comp Series
14.2	18	3	4300-4900	50-56	48-8M0151237	Enerlia		Comp Series
14.4	17	3	4600-5400	46-53	48-8M0151235	Enerlia	48-8M0151234	Comp Series
14.7	16	3	4900-5800	43-50	48-8M0151233	Enerlia		Comp Series
15	15	3	5400-6500	39-46	48-8M0151231	Enerlia	48-8M0151230	Comp Series
14.6	25	4	2800-3300	71-81	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	3100-3600	65-74	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	3600-4100	59-66	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3800-4300	56-63	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	4000-4600	53-60	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	4300-4900	49-56	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	4600-5400	46-53	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	5400-6500	39-46	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.6	23	3	3100-3600	65-74	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	3600-4100	59-66	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	4000-4600	53-60	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	4600-5400	46-53	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	5400-6500	39-46	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 250 HP - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	2700-3100	63-71	48-8M0151263	Enerlia ECO	48-8M0151262	Comp Series
16	22	3	2900-3300	60-68	48-8M0151261	Enerlia ECO	48-8M0151260	Comp Series
16	21	3	3100-3500	57-64	48-8M0151259	Enerlia ECO	48-8M0151258	Comp Series
16	20	3	3250-3750	54-61	48-8M0151257	Enerlia ECO	48-8M0151256	Comp Series
16	19	3	3400-4000	51-58	48-8M0151255	Enerlia ECO	48-8M0151254	Comp Series
16	18	3	3650-4500	45-54	48-8M0151253	Enerlia ECO	48-8M0151252	Comp Series
16	17	3	3900-5000	39-49	48-8M0151251	Enerlia ECO	48-8M0151250	Comp Series
13.4	22	3	2900-3300	60-68	48-8M0151245	Enerlia		Comp Series
13.6	21	3	3100-3500	57-64	48-8M0151243	Enerlia	48-8M0151242	Comp Series
13.8	20	3	3250-3750	54-61	48-8M0151241	Enerlia		Comp Series
14	19	3	3400-4000	51-58	48-8M0151239	Enerlia	48-8M0151238	Comp Series
14.2	18	3	3650-4500	45-54	48-8M0151237	Enerlia		Comp Series
14.4	17	3	3900-5000	39-49	48-8M0151235	Enerlia	48-8M0151234	Comp Series
14.7	16	3	4300-5500	37-47	48-8M0151233	Enerlia		Comp Series
15	15	3	4600-6000	35-45	48-8M0151231	Enerlia	48-8M0151230	Comp Series
14.6	25	4	2500-2800	69-78	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	2700-3100	63-71	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	3100-3500	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	3250-3750	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
14.6	19	4	3400-4000	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	3750-4500	45-54	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3900-5000	39-49	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4600-6000	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.6	23	3	2700-3100	63-71	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	3100-3500	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3400-4000	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3900-5000	39-49	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4600-6000	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 225 HP - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	2500-2800	63-71	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	2650-3000	60-68	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	2800-3200	57-64	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	2950-3400	54-61	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	3100-3600	51-58	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
16	18	3	3300-3850	48-55	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	3500-4100	45-5	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
13.4	22	3	2700-3100	60-68	48-8M0151245	Enertia		Comp Series
13.6	21	3	2800-3200	57-64	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2950-3400	54-61	48-8M0151241	Enertia		Comp Series
14	19	3	3100-3600	51-58	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3300-3850	48-55	48-8M0151237	Enertia		Comp Series
14.4	17	3	3500-4100	45-52	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	3800-4800	40-49	48-8M0151233	Enertia		Comp Series
15	15	3	4100-5500	35-45	48-8M0151231	Enertia	48-8M0151230	Comp Series
14.6	25	4	2200-2500	69-78	48-8M0151329	Revolution 4	48-8M0151328	Comp Series
14.6	23	4	2500-2800	63-71	48-8M0151327	Revolution 4	48-8M0151326	Comp Series
14.6	21	4	2800-3200	57-64	48-8M0151325	Revolution 4	48-8M0151324	Comp Series
14.6	20	4	2950-3400	54-61	48-8M0151323	Revolution 4	48-8M0151322	Comp Series
14.6	19	4	3100-3600	51-58	48-8M0151321	Revolution 4	48-8M0151320	Comp Series
14.6	18	4	3400-3850	48-55	48-8M0151319	Revolution 4	48-8M0151318	Comp Series
14.6	17	4	3500-4100	45-52	48-8M0151317	Revolution 4	48-8M0151316	Comp Series
14.6	15	4	4100-5500	35-45	48-8M0151315	Revolution 4	48-8M0151314	Comp Series
14.6	23	3	2500-2800	63-71	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	2800-3200	57-64	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3100-3600	51-58	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3500-4100	45-52	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	4100-5500	35-45	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

Verado 200 HP – 4Cyl - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5800-6400 Gearcase Ratio: 1.85:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
16	23	3	2600-3000	54-61	48-8M0151263	Enertia ECO	48-8M0151262	Comp Series
16	22	3	2800-3200	51-58	48-8M0151261	Enertia ECO	48-8M0151260	Comp Series
16	21	3	2900-3300	49-55	48-8M0151259	Enertia ECO	48-8M0151258	Comp Series
16	20	3	3000-3600	46-53	48-8M0151257	Enertia ECO	48-8M0151256	Comp Series
16	19	3	3300-3900	43-50	48-8M0151255	Enertia ECO	48-8M0151254	Comp Series
16	18	3	3500-4300	39-47	48-8M0151253	Enertia ECO	48-8M0151252	Comp Series
16	17	3	3800-4700	36-44	48-8M0151251	Enertia ECO	48-8M0151250	Comp Series
13.4	22	3	2800-3200	51-58	48-8M0151245	Enertia		Comp Series
13.6	21	3	2900-3300	49-55	48-8M0151243	Enertia	48-8M0151242	Comp Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.8	20	3	3000-3600	46-53	48-8M0151241	Enertia		Comp Series
14	19	3	3300-3900	43-50	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	3500-4300	39-47	48-8M0151237	Enertia		Comp Series
14.4	17	3	3800-4700	36-44	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	4100-5200	33-41	48-8M0151233	Enertia		Comp Series
15	15	3	4400-6000	29-38	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.3	14	3	4900-6800	26-35	48-8M0151229	Enertia		Comp Series
14.6	23	3	2600-3000	54-61	48-8M0151312	Mirage Plus	48-8M0151311	Elite Series
14.8	21	3	3000-3500	48-55	48-8M0151310	Mirage Plus	48-8M0151309	Elite Series
15.3	19	3	3300-3900	43-50	48-8M0151308	Mirage Plus	48-8M0151307	Elite Series
15.5	17	3	3800-4700	36-44	48-8M0151304	Mirage Plus	48-8M0151303	Elite Series
15.8	15	3	3600-4400	29-38	48-8M0151302	Mirage Plus	48-8M0151301	Elite Series

150 HP FourStroke - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5000-5800 Gearcase Ratio: 1.92:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.5	22	3	2100-2600	47-57	48-8M0151245	Enertia		Comp Series
13.6	21	3	2200-2800	44-54	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2300-3000	42-52	48-8M0151241	Enertia		Comp Series
14	19	3	2500-3200	39-49	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.3	18	3	2700-3200	35-46	48-8M0151237	Enertia		Comp Series
14.5	17	3	2900-4000	32-43	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.8	16	3	3100-4500	29-40	48-8M0151233	Enertia		Comp Series
15	15	3	3400-5100	26-37	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.1	14	3	3800-6200	22-34	48-8M0151229	Enertia		Comp Series
14.6	25	3	1800-2200	55-65	48-8M0151386	Tempest Plus		Elite Series
14.6	24	3	1900-2300	53-62	48-8M0151385	Tempest Plus		Elite Series
14.6	23	3	2000-2400	50-60	48-8M0151384	Tempest Plus		Elite Series
14.6	22	3	2100-2600	47-57	48-8M0151383	Tempest Plus		Elite Series
14.6	21	3	2200-2800	44-54	48-8M0151382	Tempest Plus		Elite Series
14.6	19	3	2500-3200	39-49	48-8M0151381	Tempest Plus		Elite Series
14.6	17	3	2900-4000	32-43	48-8M0151380	Tempest Plus		Elite Series

115 CT HP FourStroke - Offshore / Bay / Flats Center Console (Single)

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
13.5	22	3	2000-2800	35-47	48-8M0151245	Enertia		Comp Series
13.6	21	3	2100-3100	32-45	48-8M0151243	Enertia	48-8M0151242	Comp Series
13.8	20	3	2300-3500	29-42	48-8M0151241	Enertia		Comp Series
14	19	3	2400-3700	27-40	48-8M0151239	Enertia	48-8M0151238	Comp Series
14.2	18	3	2600-4300	24-37	48-8M0151237	Enertia		Comp Series
14.5	17	3	2800-5000	21-35	48-8M0151235	Enertia	48-8M0151234	Comp Series
14.7	16	3	3100-5600	19-32	48-8M0151233	Enertia		Comp Series
15	15	3	3500-6700	16-29	48-8M0151231	Enertia	48-8M0151230	Comp Series
15.3	14	3	3900-7800	14-26	48-8M0151229	Enertia	48-8M0151228	Comp Series
15.6	13	3	4300-10300	11-24	48-8M0151227	Enertia	48-8M0151226	Comp Series
16	11	3	7000+	1-18	48-8M0151225	Enertia	48-8M0151224	Comp Series
14.6	23	3	1900-2600	38-49	48-8M0151384	Tempest Plus		Elite Series
14.6	22	3	2000-2800	35-47	48-8M0151383	Tempest Plus		Elite Series
14.6	21	3	2100-3100	32-45	48-8M0151382	Tempest Plus		Elite Series
14.6	19	3	2400-3700	27-40	48-8M0151381	Tempest Plus		Elite Series
14.6	17	3	2800-5000	21-35	48-8M0151380	Tempest Plus		Elite Series
14	23	4	1900-2600	38-49	48-8M0084497	SpitFire		Elite Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	LH - Part Number	Performance Category
14	21	4	2100-3100	32-45	48-8M0084496	SpitFire		Elite Series
14	19	4	2400-3700	27-40	48-8M0084495	SpitFire		Elite Series
14	17	4	2800-5000	21-35	48-8M0084494	SpitFire		Elite Series
14	14	4	3900-7800	14-26	48-8M0084493	SpitFire		Elite Series
14	12	4	7000+	1-24	48-8M0084491	SpitFire		Elite Series
14.5	19	3	2400-3700	27-40	48-832830A45	Black Max		Sport Series
15	17	3	2800-5000	21-35	48-832828A45	Black Max		Sport Series
15.3	15	3	3500-6700	16-29	48-78116A45	Black Max		Sport Series
16	13	3	4300-10300	11-24	48-78114A45	Black Max		Sport Series
16	12	3	5000+	9-21	48-16436A45	Black Max		Sport Series
16	11	3	7000+	1-18	48-78112A45	Black Max		Sport Series

115 STD HP FourStroke - Offshore / Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1800-2400	40-52	48-8M0151364	SpitFire X7	Elite Series
12.7	19	4	2000-2900	34-47	48-8M0151363	SpitFire X7	Elite Series
13	17	4	2300-3600	28-41	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	2800-4700	22-35	48-8M0151361	SpitFire X7	Elite Series
14	13	4	3500-6700	16-29	48-8M0151360	SpitFire X7	Elite Series
13	18	3	2200-3200	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2500-4100	25-38	48-8M0151401	Vengeance	Sport Series
13.25	15	3	2800-4700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	3100-5600	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	3900-8500	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	2000-2900	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	2300-3600	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2800-4700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	3500-6700	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4500-11500	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1600-2100	45-57	48-77350A45	Black Max	Sport Series
12.8	21	3	1800-2400	40-52	48-77348A45	Black Max	Sport Series
13	19	3	2000-2900	34-47	48-77346A45	Black Max	Sport Series
13.3	17	3	2300-3600	28-41	48-77344A45	Black Max	Sport Series
13.3	16	3	2500-4100	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2800-4700	22-35	48-77342A45	Black Max	Sport Series
13.9	14	3	3100-5600	19-32	48-854352A45	Black Max	Sport Series
14	13	3	3500-6700	16-29	48-77340A45	Black Max	Sport Series
14	11	3	4700+	1-23	48-77338A45	Black Max	Sport Series

90 CT HP FourStroke - Offshore / Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.38:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
13.5	22	3	1600-2200	35-47	48-8M0151245	Energia	Comp Series
13.6	21	3	1600-2400	32-45	48-8M0151243	Energia	Comp Series
13.8	20	3	1800-2700	29-42	48-8M0151241	Energia	Comp Series
14	19	3	1900-2900	27-40	48-8M0151239	Energia	Comp Series
14.2	18	3	2100-3300	24-37	48-8M0151237	Energia	Comp Series
14.5	17	3	2200-3900	21-35	48-8M0151235	Energia	Comp Series
14.7	16	3	2400-4400	19-32	48-8M0151233	Energia	Comp Series
15	15	3	2700-5300	16-29	48-8M0151231	Energia	Comp Series
15.3	14	3	3100-6100	14-26	48-8M0151229	Energia	Comp Series
14.6	23	3	1500-1900	38-49	48-8M0151384	Tempest Plus	Elite Series
14.6	22	3	1600-2200	35-47	48-8M0151383	Tempest Plus	Elite Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
14.6	21	3	1600-2400	32-45	48-8M0151382	Tempest Plus	Elite Series
14.6	19	3	1900-2900	27-40	48-8M0151381	Tempest Plus	Elite Series
14.6	17	3	2200-3900	21-35	48-8M0151380	Tempest Plus	Elite Series
13.8	21	3	1600-2400	32-45	48-8M0151408	Vengeance	Sport Series
14	19	3	1900-2900	27-40	48-8M0151407	Vengeance	Sport Series
14.5	17	3	2200-3900	21-35	48-8M0151405	Vengeance	Sport Series
14	23	4	1500-1900	38-49	48-8M0084497	SpitFire	Elite Series
14	21	4	1600-2400	32-45	48-8M0084496	SpitFire	Elite Series
14	19	4	1900-2900	27-40	48-8M0084495	SpitFire	Elite Series
14	17	4	2200-3900	21-35	48-8M0084494	SpitFire	Elite Series
14	23	3	1500-1900	38-49	48-832834A45	Black Max	Sport Series
14.3	21	3	1600-2400	32-45	48-832832A45	Black Max	Sport Series
14.5	19	3	1900-2900	27-40	48-832830A45	Black Max	Sport Series
15	17	3	2200-3900	21-35	48-832828A45	Black Max	Sport Series
15.3	15	3	2700-5300	16-29	48-78116A45	Black Max	Sport Series

90 STD HP FourStroke - Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1400-1900	40-52	48-8M0151363	SpitFire X7	Elite Series
12.7	19	4	1600-2300	34-47	48-8M0151362	SpitFire X7	Elite Series
13	17	4	1800-2800	28-41	48-8M0151361	SpitFire X7	Elite Series
13.5	15	4	2200-3700	22-35	48-8M0151360	SpitFire X7	Elite Series
13	18	3	4000+	31-44	48-8M0151402	Vengeance	Sport Series
13.1	16	3	2000-3200	25-38	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2200-3700	22-35	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2400-4400	19-32	48-8M0151399	Vengeance	Sport Series
14	12	3	2700-5300	13-26	48-8M0151398	Vengeance	Sport Series
12.8	19	4	1600-2300	34-47	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1800-2800	28-41	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2200-3700	22-35	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2700-5300	16-29	48-8M8026570	SpitFire	Elite Series
13.8	11	4	4000+	10-23	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1300-1600	45-57	48-77350A45	Black Max	Sport Series
12.8	21	3	1400-1900	40-52	48-77348A45	Black Max	Sport Series
13	19	3	1600-2300	34-47	48-77346A45	Black Max	Sport Series
13.3	17	3	1800-2800	28-41	48-77344A45	Black Max	Sport Series
13.3	16	3	2000-3200	25-38	48-854360A45	Black Max	Sport Series
13.8	15	3	2200-3700	22-35	48-77342A45	Black Max	Sport Series
13.9	14	3	2400-4400	19-32	48-854352A45	Black Max	Sport Series
14	13	3	2700-5300	16-29	48-77340A45	Black Max	Sport Series
14	11	3	4000+	1-22	48-77338A45	Black Max	Sport Series

75 STD HP FourStroke - Bay / Flats Center Console

Engine RPM Range: 5000-6000 Gearcase Ratio: 2.07:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.7	21	4	1300-1900	34-47	48-8M0151363	SpitFire X7	Elite Series
12.7	19	4	1500-2300	29-42	48-8M0151362	SpitFire X7	Elite Series
13	17	4	1700-2900	23-37	48-8M0151361	SpitFire X7	Elite Series
13.5	15	4	2100-3900	18-31	48-8M0151360	SpitFire X7	Elite Series
13	18	3	1600-2500	26-40	48-8M0151402	Vengeance	Sport Series
13.1	16	3	1900-3400	20-34	48-8M0151401	Vengeance	Sport Series
13.3	15	3	2100-3900	18-31	48-8M0151400	Vengeance	Sport Series
13.4	14	3	2300-4700	15-28	48-8M0151399	Vengeance	Sport Series
14	12	3	2900-7500	10-23	48-8M0151398	Vengeance	Sport Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12.8	19	4	1500-2300	29-42	48-8M8026600	SpitFire	Elite Series
12.8	17	4	1700-2900	23-37	48-8M8026590	SpitFire	Elite Series
12.8	15	4	2100-3900	18-31	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2500-6100	12-26	48-8M8026570	SpitFire	Elite Series
13.8	11	4	3800+	7-20	48-8M8026560	SpitFire	Elite Series
12.5	23	3	1200-1600	39-52	48-77350A45	Black Max	Sport Series
12.8	21	3	1300-1900	34-47	48-77348A45	Black Max	Sport Series
13	19	3	1500-2300	29-42	48-77346A45	Black Max	Sport Series
13.3	17	3	1700-2900	23-37	48-77344A45	Black Max	Sport Series
13.3	16	3	1900-3400	20-34	48-854360A45	Black Max	Sport Series
13.8	15	3	2100-3900	18-31	48-77342A45	Black Max	Sport Series
13.9	14	3	2300-4700	15-28	48-854352A45	Black Max	Sport Series
14	13	3	2500-6100	12-26	48-77340A45	Black Max	Sport Series
14	11	3	3800+	1-20	48-77338A45	Black Max	Sport Series

60 CT HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13	17	4	1400-1800	34-38	48-8M0151362	SpitFire X7	Elite Series
13.5	15	4	1700-2300	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	2000-3300	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	17	4	1400-1800	34-38	48-8M8026590	SpitFire	Elite Series
12.8	15	4	1700-2300	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	2000-3300	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2700-5400	18-25	48-8M8026560	SpitFire	Elite Series
13.3	17	3	1400-1800	34-38	48-77344A45	Black Max	Sport Series
13.3	16	3	1500-2000	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1700-2300	28-34	48-77342A45	Black Max	Sport Series
13.9	14	3	1800-2700	26-32	48-854352A45	Black Max	Sport Series
14	13	3	2000-3300	23-30	48-77340A45	Black Max	Sport Series
14	11	3	2700-5400	18-25	48-77338A45	Black Max	Sport Series

60 STD HP FourStroke - Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.83:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.6	14	4	1300-1700	16-30	48-878616A46	Trophy Sport	Elite Series
10.6	13	4	1500-2000	17-26	48-878614A46	Trophy Sport	Elite Series
10.6	12	4	1700-2500	19-22	48-878612A46	Trophy Sport	Elite Series
10.3	15	3	1200-1600	15-33	48-855862A46	Vengeance	Sport Series
10.4	14	3	1300-1700	16-30	48-855860A46	Vengeance	Sport Series
10.5	13	3	1500-2000	17-26	48-855858A46	Vengeance	Sport Series
11	12	3	1700-2500	19-22	48-855856A46	Vengeance	Sport Series
11.6	11	3	2000-3100	21-18	48-823478A46	Vengeance	Sport Series
10.1	15	4	1200-1600	15-33	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1300-1700	16-30	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1500-2000	17-26	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1700-2500	19-22	48-8M8026625	SpitFire	Elite Series
10	17	3	1000-1300	13-40	48-73144A45	Black Max	Sport Series
10	16	3	1100-1400	14-37	48-73142A45	Black Max	Sport Series
10.1	15	3	1200-1600	15-33	48-73140A45	Black Max	Sport Series
10.3	14	3	1300-1700	16-30	48-73138A45	Black Max	Sport Series
10.4	13	3	1500-2000	17-26	48-73136A45	Black Max	Sport Series
10.6	12	3	1700-2500	19-22	48-73134A45	Black Max	Sport Series
10.8	11	3	2000-3100	21-18	48-85632A45	Black Max	Sport Series

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
12	10.5	3	2100-3500	22-16	48- 42740A45	Black Max	Sport Series
11.3	10	3	2200-4100	23-14	48- 73132A45	Black Max	Sport Series
12.3	9	3	2700-5400	25-11	48- 87818A45	Black Max	Sport Series
12.5	8	3	3500-8900	29-7	48- 42738A45	Black Max	Sport Series

50 CT HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1400-2000	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	1700-2700	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	15	4	1400-2000	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	1700-2700	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	2300-4500	18-25	48-8M8026560	SpitFire	Elite Series
13.3	16	3	1300-1700	30-36	48-854360A45	Black Max	Sport Series
13.8	15	3	1400-2000	28-34	48-77342A45	Black Max	Sport Series
13.9	14	3	1500-2300	26-32	48-854352A45	Black Max	Sport Series
14	13	3	1700-2700	23-30	48-77340A45	Black Max	Sport Series
14	11	3	2300-4500	18-25	48-77338A45	Black Max	Sport Series

50 STD HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 1.83:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.6	14	4	1100-1400	30-38	48-878616A46	Trophy Sport	Elite Series
10.6	13	4	1300-1700	26-34	48-878614A46	Trophy Sport	Elite Series
10.6	12	4	1400-2100	22-31	48-878612A46	Trophy Sport	Elite Series
10.3	15	3	1000-1300	33-41	48-855862A46	Vengeance	Sport Series
10.4	14	3	1100-1400	30-38	48-855860A46	Vengeance	Sport Series
10.5	13	3	1300-1700	26-34	48-855858A46	Vengeance	Sport Series
11	12	3	1400-2100	22-31	48-855856A46	Vengeance	Sport Series
11.6	11	3	1600-2600	18-27	48-823478A46	Vengeance	Sport Series
10.1	15	4	1000-1300	33-41	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1100-1400	30-38	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1300-1700	26-34	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1400-2100	22-31	48-8M8026625	SpitFire	Elite Series
10	17	3	900-1000	40-47	48-73144A45	Black Max	Sport Series
10	16	3	900-1100	37-44	48-73142A45	Black Max	Sport Series
10.1	15	3	1000-1300	33-41	48-73140A45	Black Max	Sport Series
10.3	14	3	1100-1400	30-38	48-73138A45	Black Max	Sport Series
10.4	13	3	1300-1700	26-34	48-73136A45	Black Max	Sport Series
10.6	12	3	1400-2100	22-31	48-73134A45	Black Max	Sport Series
10.8	11	3	1600-2600	18-27	48-85632A45	Black Max	Sport Series
12	10.5	3	1800-2900	16-25	48-42740A45	Black Max	Sport Series
11.25	10	3	1900-3400	14-24	48-73132A45	Black Max	Sport Series
12.25	9	3	2300-4500	11-20	48-87818A45	Black Max	Sport Series
12.5	8	3	2900-7400	7-16	48-42738A45	Black Max	Sport Series

40 CT HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.33:1

Diameter	Pitch	No of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.5	15	4	1100-1600	28-34	48-8M0151361	SpitFire X7	Elite Series
14	13	4	1400-2200	23-30	48-8M0151360	SpitFire X7	Elite Series
12.8	15	4	1100-1600	28-34	48-8M8026580	SpitFire	Elite Series
13.8	13	4	1400-2200	23-30	48-8M8026570	SpitFire	Elite Series
13.8	11	4	1800-3600	18-25	48-8M8026560	SpitFire	Elite Series

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER RIGGING CHART

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH Part Number	Propeller Name	Performance Series
13.8	15	3	1100-1600	28-34	48- 77342A45	Black Max	Sport Series
13.9	14	3	1200-1800	26-32	48- 854352A45	Black Max	Sport Series
14	13	3	1400-2200	23-30	48- 77340A45	Black Max	Sport Series
14	11	3	1800-3600	18-25	48- 77338A45	Black Max	Sport Series

40 STD HP FourStroke – Bay / Flats Center Console

Engine RPM Range: 5500-6000 Gearcase Ratio: 2.00:1

Diameter	Pitch	No. of Blades	Boat Weight	Boat Speed	RH - Part Number	Description	Performance Category
10.6	14	4	1000-1400	25-34	48-878616A46	Trophy Sport	Elite Series
10.6	13	4	1200-1600	22-30	48-878614A46	Trophy Sport	Elite Series
10.6	12	4	1300-2100	18-27	48-878612A46	Trophy Sport	Elite Series
10.3	15	3	900-1200	29-37	48-855862A46	Vengeance	Sport Series
10.4	14	3	1000-1400	25-34	48-855860A46	Vengeance	Sport Series
10.5	13	3	1200-1600	22-30	48-855858A46	Vengeance	Sport Series
11	12	3	1300-2100	18-27	48-855856A46	Vengeance	Sport Series
11.6	11	3	1500-2500	15-24	48-823478A46	Vengeance	Sport Series
10.1	15	4	900-1200	29-37	48-8M8026640	SpitFire	Elite Series
10.1	14	4	1000-1400	25-34	48-8M8026635	SpitFire	Elite Series
10.3	13	4	1200-1600	22-30	48-8M8026630	SpitFire	Elite Series
10.6	12	4	1300-2100	18-27	48-8M8026625	SpitFire	Elite Series
10	17	3	800-1000	35-43	48- 73144A45	Black Max	Sport Series
10	16	3	800-1100	32-40	48- 73142A45	Black Max	Sport Series
10.1	15	3	900-1200	29-37	48- 73140A45	Black Max	Sport Series
10.3	14	3	1000-1400	25-34	48- 73138A45	Black Max	Sport Series
10.4	13	3	1200-1600	22-30	48- 73136A45	Black Max	Sport Series
10.6	12	3	1300-2100	18-27	48- 73134A45	Black Max	Sport Series
10.8	11	3	1500-2500	15-24	48- 85632A45	Black Max	Sport Series
12	10.5	3	1600-3000	13-22	48- 42740A45	Black Max	Sport Series
11.3	10	3	1800-3600	11-20	48- 73132A45	Black Max	Sport Series
12.3	9	3	2200-5100	8-17	48- 87818A45	Black Max	Sport Series
12.5	8	3	2700-8700	5-14	48- 42738A45	Black Max	Sport Series

MERCURY PROPELLER TYPE - ALUMINUM

Propellers sorted by Pitch, then Diameter, then by Rotation (Right-hand, Left-hand)

MERCURY PROPELLER SELECTOR

Mercury makes a propeller to fit most any type of boating application. Another industry first, Mercury Propellers has developed a Prop Selector to assist consumers with narrowing down the propeller selection process. You can find the Propeller Selector on our website, www.mercurymarine.com, under the Mercury Propeller-Technical Information section.

MERCURY OUTBOARD PROPELLER SELECTOR CHART

Mercury Propeller selector by family for Outboards

Inflatable 16ft and Under

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
9.9-15 HP	Black Max	
20-25 HP	Black Max	Vengeance
25-30 4-stroke	Black Max, Spitfire	Vengeance
40-60 HP 4-stroke	Black Max, Spitfire	Vengeance, Trophy Sport

Aluminum

(14'-21') (4.3-6.4m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
9.9-15 HP	Black Max	
20-25 HP	Black Max	Vengeance
25-30 HP 4-stroke	Black Max, Spitfire	Vengeance
40-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-115 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-300 HP	Black Max, Spitfire	High Five, Tempest, Fury, Enertia

Fiberglass

to 14' (4.3m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
9.9-15 HP	Black Max	
20-25 HP	Black Max	Vengeance
25-30 HP 4-stroke	Black Max, Spitfire	Vengeance

Fiberglass Runabout and Inflatable RIB

14'-17' (4.3-5.2m)(closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
30-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-125 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-150 HP	Black Max, Spitfire	Vengeance, High Five, Enertia

Fiberglass Fish-Type

14'-17' (4.3-5.2m) (fish & ski, side console, center console)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
30-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-115 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-225 HP	Black Max, Spitfire	High Five, Enertia, Tempest, Fury

Fiberglass Bass

14'-17' (4.3-5.2m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
30-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
75-115HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-225 HP	Black Max, Spitfire	Trophy Plus, Tempest Plus, High Five, Fury, Fury 4

Fiberglass Runabout and Inflatable RIB

17'-21' (5.2-6.4m) (closed deck or bowrider, same hull . . .)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
60 4-stroke BigFoot	Black Max, Spitfire	Vengeance
75-125 HP	Black Max, Spitfire	Vengeance, SpitFire X7
135-300 HP	Black Max, Spitfire	Vengeance, High Five, Enertia

Fiberglass Fish-Type

17'-21' (5.2-6.4m) (fish & ski, side console, center console, cuddy)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
75-125 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-300 HP	Black Max, Spitfire	Enertia, Tempest Plus, High Five

Fiberglass Bass

17'-21' (5.2-6.4m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
75-125 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-225 HP	Spitfire	Trophy Plus, Tempest Plus, High Five, Fury, Fury 4
250+ HP		Fury, Tempest Plus, Trophy Plus, Fury 4

Fiberglass Fishing

21' + (6.4m+) (side console, center console, cuddy)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
135-300 HP		Enertia, Enertia ECO, Rev 4, Tempest Plus, Mirage Plus

Aluminum Pontoon

16'-28' (4.9-8.5m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
15-30	Black Max	Vengeance
40-60 HP (incl. 4-stroke)	Black Max, Spitfire	Vengeance, Trophy Sport
40-60 HP 4-stroke BigFoot	Black Max, Spitfire Pontoon	Vengeance
75-115 HP	Black Max, Spitfire Pontoon	Vengeance, SpitFire X7
135-300 HP	Black Max	Enertia, Vengeance, Rev 4, Mirage Plus

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER TYPE - ALUMINUM

Fiberglass Deckboat

16'-24' (4.9-7.3m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
40-60 4-stroke BigFoot	Black Max, Spitfire	Vengeance
75-115 HP	Black Max, Spitfire	Vengeance, Trophy Plus, SpitFire X7
135-300HP	Black Max, Spitfire	Vengeance, High Five, Enertia

MERCURY STERNDRIVE PROPELLER SELECTOR CHART

Mercury Propeller selector by family for Sterndrives

Fiberglass Runabout

14'-17' (4.3-5.2m)(closed deck or bowrider, same hull...)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
3.0L	Black Max	Vengeance, High Five
4.3L	Black Max	Vengeance, High Five

Fiberglass Runabout

17'-21' (5.2-6.4m) (closed deck or bowrider, same hull . . .)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
3.0L	Black Max	Vengeance
4.3L	Black Max	Vengeance, High Five
5.0L	Black Max	Vengeance, High Five
5.7L	Black Max	Vengeance, High Five

Fiberglass Runabout/Sport Boat

21' + (6.4m+) (side console, center console, cuddy)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
5.7L	Black Max	Vengeance, Mirage Plus, Rev 4
350 Mag		Vengeance, Mirage Plus, Bravo 1, Rev 4
MX 6.2L MPI		Vengeance, Mirage Plus, Bravo 1, Rev 4
8.2L Mag		Vengeance, Mirage Plus, Bravo 1, Rev 4
8.2L Mag HO		Vengeance, Mirage Plus, Bravo 1, Rev 4

Fiberglass Cruiser

21' + (6.4m+)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
4.3L	Black Max	Vengeance, High Five
5.0L	Black Max	Vengeance, High Five
5.7L	Black Max	Enertia, Vengeance, Mirage Plus, Rev 4
350 Mag		Enertia, Vengeance, Mirage Plus, Rev 4
MX 6.2L MPI		Enertia, Vengeance, Mirage Plus, Rev 4
8.2L Mag		Enertia, Vengeance, Mirage Plus, Rev 4
8.2L Mag HO		Enertia, Vengeance, Mirage Plus, Rev 4

Fiberglass Deckboat

16'-24' (4.9-7.3m)

Model/Horsepower	Aluminum Propellers	Stainless Steel Propellers
3.0L	Black Max	Vengeance, High Five
4.3L	Black Max	Vengeance, High Five
5.0L	Black Max	Vengeance, High Five
5.7L	Black Max	Vengeance, Mirage Plus, High Five, Rev 4
350 Mag		Vengeance, Mirage Plus, Rev 4
MX 6.2L MPI		Vengeance, Mirage Plus, Rev 4
8.2L Mag		Vengeance, Mirage Plus, Rev 4
8.2L Mag HO		Vengeance, Mirage Plus, Rev 4

COMPOSITE

CLEAR MACHETE PROPELLER



48-MAF12406T

10 X 3.5 RH Plastic 2 BL

JOYSTICK PILOTING FOR OUTBOARDS (JPO) FOR SINGLE-ENGINE PONTOONS



48-8M0180533

Contains Propeller 8M0178817
Use with Prop Nut Kit 8M0192279

SPITFIRE

Spitfire - the world's first performance aluminum propeller. Do you want to take your boats performance to the next level? The Spitfire provides 16-25% faster acceleration, superior holding with no penalty in top speed vs. a comparable 3 blade aluminum propeller.

Equipped with Hub Kit:
 25-30 HP Flo-Torq I Rubber hub
 40-60 HP Flo-Torq Reflex 835257K12
 40CT - 300 HP Flo-Torq II 835257K 1

If engine RPM is appropriate with 3-blade prop, replace with the same pitch SpitFire propeller.

Right hand rotation only



SPITFIRE 25 - 30 HP

25-30 HP FourStroke (2006 and newer)
 Equipped with rubber hub 897001T

SPITFIRE PROPELLER



48-8M8026650

9.3 X 9.5 RH AL 4 BL

48-8M8026655

9.3 X 11 RH AL 4 BL

SPITFIRE 25 CT - 60 HP

25-30 HP Bigfoot / Command Thrust FourStroke
 30 HP TwoStroke, FourStroke (2005 and earlier)
 40-60 HP (all years)

Equipped with Flo-Torq Reflex Hub Kit 835257K12

SPITFIRE PROPELLER



48-8M8026620

10.6 X 11 RH AL 4 BL

48-8M8026625

10.6 X 12 RH AL 4 BL

48-8M8026630

10.3 X 13 RH AL 4 BL

48-8M8026635

10.1 X 14 RH AL 4 BL

48-8M8026640

10.1 X 15 RH AL 4 BL

SPITFIRE 40 CT - 125 HP

40-60 HP Bigfoot / Command Thrust FourStroke
 75-125 HP TwoStroke, FourStroke

10-13 pitches are designed to provide superior holding and lift for pontoon applications

Equipped with Flo-Torq II hub kit 835257K 1

SPITFIRE PONTOON PROPELLER



48-8M8026555

13.8 X 10 RH AL 4 BL

48-8M8026560

13.8 X 11 RH AL 4 BL

48-8M8026570

13.8 X 13 RH AL 4 BL

SPITFIRE PROPELLER



48-8M8026580

13.4 X 15 RH AL 4 BL

48-8M8026590

13.0 X 17 RH AL 4 BL

48-8M8026600

12.5 X 19 RH AL 4 BL

MERCURY PROPELLER TYPE - ALUMINUM

SPITFIRE 90 CT - 300 HP, ALPHA/BRAVO I STERNDRIVE

90-115 HP Command Thrust FourStroke (all years)
135-300 HP TwoStroke, FourStroke (all years)
Alpha and Bravo I Sterndrive (all years)

Equipped with Flo-Torq II Hub Kit 835257K 1

SPITFIRE CT PROPELLER



48-8M0084491

14 X 12 RH AL 4 BL

48-8M0084493

14 X 14 RH AL 4 BL

SPITFIRE PROPELLER

48-8M0084494

14 X 17 RH AL 4 BL

48-8M0084495

14 X 19 RH AL 4 BL

48-8M0084496

14 X 21 RH AL 4 BL

48-8M0084497

14 X 23 RH AL 4 BL

BLACK MAX

The Black Max aluminum propellers are standard equipment on most boats with Mercury/Mariner/MerCruiser power. Recommended for use on boats with up to 300 horsepower and with a top speed of less than 50 MPH. Pontoon style props available.

High quality die-cast aluminum
Attractive and durable high-gloss Phantom Black finish
Easy to maintain & repair

MERCURY BLACK MAX

BLACK MAX 2.5 - 3.5 HP

BLACK MAX PROPELLER



48-815083A01

7.4 X 6 RH Plastic 3 BL

48-815083A02

7.4 X 7 RH Plastic 3 BL

BLACK MAX 4 - 6 HP

4-6 HP FourStroke (1999 and newer)
4-5 HP TwoStroke (1987 and newer)
Equipped with Flo-Torq I rubber hub

BLACK MAX PROPELLER



48-812951A02

8.4 X 6 RH AL 3 BL - High Thrust

48-812949A02

7.8 X 7 RH AL 3 BL

48-812950A02

7.8 X 8 RH AL 3 BL

BLACK MAX 6 - 15 HP

6-15 HP TwoStroke (all years)
9.9 HP FourStroke (2004 and older)
15 HP FourStroke (2007 and older)

Equipped with rubber hub 827598T

BLACK MAX PROPELLER



48-828150A12

9.8 X 6.5 RH AL 3 BL

48-828152A12

9.3 X 7 RH AL 3 BL

48-828154A12

9 X 8 RH AL 3 BL

48-828156A12

9 X 9 RH AL 3 BL

48-828158A12

9 X 10.5 RH AL 3 BL

BLACK MAX 8 - 9.9 HP FOURSTROKE

8-9.9 HP FourStroke with standard gearcase (2005 and newer)

Equipped with rubber hub 897453T

BLACK MAX PROPELLER



48-897614A10

8.9 X 7.5 RH AL 3 BL

48-897618A10

8.9 X 8.5 RH AL 3 BL

BLACK MAX KICKER PROPELLER



48-812954A10

8.7 X 5 RH AL 4 BL

BLACK MAX 9.9 CT - 20 HP FOURSTROKE

9.9 HP Bigfoot / Command Thrust FourStroke (2005 and newer)

9.9 HP Pro Kicker (all years)

15-20 HP FourStroke (2008 and newer)

Equipped with rubber hub 8M0054769

BLACK MAX PROPELLER



48-897748A11

9.5 X 8 RH AL 3 BL

48-897750A11

9.3 X 9 RH AL 3 BL

48-897752A11

9.3 X 10 RH AL 3 BL

48-897754A11

9.3 X 11.5 RH AL 3 BL

BLACK MAX KICKER PROPELLER



48-812950A10

10 X 7 RH AL 4 BL - BLACK

48-812948A10

10 X 7 RH AL 4 BL - SILVER

BLACK MAX 9.9 BF - 25 HP

9.9 - 15 HP Bigfoot FourStroke (2004 and older)

20-25 HP TwoStroke (all years)

Equipped with rubber hub 19669T

BLACK MAX PROPELLER



48-19636A10

10.4 X 9.5 RH AL 3 BL

48-19638A40

10.4 X 11 RH AL 3 BL

48-19639A40

10.4 X 12 RH AL 3 BL

48-19640A40


10.4 X 13 RH AL 3 BL

BLACK MAX 25 - 30 HP FOURSTROKE

25-30 HP FourStroke (2006 and newer)

Equipped with rubber hub 897001T

BLACK MAX PROPELLER



48-896890A10

10 X 8 RH AL 3 BL

48-896892A40

9.8 X 9.5 RH AL 3 BL

48-896896A40

9.5 X 11 RH AL 3 BL

MERCURY PROPELLER TYPE - ALUMINUM

48-896900A40

9.3 X 12.5 RH AL 3 BL

BLACK MAX 25 CT - 60 HP

25-30 HP Bigfoot / Command Thrust FourStroke (all years)
 30 HP TwoStroke, FourStroke (2005 and earlier)
 40-60 HP (all years)

8,10.5,12,13,14 pitches available with a larger blade area for pontoon applications

Equipped with Flo-Torq Reflex hub kit 835257K12

BLACK MAX PROPELLER



48-42738A45

12.5 X 8 RH AL 3 BL

48-42738CP1

12.5 X 8 RH AL 3 BL - Extra Cup for Pontoons

48-87818A45

12.3 X 9 RH AL 3 BL

48-73132A45

11.3 X 10 RH AL 3 BL

48-827312A45

11.6 X 10.5 RH AL 3 BL

48-42740A45

12 X 10.5 RH AL 3 BL Large Blade Area for Pontoons

48-85632A45

10.9 X 11 RH AL 3 BL

48-73134A45

10.6 X 12 RH AL 3 BL

48-816702A45

10.8 X 12 RH AL 3 BL Large Blade Area for Pontoons

48-73136A45

10.4 X 13 RH AL 3 BL

48-816704A45

10.5 X 13 RH AL 3 BL Large Blade Area for Pontoons

48-73138A45

10.3 X 14 RH AL 3 BL

48-816706A45

10.4 X 14 RH AL 3 BL Large Blade Area for Pontoons

48-73140A45

10.1 X 15 RH AL 3 BL

48-73142A45

10 X 16 RH AL 3 BL

48-73144A45

10 X 17 RH AL 3 BL

BLACK MAX 40 - 60 HP CT

** Limited quantities available, in the process of being discontinued. For increased durability and reduced vibration, refer to BLACK MAX 40CT - 125HP propellers with Flo-Torq SSR hub kit

40-60 HP Bigfoot/Command Thrust FourStroke engines with 4.25" gearcase only (all years)

Color - Silver

Equipped with rubber hub 859173

BLACK MAX PROPELLER - SILVER



48-854340A33

14 X 9 RH AL 3 BL

48-854342A33

14 X 10 RH AL 3 BL

48-77338A33

14 X 11 RH AL 3 BL

48-77340A33

14 X 13 RH AL 3 BL

48-77342A33

13.8 X 15 RH AL 3 BL

BLACK MAX 40 CT - 125 HP

40-60 HP Command Thrust, 75-125 HP with a 4.25" gearcase (all years)

Standard propeller equipped with Flo-Torq II hub kit 835257K 1

9" - 15" pitch propellers now offered with Flo-Torq SSR hub kit 8M0150151 for reduced vibration. Replaces legacy silver propellers with rubber Flo-Torq I hub installed

10", 11", 13" pitch propellers available with extra cup for pontoon applications and include Flo-Torq SSR Hub kit 8M0150151 for reduced vibration

BLACK MAX PROPELLER



48-854340A45

14 X 9 RH AL 3 BL

48-8M0151352

14 X 9 RH AL 3BL - Equipped with Flo-Torq SSR

48-854342A45

14 X 10 RH AL 3 BL

MERCURY PROPELLER TYPE - ALUMINUM

48-8M0151353

14 X 10 RH AL 3BL - Equipped with Flo-Torq SSR

48-8M0151354

14 X 10 RH AL 3 BL - Extra Cup - Equipped with Flo-Torq SSR

48- 77338A45

14 X 11 RH AL 3 BL

48-8M0151355

14 X 11 RH AL 3BL - Equipped with Flo-Torq SSR

48-8M0151356

14 x 11 RH AL 3 BL - Extra Cup - Equipped with Flo-Torq SSR

48- 77340A45

14 X 13 RH AL 3 BL

48-8M0151357

14 X 13 RH AL 3BL - Equipped with Flo-Torq SSR

48-8M0151358

14 X 13 RH AL 3 BL - Extra Cup - Equipped with Flo-Torq SSR

48-854352A45

13.9 X 14 RH AL 3 BL

48-8M0151359

13 3/4 X 15 RH AL 3BL - Equipped with Flo-Torq SSR

48- 77342A45

13.8 X 15 RH AL 3 BL

48-854360A45

13.3 X 16 RH AL 3 BL

48- 77344A45

13.3 X 17 RH AL 3 BL

48- 77346A45

13 X 19 RH AL 3 BL

48- 77348A45

12.8 X 21 RH AL 3 BL

48- 77350A45

12.5 X 23 RH AL 3 BL

BLACK MAX 90 CT - 300 HP, ALPHA/BRAVO I STERNDRIVE

90-115 HP Command Thrust FourStroke (all years)
135-300 HP TwoStroke, FourStroke (all years)
Alpha and Bravo I Sterndrives

11,12,13,14,15 pitches available with extra cup for pontoon applications

Equipped with Flo-Torq II hub kit 835257K 1

BLACK MAX PROPELLER



48- 78112A45

16 X 11 RH AL 3 BL

48- 78112CP1

16 X 11 RH AL 3 BL - Extra Cup

48- 16436A45

16 X 12 RH AL 3 BL

48- 16436CP1

16 X 12 RH AL 3 BL - Extra Cup

48- 78114A45

16 X 13 RH AL 3 BL

48- 78114CP1

16 X 13 RH AL 3 BL - Extra Cup

48- 16438A45

16 X 14 RH AL 3 BL

48- 16438CP1

16 X 14 RH AL 3 BL - Extra Cup

48- 78116A45

15.3 X 15 RH AL 3 BL

48- 78116CP1

15.3 X 15 RH AL 3 BL - Extra Cup

48- 16440A45

16 X 16 RH AL 3 BL

48-832828A45

15 X 17 RH AL 3 BL

48- 11324A45

15.5 X 18 RH AL 3 BL

48-832830A45

14.5 X 19 RH AL 3 BL

48-832832A45

14.3 X 21 RH AL 3 BL

48-832834A45

14 X 23 RH AL 3 BL

ALPHA 4

Note: The Alpha 4 propeller is discontinued.

Mercury recommends the 4-blade SpitFire propeller as the aluminum option for 90 CT - 300 HP outboards and sterndrive applications. When transitioning to a SpitFire, increase 1" of pitch from the Alpha 4.

BRAVO TWO - ALUMINUM

The Aluminum Bravo Two propeller is a 3-blade propeller manufactured specifically for Bravo Two sterndrives.

Equipped with rubber hub 43636T

Use with:
55074T Forward Thrust Washer
55073A 2 Aft Washer
34817 Tab Washer
826711 27 Prop Nut



BLACK DIAMOND BRAVO TWO (MATTE BLACK)



48-8M0155023

20 X 11 LH AL 3 BL

48-8M0155024

20 X 11 RH AL 3 BL

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY PROPELLER TYPE - ALUMINUM

48-8M0155025

19.5 X 13 LH AL 3 BL

48-8M0155026

19.5 X 13 RH AL 3 BL

48-8M0155026

19.5 X 13 RH AL 3 BL

48-8M0155027

19.3 X 15 LH AL 3 BL

48-8M0155028

19.3 X 15 RH AL 3 BL

48-8M0155029

18.8 X 17 LH AL 3 BL

48-8M0155030

18.8 X 17 RH AL 3 BL

BRAVO TWO PROPELLER



48-18615A40

18.3 X 19 LH AL 3 BL

48-18614A40

18.3 X 19 RH AL 3 BL

48-18617A40

17.8 X 21 LH AL 3 BL

48-18616A40

17.8 X 21 RH AL 3 BL

48-18619A40

17.5 X 23 LH AL 3 BL

48-18618A40

17.5 X 23 RH AL 3 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

SSR HUB KIT SELECTOR



How to select your new Mercury propeller hub kit

The SSR lineup of hub kits should be selected for quietest operation

1 Model Year	2019 and newer				2018 and older			All ³				
	L4 Mercury 40CT - 150HP FourStroke	V6 Mercury 175 - 225HP FourStroke	V8 Mercury 200 - 300HP FourStroke	L6 Mercury 350 - 400HP FourStroke	L4/V6 Mercury 40CT - 225HP FourStroke		L6 Mercury 250 - 350HP FourStroke 1.00" Shaft 1.25" Shaft	Mercury TwoStroke	Mercury Alpha® & Bravo® Sterndrives	Non- Mercury		
2 Engine												
3 Prop Pitch	All				21" & lower ¹	22" & higher ²	All	21" & lower ¹	22" & higher ²	21" & lower ¹	22" & higher ²	All
4	SSR 8M0150151	■	■			■						
	SSR Solid 8M0101602						■	■				
	SSR HD 8M0101601			■	■							See accessory guide for correct Fit-to-Torque II hub solution
	FTII w/o bushing 835257K1								■	■		
FTII w/ bushing 835257K6									■	■		

¹General purpose applications ²High-performance and surface-piercing propeller applications ³SSR not recommended in some applications due to potential gear shifting issues

Learn more at MercuryMarine.com

©2021 MERCURY MARINE. All rights reserved. Reproduction in whole or in part without permission is prohibited.

MERCURY PROPELLER TYPE - STAINLESS STEEL

MERCURY STAINLESS STEEL PROPELLER CROSS REFERENCE CHART

Mercury Stainless Steel Propeller Cross Reference Chart

Starting in April 2021, hub kits will no longer be shipped with most Mercury stainless steel propellers.

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

For additional hub kit information, refer to the Propeller Hardware and Accessories section of the guide.

Use the table as a cross reference between the legacy part numbers that included hub kits with the package and the current part numbers that do not include the hub kit.

Family	Pitch	No of Blades	LH - Legacy	LH - Legacy	RH - Legacy	RH - Legacy	LH - Current	RH - Current
Bravo I	22	4	48-831909A45	48-831909A55	48-831910A45	48-831910A55	48-8M0151210	48-8M0151211
Bravo I	24	4	48-831911A45	48-831911A55	48-831912A45	48-831912A55	48-8M0151212	48-8M0151213
Bravo I	26	4	48-831913A45	48-831913A55	48-831914A45	48-831914A55	48-8M0151214	48-8M0151215
Bravo I	28	4	48-831915A55		48-831916A55		48-8M0151216	48-8M0151217
Bravo I	30	4	48-831917A55		48-831918A55		48-8M0151218	48-8M0151219
Bravo I	32	4	48-831919A55		48-831920A55		48-8M0151220	48-8M0151221
Enerzia	11	3	48-8M0070077		48-8M0070079		48-8M0151224	48-8M0151225
Enerzia	13	3	48-8M0070076		48-8M0070074	48-8M0095886	48-8M0151226	48-8M0151227
Enerzia	14	3	48-8M0079504		48-898988A46	48-8M0095887	48-8M0151228	48-8M0151229
Enerzia	15	3	48-898991A46		48-898990A46	48-8M0095888	48-8M0151230	48-8M0151231
Enerzia	16	3			48-898992A46	48-8M0095889		48-8M0151233
Enerzia	17	3	48-898995A46		48-898994A46	48-8M0095890	48-8M0151234	48-8M0151235
Enerzia	18	3			48-898996A46			48-8M0151237
Enerzia	19	3	48-898999A46		48-898998A46		48-8M0151238	48-8M0151239
Enerzia	20	3			48-899000A46			48-8M0151241
Enerzia	21	3	48-899003A46		48-899002A46		48-8M0151242	48-8M0151243
Enerzia	22	3			48-899202A46			48-8M0151245
Enerzia ECO	17	3	48-8M0040399	48-8M0127040	48-8M0040398	48-8M0127041	48-8M0151250	48-8M0151251
Enerzia ECO	18	3	48-8M0040397	48-8M0127042	48-8M0040396	48-8M0127043	48-8M0151252	48-8M0151253
Enerzia ECO	19	3	48-8M0040401	48-8M0127044	48-8M0040400	48-8M0127045	48-8M0151254	48-8M0151255
Enerzia ECO	20	3	48-8M0040407	48-8M0127046	48-8M0040406	48-8M0127047	48-8M0151256	48-8M0151257
Enerzia ECO	21	3	48-8M0040403	48-8M0127048	48-8M0040402	48-8M0127049	48-8M0151258	48-8M0151259
Enerzia ECO	22	3	48-8M0040409	48-8M0127050	48-8M0040408	48-8M0127051	48-8M0151260	48-8M0151261
Enerzia ECO	23	3	48-8M0040405	48-8M0127052	48-8M0040404	48-8M0127053	48-8M0151262	48-8M0151263
Fury	22	3			48-8M8023090	48-8M0152522		48-8M0151270
Fury	23	3			48-8M8023100	48-8M0125095		48-8M0151271
Fury	24	3			48-8M8023120	48-8M0125096		48-8M0151272
Fury	25	3			48-8M8023140	48-8M0125097		48-8M0151273
Fury	26	3			48-8M8023160	48-8M0125098		48-8M0151274
Fury	27	3			48-8M8023180			48-8M0151275
Fury 4	23	4			48-8M0114407	48-8M0125099		48-8M0151278
Fury 4	24	4			48-8M0114408	48-8M0125100		48-8M0151279
Fury 4	25	4			48-8M0114409	48-8M0125101		48-8M0151280
Fury 4	26	4			48-8M0114410	48-8M0125102		48-8M0151281
HighFive	17	5			48-821154A46			48-8M0151290
HighFive	19	5			48-815758A46			48-8M0151291
HighFive	21	5			48-815760A46			48-8M0151292
Mirage Plus	15	3	48-19841A46		48-19838A46		48-8M0151301	48-8M0151302
Mirage Plus	17	3	48-90159A46		48-18278A46		48-8M0151303	48-8M0151304
Mirage Plus	19	3	48-13701A46		48-13700A46		48-8M0151307	48-8M0151308
Mirage Plus	21	3	48-13703A46		48-13702A46		48-8M0151309	48-8M0151310
Mirage Plus	23	3	48-13705A46		48-13704A46		48-8M0151311	48-8M0151312
Mirage Plus	25	3			48-13706A46			48-8M0151313
Revolution 4	15	4	48-8M0064449	48-8M0127026	48-857022A46	48-8M0127027	48-8M0151314	48-8M0151315
Revolution 4	17	4	48-857025A46	48-8M0127028	48-857024A46	48-8M0127029	48-8M0151316	48-8M0151317
Revolution 4	18	4	48-8M0137907	48-8M0137925	48-8M0137906	48-8M0137924	48-8M0151318	48-8M0151319
Revolution 4	19	4	48-857027A46	48-8M0127030	48-857026A46	48-8M0127031	48-8M0151320	48-8M0151321

MERCURY PROPELLER TYPE - STAINLESS STEEL

Family	Pitch	No of Blades	LH - Legacy	LH - Legacy	RH - Legacy	RH - Legacy	LH - Current	RH - Current
Revolution 4	20	4	48-8M0070051	48-8M0127032	48-8M0070052	48-8M0127033	48-8M0151322	48-8M0151323
Revolution 4	21	4	48-857029A46	48-8M0127034	48-857028A46	48-8M0127035	48-8M0151324	48-8M0151325
Revolution 4	23	4	48-857031A46	48-8M0127036	48-857030A46	48-8M0127037	48-8M0151326	48-8M0151327
Revolution 4	25	4	48-857033A46	48-8M0127038	48-857032A46	48-8M0127039	48-8M0151328	48-8M0151329
Maximus	24	5	48-889975A65		48-889974A65		48-8M0151330	48-8M0151331
Maximus	26	5	48-889965A65		48-889964A65		48-8M0151332	48-8M0151333
Maximus	28	5	48-889967A65		48-889966A65		48-8M0151334	48-8M0151335
Maximus	30	5	48-889969A65		48-889968A65		48-8M0151336	48-8M0151337
Maximus	32	5	48-889971A65		48-889970A65		48-8M0151338	48-8M0151339
Maximus	34	5	48-889973A65		48-889972A65		48-8M0151340	48-8M0151341
Spitfire X7	13	4			48-8M0055547			48-8M0151360
Spitfire X7	15	4			48-8M0055548			48-8M0151361
Spitfire X7	17	4			48-8M0055549			48-8M0151362
Spitfire X7	19	4			48-8M0055550			48-8M0151363
Spitfire X7	21	4			48-8M0055551			48-8M0151364
Tempest Plus	17	3			48-8M8026790			48-8M0151380
Tempest Plus	19	3			48-825860A47			48-8M0151381
Tempest Plus	21	3			48-825862A47			48-8M0151382
Tempest Plus	22	3			48-8M8026820			48-8M0151383
Tempest Plus	23	3			48-825864A47			48-8M0151384
Tempest Plus	24	3			48-825872A47			48-8M0151385
Tempest Plus	25	3			48-825866A47			48-8M0151386
Tempest Plus	26	3			48-825874A47			48-8M0151387
Tempest Plus	27	3			48-825868A47			48-8M0151388
Trophy Plus	17	4			48-825930A46			48-8M0151389
Trophy Plus	19	4			48-825932A46			48-8M0151390
Trophy Plus	21	4			48-825934A47			48-8M0151391
Trophy Plus	23	4			48-825938A47			48-8M0151392
Trophy Plus	24	4			48-825940A48			48-8M0151393
Trophy Plus	25	4			48-825942A47			48-8M0151394
Trophy Plus	26	4			48-825944A47			48-8M0151395
Vengeance	10	3			48-17310A46			48-8M0151397
Vengeance	12	3			48-17312A46	48-8M0113150		48-8M0151398
Vengeance	14	3			48-17314A46			48-8M0151399
Vengeance	15	3			48-854354A46			48-8M0151400
Vengeance	16	3			48-16986A46			48-8M0151401
Vengeance	18	3			48-16988A46			48-8M0151402
Vengeance	15	3			48-16312A46			48-8M0151403
Vengeance	17	3	48-16315A46		48-16314A46		48-8M0151404	48-8M0151405
Vengeance	19	3	48-16317A46		48-16316A46		48-8M0151406	48-8M0151406
Vengeance	21	3			48-16318A46			48-8M0151408

MERCURY PROPELLER TYPE - STAINLESS STEEL

ENERTIA 90 CT - 400 HP

The Enertia is a 3-blade propeller well-suited for a variety of boats from pontoons and runabouts to offshore center console boats with multiple engines.

Enertia uses Mercury's X7 alloy which allows for a more advanced blade design. Good acceleration and top speed with fewer blow outs when cornering and during tow-sports activity.

Available in left and right hand rotation

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



ENERTIA PROPELLER



- 48-8M0151224**
16 X 11 LH SS 3 BL
- 48-8M0151225**
16 X 11 RH SS 3 BL
- 48-8M0151226**
15.6 X 13 LH SS 3 BL
- 48-8M0151227**
15.6 X 13 RH SS 3 BL
- 48-8M0151228**
15.3 X 14 LH SS 3 BL
- 48-8M0151229**
15.3 X 14 RH SS 3 BL
- 48-8M0151230**
15 X 15 LH SS 3 BL
- 48-8M0151231**
15 X 15 RH SS 3 BL
- 48-8M0151233**
14.8 X 16 RH SS 3 BL
- 48-8M0151234**
14.5 X 17 LH SS 3 BL
- 48-8M0151235**
14.5 X 17 RH SS 3 BL
- 48-8M0151237**
14.3 X 18 RH SS 3 BL
- 48-8M0151238**
14 X 19 LH SS 3 BL
- 48-8M0151239**
14 X 19 RH SS 3 BL
- 48-8M0151241**
13.8 X 20 RH SS 3 BL
- 48-8M0151242**
13.6 X 21 LH SS 3 BL
- 48-8M0151243**
13.6 X 21 RH SS 3 BL

- 48-8M0151245**
13.5 X 22 RH SS 3 BL

ENERTIA ECO 90 CT - 400 HP

The Enertia ECO complements the Enertia and is made with Mercury's X7 and is ideal for 200hp+ boats. The large diameter and high progressive rake improve fuel economy at cruise speeds with improved acceleration and comparable top speed. Ideal for center console boats traveling long distances.

Approved for use with Joystick Piloting in left and right hand rotation

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



ENERTIA ECO PROPELLER



- 48-8M0151250**
16 X 17 LH SS 3 BL
- 48-8M0151251**
16 X 17 RH SS 3 BL
- 48-8M0151252**
16 X 18 LH SS 3 BL
- 48-8M0151253**
16 X 18 RH SS 3 BL
- 48-8M0151254**
16 X 19 LH SS 3 BL
- 48-8M0151255**
16 X 19 RH SS 3 BL
- 48-8M0151256**
16 X 20 LH SS 3 BL
- 48-8M0151257**
16 X 20 RH SS 3 BL
- 48-8M0151258**
16 X 21 LH SS 3 BL
- 48-8M0151259**
16 X 21 RH SS 3 BL
- 48-8M0151260**
16 X 22 LH SS 3 BL
- 48-8M0151261**
16 X 22 RH SS 3 BL
- 48-8M0151262**
16 X 23 LH SS 3 BL
- 48-8M0151263**
16 X 23 RH SS 3 BL

REVOLUTION 4 90 CT - 400 HP

The Revolution 4 is an incredible and versatile 4-blade propeller for a wide range of applications, known for a great holeshot, staying hooked up without blowouts, and the ability to provide a low-speed plane off for slower tow sport activity.

Approved for use with Joystick Piloting in left and right hand rotation

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



REVOLUTION 4 PROPELLER



- 48-8M0151314**
- 14.6 X 15 LH SS 4 BL
- 48-8M0151315**
- 14.6 X 15 RH SS 4 BL
- 48-8M0151316**
- 14.6 X 17 LH SS 4 BL
- 48-8M0151317**
- 14.6 X 17 RH SS 4 BL
- 48-8M0151318**
- 14.6 X 18 LH SS 4 BL
- 48-8M0151319**
- 14.6 X 18 RH SS 4 BL
- 48-8M0151320**
- 14.6 X 19 LH SS 4 BL
- 48-8M0151321**
- 14.6 X 19 RH SS 4 BL
- 48-8M0151322**
- 14.6 X 20 LH SS 4 BL
- 48-8M0151323**
- 14.6 X 20 RH SS 4 BL
- 48-8M0151324**
- 14.6 X 21 LH SS 4 BL
- 48-8M0151325**
- 14.6 X 21 RH SS 4 BL
- 48-8M0151326**
- 14.6 X 23 LH SS 4 BL
- 48-8M0151327**
- 14.6 X 23 RH SS 4 BL
- 48-8M0151328**
- 14.6 X 25 LH SS 4 BL
- 48-8M0151329**
- 14.6 X 25 RH SS 4 BL

FURY 90 CT - 400 HP

The Fury is a 3-blade top-of-the-line tournament bass propeller. Perfect for light to medium load situations with maximum acceleration and top speed, especially for 200+ horsepower outboards.

Equipped with solid and large hole PVS plugs uninstalled

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



FURY PROPELLER



- 48-8M0151270**
- 14 X 22 RH SS 3 BL
- 48-8M0151271**
- 14 X 23 RH SS 3 BL
- 48-8M0151272**
- 14 X 24 RH SS 3 BL
- 48-8M0151273**
- 14 X 25 RH SS 3 BL
- 48-8M0151274**
- 14 X 26 RH SS 3 BL
- 48-8M0151275**
- 14 X 27 RH SS 3 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

FURY 4 90 CT - 400 HP

The Fury 4 is a 4-blade top-of-the-line tournament bass propeller. Perfect for heavy tournament-load situations with maximum acceleration and top speed, especially for 200+ horsepower outboards.

Fury 4 contains extra PVS holes (8 total) to allow for holeshot customization.

Equipped with solid and large hole PVS plugs uninstalled

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



FURY 4 PROPELLER



- 48-8M0151278**
14.5 X 23 RH SS 4 BL
- 48-8M0151279**
14.5 X 24 RH SS 4 BL
- 48-8M0151280**
14.5 X 25 RH SS 4 BL
- 48-8M0151281**
14.5 X 26 RH SS 4 BL

BRAVO I 90 CT - 400 HP

The Bravo I is a 4-blade stainless steel propeller for high-performance, high drive height, outboard and sterndrive applications. Excellent speed and handling, great for stepped hulls and cats.

Available in left and right hand rotation

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



BRAVO I PROPELLER



- 48-8M0151210**
15.3 X 22 LH SS 4 BL

- 48-8M0151211**
15.3 X 22 RH SS 4 BL
- 48-8M0151212**
15.3 X 24 LH SS 4 BL
- 48-8M0151213**
15.3 X 24 RH SS 4 BL
- 48-8M0151214**
15.3 X 26 LH SS 4 BL
- 48-8M0151215**
15.3 X 26 RH SS 4 BL
- 48-8M0151216**
15.3 X 28 LH SS 4 BL
- 48-8M0151217**
15.3 X 28 RH SS 4 BL
- 48-8M0151218**
15.3 X 30 LH SS 4 BL
- 48-8M0151219**
15.3 X 30 RH SS 4 BL
- 48-8M0151220**
15.3 X 32 LH SS 4 BL
- 48-8M0151221**
15.3 X 32 RH SS 4 BL

MAXIMUS 90 CT - 400 HP

The Maximus is a 5-blade propeller well suited to performance offshore boats with high output sterndrives.

Available in left and right hand rotation

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



MAXIMUS PROPELLER



- 48-8M0151330**
15.6 X 24 LH SS 5 BL
- 48-8M0151331**
15.6 X 24 RH SS 5 BL
- 48-8M0151332**
15.6 X 26 LH SS 5 BL
- 48-8M0151333**
15.6 X 26 RH SS 5 BL
- 48-8M0151334**
15.6 X 28 LH SS 5 BL
- 48-8M0151335**
15.6 X 28 RH SS 5 BL
- 48-8M0151336**
15.6 X 30 LH SS 5 BL

48-8M0151337

15.6 X 30 RH SS 5 BL

48-8M0151338

15.6 X 32 LH SS 5 BL

48-8M0151339

15.6 X 32 RH SS 5 BL

48-8M0151340

15.6 X 34 LH SS 5 BL

48-8M0151341

15.6 X 34 RH SS 5 BL

SPITFIRE X7 40 CT - 125 HP

The Spitfire X7 is 4-blade stainless steel version of the Spitfire aluminum propeller and is suited for 75-125 horsepower applications and 40-60 horsepower command thrust with larger 4.25" gearcases. With remarkable acceleration, top speed, and holding this is the propeller of choice for these engines.

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



SPITFIRE X7 PROPELLER



48-8M0151360

14 X 13 RH SS 4 BL

48-8M0151361

13.5 X 15 RH SS 4 BL

48-8M0151362

13 X 17 RH SS 4 BL

48-8M0151363

12.8 X 19 RH SS 4 BL

48-8M0151364

12.8 X 21 RH SS 4 BL

TEMPEST PLUS 90 CT - 400 HP

The Tempest Plus is a great 3-blade propeller suited for a variety of inland water applications from bass boats to walleye boats, and other sport boats with 150+ horsepower outboards. This prop does well in higher motor height installations with its larger diameter over other propellers for these boat types.

17 pitch equipped with solid PVS plugs installed
19-27 pitches equipped with large hole PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



TEMPEST PLUS PROPELLER



48-8M0151380

14.6 X 17 RH SS 3 BL

48-8M0151381

14.6 X 19 RH SS 3 BL

48-8M0151382

14.6 X 21 RH SS 3 BL

48-8M0151383

14.6 X 22 RH SS 3 BL

48-8M0151384

14.6 X 23 RH SS 3 BL

48-8M0151385

14.6 X 24 RH SS 3 BL

48-8M0151386

14.6 X 25 RH SS 3 BL

48-8M0151387

14.6 X 26 RH SS 3 BL

48-8M0151388

14.6 X 27 RH SS 3 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

TROPHY PLUS 40 CT - 225 HP

The Trophy Plus is a 4-blade propeller known for great acceleration on 75-225 horsepower outboards (except V8). The 17-19 pitch is designed for 75-115 horsepower outboards.

Propeller hub is 4.25" diameter – when using on 4.75" gearcase applications and exhaust venting is excessive, install seal ring 878421.

17-19 pitches equipped with solid PVS plugs installed
 21-26 pitches equipped with large hole PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



TROPHY PLUS PROPELLER



- 48-8M0151389**
- 13.8 X 17 RH SS 4 BL
- 48-8M0151390**
- 13.8 X 19 RH SS 4 BL
- 48-8M0151391**
- 13.8 X 21 RH SS 4 BL
- 48-8M0151392**
- 13.8 X 23 RH SS 4 BL
- 48-8M0151393**
- 13.8 X 24 RH SS 4 BL
- 48-8M0151394**
- 13.8 X 25 RH SS 4 BL
- 48-8M0151395**
- 13.8 X 26 RH SS 4 BL

TROPHY SPORT 30 - 60 HP

The Trophy Sport is a 4-blade propeller for us with 30-60 horsepower applications where performance needs to be maximized.

Equipped with the Flo-Torq Reflex hub kit 835257K12 to eliminate clutch rattle



TROPHY SPORT PROPELLER



- 48-878612A46**
- 10.6 X 12 RH SS 4 BL
- 48-878614A46**
- 10.6 X 13 RH SS 4 BL
- 48-878616A46**
- 10.6 X 14 RH SS 4 BL

HIGHFIVE 90 CT - 400 HP


The HighFive is a 5-blade propeller that performs well on older, underpowered, or heavily loaded boats engaged in watersports type activity, or with some large cruisers without extra power available. The High Five is also a great fit for legacy two stroke carbureted outboards that tend to run rich at idle or slow speeds, allowing for better engine speed increase on hole shot to eliminate the fuel rich condition.

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



HIGHFIVE PROPELLER



- 48-8M0151290**
- 13.5 X 17 RH SS 5 BL
- 48-8M0151291**
- 13.3 X 19 RH SS 5 BL
- 48-8M0151292**
- 13.3 X 21 RH SS 5 BL

MIRAGE PLUS 90 CT - 400 HP

The Mirage Plus is a 3-blade propeller well known for its use in higher horsepower sterndrive applications where top speed is important. Also for offshore fishing boats with outboards.

Equipped with solid PVS plugs installed

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.



MIRAGE PLUS PROPELLER



- 48-8M0151301**
15.8 X 15 LH SS 3 BL
- 48-8M0151302**
15.8 X 15 RH SS 3 BL
- 48-8M0151303**
15.5 X 17 LH SS 3 BL
- 48-8M0151304**
15.5 X 17 RH SS 3 BL
- 48-8M0151307**
15.3 X 19 LH SS 3 BL
- 48-8M0151308**
15.3 X 19 RH SS 3 BL
- 48-8M0151309**
14.8 X 21 LH SS 3 BL
- 48-8M0151310**
14.8 X 21 RH SS 3 BL
- 48-8M0151311**
14.6 X 23 LH SS 3 BL
- 48-8M0151312**
14.6 X 23 RH SS 3 BL
- 48-8M0151313**
14.5 X 25 RH SS 3 BL

VENGEANCE

The Vengeance is a great 3-blade propeller to use as a stainless steel upgrade from an aluminum propeller in a variety of applications. The Vengeance is known for its durability over aluminum propellers.

Many sizes are available to accommodate a variety of engine types.




VENGEANCE 25 - 30 HP FS

20-25 HP FourStroke (2006 and newer)

Equipped with rubber hub 897001T

VENGEANCE PROPELLER



- 48-899818A05**
9.8 X 9.5 RH SS 3 BL
- 48-899820A05**
9.5 X 11 RH SS 3 BL

VENGEANCE 25 BF - 60 HP

25 HP Bigfoot and 30 HP 2005 and earlier)

30 HP Command Thrust (2010 and newer)

40-60 HP (all years)

Equipped with Flo-Torq Reflex hub kit 835257K12

VENGEANCE PROPELLER



- 48-823478A46**
11.6 X 11 RH SS 3 BL
- 48-855856A46**
11 X 12 RH SS 3 BL
- 48-855858A46**
10.5 X 13 RH SS 3 BL
- 48-855860A46**
10.4 X 14 RH SS 3 BL
- 48-855862A46**
10.3 X 15 RH SS 3 BL

MERCURY PROPELLER TYPE - STAINLESS STEEL

VENGEANCE 40 CT - 125 HP

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

VENGEANCE PROPELLER



- 48-8M0151397**
- 14 X 10 RH SS 3 BL
- 48-8M0151398**
- 14 X 12 RH SS 3 BL
- 48-8M0151399**
- 13.4 X 14 RH SS 3 BL
- 48-8M0151400**
- 13.3 X 15 RH SS 3 BL
- 48-8M0151401**
- 13.1 X 16 RH SS 3 BL
- 48-8M0151402**
- 13 X 18 RH SS 3 BL

VENGEANCE 90 CT - 300 HP

Hub kit required – sold separately. Reference hub kit selection guide at beginning of Stainless Steel section for choosing the ideal hub kit.

VENGEANCE PROPELLER



- 48-8M0151403**
- 14.5 X 15 RH SS 3 BL
- 48-8M0151404**
- 14.5 X 17 LH SS 3 BL
- 48-8M0151405**
- 14.5 X 17 RH SS 3 BL
- 48-8M0151406**
- 14 X 19 LH SS 3 BL
- 48-8M0151407**
- 14 X 19 RH SS 3 BL
- 48-8M0151408**
- 13.8 X 21 RH SS 3 BL

VERADO12 500 - 600 HP

Leave no horsepower behind. Verado12 Propellers are for exclusive use on the Mercury V12 outboard. Front and Rear props used as a pair should be the same pitch.



VERADO12



- 48-8M0166979**
- 23 LH SS 4 BL - Front
- 48-8M0166980**
- 23 RH SS 3 BL - Rear
- 48-8M0166981**
- 24.5 LH SS 4 BL - Front
- 48-8M0166982**
- 24.5 RH SS 3 BL - Rear
- 48-8M0166983**
- 26 LH SS 4 BL - Front
- 48-8M0166984**
- 26 RH SS 3 BL - Rear
- 48-8M0166985**
- 27.5 LH SS 4 BL - Front
- 48-8M0166986**
- 27.5 RH SS 3 BL - Rear
- 48-8M0166987**
- 29 LH SS 4 BL - Front
- 48-8M0166988**
- 29 RH SS 3 BL - Rear
- 48-8M0166989**
- 31 LH SS 4 BL - Front
- 48-8M0166990**
- 31 RH SS 3 BL - Rear
- 48-8M0166991**
- 33 LH SS 4 BL - Front
- 48-8M0166992**
- 33 RH SS 3 BL - Rear
- 48-8M0166993**
- 35 LH SS 4 BL - Front
- 48-8M0166994**
- 35 RH SS 3 BL - Rear
- 48-8M0166995**
- 37 LH SS 4 BL - Front
- 48-8M0166996**
- 37 RH SS 3 BL - Rear

BRAVO TWO - STAINLESS STEEL

The Stainless Steel Bravo Two propeller is a 3-blade propeller manufactured specifically for Bravo Two drives. Stainless Steel offers better durability and performance over aluminum.

Equipped with rubber hub 43636T

Use with:
 55074T Forward Thrust Washer
 55073A 2 Aft Washer
 34817 Tab Washer
 826711 27 Prop Nut



BRAVO TWO PROPELLER



- 48- 18607A 6**
- 20 X 11 LH SS 3 BL
- 48- 18606A 6**
- 20 X 11 RH SS 3 BL
- 48- 18609A 6**
- 19.5 X 13 LH SS 3 BL
- 48- 18608A 6**
- 19.5 X 13 RH SS 3 BL
- 48- 18611A 6**
- 19.3 X 15 LH SS 3 BL
- 48- 18610A 6**
- 19.3 X 15 RH SS 3 BL
- 48- 18613A 6**
- 18.8 X 17 LH SS 3 BL
- 48- 18612A 6**
- 18.8 X 17 RH SS 3 BL
- 48- 18615A 6**
- 18.3 X 19 LH SS 3 BL
- 48- 18614A 6**
- 18.3 X 19 RH SS 3 BL
- 48- 18617A 6**
- 17.8 X 21 LH SS 3 BL
- 48- 18616A 6**
- 17.8 X 21 RH SS 3 BL
- 48- 18619A 6**
- 17.5 X 23 LH SS 3 BL
- 48- 18618A 6**
- 17.5 X 23 RH SS 3 BL

BRAVO FOUR S

The Bravo Four S propeller is made specifically for the Bravo Four S Forward Facing Drive. The propellers deliver exceptional performance and reliability when used in the demanding Bravo Four S application.

Use in matched pitch sets only.

Use with:
 8M0173364 Nose Cone
 8M0173363 Nose Cone Fastener
 805100 Thrust Washer
 805101T Thrust Washer
 862907 Prop Nut
 8M0105210 Prop Nut



BRAVO FOUR S



- 48-8M0167001**
- 19.5 LH SS 4 BL - Front
- 48-8M0167002**
- 19.5 RH SS 3 BL - Rear
- 48-8M0167003**
- 21 LH SS 4 BL - Front
- 48-8M0167004**
- 21 RH SS 3 BL - Rear
- 48-8M0167005**
- 22.5 LH SS 4 BL - Front
- 48-8M0167006**
- 22.5 RH SS 3 BL - Rear
- 48-8M0167007**
- 24 LH SS 4 BL - Front
- 48-8M0167008**
- 24 RH SS 3 BL - Rear
- 48-8M0167009**
- 25.5 LH SS 4 BL - Front
- 48-8M0167010**
- 25.5 RH SS 3 BL - Rear

MERCURY PROPELLER TYPE - STAINLESS STEEL

BRAVO THREE

This amazing twin-prop drive system features stainless steel props: A large diameter forward propeller and a smaller diameter aft propeller for unbelievable handling and boat control.

Bravo Three features 4-blade front, 3-blade rear set that offers better acceleration performance and enhanced holding. Bravo Three is available in both matte and high polish finishes. Mixing with old style three blade front three blade rear Bravo Three propellers is not recommended. For part number information on the old Bravo Three propellers (2008 and earlier) see the historical propeller charts section of this guide.

Use with:

805100 Aft Thrust Washer
805101T Forward Thrust Washer
862907 Aft Prop Nut
8M0105210 Forward Prop Nut



BRAVO THREE PROPELLER (HIGH POLISH FINISH)



48-8M8022349

16 X 19 LH SS 4 BL - Front

48-8M8022359

14.4 X 19 RH SS 3 BL - Rear

48-8M8022369

16 X 20 LH SS 4 BL - Front

48-8M8022379

14.4 X 20 RH SS 3 BL - Rear

48-8M8022389

15.9 X 21 LH SS 4 BL - Front

48-8M8022399

14.3 X 21 RH SS 3 BL - Rear

48-8M8022409

15.8 X 22.5 LH SS 4 BL - Front

48-8M8022419

14.3 X 22.5 RH SS 3 BL - Rear

BRAVO THREE PROPELLER

48-8M8022429

15.5 X 24 LH SS 4 BL - Front High Polish Finish

48-8M8022439

14 X 24 RH SS 3 BL - Rear High Polish Finish

BRAVO THREE PROPELLER (HIGH POLISH FINISH)

48-8M8022449

15.3 X 26 LH SS 4 BL - Front

48-8M8022459

13.8 X 26 RH SS 3 BL - Rear

48-8M8022469

15 X 28 LH SS 4 BL - Front

48-8M8022479

13.5 X 28 RH SS 3 BL - Rear

BRAVO THREE PROPELLER (MATTE FINISH)

48-8M8022340

16 X 19 LH SS 4 BL - Front

48-8M8022350

14.4 X 19 RH SS 3 BL - Rear

48-8M8022360

16 X 20 LH SS 4 BL - Front

48-8M8022370

14.4 X 20 RH SS 3 BL - Rear

48-8M8022380

15.9 X 21 LH SS 4 BL - Front

48-8M8022390

14.3 X 21 RH SS 3 BL - Rear

48-8M8022400

15.8 X 22.5 LH SS 4 BL - Front

48-8M8022410

14.3 X 22.5 RH SS 3 BL - Rear

48-8M8022420

15.5 X 24 LH SS 4 BL - Front

48-8M8022430

14 X 24 RH SS 3 BL - Rear

48-8M8022440

15.3 X 26 LH SS 4 BL - Front

48-8M8022450

13.8 X 26 RH SS 3 BL - Rear

48-8M8022460

15 X 28 LH SS 4 BL - Front

48-8M8022470

13.5 X 28 RH SS 3 BL - Rear

BRAVO THREE DIESEL

Designed for use on heavier boats high HP diesels. A large diameter four-blade front propeller coupled with a smaller diameter, three-blade rear propeller provides unmatched acceleration, tracking and handling with diesel applications. Extra cup built in to the trailing edges of both front and rear props captures the torque generated by today's turbocharged diesel engines. Best performing propeller for modern diesel engines matched to Bravo III drives.

Key Features:

Left-hand, 4-blade forward and right-hand, 3-blade rear propellers. Enhanced blade cup for improved planing performance and fuel economy.

Recommended for 260-370 H.P. diesel engines.

Fit for use on standard Bravo Three, Bravo Three X and Bravo Three XR drives.

Bravo Three Diesel Propellers feature a durable matte finish. Moving from the standard Bravo Three propellers to the Bravo Three Diesel props will result in one inch pitch decrease to match the same RPM.

Use with:

805100 Aft Thrust Washer
805101T Forward Thrust Washer
862907 Aft Prop Nut
8M0105210 Forward Prop Nut



BRAVO THREE DIESEL



- 48-8M0074865**
- 16 X 21 LH SS 4 BL - Front
- 48-8M0074866**
- 15 X 21 RH SS 3 BL - Rear
- 48-8M0074867**
- 16 X 23 LH SS 4 BL - Front
- 48-8M0074868**
- 15 X 23 RH SS 3 BL - Rear
- 48-8M0074869**
- 15.8 X 25 LH SS 4 BL - Front
- 48-8M0074870**
- 14.8 X 25 RH SS 4 BL - Rear
- 48-8M0074871**
- 15.5 X 27 LH SS 4 BL - Front
- 48-8M0074872**
- 14.5 X 27 RH SS 3 BL - Rear

Z - SERIES PROPELLER

Original equipment for Zeus pod drives up to 550 HP. A large diameter 4 blade forward propeller and a smaller diameter 3 blade aft propeller provides outstanding acceleration and boat control. These props come in a tough matte finish.

ZEUS PROPELLER



- 48-8M8021430**
- Z6 4 Blade LH Front Propeller
- 48-8M8021440**
- Z6 3 Blade RH Rear Propeller
- 48-8M8021450**
- Z7 4 Blade LH Front Propeller
- 48-8M8021460**
- Z7 3 Blade RH Rear Propeller
- 48-8M8021470**
- Z8 4 Blade LH Front Propeller
- 48-8M8021480**
- Z8 3 Blade RH Rear Propeller
- 48-8M8021490**
- Z9 4 Blade LH Front Propeller
- 48-8M8021500**
- Z9 3 Blade RH Rear Propeller
- 48-8M8021510**
- Z10 4 Blade LH Front Propeller
- 48-8M8021520**
- Z10 3 Blade RH Rear Propeller

- 48-8M8021530**
- Z11 4 Blade LH Front Propeller
- 48-8M8021540**
- Z11 3 Blade RH Rear Propeller
- 48-8M8021550**
- Z12 4 Blade LH Front Propeller
- 48-8M8021560**
- Z12 3 Blade RH Rear Propeller
- 48-8M8023600**
- Z13 4 Blade LH Front Propeller
- 48-8M8023610**
- Z13 3 Blade RH Rear Propeller
- 48-8M8021590**
- Z14 4 Blade LH Front Propeller
- 48-8M8021600**
- Z14 3 Blade RH Rear Propeller
- 48-8M8021610**
- Z15 4 Blade LH Front Propeller
- 48-8M8021620**
- Z15 3 Blade RH Rear Propeller
- 48-8M8021630**
- Z16 4 Blade LH Front Propeller
- 48-8M8021640**
- Z16 3 Blade RH Rear Propeller
- 48-8M8021650**
- Z17 4 Blade LH Front Propeller
- 48-8M8021660**
- Z17 3 Blade RH Rear Propeller
- 48-8M8021670**
- Z18 4 Blade LH Front Propeller
- 48-8M8021680**
- Z18 3 Blade RH Rear Propeller
- 48-8M8021690**
- Z19 4 Blade LH Front Propeller
- 48-8M8021700**
- Z19 3 Blade RH Rear Propeller

M - SERIES PROPELLER

Original equipment on select Zeus pod drives up to 700 HP. Additional blade area vs. Z series props is an excellent fit for higher horsepower Zeus applications. These props come in a tough matte finish.

M-SERIES PROPELLER



- 48-8M0079236**
- M0 5 Blade LH Front Propeller
- 48-8M0079237**
- M0 4 Blade RH Rear Propeller
- 48-8M0063951**
- M1 5 Blade LH Front Propeller
- 48-8M0063952**
- M1 4 Blade RH Rear Propeller
- 48-8M8024110**
- M2 5 Blade LH Front Propeller
- 48-8M8024120**
- M2 4 Blade RH Rear Propeller

MERCURY PROPELLER TYPE - STAINLESS STEEL

48-8M8023800
M4 5 Blade LH Front Propeller
48-8M8023810
M4 4 Blade RH Rear Propeller
48-8M8023820
M5 5 Blade LH Front Propeller
48-8M8023830
M5 4 Blade RH Rear Propeller
48-8M8023840
M6 5 Blade LH Front Propeller
48-8M8023850
M6 4 Blade RH Rear Propeller
48-8M8023860
M7 5 Blade LH Front Propeller
48-8M8023870
M7 4 Blade RH Rear Propeller
48-8M8023880
M8 5 Blade LH Front Propeller
48-8M8023890
M8 4 Blade RH Rear Propeller
48-8M8023900
M9 5 Blade LH Front Propeller
48-8M8023910
M9 4 Blade RH Rear Propeller
48-8M8023920
M10 5 Blade LH Front Propeller
48-8M8023930
M10 4 Blade RH Rear Propeller
48-8M8023940
M11 5 Blade LH Front Propeller
48-8M8023950
M11 4 Blade RH Rear Propeller
48-8M8023960
M12 5 Blade LH Front Propeller
48-8M8023970
M12 4 Blade RH Rear Propeller
48-8M8023980
M13 5 Blade LH Front Propeller
48-8M8023990
M13 4 Blade RH Rear Propeller
48-8M8024000
M14 5 Blade LH Front Propeller
48-8M8024010
M14 4 Blade RH Rear Propeller

MERCURY RACING PROPELLER TYPE

SPITFIRE XP

- The Pro Finished Spitfire XP is designed for shallow running flats boats.
- The fourth blade and flared exhaust barrel allow for lighting fast hole shot in shallow condition.
- Dial in RPM with available half inch pitch offerings.
- 60R to 115 HP outboards
- The hub kit is not included; use 835257K6 or 835258K 2

SPITFIRE XP PROPELLER



- 48-8M0167641**
14 x 12 Pitch RH
- 48-8M0167642**
14 x 12.5 Pitch RH
- 48-8M0167643**
14 x 13 Pitch RH
- 48-8M0167659**
13.5 x 13.5 Pitch RH
- 48-8M0167660**
13.5 x 14 Pitch RH
- 48-8M0167661**
13.5 x 14.5 Pitch RH
- 48-8M0167662**
13.5 x 15 Pitch RH
- 48-8M0167664**
13 x 15.5 Pitch RH
- 48-8M0167665**
13 x 16 Pitch RH
- 48-8M0167666**
13 x 16.5 Pitch RH
- 48-8M0167667**
13 x 17 Pitch RH
- 48-8M0167697**
12.7 x 17.5 Pitch RH
- 48-8M0167698**
12.7 x 18 Pitch RH
- 48-8M0167699**
12.7 x 18.5 Pitch RH
- 48-8M0167700**
12.7 x 19 Pitch RH
- 48-8M0167702**
12.7 x 19.5 Pitch RH
- 48-8M0167703**
12.7 x 20 Pitch RH
- 48-8M0167704**
12.7 x 20.5 Pitch RH
- 48-8M0167705**
12.7 x 21 Pitch RH

CLEAVER 40 - 60 HP

- The TE Cleaver is satin finish with through hub exhaust
- 13 tooth broached spline
- Utilizes standard thrust washer and prop nut kit 11-31990Q02
- Applicable for Inflatable tunnels, EP Vee bottoms, Alaskan Flats and Sport C tunnels

CLEAVER PROPELLER 40-60 HP



48-891510A01
12 X 22 Pitch RH

CHOPPER II - MERCURY 30 (U.S. ORIGIN) AND 40 - 60 HP

- The Chopper II is satin finish with over-the-hub exhaust
- 13 spline rubber hub (43676T)- uses thrust hub 73345A1
- Applicable for light weight performance boats up to 60 hp

CHOPPER II PROPELLER



48- 43592A71
10.375 Diameter x 18 Pitch RH
40-60 HP

MERCURY RACING PROPELLER TYPE

LIGHTNING E.T.

- The Lightning E.T. is Lab Finished and features over-the-hub exhaust
- Hub kit is not included, use 840389K06 for 1.25 inch prop shaft and 835258K 1 for 1 inch prop shaft
- Applicable for lightweight bass boats, tunnel boats, and outboard drag racing
- 150 to 300 hp outboard only

LIGHTNING E.T. PROPELLER



48-849508L62

14.5 X 32 Pitch RH

48-849506L62

14.5 x 30 Pitch RH

48-849248L62

14.5 X 28 Pitch RH

48-849246L62

14.5 X 26 Pitch RH

PRO MAX PROPELLER

- The Pro Finished Pro Max has a polished appearance with durable leading edges, robust blade thickness, tuned cup height and zero balanced.
- Lab Finished also has a polished appearance, crisp leading edge, thinned blades, tuned cup height and zero balanced (expect to gain 150 RPM over Pro Finished, pitch for pitch).
- 150 to 400 hp outboard only
- The Hub kit not included; 835257K6 or 835258K 2 for 1 inch or 840389K06 for 1.25 inch propshaft.
- Applicable for performance bass boats, 19 to 22 foot single outboard performance vee bottoms, and tunnel boats

PRO MAX PROPELLER



48-8M0079707

14.5 x 32 Pitch RH

48-8M0112990

14.5 x 31.5 Pitch RH

48-8M0079706

14.5 x 31 Pitch RH

48-8M0112989

14.5 x 30.5 Pitch RH

48-8M0079705

14.5 x 30 Pitch RH

48-8M0112988

14.5 x 29.5 Pitch RH

48-8M0079704

14.5 x 29 Pitch RH

48-8M0112987

14.5 x 28.5 Pitch RH

48-8M0079703

14.5 x 28 Pitch RH

48-8M0112986

14.5 x 27.5 Pitch RH

48-8M0079702

14.5 x 27 Pitch RH

48-8M0112985

14.5 x 26.5 Pitch RH

48-8M0079701

14.5 x 26 Pitch RH

48-8M0112984

14.5 x 25.5 Pitch RH

48-8M0079700

14.5 x 25 Pitch RH

48-8M0112983

14.5 x 24.5 Pitch RH

48-8M0079699

14.5 x 24 Pitch RH

48-8M0112982

14.5 x 23.5 Pitch RH

48-8M0079698

14.5 x 23 Pitch RH

48-8M0112981

14.5 x 22.5 Pitch RH

48-8M0079696

14.5 x 32 Pitch RH Lab Finished

48-8M0079695

14.5 x 30 Pitch RH Lab Finished

48-8M0079694

14.5 x 28 Pitch RH Lab Finished

48-8M0079693

14.5 x 26 Pitch RH Lab Finished

48-8M0079692

14.5 x 24 Pitch RH Lab Finished

BRAVO I LT PRO FINISHED

- The Pro Finished Bravo I LT is offered in one half pitch increments for extreme precision when dialing in engine rpm for maximized performance
- Equipped with (4) adjustable PVS exhaust vent holes offering improved time-to-plane. The 4 blades and full length barrel support staying on plane during slow turns, great rough water handling, and excellent mid-range acceleration
- 150 to 400 hp outboard and 450R HD gear case only, up to 600 hp sterndrive
- Hub kit sold separately; 835257K6 or 835258K2 for 1 inch propshaft or for 1.25 inch propshaft use 840389K06 or 840389Q06

BRAVO I LT PROPELLER



48-8M0129049
15.25 x 29 Pitch RH
48-8M0142107
15.25 x 29 Pitch LH
48-8M0129048
15.25 x 28.5 Pitch RH
48-8M0129046
15.25 x 28 Pitch RH
48-8M0142106
15.25 x 28 Pitch LH
48-8M0121604
15.25 x 27.5 Pitch RH
48-8M0121603
15.25 x 27 Pitch RH
48-8M0142105
15.25 x 27 Pitch LH
48-8M0121602
15.25 x 26.5 Pitch RH
48-8M0121601
15.25 x 26 Pitch RH
48-8M0142104
15.25 x 26 Pitch LH
48-8M0121600
15.25 x 25.5 Pitch RH
48-8M0121599
15.25 x 25 Pitch RH
48-8M0142103
15.25 x 25 Pitch LH
48-8M0121598
15.25 x 24.5 Pitch RH
48-8M0121597
15.25 x 24 Pitch RH
48-8M0142102
15.25 x 24 Pitch LH
48-8M0121596
15.25 x 23.5 RH
48-8M0121595
15.25 x 23 Pitch RH

48-8M0142101
15.25 x 23 Pitch LH
48-8M0121594
15.25 x 22.5 Pitch RH
48-8M0121593
15.25 x 22 Pitch RH
48-8M0142100
15.25 x 22 Pitch LH
48-8M0121592
15.25 x 21.5 Pitch RH
48-8M0121591
15.25 x 21 Pitch RH
48-8M0142099
15.25 x 21 Pitch LH
48-8M0121590
15.25 x 20.5 Pitch RH
48-8M0121589
15.25 x 20 Pitch RH
48-8M0142098
15.25 x 20 Pitch LH
48-8M0126237
15.25 x 19.5" Pitch RH
48-8M0126236
15.25 x 19 Pitch RH
48-8M0142097
15.25 x 19 Pitch LH

BRAVO I XS PRO FINISHED

- The Pro Finished Bravo I XS features the same shorted barrel as the Bravo I FS, but has (8) PVS vent holes for optimal two stroke planing performance
- The four blades support staying on plane during slow switchback turns, great rough water handling and excellent mid-range acceleration
- Applications include lightweight to heavy walleye, bass, flats and some ultra-high speed bass boats
- 150 to 300 hp two stroke outboards
- PVS large vent hole fittings included.
- Hub kit sold separately; 835257K6 or 835258K2 for 1 inch propshaft or for 1.25 inch propshaft use 840389K06 or 840389Q06.

BRAVO I XS PROPELLER



48-8M0100109
15.25 x 31.5 Pitch RH
48-831918L80
15.25 x 31 Pitch RH
48-8M0111151
15.25 x 30.5 Pitch RH
48-831918L60
15.25 x 30 Pitch RH
48-8M0100107
15.25 x 29.5 Pitch RH
48-831916L80
15.25 x 29 Pitch RH

MERCURY RACING PROPELLER TYPE

MERCURY RACING PROPELLER TYPE

48-8M0111150
15.25 x 28.5 Pitch RH
48-831916L60
15.25 x 28 Pitch RH
48-8M0100106
15.25 x 27.5 Pitch RH
48-831914L80
15.25 x 27 Pitch RH
48-8M0111149
15.25 x 26.5 Pitch RH
48-831914L60
15.25 x 26 Pitch RH
48-8M0100105
15.25 x 25.5 Pitch RH
48-831912L80
15.25 x 25 Pitch RH
48-8M0111148
15.25 x 24.5 Pitch RH
48-831912L60
15.25 x 24 Pitch RH
48-8M0100104
15.25 x 23.5 Pitch RH
48-831910L80
15.25 x 23 Pitch RH
48-8M0111147
15.25 x 22.5 Pitch RH
48-831910L60
15.25 x 22 Pitch RH

BRAVO I XC PRO FINISHED

- The Pro Finished Bravo I XC is designed for shallow water running, requiring quick planing and durable trailing edges
- Equipped with PVS allowing exhaust adjustment for planing, extended barrel to support quick hole shot and extra trailing edge cup for greater durability
- At WOT the 20 inch pitch Bravo I XC should offer similar rpm to the standard 22 inch pitch Bravo I
- Hub kit sold separately, 835257K6 or 835258K2 for 1 inch or 840389K06 for 1.25 inch propshaft.

BRAVO I XC PROPELLER



48-8M0100112
15.3 x 24 Pitch RH
48-8M0100111
15.3 x 22 Pitch RH
48-8M0118470
15.3 x 21 Pitch RH
48-8M0100110
15.3 x 20 Pitch RH
48-8M0118468
15.3 x 19 Pitch RH

BRAVO I FS PRO FINISHED

- The Pro Finished Bravo I FS propeller is designed to improve ride quality, hole shot, and top end speed for a variety of applications. The 4 blades deliver unmatched time-to-plane performance, mid-range punch, and improved fuel economy
- 150-400 hp, 450R HD gear case outboard and up to 600 hp sterndrive applications.
- Applicable for medium to heavy outboard bass, flats, cat flats, bay boats, center consoles and sterndrive deck and vee bottom boats
- A majority of four stroke outboards and sterndrive applications will use the prop with all four vent holes plugged with solid PVS fittings. Larger heavier multiple engine applications may benefit by taking one or two fittings out for improved planing
- Eligible for Joy Stick Piloting outboards.
- Hub kit sold separately; 835258K2 for 1 inch and 840389K06 or 840389Q06 for 1.25 inch propshaft.

BRAVO I FS PROPELLER



48-8M0157788
15.25 x 37 Pitch RH
48-8M0157787
15.25 x 36 Pitch RH
48-8M0157786
15.25 x 35 Pitch RH
48-8M0157785
15.25 x 34 Pitch RH
48-8M0104419
15.25 x 33 Pitch RH
48-8M0104420
15.25 x 33 Pitch LH
48-8M0104417
15.25 x 32 Pitch RH
48-8M0104418
15.25 x 32 Pitch LH
48-8M0064477
15.25 x 31 Pitch RH
48-8M0071097
15.25 x 31 Pitch LH
48-8M0064476
15.25 x 30 Pitch RH
48-8M0071096
15.25 x 30 Pitch LH
48-8M0064475
15.25 x 29 Pitch RH
48-8M0071095
15.25 x 29 Pitch LH
48-8M0128335
15.25 x 28.5 Pitch RH
48-8M0064473
15.25 x 28 Pitch RH
48-8M0071094
15.25 x 28 Pitch LH
48-8M0064472
15.25 x 27 Pitch RH
48-8M0071093
15.25 x 27 Pitch LH

48-8M0128334
15.25 x 26.5 Pitch RH
48-8M0064471
15.25 x 26 Pitch RH
48-8M0071092
15.25 x 26 Pitch LH
48-8M0129397
15.25 x 25.5 Pitch RH
48-8M0064470
15.25 x 25 Pitch RH
48-8M0071091
15.25 x 25 Pitch LH
48-8M0128333
15.25 x 24.5 Pitch RH
48-8M0064469
15.25 x 24 Pitch RH
48-8M0071090
15.25 x 24 Pitch LH
48-8M0152624
15.25 x 23.5 Pitch RH
48-8M0064468
15.25 x 23 Pitch RH
48-8M0071089
15.25 x 23 Pitch LH
48-8M0128332
15.25 x 22.5 Pitch RH
48-8M0064450
15.25 x 22 Pitch RH
48-8M0071088
15.25 x 22 Pitch LH
48-8M0118471
15.25 x 21.5 Pitch RH
48-8M0090455
15.25 x 21 Pitch RH
48-8M0090457
15.25 x 21 Pitch LH
48-8M0118469
15.25 x 20.5 Pitch RH
48-8M0090451
15.25 x 20 Pitch RH
48-8M0090453
15.25 x 20 Pitch LH

REVOLUTION 4 XP

- The Pro Finished Mercury Racing Revolution 4 XP is offered in half pitch increments designed to fine tune the engines RPM maximizing performance
- Applicable for Center Console, Bay and work boats
- 150 to 400 hp and 450R HD gear case outboards only, sterndrive up to 600 hp
- Eligible for Joy Stick Piloting outboards
- Hub kit sold separately; 835258K2 for 1 inch and 840389K06 or 840389Q06 for 1.25 inch propshaft

REVOLUTION 4 XP



48-8M0173918
15.00 x 26 Pitch RH
48-8M0173925
15.00 x 27.5 Pitch LH
48-8M0173924
15.00 x 27.5 Pitch RH
48-8M0173923
15.00 x 27 Pitch LH
48-8M0173922
15.00 x 27 Pitch RH
48-8M0173921
15.00 x 26.5 Pitch LH
48-8M0173920
15.00 x 26.5 Pitch RH
48-8M0173919
15.00 x 26 Pitch LH
48-8M0173918
15.00 x 26 Pitch RH

REVOLUTION 4 XP



48-8M0113959
14.6 x 25.5 Pitch LH
48-8M0113958
14.6 x 25.5 Pitch RH
48-8M0113957
14.6 x 25 Pitch LH
48-8M0113956
14.6 x 25 Pitch RH
48-8M0113955
14.6 x 24.5 Pitch LH
48-8M0113954
14.6 x 24.5 Pitch RH
48-8M0113953
14.6 x 24 Pitch LH

MERCURY RACING PROPELLER TYPE

MERCURY RACING PROPELLER TYPE

48-8M0113952
14.6 x 24 Pitch RH
48-8M0113951
14.6 x 23.5 Pitch LH
48-8M0113950
14.6 x 23.5 Pitch RH
48-8M0113949
14.6 x 23 Pitch LH
48-8M0113948
14.6 x 23 Pitch RH
48-8M0113947
14.6 x 22.5 Pitch LH
48-8M0113946
14.6 x 22.5 Pitch RH
48-8M0113945
14.6 x 22 Pitch LH
48-8M0113944
14.6 x 22 Pitch RH
48-8M0113943
14.6 x 21.5 Pitch LH
48-8M0113942
14.6 x 21.5 Pitch RH
48-8M0113941
14.6 x 21 Pitch LH
48-8M0113940
14.6 x 21 Pitch RH
48-8M0113939
14.6 x 20.5 Pitch LH
48-8M0113938
14.6 x 20.5 Pitch RH
48-8M0113937
14.6 x 20 Pitch LH
48-8M0113936
14.6 x 20 Pitch RH
48-8M0113935
14.6 x 19.5 Pitch LH
48-8M0113934
14.6 x 19.5 Pitch RH
48-8M0113933
14.6 x 19 Pitch LH
48-8M0113932
14.6 x 19 Pitch RH
48-8M0113931
14.6 x 18.5 Pitch LH
48-8M0113930
14.6 x 18.5 Pitch RH
48-8M0113929
14.6 x 18 Pitch LH
48-8M0113928
14.6 x 18 Pitch RH
48-8M0142117
14.6 x 17 Pitch LH
48-8M0142118
14.6 x 17 Pitch RH
48-8M0142115
14.6 x 16 Pitch LH
48-8M0142116
14.6 x 16 Pitch RH
48-8M0142113
14.6 x 15 Pitch LH
48-8M0142114
14.6 x 15 Pitch RH
48-8M0142111
14.6 x 14 Pitch LH
48-8M0142112
14.6 x 14 Pitch RH

48-8M0142110
14.6 x 13 Pitch RH

ENERTIA ECO XP

- The Enertia ECO XP is offered in one half pitch increments for extreme precision to dial in your outboard engines rpm maximizing performance and fuel economy at cruising speeds
- Ideal for long distance running center consoles, the Enertia ECO XP's large diameter and high progressive rake provide additional bow lift reducing boat drag
- Benefits include 10 percent fuel gains, durable X7 stainless steel alloy and eligible for Joy Stick Piloting outboards
- 200 to 400 hp, and 450R HD gear case outboard only
- Hub kit sold separately; 835258K2 for 1 inch and 840389K06 or 840389Q06 for 1.25 inch propshaft



ENERTIA ECO XP PROPELLER



48-8M0108357
16 x 22.5 Pitch LH
48-8M0108354
16 x 22.5 Pitch RH
48-8M0119057
16 x 21.5 Pitch LH
48-8M0119058
16 x 21.5 Pitch RH
48-8M0108353
16 x 20.5 Pitch LH
48-8M0108352
16 x 20.5 Pitch RH
48-8M0119055
16 x 19.5 Pitch LH
48-8M0119056
16 x 19.5 Pitch RH
48-8M0108351
16 x 18.5 Pitch LH
48-8M0108350
16 x 18.5 Pitch RH
48-8M0119053
16 x 17.5 Pitch LH
48-8M0119052
16 x 17.5 Pitch RH
48-8M0110303
16 x 16.5 Pitch LH
48-8M0110304
16 x 16.5 Pitch RH

REVOLUTION 4 LAB FINISHED

- The Lab Finished Revolution 4 is designed to increase speed for lightweight Center Console boats
- 150 to 400 hp and 450R HD gear case outboard, up to 600 hp sterndrive
- Eligible for Joy Stick Piloting outboards. Expect to gain 300 rpm over the stock Rev 4
- Hub kit sold separately; 835258K2 for 1 inch and 840389K06 or 840389Q06 for 1.25 inch propshaft.

REVOLUTION 4 LAB FINISH



- 48-8M0173947**
15.00 x 27.5 Pitch
- 48-8M0173946**
15.00 x 27.5 Pitch RH
- 48-8M0173945**
15.00 x 27 Pitch LH
- 48-8M0173944**
15.00 x 27 Pitch RH
- 48-8M0173943**
15.00 x 26.5 Pitch LH
- 48-8M0173942**
15.00 x 26.5 Pitch RH
- 48-8M0173941**
15.00 x 26 Pitch LH
- 48-8M0173940**
15.00 x 26 Pitch RH

REVOLUTION 4 LAB FINISH PROPELLER



- 48-857032L55**
14.6 x 25 Pitch RH SS Polished Lab Finished
- 48-857033L55**
14.6 x 25 Pitch LH SS Polished Lab Finished
- 48-8M0106544**
14.6 x 24 Pitch RH SS Polished Lab Finished
- 48-8M0106543**
14.6 x 24 Pitch LH SS Polished Lab Finished
- 48-857030L55**
14.6 x 23 Pitch RH SS Polished Lab Finished
- 48-857031L55**
14.6 x 23 Pitch LH SS Polished Lab Finished
- 48-8M0106546**
14.6 x 22 Pitch RH SS Polished Lab Finished
- 48-8M0106545**
14.6 x 22 Pitch LH SS Polished Lab Finished

- 48-857028L55**
14.6 x 21 Pitch RH SS Polished Lab Finished
- 48-857029L55**
14.6 x 21 Pitch LH SS Polished Lab Finished
- 48-8M0106548**
14.6 x 20 Pitch RH SS Polished Lab Finished
- 48-8M0106547**
14.6 x 20 Pitch LH SS Polished Lab Finished
- 48-857026L55**
14.6 x 19 Pitch RH SS Polished Lab Finished
- 48-857027L55**
14.6 x 19 Pitch LH SS Polished Lab Finished

REVOLUTION 4 SATIN LAB FINISHED

- The Satin Lab Finished Revolution 4 is designed to increase speed for lightweight Center Console boats
- 150 to 400 hp and 450R HD gear case outboard, up to 600 hp sterndrive
- The Satin Finish offers very crisp leading and trailing edges
- Hub kit sold separately; 835258K2 for 1 inch and 840389K06 or 840389Q06 for 1.25 inch propshaft.

REVOLUTION 4 SATIN LAB FINISH PROPELLER



- 48-8M0162876**
14.6 x 23 Pitch RH SS Satin Lab Finished
- 48-8M0162875**
14.6 x 23 Pitch LH SS Satin Lab Finished
- 48-8M0162878**
14.6 x 24 Pitch RH SS Satin Lab Finished
- 48-8M0162877**
14.6 x 24 Pitch LH SS Satin Lab Finished
- 48-8M0162880**
14.6 x 24.5 Pitch RH SS Satin Lab Finished
- 48-8M0162879**
14.6 x 24.5 Pitch LH SS Satin Lab Finished
- 48-8M0162882**
14.6 x 25 Pitch RH SS Satin Lab Finished
- 48-8M0162881**
14.6 x 25 Pitch LH SS Satin Lab Finished
- 48-8M0162884**
14.6 x 25.5 Pitch RH SS Satin Lab Finished
- 48-8M0162883**
14.6 x 25.5 Pitch LH SS Satin Lab Finished

MERCURY RACING PROPELLER TYPE

REVOLUTION 4 LAB SATIN FINISH



- 48-8M0173948**
15.00 x 26 Pitch RH
- 48-8M0173949**
15.00 x 26 Pitch LH
- 48-8M0173950**
15.00 x 26.5 Pitch RH
- 48-8M0173951**
15.00 x 26.5 Pitch LH
- 48-8M0173952**
15.00 x 27 Pitch RH
- 48-8M0173953**
15.00 x 27 Pitch LH
- 48-8M0173954**
15.00 x 27.5 Pitch RH
- 48-8M0173955**
15.00 x 27 Pitch LH

BRAVO I OC LAB FINISHED

- The Lab Finished Bravo I OC propeller is designed for Outboard Catamarans equipped with Sport Master gearcase or single outboard high speed boats
- The four blades with (8) PVS vent holes offer excellent planing, great handling, awesome mid-range acceleration and the tuned shortened exhaust tube provides bow and minimal stern lift for awesome top end speed
- 150 to 400 hp outboard only
- Hub kit sold separately, 840389K06 for 1.25 inch propshaft.

BRAVO I OC PROPELLER



- 48-8M0092012**
14.75 x 33 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0092013**
14.75 x 33 Pitch LH SS 4 BL Polished Lab Finished
- 48-8M0092010**
14.75 x 32 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0092011**
14.75 x 32 Pitch LH SS 4 BL Polished Lab Finished
- 48-8M0092008**
14.75 x 31 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0092009**
14.75 x 31 Pitch LH SS 4 BL Polished Lab Finished
- 48-8M0092006**
14.75 x 30 Pitch RH SS 4 BL Polished Lab Finished

- 48-8M0092007**
14.75 x 30 Pitch LH SS 4 BL Polished Lab Finished
- 48-8M0092004**
14.75 x 29 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0092005**
14.75 x 29 Pitch LH SS 4 BL Polished Lab Finished
- 48-8M0092002**
14.75 x 28 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0092003**
14.75 x 28 Pitch LH SS 4 BL Polished Lab Finished
- 48-8M0129149**
14.75 x 27 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0129148**
14.75 x 26.5 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0129147**
14.75 x 26 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0144046**
14.75 x 25.5 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0144044**
14.75 x 24.5 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0144042**
14.75 x 23.5 Pitch RH SS 4 BL Polished Lab Finished
- 48-8M0144040**
14.75 x 22.5 Pitch RH SS 4 BL Polished Lab Finished

BRAVO I LAB FINISHED

- The Lab Finished Bravo I propellers are designed for high-performance catamarans, vee bottoms, both outboard and sterndrive
- Excellent top speeds, great handling, good mid-range speeds and great planing performance
- 250 to 400 hp and 450R HD gear case only, sterndrive up to 600 hp four stroke outboard and Bravo I, Sport and Sport Master sterndrive applications
- Hub kits sold separately, 835258K2 for 1 inch and 840389K06 for 1.25 inch propshaft

BRAVO I LAB FINISHED PROPELLER



- 48-831919L45**
15.25 X 33 Pitch LH SS Polished Lab Finished
- 48-831920L45**
15.25 X 33 Pitch RH SS Polished Lab Finished
- 48-831919L65**
15.25 X 32 Pitch LH SS Polished Lab Finished
- 48-831920L65**
15.25 X 32 Pitch RH SS Polished Lab Finished
- 48-831917L45**
15.25 X 31 Pitch LH SS Polished Lab Finished
- 48-831918L45**
15.25 X 31 Pitch RH SS Polished Lab Finished
- 48-831917L65**
15.25 X 30 Pitch LH SS Polished Lab Finished
- 48-831918L65**
15.25 X 30 Pitch RH SS Polished Lab Finished
- 48-831915L45**
15.25 X 29 Pitch LH SS Polished Lab Finished

48-831916L45
15.25 X 29 Pitch RH SS Polished Lab Finished
48-831915L65
15.25 X 28 Pitch LH SS Polished Lab Finished
48-831916L65
15.25 X 28 Pitch RH SS Polished Lab Finished
48-831913L45
15.25 X 27 Pitch LH SS Polished Lab Finished
48-831914L45
15.25 X 27 Pitch RH SS Polished Lab Finished
48-831913L65
15.25 X 26 Pitch LH SS Polished Lab Finished
48-831914L65
15.25 X 26 Pitch RH SS Polished Lab Finished
48-831911L45
15.25 x 25 Pitch LH SS Polished Lab Finished
48-831912L45
15.25 x 25 Pitch RH SS Polished Lab Finished
48-831911L65
15.25 X 24 Pitch LH SS Polished Lab Finished
48-831912L65
15.25 X 24 Pitch RH SS Polished Lab Finished
48-8M0073457
15.25 X 23 Pitch LH, SS Polished Lab Finished
48-8M0073456
15.25 X 23 Pitch RH SS Polished Lab Finished
48-831909L65
15.25 X 22 Pitch LH SS Polished Lab Finished
48-831910L65
15.25 X 22 Pitch RH SS Polished Lab Finished

MAX 5 LAB FINISHED

- The Lab Finished MAX 5 is designed for high performance Outboard Center Console and Cats with elevated engine heights
- Also applicable for high performance Vee Bottom, Sterndrive Sport Deck, Cats and Modified Cats with top speeds over 80 mph
- Available in either 15.00 or 15.25 diameter, the Max 5 holds more water and offers less slip than it's 4 blade counterparts
- 250 to 450 hp outboards, and up to 600 hp sterndrive
- For the 1.25 inch prop shaft use 840389K06 HD Hub kit and for 1 inch prop shaft use hub kit 835258K2

MAX 5 PROPELLER



48-8M0118017
15 x 34 Pitch LH, SS Polished LAB
48-8M0118016
15 x 34 Pitch RH, SS Polished LAB
48-8M0118015
15 x 33.5 Pitch LH, SS Polished LAB
48-8M0118014
15 x 33.5 Pitch RH, SS Polished LAB
48-8M0118013
15 x 33 Polished LH, SS Polished LAB
48-8M0118012
15 x 33 Pitch RH, SS Polished LAB

48-8M0131167
15 x 32.8 Pitch LH, SS Polished LAB
48-8M0131166
15 x 32.8 RH, SS Polished LAB
48-8M0131165
15 x 32.3 Pitch LH, SS Polished LAB
48-8M0131164
15 x 32.3 Pitch RH, SS Polished LAB
48-8M0118011
15 x 32 Pitch LH, SS Polished LAB
48-8M0118010
15 x 32 Pitch RH, SS Polished LAB
48-8M0118009
15 x 31.5 Pitch LH, SS Polished LAB
48-8M0118008
15 x 31.5 Pitch RH, SS Polished LAB
48-8M0118007
15 x 31 Pitch LH, SS Polished LAB
48-8M0118006
15 x 31 Pitch RH, SS Polished LAB
48-8M0131163
15 x 30.8 Pitch LH, SS Polished LAB
48-8M0131162
15 x 30.8 Pitch RH SS Polished LAB
48-8M0131161
15 x 30.3 Pitch LH SS Polished LAB
48-8M0131160
15 x 30.3 Pitch RH SS Polished LAB
48-8M0118005
15 x 30 Pitch LH, SS Polished LAB
48-8M0118004
15 x 30 Pitch RH, SS Polished LAB
48-8M0118003
15 x 29.5 Pitch LH, SS Polished LAB
48-8M0118002
15 x 29.5 Pitch RH, SS Polished LAB
48-8M0118001
15 x 29 Pitch LH, SS Polished LAB
48-8M0118000
15 x 29 Pitch RH, SS Polished LAB
48-8M0131159
15 x 28.8 Pitch LH SS Polished LAB
48-8M0131158
15 x 28.8 Pitch RH SS Polished LAB
48-8M0131157
15 x 28.3 Pitch LH SS Polished LAB
48-8M0131156
15 x 28.3 Pitch RH SS Polished LAB
48-8M0117999
15 x 28 Pitch LH, SS Polished LAB
48-8M0117998
15 x 28 Pitch RH, SS Polished LAB
48-8M0117997
15 x 27.5 Pitch LH, SS Polished LAB
48-8M0117996
15 x 27.5 Pitch RH, SS Polished LAB
48-8M0117995
15 x 27 Pitch LH, SS Polished LAB
48-8M0117994
15 x 27 Pitch RH, SS Polished LAB
48-8M0131155
15 x 26.8 Pitch LH SS Polished LAB
48-8M0131154
15 x 26.8 Pitch RH SS Polished LAB
48-8M0131153
15 x 26.3 Pitch LH SS Polished LAB

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY RACING PROPELLER TYPE

MERCURY RACING PROPELLER TYPE

48-8M0131152
15 x 26.3 Pitch RH SS Polished LAB
48-8M0117993
15 x 26 Pitch LH, SS Polished LAB
48-8M0117992
15 x 26 Pitch RH, SS Polished LAB
48-8M0117991
15 x 25.5 Pitch LH, SS Polished LAB
48-8M0117990
15 x 25.5 Pitch RH, SS Polished LAB
48-8M0117989
15 x 25 Pitch LH, SS Polished LAB
48-8M0117988
15 x 25 Pitch RH, SS Polished LAB
48-8M0131151
15 x 24.8 Pitch LH SS Polished LAB
48-8M0131150
15 x 24.8 Pitch RH SS Polished LAB
48-8M0131149
15 x 24.3 Pitch LH SS Polished LAB
48-8M0131148
15 x 24.3 Pitch RH SS Polished LAB
48-8M0117987
15 x 24 Pitch LH, SS Polished LAB
48-8M0117986
15 x 24 Pitch RH, SS Polished LAB
48-8M0117985
15 x 23.5 Pitch LH, SS Polished LAB
48-8M0117984
15 x 23.5 Pitch RH, SS Polished LAB
48-8M0117983
15 x 23 Polished LH, SS Polished LAB
48-8M0117982
15 x 23 Pitch RH, SS Polished LAB
48-8M0131147
15 x 22.8 Pitch LH SS Polished LAB
48-8M0131146
15 x 22.8 Pitch RH SS Polished LAB
48-8M0131145
15 x 22.3 Pitch LH SS Polished LAB
48-8M0131144
15 x 22.3 Pitch RH SS Polished LAB
48-8M0156434
15.25 x 22.5 Pitch RH SS Polished LAB
48-8M0156436
15.25 x 23 Pitch RH SS Polished LAB
48-8M0156438
15.25 x 23.5 Pitch RH SS Polished LAB
48-8M0156440
15.25 x 24 Pitch RH SS Polished LAB
48-8M0156435
15.25 x 22.5 Pitch LH SS Polished LAB
48-8M0156437
15.25 x 23 Pitch LH SS Polished LAB
48-8M0156439
15.25 x 23.5 Pitch LH SS Polished LAB
48-8M0156441
15.25 x 24 Pitch LH SS Polished LAB
48-8M0156444
15.25 x 24.5 Pitch RH SS Polished LAB
48-8M0156446
15.25 x 25 RH SS Polished LAB
48-8M0156448
15.25 x 25.5 RH SS Polished LAB
48-8M0156450
15.25 x 26 Pitch RH SS Polished LAB

48-8M0156445
15.25 x 24.5 Pitch LH SS Polished LAB
48-8M0156447
15.25 x 25 Pitch LH SS Polished LAB
48-8M0156449
15.25 x 25.5 Pitch LH SS Polished LAB
48-8M0156451
15.25 x 26 Pitch LH SS Polished LAB
48-8M0156454
15.25 x 26.5 Pitch RH SS Polished LAB
48-8M0156456
15.25 x 27 Pitch RH SS Polished LAB
48-8M0156458
15.25 x 27.5 Pitch RH SS Polished LAB
48-8M0156460
15.25 x 28 Pitch RH SS Polished LAB
48-8M0156455
15.25 x 26.5 Pitch LH SS Polished LAB
48-8M0156457
15.25 x 27 Pitch LH SS Polished LAB
48-8M0156459
15.25 x 27.5 Pitch LH SS Polished LAB
48-8M0156461
15.25 x 28 Pitch LH SS Polished LAB
48-8M0156464
15.25 x 28.5 Pitch RH SS Polished LAB
48-8M0156466
15.25 x 29 Pitch RH SS Polished LAB
48-8M0156468
15.25 x 29.5 Pitch RH SS Polished LAB
48-8M0156470
15.25 x 30 Pitch RH SS Polished LAB
48-8M0156465
15.25 x 28.5 Pitch LH SS Polished LAB
48-8M0156467
15.25 x 29 Pitch LH SS Polished LAB
48-8M0156469
15.25 x 29.5 Pitch LH SS Polished LAB
48-8M0156471
15.25 x 30 Pitch LH SS Polished LAB
48-8M0156474
15.25 x 30.5 Pitch RH SS Polished LAB
48-8M0156476
15.25 x 31 Pitch RH Polished LAB
48-8M0156478
15.25 x 31.5 Pitch RH SS Polished LAB
48-8M0156480
15.25 x 32 Pitch RH SS Polished LAB
48-8M0156475
15.25 x 30.5 Pitch LH SS Polished LAB
48-8M0156477
15.25 x 31 Pitch LH SS Polished LAB
48-8M0156479
15.25 x 31.5 Pitch LH SS Polished LAB
48-8M0156481
15.25 x 32 Pitch LH SS Polished LAB
48-8M0156484
15.25 x 32.5 Pitch RH SS Polished LAB
48-8M0156486
15.25 x 33 Pitch RH SS Polished LAB
48-8M0156488
15.25 x 33.5 Pitch RH SS Polished LAB
48-8M0156490
15.25 x 34 Pitch RH SS Polished LAB
48-8M0156485
15.25 x 32.5 Pitch LH SS Polished LAB

48-8M0156487

15.25 x 33 Pitch LH SS Polished LAB

48-8M0156489

15.25 x 33.5 Pitch LH SS Polished LAB

48-8M0156491

15.25 x 34 Pitch LH SS Polished LAB

MAX 5 ST LAB FINISHED

- The Lab Finished MAX 5 ST is designed for high performance bass boats, center consoles and outboard catamarans with elevated engine heights
- The shortened exhaust barrel enhances performance of lightweight outboard boats by keeping the stern planted for a confidence-inspired ride, while the 15.25 inch diameter stays hooked up at extreme engine heights
- 250 to 450 hp outboard, up to 600 hp sterndrive
- For the 1.25 inch prop shaft use 840389K06 HD Hub kit and for 1 inch prop shaft use hub kit 835258K2.

MAX 5 ST PROPELLER



48-8M0156494

15.25 x 22.5 Pitch RH SS Lab Finished

48-8M0156496

15.25 x 23 Pitch RH SS Polished Lab Finished

48-8M0156498

15.25 x 23.5 Pitch RH SS Polished Lab Finished

48-8M0156500

15.25 x 24 Pitch RH SS Polished Lab Finished

48-8M0156495

15.25 x 22.5 Pitch LH SS Polished Lab Finished

48-8M0156497

15.25 x 23 Pitch LH SS Polished Lab Finished

48-8M0156499

15.25 x 23.5 Pitch LH SS Polished Lab Finished

48-8M0156501

15.25 x 24 Pitch LH SS Polished Lab Finished

48-8M0156504

15.25 x 24.5 Pitch RH SS Polished Lab Finished

48-8M0156506

15.25 x 25 Pitch RH SS Polished Lab Finished

48-8M0156508

15.25 x 25.5 Pitch RH SS Polished Lab Finished

48-8M0156510

15.25 x 26 Pitch RH SS Polished Lab Finished

48-8M0156505

15.25 x 24.5 Pitch LH SS Polished Lab Finished

48-8M0156507

15.25 x 25 Pitch LH SS Polished Lab Finished

48-8M0156509

15.25 x 25.5 Pitch LH SS Polished Lab Finished

48-8M0156511

15.25 x 26 Pitch LH SS Polished Lab Finished

48-8M0156514

15.25 x 26.5 Pitch RH SS Polished Lab Finished

48-8M0156516

15.25 x 27 Pitch RH SS Polished Lab Finished

48-8M0156518

15.25 x 27.5 Pitch RH SS Polished Lab Finished

48-8M0156520

15.25 x 28 Pitch RH SS Polished Lab Finished

48-8M0156515

15.25 x 26.5 Pitch LH SS Polished Lab Finished

48-8M0156517

15.25 x 27 Pitch LH SS Polished Lab Finished

48-8M0156519

15.25 x 27.5 Pitch LH SS Polished Lab Finished

48-8M0156521

15.25 x 28 Pitch LH SS Polished Lab Finished

48-8M0156524

15.25 x 28.5 Pitch RH SS Polished Lab Finished

48-8M0156526

15.25 x 29 Pitch RH SS Polished Lab Finished

48-8M0156528

15.25 x 29.5 Pitch RH SS Polished Lab Finished

48-8M0156530

15.25 x 30 Pitch RH SS Polished Lab Finished

48-8M0156525

15.25 x 28.5 Pitch LH SS Polished Lab Finished

48-8M0156527

15.25 x 29 Pitch LH SS Polished Lab Finished

48-8M0156529

15.25 x 29.5 Pitch LH SS Polished Lab Finished

48-8M0156531

15.25 x 30 Pitch LH SS Polished Lab Finished

48-8M0156534

15.25 x 30.5 Pitch RH SS Polished Lab Finished

48-8M0156536

15.25 x 31 Pitch RH SS Polished Lab Finished

48-8M0156538

15.25 x 31.5 Pitch RH SS Polished Lab Finished

48-8M0156540

15.25 x 32 Pitch RH SS Polished Lab Finished

48-8M0156535

15.25 x 30.5 Pitch LH SS Polished Lab Finished

48-8M0156537

15.25 x 31 Pitch LH SS Polished Lab Finished

48-8M0156539

15.25 x 31.5 Pitch LH SS Polished Lab Finished

48-8M0156541

15.25 x 32 Pitch LH SS Polished Lab Finished

48-8M0156544

15.25 x 32.5 Pitch RH SS Polished Lab Finished

48-8M0156546

15.25 x 33 Pitch RH SS Polished Lab Finished

48-8M0156548

15.25 x 33.5 Pitch RH SS Polished Lab Finished

48-8M0156550

15.25 x 34 Pitch RH SS Polished Lab Finished

48-8M0156545

15.25 x 32.5 Pitch LH SS Polished Lab Finished

48-8M0156547

15.25 x 33 Pitch LH SS Polished Lab Finished

48-8M0156549

15.25 x 33.5 Pitch LH SS Polished Lab Finished

48-8M0156551

15.25 x 34 Pitch LH SS Polished Lab Finished

MERCURY RACING PROPELLER TYPE

MAXIMUS LONG TUBE LAB FINISHED

- The Lab Finished Maximus propeller is designed to reduce propeller slip with high-performance, high gearcase drive height sterndrive applications
- Excellent top speeds, great handling, good mid-range speeds and eye popping planing performance for Deep Vee, Deep Step Vee and Deck boats
- 300 to 450 hp outboard, up to 600 hp sterndrive
- Barrel length is 8.5 inches, adds stern lift. Hub kits are sold separate, for 1.25 inch prop shaft use 840389K06 HD Hub kit. If using with 1 inch prop shaft use hub kit 835258K 2. If using full 1.5625 inch diameter with the XR Sport Master Shorty the anti-cavitation plate must be removed.

MAXIMUS LONG TUBE LAB FINISHED PROPELLER



- 48-889973L85**
15.63 X 35 Pitch LH, SS Lab Finished
- 48-889973L84**
15.3 X 35 Pitch LH, SS Lab Finished
- 48-889972L85**
15.63X 35 Pitch RH, SS Lab Finished
- 48-889972L84**
15.3 X 35 Pitch RH, SS Lab Finished
- 48-889973L65**
15.63 X 34 Pitch LH, SS Lab Finished
- 48-889973L64**
15.3 X 34 Pitch LH, SS Lab Finished
- 48-889973L63**
15 X 34 Pitch LH, SS Lab Finished
- 48-889972L65**
15.63 X 34 Pitch RH, SS Lab Finished
- 48-889972L64**
15.3 X 34 Pitch RH, SS Lab Finished
- 48-889972L63**
15 X 34 Pitch RH, SS Lab Finished
- 48-889973L45**
15.63 X 33 Pitch LH, SS Lab Finished
- 48-889973L44**
15.3 X 33 Pitch LH, SS Lab Finished
- 48-889972L45**
15.63 X 33 Pitch RH, SS Lab Finished
- 48-889972L44**
15.3 X 33 Pitch RH, SS Lab Finished
- 48-889971L65**
15.63 X 32 Pitch LH, SS Lab Finished
- 48-889971L64**
15.3 X 32 Pitch LH, SS Lab Finished
- 48-889971L63**
15 X 32 Pitch LH, SS Lab Finished
- 48-889970L65**
15.63 X 32 Pitch RH, SS Lab Finished
- 48-889970L64**
15.3 X 32 Pitch RH, SS Lab Finished
- 48-889970L63**
15 X 32 Pitch RH, SS Lab Finished

- 48-889971L45**
15.63 X 31 Pitch LH, SS Lab Finished
- 48-889971L44**
15.3 X 31 Pitch LH, SS Lab Finished
- 48-889970L45**
15.63 X 31 Pitch RH, SS Lab Finished
- 48-889970L44**
15.3 X 31 Pitch RH, SS Lab Finished
- 48-889969L65**
15.63 X 30 Pitch LH, SS Lab Finished
- 48-889969L64**
15.3 X 30 Pitch LH, SS Lab Finished
- 48-889969L63**
15 X 30 Pitch LH, SS Lab Finished
- 48-889968L65**
15.63 X 30 Pitch RH, SS Lab Finished
- 48-889968L64**
15.3 X 30 Pitch RH, SS Lab Finished
- 48-889968L63**
15 X 30 Pitch RH, SS Lab Finished
- 48-889969L45**
15.63 X 29 Pitch LH, SS Lab Finished
- 48-889969L44**
15.3 X 29 Pitch LH, SS Lab Finished
- 48-889968L45**
15.63 X 29 Pitch RH, SS Lab Finished
- 48-889968L44**
15.3 X 29 Pitch RH, SS Lab Finished
- 48-889967L65**
15.63 X 28 Pitch LH, SS Lab Finished
- 48-889967L64**
15.3 X 28 Pitch LH, SS Lab Finished
- 48-889967L63**
15 X 28 Pitch LH, SS Lab Finished
- 48-889966L65**
15.63 X 28 Pitch RH, SS Lab Finished
- 48-889966L64**
15.3 X 28 RH, SS Lab Finished
- 48-889966L63**
15 X 28 Pitch RH, SS Lab Finished
- 48-889967L45**
15.63 X 27 Pitch LH, SS Lab Finished
- 48-889967L44**
15.3 X 27 LH, SS Lab Finished
- 48-889966L45**
15.63 X 27 RH, SS Lab Finished
- 48-889966L44**
15.3 X 27 Pitch RH, SS 5 Lab Finished
- 48-889965L65**
15.63 X 26 Pitch LH, SS Lab Finished
- 48-889965L64**
15.3 X 26 Pitch LH, SS Lab Finished
- 48-889965L63**
15 X 26 Pitch LH, SS Lab Finished
- 48-889964L65**
15.63 X 26 Pitch RH, SS Lab Finished
- 48-889964L64**
15.3 X 26 Pitch RH, SS Lab Finished
- 48-889964L63**
15 X 26 Pitch RH, SS Lab Finished
- 48-889965L45**
15.63 X 25 Pitch LH, SS Lab Finished
- 48-889965L44**
15.3 X 25 Pitch LH, SS Lab Finished
- 48-889964L45**
15.63 X 25 Pitch RH, SS Lab Finished

48-889964L44
15.3 X 25 Pitch RH, SS Lab Finished
48-889975L65
15.63 X 24 Pitch LH, SS Lab Finished
48-889975L64
15.3 X 24 Pitch LH, SS Lab Finished
48-889975L63
15 X 24 Pitch LH, SS Lab Finished
48-889974L65
15.63 X 24 Pitch RH, SS Lab Finished
48-889974L64
15.3 X 24 Pitch RH, SS Lab Finished
48-889974L63
15 X 24 Pitch RH, SS Lab Finished
48-889975L45
15.63 X 23 Pitch LH, SS Lab Finished
48-889975L44
15.3 X 23 Pitch LH, SS Lab Finished
48-889974L45
15.63 X 23 Pitch RH, SS Lab Finished
48-889974L44
15.3 X 23 Pitch RH, SS Lab Finished

MAXIMUS SHORT TUBE LAB FINISHED

- The Lab Finished Maximus propeller is designed to reduce propeller slip for high-performance, high gearcase drive height sterndrive applications.
- Excellent top speeds, great handling, good mid-range speeds and eye popping planing performance for Vee, Step Vee, Cats and Deck boats
- 300 to 450 hp outboard, up to 600 hp sterndrive
- Barrel length is 7.875 inches reduces stern lift. Hub kits sold separate, for 1.25 inch prop shaft use 840389K06 HD Hub kit and for 1 inch prop shaft use hub kit 835258K 2. If using full 15.625 inch diameter with the XR Sport Master Shorty the anti-cavitation plate must be removed

MAXIMUS SHORT TUBE LAB FINISHED PROPELLER



48-889973L89
15.63 X 35 Pitch LH, SS Lab Finished
48-889973L88
15.3 X 35 Pitch LH, SS Lab Finished
48-889972L89
15.63 X 35 Pitch RH, SS Lab Finished
48-889972L88
15.3 X 35 Pitch RH, SS Lab Finished
48-889973L69
15.63 X 34 Pitch LH, SS Lab Finished
48-889973L68
15.3 X 34 Pitch LH, SS Lab Finished
48-889972L69
15.63 X 34 Pitch RH, SS Lab Finished
48-889972L68
15.3 X 34 Pitch RH, SS Lab Finished
48-889973L49
15.63 X 33 Pitch LH, SS Lab Finished

48-889973L48
15.3 X 33 Pitch LH, SS Lab Finished
48-889972L49
15.63 X 33 Pitch RH, SS Lab Finished
48-889972L48
15.3 X 33 Pitch RH, SS Lab Finished
48-889971L69
15.63 X 32 Pitch LH, SS Lab Finished
48-889971L68
15.3 X 32 Pitch LH, SS Lab Finished
48-889970L69
15.63 X 32 Pitch RH, SS Lab Finished
48-889970L68
15.3 X 32 Pitch RH, SS Lab Finished
48-889971L49
15.63 31 Pitch LH, SS Lab Finished
48-889971L48
15.25 X 31 LH, SS 5BL Lab Finished.
48-889970L49
15.63 X 31 Pitch RH, SS Lab Finished
48-889970L48
15.3 X 31 Pitch RH, SS Lab Finished
48-889969L69
15.63 X 30 Pitch LH, SS Lab Finished
48-889969L68
15.3 X 30 Pitch LH, SS Lab Finished
48-889968L69
15.63 X 30 RH, SS 5BL Lab Finished.
48-889968L68
15.3 X 30 RH, SS Lab Finished
48-889969L49
15.63 X 29 Pitch LH, SS Lab Finished
48-889969L48
15.3 X 29 Pitch LH, SS Lab Finished
48-889968L49
15.63 X 29 Pitch RH, SS Lab Finished
48-889968L48
15.3 X 29 Pitch RH, SS Lab Finished
48-889967L69
15.63 X 28 Pitch LH, SS Lab Finished
48-889967L68
15.3 X 28 Pitch LH, SS Lab Finished
48-889966L69
15.63 X 28 Pitch RH, SS Lab Finished
48-889966L68
15.3 X 28 Pitch RH, SS Lab Finished
48-889967L49
15.63 X 27 Pitch LH, SS Lab Finished
48-889967L48
15.3 X 27 Pitch LH, SS Lab Finished
48-889966L49
15.63 X 27 Pitch RH, SS Lab Finished
48-889966L48
15.3 X 27 Pitch RH, SS Lab Finished
48-889965L69
15.63 X 26 Pitch LH, SS Lab Finished
48-889965L68
15.3 X 26 Pitch LH, SS Lab Finished
48-889964L69
15.63 X 26 Pitch RH, SS Lab Finished
48-889964L68
15.3 X 26 Pitch RH, SS Lab Finished
48-889965L49
15.63 X 25 Pitch LH, SS Lab Finished
48-889965L48
15.3 X 25 LH, SS Lab Finished

MERCURY RACING PROPELLER TYPE

MERCURY RACING PROPELLER TYPE

48-889964L49

15.63 X 25 Pitch RH, SS Lab Finished

48-889964L48

15.3 X 25 RH, SS Lab Finished

48-889975L69

15.63 X 24 Pitch LH, SS Lab Finished

48-889975L68

15.3 X 24 Pitch LH, SS Lab Finished

48-889974L69

15.63 X 24 Pitch RH, SS Lab Finished

48-889974L68

15.25 X 24 Pitch RH, SS Lab Finished

48-889975L49

15.63 X 23 Pitch LH, SS Lab Finished

48-889975L48

15.25 X 23 Pitch LH, SS Lab Finished

48-889974L49

15.63 X 23 Pitch RH, SS Lab Finished

48-889974L48

15.25 X 23 Pitch RH, SS Lab Finished

BRAVO THREE XR PRO FINISHED

Designed for 250-520 horsepower gas and diesel powered sport cruisers and performance Bravo Three applications. A large diameter 4 blade forward propeller followed by a smaller diameter 3 blade aft propeller feature built in cup for incredible handling, improved fuel economy at cruise and boat control. Intended for the Bravo Three XR drive and can be used with the Bravo Three and Bravo Three X drives. The Pro Finish provides a performance leading edge, consistent cup heights, zero balanced for minimal vibration and durable high luster finish.

As a general rule the odd pitch numbered Bravo Three XR propellers run similar engine RPM to the next higher pitch even numbered Bravo Three propellers. For example, the Bravo Three XR 27 pitch matches the RPM of a Bravo Three 28 pitch with satin finish.

BRAVO THREE XR PRO FINISHED PROPELLER



48-842945L80

15.5 x 28 Pitch LH SS 4 BL High Gloss - Front

48-842946L80

14.5 x 28 Pitch RH, SS 3 BL High Gloss - Rear

48-8M0125747

15.5 x 27.5 Pitch LH, SS 4 BL High Polished - Forward

48-8M0125746

14.5 x 27.5 Pitch RH, SS 3 BL High Gloss - Rear

48-842945L70

15.5 x 27 Pitch LH, SS 4 BL High Gloss - Front

48-842946L70

14.5 x 27 Pitch RH, SS 3 BL High Gloss - Rear

48-842943L80

15.8 X 26 Pitch LH, SS 4 BL High Gloss - Front

48-842944L80

14.8 X 26 Pitch RH, SS 3 BL High Gloss - Rear

48-8M0125745

15.8 x 25.5 Pitch LH, SS 4 BL High Polished - Forward

48-8M0125744

14.8 x 25.5 Pitch RH, SS 3 BL High Gloss - Rear

48-842943L70

15.8 x 25 Pitch LH, SS 4 BL High Gloss - Front

48-842944L70

14.8 x 25 Pitch RH, SS 3 BL High Gloss - Rear

48-842941L80

16 X 24 Pitch LH, SS 4 BL High Gloss - Front

48-842942L80

15 X 24 Pitch RH, SS 3 BL High Gloss - Rear

48-8M0125743

16 x 23.5 Pitch LH, SS 4 BL High Gloss -Forward

48-8M0125742

15 x 23.5 Pitch RH, SS 3 BL High Gloss - Rear

48-842941L70

16 x 23 Pitch LH, SS 4 BL High Gloss - Front

48-842942L70

15 x 23 Pitch RH, SS 3 BL High Gloss - Rear

48-8M0073458

16 x 22 Pitch LH SS 4 BL High Gloss - Front

48-8M0073459

15 x 22 Pitch RH SS 3 BL High Gloss - Rear

48-8M0125741

16 x 21.5 Pitch LH, SS 4 BL High Gloss - Forward

48-8M0125740

15 x 21.5 Pitch RH, SS 3 BL High Gloss - Rear

48-842939L70

16 x 21 Pitch LH SS 4 BL High Gloss - Front

48-842940L70

15 x 21 Pitch RH SS 3 BL High Gloss - Rear

48-8M0125739

16 x 20 Pitch LH, SS 4 BL High Gloss - Forward

48-8M0125738

15 x 20 Pitch RH, SS 3 BL High Gloss - Rear

CNC OUTBOARD CLEAVER 400 HP 15 DEGREE RAKE

- The Lab Finished CNC Outboard Cleaver is designed to be the most efficient propeller for high speed applications
- As opposed to a standard propeller, the CNC machining process offers superior precision and replicability for all dimensions of the propeller
- 15 degree rake is applicable for lightweight or air entrapment hulls that do not require additional bow lift
- Broched splines for 1.25 inch prop shaft, designed for 300R and 400R outboard
- Additional dimensions are available for custom order

LAB FINISHED OUTBOARD CNC CLEAVER



48-8M0140855

15.00 x 32 Pitch LH 15 Rake

48-8M0140854

15.00 x 32 Pitch RH 15 Rake

48-8M0147733

15.25 x 32 Pitch LH 15 Rake

48-8M0147732
15.25 x 32 Pitch RH 15 Rake
48-8M0140247
15.00 x 33 Pitch LH 15 Rake
48-8M0140248
15.00 x 33 Pitch RH 15 Rake
48-8M0148161
15.25 x 33 Pitch LH 15 Rake
48-8M0148162
15.25 x 33 Pitch RH 15 Rake
48-8M0139055
15.00 x 34 Pitch LH 15 Rake
48-8M0139056
15.00 x 34 Pitch RH 15 Rake
48-8M0148163
15.25 x 34 Pitch LH 15 Rake
48-8M0148164
15.25 x 34 Pitch RH 15 Rake

CNC OUTBOARD CLEAVER 500 HP 15 DEGREE RAKE

- The Lab Finished CNC Outboard Cleaver is designed to be the most efficient propeller for high speed applications
- As opposed to a standard propeller, the CNC machining process offers superior precision and replicability for all dimensions of the propeller
- 15 degree rake is applicable for lightweight or air entrapment hulls that do not require additional bow lift
- Broched splines for 1.25 inch prop shaft, designed for 450R outboard
- Additional dimensions are available for custom order

LAB FINISHED OUTBOARD CNC CLEAVER



48-8M0159882
14.75 x 26 Pitch RH 15 Rake
48-8M0159883
14.75 x 26 Pitch LH 15 Rake
48-8M0154968
15.00 x 26 Pitch RH 15 Rake
48-8M0154967
15.00 x 26 Pitch LH 15 Rake
48-8M0159954
15.25 x 26 Pitch RH 15 Rake
48-8M0159953
15.25 x 26 Pitch LH 15 Rake
48-8M0160054
14.75 x 27 Pitch RH 15 Rake
48-8M0160053
14.75 x 27 Pitch LH 15 Rake
48-8M0160056
15.00 x 27 Pitch RH 15 Rake
48-8M0160055
15.00 x 27 Pitch LH 15 Rake
48-8M0160058
15.25 x 27 Pitch RH 15 Rake
48-8M0160057
15.25 x 27 Pitch LH 15 Rake

48-8M0160128
14.75 x 28 Pitch RH 15 Rake
48-8M0160127
14.75 x 28 Pitch LH 15 Rake
48-8M0160130
15.00 x 28 Pitch RH 15 Rake
48-8M0160129
15.00 x 28 Pitch LH 15 Rake
48-8M0160132
15.25 x 28 Pitch RH 15 Rake
48-8M0160131
15.25 x 28 Pitch LH 15 Rake
48-8M0160538
14.75 x 29 Pitch RH 15 Rake
48-8M0160539
14.75 x 29 Pitch LH 15 Rake
48-8M0160540
15.00 x 29 Pitch RH 15 Rake
48-8M0160541
15.00 x 29 Pitch LH 15 Rake
48-8M0160542
15.25 x 29 Pitch RH 15 Rake
48-8M0160543
15.25 x 29 Pitch LH 15 Rake
48-8M0160590
14.75 x 30 Pitch RH 15 Rake
48-8M0160589
14.75 x 30 Pitch LH 15 Rake
48-8M0160592
15.00 x 30 Pitch RH 15 Rake
48-8M0160591
15.00 x 30 Pitch LH 15 Rake
48-8M0160594
15.25 x 30 Pitch RH 15 Rake
48-8M0160593
15.25 x 30 Pitch LH 15 Rake
48-8M0160660
14.75 x 31 Pitch RH 15 Rake
48-8M0160659
14.75 x 31 Pitch LH 15 Rake
48-8M0155582
15.00 x 31 Pitch RH 15 Rake
48-8M0155583
15.00 x 31 Pitch LH 15 Rake
48-8M0160662
15.25 x 31 Pitch RH 15 Rake
48-8M0160661
15.25 x 31 Pitch LH 15 Rake
48-8M0160752
14.75 x 32 Pitch RH 15 Rake
48-8M0160751
14.75 x 32 Pitch LH 15 Rake
48-8M0155574
15.00 x 32 Pitch RH 15 Rake
48-8M0155573
15.00 x 32 Pitch LH 15 Rake
48-8M0160120
15.25 x 32 Pitch RH 15 Rake
48-8M0160121
15.25 x 32 Pitch LH 15 Rake
48-8M0160850
14.75 x 33 Pitch RH 15 Rake
48-8M0160851
14.75 x 33 Pitch LH 15 Rake
48-8M0155576
15.00 x 33 Pitch RH 15 Rake

MERCURY RACING PROPELLER TYPE

MERCURY RACING PROPELLER TYPE

48-8M0155575
15.00 x 33 Pitch LH 15 Rake
48-8M0160122
15.25 x 32 Pitch RH 15 Rake
48-8M0160123
15.25 x 33 Pitch LH 15 Rake
48-8M0160856
14.75 x 34 Pitch RH 15 Rake
48-8M0160857
14.75 x 34 Pitch LH 15 Rake
48-8M0160858
15.00 x 34 Pitch RH 15 Rake
48-8M0160859
15.00 x 34 Pitch LH 15 Rake
48-8M0160860
15.25 x 24 Pitch RH 15 Rake
48-8M0160861
15.25 x 34 Pitch LH 15 Rake
48-8M0155384
14.75 x 35 Pitch RH 15 Rake
48-8M0155383
14.75 x 35 Pitch LH 15 Rake
48-8M0156788
15.00 x 35 Pitch RH 15 Rake
48-8M0156787
15.00 x 35 Pitch LH 15 Rake
48-8M0160826
15.25 x 35 Pitch RH 15 Rake
48-8M0160827
15.25 x 36 Pitch LH 15 Rake
48-8M0155386
14.75 x 36 Pitch RH 15 Rake

LAB FINISHED CNC OUTBOARD CLEAVER

48-8M0155385
14.75 x 36 Pitch LH 15 Rake

LAB FINISHED OUTBOARD CNC CLEAVER

48-8M0159892
15.00 x 36 Pitch RH 15 Rake
48-8M0159893
15.00 x 36 Pitch LH 15 Rake
48-8M0159972
15.25 x 36 Pitch RH 15 Rake
48-8M0159973
15.25 x 36 Pitch LH 15 Rake
48-8M0157712
14.75 x 37 Pitch RH 15 Rake
48-8M0157711
14.75 x 37 Pitch LH 15 Rake
48-8M0160038
15.00 x 37 Pitch RH 15 Rake
48-8M0160037
15.00 x 37 Pitch LH 15 Rake
48-8M0160040
15.25 x 37 Pitch RH 15 Rake
48-8M0160039
15.25 x 37 Pitch LH 15 Rake
48-8M0163488
14.75 x 38 Pitch RH 15 Rake
48-8M0163489
14.75 x 38 Pitch LH 15 Rake
48-8M0163490
15.00 x 38 Pitch RH 15 Rake
48-8M0163491
15.00 x 38 Pitch LH 15 Rake

48-8M0163492
15.25 x 38 Pitch RH 15 Rake
48-8M0163493
15.25 x 38 Pitch LH 15 Rake
48-8M0163514
14.75 x 39 Pitch RH 15 Rake
48-8M0163513
14.75 x 39 Pitch LH 15 Rake
48-8M0163516
15.00 x 39 Pitch RH 15 Rake
48-8M0163515
15.00 x 39 Pitch LH 15 Rake
48-8M0163518
15.25 x 39 Pitch RH 15 Rake
48-8M0163517
15.25 x 39 Pitch LH 15 Rake
48-8M0163522
14.75 x 40 Pitch RH 15 Rake
48-8M0163521
14.75 x 40 Pitch LH 15 Rake
48-8M0163524
15.00 x 40 Pitch RH 15 Rake
48-8M0163523
15.00 x 40 Pitch LH 15 Rake
48-8M0163526
15.25 x 40 Pitch RH 15 Rake
48-8M0163525
15.25 x 40 Pitch LH 15 Rake

CNC OUTBOARD CLEAVER 500 HP 18 DEGREE RAKE

- The Lab Finished CNC Outboard Cleaver is designed to be the most efficient propeller for high speed applications
- As opposed to a standard propeller, the CNC machining process offers superior precision and replicability for all dimensions of the propeller
- 18 degree rake is applicable for high speed vee bottoms and some catamarans that require additional bow lift
- Broched splines for 1.25 inch prop shaft, designed for 450R outboard
- Additional dimensions are available for custom order

LAB FINISHED OUTBOARD CNC CLEAVER



48-8M0159956
14.75 x 26 Pitch RH 18 Rake
48-8M0159955
14.75 x 26 Pitch LH 18 Rake
48-8M0154970
15.00 x 26 Pitch RH 18 Rake
48-8M0154969
15.00 x 26 Pitch LH 18 Rake
48-8M0160052
15.25 x 26 Pitch RH 18 Rake
48-8M0160051
15.25 x 26 Pitch LH 18 Rake
48-8M0160106
14.75 x 27 Pitch RH 18 Rake

48-8M0160105
14.75 x 27 Pitch LH 18 Rake
48-8M0160112
15.00 x 27 Pitch RH 18 Rake
48-8M0160111
15.00 x 27 Pitch LH 18 Rake
48-8M0160114
15.25 x 27 Pitch LH 18 Rake
48-8M0160113
15.25 x 27 Pitch LH 18 Rake
48-8M0160484
14.75 x 28 Pitch RH 18 Rake
48-8M0160483
14.75 x 28 Pitch LH 18 Rake
48-8M0160486
15.00 x 28 Pitch RH 18 Rake
48-8M0160485
15.00 x 28 Pitch LH 18 Rake
48-8M0160488
15.25 x 28 Pitch RH 18 Rake
48-8M0160487
15.25 x 28 Pitch LH 18 Rake
48-8M0160582
14.75 x 29 Pitch RH 18 Rake
48-8M0160581
14.75 x 29 Pitch LH 18 Rake
48-8M0160584
15.00 x 29 Pitch RH 18 Rake
48-8M0160583
15.00 x 29 Pitch LH 18 Rake
48-8M0160586
15.25 x 29 Pitch RH 18 Rake
48-8M0160585
15.25 x 29 Pitch LH 18 Rake
48-8M0160652
14.75 x 30 Pitch RH 18 Rake
48-8M0160653
14.75 x 30 Pitch LH 18 Rake
48-8M0160654
15.00 x 30 Pitch RH 18 Rake
48-8M0160655
15.00 x 30 Pitch LH 18 Rake
48-8M0160656
15.25 x 30 Pitch RH 18 Rake
48-8M0160657
15.25 x 30 Pitch LH 18 Rake
48-8M0160738
14.75 x 31 Pitch RH 18 Rake
48-8M0160737
14.75 x 31 Pitch LH 18 Rake
48-8M0160740
15.00 x 31 Pitch RH 18 Rake
48-8M0160739
15.00 x 31 Pitch LH 18 Rake
48-8M0160742
15.25 x 31 Pitch RH 18 Rake
48-8M0160741
15.25 x 31 Pitch LH 18 Rake
48-8M0160804
14.75 x 32 Pitch RH 18 Rake
48-8M0160803
14.75 x 32 Pitch LH 18 Rake
48-8M0160806
15.00 x 32 Pitch RH 18 Rake
48-8M0160805
15.00 x 32 Pitch LH 18 Rake

48-8M0160808
15.25 x 32 Pitch RH 18 Rake
48-8M0160807
15.25 x 32 Pitch LH 18 Rake
48-8M0160852
14.75 x 33 Pitch RH 18 Rake
48-8M0160853
14.75 x 33 Pitch LH 18 Rake
48-8M0159338
15.00 x 33 Pitch RH 18 Rake
48-8M0159339
15.00 x 33 Pitch LH 18 Rake
48-8M0160854
15.25 x 33 Pitch RH 18 Rake
48-8M0160855
15.25 x 33 Pitch LH 18 Rake
48-8M0160834
14.75 x 34 Pitch RH 18 Rake
48-8M0160835
14.75 x 34 Pitch LH 18 Rake
48-8M0159340
15.00 x 34 Pitch RH 18 Rake
48-8M0159341
15.00 x 34 Pitch LH 18 Rake
48-8M0160836
15.25 x 34 Pitch RH 18 Rake
48-8M0160837
15.25 x 34 Pitch LH 18 Rake
48-8M0160828
14.75 x 35 Pitch RH 18 Rake
48-8M0160829
14.75 x 35 Pitch LH 18 Rake
48-8M0160830
15.00 x 35 Pitch RH 18 Rake
48-8M0160831
15.00 x 35 Pitch LH 18 Rake
48-8M0160832
15.25 x 35 Pitch RH 18 Rake
48-8M0160833
15.25 x 35 Pitch LH 18 Rake
48-8M0159974
14.75 x 36 Pitch RH 18 Rake
48-8M0159975
14.75 x 36 Pitch LH 18 Rake
48-8M0159976
15.00 x 36 Pitch RH 18 Rake
48-8M0159977
15.00 x 36 Pitch LH 18 Rake
48-8M0159978
15.25 x 36 Pitch RH 18 Rake
48-8M0159979
15.25 x 36 Pitch LH 18 Rake
48-8M0160042
14.75 x 37 Pitch RH 18 Rake
48-8M0160041
14.75 x 37 Pitch LH 18 Rake
48-8M0160044
15.00 x 37 Pitch RH 18 Rake
48-8M0160043
15.00 x 37 Pitch LH 18 Rake
48-8M0160046
15.25 x 37 Pitch RH 18 Rake
48-8M0160045
15.25 x 37 Pitch LH 18 Rake

MERCURY RACING PROPELLER TYPE

CNC CLEAVER 5 BLADE 12 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0035647 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. The 15 degree rake propellers are designed specifically for step Vee hulls, diameters from 15 inch to 18 inch and pitch from 26 inch to 40 inch (custom order 41 and 42 inch pitch, 14.5" diameters and limited 13 degree rake available - contact Mercury Racing).
If moving from the old style 5 blade Cleaver to the new style 5 blade CNC Cleaver generally move up 2 inch of pitch; example if old style was 17 x 33 move to 17 x 35 CNC Cleaver.

As a general rule for every 1 inch of pitch change, the effect will typically be 150 RPM change. For every .50 inch of diameter change, the effect will typically be 150 RPM change.

For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 5 BLADE 15 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0035647 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. The 15 degree rake propellers are designed specifically for step Vee hulls, diameters from 15 inch to 18 inch and pitch from 26 inch to 40 inch (custom order 41 and 42 inch pitch, 14.5" diameters and limited 13 degree rake available - contact Mercury Racing).
If moving from the old style 5 blade Cleaver to the new style 5 blade CNC Cleaver generally move up 2 inch of pitch; example if old style was 17 x 33 move to 17 x 35 CNC Cleaver.

As a general rule for every 1 inch of pitch change, the effect will typically be 150 RPM change. For every .50 inch of diameter change, the effect will typically be 150 RPM change.

For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 5 BLADE 18 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0035647 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. Custom order 41 and 42 inch pitch available contact Mercury Racing. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 5 BLADE 21 DEGREE RAKE LAB FINISHED

Varying horsepower ratings available depending on application, from 600 hp up to 1800 hp
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0035647 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. Custom order 41 and 42 inch pitch available contact Mercury Racing. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 6 BLADE 15 DEGREE RAKE LAB FINISHED

600 HP, 900 HP, 1200 HP and 1550 HP(custom order) 822974
Six and 8M drive bushing 822975
Retaining ring
11-826135 Nylon Insert, 8M0035647 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 6 BLADE 18 DEGREE RAKE LAB FINISHED

600 HP, 900 HP, 1200 HP and 1550 HP(custom order)
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0035647 Brass, 11-39817 Washer and nuts for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit 8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro Finish propellers have a 26 Spline hub with 1.75/1.88 inch (44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length. Custom order 41 and 42 inch pitch available contact Mercury Racing. For a complete listing of part numbers see Mercury Racing Propeller chart section.

CNC CLEAVER 6 BLADE 21 DEGREE RAKE LAB FINISHED

600 HP, 900 HP, 1200 HP and 1550 HP(custom order)
822974 Six and 8M drive bushing
822975 Retaining ring
11-826135 Nylon Insert, 8M0035647 Brass, 11-39817 Washer and nuts
for SSM Six and M8
For use with Mercury Racing IIIA, IV, V, NXT (NXT1 requires hub kit
8M8022263 - sold separate), VI SSM and M8 Sterndrive. The CNC Pro
Finish propellers have a 26 Spline hub with 1.75/1.88 inch
(44.5/47.7mm) O.D. propeller shaft and 6 inch (152mm) hub length.
Custom order 41 and 42 inch pitch available contact Mercury Racing.
For a complete listing of part numbers see Mercury Racing Propeller
chart section.

MERCURY RACING PROPELLER CHARTS

MERCURY RACING PROPELLER CHARTS

SPITFIRE XP

Spitfire XP

Diameter	Pitch	Pro Finished Part Number
14	12	48-8M0167641
14	12.5	48-8M0167642
14	13	48-8M0167643
13.5	13.5	48-8M0167659
13.5	14	48-8M0167660
13.5	14.5	48-8M0167661
13.5	15	48-8M0167662
13	15.5	48-8M0167664
13	16	48-8M0167665
13	16.5	48-8M0167666
13	17	48-8M0167667
12.7	17.5	48-8M0167697
12.7	18	48-8M0167698
12.7	18.5	48-8M0167699
12.7	19	48-8M0167700
12.7	19.5	48-8M0167702
12.7	20	48-8M0167703

Diameter	Pitch	Pro Finished Part Number
12.7	20.5	48-8M0167704
12.7	21	48-8M0167705

LIGHTNING E.T.



Lightning E.T. Outboard Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
14.5	26	N.L.A.	48-849246L62
14.5	28	N.L.A.	48-849248L62
14.5	30	N.L.A.	48-849506L62
14.5	32	N.L.A.	48-849508L62

PRO MAX® - 4 BLADE STAINLESS STEEL



Pro Max.® 4 Blade X7 Stainless Steel Outboard Propeller Chart

Diameter (Inches)	Pitch	Blade	Pro Finished LH Rotation	Lab Finished LH Rotation	Pro Finished RH Rotation	Lab Finished RH Rotation
14.5	22.5	4	N/A	N/A	48-8M0112981	N/A
14.5	23	4	N/A	N/A	48-8M0079698	N/A
14.5	23.5	4	N/A	N/A	48-8M0112982	N/A
14.5	24	4	N/A	N/A	48-8M0079699	48-8M0079692
14.5	24.5	4	N/A	N/A	48-8M0112983	N/A
14.5	25	4	N/A	N/A	48-8M0079700	N/A
14.5	25.5	4	N/A	N/A	48-8M0112984	N/A
14.5	26	4	N/A	N/A	48-8M0079701	48-8M0079693
14.5	26.5	4	N/A	N/A	48-8M0112985	N/A
14.5	27	4	N/A	N/A	48-8M0079702	N/A
14.5	27.5	4	N/A	N/A	48-8M0112986	N/A
14.5	28	4	N/A	N/A	48-8M0079703	48-8M0079694
14.5	28.5	4	N/A	N/A	48-8M0112987	N/A
14.5	29	4	N/A	N/A	48-8M0079704	N/A
14.5	29.5	4	N/A	N/A	48-8M0112988	N/A
14.5	30	4	N/A	N/A	48-8M0079705	48-8M0079695
14.5	30.5	4	N/A	N/A	48-8M0112989	N/A

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	Blade	Pro Finished LH Rotation	Lab Finished LH Rotation	Pro Finished RH Rotation	Lab Finished RH Rotation
14.5	31	4	N/A	N/A	48-8M0079706	N/A
14.5	31.5	4	N/A	N/A	48-8M0112990	N/A
14.5	32	4	N/A	N/A	48-8M0079707	48-8M0079696

BRAVO I LT PRO FINISHED



Bravo I LT Pro Finished Outboard

Diameter	Pitch	Pro Finish LH Rotation	Pro Finished RH Rotation
15.25	19	48-8M0142097	48-8M0126236
15.25	19.5	N/A	48-8M0126237
15.25	20	48-8M0142098	48-8M0121589
15.25	20.5	N/A	48-8M0121590
15.25	21	48-8M0142099	48-8M0121591
15.25	21.5	N/A	48-8M0121592
15.25	22	48-8M0142100	48-8M0121593
15.25	22.5	N/A	48-8M0121594
15.25	23	48-8M0142101	48-8M0121595
15.25	23.5	N/A	48-8M0121596
15.25	24	48-8M0142102	48-8M0121597
15.25	24.5	N/A	48-8M0121598
15.25	25	48-8M0142103	48-8M0121599
15.25	25.5	N/A	48-8M0121600
15.25	26	48-8M0142104	48-8M0121601
15.25	26.5	N/A	48-8M0121602
15.25	27	48-8M0142105	48-8M0121603
15.25	27.5	N/A	48-8M0121604
15.25	28	48-8M0142106	48-8M0129046
15.25	28.5	N/A	48-8M0129048
15.25	29	48-8M0142107	48-8M0129049

BRAVO I XS PRO FINISHED



Bravo I XS Pro Finished Outboard

Diameter	Pitch	Pro Finished RH Rotation
15.25	22	48-831910L60
15.25	22.5	48-8M0111147
15.25	23	48-831910L80
15.25	23.5	48-8M0100104
15.25	24	48-831912L60

Diameter	Pitch	Pro Finished RH Rotation
15.25	24.5	48-8M0111148
15.25	25	48-831912L80
15.25	25.5	48-8M0100105
15.25	26	48-831914L60
15.25	26.5	48-8M0111149
15.25	27	48-831914L80
15.25	27.5	48-8M0100106
15.25	28	48-831916L60
15.25	28.5	48-8M0111150
15.25	29	48-831916L80
15.25	29.5	48-8M0100107
15.25	30	48-831918L60
15.25	30.5	48-8M0111151
15.25	31	48-831918L80
15.25	31.5	48-8M0100109

BRAVO I XC PRO FINISHED



Bravo I XC Pro Finished Outboard

Diameter	Pitch	Pro Finished RH Rotation
15.3	19	48-8M0118468
15.3	20	48-8M0100110
15.3	21	48-8M0118470
15.3	22	48-8M0100111
15.3	24	48-8M0100112

BRAVO I FS PRO FINISHED



Bravo I FS Pro Finished Propeller Chart

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
15.25	20	48-8M0090453	48-8M0090451
15.25	20.5	Not Available	48-8M0118469
15.25	21	48-8M0090457	48-8M0090455
15.25	21.5	Not Available	48-8M0118471
15.25	22	48-8M0071088	48-8M0064450

MERCURY RACING PROPELLER CHARTS

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
15.25	22.5	Not Available	48-8M0128332
15.25	23	48-8M0071089	48-8M0064468
15.25	23.5	Not Available	48-8M0152624
15.25	24	48-8M0071090	48-8M0064469
15.25	24.5	Not Available	48-8M0128333
15.25	25	48-8M0071091	48-8M0064470
15.25	25.5	Not Available	48-8M0129397
15.25	26	48-8M0071092	48-8M0064471
15.25	26.5	Not Available	48-8M0128334
15.25	27	48-8M0071093	48-8M0064472
15.25	28	48-8M0071094	48-8M0064473
15.25	28.5	Not Available	48-8M0128335
15.25	29	48-8M0071095	48-8M0064475
15.25	30	48-8M0071096	48-8M0064476
15.25	31	48-8M0071097	48-8M0064477
15.25	32	48-8M0104418	48-8M0104417
15.25	33	48-8M0104420	48-8M0104419
15.25	34	Not Available	48-8M0157785
15.25	35	Not Available	48-8M0157786
15.25	36	Not Available	48-8M0157787
15.25	37	Not Available	48-8M0157788

ENERTIA ECO XP PROPELLER



Enertia Eco XP Propeller Chart

Diameter	Pitch	LH Rotation	RH Rotation
16	16.5	48-8M0110303	48-8M0110304
16	17.5	48-8M0119053	48-8M0119052
16	18.5	48-8M0108351	48-8M0108350
16	19.5	48-8M0119055	48-8M0119056
16	20.5	48-8M0108353	48-8M0108352
16	21.5	48-8M0119057	48-8M0119058
16	22.5	48-8M0108357	48-8M0108354

REVOLUTION 4 XP PRO FINISHED PROPELLER



Revolution 4 XP Pro Finished Chart

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
14.6	13	NA	48-8M0142110
14.6	14	48-8M0142111	48-8M0142112
14.6	15	48-8M0142113	48-8M0142114
14.6	16	48-8M0142115	48-8M0142116
14.6	17	48-8M0142117	48-8M0142118
14.6	18	48-8M0113929	48-8M0113928
14.6	18.5	48-8M0113931	48-8M0113930
14.6	19	48-8M0113933	48-8M0113932
14.6	19.5	48-8M0113935	48-8M0113934
14.6	20	48-8M0113937	48-8M0113936
14.6	20.5	48-8M0113939	48-8M0113938
14.6	21	48-8M0113941	48-8M0113940
14.6	21.5	48-8M0113943	48-8M0113942
14.6	22	48-8M0113945	48-8M0113944
14.6	22.5	48-8M0113947	48-8M0113946
14.6	23	48-8M0113949	48-8M0113948
14.6	23.5	48-8M0113951	48-8M0113950
14.6	24	48-8M0113953	48-8M0113952
14.6	24.5	48-8M0113955	48-8M0113954
14.6	25	48-8M0113957	48-8M0113956
14.6	25.5	48-8M0113959	48-8M0113958
15.00	26	48-8M0173919	48-8M0173918
15.00	26.5	48-8M0173919	48-8M0173920
15.00	27	48-8M0173921	48-8M0173922
15.00	27.5	48-8M0173923	48-8M0173924

REVOLUTION 4 LAB FINISHED PROPELLER



Revolution 4 Lab Finished Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
14.6	19	48-857027L55	48-857026L55
14.6	20	48-8M0106547	48-8M0106548
14.6	21	48-857029L55	48-857028L55
14.6	22	48-8M0106545	48-8M0106546
14.6	23	48-857031L55	48-857030L55
14.6	24	48-8M0106543	48-8M0106544
14.6	25	48-857033L55	48-857032L55
15.00	26	48-8M0173941	48-8M0173940
15.00	26.5	48-8M0173943	48-8M0173942
15.00	27	48-8M0173945	48-8M0173944
15.00	27.5	48-8M0173947	48-8M0173946

REVOLUTION 4 SATIN LAB FINISHED PROPELLER



Revolution 4 Satin Lab Finished Chart

Diameter	Pitch	Satin Lab Finished LH Rotation	Satin Lab Finished RH Rotation
14.6	23	48-8M0162875	48-8M0162876
14.6	24	48-8M0162877	48-8M0162878
14.6	24.5	48-8M0162879	48-8M0162880
14.6	25	48-8M0162881	48-8M0162882
14.6	25.5	48-8M0162883	48-8M0162884
15.00	26	48-8M0173949	48-8M0173948
15.00	26.5	48-8M0173951	48-8M0173950
15.00	27	48-8M0173953	48-8M0173952
15.00	27.5	48-8M0173955	48-8M0173954

BRAVO I OC LAB FINISHED



Bravo I OC Lab Finished Outboard Propeller Chart

Diameter	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
14.75	22.5	NA	48-8M0144040
14.75	23.5	NA	48-8M0144042
14.75	24.5	NA	48-8M0144044
14.75	25.5	NA	48-8M0144046
14.75	26	NA	48-8M0129147
14.75	26.5	NA	48-8M0129148
14.75	27	NA	48-8M0129149
14.75	28	48-8M0092003	48-8M0092002
14.75	29	48-8M0092005	48-8M0092004
14.75	30	48-8M0092007	48-8M0092006
14.75	31	48-8M0092009	48-8M0092008
14.75	32	48-8M0092011	48-8M0092010
14.75	33	48-8M0092013	48-8M0092012

BRAVO I - 4 BLADE SS LAB FINISHED



Bravo I 4 Blade SS Lab Finished Sterndrive and 4 Stroke Outboard Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.25	22	48-831909L65	48-831910L65
15.25	23	48-8M0073457	48-8M0073456
15.25	24	48-831911L65	48-831912L65
15.25	25	48-831911L45	48-831912L45
15.25	26	48-831913L65	48-831914L65
15.25	27	48-831913L45	48-831914L45
15.25	28	48-831915L65	48-831916L65
15.25	29	48-831915L45	48-831916L45
15.25	30	48-831917L65	48-831918L65
15.25	31	48-831917L45	48-831918L45
15.25	32	48-831919L65	48-831920L65
15.25	33	48-831919L45	48-831920L45
15.25	34	48-832121L65	48-832122L65
15.25	35	48-832121L45	48-832122L45
15.25	36	48-832123L65	48-832124L65
15.25	37	48-832123L45	48-832124L45

MAX 5 LAB FINISHED PROPELLER



MAX 5 Lab Finished Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15	34	48-8M0118017	27-8M0115016
15	33.5	48-8M0118015	48-8M0118014
15	33	48-8M0118013	48-8M0118012
15	32.8	48-8M0131167	48-8M0131166
15	32.3	48-8M0131165	48-8M0131164
15	32	48-8M0118011	48-8M0118010
15	31.5	48-8M0118009	48-8M0118008
15	31	48-8M0118007	48-8M0118006
15	30.8	48-8M0131163	48-8M0131162
15	30.3	48-8M0131161	48-8M0131160
15	30	48-8M0118005	48-8M0118004

MERCURY RACING PROPELLER CHARTS

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15	29.5	48-8M0118003	48-8M0118002
15	29	48-8M0118001	48-8M0118000
15	28.8	48-8M0131159	48-8M0131158
15	28.3	48-8M0131157	48-8M0131156
15	28	48-8M0117999	48-8M0117998
15	27.5	48-8M0117997	48-8M0117996
15	27	48-8M0117995	48-8M0117994
15	26.8	48-8M0131155	48-8M0131154
15	26.3	48-8M0131153	48-8M0131152
15	26	48-8M0117993	48-8M0117992
15	25.5	48-8M0117991	48-8M0117990
15	25	48-8M0117989	48-8M0117988
15	24.8	48-8M0131151	48-8M0131150
15	24.3	48-8M0131149	48-8M0131148
15	24	48-8M0117987	48-8M0117986
15	23.5	48-8M0117985	48-8M0117984
15	23	48-8M0117983	48-8M0117982
15	22.8	48-8M0131147	48-8M0131146
15	22.3	48-8M0131145	48-8M0131144
15.25	22.5	48-8M0156439	48-8M0156434
15.25	23	48-8M0156437	48-8M0156436
15.25	24	48-8M0156441	48-8M0156440
15.25	24.5	48-8M0156445	48-8M0156444
15.25	25	48-8M0156447	48-8M0156446
15.25	25.5	48-8M0156449	48-8M0156448
15.25	26	48-8M0156451	48-8M0156450
15.25	26.5	48-8M0156455	48-8M0156451
15.25	27	48-8M0156457	48-8M0156456
15.25	27.5	48-8M0156459	48-8M0156458
15.25	28	48-8M0156461	48-8M0156460
15.25	28.5	48-8M0156465	48-8M0156464
15.25	29	48-8M0156467	48-8M0156466
15.25	29.5	48-8M0156469	48-8M0156468
15.25	30	48-8M0156471	48-8M0156470
15.25	30.5	48-8M0156475	48-8M0156474
15.25	31	48-8M0156477	48-8M0156476
15.25	31.5	48-8M0156479	48-8M0156478
15.25	32	48-8M0156481	48-8M0156480
15.25	32.5	48-8M0156485	48-8M0156484
15.25	33	48-8M0156487	48-8M0156486
15.25	33.5	48-8M0156489	48-8M0156488
15.25	34	48-8M0156491	48-8M0156490

MAX 5 ST LAB FINISHED PROPELLER



MAX 5 ST Lab Finished Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.25	22.5	48-8M0156495	48-8M0156494
15.25	23	48-8M0156497	48-8M0156496
15.25	23.5	48-8M0156499	48-8M0156498
15.25	24	48-8M0156501	48-8M0156500
15.25	24.5	48-8M0156505	48-8M0156504
15.25	25	48-8M0156507	48-8M0156506
15.25	25.5	48-8M0156509	48-8M0156508
15.25	26	48-8M0156511	48-8M0156510
15.25	26.5	48-8M0156515	48-8M0156514
15.25	27	48-8M0156517	48-8M0156516
15.25	27.5	48-8M0156519	48-8M0156518
15.25	28	48-8M0156521	48-8M0156520
15.25	28.5	48-8M0156525	48-8M0156524
15.25	29	48-8M0156527	48-8M0156526
15.25	29.5	48-8M0156529	48-8M0156528
15.25	30	48-8M0156531	48-8M0156530
15.25	30.5	48-8M0156535	48-8M0156534
15.25	31	48-8M0156537	48-8M0156536
15.25	31.5	48-8M0156539	48-8M0156538
15.25	32	48-8M0156541	48-8M0156540
15.25	32.5	48-8M0156545	48-8M0156544
15.25	33	48-8M0156547	48-8M0156546
15.25	33.5	48-8M0156549	48-8M0156548
15.25	34	48-8M0156551	48-8M0156550

MAXIMUS LONG TUBE 5 BLADE SS LAB FINISHED



Maximus Long Tube 5 Blade Stainless Steel Sterndrive Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.63	23	48-889975L45	48-889974L45
15.3	23	48-889975L44	48-889974L44
15.63	24	48-889975L65	48-889974L65
15.3	24	48-889975L64	48-889974L64
15	24	48-889975L63	48-889974L63
15.63	25	48-889965L45	48-889964L45
15.3	25	48-889965L44	48-889964L44
15.63	26	48-889965L65	48-889964L65
15.3	26	48-889965L64	48-889964L64
15	26	48-889965L63	48-889964L63
15.63	27	48-889967L45	48-889966L45
15.3	27	48-889967L44	48-889966L44
15.63	28	48-889967L65	48-889966L65
15.3	28	48-889967L64	48-889966L64
15	28	48-889967L63	48-889966L63

MERCURY RACING PROPELLER CHARTS

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.63	29	48-889969L45	48-889968L45
15.3	29	48-889969L44	48-889968L44
15.63	30	48-889969L65	48-889968L65
15.3	30	48-889969L64	48-889968L64
15	30	48-889969L63	48-889968L63
15.63	31	48-889971L45	48-889970L45
15.3	31	48-889971L44	48-889970L44
15.63	32	48-889971L65	48-889970L65
15.3	32	48-889971L64	48-889970L64
15	32	48-889971L63	48-889970L63
15.63	33	48-889973L45	48-889972L45
15.3	33	48-889973L44	48-889972L44
15.63	34	48-889973L65	48-889972L65
15.3	34	48-889973L64	48-889972L64
15	34	48-889973L63	48-889972L63
15.63	35	48-889973L85	48-889972L85
15.3	35	48-889973L84	48-889972L84

MAXIMUS SHORT TUBE 5 BLADE SS LAB FINISHED



Maximus Short Tube 5 Blade Stainless Steel Sterndrive Propeller Chart

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.63	23	48-889975L49	48-889974L49
15.3	23	48-889975L48	48-889974L48
15.63	24	48-889975L69	48-889974L69
15.3	24	48-889975L68	48-889974L68
15	24	N.L.A.	N.L.A.
15.63	25	48-889965L49	48-889964L49
15.3	25	48-889965L48	48-889964L48
15.63	26	48-889965L69	48-889964L69
15.3	26	48-889965L68	48-889964L68
15	26	N.L.A.	N.L.A.
15.63	27	48-889967L49	48-889966L49
15.3	27	48-889967L48	48-889966L48
15.63	28	48-889967L69	48-889966L69
15.3	28	48-889967L68	48-889966L68
15	28	N.L.A.	N.L.A.
15.63	29	48-889969L49	48-889968L49
15.3	29	48-889969L48	48-889968L48
15.63	30	48-889969L69	48-889968L69
15.3	30	48-889969L68	48-889968L68
15	30	N.L.A.	N.L.A.
15.63	31	48-889971L49	48-889970L49
15.3	31	48-889971L48	48-889970L48
15.63	32	48-889971L69	48-889970L69

Diameter	Pitch	Lab Finished LH Rotation	Lab Finished RH Rotation
15.3	32	48-889971L68	48-889970L68
15	32	N.L.A.	N.L.A.
15.63	33	48-889973L49	48-889972L49
15.3	33	48-889973L48	48-889972L48
15.63	34	48-889973L69	48-889972L69
15.3	34	48-889973L68	48-889972L68
15	34	N.L.A.	N.L.A.
15.63	35	48-889973L89	48-889972L89
15.3	35	48-889973L88	48-889972L88

BRAVO THREE XR PRO FINISHED



Bravo Three XR Pro Finished Sterndrive Propeller Chart

Bravo Three X, XR Propeller Hardware:
 Bravo Three Inner Prop Nut Wrench 91-805457T 1
 Forward Thrust Washer 805101T
 Aft Thrust Washer 805100T
 Forward Prop Nut 11-805092T
 Aft Prop Nut 11-805093

Diameter	Pitch	Material	Blades	Pro Finished LH Rotation	Pro Finished RH Rotation
15.5 / 14.5	28	Polished SS	4 / 3	48-842945L80	48-842946L80
15.5 / 14.5	27.5	Polished SS	4 / 3	48-8M0125747	48-8M0125746
15.5 / 14.5	27	Polished SS	4 / 3	48-842945L70	48-842946L70
15.8 / 14.8	26	Polished SS	4 / 3	48-842943L80	48-842944L80
15.8 / 14.8	25.5	Polished SS	4 / 3	48-8M0125745	48-8M0125744
15.8 / 14.8	25	Polished SS	4 / 3	48-842943L70	48-842944L70
16 / 15	24	Polished SS	4 / 3	48-842941L80	48-842942L80
16 / 15	23.5	Polished SS	4 / 3	48-8M0125743	48-8M0125742
16 / 15	23	Polished SS	4 / 3	48-842941L70	48-842942L70
16 / 15	22	Polished SS	4 / 3	48-8M0073458	48-8M0073459
16 / 15	21.5	Polished SS	4 / 3	48-8M0125741	48-8M0125740
16 / 15	21	Polished SS	4 / 3	48-842939L70	48-842940L70
16 / 15	20	Polished SS	4 / 3	48-8M0125739	48-8M0125738

CNC OUTBOARD CLEAVER 400 HP 15 DEGREE RAKE

CNC Outboard Cleaver 400 HP 15 Degree Rake

Diameter	Pitch	LH Rotation	RH Rotation
15.00	32	48-8M0140854	48-8M0140855
15.25	32	48-8M0147732	48-8M0147733
15.00	33	48-8M0140248	48-8M0140247
15.25	33	48-8M0148162	48-8M0148161
15.00	34	48-8M0139056	48-8M0139055
15.25	34	48-8M0148164	48-8M0148163

MERCURY RACING PROPELLER CHARTS

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY RACING PROPELLER CHARTS

CNC OUTBOARD CLEAVER 500 HP 15 DEGREE RAKE

CNC Outboard Cleaver 500 HP 15 Degree Rake

Diameter	Pitch	RH Rotation	L0H Rotation
14.75	26	48-8M0159882	48-8M0159883
15.00	26	48-8M0154968	48-8M0154967
15.25	26	48-8M0159954	48-8M0159953
14.75	27	48-8M0160054	48-8M0160053
15.00	27	48-8M0160056	48-8M0160055
15.25	27	48-8M0160058	48-8M0160057
14.75	28	48-8M0160128	48-8M0160127
15.00	28	48-8M0160130	48-8M0160129
15.25	28	48-8M0160132	48-8M0160131
14.75	29	48-8M0160538	48-8M0160539
15.00	29	48-8M0160540	48-8M0160541
15.25	29	48-8M0160542	48-8M0160543
14.75	30	48-8M0160590	48-8M0160589
15.00	30	48-8M0160592	48-8M0160591
15.25	30	48-8M0160594	48-8M0160593
14.75	31	48-8M0160660	48-8M0160659
15.00	31	48-8M0155582	48-8M0155583
15.25	31	48-8M0160662	48-8M0160661
14.75	32	48-8M0160752	48-8M0160751
15.00	32	48-8M0155574	48-8M0155573
15.25	32	48-8M0160120	48-8M0160121
14.75	33	48-8M0160850	48-8M0160851
15.00	33	48-8M0155576	48-8M0155575
15.25	33	48-8M0160122	48-8M0160123
14.75	34	48-8M0160856	48-8M0160857
15.00	34	48-8M0160858	48-8M0160859
15.25	34	48-8M0160860	48-8M0160861
14.75	35	48-8M0155384	48-8M0155383
15.00	35	48-8M0156788	48-8M0156787
15.25	35	48-8M0160826	48-8M0160827
14.75	36	48-8M0155386	48-8M0155385
15.00	36	48-8M0159892	48-8M0159893
15.25	36	48-8M0159972	48-8M0159973
14.75	37	48-8M0157712	48-8M0157711
15.00	37	48-8M0160038	48-8M0160037
15.25	37	48-8M0160040	48-8M0160039
14.75	38	48-8M0163488	48-8M0163489
15.00	38	48-8M0163490	48-8M0163491
15.25	38	48-8M0163492	48-8M0163493
14.75	39	48-8M0163514	48-8M0163513
15.00	39	48-8M0163516	48-8M0163515
15.25	39	48-8M0163518	48-8M0163517
14.75	40	48-8M0163522	48-8M0163521
15.00	40	48-8M0163524	48-8M0163523
15.25	40	48-8M0163526	48-8M0163525

CNC OUTBOARD CLEAVER 500 HP 18 DEGREE RAKE

CNC Outboard Cleaver 500 HP 18 Degree Rake

Diameter	Pitch	LH Rotation	RH Rotation
14.75	26	48-8M0159955	48-8M0159956
15.00	26	48-8M0154969	48-8M0154970
15.25	26	48-8M0160051	48-8M0160052
14.75	27	48-8M0160105	48-8M0160106
15.00	27	48-8M0160111	48-8M0160112
15.25	27	48-8M0160113	48-8M0160114
14.75	28	48-8M0160483	48-8M0160484
15.00	28	48-8M0160485	48-8M0160486
15.25	28	48-8M0160487	48-8M0160488
14.75	29	48-8M0160581	48-8M0160582
15.00	29	48-8M0160583	48-8M0160584
15.25	29	48-8M0160585	48-8M0160586
14.75	30	48-8M0160653	48-8M0160652
15.00	30	48-8M0160655	48-8M0160654
15.25	30	48-8M0160657	48-8M0160656
14.75	31	48-8M0160737	48-8M0160738
15.00	31	48-8M0160739	48-8M0160740
15.25	31	48-8M0160741	48-8M0160742
14.75	32	48-8M0160803	48-8M0160804
15.00	32	48-8M0160805	48-8M0160806
15.25	32	48-8M0160807	48-8M0160808
14.75	33	48-8M0160853	48-8M0160852
15.00	33	48-8M0159339	48-8M0159338
15.25	33	48-8M0160855	48-8M0160854
14.75	34	48-8M0160835	48-8M0160834
15.00	34	48-8M0159341	48-8M0159340
15.25	34	48-8M0160837	48-8M0160836
14.75	35	48-8M0160829	48-8M0160828
15.00	35	48-8M0160831	48-8M0160830
15.25	35	48-8M0160833	48-8M0160832
14.75	36	48-8M0159975	48-8M0159974
15.00	36	48-8M0159977	48-8M0159976
15.25	36	48-8M0159979	48-8M0159978
14.75	37	48-8M0160041	48-8M0160042
15.00	37	48-8M0160043	48-8M0160044
15.25	37	48-8M0160045	48-8M0160046

CNC CLEAVER 5 BLADE 15 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



MERCURY RACING PROPELLER CHARTS

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 1550 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
 26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in.
 (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0049063	48-8M0049064
17.75	26	48-8M0049093	48-8M0049094
17.50	26	48-8M0049123	48-8M0049124
17.25	26	48-8M0049153	48-8M0049154
17	26	48-8M0049183	48-8M0049184
16.75	26	48-8M0049213	48-8M0049214
16.50	26	48-8M0049243	48-8M0049244
16.25	26	48-8M0049273	48-8M0049274
16	26	48-8M0049303	48-8M0049304
18	27	48-8M0049065	48-8M0049066
17.75	27	48-8M0049095	48-8M0049096
17.50	27	48-8M0049125	48-8M0049126
17.25	27	48-8M0049155	48-8M0049156
17	27	48-8M0049185	48-8M0049186
16.75	27	48-8M0049215	48-8M0049216
16.50	27	48-8M0049245	48-8M0049246
16.25	27	48-8M0049275	48-8M0049276
16	27	48-8M0049305	48-8M0049306
18	28	48-8M0049067	48-8M0049068
17.75	28	48-8M0049097	48-8M0049098
17.50	28	48-8M0049127	48-8M0049128
17.25	28	48-8M0049157	48-8M0049158
17	28	48-8M0049187	48-8M0049188
16.75	28	48-8M0049217	48-8M0049218
16.50	28	48-8M0049247	48-8M0049248
16.25	28	48-8M0049277	48-8M0049278
16	28	48-8M0049307	48-8M0049308
18	29	48-8M0049069	48-8M0049070
17.75	29	48-8M0049099	48-8M0049100
17.50	29	48-8M0049129	48-8M0049130
17.25	29	48-8M0049159	48-8M0049160
17	29	48-8M0049189	48-8M0049190
16.75	29	48-8M0049219	48-8M0049220
16.50	29	48-8M0049249	48-8M0049250
16.25	29	48-8M0049279	48-8M0049280
16	29	48-8M0049309	48-8M0049310
18	30	48-8M0049071	48-8M0049072
17.75	30	48-8M0049101	48-8M0049102
17.50	30	48-8M0049131	48-8M0049132
17.25	30	48-8M0049161	48-8M0049162
17	30	48-8M0049191	48-8M0049192
16.75	30	48-8M0049221	48-8M0049222
16.50	30	48-8M0049251	48-8M0049252
16.25	30	48-8M0049281	48-8M0049282
16	30	48-8M0049311	48-8M0049312
18	31	48-8M0049073	48-8M0049074
17.75	31	48-8M0049103	48-8M0049104
17.50	31	48-8M0049133	48-8M0049134
17.25	31	48-8M0049163	48-8M0049164
17	31	48-8M0049193	48-8M0049194
16.75	31	48-8M0049223	48-8M0049224

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.50	31	48-8M0049253	48-8M0049254
16.25	31	48-8M0049283	48-8M0049284
16	31	48-8M0049313	48-8M0049314
18	32	48-8M0049075	48-8M0049076
17.75	32	48-8M0049105	48-8M0049106
17.50	32	48-8M0049135	48-8M0049136
17.25	32	48-8M0049165	48-8M0049166
17	32	48-8M0049195	48-8M0049196
16.75	32	48-8M0049225	48-8M0049226
16.50	32	48-8M0049255	48-8M0049256
16.25	32	48-8M0049285	48-8M0049286
16	32	48-8M0049315	48-8M0049316
18	33	48-8M0049077	48-8M0049078
17.75	33	48-8M0049107	48-8M0049108
17.50	33	48-8M0049137	48-8M0049138
17.25	33	48-8M0049167	48-8M0049168
17	33	48-8M0049197	48-8M0049198
16.75	33	48-8M0049227	48-8M0049228
16.50	33	48-8M0049257	48-8M0049258
16.25	33	48-8M0049287	48-8M0049288
16	33	48-8M0049317	48-8M0049318
18	34	48-8M0049079	48-8M0049080
17.75	34	48-8M0049109	48-8M0049110
17.50	34	48-8M0049139	48-8M0049140
17.25	34	48-8M0049169	48-8M0049170
17	34	48-8M0049199	48-8M0049200
16.75	34	48-8M0049229	48-8M0049230
16.50	34	48-8M0049259	48-8M0049260
16.25	34	48-8M0049289	48-8M0049290
16	34	48-8M0049319	48-8M0049320
18	35	48-8M0049081	48-8M0049082
17.75	35	48-8M0049111	48-8M0049112
17.50	35	48-8M0049141	48-8M0049142
17.25	35	48-8M0049171	48-8M0049172
17	35	48-8M0049201	48-8M0049202
16.75	35	48-8M0049231	48-8M0049232
16.50	35	48-8M0049261	48-8M0049262
16.25	35	48-8M0049291	48-8M0049292
16	35	48-8M0049321	48-8M0049322
18	36	48-8M0049083	48-8M0049084
17.75	36	48-8M0049113	48-8M0049114
17.50	36	48-8M0049143	48-8M0049144
17.25	36	48-8M0049173	48-8M0049174
17	36	48-8M0049203	48-8M0049204
16.75	36	48-8M0049233	48-8M0049234
16.50	36	48-8M0049263	48-8M0049264
16.25	36	48-8M0049293	48-8M0049294
16	36	48-8M0049323	48-8M0049324
18	37	48-8M0049085	48-8M0049086
17.75	37	48-8M0049115	48-8M0049116
17.50	37	48-8M0049145	48-8M0049146
17.25	37	48-8M0049175	48-8M0049176
17	37	48-8M0049205	48-8M0049206
16.75	37	48-8M0049235	48-8M0049236
16.50	37	48-8M0049265	48-8M0049266
16.25	37	48-8M0049295	48-8M0049296

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16	37	48-8M0049325	48-8M0049326
18	38	48-8M0049087	48-8M0049088
17.75	38	48-8M0049117	48-8M0049118
17.50	38	48-8M0049147	48-8M0049148
17.25	38	48-8M0049177	48-8M0049178
17	38	48-8M0049207	48-8M0049208
16.75	38	48-8M0049237	48-8M0049238
16.50	38	48-8M0049267	48-8M0049268
16.25	38	48-8M0049297	48-8M0049298
16	38	48-8M0049327	48-8M0049328
18	39	48-8M0049089	48-8M0049090
17.75	39	48-8M0049119	48-8M0049120
17.50	39	48-8M0049149	48-8M0049150
17.25	39	48-8M0049179	48-8M0049180
17	39	48-8M0049209	48-8M0049210
16.75	39	48-8M0049239	48-8M0049240
16.50	39	48-8M0049269	48-8M0049270
16.25	39	48-8M0049299	48-8M0049300
16	39	48-8M0049329	48-8M0049330
18	40	48-8M0049091	48-8M0049092
17.75	40	48-8M0049121	48-8M0049122
17.50	40	48-8M0049151	48-8M0049152
17.25	40	48-8M0049181	48-8M0049182
17	40	48-8M0049211	48-8M0049212
16.75	40	48-8M0049241	48-8M0049242
16.50	40	48-8M0049271	48-8M0049272
16.25	40	48-8M0049301	48-8M0049302
16	40	48-8M0049331	48-8M0049332

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 1350 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.50	37	48-8M0094553	48-8M0094554
17.50	38	48-8M0104251	48-8M0104250
17	39	48-8M0119331	48-8M0119332
16.50	39	48-8M0103651	48-8M0103650

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0002277	48-8M0002278
17.75	26	48-8M0002307	48-8M0002308
17.50	26	48-8M0002337	48-8M0002338
17.25	26	48-8M0002367	48-8M0002368
17	26	48-8M0002397	48-8M0002398
16.75	26	48-8M0002427	48-8M0002428
16.50	26	48-8M0002457	48-8M0002458
16.25	26	48-8M0002487	48-8M0002488
16	26	48-8M0002517	48-8M0002518

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.75	26	48-8M0002547	48-8M0002548
15.50	26	48-8M0002577	48-8M0002578
15.25	26	48-8M0002607	48-8M0002608
15	26	48-8M0002637	48-8M0002638
18	27	48-8M0002279	48-8M0002280
17.75	27	48-8M0002309	48-8M0002310
17.50	27	48-8M0002339	48-8M0002340
17.25	27	48-8M0002369	48-8M0002370
17	27	48-8M0002399	48-8M0002400
16.75	27	48-8M0002429	48-8M0002430
16.50	27	48-8M0002459	48-8M0002460
16.25	27	48-8M0002489	48-8M0002490
16	27	48-8M0002519	48-8M0002520
15.75	27	48-8M0002549	48-8M0002550
15.50	27	48-8M0002579	48-8M0002580
15.25	27	48-8M0002609	48-8M0002610
15	27	48-8M0002639	48-8M0002640
18	28	48-8M0002281	48-8M0002282
17.75	28	48-8M0002311	48-8M0002312
17.50	28	48-8M0002341	48-8M0002342
17.25	28	48-8M0002371	48-8M0002372
17	28	48-8M0002401	48-8M0002402
16.75	28	48-8M0002431	48-8M0002432
16.50	28	48-8M0002461	48-8M0002462
16.25	28	48-8M0002491	48-8M0002492
16	28	48-8M0002521	48-8M0002522
15.75	28	48-8M0002551	48-8M0002552
15.50	28	48-8M0002581	48-8M0002582
15.25	28	48-8M0002611	48-8M0002612
15	28	48-8M0002641	48-8M0002642
18	29	48-8M0002283	48-8M0002284
17.75	29	48-8M0002313	48-8M0002314
17.50	29	48-8M0002343	48-8M0002344
17.25	29	48-8M0002373	48-8M0002374
17	29	48-8M0002403	48-8M0002404
16.75	29	48-8M0002433	48-8M0002434
16.50	29	48-8M0002463	48-8M0002464
16.25	29	48-8M0002493	48-8M0002494
16	29	48-8M0002523	48-8M0002524
15.75	29	48-8M0002553	48-8M0002554
15.50	29	48-8M0002583	48-8M0002584
15.25	29	48-8M0002613	48-8M0002614
15	29	48-8M0002643	48-8M0002644
18	30	48-8M0002285	48-8M0002286
17.75	30	48-8M0002315	48-8M0002316
17.50	30	48-8M0002345	48-8M0002346
17.25	30	48-8M0002375	48-8M0002376
17	30	48-8M0002405	48-8M0002406
16.75	30	48-8M0002435	48-8M0002436
16.50	30	48-8M0002465	48-8M0002466
16.25	30	48-8M0002495	48-8M0002496
16	30	48-8M0002525	48-8M0002526
15.75	30	48-8M0002555	48-8M0002556
15.50	30	48-8M0002585	48-8M0002586
15.25	30	48-8M0002615	48-8M0002616
15	30	48-8M0002645	48-8M0002646

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	31	48-8M0002287	48-8M0002288
17.75	31	48-8M0002317	48-8M0002318
17.50	31	48-8M0002347	48-8M0002348
17.25	31	48-8M0002377	48-8M0002378
17	31	48-8M0002407	48-8M0002408
16.75	31	48-8M0002437	48-8M0002438
16.50	31	48-8M0002467	48-8M0002468
16.25	31	48-8M0002497	48-8M0002498
16	31	48-8M0002527	48-8M0002528
15.75	31	48-8M0002557	48-8M0002558
15.50	31	48-8M0002587	48-8M0002588
15.25	31	48-8M0002617	48-8M0002618
15	31	48-8M0002647	48-8M0002648
18	32	48-8M0002289	48-8M0002290
17.75	32	48-8M0002319	48-8M0002320
17.50	32	48-8M0002349	48-8M0002350
17.25	32	48-8M0002379	48-8M0002380
17	32	48-8M0002409	48-8M0002410
16.75	32	48-8M0002439	48-8M0002440
16.50	32	48-8M0002469	48-8M0002470
16.25	32	48-8M0002499	48-8M0002500
16	32	48-8M0002529	48-8M0002530
15.75	32	48-8M0002559	48-8M0002560
15.50	32	48-8M0002589	48-8M0002590
15.25	32	48-8M0002619	48-8M0002620
15	32	48-8M0002649	48-8M0002650
18	33	48-8M0003461	48-8M0003462
17.75	33	48-8M0002321	48-8M0002322
17.50	33	48-8M0002351	48-8M0002352
17.25	33	48-8M0002381	48-8M0002382
17	33	48-8M0002411	48-8M0002412
16.75	33	48-8M0002441	48-8M0002442
16.50	33	48-8M0002471	48-8M0002472
16.25	33	48-8M0002501	48-8M0002502
16	33	48-8M0002531	48-8M0002532
15.75	33	48-8M0002561	48-8M0002562
15.50	33	48-8M0002591	48-8M0002592
15.25	33	48-8M0002621	48-8M0002622
15	33	48-8M0002651	48-8M0002652
18	34	48-8M0002293	48-8M0002294
17.75	34	48-8M0002323	48-8M0002324
17.50	34	48-8M0002353	48-8M0002354
17.25	34	48-8M0002383	48-8M0002384
17	34	48-8M0002413	48-8M0002414
16.75	34	48-8M0002443	48-8M0002444
16.50	34	48-8M0002473	48-8M0002474
16.25	34	48-8M0002503	48-8M0002504
16	34	48-8M0002533	48-8M0002534
15.75	34	48-8M0002563	48-8M0002564
15.50	34	48-8M0002593	48-8M0002594
15.25	34	48-8M0002623	48-8M0002624
15	34	48-8M0002653	48-8M0002654
18	35	48-8M0002295	48-8M0002296
17.75	35	48-8M0002325	48-8M0002326
17.50	35	48-8M0002355	48-8M0002356
17.25	35	48-8M0002385	48-8M0002386

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	35	48-8M0002415	48-8M0002416
16.75	35	48-8M0002445	48-8M0002446
16.50	35	48-8M0002475	48-8M0002476
16.25	35	48-8M0002505	48-8M0002506
16	35	48-8M0002535	48-8M0002536
15.75	35	48-8M0002565	48-8M0002566
15.50	35	48-8M0002595	48-8M0002596
15.25	35	48-8M0002625	48-8M0002626
15	35	48-8M0002655	48-8M0002656
18	36	48-8M0002297	48-8M0002298
17.75	36	48-8M0002327	48-8M0002328
17.50	36	48-8M0002357	48-8M0002358
17.25	36	48-8M0002387	48-8M0002388
17	36	48-8M0002417	48-8M0002418
16.75	36	48-8M0002447	48-8M0002448
16.50	36	48-8M0002477	48-8M0002478
16.25	36	48-8M0002507	48-8M0002508
16	36	48-8M0002537	48-8M0002538
15.75	36	48-8M0002567	48-8M0002568
15.50	36	48-8M0002597	48-8M0002598
15.25	36	48-8M0002627	48-8M0002628
15	36	48-8M0002657	48-8M0002658
18	37	48-8M0002299	48-8M0002300
17.75	37	48-8M0002329	48-8M0002330
17.50	37	48-8M0002359	48-8M0002360
17.25	37	48-8M0002389	48-8M0002390
17	37	48-8M0002419	48-8M0002420
16.75	37	48-8M0002449	48-8M0002450
16.50	37	48-8M0002479	48-8M0002480
16.25	37	48-8M0002509	48-8M0002510
16	37	48-8M0002539	48-8M0002540
15.75	37	48-8M0002569	48-8M0002570
15.50	37	48-8M0002599	48-8M0002600
15.25	37	48-8M0002629	48-8M0002630
15	37	48-8M0002659	48-8M0002660
18	38	48-8M0002301	48-8M0002302
17.75	38	48-8M0002331	48-8M0002332
17.50	38	48-8M0002361	48-8M0002362
17.25	38	48-8M0002391	48-8M0002392
17	38	48-8M0002421	48-8M0002422
16.75	38	48-8M0002451	48-8M0002452
16.50	38	48-8M0002481	48-8M0002482
16.25	38	48-8M0002511	48-8M0002512
16	38	48-8M0002541	48-8M0002542
15.75	38	48-8M0002571	48-8M0002572
15.50	38	48-8M0002601	48-8M0002602
15.25	38	48-8M0002631	48-8M0002632
15	38	48-8M0002661	48-8M0002662
18	39	48-8M0002303	48-8M0002304
17.75	39	48-8M0002333	48-8M0002334
17.50	39	48-8M0002363	48-8M0002364
17.25	39	48-8M0002393	48-8M0002394
17	39	48-8M0002423	48-8M0002424
16.75	39	48-8M0002453	48-8M0002454
16.50	39	48-8M0002483	48-8M0002484
16.25	39	48-8M0002513	48-8M0002514

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16	39	48-8M0002543	48-8M0002544
15.75	39	48-8M0002573	48-8M0002574
15.50	39	48-8M0002603	48-8M0002604
15.25	39	48-8M0002633	48-8M0002634
15	39	48-8M0002663	48-8M0002664
18	40	48-8M0002305	48-8M0002306
17.75	40	48-8M0002335	48-8M0002336
17.50	40	48-8M0002365	48-8M0002366
17.25	40	48-8M0002395	48-8M0002396
17	40	48-8M0002425	48-8M0002426
16.75	40	48-8M0002455	48-8M0002456
16.50	40	48-8M0002485	48-8M0002486
16.25	40	48-8M0002515	48-8M0002516
15	40	48-8M0002545	48-8M0002546
15.75	40	48-8M0002575	48-8M0002576
15.50	40	48-8M0002605	48-8M0002606
15.25	40	48-8M0002635	48-8M0002636
15	40	48-8M0002665	48-8M0002666

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 1100 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in. (44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.50	34	48-8M0106641	48-8M0106640
17.50	35	48-8M0106643	48-8M0049142
17.50	36	48-8M0109491	48-8M0109490
17.50	37	48-8M0112363	48-8M0112362

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in. (44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0003447	48-8M0003448
17.75	26	48-8M0003449	48-8M0003450
17.50	26	48-8M0003507	48-8M0003508
17.25	26	48-8M0003537	48-8M0003538
17	26	48-8M0003567	48-8M0003568
16.75	26	48-8M0003597	48-8M0003598
16.50	26	48-8M0003627	48-8M0003628
16.25	26	48-8M0003657	48-8M0003658
16	26	48-8M0003687	48-8M0003688
15.75	26	48-8M0003717	48-8M0003718
15.50	26	48-8M0003747	48-8M0003748
15.25	26	48-8M0003777	48-8M0003778
15	26	48-8M0003807	48-8M0003808
18	27	48-8M0003449	48-8M0003450
17.75	27	48-8M0003479	48-8M0003480
17.50	27	48-8M0003507	48-8M0003508
17.25	27	48-8M0003539	48-8M0003538
17	27	48-8M0003569	48-8M0003570
16.75	27	48-8M0003599	48-8M0003600

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.50	27	48-8M0003629	48-8M0003630
16.25	27	48-8M0003659	48-8M0003660
16	27	48-8M0003687	48-8M0003688
15.75	27	48-8M0003719	48-8M0003720
15.50	27	48-8M0003749	48-8M0003750
15.25	27	48-8M0003779	48-8M0003780
15	27	48-8M0003809	48-8M0003810
18	28	48-8M0003451	48-8M0003452
17.75	28	48-8M0003481	48-8M0003482
17.50	28	48-8M0003511	48-8M0003512
17.25	28	48-8M0003541	48-8M0003542
17	28	48-8M0003571	48-8M0003572
16.75	28	48-8M0003601	48-8M0003602
16.50	28	48-8M0003631	48-8M0003632
16.25	28	48-8M0003661	48-8M0003662
16	28	48-8M0003691	48-8M0003692
15.75	28	48-8M0003721	48-8M0003722
15.50	28	48-8M0003751	48-8M0003752
15.25	28	48-8M0003781	48-8M0003782
15	28	48-8M0003811	48-8M0003812
18	29	48-8M0003453	48-8M0003454
17.75	29	48-8M0003483	48-8M0003484
17.50	29	48-8M0003513	48-8M0003514
17.25	29	48-8M0003543	48-8M0003544
17	29	48-8M0003573	48-8M0003574
16.75	29	48-8M0003603	48-8M0003604
16.50	29	48-8M0003633	48-8M0003634
16.25	29	48-8M0003663	48-8M0003664
16	29	48-8M0003693	48-8M0003694
15.75	29	48-8M0003723	48-8M0003724
15.50	29	48-8M0003753	48-8M0003754
15.25	29	48-8M0003783	48-8M0003784
15	29	48-8M0003813	48-8M0003814
18	30	48-8M0003455	48-8M0003456
17.75	30	48-8M0003485	48-8M0003486
17.50	30	48-8M0003515	48-8M0003516
17.25	30	48-8M0003545	48-8M0003546
17	30	48-8M0003575	48-8M0003576
16.75	30	48-8M0003605	48-8M0003606
16.50	30	48-8M0003635	48-8M0003636
16.25	30	48-8M0003665	48-8M0003666
16	30	48-8M0003695	48-8M0003696
15.75	30	48-8M0003725	48-8M0003726
15.50	30	48-8M0003755	48-8M0003756
15.25	30	48-8M0003785	48-8M0003786
15	30	48-8M0003815	48-8M0003816
18	31	48-8M0003457	48-8M0003458
17.75	31	48-8M0003487	48-8M0003488
17.50	31	48-8M0003517	48-8M0003518
17.25	31	48-8M0003547	48-8M0003548
17	31	48-8M0003577	48-8M0003578
16.75	31	48-8M0003607	48-8M0003608
16.50	31	48-8M0003637	48-8M0003638
16.25	31	48-8M0003667	48-8M0003668
16	31	48-8M0003697	48-8M0003698
15.75	31	48-8M0003727	48-8M0003728

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.50	31	48-8M0003757	48-8M0003758
15.25	31	48-8M0003787	48-8M0003788
15	31	48-8M0003817	48-8M0003818
18	32	48-8M0003459	48-8M0003460
17.75	32	48-8M0003489	48-8M0003490
17.50	32	48-8M0003519	48-8M0003520
17.25	32	48-8M0003549	48-8M0003550
17	32	48-8M0003579	48-8M0003580
16.75	32	48-8M0003609	48-8M0003610
16.50	32	48-8M0003639	48-8M0003640
16.25	32	48-8M0003669	48-8M0003670
16	32	48-8M0003699	48-8M0003700
15.75	32	48-8M0003729	48-8M0003730
15.50	32	48-8M0003759	48-8M0003760
15.25	32	48-8M0003789	48-8M0003790
15	32	48-8M0003819	48-8M0003820
18	33	48-8M0003461	48-8M0003462
17.75	33	48-8M0003491	48-8M0003492
17.50	33	48-8M0003521	48-8M0003522
17.25	33	48-8M0003551	48-8M0003552
17	33	48-8M0003581	48-8M0003582
16.75	33	48-8M0003611	48-8M0003612
16.50	33	48-8M0003641	48-8M0003642
16.25	33	48-8M0003671	48-8M0003672
16	33	48-8M0003701	48-8M0003702
15.75	33	48-8M0003731	48-8M0003732
15.50	33	48-8M0003761	48-8M0003762
15.25	33	48-8M0003791	48-8M0003792
15	33	48-8M0003821	48-8M0003822
18	34	48-8M0003463	48-8M0003464
17.75	34	48-8M0003493	48-8M0003494
17.50	34	48-8M0003523	48-8M0003524
17.25	34	48-8M0003553	48-8M0003554
17	34	48-8M0003583	48-8M0003584
16.75	34	48-8M0003613	48-8M0003614
16.50	34	48-8M0003643	48-8M0003644
16.25	34	48-8M0003673	48-8M0003674
16	34	48-8M0003703	48-8M0003704
15.75	34	48-8M0003733	48-8M0003734
15.50	34	48-8M0003763	48-8M0003764
15.25	34	48-8M0003793	48-8M0003794
15	34	48-8M0003823	48-8M0003824
18	35	48-8M0003465	48-8M0003466
17.75	35	48-8M0003495	48-8M0003496
17.50	35	48-8M0003525	48-8M0003526
17.25	35	48-8M0003555	48-8M0003556
17	35	48-8M0003585	48-8M0003586
16.75	35	48-8M0003615	48-8M0003616
16.50	35	48-8M0003645	48-8M0003646
16.25	35	48-8M0003675	48-8M0003676
16	35	48-8M0003705	48-8M0003706
15.75	35	48-8M0003835	48-8M0003836
15.50	35	48-8M0003765	48-8M0003766
15.25	35	48-8M0003795	48-8M0003796
15	35	48-8M0003825	48-8M0003826
18	36	48-8M0003467	48-8M0003468

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.75	36	48-8M0003497	48-8M0003498
17.50	36	48-8M0003527	48-8M0003528
17.25	36	48-8M0003557	48-8M0003558
17	36	48-8M0003587	48-8M0003588
16.75	36	48-8M0003617	48-8M0003618
16.50	36	48-8M0003647	48-8M0003648
16.25	36	48-8M0003677	48-8M0003678
16	36	48-8M0003707	48-8M0003708
15.75	36	48-8M0003737	48-8M0003738
15.50	36	48-8M0003767	48-8M0003768
15.25	36	48-8M0003797	48-8M0003798
15	36	48-8M0003827	48-8M0003828
18	37	48-8M0003469	48-8M0003470
17.75	37	48-8M0003499	48-8M0003500
17.50	37	48-8M0003529	48-8M0003530
17.25	37	48-8M0003559	48-8M0003560
17	37	48-8M0003589	48-8M0003590
16.75	37	48-8M0003619	48-8M0003620
16.50	37	48-8M0003649	48-8M0003650
16.25	37	48-8M0003679	48-8M0003680
16	37	48-8M0003709	48-8M0003710
15.75	37	48-8M0003739	48-8M0003740
15.50	37	48-8M0003769	48-8M0003770
15.25	37	48-8M0003799	48-8M0003800
15	37	48-8M0003829	48-8M0003830
18	38	48-8M0003471	48-8M0003472
17.75	38	48-8M0003501	48-8M0003502
17.50	38	48-8M0003531	48-8M0003532
17.25	38	48-8M0003561	48-8M0003562
17	38	48-8M0003591	48-8M0003592
16.75	38	48-8M0003621	48-8M0003622
16.50	38	48-8M0003651	48-8M0003652
16.25	38	48-8M0003681	48-8M0003682
16	38	48-8M0003711	48-8M0003712
15.75	38	48-8M0003741	48-8M0003742
15.50	38	48-8M0003771	48-8M0003772
15.25	38	48-8M0003801	48-8M0003802
15	38	48-8M0003831	48-8M0003832
18	39	48-8M0003473	48-8M0003474
17.75	39	48-8M0003503	48-8M0003504
17.50	39	48-8M0003533	48-8M0003534
17.25	39	48-8M0003563	48-8M0003564
17	39	48-8M0003593	48-8M0003594
16.75	39	48-8M0003623	48-8M0003624
16.50	39	48-8M0003653	48-8M0003654
16.25	39	48-8M0003683	48-8M0003684
16	39	48-8M0003713	48-8M0003714
15.75	39	48-8M0003743	48-8M0003744
15.50	39	48-8M0003773	48-8M0003774
15.25	39	48-8M0003803	48-8M0003804
15	39	48-8M0003833	48-8M0003836
18	40	48-8M0003475	48-8M0003476
17.75	40	48-8M0003505	48-8M0003506
17.50	40	48-8M0003535	48-8M0003536
17.25	40	48-8M0003565	48-8M0003566
17	40	48-8M0003595	48-8M0003596

MERCURY RACING PROPELLER CHARTS

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.75	40	48-8M0003625	48-8M0003626
16.50	40	48-8M0003655	48-8M0003656
16.25	40	48-8M0003685	48-8M0003686
15	40	48-8M0003715	48-8M0003716
15.75	40	48-8M0003745	48-8M0003746
15.50	40	48-8M0003775	48-8M0003776
15.25	40	48-8M0003805	48-8M0003806
15	40	48-8M0003835	48-8M0003836

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 700 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	34	48-8M0104253	48-8M0104252
17	35	48-8M0109501	48-8M0109500

CNC Cleaver, Heat Treated SS 5 Blade, 15 Degree Rake - 600 HP

IIIA, IV, V, VI, VII SSM, NXT1, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
14.75	25	48-8M0071911	
14.5	25	48-8M0065413	
18	26	48-8M0004617	48-8M0004618
17.75	26	48-8M0004647	48-8M0004648
17.50	26	48-8M0004677	48-8M0004678
17.25	26	48-8M0004707	48-8M0004708
17	26	48-8M0004737	48-8M0004738
16.75	26	48-8M0004767	48-8M0004768
16.50	26	48-8M0004797	48-8M0004798
16.25	26	48-8M0004827	48-8M0004828
16	26	48-8M0004857	48-8M0004858
15.75	26	48-8M0004887	48-8M0004888
15.50	26	48-8M0004917	48-8M0004918
15.25	26	48-8M0004947	48-8M0004948
15	26	48-8M0004977	48-8M0004978
14.75	26	48-8M0063206	
14.5	26	48-8M0065293	48-8M0065294
18	27	48-8M0004619	48-8M0004620
17.75	27	48-8M0004649	48-8M0004650
17.50	27	48-8M0004679	48-8M0004680
17.25	27	48-8M0004709	48-8M0004710
17	27	48-8M0004739	48-8M0004740
16.75	27	48-8M0004769	48-8M0004770
16.50	27	48-8M0004799	48-8M0004800
16.25	27	48-8M0004829	48-8M0004830
16	27	48-8M0004859	48-8M0004860
15.75	27	48-8M0004889	48-8M0004890
15.50	27	48-8M0004919	48-8M0004920
15.25	27	48-8M0004949	48-8M0004950
15	27	48-8M0004979	48-8M0004980
14.5	27	48-8M0065295	48-8M0065296

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	28	48-8M0004621	48-8M0004622
17.75	28	48-8M0004651	48-8M0004652
17.50	28	48-8M0004681	48-8M0004682
17.25	28	48-8M0004711	48-8M0004712
17	28	48-8M0004741	48-8M0004742
16.75	28	48-8M0004771	48-8M0004772
16.50	28	48-8M0004801	48-8M0004802
16.25	28	48-8M0004831	48-8M0004832
16	28	48-8M0004861	48-8M0004862
15.75	28	48-8M0004891	48-8M0004892
15.50	28	48-8M0004921	48-8M0004922
15.25	28	48-8M0004951	48-8M0004952
15	28	48-8M0004981	48-8M0004982
14.5	28	48-8M0075897	48-8M0075896
18	29	48-8M0004623	48-8M0004624
17.75	29	48-8M0004653	48-8M0004654
17.50	29	48-8M0004683	48-8M0004684
17.25	29	48-8M0004713	48-8M0004714
17	29	48-8M0004743	48-8M0004744
16.75	29	48-8M0004773	48-8M0004774
16.50	29	48-8M0004803	48-8M0004804
16.25	29	48-8M0004833	48-8M0004834
16	29	48-8M0004863	48-8M0004864
15.75	29	48-8M0004893	48-8M0004894
15.50	29	48-8M0004923	48-8M0004924
15.25	29	48-8M0004953	48-8M0004954
15	29	48-8M0004983	48-8M0004984
18	30	48-8M0004625	48-8M0004626
17.75	30	48-8M0004655	48-8M0004656
17.50	30	48-8M0004685	48-8M0004686
17.25	30	48-8M0004715	48-8M0004716
17	30	48-8M0004745	48-8M0004746
16.75	30	48-8M0004775	48-8M0004776
16.50	30	48-8M0004805	48-8M0004806
16.25	30	48-8M0004835	48-8M0004836
16	30	48-8M0004865	48-8M0004866
15.75	30	48-8M0004895	48-8M0004896
15.50	30	48-8M0004925	48-8M0004926
15.25	30	48-8M0004955	48-8M0004956
15	30	48-8M0004985	48-8M0004986
18	31	48-8M0004627	48-8M0004628
17.75	31	48-8M0004657	48-8M0004658
17.50	31	48-8M0004687	48-8M0004688
17.25	31	48-8M0004717	48-8M0004718
17	31	48-8M0004747	48-8M0004748
16.75	31	48-8M0004777	48-8M0004778
16.50	31	48-8M0004807	48-8M0004808
16.25	31	48-8M0004837	48-8M0004838
16	31	48-8M0004867	48-8M0004868
15.75	31	48-8M0004897	48-8M0004898
15.50	31	48-8M0004927	48-8M0004928
15.25	31	48-8M0004957	48-8M0004958
15	31	48-8M0004987	48-8M0004988
18	32	48-8M0004629	48-8M0004630
17.75	32	48-8M0004659	48-8M0004660
17.50	32	48-8M0004689	48-8M0004690

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	32	48-8M0004719	48-8M0004720
17	32	48-8M0004749	48-8M0004750
16.75	32	48-8M0004779	48-8M0004780
16.50	32	48-8M0004809	48-8M0004810
16.25	32	48-8M0004839	48-8M0004840
16	32	48-8M0004869	48-8M0004870
15.75	32	48-8M0004899	48-8M0004900
15.50	32	48-8M0004929	48-8M0004930
15.25	32	48-8M0004959	48-8M0004960
15	32	48-8M0004989	48-8M0004990
18	33	48-8M0004631	48-8M0004632
17.75	33	48-8M0004661	48-8M0004662
17.50	33	48-8M0004691	48-8M0004692
17.25	33	48-8M0004721	48-8M0004722
17	33	48-8M0004751	48-8M0004752
16.75	33	48-8M0004781	48-8M0004782
16.50	33	48-8M0004811	48-8M0004812
16.25	33	48-8M0004841	48-8M0004842
16	33	48-8M0004871	48-8M0004872
15.75	33	48-8M0004901	48-8M0004902
15.50	33	48-8M0004931	48-8M0004932
15.25	33	48-8M0004961	48-8M0004962
15	33	48-8M0004991	48-8M0004992
18	34	48-8M0004633	48-8M0004634
17.75	34	48-8M0004663	48-8M0004664
17.50	34	48-8M0004693	48-8M0004694
17.25	34	48-8M0004723	48-8M0004724
17	34	48-8M0004753	48-8M0004754
16.75	34	48-8M0004783	48-8M0004784
16.50	34	48-8M0004813	48-8M0004814
16.25	34	48-8M0004843	48-8M0004844
16	34	48-8M0004873	48-8M0004874
15.75	34	48-8M0004903	48-8M0004904
15.50	34	48-8M0004933	48-8M0004934
15.25	34	48-8M0004963	48-8M0004964
15	34	48-8M0004993	48-8M0004994
18	35	48-8M0004635	48-8M0004636
17.75	35	48-8M0004665	48-8M0004666
17.50	35	48-8M0004695	48-8M0004696
17.25	35	48-8M0004725	48-8M0004726
17	35	48-8M0004755	48-8M0004756
16.75	35	48-8M0004785	48-8M0004786
16.50	35	48-8M0004815	48-8M0004816
16.25	35	48-8M0004845	48-8M0004846
16	35	48-8M0004875	48-8M0004876
15.75	35	48-8M0004905	48-8M0004906
15.50	35	48-8M0004935	48-8M0004936
15.25	35	48-8M0004965	48-8M0004966
15	35	48-8M0004995	48-8M0004996
18	36	48-8M0004637	48-8M0004638
17.75	36	48-8M0004667	48-8M0004668
17.50	36	48-8M0004697	48-8M0004698
17.25	36	48-8M0004727	48-8M0004728
17	36	48-8M0004757	48-8M0004758
16.75	36	48-8M0004787	48-8M0004788
16.50	36	48-8M0004817	48-8M0004818

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.25	36	48-8M0004847	48-8M0004848
16	36	48-8M0004877	48-8M0004878
15.75	36	48-8M0004907	48-8M0004908
15.50	36	48-8M0004937	48-8M0004938
15.25	36	48-8M0004967	48-8M0004968
15	36	48-8M0004997	48-8M0004998
18	37	48-8M0004639	48-8M0004640
17.75	37	48-8M0004669	48-8M0004670
17.50	37	48-8M0004701	48-8M0004702
17.25	37	48-8M0004731	48-8M0004732
17	37	48-8M0004761	48-8M0004762
16.75	37	48-8M0004791	48-8M0004792
16.50	37	48-8M0004821	48-8M0004822
16.25	37	48-8M0004849	48-8M0004850
16	37	48-8M0004879	48-8M0004880
15.75	37	48-8M0004909	48-8M0004910
15.50	37	48-8M0004939	48-8M0004940
15.25	37	48-8M0004971	48-8M0004972
15	37	48-8M0004999	48-8M0005000
18	38	48-8M0004641	48-8M0004642
17.75	38	48-8M0004671	48-8M0004672
17.50	38	48-8M0004701	48-8M0004702
17.25	38	48-8M0004731	48-8M0004732
17	38	48-8M0004761	48-8M0004762
16.75	38	48-8M0004791	48-8M0004792
16.50	38	48-8M0004821	48-8M0004822
16.25	38	48-8M0004851	48-8M0004852
16	38	48-8M0004881	48-8M0004882
15.75	38	48-8M0004911	48-8M0004912
15.50	38	48-8M0004941	48-8M0004942
15.25	38	48-8M0004971	48-8M0004972
15	38	48-8M0005001	48-8M0005002
18	39	48-8M0004643	48-8M0004644
17.75	39	48-8M0004673	48-8M0004674
17.50	39	48-8M0004703	48-8M0004704
17.25	39	48-8M0004733	48-8M0004734
17	39	48-8M0004763	48-8M0004764
16.75	39	48-8M0004793	48-8M0004794
16.50	39	48-8M0004823	48-8M0004824
16.25	39	48-8M0004853	48-8M0004854
16	39	48-8M0004883	48-8M0004884
15.75	39	48-8M0004913	48-8M0004914
15.50	39	48-8M0004943	48-8M0004944
15.25	39	48-8M0004973	48-8M0004974
15	39	48-8M0005003	48-8M0005004
18	40	48-8M0004645	48-8M0004646
17.75	40	48-8M0004675	48-8M0004676
17.50	40	48-8M0004705	48-8M0004706
17.25	40	48-8M0004735	48-8M0004736
17	40	48-8M0004765	48-8M0004766
16.75	40	48-8M0004795	48-8M0004796
16.50	40	48-8M0004825	48-8M0004826
16.25	40	48-8M0004855	48-8M0004856
15	40	48-8M0004885	48-8M0004886
15.75	40	48-8M0004915	48-8M0004916
15.50	40	48-8M0004945	48-8M0004946

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.25	40	48-8M0004975	48-8M0004976
15	40	48-8M0005005	48-8M0005006

CNC CLEAVER 5 BLADE 18 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 1550 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0049333	48-8M0049334
17.75	30	48-8M0049355	48-8M0049356
17.5	30	48-8M0049377	48-8M0049378
17.25	30	48-8M0049399	48-8M0049400
17	30	48-8M0049421	48-8M0049422
16.75	30	48-8M0049443	48-8M0049444
16.5	30	48-8M0049465	48-8M0049466
16.25	30	48-8M0049487	48-8M0049488
16	30	48-8M0049509	48-8M0049510
18	31	48-8M0049335	48-8M0049336
17.75	31	48-8M0049357	48-8M0049358
17.5	31	48-8M0049379	48-8M0049380
17.25	31	48-8M0049401	48-8M0049402
17	31	48-8M0049423	48-8M0049424
16.75	31	48-8M0049445	48-8M0049446
16.5	31	48-8M0049467	48-8M0049468
16.25	31	48-8M0049489	48-8M0049490
16	31	48-8M0049511	48-8M0049512
18	32	48-8M0049337	48-8M0049338
17.75	32	48-8M0049359	48-8M0049360
17.5	32	48-8M0049381	48-8M0049382
17.25	32	48-8M0049403	48-8M0049404
17	32	48-8M0049425	48-8M0049426
16.75	32	48-8M0049447	48-8M0049448
16.5	32	48-8M0049469	48-8M0049470
16.25	32	48-8M0049491	48-8M0049492
16	32	48-8M0049513	48-8M0049514
18	33	48-8M0049339	48-8M0049340
17.75	33	48-8M0049361	48-8M0049362
17.5	33	48-8M0049383	48-8M0049384
17.25	33	48-8M0049405	48-8M0049406
17	33	48-8M0049427	48-8M0049428
16.75	33	48-8M0049449	48-8M0049450

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.5	33	48-8M0049471	48-8M0049472
16.25	33	48-8M0049493	48-8M0049494
16	33	48-8M0049515	48-8M0049516
18	34	48-8M0049341	48-8M0049342
17.75	34	48-8M0049363	48-8M0049364
17.5	34	48-8M0049385	48-8M0049386
17.25	34	48-8M0049407	48-8M0049408
17	34	48-8M0049429	48-8M0049430
16.75	34	48-8M0049451	48-8M0049452
16.5	34	48-8M0049473	48-8M0049474
16.25	34	48-8M0049495	48-8M0049496
16	34	48-8M0049517	48-8M0049518
18	35	48-8M0049343	48-8M0049344
17.75	35	48-8M0049365	48-8M0049366
17.5	35	48-8M0049387	48-8M0049388
17.25	35	48-8M0049409	48-8M0049410
17	35	48-8M0049431	48-8M0049432
16.75	35	48-8M0049453	48-8M0049454
16.5	35	48-8M0049475	48-8M0049476
16.25	35	48-8M0049497	48-8M0049498
16	35	48-8M0049519	48-8M0049520
18	36	48-8M0049345	48-8M0049346
17.75	36	48-8M0049367	48-8M0049368
17.5	36	48-8M0049389	48-8M0049390
17.25	36	48-8M0049411	48-8M0049412
17	36	48-8M0049433	48-8M0049434
16.75	36	48-8M0049455	48-8M0049456
16.5	36	48-8M0049477	48-8M0049478
16.25	36	48-8M0049499	48-8M0049500
16	36	48-8M0049521	48-8M0049522
18	37	48-8M0049347	48-8M0049348
17.75	37	48-8M0049369	48-8M0049370
17.5	37	48-8M0049391	48-8M0049392
17.25	37	48-8M0049413	48-8M0049414
17	37	48-8M0049435	48-8M0049436
16.75	37	48-8M0049457	48-8M0049458
16.5	37	48-8M0049479	48-8M0049480
16.25	37	48-8M0049501	48-8M0049502
16	37	48-8M0049523	48-8M0049524
18	38	48-8M0049349	48-8M0049350
17.75	38	48-8M0049371	48-8M0049372
17.5	38	48-8M0049393	48-8M0049394
17.25	38	48-8M0049415	48-8M0049416
17	38	48-8M0049437	48-8M0049438
16.75	38	48-8M0049459	48-8M0049460
16.5	38	48-8M0049481	48-8M0049482
16.25	38	48-8M0049503	48-8M0049504
16	38	48-8M0049525	48-8M0049526
18	39	48-8M0049351	48-8M0049352
17.75	39	48-8M0049373	48-8M0049374
17.5	39	48-8M0049395	48-8M0049396
17.25	39	48-8M0049417	48-8M0049418
17	39	48-8M0049439	48-8M0049440
16.75	39	48-8M0049461	48-8M0049462
16.5	39	48-8M0049483	48-8M0049484
16.25	39	48-8M0049505	48-8M0049506

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16	39	48-8M0049527	48-8M0049528
18	40	48-8M0049353	48-8M0049354
17.75	40	48-8M0049375	48-8M0049376
17.5	40	48-8M0049397	48-8M0049398
17.25	40	48-8M0049419	48-8M0049420
17	40	48-8M0049441	48-8M0049442
16.75	40	48-8M0049463	48-8M0049464
16.5	40	48-8M0049485	48-8M0049486
16.25	40	48-8M0049507	48-8M0049508
16	40	48-8M0049529	48-8M0049530

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 1350 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	34	48-8M0106505	48-8M0106504
16.5	37	48-8M0093361	48-8M0093360
17	38	48-8M0059069	48-8M0059068
16.5	38	48-8M0109051	48-8M0109052
17.5	39	48-8M0101559	48-8M0101560
17	39	48-8M0102349	48-8M0102348
16.75	39	48-8M0107949	48-8M0107948
17	40	48-8M0059071	48-8M0059070
17	41	48-8M0029395	48-8M0029396
16.50	42	48-8M0104717	48-8M0104716

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0013507	48-8M0013508
17.75	30	48-8M0013537	48-8M0013538
17.5	30	48-8M0013567	48-8M0013568
17.25	30	48-8M0013597	48-8M0013598
17	30	48-8M0013627	48-8M0013628
16.75	30	48-8M0013657	48-8M0013658
16.5	30	48-8M0013687	48-8M0013688
16.25	30	48-8M0013717	48-8M0013718
16	30	48-8M0013747	48-8M0013748
15.75	30	48-8M0013777	48-8M0013778
15.5	30	48-8M0013807	48-8M0013808
15.25	30	48-8M0013837	48-8M0013838
15	30	48-8M0013867	48-8M0013868
18	31	48-8M0013509	48-8M0013510
17.75	31	48-8M0013539	48-8M0013540
17.5	31	48-8M0013569	48-8M0013570
17.25	31	48-8M0013599	48-8M0013600
17	31	48-8M0013629	48-8M0013630
16.75	31	48-8M0013659	48-8M0013660
16.5	31	48-8M0013689	48-8M0013690
16.25	31	48-8M0013719	48-8M0013720

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16	31	48-8M0013749	48-8M0013750
15.75	31	48-8M0013779	48-8M0013780
15.5	31	48-8M0013809	48-8M0013810
15.25	31	48-8M0013839	48-8M0013840
15	31	48-8M0013869	48-8M0013870
18	32	48-8M0013511	48-8M0013512
17.75	32	48-8M0013541	48-8M0013542
17.5	32	48-8M0013571	48-8M0013572
17.25	32	48-8M0013601	48-8M0013602
17	32	48-8M0013631	48-8M0013632
16.75	32	48-8M0013661	48-8M0013662
16.5	32	48-8M0013691	48-8M0013692
16.25	32	48-8M0013721	48-8M0013722
16	32	48-8M0013751	48-8M0013752
15.75	32	48-8M0013781	48-8M0013782
15.5	32	48-8M0013811	48-8M0013812
15.25	32	48-8M0013841	48-8M0013842
15	32	48-8M0013871	48-8M0013872
18	33	48-8M0013513	48-8M0013514
17.75	33	48-8M0013543	48-8M0013544
17.5	33	48-8M0013573	48-8M0013574
17.25	33	48-8M0013603	48-8M0013604
17	33	48-8M0013633	48-8M0013634
16.75	33	48-8M0013663	48-8M0013664
16.5	33	48-8M0013693	48-8M0013694
16.25	33	48-8M0013723	48-8M0013724
16	33	48-8M0013753	48-8M0013754
15.75	33	48-8M0013783	48-8M0013784
15.5	33	48-8M0013813	48-8M0013814
15.25	33	48-8M0013843	48-8M0013844
15	33	48-8M0013873	48-8M0013874
18	34	48-8M0013515	48-8M0013516
17.75	34	48-8M0013545	48-8M0013546
17.5	34	48-8M0013575	48-8M0013576
17.25	34	48-8M0013605	48-8M0013606
17	34	48-8M0013635	48-8M0013636
16.75	34	48-8M0013665	48-8M0013666
16.5	34	48-8M0013695	48-8M0013696
16.25	34	48-8M0013725	48-8M0013726
16	34	48-8M0013755	48-8M0013756
15.75	34	48-8M0013785	48-8M0013786
15.5	34	48-8M0013815	48-8M0013816
15.25	34	48-8M0013845	48-8M0013846
15	34	48-8M0013875	48-8M0013876
18	35	48-8M0013517	48-8M0013518
17.75	35	48-8M0013547	48-8M0013548
17.5	35	48-8M0013577	48-8M0013578
17.25	35	48-8M0013607	48-8M0013608
17	35	48-8M0013637	48-8M0013638
16.75	35	48-8M0013667	48-8M0013668
16.5	35	48-8M0013697	48-8M0013698
16.25	35	48-8M0013727	48-8M0013728
16	35	48-8M0013757	48-8M0013758
15.75	35	48-8M0013787	48-8M0013788
15.5	35	48-8M0013817	48-8M0013818
15.25	35	48-8M0013847	48-8M0013848

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	35	48-8M0013877	48-8M0013878
18	36	48-8M0013519	48-8M0013520
17.75	36	48-8M0013549	48-8M0013550
17.5	36	48-8M0013579	48-8M0013580
17.25	36	48-8M0013609	48-8M0013610
17	36	48-8M0013639	48-8M0013640
16.75	36	48-8M0013669	48-8M0013670
16.5	36	48-8M0013699	48-8M0013700
16.25	36	48-8M0013729	48-8M0013730
16	36	48-8M0013759	48-8M0013760
15.75	36	48-8M0013789	48-8M0013790
15.5	36	48-8M0013819	48-8M0013820
15.25	36	48-8M0013849	48-8M0013850
15	36	48-8M0013879	48-8M0013880
18	37	48-8M0013521	48-8M0013522
17.75	37	48-8M0013551	48-8M0013552
17.5	37	48-8M0013581	48-8M0013582
17.25	37	48-8M0013611	48-8M0013612
17	37	48-8M0013641	48-8M0013642
16.75	37	48-8M0013671	48-8M0013672
16.5	37	48-8M0013701	48-8M0013702
16.25	37	48-8M0013731	48-8M0013732
16	37	48-8M0013761	48-8M0013762
15.75	37	48-8M0013791	48-8M0013792
15.5	37	48-8M0013821	48-8M0013822
15.25	37	48-8M0013851	48-8M0013852
15	37	48-8M0013881	48-8M0013882
18	38	48-8M0013523	48-8M0013524
17.75	38	48-8M0013553	48-8M0013554
17.5	38	48-8M0013583	48-8M0013584
17.25	38	48-8M0013613	48-8M0013614
17	38	48-8M0013643	48-8M0013644
16.75	38	48-8M0013673	48-8M0013674
16.5	38	48-8M0013703	48-8M0013704
16.25	38	48-8M0013733	48-8M0013734
16	38	48-8M0013763	48-8M0013764
15.75	38	48-8M0013793	48-8M0013794
15.5	38	48-8M0013823	48-8M0013824
15.25	38	48-8M0013853	48-8M0013854
15	38	48-8M0013883	48-8M0013884
18	39	48-8M0013525	48-8M0013526
17.75	39	48-8M0013555	48-8M0013556
17.5	39	48-8M0013585	48-8M0013586
17.25	39	48-8M0013615	48-8M0013616
17	39	48-8M0013645	48-8M0013646
16.75	39	48-8M0013675	48-8M0013676
16.5	39	48-8M0013705	48-8M0013706
16.25	39	48-8M0013735	48-8M0013736
16	39	48-8M0013765	48-8M0013766
15.75	39	48-8M0013795	48-8M0013796
15.5	39	48-8M0013825	48-8M0013826
15.25	39	48-8M0013855	48-8M0013856
15	39	48-8M0013885	48-8M0013886
18	40	48-8M0013527	48-8M0013528
17.75	40	48-8M0013557	48-8M0013558
17.5	40	48-8M0013587	48-8M0013588

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	40	48-8M0013617	48-8M0013618
17	40	48-8M0013647	48-8M0013648
16.75	40	48-8M0013677	48-8M0013678
16.5	40	48-8M0013707	48-8M0013708
16.25	40	48-8M0013737	48-8M0013738
16	40	48-8M0013767	48-8M0013768
15.75	40	48-8M0013797	48-8M0013798
15.5	40	48-8M0013827	48-8M0013828
15.25	40	48-8M0013857	48-8M0013858
15	40	48-8M0013887	48-8M0013888

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 1100 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8

26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.5	38	48-8M0099431	48-8M0099430
16.5	39	48-8M0112359	48-8M0112360
17	40	48-8M0085857	48-8M0085858
16.75	40	48-8M0108441	48-8M0108442
16.5	40	48-8M0092609	48-8M0092608
17	42	48-8M0083389	48-8M0083390

CNC Cleaver, Heat Treated 5 Blade, 18 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1

26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0014677	48-8M0014678
17.75	30	48-8M0014707	48-8M0014708
17.5	30	48-8M0014737	48-8M0014738
17.25	30	48-8M0014767	48-8M0014768
17	30	48-8M0014797	48-8M0014798
16.75	30	48-8M0014827	48-8M0014828
16.5	30	48-8M0014857	48-8M0014858
16.25	30	48-8M0014887	48-8M0014888
16	30	48-8M0014917	48-8M0014918
15.75	30	48-8M0014947	48-8M0014948
15.5	30	48-8M0014977	48-8M0014978
15.25	30	48-8M0015007	48-8M0015008
15	30	48-8M0015037	48-8M0015038
18	31	48-8M0014679	48-8M0014680
17.75	31	48-8M0014709	48-8M0014710
17.5	31	48-8M0014739	48-8M0014740
17.25	31	48-8M0014769	48-8M0014770
17	31	48-8M0014799	48-8M0014800
16.75	31	48-8M0014829	48-8M0014830
16.5	31	48-8M0014859	48-8M0014860
16.25	31	48-8M0014889	48-8M0014890
16	31	48-8M0014919	48-8M0014920
15.75	31	48-8M0014949	48-8M0014950
15.5	31	48-8M0014979	48-8M0014980
15.25	31	48-8M0015009	48-8M0015010
15	31	48-8M0015039	48-8M0015040
18	32	48-8M0014681	48-8M0014682

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.75	32	48-8M0014711	48-8M0014712
17.5	32	48-8M0014741	48-8M0014742
17.25	32	48-8M0014771	48-8M0014772
17	32	48-8M0014801	48-8M0014802
16.75	32	48-8M0014831	48-8M0014832
16.5	32	48-8M0014861	48-8M0014862
16.25	32	48-8M0014891	48-8M0014892
16	32	48-8M0014921	48-8M0014922
15.75	32	48-8M0014951	48-8M0014952
15.5	32	48-8M0014981	48-8M0014982
15.25	32	48-8M0015011	48-8M0015012
15	32	48-8M0015041	48-8M0015042
18	33	48-8M0014683	48-8M0014684
17.75	33	48-8M0014713	48-8M0014714
17.5	33	48-8M0014743	48-8M0014744
17.25	33	48-8M0014773	48-8M0014774
17	33	48-8M0014803	48-8M0014804
16.75	33	48-8M0014833	48-8M0014834
16.5	33	48-8M0014863	48-8M0014864
16.25	33	48-8M0014893	48-8M0014894
16	33	48-8M0014923	48-8M0014924
15.75	33	48-8M0014953	48-8M0014954
15.5	33	48-8M0014983	48-8M0014984
15.25	33	48-8M0015013	48-8M0015014
15	33	48-8M0015043	48-8M0015044
18	34	48-8M0014685	48-8M0014686
17.75	34	48-8M0014715	48-8M0014716
17.5	34	48-8M0014745	48-8M0014746
17.25	34	48-8M0014775	48-8M0014776
17	34	48-8M0014805	48-8M0014806
16.75	34	48-8M0014835	48-8M0014836
16.5	34	48-8M0014865	48-8M0014866
16.25	34	48-8M0014895	48-8M0014896
16	34	48-8M0014925	48-8M0014926
15.75	34	48-8M0014955	48-8M0014956
15.5	34	48-8M0014985	48-8M0014986
15.25	34	48-8M0015015	48-8M0015016
15	34	48-8M0015045	48-8M0015046
18	35	48-8M0014687	48-8M0014688
17.75	35	48-8M0014717	48-8M0014718
17.5	35	48-8M0014747	48-8M0014748
17.25	35	48-8M0014777	48-8M0014778
17	35	48-8M0014807	48-8M0014808
16.75	35	48-8M0014837	48-8M0014838
16.5	35	48-8M0014867	48-8M0014868
16.25	35	48-8M0014897	48-8M0014898
16	35	48-8M0014927	48-8M0014928
15.75	35	48-8M0014957	48-8M0014958
15.5	35	48-8M0014987	48-8M0014988
15.25	35	48-8M0015017	48-8M0015018
15	35	48-8M0015047	48-8M0015048
18	36	48-8M0014689	48-8M0014690
17.75	36	48-8M0014719	48-8M0014720
17.5	36	48-8M0014749	48-8M0014750
17.25	36	48-8M0014779	48-8M0014780
17	36	48-8M0014809	48-8M0014810

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.75	36	48-8M0014839	48-8M0014840
16.5	36	48-8M0014869	48-8M0014870
16.25	36	48-8M0014899	48-8M0014900
16	36	48-8M0014929	48-8M0014930
15.75	36	48-8M0014959	48-8M0014960
15.5	36	48-8M0014989	48-8M0014990
15.25	36	48-8M0015019	48-8M0015020
15	36	48-8M0015049	48-8M0015050
18	37	48-8M0014691	48-8M0014692
17.75	37	48-8M0014721	48-8M0014722
17.5	37	48-8M0014751	48-8M0014752
17.25	37	48-8M0014781	48-8M0014782
17	37	48-8M0014811	48-8M0014812
16.75	37	48-8M0014841	48-8M0014842
16.5	37	48-8M0014871	48-8M0014872
16.25	37	48-8M0014901	48-8M0014902
16	37	48-8M0014931	48-8M0014932
15.75	37	48-8M0014961	48-8M0014962
15.5	37	48-8M0014991	48-8M0014992
15.25	37	48-8M0015021	48-8M0015022
15	37	48-8M0015051	48-8M0015052
18	38	48-8M0014693	48-8M0014694
17.75	38	48-8M0014723	48-8M0014724
17.5	38	48-8M0014753	48-8M0014754
17.25	38	48-8M0014783	48-8M0014784
17	38	48-8M0014813	48-8M0014814
16.75	38	48-8M0014843	48-8M0014844
16.5	38	48-8M0014873	48-8M0014874
16.25	38	48-8M0014903	48-8M0014904
16	38	48-8M0014933	48-8M0014934
15.75	38	48-8M0014963	48-8M0014964
15.5	38	48-8M0014993	48-8M0014994
15.25	38	48-8M0015023	48-8M0015024
15	38	48-8M0015053	48-8M0015054
18	39	48-8M0014695	48-8M0014696
17.75	39	48-8M0014725	48-8M0014726
17.5	39	48-8M0014755	48-8M0014756
17.25	39	48-8M0014785	48-8M0014786
17	39	48-8M0014815	48-8M0014816
16.75	39	48-8M0014845	48-8M0014846
16.5	39	48-8M0014875	48-8M0014876
16.25	39	48-8M0014905	48-8M0014906
16	39	48-8M0014935	48-8M0014936
15.75	39	48-8M0014965	48-8M0014966
15.5	39	48-8M0014995	48-8M0014996
15.25	39	48-8M0015025	48-8M0015026
15	39	48-8M0015055	48-8M0015056
18	40	48-8M0014697	48-8M0014698
17.75	40	48-8M0014727	48-8M0014728
17.5	40	48-8M0014757	48-8M0014758
17.25	40	48-8M0014787	48-8M0014788
17	40	48-8M0014817	48-8M0014818
16.75	40	48-8M0014847	48-8M0014848
16.5	40	48-8M0014877	48-8M0014878
16.25	40	48-8M0014907	48-8M0014908
16	40	48-8M0014937	48-8M0014938

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.75	40	48-8M0014967	48-8M0014968
15.5	40	48-8M0014997	48-8M0014998
15.25	40	48-8M0015027	48-8M0015028
15	40	48-8M0015057	48-8M0015058

CNC Cleaver, Heat Treated SS 5 Blade, 18 Degree Rake - 700 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8

26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.5	38	48-8M0100497	48-8M0100496
16.7539	39	48-8M0054727	48-8M0054728
16.5	39	48-8M0100499	48-8M0100498

CNC CLEAVER 5 BLADE 21 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 5 Blade, 21 Degree Rake - 1550 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 Included.

26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

1350 HP Limited, currently offering 17.50 x 34 8M0104607 and 8M0104608.

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0049531	48-8M0049532
17.75	30	48-8M0049553	48-8M0049554
17.5	30	48-8M0049575	48-8M0049576
17.25	30	48-8M0049597	48-8M0049598
17	30	48-8M0049619	48-8M0049620
16.75	30	48-8M0049641	48-8M0049642
16.5	30	48-8M0049663	48-8M0049664
16.25	30	48-8M0049685	48-8M0049686
16	30	48-8M0049707	48-8M0049708
18	31	48-8M0049533	48-8M0049534
17.75	31	48-8M0049555	48-8M0049556
17.5	31	48-8M0049577	48-8M0049578
17.25	31	48-8M0049599	48-8M0049600
17	31	48-8M0049621	48-8M0049622
16.75	31	48-8M0049643	48-8M0049644
16.5	31	48-8M0049665	48-8M0049666
16.25	31	48-8M0049687	48-8M0049688
16	31	48-8M0049709	48-8M0049710
18	32	48-8M0049535	48-8M0049536
17.75	32	48-8M0049557	48-8M0049558
17.5	32	48-8M0049579	48-8M0049580

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	32	48-8M0049601	48-8M0049602
17	32	48-8M0049623	48-8M0049624
16.75	32	48-8M0049645	48-8M0049646
16.5	32	48-8M0049667	48-8M0049668
16.25	32	48-8M0049689	48-8M0049690
16	32	48-8M0049711	48-8M0049712
18	33	48-8M0049537	48-8M0049538
17.75	33	48-8M0049559	48-8M0049560
17.5	33	48-8M0049581	48-8M0049582
17.25	33	48-8M0049603	48-8M0049604
17	33	48-8M0049625	48-8M0049626
16.75	33	48-8M0049647	48-8M0049648
16.5	33	48-8M0049669	48-8M0049670
16.25	33	48-8M0049691	48-8M0049692
16	33	48-8M0049713	48-8M0049714
18	34	48-8M0049539	48-8M0049540
17.75	34	48-8M0049561	48-8M0049562
17.5	34	48-8M0049583	48-8M0049584
17.25	34	48-8M0049605	48-8M0049606
17	34	48-8M0049627	48-8M0049628
16.75	34	48-8M0049649	48-8M0049650
16.5	34	48-8M0049671	48-8M0049672
16.25	34	48-8M0049693	48-8M0049694
16	34	48-8M0049715	48-8M0049716
18	35	48-8M0049541	48-8M0049542
17.75	35	48-8M0049563	48-8M0049564
17.5	35	48-8M0049585	48-8M0049586
17.25	35	48-8M0049607	48-8M0049608
17	35	48-8M0049629	48-8M0049630
16.75	35	48-8M0049651	48-8M0049652
16.5	35	48-8M0049673	48-8M0049674
16.25	35	48-8M0049695	48-8M0049696
16	35	48-8M0049717	48-8M0049718
18	36	48-8M0049543	48-8M0049544
17.75	36	48-8M0049565	48-8M0049566
17.5	36	48-8M0049587	48-8M0049588
17.25	36	48-8M0049609	48-8M0049610
17	36	48-8M0049631	48-8M0049632
16.75	36	48-8M0049653	48-8M0049654
16.5	36	48-8M0049675	48-8M0049676
16.25	36	48-8M0049697	48-8M0049698
16	36	48-8M0049719	48-8M0049720
18	37	48-8M0049545	48-8M0049546
17.75	37	48-8M0049567	48-8M0049568
17.5	37	48-8M0049589	48-8M0049590
17.25	37	48-8M0049611	48-8M0049612
17	37	48-8M0049633	48-8M0049634
16.75	37	48-8M0049655	48-8M0049656
16.5	37	48-8M0049677	48-8M0049678
16.25	37	48-8M0049699	48-8M0049700
16	37	48-8M0049721	48-8M0049722
18	38	48-8M0049547	48-8M0049548
17.75	38	48-8M0049569	48-8M0049570
17.5	38	48-8M0049591	48-8M0049592
17.25	38	48-8M0049613	48-8M0049614
17	38	48-8M0049635	48-8M0049636

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.75	38	48-8M0049657	48-8M0049658
16.5	38	48-8M0049679	48-8M0049680
16.25	38	48-8M0049701	48-8M0049702
16	38	48-8M0049723	48-8M0049724
18	39	48-8M0049549	48-8M0049550
17.75	39	48-8M0049571	48-8M0049572
17.5	39	48-8M0049593	48-8M0049594
17.25	39	48-8M0049615	48-8M0049616
17	39	48-8M0049637	48-8M0049638
16.75	39	48-8M0049659	48-8M0049660
16.5	39	48-8M0049681	48-8M0049682
16.25	39	48-8M0049703	48-8M0049704
16	39	48-8M0049725	48-8M0049726
18	40	48-8M0049551	48-8M0049552
17.75	40	48-8M0049573	48-8M0049574
17.5	40	48-8M0049595	48-8M0049596
17.25	40	48-8M0049617	48-8M0049618
17	40	48-8M0049639	48-8M0049640
16.75	40	48-8M0049661	48-8M0049662
16.5	40	48-8M0049683	48-8M0049684
16.25	40	48-8M0049705	48-8M0049706
16	40	48-8M0049727	48-8M0049728

CNC Cleaver, Heat Treated SS 5 Blade, 21 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8, Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in. (44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0017089	48-8M0017090
17.75	30	48-8M0017119	48-8M0017120
17.5	30	48-8M0017149	48-8M0017150
17.25	30	48-8M0017179	48-8M0017180
17	30	48-8M0017209	48-8M0017210
16.75	30	48-8M0017239	48-8M0017240
16.5	30	48-8M0017269	48-8M0017270
16.25	30	48-8M0017299	48-8M0017300
16	30	48-8M0017329	48-8M0017330
15.75	30	48-8M0017359	48-8M0017360
15.5	30	48-8M0017389	48-8M0017390
15.25	30	48-8M0017419	48-8M0017420
15	30	48-8M0017449	48-8M0017450
18	31	48-8M0017091	48-8M0017092
17.75	31	48-8M0017121	48-8M0017122
17.5	31	48-8M0017151	48-8M0017152
17.25	31	48-8M0017181	48-8M0017182
17	31	48-8M0017211	48-8M0017212
16.75	31	48-8M0017241	48-8M0017242
16.5	31	48-8M0017271	48-8M0017272
16.25	31	48-8M0017301	48-8M0017302
16	31	48-8M0017331	48-8M0017332
15.75	31	48-8M0017361	48-8M0017362
15.5	31	48-8M0017391	48-8M0017392
15.25	31	48-8M0017421	48-8M0017422
15	31	48-8M0017451	48-8M0017452
18	32	48-8M0017093	48-8M0017094

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.75	32	48-8M0017123	48-8M0017124
17.5	32	48-8M0017153	48-8M0017154
17.25	32	48-8M0017183	48-8M0017184
17	32	48-8M0017213	48-8M0017214
16.75	32	48-8M0017243	48-8M0017244
16.5	32	48-8M0017273	48-8M0017274
16.25	32	48-8M0017303	48-8M0017304
16	32	48-8M0017333	48-8M0017334
15.75	32	48-8M0017363	48-8M0017364
15.5	32	48-8M0017393	48-8M0017394
15.25	32	48-8M0017423	48-8M0017424
15	32	48-8M0017453	48-8M0017454
18	33	48-8M0017095	48-8M0017096
17.75	33	48-8M0017125	48-8M0017126
17.5	33	48-8M0017155	48-8M0017156
17.25	33	48-8M0017185	48-8M0017186
17	33	48-8M0017215	48-8M0017216
16.75	33	48-8M0017245	48-8M0017246
16.5	33	48-8M0017275	48-8M0017276
16.25	33	48-8M0017305	48-8M0017306
16	33	48-8M0017335	48-8M0017336
15.75	33	48-8M0017365	48-8M0017366
15.5	33	48-8M0017395	48-8M0017396
15.25	33	48-8M0017425	48-8M0017426
15	33	48-8M0017455	48-8M0017456
18	34	48-8M0017097	48-8M0017098
17.75	34	48-8M0017127	48-8M0017128
17.5	34	48-8M0017157	48-8M0017158
17.25	34	48-8M0017187	48-8M0017188
17	34	48-8M0017217	48-8M0017218
16.75	34	48-8M0017247	48-8M0017248
16.5	34	48-8M0017277	48-8M0017278
16.25	34	48-8M0017307	48-8M0017308
16	34	48-8M0017337	48-8M0017338
15.75	34	48-8M0017367	48-8M0017368
15.5	34	48-8M0017397	48-8M0017398
15.25	34	48-8M0017427	48-8M0017428
15	34	48-8M0017457	48-8M0017458
18	35	48-8M0017099	48-8M0017100
17.75	35	48-8M0017129	48-8M0017130
17.5	35	48-8M0017159	48-8M0017160
17.25	35	48-8M0017189	48-8M0017190
17	35	48-8M0017219	48-8M0017220
16.75	35	48-8M0017249	48-8M0017250
16.5	35	48-8M0017279	48-8M0017280
16.25	35	48-8M0017309	48-8M0017310
16	35	48-8M0017339	48-8M0017340
15.75	35	48-8M0017369	48-8M0017370
15.5	35	48-8M0017399	48-8M0017400
15.25	35	48-8M0017429	48-8M0017430
15	35	48-8M0017459	48-8M0017460
18	36	48-8M0017101	48-8M0017102
17.75	36	48-8M0017131	48-8M0017132
17.5	36	48-8M0017161	48-8M0017162
17.25	36	48-8M0017191	48-8M0017192
17	36	48-8M0017221	48-8M0017222

MERCURY RACING PROPELLER CHARTS

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.75	36	48-8M0017251	48-8M0017252
16.5	36	48-8M0017281	48-8M0017282
16.25	36	48-8M0017311	48-8M0017312
16	36	48-8M0017341	48-8M0017342
15.75	36	48-8M0017371	48-8M0017372
15.5	36	48-8M0017401	48-8M0017402
15.25	36	48-8M0017431	48-8M0017432
15	36	48-8M0017461	48-8M0017462
18	37	48-8M0017103	48-8M0017104
17.75	37	48-8M0017133	48-8M0017134
17.5	37	48-8M0017163	48-8M0017164
17.25	37	48-8M0017193	48-8M0017194
17	37	48-8M0017223	48-8M0017224
16.75	37	48-8M0017253	48-8M0017254
16.5	37	48-8M0017283	48-8M0017284
16.25	37	48-8M0017313	48-8M0017314
16	37	48-8M0017343	48-8M0017344
15.75	37	48-8M0017373	48-8M0017374
15.5	37	48-8M0017403	48-8M0017404
15.25	37	48-8M0017433	48-8M0017434
15	37	48-8M0017463	48-8M0017464
18	38	48-8M0017105	48-8M0017106
17.75	38	48-8M0017135	48-8M0017136
17.5	38	48-8M0017165	48-8M0017166
17.25	38	48-8M0017195	48-8M0017196
17	38	48-8M0017225	48-8M0017226
16.75	38	48-8M0017255	48-8M0017256
16.5	38	48-8M0017285	48-8M0017286
16.25	38	48-8M0017315	48-8M0017316
16	38	48-8M0017345	48-8M0017346
15.75	38	48-8M0017375	48-8M0017376
15.5	38	48-8M0017405	48-8M0017406
15.25	38	48-8M0017435	48-8M0017436
15	38	48-8M0017465	48-8M0017466
18	39	48-8M0017107	48-8M0017108
17.75	39	48-8M0017137	48-8M0017138
17.5	39	48-8M0017167	48-8M0017168
17.25	39	48-8M0017197	48-8M0017198
17	39	48-8M0017227	48-8M0017228
16.75	39	48-8M0017257	48-8M0017258
16.5	39	48-8M0017287	48-8M0017288
16.25	39	48-8M0017317	48-8M0017318
16	39	48-8M0017347	48-8M0017348
15.75	39	48-8M0017377	48-8M0017378
15.5	39	48-8M0017407	48-8M0017408
15.25	39	48-8M0017437	48-8M0017438
15	39	48-8M0017467	48-8M0017468
18	40	48-8M0017109	48-8M0017110
17.75	40	48-8M0017139	48-8M0017140
17.5	40	48-8M0017169	48-8M0017170
17.25	40	48-8M0017199	48-8M0017200
17	40	48-8M0017229	48-8M0017230
16.75	40	48-8M0017259	48-8M0017260
16.5	40	48-8M0017289	48-8M0017290
16.25	40	48-8M0017319	48-8M0017320
16	40	48-8M0017349	48-8M0017350

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.75	40	48-8M0017379	48-8M0017380
15.5	40	48-8M0017409	48-8M0017410
15.25	40	48-8M0017439	48-8M0017440
15	40	48-8M0017469	48-8M0017470

CNC Cleaver, Heat Treated SS 5 Blade, 21 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1 and M8. Case 8M0107970 included.

26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length


Diameter (Inches)	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
18	30	48-8M0018259	48-8M0018260
17.75	30	48-8M0018289	48-8M0018290
17.5	30	48-8M0018319	48-8M0018320
17.25	30	48-8M0018349	48-8M0018350
17	30	48-8M0018379	48-8M0018380
16.75	30	48-8M0018409	48-8M0018410
16.5	30	48-8M0018439	48-8M0018440
16.25	30	48-8M0018469	48-8M0018470
16	30	48-8M0018499	48-8M0018500
15.75	30	48-8M0018529	48-8M0018530
15.5	30	48-8M0018559	48-8M0018560
15.25	30	48-8M0018589	48-8M0018590
15	30	48-8M0018619	48-8M0018620
18	31	48-8M0018261	48-8M0018262
17.75	31	48-8M0018291	48-8M0018292
17.5	31	48-8M0018321	48-8M0018322
17.25	31	48-8M0018351	48-8M0018352
17	31	48-8M0018381	48-8M0018382
16.75	31	48-8M0018411	48-8M0018412
16.5	31	48-8M0018441	48-8M0018442
16.25	31	48-8M0018471	48-8M0018472
16	31	48-8M0018501	48-8M0018502
15.75	31	48-8M0018531	48-8M0018532
15.5	31	48-8M0018561	48-8M0018562
15.25	31	48-8M0018591	48-8M0018592
15	31	48-8M0018621	48-8M0018622
18	32	48-8M0018263	48-8M0018264
17.75	32	48-8M0018293	48-8M0018294
17.5	32	48-8M0018323	48-8M0018324
17.25	32	48-8M0018353	48-8M0018354
17	32	48-8M0018383	48-8M0018384
16.75	32	48-8M0018413	48-8M0018414
16.5	32	48-8M0018443	48-8M0018444
16.25	32	48-8M0018473	48-8M0018474
16	32	48-8M0018503	48-8M0018504
15.75	32	48-8M0018533	48-8M0018534
15.5	32	48-8M0018563	48-8M0018564
15.25	32	48-8M0018593	48-8M0018594
15	32	48-8M0018623	48-8M0018624
18	33	48-8M0018265	48-8M0018266
17.75	33	48-8M0018295	48-8M0018296
17.5	33	48-8M0018325	48-8M0018326
17.25	33	48-8M0018355	48-8M0018356
17	33	48-8M0018385	48-8M0018386
16.75	33	48-8M0018415	48-8M0018416

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
16.5	33	48-8M0018445	48-8M0018446
16.25	33	48-8M0018475	48-8M0018476
16	33	48-8M0018505	48-8M0018506
15.75	33	48-8M0018535	48-8M0018536
15.5	33	48-8M0018565	48-8M0018566
15.25	33	48-8M0018595	48-8M0018596
15	33	48-8M0018625	48-8M0018626
18	34	48-8M0018267	48-8M0018268
17.75	34	48-8M0018297	48-8M0018298
17.5	34	48-8M0018327	48-8M0018328
17.25	34	48-8M0018357	48-8M0018358
17	34	48-8M0018387	48-8M0018388
16.75	34	48-8M0018417	48-8M0018418
16.5	34	48-8M0018447	48-8M0018448
16.25	34	48-8M0018477	48-8M0018478
16	34	48-8M0018507	48-8M0018508
15.75	34	48-8M0018537	48-8M0018538
15.5	34	48-8M0018567	48-8M0018568
15.25	34	48-8M0018597	48-8M0018598
15	34	48-8M0018627	48-8M0018628
18	35	48-8M0018269	48-8M0018270
17.75	35	48-8M0018299	48-8M0018300
17.5	35	48-8M0018329	48-8M0018330
17.25	35	48-8M0018359	48-8M0018360
17	35	48-8M0018389	48-8M0018390
16.75	35	48-8M0018419	48-8M0018420
16.5	35	48-8M0018449	48-8M0018450
16.25	35	48-8M0018479	48-8M0018480
16	35	48-8M0018509	48-8M0018510
15.75	35	48-8M0018539	48-8M0018540
15.5	35	48-8M0018569	48-8M0018570
15.25	35	48-8M0018599	48-8M0018600
15	35	48-8M0018629	48-8M0018630
18	36	48-8M0018271	48-8M0018272
17.75	36	48-8M0018301	48-8M0018302
17.5	36	48-8M0018331	48-8M0018332
17.25	36	48-8M0018361	48-8M0018362
17	36	48-8M0018391	48-8M0018392
16.75	36	48-8M0018421	48-8M0018422
16.5	36	48-8M0018451	48-8M0018452
16.25	36	48-8M0018481	48-8M0018482
16	36	48-8M0018511	48-8M0018512
15.75	36	48-8M0018541	48-8M0018542
15.5	36	48-8M0018571	48-8M0018572
15.25	36	48-8M0018601	48-8M0018602
15	36	48-8M0018631	48-8M0018632
18	37	48-8M0018273	48-8M0018274
17.75	37	48-8M0018303	48-8M0018304
17.5	37	48-8M0018333	48-8M0018334
17.25	37	48-8M0018363	48-8M0018364
17	37	48-8M0018393	48-8M0018394
16.75	37	48-8M0018423	48-8M0018424
16.5	37	48-8M0018453	48-8M0018454
16.25	37	48-8M0018483	48-8M0018484
16	37	48-8M0018513	48-8M0018514
15.75	37	48-8M0018543	48-8M0018544

Diameter (Inches)	Pitch	Pro Finished LH Rotation	Pro Finished RH Rotation
15.5	37	48-8M0018573	48-8M0018574
15.25	37	48-8M0018603	48-8M0018604
15	37	48-8M0018633	48-8M0018634
18	38	48-8M0018275	48-8M0018276
17.75	38	48-8M0018305	48-8M0018306
17.5	38	48-8M0018335	48-8M0018336
17.25	38	48-8M0018365	48-8M0018366
17	38	48-8M0018395	48-8M0018396
16.75	38	48-8M0018425	48-8M0018426
16.5	38	48-8M0018455	48-8M0018456
16.25	38	48-8M0018485	48-8M0018486
16	38	48-8M0018515	48-8M0018516
15.75	38	48-8M0018545	48-8M0018546
15.5	38	48-8M0018575	48-8M0018576
15.25	38	48-8M0018605	48-8M0018606
15	38	48-8M0018635	48-8M0018636
18	39	48-8M0018277	48-8M0018278
17.75	39	48-8M0018307	48-8M0018308
17.5	39	48-8M0018337	48-8M0018338
17.25	39	48-8M0018367	48-8M0018368
17	39	48-8M0018397	48-8M0018398
16.75	39	48-8M0018427	48-8M0018428
16.5	39	48-8M0018457	48-8M0018458
16.25	39	48-8M0018487	48-8M0018488
16	39	48-8M0018517	48-8M0018518
15.75	39	48-8M0018547	48-8M0018548
15.5	39	48-8M0018577	48-8M0018578
15.25	39	48-8M0018607	48-8M0018608
15	39	48-8M0018637	48-8M0018638
18	40	48-8M0018279	48-8M0018280
17.75	40	48-8M0018309	48-8M0018310
17.5	40	48-8M0018339	48-8M0018340
17.25	40	48-8M0018369	48-8M0018370
17	40	48-8M0018399	48-8M0018400
16.75	40	48-8M0018429	48-8M0018430
16.5	40	48-8M0018459	48-8M0018460
16.25	40	48-8M0018489	48-8M0018490
16	40	48-8M0018519	48-8M0018520
15.75	40	48-8M0018549	48-8M0018550
15.5	40	48-8M0018579	48-8M0018580
15.25	40	48-8M0018609	48-8M0018610
15	40	48-8M0018639	48-8M0018640

**CNC CLEAVER 6 BLADE 15 DEGREE RAKE
POLISHED LAB FINISHED STERNDRIVE
PROPELLER**



MERCURY RACING PROPELLER CHARTS

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY RACING PROPELLER CHARTS

CNC Cleaver, Heat Treated SS 6 Blade, 15 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M017970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0002667	48-8M0002668
17.75	26	48-8M0002697	48-8M0002698
17.5	26	48-8M0002727	48-8M0002728
17.25	26	48-8M0002757	48-8M0002758
17	26	48-8M0002787	48-8M0002788
16.75	26	48-8M0002817	48-8M0002818
16.5	26	48-8M0002847	48-8M0002848
16.25	26	48-8M0002877	48-8M0002878
16	26	48-8M0002907	48-8M0002908
15.75	26	48-8M0002937	48-8M0002938
15.5	26	48-8M0002967	48-8M0002968
15.25	26	48-8M0002997	48-8M0002998
15	26	48-8M0003027	48-8M0003028
18	27	48-8M0002669	48-8M0002670
17.75	27	48-8M0002699	48-8M0002700
17.5	27	48-8M0002729	48-8M0002730
17.25	27	48-8M0002759	48-8M0002760
17	27	48-8M0002789	48-8M0002790
16.75	27	48-8M0002819	48-8M0002820
16.5	27	48-8M0002849	48-8M0002850
16.25	27	48-8M0002879	48-8M0002880
16	27	48-8M0002909	48-8M0002910
15.75	27	48-8M0002939	48-8M0002940
15.5	27	48-8M0002969	48-8M0002970
15.25	27	48-8M0002999	48-8M0003000
15	27	48-8M0003029	48-8M0003030
18	28	48-8M0002671	48-8M0002672
17.75	28	48-8M0002701	48-8M0002702
17.5	28	48-8M0002731	48-8M0002732
17.25	28	48-8M0002761	48-8M0002762
17	28	48-8M0002791	48-8M0002792
16.75	28	48-8M0002821	48-8M0002822
16.5	28	48-8M0002851	48-8M0002852
16.25	28	48-8M0002881	48-8M0002882
16	28	48-8M0002911	48-8M0002912
15.75	28	48-8M0002941	48-8M0002942
15.5	28	48-8M0002971	48-8M0002972
15.25	28	48-8M0003001	48-8M0003002
15	28	48-8M0003031	48-8M0003032
18	29	48-8M0002673	48-8M0002674
17.75	29	48-8M0002703	48-8M0002704
17.5	29	48-8M0002733	48-8M0002734
17.25	29	48-8M0002763	48-8M0002764
17	29	48-8M0002793	48-8M0002794
16.75	29	48-8M0002823	48-8M0002824
16.5	29	48-8M0002853	48-8M0002854
16.25	29	48-8M0002883	48-8M0002884
16	29	48-8M0002913	48-8M0002914
15.75	29	48-8M0002943	48-8M0002944
15.5	29	48-8M0002973	48-8M0002974
15.25	29	48-8M0003003	48-8M0003004

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	29	48-8M0003033	48-8M0003034
18	30	48-8M0002675	48-8M0002676
17.75	30	48-8M0002705	48-8M0002706
17.5	30	48-8M0002735	48-8M0002736
17.25	30	48-8M0002765	48-8M0002766
17	30	48-8M0002795	48-8M0002796
16.75	30	48-8M0002825	48-8M0002826
16.5	30	48-8M0002855	48-8M0002856
16.25	30	48-8M0002885	48-8M0002886
16	30	48-8M0002915	48-8M0002916
15.75	30	48-8M0002945	48-8M0002946
15.5	30	48-8M0002975	48-8M0002976
15.25	30	48-8M0003005	48-8M0003006
15	30	48-8M0003035	48-8M0003036
18	31	48-8M0002677	48-8M0002678
17.75	31	48-8M0002707	48-8M0002708
17.5	31	48-8M0002737	48-8M0002738
17.25	31	48-8M0002767	48-8M0002768
17	31	48-8M0002797	48-8M0002798
16.75	31	48-8M0002827	48-8M0002828
16.5	31	48-8M0002857	48-8M0002858
16.25	31	48-8M0002887	48-8M0002888
16	31	48-8M0002917	48-8M0002918
15.75	31	48-8M0002947	48-8M0002948
15.5	31	48-8M0002977	48-8M0002978
15.25	31	48-8M0003007	48-8M0003008
15	31	48-8M0003037	48-8M0003038
18	32	48-8M0002679	48-8M0002680
17.75	32	48-8M0002709	48-8M0002710
17.5	32	48-8M0002739	48-8M0002740
17.25	32	48-8M0002769	48-8M0002770
17	32	48-8M0002799	48-8M0002800
16.75	32	48-8M0002829	48-8M0002830
16.5	32	48-8M0002859	48-8M0002860
16.25	32	48-8M0002889	48-8M0002890
16	32	48-8M0002919	48-8M0002920
15.75	32	48-8M0002949	48-8M0002950
15.5	32	48-8M0002979	48-8M0002980
15.25	32	48-8M0003009	48-8M0003010
15	32	48-8M0003039	48-8M0003040
18	33	48-8M0002681	48-8M0002682
17.75	33	48-8M0002711	48-8M0002712
17.5	33	48-8M0002741	48-8M0002742
17.25	33	48-8M0002771	48-8M0002772
17	33	48-8M0002801	48-8M0002802
16.75	33	48-8M0002831	48-8M0002832
16.5	33	48-8M0002861	48-8M0002862
16.25	33	48-8M0002891	48-8M0002892
16	33	48-8M0002921	48-8M0002922
15.75	33	48-8M0002951	48-8M0002952
15.5	33	48-8M0002981	48-8M0002982
15.25	33	48-8M0003011	48-8M0003012
15	33	48-8M0003041	48-8M0003042
18	34	48-8M0002683	48-8M0002684
17.75	34	48-8M0002713	48-8M0002714
17.5	34	48-8M0002743	48-8M0002744

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	34	48-8M0002773	48-8M0002774
17	34	48-8M0002803	48-8M0002804
16.75	34	48-8M0002833	48-8M0002834
16.5	34	48-8M0002863	48-8M0002864
16.25	34	48-8M0002893	48-8M0002894
16	34	48-8M0002923	48-8M0002924
15.75	34	48-8M0002953	48-8M0002954
15.5	34	48-8M0002983	48-8M0002984
15.25	34	48-8M0003013	48-8M0003014
15	34	48-8M0003043	48-8M0003044
18	35	48-8M0002685	48-8M0002686
17.75	35	48-8M0002715	48-8M0002716
17.5	35	48-8M0002745	48-8M0002746
17.25	35	48-8M0002775	48-8M0002776
17	35	48-8M0002805	48-8M0002806
16.75	35	48-8M0002835	48-8M0002836
16.5	35	48-8M0002865	48-8M0002866
16.25	35	48-8M0002895	48-8M0002896
16	35	48-8M0002925	48-8M0002926
15.75	35	48-8M0002955	48-8M0002956
15.5	35	48-8M0002985	48-8M0002986
15.25	35	48-8M0003015	48-8M0003016
15	35	48-8M0003045	48-8M0003046
18	36	48-8M0002687	48-8M0002688
17.75	36	48-8M0002717	48-8M0002718
17.5	36	48-8M0002747	48-8M0002748
17.25	36	48-8M0002777	48-8M0002778
17	36	48-8M0002807	48-8M0002808
16.75	36	48-8M0002837	48-8M0002838
16.5	36	48-8M0002867	48-8M0002868
16.25	36	48-8M0002897	48-8M0002898
16	36	48-8M0002927	48-8M0002928
15.75	36	48-8M0002957	48-8M0002958
15.5	36	48-8M0002987	48-8M0002988
15.25	36	48-8M0003017	48-8M0003018
15	36	48-8M0003047	48-8M0003048
18	37	48-8M0002689	48-8M0002690
17.75	37	48-8M0002719	48-8M0002720
17.5	37	48-8M0002749	48-8M0002750
17.25	37	48-8M0002779	48-8M0002780
17	37	48-8M0002809	48-8M0002810
16.75	37	48-8M0002839	48-8M0002840
16.5	37	48-8M0002869	48-8M0002870
16.25	37	48-8M0002899	48-8M0002900
16	37	48-8M0002929	48-8M0002930
15.75	37	48-8M0002959	48-8M0002960
15.5	37	48-8M0002989	48-8M0002990
15.25	37	48-8M0003019	48-8M0003020
15	37	48-8M0003049	48-8M0003050
18	38	48-8M0002691	48-8M0002692
17.75	38	48-8M0002721	48-8M0002722
17.5	38	48-8M0002751	48-8M0002752
17.25	38	48-8M0002781	48-8M0002782
17	38	48-8M0002811	48-8M0002812
16.75	38	48-8M0002841	48-8M0002842
16.5	38	48-8M0002871	48-8M0002872

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.25	38	48-8M0002901	48-8M0002902
16	38	48-8M0002931	48-8M0002932
15.75	38	48-8M0002961	48-8M0002962
15.5	38	48-8M0002991	48-8M0002992
15.25	38	48-8M0003021	48-8M0003022
15	38	48-8M0003051	48-8M0003052
18	39	48-8M0002693	48-8M0002694
17.75	39	48-8M0002723	48-8M0002724
17.5	39	48-8M0002753	48-8M0002754
17.25	39	48-8M0002783	48-8M0002784
17	39	48-8M0002813	48-8M0002814
16.75	39	48-8M0002843	48-8M0002844
16.5	39	48-8M0002873	48-8M0002874
16.25	39	48-8M0002903	48-8M0002904
16	39	48-8M0002933	48-8M0002934
15.75	39	48-8M0002963	48-8M0002964
15.5	39	48-8M0002993	48-8M0002994
15.25	39	48-8M0003023	48-8M0003024
15	39	48-8M0003053	48-8M0003054
18	40	48-8M0002695	48-8M0002696
17.75	40	48-8M0002725	48-8M0002726
17.5	40	48-8M0002755	48-8M0002756
17.25	40	48-8M0002785	48-8M0002786
17	40	48-8M0002815	48-8M0002816
16.75	40	48-8M0002845	48-8M0002846
16.5	40	48-8M0002875	48-8M0002876
16.25	40	48-8M0002905	48-8M0002906
16	40	48-8M0002935	48-8M0002936
15.75	40	48-8M0002965	48-8M0002966
15.5	40	48-8M0002995	48-8M0002996
15.25	40	48-8M0003025	48-8M0003026
15	40	48-8M0003055	48-8M0003056

CNC Cleaver, Heat Treated SS 6 Blade, 15 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	26	48-8M0003837	48-8M0003838
17.75	26	48-8M0003867	48-8M0003868
17.5	26	48-8M0003897	48-8M0003898
17.25	26	48-8M0003927	48-8M0003928
17	26	48-8M0003957	48-8M0003958
16.75	26	48-8M0003987	48-8M0003988
16.5	26	48-8M0004017	48-8M0004018
16.25	26	48-8M0004047	48-8M0004048
16	26	48-8M0004077	48-8M0004078
15.75	26	48-8M0004107	48-8M0004108
15.5	26	48-8M0004137	48-8M0004138
15.25	26	48-8M0004167	48-8M0004168
15	26	48-8M0004197	48-8M0004198
18	27	48-8M0003839	48-8M0003840
17.75	27	48-8M0003869	48-8M0003870
17.5	27	48-8M0003899	48-8M0003900
17.25	27	48-8M0003929	48-8M0003930

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	27	48-8M0003959	48-8M0003960
16.75	27	48-8M0003989	48-8M0003990
16.5	27	48-8M0004019	48-8M0004020
16.25	27	48-8M0004049	48-8M0004050
16	27	48-8M0004079	48-8M0004080
15.75	27	48-8M0004109	48-8M0004110
15.5	27	48-8M0004139	48-8M0004140
15.25	27	48-8M0004169	48-8M0004170
15	27	48-8M0004199	48-8M0004200
18	28	48-8M0003841	48-8M0003842
17.75	28	48-8M0003871	48-8M0003872
17.5	28	48-8M0003901	48-8M0003902
17.25	28	48-8M0003931	48-8M0003932
17	28	48-8M0003961	48-8M0003962
16.75	28	48-8M0003991	48-8M0003992
16.5	28	48-8M0004021	48-8M0004022
16.25	28	48-8M0004051	48-8M0004052
16	28	48-8M0004081	48-8M0004082
15.75	28	48-8M0004111	48-8M0004112
15.5	28	48-8M0004141	48-8M0004142
15.25	28	48-8M0004171	48-8M0004172
15	28	48-8M0004201	48-8M0004202
18	29	48-8M0003843	48-8M0003844
17.75	29	48-8M0003873	48-8M0003874
17.5	29	48-8M0003903	48-8M0003904
17.25	29	48-8M0003933	48-8M0003934
17	29	48-8M0003963	48-8M0003964
16.75	29	48-8M0003993	48-8M0003994
16.5	29	48-8M0004023	48-8M0004024
16.25	29	48-8M0004053	48-8M0004054
16	29	48-8M0004083	48-8M0004084
15.75	29	48-8M0004113	48-8M0004114
15.5	29	48-8M0004143	48-8M0004144
15.25	29	48-8M0004173	48-8M0004174
15	29	48-8M0004203	48-8M0004204
18	30	48-8M0003845	48-8M0003846
17.75	30	48-8M0003875	48-8M0003876
17.5	30	48-8M0003905	48-8M0003906
17.25	30	48-8M0003935	48-8M0003936
17	30	48-8M0003965	48-8M0003966
16.75	30	48-8M0003995	48-8M0003996
16.5	30	48-8M0004025	48-8M0004026
16.25	30	48-8M0004055	48-8M0004056
16	30	48-8M0004085	48-8M0004086
15.75	30	48-8M0004115	48-8M0004116
15.5	30	48-8M0004145	48-8M0004146
15.25	30	48-8M0004175	48-8M0004176
15	30	48-8M0004205	48-8M0004206
18	31	48-8M0003847	48-8M0003848
17.75	31	48-8M0003877	48-8M0003878
17.5	31	48-8M0003907	48-8M0003908
17.25	31	48-8M0003937	48-8M0003938
17	31	48-8M0003967	48-8M0003968
16.75	31	48-8M0003997	48-8M0003998
16.5	31	48-8M0004027	48-8M0004028
16.25	31	48-8M0004057	48-8M0004058

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16	31	48-8M0004087	48-8M0004088
15.75	31	48-8M0004117	48-8M0004118
15.5	31	48-8M0004147	48-8M0004148
15.25	31	48-8M0004177	48-8M0004178
15	31	48-8M0004207	48-8M0004208
18	32	48-8M0003849	48-8M0003850
17.75	32	48-8M0003879	48-8M0003880
17.5	32	48-8M0003909	48-8M0003910
17.25	32	48-8M0003939	48-8M0003940
17	32	48-8M0003969	48-8M0003970
16.75	32	48-8M0003999	48-8M0004000
16.5	32	48-8M0004029	48-8M0004030
16.25	32	48-8M0004059	48-8M0004060
16	32	48-8M0004089	48-8M0004090
15.75	32	48-8M0004119	48-8M0004120
15.5	32	48-8M0004149	48-8M0004150
15.25	32	48-8M0004179	48-8M0004180
15	32	48-8M0004209	48-8M0004210
18	33	48-8M0003851	48-8M0003852
17.75	33	48-8M0003881	48-8M0003882
17.5	33	48-8M0003911	48-8M0003912
17.25	33	48-8M0003941	48-8M0003942
17	33	48-8M0003971	48-8M0003972
16.75	33	48-8M0004001	48-8M0004002
16.5	33	48-8M0004031	48-8M0004032
16.25	33	48-8M0004061	48-8M0004062
16	33	48-8M0004091	48-8M0004092
15.75	33	48-8M0004121	48-8M0004122
15.5	33	48-8M0004151	48-8M0004152
15.25	33	48-8M0004181	48-8M0004182
15	33	48-8M0004211	48-8M0004212
18	34	48-8M0003853	48-8M0003854
17.75	34	48-8M0003883	48-8M0003884
17.5	34	48-8M0003913	48-8M0003914
17.25	34	48-8M0003943	48-8M0003944
17	34	48-8M0003973	48-8M0003974
16.75	34	48-8M0004003	48-8M0004004
16.5	34	48-8M0004033	48-8M0004034
16.25	34	48-8M0004063	48-8M0004064
16	34	48-8M0004093	48-8M0004094
15.75	34	48-8M0004123	48-8M0004124
15.5	34	48-8M0004153	48-8M0004154
15.25	34	48-8M0004183	48-8M0004184
15	34	48-8M0004213	48-8M0004214
18	35	48-8M0003855	48-8M0003856
17.75	35	48-8M0003885	48-8M0003886
17.5	35	48-8M0003915	48-8M0003916
17.25	35	48-8M0003945	48-8M0003946
17	35	48-8M0003975	48-8M0003976
16.75	35	48-8M0004005	48-8M0004006
16.5	35	48-8M0004035	48-8M0004036
16.25	35	48-8M0004065	48-8M0004066
16	35	48-8M0004095	48-8M0004096
15.75	35	48-8M0004125	48-8M0004126
15.5	35	48-8M0004155	48-8M0004156
15.25	35	48-8M0004185	48-8M0004186

MERCURY RACING PROPELLER CHARTS

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	35	48-8M0004215	48-8M0004216
18	36	48-8M0003857	48-8M0003858
17.75	36	48-8M0003887	48-8M0003888
17.5	36	48-8M0003917	48-8M0003918
17.25	36	48-8M0003947	48-8M0003948
17	36	48-8M0003977	48-8M0003978
16.75	36	48-8M0004007	48-8M0004008
16.5	36	48-8M0004037	48-8M0004038
16.25	36	48-8M0004067	48-8M0004068
16	36	48-8M0004097	48-8M0004098
15.75	36	48-8M0004127	48-8M0004128
15.5	36	48-8M0004157	48-8M0004158
15.25	36	48-8M0004187	48-8M0004188
15	36	48-8M0004217	48-8M0004218
18	37	48-8M0003859	48-8M0003860
17.75	37	48-8M0003889	48-8M0003890
17.5	37	48-8M0003919	48-8M0003920
17.25	37	48-8M0003949	48-8M0003950
17	37	48-8M0003979	48-8M0003980
16.75	37	48-8M0004009	48-8M0004010
16.5	37	48-8M0004039	48-8M0004040
16.25	37	48-8M0004069	48-8M0004070
16	37	48-8M0004099	48-8M0004100
15.75	37	48-8M0004129	48-8M0004130
15.5	37	48-8M0004159	48-8M0004160
15.25	37	48-8M0004189	48-8M0004190
15	37	48-8M0004219	48-8M0004220
18	38	48-8M0003861	48-8M0003862
17.75	38	48-8M0003891	48-8M0003892
17.5	38	48-8M0003921	48-8M0003922
17.25	38	48-8M0003951	48-8M0003952
17	38	48-8M0003981	48-8M0003982
16.75	38	48-8M0004011	48-8M0004012
16.5	38	48-8M0004041	48-8M0004042
16.25	38	48-8M0004071	48-8M0004072
16	38	48-8M0004101	48-8M0004102
15.75	38	48-8M0004131	48-8M0004132
15.5	38	48-8M0004161	48-8M0004162
15.25	38	48-8M0004191	48-8M0004192
15	38	48-8M0004221	48-8M0004222
18	39	48-8M0003863	48-8M0003864
17.75	39	48-8M0003893	48-8M0003894
17.5	39	48-8M0003923	48-8M0003924
17.25	39	48-8M0003953	48-8M0003954
17	39	48-8M0003983	48-8M0003984
16.75	39	48-8M0004013	48-8M0004014
16.5	39	48-8M0004043	48-8M0004044
16.25	39	48-8M0004073	48-8M0004074
16	39	48-8M0004103	48-8M0004104
15.75	39	48-8M0004133	48-8M0004134
15.5	39	48-8M0004163	48-8M0004164
15.25	39	48-8M0004193	48-8M0004194
15	39	48-8M0004223	48-8M0004224
18	40	48-8M0003865	48-8M0003866
17.75	40	48-8M0003895	48-8M0003896
17.5	40	48-8M0003925	48-8M0003926

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	40	48-8M0003955	48-8M0003956
17	40	48-8M0003985	48-8M0003986
16.75	40	48-8M0004015	48-8M0004016
16.5	40	48-8M0004045	48-8M0004046
16.25	40	48-8M0004075	48-8M0004076
16	40	48-8M0004105	48-8M0004106
15.75	40	48-8M0004135	48-8M0004136
15.5	40	48-8M0004165	48-8M0004166
15.25	40	48-8M0004195	48-8M0004196
15	40	48-8M0004225	48-8M0004226

CNC Cleaver, Heat Treated SS 6 Blade, 15 Degree Rake - 600 HP

IIIA, IV, V, VI, VII SSM,NXT1. Case 8M010790 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
14.75	25	48-8M0064647	
14.5	25	48-8M0064815	48-8M0064816
18	26	48-8M0005007	48-8M0005008
17.75	26	48-8M0005037	48-8M0005038
17.5	26	48-8M0005067	48-8M0005068
17.25	26	48-8M0005097	48-8M0005098
17	26	48-8M0005127	48-8M0005128
16.75	26	48-8M0005157	48-8M0005158
16.5	26	48-8M0005187	48-8M0005188
16.25	26	48-8M0005217	48-8M0005218
16	26	48-8M0005247	48-8M0005248
15.75	26	48-8M0005277	48-8M0005278
15.5	26	48-8M0005307	48-8M0005308
15.25	26	48-8M0005337	48-8M0005338
15	26	48-8M0005367	48-8M0005368
14.75	26	48-8M0062239	48-8M0062240
14.5	26	48-8M0076407	48-8M0076406
18	27	48-8M0005009	48-8M0005010
17.75	27	48-8M0005039	48-8M0005040
17.5	27	48-8M0005069	48-8M0005070
17.25	27	48-8M0005099	48-8M0005100
17	27	48-8M0005129	48-8M0005130
16.75	27	48-8M0005159	48-8M0005160
16.5	27	48-8M0005189	48-8M0005190
16.25	27	48-8M0005219	48-8M0005220
16	27	48-8M0005249	48-8M0005250
15.75	27	48-8M0005279	48-8M0005280
15.5	27	48-8M0005309	48-8M0005310
15.25	27	48-8M0005339	48-8M0005340
15	27	48-8M0005369	48-8M0005370
14.75	27	48-8M0062421	
14.5	27	48-8M0076181	48-8M0076180
18	28	48-8M0005011	48-8M0005012
17.75	28	48-8M0005041	48-8M0005042
17.5	28	48-8M0005071	48-8M0005072
17.25	28	48-8M0005101	48-8M0005102
17	28	48-8M0005131	48-8M0005132
16.75	28	48-8M0005161	48-8M0005162
16.5	28	48-8M0005191	48-8M0005192

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16.25	28	48-8M0005221	48-8M0005222
16	28	48-8M0005251	48-8M0005252
15.75	28	48-8M0005281	48-8M0005282
15.5	28	48-8M0005311	48-8M0005312
15.25	28	48-8M0005341	48-8M0005342
15	28	48-8M0005371	48-8M0005372
14.5	28		48-8M0081418
18	29	48-8M0005013	48-8M0005014
17.75	29	48-8M0005043	48-8M0005044
17.5	29	48-8M0005073	48-8M0005074
17.25	29	48-8M0005103	48-8M0005104
17	29	48-8M0005133	48-8M0005134
16.75	29	48-8M0005163	48-8M0005164
16.5	29	48-8M0005193	48-8M0005194
16.25	29	48-8M0005223	48-8M0005224
16	29	48-8M0005253	48-8M0005254
15.75	29	48-8M0005283	48-8M0005284
15.5	29	48-8M0005313	48-8M0005314
15.25	29	48-8M0005343	48-8M0005344
15	29	48-8M0005373	48-8M0005374
18	30	48-8M0005015	48-8M0005016
17.75	30	48-8M0005045	48-8M0005046
17.5	30	48-8M0005075	48-8M0005076
17.25	30	48-8M0005105	48-8M0005106
17	30	48-8M0005135	48-8M0005136
16.75	30	48-8M0005165	48-8M0005166
16.5	30	48-8M0005195	48-8M0005196
16.25	30	48-8M0005225	48-8M0005226
16	30	48-8M0005255	48-8M0005256
15.75	30	48-8M0005285	48-8M0005286
15.5	30	48-8M0005315	48-8M0005316
15.25	30	48-8M0005345	48-8M0005346
15	30	48-8M0005375	48-8M0005376
18	31	48-8M0005017	48-8M0005018
17.75	31	48-8M0005047	48-8M0005048
17.5	31	48-8M0005077	48-8M0005078
17.25	31	48-8M0005107	48-8M0005108
17	31	48-8M0005137	48-8M0005138
16.75	31	48-8M0005167	48-8M0005168
16.5	31	48-8M0005197	48-8M0005198
16.25	31	48-8M0005227	48-8M0005228
16	31	48-8M0005257	48-8M0005258
15.75	31	48-8M0005287	48-8M0005288
15.5	31	48-8M0005317	48-8M0005318
15.25	31	48-8M0005347	48-8M0005348
15	31	48-8M0005377	48-8M0005378
18	32	48-8M0005019	48-8M0005020
17.75	32	48-8M0005049	48-8M0005050
17.5	32	48-8M0005079	48-8M0005080
17.25	32	48-8M0005109	48-8M0005110
17	32	48-8M0005139	48-8M0005140
16.75	32	48-8M0005169	48-8M0005170
16.5	32	48-8M0005199	48-8M0005200
16.25	32	48-8M0005229	48-8M0005230
16	32	48-8M0005259	48-8M0005260
15.75	32	48-8M0005289	48-8M0005290

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.5	32	48-8M0005319	48-8M0005320
15.25	32	48-8M0005349	48-8M0005350
15	32	48-8M0005379	48-8M0005380
18	33	48-8M0005021	48-8M0005022
17.75	33	48-8M0005051	48-8M0005052
17.5	33	48-8M0005081	48-8M0005082
17.25	33	48-8M0005111	48-8M0005112
17	33	48-8M0005141	48-8M0005142
16.75	33	48-8M0005171	48-8M0005172
16.5	33	48-8M0005201	48-8M0005202
16.25	33	48-8M0005231	48-8M0005232
16	33	48-8M0005261	48-8M0005262
15.75	33	48-8M0005291	48-8M0005292
15.5	33	48-8M0005321	48-8M0005322
15.25	33	48-8M0005351	48-8M0005352
15	33	48-8M0005381	48-8M0005382
18	34	48-8M0005023	48-8M0005024
17.75	34	48-8M0005053	48-8M0005054
17.5	34	48-8M0005083	48-8M0005084
17.25	34	48-8M0005113	48-8M0005114
17	34	48-8M0005143	48-8M0005144
16.75	34	48-8M0005173	48-8M0005174
16.5	34	48-8M0005203	48-8M0005204
16.25	34	48-8M0005233	48-8M0005234
16	34	48-8M0005263	48-8M0005264
15.75	34	48-8M0005293	48-8M0005294
15.5	34	48-8M0005323	48-8M0005324
15.25	34	48-8M0005353	48-8M0005354
15	34	48-8M0005383	48-8M0005384
18	35	48-8M0005025	48-8M0005026
17.75	35	48-8M0005055	48-8M0005056
17.5	35	48-8M0005085	48-8M0005086
17.25	35	48-8M0005115	48-8M0005116
17	35	48-8M0005145	48-8M0005146
16.75	35	48-8M0005175	48-8M0005176
16.5	35	48-8M0005205	48-8M0005206
16.25	35	48-8M0005235	48-8M0005236
16	35	48-8M0005265	48-8M0005266
15.75	35	48-8M0005295	48-8M0005296
15.5	35	48-8M0005325	48-8M0005326
15.25	35	48-8M0005355	48-8M0005356
15	35	48-8M0005385	48-8M0005386
18	36	48-8M0005027	48-8M0005028
17.75	36	48-8M0005057	48-8M0005058
17.5	36	48-8M0005087	48-8M0005088
17.25	36	48-8M0005117	48-8M0005118
17	36	48-8M0005147	48-8M0005148
16.75	36	48-8M0005177	48-8M0005178
16.5	36	48-8M0005207	48-8M0005208
16.25	36	48-8M0005237	48-8M0005238
16	36	48-8M0005267	48-8M0005268
15.75	36	48-8M0005297	48-8M0005298
15.5	36	48-8M0005327	48-8M0005328
15.25	36	48-8M0005357	48-8M0005358
15	36	48-8M0005387	48-8M0005388
18	37	48-8M0005029	48-8M0005030

MERCURY RACING PROPELLER CHARTS

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.75	37	48-8M0005059	48-8M0005060
17.5	37	48-8M0005089	48-8M0005090
17.25	37	48-8M0005119	48-8M0005120
17	37	48-8M0005149	48-8M0005150
16.75	37	48-8M0005179	48-8M0005180
16.5	37	48-8M0005209	48-8M0005210
16.25	37	48-8M0005239	48-8M0005240
16	37	48-8M0005269	48-8M0005270
15.75	37	48-8M0005299	48-8M0005300
15.5	37	48-8M0005329	48-8M0005330
15.25	37	48-8M0005359	48-8M0005360
15	37	48-8M0005389	48-8M0005390
18	38	48-8M0005031	48-8M0005032
17.75	38	48-8M0005061	48-8M0005062
17.5	38	48-8M0005091	48-8M0005092
17.25	38	48-8M0005121	48-8M0005122
17	38	48-8M0005151	48-8M0005152
16.75	38	48-8M0005181	48-8M0005182
16.5	38	48-8M0005211	48-8M0005212
16.25	38	48-8M0005241	48-8M0005242
16	38	48-8M0005271	48-8M0005272
15.75	38	48-8M0005301	48-8M0005302
15.5	38	48-8M0005331	48-8M0005332
15.25	38	48-8M0005361	48-8M0005362
15	38	48-8M0005391	48-8M0005392
18	39	48-8M0005033	48-8M0005034
17.75	39	48-8M0005063	48-8M0005064
17.5	39	48-8M0005093	48-8M0005094
17.25	39	48-8M0005123	48-8M0005124
17	39	48-8M0005153	48-8M0005154
16.75	39	48-8M0005183	48-8M0005184
16.5	39	48-8M0005213	48-8M0005214
16.25	39	48-8M0005243	48-8M0005244
16	39	48-8M0005273	48-8M0005274
15.75	39	48-8M0005303	48-8M0005304
15.5	39	48-8M0005333	48-8M0005334
15.25	39	48-8M0005363	48-8M0005364
15	39	48-8M0005393	48-8M0005394
18	40	48-8M0005035	48-8M0005036
17.75	40	48-8M0005065	48-8M0005066
17.5	40	48-8M0005095	48-8M0005096
17.25	40	48-8M0005125	48-8M0005126
17	40	48-8M0005155	48-8M0005156
16.75	40	48-8M0005185	48-8M0005186
16.5	40	48-8M0005215	48-8M0005216
16.25	40	48-8M0005245	48-8M0005246
16	40	48-8M0005275	48-8M0005276
15.75	40	48-8M0005305	48-8M0005306
15.5	40	48-8M0005335	48-8M0005336
15.25	40	48-8M0005365	48-8M0005366
15	40	48-8M0005395	48-8M0005396

CNC CLEAVER 6 BLADE 18 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 6 Blade, 18 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in. (44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0013897	48-8M0013898
17.75	30	48-8M0013927	48-8M0013928
17.5	30	48-8M0013957	48-8M0013958
17.25	30	48-8M0013987	48-8M0013988
17	30	48-8M0014017	48-8M0014018
16.75	30	48-8M0014047	48-8M0014048
16.5	30	48-8M0014077	48-8M0014078
16.25	30	48-8M0014107	48-8M0014108
16	30	48-8M0014137	48-8M0014138
15.75	30	48-8M0014167	48-8M0014168
15.5	30	48-8M0014197	48-8M0014198
15.25	30	48-8M0014227	48-8M0014228
15	30	48-8M0014257	48-8M0014258
18	31	48-8M0013899	48-8M0013900
17.75	31	48-8M0013929	48-8M0013930
17.5	31	48-8M0013959	48-8M0013960
17.25	31	48-8M0013989	48-8M0013990
17	31	48-8M0014019	48-8M0014020
16.75	31	48-8M0014049	48-8M0014050
16.5	31	48-8M0014079	48-8M0014080
16.25	31	48-8M0014109	48-8M0014110
16	31	48-8M0014139	48-8M0014140
15.75	31	48-8M0014169	48-8M0014170
15.5	31	48-8M0014199	48-8M0014200
15.25	31	48-8M0014229	48-8M0014230
15	31	48-8M0014259	48-8M0014260
18	32	48-8M0013901	48-8M0013902
17.75	32	48-8M0013931	48-8M0013932
17.5	32	48-8M0013961	48-8M0013962
17.25	32	48-8M0013991	48-8M0013992
17	32	48-8M0014021	48-8M0014022
16.75	32	48-8M0014051	48-8M0014052
16.5	32	48-8M0014081	48-8M0014082
16.25	32	48-8M0014111	48-8M0014112
16	32	48-8M0014141	48-8M0014142
15.75	32	48-8M0014171	48-8M0014172
15.5	32	48-8M0014201	48-8M0014202

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15.25	32	48-8M0014231	48-8M0014232
15	32	48-8M0014261	48-8M0014262
18	33	48-8M0013903	48-8M0013904
17.75	33	48-8M0013933	48-8M0013934
17.5	33	48-8M0013963	48-8M0013964
17.25	33	48-8M0013993	48-8M0013994
17	33	48-8M0014023	48-8M0014024
16.75	33	48-8M0014053	48-8M0014054
16.5	33	48-8M0014083	48-8M0014084
16.25	33	48-8M0014113	48-8M0014114
16	33	48-8M0014143	48-8M0014144
15.75	33	48-8M0014173	48-8M0014174
15.5	33	48-8M0014203	48-8M0014204
15.25	33	48-8M0014233	48-8M0014234
15	33	48-8M0014263	48-8M0014264
18	34	48-8M0013905	48-8M0013906
17.75	34	48-8M0013935	48-8M0013936
17.5	34	48-8M0013965	48-8M0013966
17.25	34	48-8M0013995	48-8M0013996
17	34	48-8M0014025	48-8M0014026
16.75	34	48-8M0014055	48-8M0014056
16.5	34	48-8M0014085	48-8M0014086
16.25	34	48-8M0014115	48-8M0014116
16	34	48-8M0014145	48-8M0014146
15.75	34	48-8M0014175	48-8M0014176
15.5	34	48-8M0014205	48-8M0014206
15.25	34	48-8M0014235	48-8M0014236
15	34	48-8M0014265	48-8M0014266
18	35	48-8M0013907	48-8M0013908
17.75	35	48-8M0013937	48-8M0013938
17.5	35	48-8M0013967	48-8M0013968
17.25	35	48-8M0013997	48-8M0013998
17	35	48-8M0014027	48-8M0014028
16.75	35	48-8M0014057	48-8M0014058
16.5	35	48-8M0014087	48-8M0014088
16.25	35	48-8M0014117	48-8M0014118
16	35	48-8M0014147	48-8M0014148
15.75	35	48-8M0014177	48-8M0014178
15.5	35	48-8M0014207	48-8M0014208
15.25	35	48-8M0014237	48-8M0014238
15	35	48-8M0014267	48-8M0014268
18	36	48-8M0013909	48-8M0013910
17.75	36	48-8M0013939	48-8M0013940
17.5	36	48-8M0013969	48-8M0013970
17.25	36	48-8M0013999	48-8M0014000
17	36	48-8M0014029	48-8M0014030
16.75	36	48-8M0014059	48-8M0014060
16.5	36	48-8M0014089	48-8M0014090
16.25	36	48-8M0014119	48-8M0014120
16	36	48-8M0014149	48-8M0014150
15.75	36	48-8M0014179	48-8M0014180
15.5	36	48-8M0014209	48-8M0014210
15.25	36	48-8M0014239	48-8M0014240
15	36	48-8M0014269	48-8M0014270
18	37	48-8M0013911	48-8M0013912
17.75	37	48-8M0013941	48-8M0013942

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.5	37	48-8M0013971	48-8M0013972
17.25	37	48-8M0014001	48-8M0014002
17	37	48-8M0014031	48-8M0014032
16.75	37	48-8M0014061	48-8M0014062
16.5	37	48-8M0014091	48-8M0014092
16.25	37	48-8M0014121	48-8M0014122
16	37	48-8M0014151	48-8M0014152
15.75	37	48-8M0014181	48-8M0014182
15.5	37	48-8M0014211	48-8M0014212
15.25	37	48-8M0014241	48-8M0014242
15	37	48-8M0014271	48-8M0014272
18	38	48-8M0013913	48-8M0013914
17.75	38	48-8M0013943	48-8M0013944
17.5	38	48-8M0013973	48-8M0013974
17.25	38	48-8M0014003	48-8M0014004
17	38	48-8M0014033	48-8M0014034
16.75	38	48-8M0014063	48-8M0014064
16.5	38	48-8M0014093	48-8M0014094
16.25	38	48-8M0014123	48-8M0014124
16	38	48-8M0014153	48-8M0014154
15.75	38	48-8M0014183	48-8M0014184
15.5	38	48-8M0014213	48-8M0014214
15.25	38	48-8M0014243	48-8M0014244
15	38	48-8M0014273	48-8M0014274
18	39	48-8M0013915	48-8M0013916
17.75	39	48-8M0013945	48-8M0013946
17.5	39	48-8M0013975	48-8M0013976
17.25	39	48-8M0014005	48-8M0014006
17	39	48-8M0014035	48-8M0014036
16.75	39	48-8M0014065	48-8M0014066
16.5	39	48-8M0014095	48-8M0014096
16.25	39	48-8M0014125	48-8M0014126
16	39	48-8M0014155	48-8M0014156
15.75	39	48-8M0014185	48-8M0014186
15.5	39	48-8M0014215	48-8M0014216
15.25	39	48-8M0014245	48-8M0014246
15	39	48-8M0014275	48-8M0014276
18	40	48-8M0013917	48-8M0013918
17.75	40	48-8M0013947	48-8M0013948
17.5	40	48-8M0013977	48-8M0013978
17.25	40	48-8M0014007	48-8M0014008
17	40	48-8M0014037	48-8M0014038
16.75	40	48-8M0014067	48-8M0014068
16.5	40	48-8M0014097	48-8M0014098
16.25	40	48-8M0014127	48-8M0014128
16	40	48-8M0014157	48-8M0014158
15.75	40	48-8M0014187	48-8M0014188
15.5	40	48-8M0014217	48-8M0014218
15.25	40	48-8M0014247	48-8M0014248
15	40	48-8M0014277	48-8M0014278

MERCURY RACING PROPELLER CHARTS

MERCURY RACING PROPELLER CHARTS

CNC Cleaver, Heat Treated SS 6 Blade, 18 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.

26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0015067	48-8M0015068
17.75	30	48-8M0015097	48-8M0015098
17.5	30	48-8M0015127	48-8M0015128
17.25	30	48-8M0015157	48-8M0015158
17	30	48-8M0015187	48-8M0015188
16.75	30	48-8M0015217	48-8M0015218
16.5	30	48-8M0015247	48-8M0015248
16.25	30	48-8M0015277	48-8M0015278
16	30	48-8M0015307	48-8M0015308
15.75	30	48-8M0015337	48-8M0015338
15.5	30	48-8M0015367	48-8M0015368
15.25	30	48-8M0015397	48-8M0015398
15	30	48-8M0015427	48-8M0015428
18	31	48-8M0015069	48-8M0015070
17.75	31	48-8M0015099	48-8M0015100
17.5	31	48-8M0015129	48-8M0015130
17.25	31	48-8M0015159	48-8M0015160
17	31	48-8M0015189	48-8M0015190
16.75	31	48-8M0015219	48-8M0015220
16.5	31	48-8M0015249	48-8M0015250
16.25	31	48-8M0015279	48-8M0015280
16	31	48-8M0015309	48-8M0015310
15.75	31	48-8M0015339	48-8M0015340
15.5	31	48-8M0015369	48-8M0015370
15.25	31	48-8M0015399	48-8M0015400
15	31	48-8M0015429	48-8M0015430
18	32	48-8M0015071	48-8M0015072
17.75	32	48-8M0015101	48-8M0015102
17.5	32	48-8M0015131	48-8M0015132
17.25	32	48-8M0015161	48-8M0015162
17	32	48-8M0015191	48-8M0015192
16.75	32	48-8M0015221	48-8M0015222
16.5	32	48-8M0015251	48-8M0015252
16.25	32	48-8M0015281	48-8M0015282
16	32	48-8M0015311	48-8M0015312
15.75	32	48-8M0015341	48-8M0015342
15.5	32	48-8M0015371	48-8M0015372
15.25	32	48-8M0015401	48-8M0015402
15	32	48-8M0015431	48-8M0015432
18	33	48-8M0015073	48-8M0015074
17.75	33	48-8M0015103	48-8M0015104
17.5	33	48-8M0015133	48-8M0015134
17.25	33	48-8M0015163	48-8M0015164
17	33	48-8M0015193	48-8M0015194
16.75	33	48-8M0015223	48-8M0015224
16.5	33	48-8M0015253	48-8M0015254
16.25	33	48-8M0015283	48-8M0015284
16	33	48-8M0015313	48-8M0015314
15.75	33	48-8M0015343	48-8M0015344
15.5	33	48-8M0015373	48-8M0015374
15.25	33	48-8M0015403	48-8M0015404

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	33	48-8M0015433	48-8M0015434
18	34	48-8M0015075	48-8M0015076
17.75	34	48-8M0015105	48-8M0015106
17.5	34	48-8M0015135	48-8M0015136
17.25	34	48-8M0015165	48-8M0015166
17	34	48-8M0015195	48-8M0015196
16.75	34	48-8M0015225	48-8M0015226
16.5	34	48-8M0015255	48-8M0015256
16.25	34	48-8M0015285	48-8M0015286
16	34	48-8M0015315	48-8M0015316
15.75	34	48-8M0015345	48-8M0015346
15.5	34	48-8M0015375	48-8M0015376
15.25	34	48-8M0015405	48-8M0015406
15	34	48-8M0015435	48-8M0015436
18	35	48-8M0015077	48-8M0015078
17.75	35	48-8M0015107	48-8M0015108
17.5	35	48-8M0015137	48-8M0015138
17.25	35	48-8M0015167	48-8M0015168
17	35	48-8M0015197	48-8M0015198
16.75	35	48-8M0015227	48-8M0015228
16.5	35	48-8M0015257	48-8M0015258
16.25	35	48-8M0015287	48-8M0015288
16	35	48-8M0015317	48-8M0015318
15.75	35	48-8M0015347	48-8M0015348
15.5	35	48-8M0015377	48-8M0015378
15.25	35	48-8M0015407	48-8M0015408
15	35	48-8M0015437	48-8M0015438
18	36	48-8M0015079	48-8M0015080
17.75	36	48-8M0015109	48-8M0015110
17.5	36	48-8M0015139	48-8M0015140
17.25	36	48-8M0015169	48-8M0015170
17	36	48-8M0015199	48-8M0015200
16.75	36	48-8M0015229	48-8M0015230
16.5	36	48-8M0015259	48-8M0015260
16.25	36	48-8M0015289	48-8M0015290
16	36	48-8M0015319	48-8M0015320
15.75	36	48-8M0015349	48-8M0015350
15.5	36	48-8M0015379	48-8M0015380
15.25	36	48-8M0015409	48-8M0015410
15	36	48-8M0015439	48-8M0015440
18	37	48-8M0015081	48-8M0015082
17.75	37	48-8M0015111	48-8M0015112
17.5	37	48-8M0015141	48-8M0015142
17.25	37	48-8M0015171	48-8M0015172
17	37	48-8M0015201	48-8M0015202
16.75	37	48-8M0015231	48-8M0015232
16.5	37	48-8M0015261	48-8M0015262
16.25	37	48-8M0015291	48-8M0015292
16	37	48-8M0015321	48-8M0015322
15.75	37	48-8M0015351	48-8M0015352
15.5	37	48-8M0015381	48-8M0015382
15.25	37	48-8M0015411	48-8M0015412
15	37	48-8M0015441	48-8M0015442
18	38	48-8M0015083	48-8M0015084
17.75	38	48-8M0015113	48-8M0015114
17.5	38	48-8M0015143	48-8M0015144

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	38	48-8M0015173	48-8M0015174
17	38	48-8M0015203	48-8M0015204
16.75	38	48-8M0015233	48-8M0015234
16.5	38	48-8M0015263	48-8M0015264
16.25	38	48-8M0015293	48-8M0015294
16	38	48-8M0015323	48-8M0015324
15.75	38	48-8M0015353	48-8M0015354
15.5	38	48-8M0015383	48-8M0015384
15.25	38	48-8M0015413	48-8M0015414
15	38	48-8M0015443	48-8M0015444
18	39	48-8M0015085	48-8M0015086
17.75	39	48-8M0015115	48-8M0015116
17.5	39	48-8M0015145	48-8M0015146
17.25	39	48-8M0015175	48-8M0015176
17	39	48-8M0015205	48-8M0015206
16.75	39	48-8M0015235	48-8M0015236
16.5	39	48-8M0015265	48-8M0015266
16.25	39	48-8M0015295	48-8M0015296
16	39	48-8M0015325	48-8M0015326
15.75	39	48-8M0015355	48-8M0015356
15.5	39	48-8M0015385	48-8M0015386
15.25	39	48-8M0015415	48-8M0015416
15	39	48-8M0015445	48-8M0015446
18	40	48-8M0015087	48-8M0015088
17.75	40	48-8M0015117	48-8M0015118
17.5	40	48-8M0015147	48-8M0015148
17.25	40	48-8M0015177	48-8M0015178
17	40	48-8M0015207	48-8M0015208
16.75	40	48-8M0015237	48-8M0015238
16.5	40	48-8M0015267	48-8M0015268
16.25	40	48-8M0015297	48-8M0015298
16	40	48-8M0015327	48-8M0015328
15.75	40	48-8M0015357	48-8M0015358
15.5	40	48-8M0015387	48-8M0015388
15.25	40	48-8M0015417	48-8M0015418
15	40	48-8M0015447	48-8M0015448

CNC CLEAVER 6 BLADE 21 DEGREE RAKE POLISHED LAB FINISHED STERNDRIVE PROPELLER



CNC Cleaver, Heat Treated SS 6 Blade, 21 Degree Rake - 1200 HP

IIIA, IV, V, VI, VII SSM, NTX1, M8. Case 8M0107970 included.

26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0017479	48-8M0017480
17.75	30	48-8M0017509	48-8M0017510
17.5	30	48-8M0017539	48-8M0017540
17.25	30	48-8M0017569	48-8M0017570
17	30	48-8M0017599	48-8M0017600
16.75	30	48-8M0017629	48-8M0017630
16.5	30	48-8M0017659	48-8M0017660
16.25	30	48-8M0017689	48-8M0017690
16	30	48-8M0017719	48-8M0017720
15.75	30	48-8M0017749	48-8M0017750
15.5	30	48-8M0017779	48-8M0017780
15.25	30	48-8M0017809	48-8M0017810
15	30	48-8M0017839	48-8M0017840
18	31	48-8M0017481	48-8M0017482
17.75	31	48-8M0017511	48-8M0017512
17.5	31	48-8M0017541	48-8M0017542
17.25	31	48-8M0017571	48-8M0017572
17	31	48-8M0017601	48-8M0017602
16.75	31	48-8M0017631	48-8M0017632
16.5	31	48-8M0017661	48-8M0017662
16.25	31	48-8M0017691	48-8M0017692
16	31	48-8M0017721	48-8M0017722
15.75	31	48-8M0017751	48-8M0017752
15.5	31	48-8M0017781	48-8M0017782
15.25	31	48-8M0017811	48-8M0017812
15	31	48-8M0017841	48-8M0017842
18	32	48-8M0017483	48-8M0017484
17.75	32	48-8M0017513	48-8M0017514
17.5	32	48-8M0017543	48-8M0017544
17.25	32	48-8M0017573	48-8M0017574
17	32	48-8M0017603	48-8M0017604
16.75	32	48-8M0017633	48-8M0017634
16.5	32	48-8M0017663	48-8M0017664
16.25	32	48-8M0017693	48-8M0017694
16	32	48-8M0017723	48-8M0017724
15.75	32	48-8M0017753	48-8M0017754
15.5	32	48-8M0017783	48-8M0017784
15.25	32	48-8M0017813	48-8M0017814
15	32	48-8M0017843	48-8M0017844
18	33	48-8M0017485	48-8M0017486
17.75	33	48-8M0017515	48-8M0017516
17.5	33	48-8M0017545	48-8M0017546
17.25	33	48-8M0017575	48-8M0017576
17	33	48-8M0017605	48-8M0017606
16.75	33	48-8M0017635	48-8M0017636
16.5	33	48-8M0017665	48-8M0017666
16.25	33	48-8M0017695	48-8M0017696
16	33	48-8M0017725	48-8M0017726
15.75	33	48-8M0017755	48-8M0017756
15.5	33	48-8M0017785	48-8M0017786
15.25	33	48-8M0017815	48-8M0017816

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
15	33	48-8M0017845	48-8M0017846
18	34	48-8M0017487	48-8M0017488
17.75	34	48-8M0017517	48-8M0017518
17.5	34	48-8M0017547	48-8M0017548
17.25	34	48-8M0017577	48-8M0017578
17	34	48-8M0017607	48-8M0017608
16.75	34	48-8M0017637	48-8M0017638
16.5	34	48-8M0017667	48-8M0017668
16.25	34	48-8M0017697	48-8M0017698
16	34	48-8M0017727	48-8M0017728
15.75	34	48-8M0017757	48-8M0017758
15.5	34	48-8M0017787	48-8M0017788
15.25	34	48-8M0017817	48-8M0017818
15	34	48-8M0017847	48-8M0017848
18	35	48-8M0017489	48-8M0017490
17.75	35	48-8M0017519	48-8M0017520
17.5	35	48-8M0017549	48-8M0017550
17.25	35	48-8M0017579	48-8M0017580
17	35	48-8M0017609	48-8M0017610
16.75	35	48-8M0017639	48-8M0017640
16.5	35	48-8M0017669	48-8M0017670
16.25	35	48-8M0017699	48-8M0017700
16	35	48-8M0017729	48-8M0017730
15.75	35	48-8M0017759	48-8M0017760
15.5	35	48-8M0017789	48-8M0017790
15.25	35	48-8M0017819	48-8M0017820
15	35	48-8M0017849	48-8M0017850
18	36	48-8M0017491	48-8M0017492
17.75	36	48-8M0017521	48-8M0017522
17.5	36	48-8M0017551	48-8M0017552
17.25	36	48-8M0017581	48-8M0017582
17	36	48-8M0017611	48-8M0017612
16.75	36	48-8M0017641	48-8M0017642
16.5	36	48-8M0017671	48-8M0017672
16.25	36	48-8M0017701	48-8M0017702
16	36	48-8M0017731	48-8M0017732
15.75	36	48-8M0017761	48-8M0017762
15.5	36	48-8M0017791	48-8M0017792
15.25	36	48-8M0017821	48-8M0017822
15	36	48-8M0017851	48-8M0017852
18	37	48-8M0017493	48-8M0017494
17.75	37	48-8M0017523	48-8M0017524
17.5	37	48-8M0017553	48-8M0017554
17.25	37	48-8M0017583	48-8M0017584
17	37	48-8M0017613	48-8M0017614
16.75	37	48-8M0017643	48-8M0017644
16.5	37	48-8M0017673	48-8M0017674
16.25	37	48-8M0017703	48-8M0017704
16	37	48-8M0017733	48-8M0017734
15.75	37	48-8M0017763	48-8M0017764
15.5	37	48-8M0017793	48-8M0017794
15.25	37	48-8M0017823	48-8M0017824
15	37	48-8M0017853	48-8M0017854
18	38	48-8M0017495	48-8M0017496
17.75	38	48-8M0017525	48-8M0017526
17.5	38	48-8M0017555	48-8M0017556

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17.25	38	48-8M0017585	48-8M0017586
17	38	48-8M0017615	48-8M0017616
16.75	38	48-8M0017645	48-8M0017646
16.5	38	48-8M0017675	48-8M0017676
16.25	38	48-8M0017705	48-8M0017706
16	38	48-8M0017735	48-8M0017736
15.75	38	48-8M0017765	48-8M0017766
15.5	38	48-8M0017795	48-8M0017796
15.25	38	48-8M0017825	48-8M0017826
15	38	48-8M0017855	48-8M0017856
18	39	48-8M0017497	48-8M0017498
17.75	39	48-8M0017527	48-8M0017528
17.5	39	48-8M0017557	48-8M0017558
17.25	39	48-8M0017587	48-8M0017588
17	39	48-8M0017617	48-8M0017618
16.75	39	48-8M0017647	48-8M0017648
16.5	39	48-8M0017677	48-8M0017678
16.25	39	48-8M0017707	48-8M0017708
16	39	48-8M0017737	48-8M0017738
15.75	39	48-8M0017767	48-8M0017768
15.5	39	48-8M0017797	48-8M0017798
15.25	39	48-8M0017827	48-8M0017828
15	39	48-8M0017857	48-8M0017858
18	40	48-8M0017499	48-8M0017500
17.75	40	48-8M0017529	48-8M0017530
17.5	40	48-8M0017559	48-8M0017560
17.25	40	48-8M0017589	48-8M0017590
17	40	48-8M0017619	48-8M0017620
16.75	40	48-8M0017649	48-8M0017650
16.5	40	48-8M0017679	48-8M0017680
16.25	40	48-8M0017709	48-8M0017710
16	40	48-8M0017739	48-8M0017740
15.75	40	48-8M0017769	48-8M0017770
15.5	40	48-8M0017799	48-8M0017800
15.25	40	48-8M0017829	48-8M0017830
15	40	48-8M0017859	48-8M0017860

CNC Cleaver, Heat Treated SS 6 Blade, 21 Degree Rake - 900 HP

IIIA, IV, V, VI, VII SSM, NXT1, M8. Case 8M0107970 included.
26 Spline hub with 1.75/1.88 in.(44.5/47.7mm) O.D. propeller shaft and 6 in. (152mm) hub length

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	30	48-8M0018649	48-8M0018650
17.75	30	48-8M0018679	48-8M0018680
17.5	30	48-8M0018709	48-8M0018710
17.25	30	48-8M0018739	48-8M0018740
17	30	48-8M0018769	48-8M0018770
16.75	30	48-8M0018799	48-8M0018800
16.5	30	48-8M0018829	48-8M0018830
16.25	30	48-8M0018859	48-8M0018860
16	30	48-8M0018889	48-8M0018890
15.75	30	48-8M0018919	48-8M0018920
15.5	30	48-8M0018949	48-8M0018950
15.25	30	48-8M0018979	48-8M0018980
15	30	48-8M0019009	48-8M0019010

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
18	31	48-8M0018651	48-8M0018652
17.75	31	48-8M0018681	48-8M0018682
17.5	31	48-8M0018711	48-8M0018712
17.25	31	48-8M0018741	48-8M0018742
17	31	48-8M0018771	48-8M0018772
16.75	31	48-8M0018801	48-8M0018802
16.5	31	48-8M0018831	48-8M0018832
16.25	31	48-8M0018861	48-8M0018862
16	31	48-8M0018891	48-8M0018892
15.75	31	48-8M0018921	48-8M0018922
15.5	31	48-8M0018951	48-8M0018952
15.25	31	48-8M0018981	48-8M0018982
15	31	48-8M0019011	48-8M0019012
18	32	48-8M0018653	48-8M0018654
17.75	32	48-8M0018683	48-8M0018684
17.5	32	48-8M0018713	48-8M0018714
17.25	32	48-8M0018743	48-8M0018744
17	32	48-8M0018773	48-8M0018774
16.75	32	48-8M0018803	48-8M0018804
16.5	32	48-8M0018833	48-8M0018834
16.25	32	48-8M0018863	48-8M0018864
16	32	48-8M0018893	48-8M0018894
15.75	32	48-8M0018923	48-8M0018924
15.5	32	48-8M0018953	48-8M0018954
15.25	32	48-8M0018983	48-8M0018984
15	32	48-8M0019013	48-8M0019014
18	33	48-8M0018655	48-8M0018656
17.75	33	48-8M0018685	48-8M0018686
17.5	33	48-8M0018715	48-8M0018716
17.25	33	48-8M0018745	48-8M0018746
17	33	48-8M0018775	48-8M0018776
16.75	33	48-8M0018805	48-8M0018806
16.5	33	48-8M0018835	48-8M0018836
16.25	33	48-8M0018865	48-8M0018866
16	33	48-8M0018895	48-8M0018896
15.75	33	48-8M0018925	48-8M0018926
15.5	33	48-8M0018955	48-8M0018956
15.25	33	48-8M0018985	48-8M0018986
15	33	48-8M0019015	48-8M0019016
18	34	48-8M0018657	48-8M0018658
17.75	34	48-8M0018687	48-8M0018688
17.5	34	48-8M0018717	48-8M0018718
17.25	34	48-8M0018747	48-8M0018748
17	34	48-8M0018777	48-8M0018778
16.75	34	48-8M0018807	48-8M0018808
16.5	34	48-8M0018837	48-8M0018838
16.25	34	48-8M0018867	48-8M0018868
16	34	48-8M0018897	48-8M0018898
15.75	34	48-8M0018927	48-8M0018928
15.5	34	48-8M0018957	48-8M0018958
15.25	34	48-8M0018987	48-8M0018988
15	34	48-8M0019017	48-8M0019018
18	35	48-8M0018659	48-8M0018660
17.75	35	48-8M0018689	48-8M0018690
17.5	35	48-8M0018719	48-8M0018720
17.25	35	48-8M0018749	48-8M0018750

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
17	35	48-8M0018779	48-8M0018780
16.75	35	48-8M0018809	48-8M0018810
16.5	35	48-8M0018839	48-8M0018840
16.25	35	48-8M0018869	48-8M0018870
16	35	48-8M0018899	48-8M0018900
15.75	35	48-8M0018929	48-8M0018930
15.5	35	48-8M0018959	48-8M0018960
15.25	35	48-8M0018989	48-8M0018990
15	35	48-8M0019019	48-8M0019020
18	36	48-8M0018661	48-8M0018662
17.75	36	48-8M0018691	48-8M0018692
17.5	36	48-8M0018721	48-8M0018722
17.25	36	48-8M0018751	48-8M0018752
17	36	48-8M0018781	48-8M0018782
16.75	36	48-8M0018811	48-8M0018812
16.5	36	48-8M0018841	48-8M0018842
16.25	36	48-8M0018871	48-8M0018872
16	36	48-8M0018901	48-8M0018902
15.75	36	48-8M0018931	48-8M0018932
15.5	36	48-8M0018961	48-8M0018962
15.25	36	48-8M0018991	48-8M0018992
15	36	48-8M0019021	48-8M0019022
18	37	48-8M0018663	48-8M0018664
17.75	37	48-8M0018693	48-8M0018694
17.5	37	48-8M0018723	48-8M0018724
17.25	37	48-8M0018753	48-8M0018754
17	37	48-8M0018783	48-8M0018784
16.75	37	48-8M0018813	48-8M0018814
16.5	37	48-8M0018843	48-8M0018844
16.25	37	48-8M0018873	48-8M0018874
16	37	48-8M0018903	48-8M0018904
15.75	37	48-8M0018933	48-8M0018934
15.5	37	48-8M0018963	48-8M0018964
15.25	37	48-8M0018993	48-8M0018994
15	37	48-8M0019023	48-8M0019024
18	38	48-8M0018665	48-8M0018666
17.75	38	48-8M0018695	48-8M0018696
17.5	38	48-8M0018725	48-8M0018726
17.25	38	48-8M0018755	48-8M0018756
17	38	48-8M0018785	48-8M0018786
16.75	38	48-8M0018815	48-8M0018816
16.5	38	48-8M0018845	48-8M0018846
16.25	38	48-8M0018875	48-8M0018876
16	38	48-8M0018905	48-8M0018906
15.75	38	48-8M0018935	48-8M0018936
15.5	38	48-8M0018965	48-8M0018966
15.25	38	48-8M0018995	48-8M0018996
15	38	48-8M0019025	48-8M0019026
18	39	48-8M0018667	48-8M0018668
17.75	39	48-8M0018697	48-8M0018698
17.5	39	48-8M0018727	48-8M0018728
17.25	39	48-8M0018757	48-8M0018758
17	39	48-8M0018787	48-8M0018788
16.75	39	48-8M0018817	48-8M0018818
16.5	39	48-8M0018847	48-8M0018848
16.25	39	48-8M0018877	48-8M0018878

MERCURY RACING PROPELLER CHARTS

MERCURY RACING PROPELLER CHARTS

Diameter (Inches)	Pitch	LH Rotation	RH Rotation
16	39	48-8M0018907	48-8M0018908
15.75	39	48-8M0018937	48-8M0018938
15.5	39	48-8M0018967	48-8M0018968
15.25	39	48-8M0018997	48-8M0018998
15	39	48-8M0019027	48-8M0019028
18	40	48-8M0018669	48-8M0018670
17.75	40	48-8M0018699	48-8M0018700
17.5	40	48-8M0018729	48-8M0018730
17.25	40	48-8M0018759	48-8M0018760
17	40	48-8M0018789	48-8M0018790
16.75	40	48-8M0018819	48-8M0018820
16.5	40	48-8M0018849	48-8M0018850
16.25	40	48-8M0018879	48-8M0018880
16	40	48-8M0018909	48-8M0018910
15.75	40	48-8M0018939	48-8M0018940
15.5	40	48-8M0018969	48-8M0018970
15.25	40	48-8M0018999	48-8M0019000
15	40	48-8M0019029	48-8M0019030

QUICKSILVER PROPELLER APPLICATION CHARTS

QUICKSILVER PROPELLER APPLICATION CHARTS

EVINRUDE/JOHNSON OUTBOARD APPLICATION CHARTS

9.5-14 Horsepower - Evinrude/Johnson

9.5 HP 1964-73
 10 HP 1958-63
 10-14 HP Commercial 1982-94
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		8 1/4 X 8 RH	AL	3	Black Diamond	QA3178R	387334	Rubber Bushing

8-15 Horsepower - Evinrude/Johnson

9.9 - 15 HP 2-Stroke 1974-2000
 8 - 9.9 - 15 HP 4-Stroke 2000-2001
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		9.25 X 10 RH	AL	3	Black Diamond	QA3168R	174950	Rubber Bushing
All Purpose		9.25 X 11 RH	AL	3	Black Diamond	QA3170R	174817	Rubber Bushing

15-25 Horsepower - Evinrude/Johnson

15 HP 1953-56
 18 HP 1957-73
 20 HP 1969-73
 25 HP 1969-77
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	383629	Rubber Bushing
12-14 / 3.6-4.2	25-32 / 40-51	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	388088	Rubber Bushing

20-35 Horsepower - Evinrude/Johnson

20 HP 1984-97
 25 HP 2 & 3 Cyl. 1984 & Newer (including ETEC)
 25 HP Commercial 1993 & Newer
 35 HP 2 & 3 Cyl. 1976 & Newer
 30 HP 2 Cyl. 1984 & Newer (including ETEC)
 14 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-20 / 5.2-6.1	10-20 / 16-32	10 1/2 X 11 RH	AL	3	Black Diamond	QA3114R	175190	Rubber Bushing
13-15 / 3.9-4.5	26-34 / 42-54	10 X 13 RH	AL	3	Black Diamond	QA3118R	175191	Rubber Bushing

40-50 Horsepower - Johnson 4-Stroke

40 HP 4-Stroke 2000-2007
 50 HP 4-Stroke 2000-2007
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-19 / 4.2-5.8	16-26 / 26-42	11 1/2 X 13 RH	AL	3	Black Diamond	QA2078X	5031619	Rubber Bushing

45-75 Hp Large Gearcase - Evinrude/Johnson

40 HP ETEC 2004 & Newer
 45 HP 2 Cyl Commercial 1986 & Newer
 50 HP ETEC 2004 & Newer
 50 HP 2 Cyl. 1971-74
 50 HP 2 Cyl Commercial 1977-79
 50 HP 3 Cyl. 1994-99
 55 HP 3 Cyl. 1968-69
 55 HP 2 Cyl. Commercial 1980 & Newer
 60 HP ETEC 2004 & Newer 60 HP 3 Cyl. 1970-71, 1986 & Newer
 65 HP 3 Cyl. 1972-73
 65 HP 3 Cyl. Commercial 1984 & Newer
 70 HP 3 & 4 Cyl. 1974 & Newer (including 4-stroke)
 75 HP 3 Cyl. 1975-84
 75 HP ETEC 2004 & Newer
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
19-22 / 5.8-6.7	17-26 / 27-42	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
17-19 / 5.2-5.8	23-31 / 37-50	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
16-19 / 4.8-5.8	29-36 / 47-58	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase Separately.

85 HP-140 HP V-4 Outboard - Evinrude/Johnson

85 HP V-4 1969-80
 85 HP V-4 1991-95
 88 HP V-4 1981-96
 90 HP V-4 1981 & Newer
 90 HP ETEC 2004 & Newer
 100 HP V-4 1979-80
 100 HP V-4 1988-93
 110 HP V-4 1986-89
 112 HP V-4 1994-96
 115 HP V-4 1973 & Newer
 115 HP V-4 ETEC 2004 & Newer
 120 HP V-4 1986-94
 125 HP V-4 1971-72
 130 HP V-4 ETEC 2004 & Newer
 135 HP V-4 1973-76
 140 HP V-4 1977-84
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-29 / 6.6-8.8	14-28 / 23-45	14 X 13 RH extra cup	AL	3	Black Diamond	QA3832X	391668	(1)
21-26 / 6.4-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

QUICKSILVER PROPELLER APPLICATION CHARTS

100 HP-300 HP V-6/V-8 Outboard - Evinrude/Johnson

100 HP V-4 Commercial 1984 & Newer, 115 HP V-4 95 & Newer
 120 HP V-4 1985, 130 HP V-4 1995 & Newer
 140 HP V-4 (25") 1989-94, 140 HP V-4 1985
 150 HP V-6 Commercial 1993 & Newer
 150 HP V-6 1978 & Newer (including ETEC)
 155 HP V-6 Commercial 1978 & Newer
 175 HP V-6 1977 & Newer (including ETEC)
 185 HP V-6 1984-85, 200 HP V-6 1976 & Newer
 200 HP V-6 ETEC
 225 HP V-6 1986 & Newer, 250 HP V-8 1991 & Newer (including ETEC)
 250 HP V-6 ETEC
 250 HP HO V-6 ETEC
 275-300 HP V-8 Two Strokes 1986-95
 300 HP V-6 ETEC
 150-300 HP E-TEC G2
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 x 12 RH	AL	4	Nemesis	48-8M0055531		(1)
Pontoon	to 29 / to 46	14 x 14 RH	AL	4	Nemesis	48-8M0055533		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(1)
15-19 / 4.5-5.8	50-64 / 81-103	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(1)
House/Pontoon	10-25 / 16-40	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(1)
House/Cruisers	24-36 / 39-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X		(1)
House/Cruisers	24-36 / 39-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(1)
21-26 / 6.4-7.8	30-42 / 48-68	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(1)
15-19 / 4.5-5.8	50-64 / 81-103	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(1)
House/Cruisers	24-36 / 39-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(1)
17-20 / 5.2-6.1	42-56 / 68-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(1)
House/Cruisers	24-36 / 39-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(1)
21-26 / 6.4-7.8	30-42 / 48-68	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(1)
19-22 / 5.8-6.7	36-49 / 58-79	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(1)
17-20 / 5.2-6.1	42-56 / 68-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(1)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(1)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(1)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(1)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(1)
21-26 / 6.4-7.8	24-36 / 43-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(1)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(1)
19-22 / 5.8-6.7	36-49 / 58-79	14.0 X 19P RH	SS	3	Q3	48-8M0103523		(1)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(1)(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(1)(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(1)(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(1)(2)
LH Propellers		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(1)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(1)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(1)(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(1)(2)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(1)(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(1)(2)

(1) Use Flo-Torq II hub kit 835265Q02 for 1991 and newer non E-TEC G2 applications. Use Flo-Torq II hub kit 835267Q1 for 1990 and older applications. Use Flo-Torq II hub kit 8M0107220 for 2014 and newer E-TEC G2 outboards 200-300 hp. Purchase separately.

(2) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with the Q4 and Torrent propellers. Purchase separately.

FORCE OUTBOARD APPLICATION CHARTS

3.5 HP-8 HP - Force

3.5 HP 1980-1984

5 HP 1987-1998

4-8 HP 1968-1988

Flo-Torq I Round Rubber Hub = 318304-3

Prop Pin = FA324101

Length (ft/m)	Propeller Size	Material	Blades	Quicksilver PN	Hub System
All	7.25 x 6.5 RH	Nylon	3	48-820110A20(1)	Rubber Bushing

(1) Standard with 5 HP Engine

9.9-15 Horsepower - Chrysler

9.9 HP - 15 HP 1968-1983

Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
All Purpose		8 X 8.5 RH	PL	3	Black Diamond	48-FP6430	Pin Drive
All Purpose		8 X 9 RH	PL	3	Black Diamond	FP6477	Pin Drive

9.9-15 Horsepower - Force

9.9 HP 1996-1998

15 HP 1996-1998

8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-20 / 4.5-6.1	15-18 / 24-29	9 X 7 RH	AL	3	Black Diamond	QA2124R	828152A12	Rubber Bushing
14-19 / 4.2-2.8	16-22 / 25-35	9 X 8 RH	AL	3	Black Diamond	QA2126R	828154A12	Rubber Bushing
to 17 / to 5.2	19-24 / 31-38	9 X 9 RH	AL	3	Black Diamond	QA2128R	828156A12	Rubber Bushing
to 16 / to 4.8	21-28 / 33-45	9 X 10 1/2 RH	AL	3	Black Diamond	QA2130R	828158A12	Rubber Bushing

25 Horsepower - Force

25 HP 3 Cyl. 1995-1998

10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-15 / 3.6-4.5	24-30 / 38-48	10 3/8 X13 RH	AL	3	Black Diamond	QA2106R	19640A40	Rubber Bushing

40-75 Horsepower - Force

40 - 50 HP 1995-1998

75 HP 1996-98

13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 17 / to 27	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	42738A11	(1)
Work/Pontoon	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	87818A11	(1)
17-22 / 5.2-6.7	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	73132A40	(1)
16-20 / 4.8-6.1	20-24 / 32-38	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	85632A40	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	816702A40	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	73134A40	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	816704A40	(1)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-18 / 4.5-5.5	26-30 / 42-48	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	73136A40	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	816706A40	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	73138A40	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	73140A40	(1)
16-20 / 4.8-6.1	20-24 / 32-38	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	48-8M8026620	(1)
15-19 / 4.5-5.8	23-27 / 37-43	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	48-8M8026625	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10.3X 13 RH	AL	4	Nemesis	48-8M8027512	48-8M8026630	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	48-8M8026635	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	48-8M8026640	(1)
15-18 / 4.5-5.5	26-30 / 42-48	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	855858A5	(1)
14-17 / 4.2-5.2	29-32 / 46-51	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	855860A5	(1)
13-16 / 4.0-4.8	31-34 / 50-54	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	855862A5	(1)

(1) Flo-Torq Reflex Hub System. Hub and required hardware included in box.

75-150 Horsepower - Force

75 HP 1999 & Newer

90, 120, 150 HP 1995 & Newer

15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X	854340A45	(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X	854342A45	(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X	854342CP1	(1)(2)
25+ / 7.6	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2030X	77338A45	(1)
Pontoon	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2830X	77338CP1	(1)(2)
22+ / 6.7	24-27 / 38-43	14 X 13 RH	AL	3	Black Diamond	QA2032X	77340A45	(1)
Pontoon	24-27 / 38-43	14 X 13 RH	AL	3	Black Diamond	QA2832X	77340CP1	(1)(2)
19-24 / 5.8-7.3	30-33 / 48-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	77342A45	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	77344A45	(1)
16-19 / 4.8-5.8	41-45 / 66-72	13 X 19 RH	AL	3	Black Diamond	QA2038X	77346A45	(1)
15-18 / 4.5-5.5	43-48 / 69-77	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	77348A45	(1)
to 16 / to 4.8	46-52 / 74-84	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	77350A45	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497	48-8M8026555	(1)
Pontoon	18-21 / 29-34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498	48-8M8026560	(1)
Pontoon	24-27 / 38-43	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500	48-8M8026570	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13.4X 15 RH	AL	4	Nemesis	48-8M8027502	48-8M8026570	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504	48-8M8026590	(1)
16-19 / 4.8-5.8	41-45 / 66-72	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506	48-8M8026600	(1)
Pontoon	24-27 / 38-43	14 X 13 RH	SS	4	Q4	48-8M0055559	48-8M0055547	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13.5 X 15 RH	SS	4	Q4	48-8M0055560	48-8M0055548	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 X 17 RH	SS	4	Q4	48-8M0055561	48-8M0055549	(1)
16-19 / 4.8-5.8	41-45 / 66-72	12.7 X 19 RH	SS	4	Q4	48-8M0055562	48-8M0055550	(1)
15-18 / 4.4-5.5	44-48 / 75-83	12.7 X 21 RH	SS	4	Q4	48-8M0055563	48-8M0055551	(1)
19-24 / 5.8-7.3	30-33 / 48-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	17314A46	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	16986A46	(1)
16-19 / 4.8-5.8	41-45 / 66-72	13 X 18 RH	SS	3	Silverado	QS5118X	16988A46	(1)

(1) Use Flo-Torq II attaching hardware kit 835257Q1. Purchase separately.

(2) Extra Cup Version.

HONDA OUTBOARD APPLICATION CHARTS

7.5-10 Horsepower - Honda

7.5 HP 1978-87
 BF 8 HP 1987-1999
 BF 100 (10 HP) All Years
 Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose		9 X 10 RH	AL	3	Black Diamond	QA3150R		Rubber Bushing
All Purpose		9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R		Rubber Bushing

9.9-20 Horsepower - Honda

BF 8 2000 & Newer
 BF 9.9 HP 1988 & Newer
 BF 15 HP All Years
 BF 20 2003 & Newer
 8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-16 / 4.2-4.8	17-21 / 27-34	9 1/4 X 9 RH	AL	3	Black Diamond	QA3906R	58130-ZV4-701ZA	Rubber Bushing
to 15 / to 4.5	21-26 / 34-42	9 1/4 X 10 1/2 RH	AL	3	Black Diamond	QA3914R	58130-ZV4-030ZA	Rubber Bushing

25-30 Horsepower

25-30 Horsepower
 BF 25 All Years
 BF 30 All Years
 10 Tooth Spline
 Use existing Honda nut and washer

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	48-896890A10	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.75 x 9.5 RH	Alum	3	Black Diamond	QA2192R	48-896892A40	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.5 x 11 RH	Alum	3	Black Diamond	QA2196R	48-896896A40	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9.25 x 12.5 RH	Alum	3	Black Diamond	QA2200R	48-896900A40	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	48-8M8026650	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 x 11 RH	Alum	4	Nemesis	48-8M8027517	48-8M8026655	Rubber Bushing

35-60 Horsepower - Honda

BF 35 HP 1991-94
 BF 40 HP 1995 & Newer
 BF 45 HP 1991-94
 BF 50/50A HP 1995 & Newer
 BF 60 Small Gearcase
 13 Tooth Spline
 Flo-Torq Reflex Propeller. Replace existing forward thrust washer with Quicksilver thrust washer 8M0046466. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Pontoon	11-17 / 17-27	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X		(1)
Pontoon	16-21 / 25-34	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	58130-ZV5-009AH	(1)
17+ / 5.2	20-24 / 32-38	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X		(1)
16-18 / 4.8-5.5	23-28 / 37-45	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	58130-ZV5-850ZA	(1)
15-17 / 4.5-5.2	26-32 / 42-51	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	58130-ZV5-012AH	(1)
15-17 / 4.5-5.2	26-32 / 42-51	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	58130-ZV5-000ZA	(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	58130-ZV5-013AH	(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	58130-ZV5-012AH	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	58130-ZV5-014AH	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	58130-ZV5-013AH	(1)
13-15 / 4.0-4.5	36-43 / 58-69	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	58130-ZV5-870ZA	(1)
16-18 / 4.8-5.5	23-28 / 37-45	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510		(1)
15-17 / 4.5-5.2	26-32 / 42-51	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511		(1)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-17 / 4.2-5.2	30-35 / 48-57	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512		(1)
14-16 / 4.2-4.8	33-39 / 53-63	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513		(1)
13-15 / 4.0-4.5	36-43 / 58-69	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514		(1)
14-17 / 4.2-5.2	30-35 / 48-57	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	58110-ZV5-E20	(1)
14-16 / 4.2-4.8	33-39 / 53-63	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	58110-ZV5-E10	(1)
13-15 / 4.0-4.5	36-43 / 58-69	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	58110-ZV5-E00	(1)

(1) Flo-Torq Reflex Propeller. Replace existing forward thrust washer with Quicksilver thrust washer 8M0046466. Purchase separately.

60 BFP, 75-130 Horsepower - Honda

60 BFP 1995 & newer (Large Gearcase)

75 HP 1995 & Newer

90 HP 1995 & Newer

115 HP 1998 & Newer

130 HP 1998 & Newer

15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
25+ / 7.8	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2030X	58130-ZW1-W01 ZA	(1)
Pontoon	18-21 / 29-34	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
22+ / 6.7	24-27 / 39-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	58130-ZW1-W11 ZA	(1)
Pontoon	24-27 / 39-44	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
19-24 / 5.8-7.3	30-33 / 48-53	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	58130-ZW1-W21 ZA	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	58130-ZW1-W31 ZA	(1)
16-19 / 4.8-5.8	41-45 / 66-73	13 X 19 RH	AL	3	Black Diamond	QA2038X	58130-ZW1-W61 ZA	(1)
15-18 / 4.5-4.5	43-48 / 69-77	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	58130-ZW1-W41	(1)
to 16 / to 4.8	46-52 / 74-84	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	58130-ZW1-W50	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)
Pontoon	18-21 / 29-34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	24-27 / 39-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
16-19 / 4.8-5.8	41-45 / 66-73	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	24-27 / 39-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
17-21 / 5.2-6.4	36-39 / 58-63	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)
16-19 / 4.8-5.8	41-45 / 66-73	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)
15-18 / 4.5-4.5	43-48 / 69-77	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)
19-24 / 5.8-7.3	30-33 / 48-53	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	58133-ZW1-A13AH	(1)
17-21 / 5.2-6.4	36-39 / 58-63	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	58133-ZW1-A15AH	(1)
16-19 / 4.8-5.8	41-45 / 66-73	13 X 18 RH	SS	3	Silverado	QS5118X	58133-ZW1-A17AH	(1)

(1) Use Flo-Torq II attaching hardware kit 835277Q1 for 75-90 HP thru 1998 or 835279Q2 for 75-90 HP 1999 and newer, 115-130 HP all years. Purchase separately.

(2) Extra Cup Version

115 D, 135-250 Horsepower - Honda

115D, 135 -150 HP 2004 & Newer

200 - 250 Horsepower (4-Stroke) 2002 & Newer

15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	(1)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	(1)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	(1)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	(1)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X	(1)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X	(1)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	(1)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	(1)
23-26 / 7.0-7.8	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	(1)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	(1)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	(1)
23-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	(1)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	(1)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	(1)
23-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	(1)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	(1)
20-23 / 6.1-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	(1)
19-23 / 5.8-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	(1)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516	(1)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517	(1)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	(1)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519	(1)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521	(1)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522	(1)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523	(1)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	(1)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526	(1)(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	(1)(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	(1)(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532	(1)(2)
LH Propellers (1)		15.8 X 15 LH	SS	3	Thunderbolt	QS5005X	(1)
		15.5 X 17 LH	SS	3	Thunderbolt	QS5007X	(1)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	(1)(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	(1)(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	(1)(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	(1)

(1) Use Flo-Torq II attaching hardware kit 835278Q1. Purchase separately..

(2) Use forward bushing 23-856163Q1 with Flo-Torq II hub kit for surface peircing applications with Q4 and Torrent propellers. Purchase separately.

MERCURY/MARINER OUTBOARD APPLICATION CHARTS

4-6 Horsepower - Mercury/Mariner

4 -6 Horspower

4 - 5 HP 2-Stroke 1987 & Newer & 4, 5, 6 HP -Stroke 1999 & Newer

12 Tooth Spline

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.8 X 9 RH	AL	3	Black Diamond	48-8M0081239		Rubber Bushing
All Purpose	7.8 X 8 RH	AL	3	Black Diamond	QA3184R	48-812950A02(2)	Rubber Bushing
All Purpose	7.8 X 7 RH	AL	3	Black Diamond	QA3182R	48-812949A02(1)	Rubber Bushing
All Purpose	7.9 X 6 RH	AL	3	Black Diamond	48-8M0081238	48-812951A02	Rubber Bushing

(1) Standard with 4 Hp, 2-Stroke and FourStroke (2) Standard with 5 and 6 Hp FourStroke

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

8 Horsepower - Mercury/Mariner

8 HP 1976-84 Mariner
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.2-5.5	to 15 / to 24	8 X 7 RH	AL	3	Black Diamond	QA3178R	82764	Rubber Bushing

8/9.9 Horsepower (4-Stroke) - Mercury/Mariner

8/9.9 (4-Stroke) 2005 and newer
Std. gearcase only (Not Bigfoot)
12 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		8.7 x 5 RH	Alum	4	Black Diamond	QA2148R	48-812954A10	Rubber Bushing
14-17 / 4.2-5.2	8-17 / 14-27	8.9 x 7.5 RH	Alum	3	Black Diamond	QA2154R	48-897614A10(1)	Rubber Bushing
13-16 / 3.9-4.8	12-21 / 19-34	8.9 x 8.5 RH	Alum	3	Black Diamond	QA2158R	48-897618A10(2)	Rubber Bushing

(1) Standard with 8 Hp FourStroke (2) Standard with 9.9 Hp FourStroke

6-15 Horsepower - Mercury/Mariner

6, 8, 9.9 and 15 HP 2-Stroke 1986 & Newer
10, 15 HP SeaPro/Marathon 1995 & Newer
8/9.9 HP (Not Bigfoot) 4-Stroke 1995-2004
15 HP 4 Stroke 1989-2006
8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-20 / 4.5-6.1	12-17 / 19-27	9 1/4 X 7 RH	AL	3	Black Diamond	QA2124R	48-828152A12	Rubber Bushing
14-20 / 4.2-6.1	16-19 / 26-31	9 X 8 RH	AL	3	Black Diamond	QA2126R	48-828154A12	Rubber Bushing
14-19 / 4.2-5.8	19-24 / 31-39	9 X 9 RH	AL	3	Black Diamond	QA2128R	48-828156A12(1)	Rubber Bushing
14-16 / 4.2-4.8	23-27 / 37-44	9 X 10 1/2 RH	AL	3	Black Diamond	QA2130R	48-828158A12	Rubber Bushing

(1) Standard with 6-15 Hp 2-Stroke and SeaPro/Marathon 10-15 Hp

15-25 Horsepower - Mariner

15 HP 1976-81 Mariner
15A 1979-82 Mariner
W15 1977-85 Mariner
20 HP 1976-79 Mariner
25 HP 1977-79 Mariner
Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	96625M	Rubber Bushing
12-14 / 3.6-4.2	25-32 / 40-52	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	96623M	Rubber Bushing

9.9-25 Horsepower - Mercury/Mariner

9.9 & 15 HP Bigfoot 4-Stroke 2005 & Older
9.9 Sail Power 4 Strokes 2005 & Older
18 HP Mercury 1980-85
20 HP Mariner 1985 & Newer
20 HP Mercury 2 Stroke 1986 & Newer
25 HP Mercury 2 Stroke 1980 & Newer
25 HP Mariner 2 Stroke 1985 & Newer
25 HP SeaPro/Marathon
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-15 / 3.6-4.5	19-30 / 31-48	10 3/8 X 13 RH	AL	3	Black Diamond	QA2106R	48-19640A40(1)	Rubber Bushing

(1) Standard with 20-25 Hp 2-Stroke

QUICKSILVER PROPELLER APPLICATION CHARTS

15/20 Hp 4-Stroke, 9.9 HP CT/Bigfoot 4-Stroke Mercury/Mariner

9.9 CT/Bigfoot Model Year 2005 and Newer
15/20 HP 4-Stroke 2007 and Newer
14 Tooth Spline

Length	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		10 x 5	AL	4	Black Diamond	QA2178R(1)		Rubber Hub
15-19 / 4.6-5.8	5-12 / 8-19	9.5 X 8 RH	AL	3	Black Diamond	QA2171R	48-897748A11	Rubber Hub
14-17 / 4.3-5.2	10-16 / 16-26	9.25 X 9 RH	AL	3	Black Diamond	QA2173R	48-897750A11(2)	Rubber Hub
to 16 / to 4.9	13-20 / 21-32	9.25 X 10 RH	AL	3	Black Diamond	QA2175R	48-897752A11(3)	Rubber Hub

(1) Standard with 9.9 BF and 9.9 Prokicker (2) Standard with 15 Hp 4-S (3) Standard with 20 Hp 4-S

25-30 Horsepower 4-Stroke - Mercury/Mariner

25 HP 2006 and Newer
30 HP 2006 and Newer
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	48-896890A10	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.75 x 9.5 RH	Alum	3	Black Diamond	QA2192R	48-896892A40	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.5 x 11 RH	Alum	3	Black Diamond	QA2196R	48-896896A40	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9.25 x 12.5 RH	Alum	3	Black Diamond	QA2200R	48-896900A40	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	48-8M8026650	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 x 11 RH	Alum	4	Nemesis	48-8M8027517	48-8M8026655	Rubber Bushing

25-30 Horsepower 2-Stroke - Mariner

25 HP 1980-84 Mariner
28 HP 2-Stroke 1976-79 Mariner
30 HP 2-Stroke 1979-90 Mariner
10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-17 / 4.5-5.2	18-26 / 29-42	9 7/8 X 10 1/2 RH	AL	3	Black Diamond	QA3808R	81649M	Rubber Bushing
14-16 / 4.2-4.8	19-28 / 31-45	9 7/8 X 11 1/4 RH	AL	3	Black Diamond	QA3810R	84976M	Rubber Bushing

25 Hp CT/Bigfoot, 30-70 Hp Standard Gearcase Mercury/Mariner

402-500 Model Mercury 1974-76*, 402-500-700 Models Mercury 1977-84
650 Model Mercury 1972-76*, 25 HP CT/Bigfoot 4-stroke 1999-2005
30 HP CT/BigFoot 2010 & Newer
30 HP 2 & 4-Stroke 1994-2005, 30 HP SeaPro/Marathon All Years
35 HP 1984-89, 40 HP 2 & 4-Stroke (Not CT/Bigfoot) 1977 & Newer
40 HP Seapro/Marathon 1977 & Newer, 45HP 1986-89
48 HP Mariner All Years, 50 HP 2 & 4 Strokes (Not CT/Bigfoot) 1977 & Newer
55 HP Seapro/Marathon 1995 & Newer, 60 HP Mariner 1976*
60 HP 2 & 4 Stroke (Not CT/Bigfoot) 1978 & Newer, 70 HP 1983 & Older
13 Tooth Spline

Flo-Torq Reflex Propellers. Hub Kit included in box.

Note: Flo-Torq Reflex Propeller hardware is not compatible with older rubber hub propeller hardware.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
20+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	48- 42738A45	Flo-Torq Reflex
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	48- 87818A45	Flo-Torq Reflex
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	48- 73132A45	Flo-Torq Reflex
16-19 / 4.8-5.8	21-25 / 34-41	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	48- 85632A45	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	48-816702A45	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	48- 73134A45	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	48-816704A45	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	48- 73136A45	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	48-816706A45	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	48- 73138A45	Flo-Torq Reflex
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	48- 73140A45	Flo-Torq Reflex
16-19 / 4.8-5.8	21-25 / 34-41	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	48-8M8026620	Flo-Torq Reflex
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	48-8M8026625	Flo-Torq Reflex

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	48-8M8026630	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	48-8M8026635	Flo-Torq Reflex
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	48-8M8026640	Flo-Torq Reflex
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	48-855858A46	Flo-Torq Reflex
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	48-855860A46	Flo-Torq Reflex
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	48-855862A46	Flo-Torq Reflex

40-60 Hp CT/Bigfoot, 70-140 Hp Standard Gearcase

650 Model (4 cyl.) 1961-70, 650 Model (2 cyl.) thru 1971
 900 to 1500 Models thru 1977, 60 HP Seapro/Marathon All Years
 70 HP 1987-89, 75 HP 2 & 4 Strokes 1984 & Newer
 75 HP SeaPro/Marathon All Years, 80 HP Mariner 1977
 80 HP 1978-89, 90 HP 2 & 4-Strokes 1978 and Newer
 100 HP 1988-99, 115 HP 2 & 4 Strokes 1978 and Newer
 125 HP 1994 and Newer, 140 HP 1978-81
 40 HP-60 HP CT/Bigfoot All Years
 15 Tooth Spline

With stainless props use the Flo-Torq SSR hub kit 8M0150152 or SSR Solid 8M0101604

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Work/Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
23' + / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	48-77338A45	(1)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X	48-77338CP1	(1)(2)
20' + / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	48-77340A45	(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X	48-77340CP1	(1)(2)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	48-77342A45	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	48-77344A45	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	48-77346A45	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	48-77348A45	(1)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	48-77350A45	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497	48-8M8026555	(1)
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498	48-8M8026560	(1)
Pontoon	to 21 / to 34	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500	48-8M8026570	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502	48-8M8026580	(1)
17-19 / 5.2-5.8	31-39 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504	48-8M8026590	(1)
15-18 / 4.5-5.5	35-43 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506	48-8M8026600	(1)
Pontoon	to 21 / to 34	14 X 13 RH	AL	4	Q4	48-8M0055559	48-8M0055547	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560	48-8M0055548	(1)
17-19 / 5.2-5.8	31-39 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561	48-8M0055549	(1)
15-18 / 4.5-5.5	35-43 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562	48-8M0055550	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563	48-8M0055551	(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	48-17314A46	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	48-16986A46	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	48-16988A46	(1)

(1) For 2-stroke carb applications use Flo-Torq II attaching hardware kit 835257Q1. For 4-stroke and Opti-Max applications use Flo-Torq III attaching hardware kit 835257Q9 to reduce rattle. Purchase separately.

(2) Extra Cup Version.

QUICKSILVER PROPELLER APPLICATION CHARTS

90CT-400 Horsepower - Mercury/Mariner

90, 115HP Command Thrust 2014 & Newer
 135 HP 1987 & Newer, 150 HP 1978 & Newer
 175 HP 1978 & Newer, 200 HP 1978 & Newer
 220 HP 1987-88, 225 HP 1980 & Newer
 225 HP SeaPro/Marathon All Years
 250-400 HP 2 and 4-Stroke 1990 and Newer

Use hub kit P/N 835257Q 1 for 90/115 CT and 150-300 HP 2 & 4 Strokes 1990 & Newer (Purchase separately) 15 Tooth Spline

Use hub kit P/N 8M0101603 for FourStroke V8 or 350 - 400 Verado outboards (Purchase separately) 19 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084491	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X	48-78112A45	(2)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X	48-78114A45	(2)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	48-16438A45	(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48-78116A45	(2)
23-26 / 7.0-7.8	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	48-16440A45	(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
23-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-16312A46	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-16314A46	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	48-16316A46	(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-16318A46	(2)
23-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-19838A46	(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-18278A46	(2)
20-23 / 6.1-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-13700A46	(2)
19-23 / 5.8-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-13702A46	(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516	48-8M0070079	(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517	48-8M0070074	(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	48-898988A46	(2)
Pontoon	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519	48-898990A46	(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	48-898992A46	(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521	48-898994A46	(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522	48-898996A46	(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523	48-898998A46	(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	48-899002A46	(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526	48-857024A46	(2)(3)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	48-857026A46	(2)(3)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	48-857028A46	(2)(3)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532	48-857030A46	(2)(3)
LH Propellers		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-13701A46	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	48-857025A46	(2)(3)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	48-857027A46	(2)(3)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	48-857029A46	(2)(3)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	48-857031A46	(2)(3)

(2) Use Flo-Torq II attaching hardware kit 835257Q1. For Verado 4 cyl 135-200 HP use Flo-Torq SSR Solid attaching hardware kit 8M0101604. For Verado 350, 350 SCI and 400R use Flo-Torq II attaching hardware kit 840389Q06. Purchase separately.

(3) Use Flo-Torq hub kit 835257Q6 for surface piercing applications with Q4 propellers. Purchase separately.

SUZUKI OUTBOARD APPLICATION CHARTS

35-65 Horsepower - Suzuki - Reflex Hub

DT35C HP 1987-90
 DT40, DF40 HP 1983 & Newer
 DF 50 1999 and Newer
 DT50,50M HP 1983-84
 DT55 HP 1985-97
 DT60 HP 1983-84
 DT65 HP 1985-97
 13 Tooth Spline

Flo-Torq Reflex Propeller.

Replace existing forward and aft washer with Quicksilver kit 8M0088039. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
20'+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	Flo-Torq Reflex(1)
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	Flo-Torq Reflex(1)
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	Flo-Torq Reflex(1)
16-19 - 4.6-5.6	21-26 / 35-42	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	Flo-Torq Reflex(1)
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	Flo-Torq Reflex(1)

(1) Replace existing forward and aft washer with Quicksilver kit 8M0088039. Purchase separately.

35-65 Horsepower - Suzuki - Rubber Hub

DT35C HP 1987-90
 DT40, DF40 HP 1983 & Newer
 DF 50 1999 and Newer
 DT50,50M HP 1983-84
 DT55 HP 1985-97
 DT60 HP 1983-84
 DT65 HP 1985-97
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.3-5.5	27-32 / 44-52	11 1/2 X 13 RH	AL	3	Black Diamond	QA2078X	58100-94313-019	Rubber Bushing

QUICKSILVER PROPELLER APPLICATION CHARTS

60-70 Hp (4-Stroke), 75-140 Hp (2-Stroke) - Suzuki

DF60 HP 1998 & Newer
 DF70 HP 1998-2008
 DT75 HP 1992-97
 DT75 HP 1983-91
 DT85 HP 1992-2000
 DT85 HP 1979-91
 DT90 HP 1989-97
 DT100 HP 1989 and Newer
 DT115, 140 HP 1992 & Newer
 DT115, 140 HP 1981-91
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	-	14 X 13 RH extra cup	AL	3	Black Diamond	QA3832X		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	58100-95500-019	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	58100-95511-019	(1)

(1) Use Flo-Torq II attaching hardware kit 835282Q1. Purchase separately.

70-140 Horsepower (4-Stroke) - Suzuki

DF 70-100 HP 2009 and Newer
 DF 115-140 HP 2002 & Newer
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X	854340A45	(1)(2)(3)(4)
Work/Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X	845342A45	(1)(2)(3)(4)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X	845342CP1	(1)(2)(3)(4)
23' + / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	77338A45	(1)(2)(3)(4)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X	77338CP1	(1)(2)(3)(4)
20' + / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	77340A45	(1)(2)(3)(4)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X	77340CP1	(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	77342A45	(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	77344A45	(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	77346A45	(1)(2)(3)(4)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	77348A45	(1)(2)(3)(4)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	77350A45	(1)(2)(3)(4)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)(2)(3)(4)
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)(2)(3)(4)
Pontoon	19-27 / 31-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)(2)(3)(4)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)(2)(3)(4)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)(2)(3)(4)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	17314A46	(1)(2)(3)(4)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	16986A46	(1)(2)(3)(4)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	16988A46	(1)(2)(3)(4)

- (1) For 90-115HP 2001 - 2008 use Flo-Torq II attaching hardware kit 835283Q 1
- (2) For 100-115HP 2009 and newer use Flo-Torq II attaching hardware kit 835283Q 2
- (3) For 140HP use Flo-Torq II attaching hardware kit 835283Q 2
- (4) For 70-90HP 2009 and newer use Flo-Torq II attaching hardware kit 835283Q03

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

150-300 Horsepower - Suzuki

DT150/150S HP 1986 & Newer
 DT175 HP 1986-92
 DT200 HP 1986-2000
 DT225 HP 1990 & Newer
 DF150- DF300 All Years
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Pontoon	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	3	Black Diamond	QA1920X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	99105-00200-16P	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	99105-00200-18P	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-7.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17 LH	SS	4	Q4	48-8M0103527		(2)(3)
		14.6 X 19 LH	SS	4	Q4	48-8M0103529		(2)(3)
		14.6 X 21 LH	SS	4	Q4	48-8M0103531		(2)(3)
		14.6 X 23 LH	SS	4	Q4	48-8M0103533		(2)(3)

(2) Use Flo-Torq II attaching hardware kit 835281Q1. Purchase separately.

(3) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with Torrent propellers. Purchase separately.

TOHATSU/NISSAN OUTBOARD APPLICATION CHARTS

4-6 Horsepower - Tohatsu/Nissan

4 -6 Horspower
 4 - 5 HP 2-Stroke 1987 & Newer
 4, 5, 6 HP -Stroke 1999 & Newer
 12 Tooth Spline

Length (ft/m)	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
All Purpose	7.8 X 9 RH	AL	3	Black Diamond	48-8M0081239		Rubber Bushing
All Purpose	7.8 X 7 RH	AL	3	Black Diamond	QA3182R	48-812949A02(1)	Rubber Bushing
All Purpose	7.8 X 8 RH	AL	3	Black Diamond	QA3184R	48-812950A02(2)	Rubber Bushing
All Purpose	7.9 X 6 RH	AL	3	Black Diamond	48-8M0081238		Rubber Bushing

(1) Standard with 4 Hp, 2-Stroke and FourStroke
 (2) Standard with 5 and 6 Hp FourStroke

8/9.9 Horsepower (4-Stroke) - Tohatsu/Nissan

8/9.9 (4-Stroke)
 12 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Kicker		8.7 x 5 RH	Alum	4	Black Diamond	QA2148R	48-812954A10	Rubber Bushing
14-17 / 4.2-5.2	8-17 / 14-27	8.9 x 7.5 RH	Alum	3	Black Diamond	QA2154R	48-897614A10(1)	Rubber Bushing
13-16 / 3.9-4.8	12-21 / 19-34	8.9 x 8.5 RH	Alum	3	Black Diamond	QA2158R	48-897618A10(2)	Rubber Bushing

(1) Standard with 8 Hp FourStroke
 (2) Standard with 9.9 Hp FourStroke

9.9-20 Horsepower Tohatsu/Nissan

9.9 HP 1984 and Newer
 9.9 HP 4-Stroke 2000 and Newer
 12 HP 1985-1988
 15 HP 4-Stroke 2000 and Newer
 15/18 HP 1995 and Newer
 18/20 HP 4-Stroke 2001 and Newer
 14 Tooth Spline

Length	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
Kicker		10 x 5	AL	4	Black Diamond	QA2178R	Rubber Hub
15-19 / 4.6-5.8	5-12 / 8-19	9 1/2 X 8 RH	AL	3	Black Diamond	QA2171R	Rubber Hub
14-17 / 4.3-5.2	10-16 / 16-26	9 1/4 X 9 RH	AL	3	Black Diamond	QA2173R	Rubber Hub
to 16 / to 4.9	13-20 / 21-32	9 1/4 X 10 RH	AL	3	Black Diamond	QA2175R	Rubber Hub

25-30 Horsepower 4-Stroke - Tohatsu/Nissan

25 HP 1986 and Newer
 30 HP 1985 and Newer
 10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
16+ / 4.8+	to 20 / to 32	10 x 8 RH	Alum	3	Black Diamond	QA2190R	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9-3/4 x 9-1/2 RH	Alum	3	Black Diamond	QA2192R	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9-1/2 x 11 RH	Alum	3	Black Diamond	QA2196R	Rubber Bushing
to 16 / to 4.8	25-36 / 40-58	9-1/4 x 12-1/2 RH	Alum	3	Black Diamond	QA2200R	Rubber Bushing
13-17 / 3.9-5.2	17-26 / 27-42	9.3 x 9.5 RH	Alum	4	Nemesis	48-8M8027516	Rubber Bushing
13-16 / 3.9-4.8	21-31 / 34-47	9.3 X 11 RH	Alum	4	Nemesis	48-8M8027517	Rubber Bushing

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

35-50 Hp Tohatsu/Nissan

35 HP (35B Only) 1984 and Earlier

50 HP (50D Only) 1991

40 HP 1984 and Newer

50 HP 1992 and Newer

13 Tooth Spline

Flo-Torq Reflex Propeller. Replace existing forward and aft washer with Quicksilver kit 8M0053074. Purchase separately.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	Hub System
20+ / 6.1+	to 14 / to 23	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X	Flo-Torq Reflex(1)
19-21 / 5.8-6.4	13-18 / 21-29	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	Flo-Torq Reflex(1)
17-20 / 5.2-6.1	18-22 / 29-35	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	Flo-Torq Reflex(1)
16-19 / 4.8-5.8	21-25 / 34-41	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 3/4 X 12 RH	AL	3	Black Diamond	QA2072X	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	AL	3	Black Diamond	QA2076X	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	AL	3	Black Diamond	QA2080X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X	Flo-Torq Reflex(1)
16-19 / 4.8-5.8	21-25 / 34-41	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510	Flo-Torq Reflex(1)
15-18 / 4.5-5.5	23-28 / 37-45	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10.3 X 13 RH	AL	4	Nemesis	48-8M8027512	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513	Flo-Torq Reflex(1)
13-15 / 3.9-4.5	34-39 / 55-63	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514	Flo-Torq Reflex(1)
14-18 / 4.2-5.5	27-32 / 44-52	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	Flo-Torq Reflex(1)
14-16 / 4.2-4.8	31-35 / 50-56	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	Flo-Torq Reflex(1)
to 15 / to 4.5	34-39 / 55-63	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	Flo-Torq Reflex(1)

(1) Flo-Torq Reflex Propeller. Replace existing forward and aft washer with Quicksilver kit 8M0053074. Purchase separately.

70-140 Horsepower - Tohatsu/Nissan

70C HP 1996 & Newer

90 HP 1987 & Newer

115 HP 1992 & Newer

120 HP 1988 & Newer

140 HP 1988 & Newer

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	7-16 / 11-22	14 X 9 RH	AL	3	Black Diamond	QA2026X	3B764-5230M	(1)
Pontoon/Work	9-19 / 15-31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	9-19 / 15-31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
House/Work	12-22 / 19-35	14 X 11 RH	AL	3	Black Diamond	QA2030X	3B764-5270M	(1)
Pontoon	12-22 / 19-35	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
22-29 / 6.7-8.8	14-28 / 23-45	14 X 13 RH	AL	3	Black Diamond	QA2032X	3B764-5320M	(1)
Pontoon	14-28 / 23-45	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
21-26 / 6.4-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	3B764-5360M	(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	3B764-5410M	(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 19 RH	AL	3	Black Diamond	QA2038X	3B764-5451M	(1)
15-18 / 4.5-5.5	44-56 / 71-90	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	3B764-5490M	(1)
15-17 / 4.5-5.2	48-62 / 77-100	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X		(1)
Pontoon	9-19 / 15-31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)
Pontoon	12-22 / 19-35	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	14-28 / 23-4	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
21-26 / 6.4-7.8	24-36 / 39-58	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
17-20 / 5.2-6.1	38-50 / 61-81	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	14-28 / 23-4	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
21-26 / 6.4-7.8	24-36 / 39-58	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
17-20 / 5.2-6.1	38-50 / 61-81	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)
15-18 / 4.5-5.5	44-56 / 71-90	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)
21-26 / 6.4-7.9	24-36 / 39-58	13 3/8 X 14 RH	SS	3	Silverado	QS5114X		(1)
18-21 / 5.5-6.4	30-42 / 48-68	13 1/8 X 16 RH	SS	3	Silverado	QS5116X		(1)
17-20 / 5.2-6.1	38-50 / 61-81	13 X 18 RH	SS	3	Silverado	QS5118X		(1)

(1) Use Flo-Torq II attaching hardware kit 835284Q1. Purchase separately.

(2) Extra Cup Version.

YAMAHA OUTBOARD APPLICATION CHARTS

8 Horsepower - Yamaha

8 HP 1976-83

Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-18 / 4.3-5.5	to 15 / to 24	8.25 X 7 RH	AL	3	Black Diamond	QA3178R		Rubber Bushing

9.9-20 Horsepower - Yamaha

9.9 HP 2-Stroke 1984 and Newer

F9.9 4-Stroke 2000-2007

15 HP 2-Stroke 1984 and Newer

F15 4-Stroke 2000 and Newer

F20 4-Stroke All Years

8 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
14-19 / 4.3-5.8	19-24 / 31-39	9 1/4 X 9 RH	AL	3	Black Diamond	QA3906R	683-45945-00-EL	Rubber Bushing
14-16 / 4.3-4.8	23-27 / 37-44	9 1/4 X 10 RH	AL	3	Black Diamond	QA3914R	683-45943-00-EL	Rubber Bushing

15-28 Horsepower - Yamaha

15 HP 1976-83

W15 1976-83

20 HP 1976-78

25 HP 1977-79

28 HP 1976-78

Pin Drive

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
12-16 / 3.6-4.8	20-28 / 32-45	9 X 10 RH	AL	3	Black Diamond	QA3150R	651-45947-00-36	Rubber Bushing
12-14 / 3.6-4.3	25-32 / 40-52	9 1/4 X 11 RH	AL	3	Black Diamond	QA3152R	653-45941-01-36	Rubber Bushing

20-30 Horsepower - Yamaha

20 HP 1996-97

25 HP 1980 and Newer

F25 4-Stroke 2000 and Newer

30 HP 1979 and Newer

F30 4-Stroke 2001 and Newer

10 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
15-17 / 4.5-5.2	18-26 / 29-42	9 7/8 X 10 1/2 RH	AL	3	Black Diamond	QA3808R	664-45945-00-EL	Rubber Bushing
14-16 / 4.3-4.8	19-28 / 31-45	9 7/8 X 11 1/4 RH	AL	3	Black Diamond	QA3810R	664-45947-01-EL	Rubber Bushing

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

T25-60 Horsepower - Yamaha

T25 All Years
 40 HP 1984 and Newer
 F40 4-Stroke 1999 and Newer
 48 HP 1995-2000
 50 HP (Excluding T50) 1984 & Newer
 F50 4-Stroke 1999 and Newer
 55 HP 1976-95
 60 HP 1976-91
 F60 4-Stroke 2002 and Newer
 13 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 16 / to 26	12 1/2 X 8 RH	AL	3	Black Diamond	QA2060X		(1)
18+ / 5.5+	16-20 / 26-32	12 1/4 X 9 RH	AL	3	Black Diamond	QA2062X	663-45956-01-EL	(1)
17+ / 5.2+	20-23 / 32-37	11 1/4 X 10 RH	AL	3	Black Diamond	QA2064X	6H5-45952-00-EL	(1)
16-18 / 4.8-5.5	23-30 / 37-48	10 7/8 X 11 RH	AL	3	Black Diamond	QA2070X	663-45947-02-EL	(1)
15-17 / 4.5-5.2	30-31 / 48-50	10 5/8 X 12 RH	AL	3	Black Diamond	QA2074X	6H5-45958-00-EL	(1)
14-17 / 4.2-5.2	31-35 / 50-56	10 3/8 X 13 RH	AL	3	Black Diamond	QA2078X	6H5-45943-00-EL	(1)
14-16 / 4.2-4.8	35-38 / 56-61	10 1/4 X 14 RH	AL	3	Black Diamond	QA2082X	663-45958-01-EL	(1)
13-15 / 3.9-4.5	38-42 / 61-68	10 1/8 X 15 RH	AL	3	Black Diamond	QA2084X		(1)
16-18 / 4.8-5.5	23-30 / 37-48	10.6 X 11 RH	AL	4	Nemesis	48-8M8027510		(1)
15-17 / 4.5-5.2	30-31 / 48-50	10.6 X 12 RH	AL	4	Nemesis	48-8M8027511		(1)
14-17 / 4.2-5.2	31-35 / 50-56	10.3X 13 RH	AL	4	Nemesis	48-8M8027512		(1)
14-16 / 4.2-4.8	35-38 / 56-61	10.1 X 14 RH	AL	4	Nemesis	48-8M8027513		(1)
13-15 / 3.9-4.5	38-42 / 61-68	10.1 X 15 RH	AL	4	Nemesis	48-8M8027514		(1)
14-17 / 4.2-5.2	31-35 / 50-56	10 1/2 X 13 RH	SS	3	Silverado	QS5166X	663-45974-60-98	(1)
14-16 / 4.2-4.8	35-38 / 56-61	10 3/8 X 14 RH	SS	3	Silverado	QS5168X	663-45930-00-98	(1)
13-15 / 3.9-4.5	38-42 / 61-68	10 1/4 X 15 RH	SS	3	Silverado	QS5170X	663-45976-00-98	(1)

(1) Flo-Torq Reflex Propeller - All required hardware included

T50-130 Horsepower - Yamaha

T50 HP 4-Stroke 1996 and Newer
 60 HP 1992 and Newer
 T60 HP 4-Stroke 2003 and Newer
 70 HP 1984 and Newer
 75 HP 1994-2000
 F75 4-Stroke 2003 and Newer
 80 HP 1977, 2000 and Newer
 F80 HP 4-Stroke 1999 and Newer
 85 HP 1991-97
 90 HP 1984 and Newer
 F90 HP 4-Stroke 2003 and Newer
 F100 HP 4-Stroke 2000 and Newer
 115 HP 1984 and Newer
 F115 HP 4-Stroke 2000 and Newer
 130 HP 1984 and Newer
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Work	to 14 / to 23	14 X 9 RH	AL	3	Black Diamond	QA2026X		(1)
Pontoon/Work	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2028X		(1)
Pontoon	to 19 / to 31	14 X 10 RH	AL	3	Black Diamond	QA2828X		(1)(2)
23+ / 7.0+	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2030X	6E5-45954-00-EL	(1)
Pontoon	to 21 / to 34	14 X 11 RH	AL	3	Black Diamond	QA2830X		(1)(2)
20+ / 6.1+	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2032X	6E5-45949-00-EL	(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	3	Black Diamond	QA2832X		(1)(2)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2034X	6E5-45947-00-EL	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/4 X 17 RH	AL	3	Black Diamond	QA2036X	6E5-45945-01-EL	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 19 RH	AL	3	Black Diamond	QA2038X	6E5-45941-00-EL	(1)
14-17 / 4.2-5.2	39-46 / 63-74	12 3/4 X 21 RH	AL	3	Black Diamond	QA2040X	6E5-45943-00-EL	(1)
to 16 / to 4.8	44-50 / 71-81	12 1/2 X 23 RH	AL	3	Black Diamond	QA2042X	6E5-45952-00-EL	(1)
Pontoon	to 19 / to 31	13.8 X 10 RH	AL	4	Nemesis Pontoon	48-8M8027497		(1)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 21 / to 34	13.8 X 11 RH	AL	4	Nemesis Pontoon	48-8M8027498		(1)
Pontoon	19-27 / 31-44	13.8 X 13 RH	AL	4	Nemesis Pontoon	48-8M8027500		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.4 X 15 RH	AL	4	Nemesis	48-8M8027502		(1)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Nemesis	48-8M8027504		(1)
15-18 / 4.5-5.5	35-41 / 56-66	12.5 X 19 RH	AL	4	Nemesis	48-8M8027506		(1)
Pontoon	19-27 / 31-44	14 X 13 RH	AL	4	Q4	48-8M0055559		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13.5 X 15 RH	AL	4	Q4	48-8M0055560		(1)
17-19 / 5.2-5.8	30-38 / 48-61	13.0 X 17 RH	AL	4	Q4	48-8M0055561		(1)
15-18 / 4.5-5.5	35-41 / 56-66	12.7 X 19 RH	AL	4	Q4	48-8M0055562		(1)
14-17 / 4.2-5.2	39-46 / 63-74	12.7 X 21 RH	AL	4	Q4	48-8M0055563		(1)
18-20 / 5.5-6.1	25-32 / 40-52	13 3/8 X 14 RH	SS	3	Silverado	QS5114X	688-45932-60-98	(1)
17-19 / 5.2-5.8	30-38 / 48-61	13 1/8 X 16 RH	SS	3	Silverado	QS5116X	688-45978-60-98	(1)
15-18 / 4.5-5.5	35-41 / 56-66	13 X 18 RH	SS	3	Silverado	QS5118X	688-45930-02-98	(1)

(1) Use Flo-Torq II attaching hardware kit 835272Q1 on 50 to 100HP applications and kit 835271Q2 on 115 & 130HP units. Purchase separately.

(2) Extra Cup Version

150-300 Horsepower - Yamaha

150 HP 1986 and Newer, F150 4-Stroke 2004 and Newer
 175 HP 1984 and Newer
 200 HP 1984 and Newer, F200 HP 4-Stroke 2002 and Newer
 220 HP Special 1984-85
 225 HP Excel 1987-88
 225 HP 1986 and Newer, F225 HP 4-Stroke 2002 and Newer
 250 HP 1990 and Newer (Including VMAX), F250 HP 4-Stroke 2005 and Newer
 300 HP 2003 and Newer, 300 HPDI 2004 and Newer
 150-250 HP SHO 4-Stroke
 15 Tooth Spline

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Pontoon	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Pontoon	to 29 / to 47	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
House/Work	to 24 / to 39	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
25-30 / 7.8-9.1	23-32 / 37-52	16 X 13 RH	AL	3	Black Diamond	QA2004X		(2)
23-29 / 7.0-8.8	27-35 / 44-56	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	6G5-45941-00-98	(2)
23-26 / 6.7-7.9	33-40 / 53-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	6G5-45952-00-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
20-24 / 6.1-7.3	39-47 / 63-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	53-61 / 86-98	14 X 23 RH	AL	3	Black Diamond	QA1920X	6G5-45949-00-98	(2)
22-27 / 6.7-8.2	30-38 / 48-61	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	6G5-45970-02-98	(2)
21-25 / 6.4-8.8	36-44 / 58-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	6G5-45978-03-98	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	SS	3	Silverado	QS5054X	6G5-45974-03-98	(2)
18-22 / 5.5-6.7	47-56 / 76-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	6G5-45972-02-98	(2)
22-27 / 6.7-8.2	30-38 / 48-61	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-8.8	36-44 / 58-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	6R4-45978-A0-00	(2)
19-23 / 5.8-7.0	42-50 / 68-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	6R4-45970-A0-00	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	6R4-45972-A0-00	(2)
Pontoon	10-25 / 16-40	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Pontoon	11-26 / 17-41	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Pontoon	12-27 / 18-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
Pontoon/Cruiser	17-30 / 27-49	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
21-26 / 6.4-7.8	24-36 / 39-58	14.7 X 16P R	SS	3	Q3	48-8M0103520		(2)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
21-26 / 6.4-7.8	30-42 / 48-68	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-22 / 5.8-6.7	33-45 / 53-73	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
19-22 / 5.8-6.7	36-49 / 58-79	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
17-20 / 5.2-6.1	42-56 / 68-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-26 / 6.4-7.8	30-42 / 48-68	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)(3)
19-22 / 5.8-6.7	36-49 / 58-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)(3)
17-20 / 5.2-6.1	42-56 / 68-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)(3)
15-19 / 4.5-5.8	50-64 / 81-103	14.6 X 23P RH	SS	4	Q4	48-8M0103533		(2)(3)
LH Propellers (1)(1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	6R1-45978-A0-00	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	6R1-45970-A0-00	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)(3)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)(3)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)(3)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)(3)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Flo-Torq II kit 835271Q2 for 150-300 HPDI and VMAX. Flo-Torq II kit 8M0075402 for 2014 and older 200-250 HP SHO. Flo-Torq II kit 835274Q1 for 2015 and Newer 115-250 SHO and 150-300 4-stroke outboards.

(3) Use forward bushing 23-856163Q1 along with Flo-Torq hub kit for surface piercing applications with Q4 and Torrent propellers. Purchase separately.

MERCUISER STERNDRIVE APPLICATION CHARTS

ALPHA ONE, MERCUISER I

MERCUISER I 120-190 HP

Models 470, 485, 888, 898, 225S & 233

ALPHA ONE 1986 AND NEWER

4.5 Liter 200 HP 2014 and Newer

2.5 Liter 120HP 1986-89

3.0 Liter 125-140HP 1986 & Newer

3.7 Liter 165-190HP 1986-89

Warning! Check for adequate tip clearance with stainless and 4 blade aluminum props. If necessary, switch to a flat tab anode (76214Q 5) or high performance trim tab (822777Q 1) to permit clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084493	(2)
21-25 / 6.4-7.8	36-44 / 58-71	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
19-23 / 5.8-7.0	42-50 / 68-81	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
18-22 / 5.5-6.7	47-56 / 76-90	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
17-20 / 5.2-6.1	53-61 / 85-98	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
24+ / 7.3	to 10 / to 16	16 X 11 RH	AL	3	Black Diamond	QA2000X	78112A45	(2)
23-27 / 7.0-8.2	18-22 / 29-36	16 X 13 RH	AL	3	Black Diamond	QA2004X	78114A45	(2)
21-25 / 6.4-7.6	22-26 / 36-42	16 X 14 RH	AL	3	Black Diamond	QA2006X	16438A45	(2)
21-25 / 6.4-7.8	22-31 / 36-50	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	78116A45	(2)
21-25 / 6.4-7.8	26-31 / 42-50	16 X 16 RH	AL	3	Black Diamond	QA2010X	16440A45	(2)
19-23 / 5.8-7.0	30-36 / 48-58	15 X 17 RH	AL	3	Black Diamond	QA1912X	832828A45	(2)
18-22 / 5.5-6.7	32-38 / 52-61	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
17-21 / 5.2-6.4	35-41 / 56-66	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	832830A45	(2)
to 19 / to 5.8	40-46 / 65-74	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	832832A45	(2)
to 18 / to 5.5	44-49 / 71-79	14 X 23 RH	AL	3	Black Diamond	QA1920X	832834A45	(2)
21-25 / 6.4-7.8	22-31 / 36-50	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	16312A46	(2)
19-23 / 5.8-7.0	30-36 / 48-58	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	16314A46	(2)
17-21 / 5.2-6.4	35-41 / 56-66	14 X 19 RH	SS	3	Silverado	QS5054X	16316A46	(2)
to 19 / to 5.8	40-46 / 65-74	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	16318A46	(2)
21-25 / 6.4-7.8	22-31 / 36-50	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	19838A46	(2)
19-23 / 5.8-7.0	30-36 / 48-58	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	18278A46	(2)
17-21 / 5.2-6.4	35-41 / 56-66	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	13700A46	(2)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
to 19 / to 5.8	40-46 / 65-74	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	13702A46	(2)
24+ / 7.3+	to 10 / to 16	16 X 11P RH	SS	3	Q3	48-8M0103516	8M0070079	(2)
23-27 / 7.0-8.2	15-18 / 24-29	15.6 X 13P RH	SS	3	Q3	48-8M0103517	8M0070079	(2)
23-27 / 7.0-8.2	18-22 / 29-36	15.3 X 14P RH	SS	3	Q3	48-8M0103518	898990A46	(2)
21-25 / 6.4-7.6	22-26 / 36-42	15 X 15P RH	SS	3	Q3	48-8M0103519	898990A46	(2)
21-25 / 6.4-7.6	22-31 / 36-50	14.7 X 16P RH	SS	3	Q3	48-8M0103520	898992A46	(2)
21-25 / 6.4-7.6	26-31 / 42-50	14.5 X 17P RH	SS	3	Q3	48-8M0103521	898994A46	(2)
19-23 / 5.8-7.0	30-36 / 48-58	14.2 X 18P RH	SS	3	Q3	48-8M0103522	898996A46	(2)
18-22 / 5.5-6.7	32-38 / 52-61	14 X 19P RH	SS	3	Q3	48-8M0103523	898998A46	(2)
to 19 / to 5.8	40-46 / 64-74	13.6 X 21P RH	SS	3	Q3	48-8M0103525	899902A46	(2)
21-25 / 6.4-7.6	26-31 / 42-50	14.6 X 17P RH	SS	4	Q4	48-8M0103526	857024A46	(2)
18-22 / 5.5-6.7	32-38 / 52-61	14.6 X 19P RH	SS	4	Q4	48-8M0103528	857026A46	(2)
to 19 / to 5.8	40-46 / 64-74	14.6 X 21P RH	SS	4	Q4	48-8M0103530	857028A46	(2)
to 18 / to 5.5	44-49 / 71-79	14.6 X 23P RH	SS	4	Q4	48-8M0103532	857030A46	(2)
LH Propellers(1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	13701A46	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103527	857025A46	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103529	857027A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103531	857029A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	857031A46	(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835257Q1. Purchase separately.

ALPHA ONE/BRAVO ONE

MERCURUISER 200-280 HP Thru 1985

Models 228, 255, 260, & 280TRS

ALPHA ONE/BRAVO ONE 1986 AND NEWER

4.5 Liter 200-250 HP 2014 and Newer

4.3 Liter 155-250 HP 1986 - 2014

5.0 Liter 180-250 HP 1986 - 2014 (Including 262 Mag)

Warning! Check for adequate tip clearance when installing stainless steel or aluminum 4 blade propellers. If necessary, switch to high performance trim tab (822777Q1) to allow adequate clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531	48-8M0084491	(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533	48-8M0084493	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
26+ / 7.9+	to 16 / to 26	16 X 11 RH	AL	3	Black Diamond	QA2000X	48-78112A45	(2)
24-29 / 7.3-8.8	17-26 / 5.2-42	16 X 13 RH	AL	3	Black Diamond	QA2004X	48-78114A45	(2)
24-29 / 7.3-8.8	22-31 / 35-50	16 X 14 RH	AL	3	Black Diamond	QA2006X	48-16438A45	(2)
23-27 / 7.0-8.2	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48-78116A45	(2)
23-27 / 7.0-8.2	31-39 / 50-63	16 X 16 RH	AL	3	Black Diamond	QA2010X	48-16440A45	(2)
22-26 / 6.7-7.9	36-41 / 58-66	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
22-26 / 6.7-7.9	38-44 / 61-71	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
23-27 / 7.0-8.2	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-16312A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-16314A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	SS	3	Silverado	QS5054X	48-16316A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-16318A46	(2)
23-27 / 7.0-8.2	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-19838A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-18278A46	(2)
21-25 / 6.4-7.6	41-46 / 66-74	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-13700A46	(2)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
19-23 / 5.8-7.0	46-51 / 74-82	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-13702A46	(2)
26+ / 7.9+	to 16 / to 26	16 X 11P RH	SS	3	Q3	48-8M0103516	8M0070079	(2)
24-29 / 7.3-8.8	16-21 / 26-34	15.6 X 13P RH	SS	3	Q3	48-8M0103517	8M0070077	(2)
24-29 / 7.3-8.8	17-26 / 30-42	15.3 X 14P RH	SS	3	Q3	48-8M0103518	898988A46	(2)
24-29 / 7.3-8.8	22-31 / 35-50	15 X 15P RH	SS	3	Q3	48-8M0103519	898990A46	(2)
23-27 / 7.0-8.2	26-36 / 42-58	14.7 X 16P RH	SS	3	Q3	48-8M0103520	898992A46	(2)
23-27 / 7.0-8.2	31-39 / 50-63	14.5 X 17P RH	SS	3	Q3	48-8M0103521	898994A46	(2)
22-26 / 6.7-7.9	36-41 / 58-66	14.2 X 18P RH	SS	3	Q3	48-8M0103522	898996A46	(2)
22-26 / 6.7-7.9	38-44 / 61-71	14 X 19P RH	SS	3	Q3	48-8M0103523	898998A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	13.6 X 21P RH	SS	3	Q3	48-8M0103525	899002A46	(2)
23-27 / 7.0-8.2	31-39 / 50-63	14.6 X 17P RH	SS	4	Q4	48-8M0103526	857024A46	(2)
22-26 / 6.7-7.9	38-44 / 61-71	14.6 X 19P RH	SS	4	Q4	48-8M0103528	857026A46	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14.6 X 21P RH	SS	4	Q4	48-8M0103530	857028A46	(2)
to 20 / to 6.1	51-56 / 74-90	14.6 X 23P RH	SS	4	Q4	48-8M0103532	857030A46	(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-13701A46	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	857025A46	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	857027A46	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	857029A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	857031A46	(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835257Q1. Order separate.

ALPHA ONE/BRAVO ONE

Model 330TRS

4.5 Liter 250 HP 2014 & Newer

5.7 Liter 210-320 HP 1986 & Newer

6.2 Liter 320 HP 2001 & newer

7.4 Liter 300-385 HP 1988 & Newer

8.1 Liter 375-425 HP 2001 & Newer

8.2 Liter 390-415 HP 1990 & Newer

Including 350, 454, 496 & 502 Mag. & 320 EFI

Add 2" of pitch to suggested size for single engine applications 385 HP and above.

Caution! Check for adequate blade tip clearance when installing stainless steel propellers. If necessary, switch to Mercury trim tab 822777Q1 to ensure adequate blade clearance.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534	48-8M0084494	(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535	48-8M0084495	(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536	48-8M0084496	(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537	48-8M0084497	(2)
29+ / 8.8+	to 18 / to 29	16 X 11 RH	AL	3	Black Diamond	QA2000X	48-78112A45	(2)
29-34 / 8.8-10.3	18-30 / 29-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	48-78114A45	(2)
29-32 / 8.8-9.7	24-35 / 39-56	16 X 14 RH	AL	3	Black Diamond	QA2006X	48-16438A45	(2)
27-30 / 8.2-9.1	29-40 / 47-65	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	48-78116A45	(2)
26-30 / 8.2-9.1	29-40 / 47-65	16 X 16 RH	AL	3	Black Diamond	QA2010X	48-16440A45	(2)
25-29 / 7.6-8.8	40-46 / 65-74	15 X 17 RH	AL	3	Black Diamond	QA1912X	48-832828A45	(2)
24-28 / 7.3-8.9	43-49 / 69-79	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X	48-11324A45	(2)
23-26 / 7.0-7.9	46-51 / 74-82	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	48-832830A45	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	48-832832A45	(2)
22-24 / 6.7-7.3	56-62 / 90-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	48-832834A45	(2)
27-30 / 8.2-9.1	29-40 / 47-65	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	48-16312A46	(2)
25-29 / 7.6-8.8	40-46 / 65-74	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	48-16314A46	(2)
23-26 / 7.0-7.9	46-51 / 74-82	14 X 19 RH	SS	3	Silverado	QS5054X	48-16316A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	48-16318A46	(2)
27-30 / 8.2-9.1	29-40 / 47-65	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X	48-19838A46	(2)
25-29 / 7.6-8.8	40-46 / 65-74	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	48-18278A46	(2)
23-26 / 7.0-7.9	46-51 / 74-82	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	48-13700A46	(2)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-25 / 6.7-7.6	51-56 / 82-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	48-13702A46	(2)
29+ / 8.8+	to 18 / to 29	16 X 11P RH	SS	3	Q3	48-8M0103516	8M0070077	(2)
29-34 / 8.8-10.3	18-25 / 29-40	15.6 X 13P RH	SS	3	Q3	48-8M0103517	8M0070079	(2)
29-34 / 8.8-10.3	18-30 / 29-48	15.3 X 14P RH	SS	3	Q3	48-8M0103518	898988A46	(2)
29-32 / 8.8-9.7	24-35 / 39-56	15 X 15P RH	SS	3	Q3	48-8M0103519	898990A46	(2)
27-30 / 8.2-9.1	29-40 / 47-65	14.7 X 16P RH	SS	3	Q3	48-8M0103520	898992A46	(2)
26-30 / 8.2-9.1	29-40 / 47-65	14.5 X 17P RH	SS	3	Q3	48-8M0103521	898994A46	(2)
25-29 / 7.6-8.8	40-46 / 64-74	14.2 X 18P RH	SS	3	Q3	48-8M0103522	898996A46	(2)
24-28 / 7.3-8.9	43-49 / 69-79	14 X 19P RH	SS	3	Q3	48-8M0103523	898998A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	13.6 X 21P RH	SS	3	Q3	48-8M0103525	899002A46	(2)
26-30 / 8.2-9.1	29-40 / 47-65	14.6 X 17P RH	SS	4	Q4	48-8M0103526	857024A46	(2)
24-28 / 7.3-8.9	43-49 / 69-79	14.6 X 19P RH	SS	4	Q4	48-8M0103528	857026A46	(2)
22-25 / 6.7-7.6	51-56 / 82-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530	857028A46	(2)
22-24 / 6.7-7.3	56-62 / 90-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532	857030A46	(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	48-90159A46	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	48-13701A46	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527	857025A46	(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529	857027A46	(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531	857029A46	(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533	857031A46	(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835257Q1 Order separate, except on 400 HP and above applications use solid hub kit 835258Q2. Order separate.

Bravo Two 1988 and Newer - MerCruiser

- 4.3L 155-250hp 1996 & Newer •5.0L 180-250hp 1995 & Newer
- 5.7L 210-300hp 1993 & Newer •6.2L 320hp 2001 & Newer
- 7.4L 300-385hp 1990 & Newer •454 385hp 1996 & Newer
- 496 375-425hp 2001 & Newer •502 390-425hp 1996 & Newer
- D2.8L 150hp 1997 & Newer •D3.6L 180hp 1996 and Newer
- D4.2L 200-250hp 1996and Newer •D7.3L 260-300hp 1994 and Newer

Length (ft/m)	Current MPH/KPH	Prop Size	Matl	#Blades	Style	Quicksilver P/N	OEM P/N	Hub System
34-35/10.4-13.7	0-14/0-20	20 x 11 RH	AL	3	Black Diamond Bil	48-8M0155024	48-8M0155024	Rubber Bushing
31-39/9.4-12	14-19/20-30	19 1/2 x 13 RH	AL	3	Black Diamond Bil	48-8M0155026	48-8M0155026	Rubber Bushing
29-37/8.8-11.3	19-23/30-38	19 1/4 x 15 RH	AL	3	Black Diamond Bil	48-8M0155028	48-8M0155028	Rubber Bushing
28-32/8.5-9.8	24-31/38-46	18 3/4 x 17 RH	AL	3	Black Diamond Bil	48-8M0155030	48-8M0155030	Rubber Bushing
26-30/7.8-9.1	32-36/52-58	18 1/4 x 19 RH	AL	3	Black Diamond Bil	QA1940R	48-18614A40	Rubber Bushing
25-28/7.5-8.5	35-40/56-65	17 3/4 x 21 RH	AL	3	Black Diamond Bil	QA1946R	48-18616A40	Rubber Bushing
24-27/7.2-8.2	39-44/63-71	17 1/2 x 23 RH	AL	3	Black Diamond Bil	QA1952R	48-18618A40	Rubber Bushing
LH Propellers (1)(1)		20 x 11 LH	AL	3	Black Diamond Bil	48-8M0155023	48-8M0155023	Rubber Bushing
		19 1/2 x 13 LH	AL	3	Black Diamond Bil	48-8M0155025	48-8M0155025	Rubber Bushing
		19 1/4 x 15 LH	AL	3	Black Diamond Bil	48-8M0155027	48-8M0155027	Rubber Bushing
		18 3/4 x 17 LH	AL	3	Black Diamond Bil	48-8M0155029	48-8M0155029	Rubber Bushing
		18 1/4 x 19 LH	AL	3	Black Diamond Bil	QA1941R	48-18615A40	Rubber Bushing
		17 3/4 x 21 LH	AL	3	Black Diamond Bil	QA1947R	48-18617A40	Rubber Bushing
		17 1/2 x 23 LH	AL	3	Black Diamond Bil	QA1953R	48-18619A40	Rubber Bushing

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

QUICKSILVER PROPELLER APPLICATION CHARTS

Bravo Three 1993 and Newer - MerCruiser

The Quicksilver Bravo Three propeller set is now standard issue within Quicksilver Propellers!

The Quicksilver Bravo Three features 4-blade front, 3-blade rear set that offers better acceleration performance and enhanced holding. Mixing with old style three blade front three blade rear Thunderbolt BIII propellers is not recommended. For part number information on the old Bravo Three propellers (Pre 2008) see the historical propeller charts section of this guide.

- 4.3L 155-250hp 1996 & Newer
- 5.0L 180-250hp 1998 & Newer
- 6.2L 320hp 2001 -2015
- 7.4L 300-385hp 1993 & Newer
- 496 375-425hp 2001 & Newer
- 8.2L 380-430 2011 & Newer
- D2.8L 150hp 1997 & Newer
- D4.2L 200-250hp 1996 and Newer
- 4.5L 200-250hp 2014 & Newer
- 5.7L 210-300hp 1994 & Newer
- 6.2L 300-350hp 2015 & Newer
- 454 385hp 1995 & Newer
- 502 390-425hp?1995 & Newer
- D3.6L 180hp 1996 and Newer
- D7.3L 260-300hp 1994 and Newer

Current MPH/KPH	Prop Size	Matl	#Blades	Style	Quicksilver P/N	OEM P/N	Hub System
(Rear Prop)(1)							
<31 / <50	14.4 x 19 RH	SS	3	Quicksilver Bravo III	48-8M0123399	8M8022350	Solid Steel Spline
27-35 / 43-56	14.4 x 20 RH	SS	3	Quicksilver Bravo III	48-8M0123401	8M8022370	Solid Steel Spline
32-40 / 51-64	14.3 x 21 RH	SS	3	Quicksilver Bravo III	48-8M0123403	8M8022390	Solid Steel Spline
34-42 / 55-68	14.25 x 22.5 RH	SS	3	Quicksilver Bravo III	48-8M0123405	8M8022410	Solid Steel Spline
37-44 / 60-71	14 x 24 RH	SS	3	Quicksilver Bravo III	48-8M0123407	8M8022430	Solid Steel Spline
41-48 / 66-77	13.75 x 26 RH	SS	3	Quicksilver Bravo III	48-8M0123409	8M8022450	Solid Steel Spline
46-52 / 74-84	13.5 x 28 RH	SS	3	Quicksilver Bravo III	48-8M0123411	8M8022470	Solid Steel Spline
(Front Prop) (1)							
	16 x 19 LH	SS	4	Quicksilver Bravo III	48-8M0123400	8M8022340	Solid Steel Spline
	16 x 20 LH	SS	4	Quicksilver Bravo III	48-8M0123402	8M8022360	Solid Steel Spline
	15.9 x 21 LH	SS	4	Quicksilver Bravo III	48-8M0123404	8M8022380	Solid Steel Spline
	15.75 x 22.5 LH	SS	4	Quicksilver Bravo III	48-8M0123406	8M8022400	Solid Steel Spline
	15.5 x 24 LH	SS	4	Quicksilver Bravo III	48-8M0123408	8M8022420	Solid Steel Spline
	15.25 x 26 LH	SS	4	Quicksilver Bravo III	48-8M0123410	8M8022440	Solid Steel Spline
	15 x 28 LH	SS	4	Quicksilver Bravo III	48-8M0123412	8M8022460	Solid Steel Spline

(1) Add 4" of pitch to above application chart for twin engine installations.

OMC STERNDRIIVE APPLICATION CHARTS

MODEL 400 AND COBRA - OMC

- 2.3 Litre 120-128 HP 1978-90
- 2.5 Litre 120 HP 1978-89
- 3.0 Litre 130-140 HP 1978-89

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
House/Cruisers	14-26 / 23-42	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
19-22 / 5.8-6.7	24-32 / 39-52	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)
17-20 / 5.2-6.1	30-40 / 48-65	13 1/4 X 17 RH	AL	3	Black Diamond	QA2206X	391199	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

SEA DRIVE 4 1/4 INCH GEARCASE - OMC

- 1.6 Litre V-4 1983 & Newer
- 1.8 Litre V-4 1983 & Newer
- Add 2" of pitch for twin engines

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
22-26 / 6.7-7.8	14-28 / 23-45	14 X 13 RH Extra Cup	AL	3	Black Diamond	QA3832X	391668	(1)
22-26 / 6.7-7.8	24-36 / 39-58	13 3/4 X 15 RH	AL	3	Black Diamond	QA2208X	391198	(1)

(1) Use Flo-Torq II attaching hardware kit 835266Q1. Purchase separately.

QUICKSILVER PROPELLER APPLICATION CHARTS

SEA DRIVE 4 3/4 INCH LARGE GEARCASE - OMC

- 2.0 Litre V-4 1982 & Newer •2.5 Litre V-6 1982 & Newer
- 2.6 Litre V-6 1982 & Newer •2.7 Litre V-6 1982 & Newer
- 3.0 Litre V-6 1982 & Newer •3.6 Litre V-8 1982 & Newer
- 4.0 Litre V-8 1982 & Newer

Following suggestions based on twin engines - Deduct 4" of pitch for single engine applications.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 13 / to 21	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Work/House	13-27 / 21-43	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(2)
Work/House	16-29 / 26-47	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(2)
28-32 / 8.5-9.6	33-45 / 53-72	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(2)
23-25 / 6.9-7.6 (Twin)	50-62 / 81-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 39-55	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
30-33 / 9.1-10.0 (Twin)	30-40 / 48-65	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 58-76	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 68-87	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 13 / to 21	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Work/House	13-27 / 16-40	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Work/House	16-29 / 21-43	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
32-36 / 9.6-10.9 (Twin)	24-34 / 26-47	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
32-36 / 9.6-10.9 (Twin)	26-38 / 30-51	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
30-33 / 9.1-10 (Twin)	30-40 / 39-55	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
28-32 / 8.5-9.6 (Twin)	33-45 / 48-65	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 53-75	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 58-76	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
30-33 / 9.1-10 (Twin)	30-40 / 39-55	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
27-30 / 8.2-9.1 (Twin)	36-47 / 53-75	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
25-28 / 7.5-8.5 (Twin)	42-54 / 58-76	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
23-25 / 6.9-7.6 (Twin)	50-62 / 81-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835265Q02 for 1991 and newer applications and Flo-Torq II kit 835267Q1 for 1990 and older models. Purchase separately.

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

MODEL 800 COBRA AND KING COBRA - OMC

+3.0 Litre 1990-93 +3.2 Litre Diesel 1992-93
 +3.8 Litre 1978-93 +4.3 Litre 1985-93
 +5.0 Litre 1978-93 +5.7 Litre 1978-93
 +5.8 Litre 1978-93 +454 King (7.4 Litre) 1990-93
 +7.4 Litre 1987-93 +502 King (8.2 litre) 1990-93
 +7.5 Litre 1987-93


See Volvo SX section for 1994 and newer OMC sterndrive applications.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 15 / 24	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Non Planing	22-30 / 36-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	391536	(2)
Non Planing	24-33 / 39-53	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	391535	(2)
21-27 / 6.4-8.2	34-44 / 55-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	391200	(2)
19-25 / 5.8-7.6	37-47 / 60-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	391201	(2)
16-21 / 4.8-6.4	44-57 / 71-92	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	391202	(2)
15-20 / 4.5-6.1	48-62 / 77-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	391203	(2)
24-28 / 7.2-8.5	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	174926	(2)
21-27 / 6.4-8.2	34-44 / 55-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	176615	(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19 RH	SS	3	Silverado	QS5054X	176617	(2)
16-21 / 4.8-6.4	44-57 / 71-92	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	176619	(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-27 / 6.4-8.2	34-44 / 55-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 15 / to 24	16 X 11P RH	SS	4	Q3	48-8M0103516		(2)
Non Planing	22-30 / 36-48	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Non Planing	24-33 / 39-53	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)
24-28 / 7.2-8.5	29-40 / 47-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-25 / 5.8-7.6	37-47 / 60-76	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
16-21 / 4.8-6.4	44-57 / 71-92	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.6 X 17P RH	SS	4	Q4	48-8M0103525		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-20 / 4.5-6.1	48-62 / 77-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835265Q02 for 1991 and newer applications and Flo-Torq II kit 835267Q1 for 1990 and older models. Purchase separately.

VOLVO PENTA STERNDRIVE APPLICATION CHARTS



VOLVO PENTA SX

SX COBRA
 OMC COBRA 1994 & NEWER
 3.0 Litre 1994 & Newer
 4.3 Litre 1994 & Newer
 5.0 Litre 1994 & Newer
 5.7 Litre 1994 & Newer
 5.8 Litre 1994-97
 7.4 Litre 1997 & Newer
 8.2 Litre 1997

LARGE 4 3/4" GEARCASE - 19 SPLINE

Caution! When installing stainless steel propellers remove anode attached to bearing carrier and check clearance before operation.

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
Work/House	to 15 / 24	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
Non Planing	22-30 / 35-48	16 X 13 RH	AL	3	Black Diamond	QA2004X	3850298-5	(2)
Non Planing	24-33 / 39-53	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
24-28 / 7.3-8.5	26-36 / 42-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	3850299-3	(2)
20-27 / 6.1-8.2	34-44 / 55-71	15 X 17 RH	AL	3	Black Diamond	QA1912X	3850300-9	(2)
19-25 / 5.8-7.6	37-47 / 60-76	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X	3850301-7	(2)
16-20 / 4.8-6.1	44-57 / 55-92	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X	3850302-5	(2)
15-20 / 4.5-6.1	48-62 / 77-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	3850303-3	(2)
24-28 / 7.3-8.5	26-36 / 42-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	3850305-8	(2)
20-27 / 6.1-8.2	34-44 / 55-71	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	3850307-7	(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19 RH	SS	3	Silverado	QS5054X	3850308-2	(2)
16-20 / 4.8-6.1	44-57 / 55-92	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	3850309-0	(2)
24-28 / 7.3-8.5	26-36 / 42-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
20-27 / 6.1-8.2	34-44 / 55-71	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X		(2)
17-22 / 5.2-6.7	39-50 / 63-81	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X		(2)
16-20 / 4.8-6.1	44-57 / 55-92	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X		(2)
Work/House	to 15 / to 24	16 X 11P RH	SS	3	Q3	48-8M0103516		(2)
Non Planing	22-30 / 36-48	15.6 X 13P RH	SS	3	Q3	48-8M0103517		(2)
Non Planing	24-33 / 39-53	15.3 X 14P RH	SS	3	Q3	48-8M0103518		(2)
24-28 / 7.2-8.5	26-36 / 42-58	15 X 15P RH	SS	3	Q3	48-8M0103519		(2)

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
24-28 / 7.2-8.5	29-40 / 47-63	14.7 X 16P RH	SS	3	Q3	48-8M0103520		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.5 X 17P RH	SS	3	Q3	48-8M0103521		(2)
19-25 / 5.8-7.6	37-47 / 60-76	14.2 X 18P RH	SS	3	Q3	48-8M0103522		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14 X 19P RH	SS	3	Q3	48-8M0103523		(2)
16-(2)21 / 4.8-6.4	44-57 / 71-92	13.6 X 21P RH	SS	3	Q3	48-8M0103525		(2)
21-27 / 6.4-8.2	34-44 / 55-71	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
17-22 / 5.2-6.7	39-50 / 63-81	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
16-21 / 4.8-6.4	44-57 / 71-92	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
15-20 / 4.5-6.1	48-62 / 77-100	14.6 X 23P RH	SS	4	Q4	48-8M0103530		(2)
LH Propellers (1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X		(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 19P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 21P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 23P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 8M0119083. Purchase separately.

YAMAHA STERNDRIVE APPLICATION CHART

V6/V8 - 4 3/4" GEARCASE - Yamaha

3.0 Liter 1989-93

4.3 liter 1989-93

5.0 Liter 1989-93

5.7 Liter 1989-93

7.4 Liter 1992-93

130-300 HP - V-6/V-8 - 4 3/4" GEARCASE

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
Work / House	to 26 / to 42	14 X 12 RH	AL	4	Nemesis	48-8M0055531		(2)
Work / House	to 29 / to 46	14 X 14 RH	AL	4	Nemesis	48-8M0055533		(2)
22-26 / 6.7-7.9	36-41 / 58-66	14 X 17 RH	AL	4	Nemesis	48-8M0055534		(2)
21-25 / 6.4-7.6	41-46 / 66-74	14 X 19 RH	AL	4	Nemesis	48-8M0055535		(2)
19-23 / 5.8-7.0	46-51 / 74-82	14 X 21 RH	AL	4	Nemesis	48-8M0055536		(2)
to 20 / to 6.1	51-56 / 74-90	14 X 23 RH	AL	4	Nemesis	48-8M0055537		(2)
24+ / 7.3+	to 10 / to 16	16 X 11 RH	AL	3	Black Diamond	QA2000X		(2)
23-27 / 7.0-8.2	15-18 / 24-29	16 X 13 RH	AL	3	Black Diamond	QA2004X		(2)
21-25 / 6.4-7.6	22-26 / 36-42	16 X 14 RH	AL	3	Black Diamond	QA2006X		(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 1/2 X 15 RH	AL	3	Black Diamond	QA2008X	6G5-45941-00-98	(2)
22-26 / 6.7-7.8	26-40 / 42-64	16 X 16 RH	AL	3	Black Diamond	QA2010X	6G5-45952-00-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	15 X 17 RH	AL	3	Black Diamond	QA1912X		(2)
18-22 / 5.5-6.7	32-38 / 52-61	15 1/2 X 18 RH	AL	3	Black Diamond	QA2014X		(2)
19-23 / 5.8-7.0	35-51 / 56-82	14 1/2 X 19 RH	AL	3	Black Diamond	QA1916X		(2)
18-21 / 5.5-6.4	40-56 / 64-90	14 1/4 X 21 RH	AL	3	Black Diamond	QA1918X		(2)
17-20 / 5.2-6.1	44-62 / 71-100	14 X 23 RH	AL	3	Black Diamond	QA1920X	6G5-45949-00-98	(2)
22-27 / 6.7-8.2	23-36 / 37-58	14 1/2 X 15 RH	SS	3	Silverado	QS5050X	6G5-45970-02-98	(2)
21-25 / 6.4-7.6	30-46 / 48-74	14 1/2 X 17 RH	SS	3	Silverado	QS5052X	6G5-45978-03-98	(2)
19-23 / 5.8-7.0	35-51 / 56-82	14 X 19 RH	SS	3	Silverado	QS5054X	6G5-45974-03-98	(2)
18-21 / 5.5-6.4	40-56 / 64-90	13 3/4 X 21 RH	SS	3	Silverado	QS5056X	6G5-45972-02-98	(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 3/4 X 15 RH	SS	3	Thunderbolt	QS5002X		(2)
21-25 / 6.4-7.6	30-46 / 48-74	15 1/2 X 17 RH	SS	3	Thunderbolt	QS5004X	6R4-45978-A0-00	(2)
19-23 / 5.8-7.0	35-51 / 56-82	15 1/4 X 19 RH	SS	3	Thunderbolt	QS5006X	6R4-45970-A0-00	(2)
18-21 / 5.5-6.4	40-56 / 64-90	14 3/4 X 21 RH	SS	3	Thunderbolt	QS5008X	6R4-45972-A0-00	(2)
24+ / 7.3+	to 10 / to 16	16 X 11 RH	SS	3	Q3	48-8M0103516		(2)

QUICKSILVER PROPELLER APPLICATION CHARTS

Length (ft/m)	Current MPH/KPH	Propeller Size	Matl	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
23-27 / 7-8.2	15-18 / 24-29	15.6 X 13 RH	SS	3	Q3	48-8M0103517		(2)
21-25 / 6.4-7.6	22-26 / 36-42	15.3 X 14 RH	SS	3	Q3	48-8M0103518		(2)
22-27 / 6.7-8.2	23-36 / 37-58	15 X 15 RH	SS	3	Q3	48-8M0103519		(2)
22-26 / 6.7-7.8	26-40 / 42-64	14.7 X 16 RH	SS	3	Q3	48-8M0103520		(2)
21-25 / 6.4-7.6	30-46 / 48-74	14.5 X 17 RH	SS	3	Q3	48-8M0103521		(2)
18-22 / 5.5-6.7	32-38 / 52-61	14.2 X 18 RH	SS	3	Q3	48-8M0103522		(2)
19-23 / 5.8-7	35-51 / 56-82	14.0 X 19 RH	SS	3	Q3	48-8M0103523		(2)
18-21 / 5.5-6.4	40-56 / 64-90	13.6 X 21 RH	SS	3	Q3	48-8M0103525		(2)
21-25 / 6.4-7.6	30-46 / 48-74	14.6 X 17P RH	SS	4	Q4	48-8M0103526		(2)
19-23 / 5.8-7	35-51 / 56-82	14.6 X 19P RH	SS	4	Q4	48-8M0103528		(2)
18-21 / 5.5-6.4	40-56 / 64-90	14.6 X 21P RH	SS	4	Q4	48-8M0103530		(2)
17-20 / 5.2-6.1	44-62 / 71-100	14.6 X 23P RH	SS	4	Q4	48-8M0103532		(2)
LH Propellers(1)		15 1/2 X 17 LH	SS	3	Thunderbolt	QS5005X	6R1-45978-A0-00	(2)
		15 1/4 X 19 LH	SS	3	Thunderbolt	QS5007X	6R1-45970-A0-00	(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103527		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103529		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103531		(2)
		14.6 X 17P LH	SS	4	Q4	48-8M0103533		(2)

(1) For Length and Current MPH of LH Propellers, find the matching family and pitch of RH Propeller.

(2) Use Flo-Torq II attaching hardware kit 835271Q2. Purchase separately.

QUICKSILVER PROPELLER TYPE

QUICKSILVER PROPELLER TYPE

Propellers sorted by Pitch, then Diameter, then by Rotation (Right-hand, Left-hand)

BLACK DIAMOND

General purpose 3-blade aluminum propeller
 Inexpensive and easy to repair
 Recommended for speeds less than 50 MPH and applications less than 300 HP
 4 - 30 HP are equipped with the Flo-Torq 1 rubber hub
 40 - 60 HP standard are equipped with the Reflex hub system
 40 CT - 300 HP requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

BLACK DIAMOND 40 - 60 HP STANDARD

BLACK DIAMOND



- QA2060X**
12.5 X 8 RH AL 3 BL
- QA2062X**
12.3 X 9 RH AL 3 BL
- QA2064X**
11.3 X 10 RH AL 3 BL
- QA2070X**
10.9 X 11 RH AL 3 BL
- QA2074X**
10.6 X 12 RH AL 3 BL
- QA2072X**
10.8 X 12 RH AL 3 BL
- QA2078X**
10.4 X 13 RH AL 3 BL
- QA2076X**
10.5 X 13 RH AL 3 BL
- QA2082X**
10.3 X 14 RH AL 3 BL
- QA2080X**
10.4 X 14 RH AL 3 BL
- QA2084X**
10.1 X 15 RH AL 3 BL

BLACK DIAMOND 40 CT - 125 HP

BLACK DIAMOND



- QA2026X**
14 X 9 RH AL 3 BL
- QA2028X**
14 X 10 RH AL 3 BL
- QA2828X**
14 X 10 RH AL 3 BL Extra Cup
- QA2030X**
14 X 11 RH AL 3 BL
- QA2830X**
14 X 11 RH AL 3 BL Extra Cup
- QA2032X**
14 X 13 RH AL 3 BL
- QA2832X**
14 X 13 RH AL 3 BL Extra Cup
- QA2034X**
13.8 X 15 RH AL 3 BL
- QA2036X**
13.3 X 17 RH AL 3 BL
- QA2038X**
13 X 19 RH AL 3 BL
- QA2040X**
12.8 X 21 RH AL 3 BL
- QA2042X**
12.5 X 23 RH AL 3 BL

BLACK DIAMOND 90 CT - 300 HP

BLACK DIAMOND



- QA2000X**
16 X 11 RH AL 3 BL
- QA2004X**
16 X 13 RH AL 3 BL
- QA2006X**
16 X 14 RH AL 3 BL
- QA2008X**
15.3 X 15 RH AL 3 BL

QA2010X
16 X 16 RH AL 3 BL
QA1912X
15 X 17 RH AL 3 BL
QA2014X
15.5 X 18 RH AL 3 BL
QA1916X
14.5 X 19 RH AL 3 BL
QA1918X
14.3 X 21 RH AL 3 BL
QA1920X
14 X 23 RH AL 3 BL

BLACK DIAMOND FOR 85 - 140 HP EVINRUDE/ JOHNSON V-4

Black Diamond Propellers designed to fit 85-140 hp Evinrude/Johnson V-4

BLACK DIAMOND



QA3832X
14 X 13 RH AL 3 BL Extra Cup

BLACK DIAMOND



QA2208X
13.8 X 15 RH AL 3 BL
QA2206X
13.3 X 17 RH AL 3 BL

NEMESIS

The ultimate performance aluminum propeller. Do you want to take your boat's performance to the next level? The Nemesis provides 16-25% faster acceleration and superior holding all while maintaining top speed vs. a comparable 3 blade aluminum propeller.

Hub Application:
25-30 HP are equipped with the Flo-Torq 1 rubber hub
40-60 HP standard gearcase are equipped with the Reflex hub system
40 CT - 300 HP requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

The 10, 11 and 13 pitch propellers for the 40-60 CT are specifically designed for excellent performance in pontoon applications. If engine RPM is appropriate with 3-blade prop, replace with the same pitch Nemesis propeller.

9.5" - 23" pitch RH only

NEMESIS 25 - 30 HP

25-30 HP 4-Stroke outboards (2006 and newer)
Equipped with a Flo-Torq I rubber hub

NEMESIS PROPELLER



48-8M8027516
9.3 X 9.5P RH AL 4 BL
48-8M8027517
9.3 X 11 RH AL 4 BL

NEMESIS 40 - 60 HP

25 HP CT, 30 HP FourStroke (2005 and earlier), 40-60 HP 2-stroke and FourStroke outboards with standard gearcases

Equipped with a Flo-Torq Reflex Hub system to eliminate clutch rattle

NEMESIS PROPELLER



48-8M8027510
10.6 X 11 RH AL 4 BL
48-8M8027511
10.6 X 12 RH AL 4 BL
48-8M8027512
10.3 X 13 RH AL 4 BL
48-8M8027513
10.1 X 14 RH AL 4 BL

QUICKSILVER PROPELLER TYPE**48-8M8027514**

10.1 X 15 RH AL 4 BL

NEMESIS 40 CT - 125 HP

For 40-60 HP CT FourStroke, 75-125 HP outboards

10-13 Pitch propellers are designed for to provide superior holding and lift for pontoon boats

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

NEMESIS PONTOON PROPELLER**48-8M8027497**

13.8 X 10 RH AL 4 BL

48-8M8027498

13.8 X 11 RH AL 4 BL

48-8M8027500

13.8 X 13 RH AL 4 BL

NEMESIS PROPELLER**48-8M8027502**

13.4 X 15 RH AL 4 BL

48-8M8027504

13.0 X 17 RH AL 4 BL

48-8M8027506

12.5 X 19 RH AL 4 BL

NEMESIS 90 CT - 300 HPFor 90 CT - 300 HP outboards and most 4.75 inch gearcase sterndrives
The high performance blade design is not recommended for Alpha One drives with a 1.47 ratio

The 12P and 14P offering are high performing propellers for 90-115 CT and 150 HP outboard powered pontoons

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

NEMESIS PROPELLER**48-8M0055531**

14 X 12 AL RH 4BL

48-8M0055533

14 X 14 AL RH 4BL

48-8M0055534

14 X 17 RH AL 4 BL

48-8M0055535

14 X 19 RH AL 4 BL

48-8M0055536

14 X 21 RH AL 4 BL

48-8M0055537

14 X 23 RH AL 4 BL

Q3 90 CT - 400 HP

The Q3 is a revolutionary propeller that improves both acceleration and top speed on center consoles, high horsepower pontoons, and sterndrive powered runabouts. The design consists of high rake angles and thin blades resulting in the Q3 being the highest performing 3-blade propeller in the Quicksilver line-up.

Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Use Flo-Torq SSR HD hub kit 8M0101603 when installing a Q3 propeller on a Mercury FourStroke V8 and 350 - 400 HP Verado Outboards

QUICKSILVER Q3 PROPELLER**48-8M0103516**

16 x 11 RH SS 3 BL

48-8M0103517

15.6 x 13P RH SS 3 BL

48-8M0103518

15.3 x 14P RH SS 3 BL

48-8M0103519

15.0 x 15P RH SS 3 BL

48-8M0103520

14.7 x 16P RH SS 3 BL

48-8M0103521

14.5 x 17P RH SS 3 BL

48-8M0103522

14.2 x 18P RH SS 3 BL

48-8M0103523

14.0 x 19P RH SS 3 BL

48-8M0103525

13.6 x 21P RH SS 3 BL

Q4 40 CT - 125 HP

The aggressive 4-blade Q4 generates exceptional lift resulting in a propeller that provides outstanding holeshot, unmatched midrange performance and superior handling, all while running at best-in-class top speeds. The new Q4 is the ideal match on a wide range of boat types (Bass, Multi-Species, Fish and Ski, Center Console, Bay, Pontoon).

Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Q4 PROPELLER



48-8M0055559

14 X 13 SS RH 4BL

48-8M0055560

13.5 x 15 SS RH 4 BL

48-8M0055561

13.0 x 17 SS RH 4BL

48-8M0055562

12.7 x 19 SS RH 4BL

48-8M0055563

12.7 x 21 SS RH 4BL

Q4 90 CT - 400 HP

The Q4 is an innovative propeller that provides outstanding holeshot, unmatched midrange performance, and superior holding on high horsepower walleye boats, center consoles, and sterndrive runabouts.

Available in Right and Left Hand

Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Use Flo-Torq SSR HD hub kit 8M0101603 when installing a Q4 propeller on a Mercury FourStroke V8 and 350 - 400 HP Verado Outboards.

QUICKSILVER Q4 PROPELLER



48-8M0103526

14.6 x 17P RH SS 4 BL

48-8M0103527

14.6 x 17P LH SS 4 BL

48-8M0103528

14.6 x 19P RH SS 4 BL

48-8M0103529

14.6 x 19P LH SS 4 BL

48-8M0103530

14.6 x 21P RH SS 4 BL

48-8M0103531

14.6 x 21P LH SS 4 BL

48-8M0103532

14.6 x 23P RH SS 4 BL

48-8M0103533

14.6 x 23P LH SS 4 BL

QUICKSILVER PROPELLER TYPE

SILVERADO

General-purpose 3-blade stainless steel propeller

SILVERADO 40 - 60 HP

40 - 60 HP with standard gearcase

Equipped with the Reflex hub system

SILVERADO



- QS5166X**
10.5 X 13 RH SS 3 BL
- QS5168X**
10.4 X 14 RH SS 3 BL
- QS5170X**
10.3 X 15 RH SS 3 BL

SILVERADO 40 CT - 125 HP

For 40 - 60 HP CT FourStroke, 75-125 HP standard gearcase outboards

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

SILVERADO



- QS5114X**
13.4 X 14 RH SS 3 BL
- QS5116X**
13.1 X 16 RH SS 3 BL
- QS5118X**
13 X 18 RH SS 3 BL

SILVERADO 90 CT - 300 HP

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

SILVERADO



- QS5050X**
14.5 X 15 RH SS 3 BL
- QS5052X**
14.5 X 17 RH SS 3 BL
- QS5054X**
14 X 19 RH SS 3 BL
- QS5056X**
13.8 X 21 RH SS 3 BL

THUNDERBOLT 90 CT - 400 HP

3-blade stainless performance propeller with more blade area for large boats with big V-6 outboards and V-8 sterndrives
Outstanding on Bravo One and TRS sterndrives
Good prop for sport/performance style boats as well as cruisers
Equipped with PVS - Performance Vent System

Requires a Flo-Torq II or Flo-Torq SSR hub system (sold separately)

Use Flo-Torq SSR HD hub kit 8M0101603 when installing a Thunderbolt propeller on a Mercury FourStroke V8 and 350 - 400 HP Verado Outboards.

THUNDERBOLT



- QS5002X**
15.8 X 15 RH SS 3 BL
- QS5004X**
15.5 X 17 RH SS 3 BL
- QS5005X**
15.5 X 17 LH SS 3 BL
- QS5006X**
15.3 X 19 RH SS 3 BL
- QS5007X**
15.3 X 19 LH SS 3 BL
- QS5008X**
14.8 X 21 RH SS 3 BL

BLACK DIAMOND BRAVO TWO

General purpose 3-blade aluminum propeller
Right and left-hand rotation
11-23" pitch

BLACK DIAMOND BRAVO TWO (MATTE BLACK)



48-8M0155023

20 X 11 LH AL 3 BL

48-8M0155024

20 X 11 RH AL 3 BL

48-8M0155025

19.5 X 13 LH AL 3 BL

48-8M0155026

19.5 X 13 RH AL 3 BL

48-8M0155027

19.3 X 15 LH AL 3 BL

48-8M0155028

19.3 X 15 RH AL 3 BL

48-8M0155029

18.8 X 17 LH AL 3 BL

48-8M0155030

18.8 X 17 RH AL 3 BL

BLACK DIAMOND BRAVO TWO

QA1941R

18.3 X 19 LH AL 3 BL

QA1940R

18.3 X 19 RH AL 3 BL

QA1947R

17.8 X 21 LH AL 3 BL

QA1946R

17.8 X 21 RH AL 3 BL

QA1953R

17.5 X 23 LH AL 3 BL

QA1952R

17.5 X 23 RH AL 3 BL

QUICKSILVER BRAVO THREE

Twin counter rotating stainless steel propellers
Large diameter forward 4-blade propeller
Small diameter aft 3-blade propeller
Unbelievable handling and boat control
Tough matte finish
19-28" pitch

QUICKSILVER BRAVO THREE



48-8M0123399

14.4 X 19 RH SS 3 BL - Rear

48-8M0123400

16 X 19 LH SS 4BL - Front

48-8M0123401

14.4 X 20 RH SS 3 BL - Rear

48-8M0123402

16 X 20 LH SS 4BL - Front

48-8M0123403

14.3 X 21 RH SS 3 BL - Rear

48-8M0123404

15.9 X 21 LH SS 4BL - Front

48-8M0123405

14.3 X 22.5 RH SS 3 BL - Rear

48-8M0123406

15.8 X 22.5 LH SS 4BL - Front

48-8M0123407

14.0 X 24 RH SS 3 BL - Rear

48-8M0123408

15.5 X 24 LH SS 4BL - Front

48-8M0123409

13.8 X 26 RH SS 3 BL - Rear

48-8M0123410

15.3 X 26 LH SS 4BL - Front

48-8M0123411

13.5 X 28 RH SS 3 BL - Rear

48-8M0123412

15 X 28 LH SS 4BL - Front

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

EVINRUDE/JOHNSON/OMC PROP CROSS REFERENCE

Evinrude/Johnson/OMC Prop Cross Reference

OEM	QUICKSILVER
174813	
174816	QS5058X
174817	QA3170R
174926	QS5050X
174950	QA3168R
175190	QA3114R
175191	QA3118R
176214	NLA
176215	NLA
176216	NLA
176421	
176422	
176423	
176571	
176572	
176573	
176574	
176615	QS5052X
176616	
176617	QS5054X
176618	
176619	QS5056X
176620	
176623	
176624	
176625	
176626	QS5052X
176627	QS5054X
176628	QS5056X
176629	
176630	
176902	
176969	QS5052X
176970	QS5054X
176973	
176974	
177034	
177035	
177036	
177042	
380637	NLA
382761	NLA
383629	QA3150R
384460	NLA
386786	
386841	
386907	
386908	
386909	

OEM	QUICKSILVER
387334	QA3178R
388088	QA3152R
388883	
389019	QS5058X
389510	
389512	
389788	NLA
389923	QS5056X
389924	QS5054X
389944	NLA
389948	
389949	
390237	
390380	
390821	
390822	
390823	
390896	NLA
391198	NLA
391199	NLA
391200	QA1912X
391201	QA1916X
391202	QA1918X
391203	QA1920X
391290	QS5052X
391535	QA2008X
391536	QA2004X
391668	NLA
394752	
394753	
394754	
394755	
394759	
394760	
394761	NLA
398502	
398503	
398504	NLA
431390	
3850298	QA2004X
3850299	QA2008X
3850300	QA1912X
3850301	QA1916X
3850302	QA1918X
3850303	QA1920X
3850305	QS5050X
3850307	QS5052X
3850308	QS5054X
3850309	QS5056X
3850310	QS5058X
3850311	QS5052X
3850312	QS5054X
3850313	QS5056X
3850314	QS5058X

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM	QUICKSILVER
3850316	
3850317	
3850318	
3850319	
3850320	
3850321	
3850322	
3850323	
3855142	
3855144	
3855146	
3855152	
3855154	
3855156	NLA
3858026	QS5052X
3858027	QS5054X
3858028	QS5056X
3858029	
3858030	
3858031	
5031619	QA2078X
5031620	NLA
5031623	NLA
5031627	

FORCE PROPELLER CROSS REFERENCE

Force Prop Cross Reference

OEM	QUICKSILVER
16986A45	QS5116X
48-16986A46	QS5116X
48-16988A45	QS5118X
48-16988A46	QS5118X
48-16990A45	
48-16990A46	
48-16992A45	
48-16992A46	
48-16994A45	
48-16994A46	
48-16996A45	
48-16996A46	
48-17314A45	QS5114X
48-17314A46	QS5114X
48-19638A40	NLA
48-19640A40	QA2106R
48-19642A40	NLA
48-19644A5	
48-42738A11	QA2060X
48-42740A11	NLA
48-73132A40	QA2064X
48-73134A40	QA2074X
48-73136A40	QA2078X
48-73138A40	QA2082X
48-73140A40	QA2084X
48-73144A40	NLA
48-77338A40	QA2030X

OEM	QUICKSILVER
48-77338A45	QA2030X
48-77340A40	QA2032X
48-77340A45	QA2032X
48-77342A40	QA2034X
48-77342A45	QA2034X
48-77344A40	QA2036X
48-77344A45	QA2036X
48-77346A40	QA2038X
48-77346A45	QA2038X
48-77348A40	QA2040X
48-77348A45	QA2040X
48-77350A40	QA2042X
48-77350A45	QA2042X
48-816702A40	QA2072X
48-816704A40	QA2076X
48-816706A40	QA2080X
48-827312A11	NLA
48-828148A12	
48-828150A12	NLA
48-828152A12	QA2124R
48-828154A12	QA2126R
48-828156A12	QA2128R
48-828158A12	QA2130R
48-854340A45	QA2026X
48-854342A45	QA2028X
48-855856A5	
48-855858A5	QS5166X
48-855860A5	QS5168X
48-855862A5	QS5170X
48-85632A40	QA2070X
48-87818A11	QA2062X

HONDA PROPELLER CROSS REFERENCE

Honda Prop Cross Reference

OEM	QUICKSILVER
08M60-ZW7-A00	QS5116X
08M60-ZW7-A10	QS5118X
58110-ZV5-E00	QS5170X
58110-ZV5-E10	QS5168X
58110-ZV5-E20	QS5166X
58110-ZV5-E30	
58120-ZW1-V01	QS5118X
58130-ZV4-008AH	NLA
58130-ZV4-009AH	QA3906R
58130-ZV4-010AH	QA3914R
58130-ZV4-030ZA	QA3914R
58130-ZV4-701ZA	QA3906R
58130-ZV5-000ZA	QA2074X
58130-ZV5-009AH	QA2062X
58130-ZV5-011AH	NLA
58130-ZV5-012AH	QA2072X
58130-ZV5-012AH	QA2078X
58130-ZV5-013AH	QA2076X
58130-ZV5-013AH	QA2082X

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM	QUICKSILVER
58130-ZV5-014AH	QA2080X
58130-ZV5-015AH	QA2084X
58130-ZV5-015AH	NLA
58130-ZV5-850ZA	QA2070X
58130-ZV5-860ZA	NLA
58130-ZV5-870ZA	QA2084X
58130-ZW1-V11	
58130-ZW1-V31	
58130-ZW1-W01ZA	QA2030X
58130-ZW1-W11ZA	QA2032X
58130-ZW1-W21ZA	QA2034X
58130-ZW1-W31ZA	QA2036X
58130-ZW1-W41ZA	QA2040X
58130-ZW1-W51ZA	QA2042X
58130-ZW1-W61ZA	QA2038X
58130-ZW1-W91	QS5116X
58133-ZV7-012AH	
58133-ZV7-013AH	QS5166X
58133-ZW1-A13AH	QS5114X
58133-ZW1-A15AH	QS5116X
58133-ZW1-A17AH	QS5118X

MERCURY/MARINER/MERCRUISER PROP CROSS REFERENCE

Mercury/Mariner/MerCruiser Prop Cross Reference

OEM	QUICKSILVER
8M0055547	48-8M0055559
8M0055548	48-8M0055560
8M0055549	48-8M0055561
8M0055550	48-8M0055562
8M0055551	48-8M0055563
8M0084491	48-8M0055531
8M0084493	48-8M0055533
8M0084494	48-8M0055534
8M0084495	48-8M0055535
8M0084496	48-8M0055536
8M0084497	48-8M0055537
8M0070079	48-8M0103516
8M0070074	48-8M0103517
48-898988A46	48-8M0103518
48-898990A46	48-8M0103519
48-898992A46	48-8M0103520
48-898994A46	48-8M0103521
48-898996A46	48-8M0103522
48-898998A46	48-8M0103523
48-899900A46	48-8M0103524
48-899902A46	48-8M0103525
48-857024A46	48-8M0103526
48-857025A46	48-8M0103527
48-857026A46	48-8M0103528
48-857027A46	48-8M0103529
48-857028A46	48-8M0103530
48-857029A46	48-8M0103531
48-857030A46	48-8M0103532
48-857031A46	48-8M0103533

OEM	QUICKSILVER
48-11324A40	QA2014X
48-11324A45	QA2014X
48-13700A41	QS5006X
48-13700A45	QS5006X
48-13700A46	QS5006X
48-13701A41	QS5007X
48-13701A45	QS5007X
48-13701A46	QS5007X
48-13702A41	QS5008X
48-13702A45	QS5008X
48-13702A46	QS5008X
48-13703A41	
48-13703A45	
48-13703A46	
48-13704A41	NLA
48-13704A45	NLA
48-13704A46	NLA
48-13705A41	
48-13705A45	
48-13705A46	
48-16312A4	QS5050X
48-16312A45	QS5050X
48-16312A46	QS5050X
48-16314A4	QS5052X
48-16314A45	QS5052X
48-16314A46	QS5052X
48-16315A4	
48-16315A45	
48-16315A46	
48-16316A4	QS5054X
48-16316A45	QS5054X
48-16316A46	QS5054X
48-16317A4	
48-16317A45	
4/-16317A46	
48-16318A4	QS5056X
48-16318A45	QS5056X
48-16318A46	QS5056X
48-16319A4	
48-16319A45	
48-16319A46	
48-16320A4	QS5058X
48-16320A45	QS5058X
48-16320A46	QS5058X
48-16321A4	
48-16321A45	
48-16321A46	
48-16322A4	
48-16322A45	
48-16436A40	
48-16436A45	
48-16438A40	QA2006X
48-16438A45	QA2006X
48-16440A40	QA2010X
48-16440A45	QA2010X
48-16543A41	

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM	QUICKSILVER
48-16543A45	
48-16543A46	
48-16544A41	
48-16544A45	
48-16544A46	
48-16545A41	
48-16545A45	
48-16545A46	
48-16546A41	
48-16546A45	
48-16546A46	
48-16547A41	
48-16547A45	
48-16547A46	
48-16548A41	
48-16548A45	
48-16548A46	
48-16549A41	NLA
48-16549A45	NLA
48-16549A46	NLA
48-16550A46	
48-16986A45	QS5116X
48-16986A46	QS5116X
48-16988A45	QS5118X
48-16988A46	QS5118X
48-16990A45	
48-16990A46	
48-16992A45	
48-16992A46	
48-16994A45	
48-16994A46	
48-16996A45	
48-16996A46	
48-17314A45	QS5114X
48-17314A46	QS5114X
48-18278A41	QS5004X
48-18278A45	QS5004X
48-18278A46	QS5004X
48-19638A40	NLA
48-19640A40	QA2106R
48-19642A40	NLA
48-19644A5	
48-32390A3	QA2032X
48-32390A4	QA2034X
48-35936A3	QA2030X
48-36020A4	QA2004X
48-42738A11	QA2060X
48-42740A11	NLA
48-58826A3	QA2030X
48-61812A1	QA2064X
48-61814A1	QA2064X
48-61816A1	QA2078X
48-61818A1	QA2078X
48-61820A1	QA2082X
48-61822A1	QA2084X
48-61824A1	QA2084X

OEM	QUICKSILVER
48-65022A1	QA2034X
48-65022A4	QA2036X
48-65024A1	QA2036X
48-65024A4	QA2038X
48-67280A1	QA2038X
48-67280A4	QA2040X
48-73132A40	QA2064X
48-73134A40	QA2074X
48-73136A40	QA2078X
48-73138A40	QA2082X
48-73140A40	QA2084X
48-73144A40	NLA
48-77338A40	QA2030X
48-77338A45	QA2030X
48-77340A40	QA2032X
48-77340A45	QA2032X
48-77342A40	QA2034X
48-77342A45	QA2034X
48-77344A40	QA2036X
48-77344A45	QA2036X
48-77346A40	QA2038X
48-77346A45	QA2038X
48-77348A40	QA2040X
48-77348A45	QA2040X
48-77350A40	QA2042X
48-77350A45	QA2042X
48-78112A4	QA2000X
48-78112A40	QA2000X
48-78112A45	QA2000X
48-78114A4	QA2004X
48-78114A40	QA2004X
48-78114A45	QA2004X
48-78116A4	QA2008X
48-78116A40	QA2008X
48-78116A45	QA2008X
48-78118A4	QA1912X
48-78118A40	QA1912X
48-78118A45	QA1912X
48-78120A4	QA1916X
48-78120A40	QA1916X
48-48120A45	QA1916X
48-78122A4	QA1918X
48-78122A45	QA1918X
48-78124A4	QA1920X
48-78124A40	QA1920X
48-78124A45	QA1920X
48-78126A4	NLA
48-78126A40	NLA
48-78126A45	NLA
48-79570A4	QA2006X
48-79572A4	QA2010X
48-79574A4	QA2014X
48-79576A4	QA1918X
48-79578A4	QA1920X
48-81649M	QA3808R
48-816702A40	QA2072X

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM	QUICKSILVER
48-816704A40	QA2076X
48-816706A40	QA2080X
48-827312A11	NLA
48-82764	QA3178R
48-828148A12	
48-828150A12	NLA
48-828152A12	QA2124R
48-828154A12	QA2126R
48-828156A12	QA2128R
48-828158A12	QA2130R
48-82826M	
48-832828A45	QA1912X
48-832830A45	QA1916X
48-832832A45	QA1918X
48-832834A45	QA1920X
48-834850A45	
48-834851A45	
48-834852A45	
48-834853A45	
48-834854A45	
48-834855A45	
48-84976M	QA3810R
48-854340A45	QA2026X
48-854342A45	QA2028X
48-855856A5	
48-855858A5	QS5166X
48-855860A5	QS5168X
48-855862A5	QS5170X
48-85632A40	QA2070X
48-87818A11	QA2062X
48-90159A41	QS5005X
48-90159A45	QS5005X
48-90159A46	QS5005X
48-96623M	QA3152R
48-96625M	QA3150R

SUZUKI PROPELLER CROSS REFERENCE

Suzuki Prop Cross Reference

OEM	QUICKSILVER
58100-93733-019	
58100-93743-019	NLA
58100-93773-09	
58100-94313-019	QA2078X
58100-95222-019	NLA
58100-95353-019	NLA
58100-95363-019	
58100-95382-019	NLA
58100-95500-019	QA2208X
58100-95511-019	QA2206X
58100-95521-019	NLA
58100-95530-019	NLA
58100-96370-019	NLA
58100-96420-019	
58100-96430-019	NLA

OEM	QUICKSILVER
58100-96440-019	NLA
58100-96480-019	NLA
58100-96490-019	NLA
99105-00100-16P	
99105-00100-18P	
99105-00100-22P	
99105-00101-20P	
99105-00101-24P	NLA
99105-00200-16P	QS5050X
99105-00200-18P	QS5052X
99105-00200-20P	
99105-00200-22P	
99105-00200-24P	
99105-00200-26P	
99105-00203-23P	NLA
99105-0020L-18P	
99105-0020L-20P	
99105-0020L-22P	
99105-0020L-24P	
99105-0020L-26P	NLA
99105-00301-24P	NLA

TOHATSU/NISSAN PROPELLER CROSS REFERENCE

Tohatsu/Nissan Prop Cross Reference

OEM	QUICKSILVER
35364-1040M	
35364-1050M	
35364-1060M	
35364-1090M	
3B764-5230M	QA2026X
3B764-5270M	QA2030X
3B764-5320M	QA2032X
3B764-5360M	QA2034X
3B764-5410M	QA2036X
3B764-5451M	QA2038X
3B764-5490M	QA2040X

VOLVO PROPELLER CROSS REFERENCE

Volvo Prop Cross Reference

OEM	QUICKSILVER
3858026	QS5052X
3858029	
3858030	
3858031	
3850298-5	QA2004X
3850299-3	QA2008X
3850300-9	QA1912X
3850301-7	QA1916X
3850302-5	QA1918X
3850303-5	QA1920X
3850305-8	QS5050X

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

OEM	QUICKSILVER
3850307-7	QS5052X
3850308-2	QS5054X
3850309-0	QS5056X
3850310-8	QS5058X
3850311-6	QS5052X
3850312-4	QS5054X
3850313-2	QS5056X
3850314-0	QS5058X
3850316-5	
3850317-3	
3850318-1	
3850319-9	
3850320-7	
3850321-5	
3850322-3	
3850323-1	
3855142-0	
3855144-6	
3855146-1	
3855152-9	
3855154-5	
3855156-0	NLA
3858027-0	QS5054X
3858028-8	QS5056X
814612-8	NLA
814616-9	NLA
814627-6	NLA
814628-4	NLA
814629-2	NLA
814633-4	NLA
814634-2	NLA
851139-6	
854979-2	
854982-6	
854983-4	
854993-3	NLA
854997-4	
854998-2	

YAMAHA PROPELLER CROSS REFERENCE

Yamaha Prop Cross Reference

OEM	QUICKSILVER
651-45947-00-36	QA3150R
653-45941-01-36	QA3152R
663-45930-00-98	QS5168X
663-45947-02-EL	QA2070X
663-45949-01-EL	NLA
663-45956-01-EL	QA2062X
663-45958-01-EL	QA2082X
663-45970-60-98	
663-45974-30-98	QS5168X
663-45974-60-98	QS5166X
663-45976-00-98	QS5170X
663-45976-30-98	QS5170X
664-45945-00-EL	QA3808R

OEM	QUICKSILVER
664-45947-01-EL	QA3810R
664-45949-02-EL	
664-45954-00-EL	
683-45943-00-EL	QA3914R
683-45945-00-EL	QA3906R
683-45947-00-EL	NLA
688-45930-02-98	QS5118X
688-45932-60-98	QS5114X
688-45970-03-98	
688-45972-02-98	
688-45974-02-98	
688-45976-01-98	
688-45978-60-98	QS5116X
6E5-45941-00-EL	QA2038X
6E5-45943-00-EL	QA2040X
6E5-45945-01-EL	QA2036X
6E5-45947-00-EL	QA2034X
6E5-45949-00-EL	QA2032X
6E5-45952-00-EL	QA2042X
6E5-45954-00-EL	QA2030X
6G5-45941-00-98	QA2008X
6G5-45943-01-98	QA1918X
6G5-45945-01-98	QA1916X
6G5-45947-01-98	QA1912X
6G5-45949-00-98	QA1920X
6G5-45952-00-98	QA2010X
6G5-45970-02-98	QS5050X
6G5-45972-02-98	QS5056X
6G5-45974-03-98	QS5054X
6G5-45976-01-98	QS5058X
6G5-45978-03-98	QS5052X
6H5-45943-00-EL	QA2078X
6H5-45945-00-EL	QA2070X
6H5-45952-00-EL	QA2064X
6H5-45958-00-EL	QA2074X
6K1-45972-01-98	
6K1-45974-02-98	
6K1-45976-00-98	
6K1-45978-02-98	
6R1-45970-A0-00	QS5007X
6R1-45972-A0-00	
6R1-45974-A0-00	
6R1-45978-A0-00	QS5005X
6R4-45970-A0-00	QS5006X
6R4-45972-A0-00	QS5008X
6R4-45974-A0-00	
6R4-45978-A0-00	QS5004X
MAR-GYT3B-L6-18	
MAR-GYT3B-L6-20	
MAR-GYT3B-L6-22	
MAR-GYT3B-V6-18	
MAR-GYT3B-V6-20	
MAR-GYT3B-V6-22	
MAR-GYT3B-V6-24	

OEM - QUICKSILVER PROPELLER CROSS REFERENCE

HISTORICAL PROPELLER CHARTS

HISTORICAL PROPELLER CHARTS

MERCURY ELECTRIC MOTORS

Thruster Gear Drive #577

Nut 79719 - NLA Pin 17-70733 Retainer 79719 - NLA

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
18024A 4	10-1/2	6	PL BL	2	RH
18430A 4	10-1/2	6	PL CL	2	RH
72426	10-1/2	6	PL	2	RH
77970	10-1/2	6	PL	2	RH
85644	10-1/2	6	PL	2	RH
85646	10-1/2	6	PL	2	RH
87842A 2	10-1/2	6	PL	2	RH
87844A 2	10-1/2	6	PL	2	RH
N.L.A.	10	6	PL	2	RH

Thruster Direct Drive

Nut 79719 - NLA Washer 26-72462 Pin 17-70733

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
17530A__	9	3.2	PL BL	2	RH
18530A__	9-1/4	3.2	PL CL	2	RH
N.L.A.	9-1/4	3-1/4	PL BL	2	RH
	9-1/4	3-1/4	PL CL	2	RH
18512A__	9-1/4	3-1/4	PL CL	2	RH

Thruster R33, RX33, T33, R45, FL45, RX45, T45

Nut 818911-2 Washer 23-35935 Pin 17-70733

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
813728A 3	11	5	PL BL	2	RH
	11	5	PL CL	2	RH

Thruster (MotorGuide Built)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
824236T	9-1/2	2-5/8	PL CL	2	RH
48-MAF12406T	10	3-1/2	PL CL	2	RH

MERCURY OUTBOARD

Merc 2.5/3.3 A856377 and Up

Shear Pin 17-815111 (ALProp), 17-815111--1 (PL Prop) Cotter Pin 18-95295

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48-815083A01	7-3/8	6	PL	3	RH
48-815083A02	7-3/8	7	PL	3	RH
48-815084A01	7-3/8	7	AL	3	RH
48-815084A02	7-3/8	7	AL w/rubber hub	3	RH

Merc 3.5 & 3.6

Thrust Hub (Fwd) 70588 Thrust Hub (Rear) 93356 - NLA Nut 11-826709 11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
93357A__	8	7	PL	3		N.L.A.

MERC 39 & 60 (1967 and OLDER - 6 SPLINE HUB)

N.L.A. = 48-34398A 1

N.L.A. = 48-34398A 1 Collar 23-33582 -N.L.A. Washer 12-30524 -N.L.A. Washer 12-20084 Nut 11-826709 11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
30382A 1	8	8	AL	2	RH	N.L.A.
31105A 1	7-7/8	8	AL	2	RH	N.L.A.
31214A 1	8-1/4	6	AL	2	RH	N.L.A.
45890A 1	8-7/8	5	AL	3	RH	N.L.A.
37320A 1	9	4	AL	2	RH	N.L.A.

Merc 39/60(1968 and UP-8 SPLINE HUB)-Merc 40(1CYL)

NLA = 48-47920A1, 48-47938A1

Thrust Hub 86665A1 Spacer 11-64075A1 Washer 12-27025 Nut 11-34933

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
47940A 1	8-1/4	6	AL	2		N.L.A.
47944A 1	8-7/8	5	AL	3		N.L.A.

MERC 40 (2 CYL.)

S/N 5805430 and Below Thrust Hub (Fwd) 70588 - NLA Thrust Hub (Rear) 70589 Nut 11-826709 11

S/N 5805431 and Up Thrust Hub (Fwd) 70588 - NLA Thrust Hub (Rear) 93356 Nut 11-826709 11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
70453A 1	8	7	PL	3	LH	N.L.A.
86903A 1	8 (7.9)	6-3/8 (6.3)	PL	3	LH	N.L.A.

MERC 45 & 4.5

NLA = 48-65010A1, 48-65012A1

Collar 86665A1 Spacer 23-65439 Nut 11-89013 - NLA

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
77716A 1	8-1/4	7	AL	2	RH	N.L.A.
77716A10	8-1/4	7	AL	2	RH	N.L.A.
63494A 1	8-1/4	6	AL	2	RH	N.L.A.
63494A10	8-1/4	6	AL	2	RH	N.L.A.
94118A 1	8-1/2	5	AL	3	RH	N.L.A.
94118A10	8-1/2	5	AL	3	RH	N.L.A.

MERC 4/5 A809601 and UP

Thrust Hub 16145Q01 Washer 12-16146 Nut 11-16147

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
16143	8-3/8	8	AL	3	RH
16142	8-3/8	7	AL	3	RH
	8-3/8	6	AL	3	RH
16836A 1	8-3/8	6	AL - HIGH REVERSE	3	RH
48-812949A02	7-7/8	7	AL	3	RH

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48-812950A02	7-7/8	8	AL	3	RH
48-812951A02	7-7/8	6	HIGH REVERSE	3	RH

MARK 6 & 6A

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
23919A 1						N.L.A.
25774						N.L.A.

Mercury 75 (7.5HP) and 110 (9.8HP)

Mercury 75 (7.5HP) and 110(9.8) 1968-1984

8 Spline

1968 thru 1978 - Thrust Hub 86665A1 Spacer 11-64075A1 Nut 11-46335 Washer 12-27025

1972 thru 1978 - Nut 11-64075A1

Length	Current MPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N
To 15'	Up to 20	9 X 9 RH	AL	2	Black Diamond		

MERC 110 (1967 and OLDER - 6 SPLINE HUB)

NLA = 48-34400A1, 37318A1

Collar 12-31980A2 Washer 12-30524 - NLA Washer 12-20084 Nut 11-826709__11

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
31504A 1	9	10	AL	2	RH	N.L.A.
32364A 1	9	9	AL	2	RH	N.L.A.

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

MARK 10 & MERC 100

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
26608A 1						N.L.A.

MERC 6/8/9.9/9.9 4-STROKE/15 A197112 and UP

Forward Thrust Hub - Design I Propeller Shaft (Full length spines on propeller shaft) 821932 Thrust Hub for New Propellers, 42037 Thrust Hub for Old Propellers; Design II Propeller Shaft (Half length splines on propeller shaft) 821932--1 Thrust Hub for N

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
42522A__	9	9	AL	3	RH
42520A__	9-1/4	7	AL	3	RH
42524A__	9-3/4	6-1/2	AL - HIGH REVERSE	3	RH
42518A__	9-3/4	5-1/2	AL WORKBOAT	3	RH
17874A12	9	10-1/2	AL	3	RH

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
48-828158A12	9	10-1/2	AL	3	RH
48-828156A12	9	9	AL	3	RH
48-828154A12	9	8	AL	3	RH
48-828152A12	9-1/4	7	AL	3	RH
48-828150A12	9-3/4	6-1/2	AL	3	RH
48-828150A12	9-3/4	5-1/2	AL	3	RH

MARK 15-20-25-30

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
20325A 1						N.L.A.
23647A 1						N.L.A.
25518A 1						N.L.A.
25551A 1						N.L.A.
25662A 1						N.L.A.
25419A 2						N.L.A.

OLD MARK 15A & MERC 150 (15Hp)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESION
27787A 1						N.L.A.
28880A 1						N.L.A.

MERC 18 & 25 (Standard Propellers)

Thrust Hub 858498 Nut 11-88228

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
43590A40	10-1/4	14-1/2C	AL	3	RH
89854A 4	10-1/4	14-1/2C	AL	3	RH
19642A40	10-3/8	14-1/2C	AL	3	RH
43586A40	10-3/8	13C	AL	3	RH
86848A 4	10-3/8	13C	AL	3	RH
19640A40	10-3/8	13C	AL	3	RH
43588A 5	10-3/8	13C	SS	3	RH
90780A 4	10-3/8	13C	SS	3	RH
19644A 5	10-3/8	13C	SS	3	RH
43584A40	10-3/8	11C	AL	3	RH
89852A 4	10-3/8	11C	AL	3	RH

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
19638A40	10-3/8	11C	AL	3	RH
43582A10	10-3/8	9-1/2	AL	3	RH
89850A 1	10-3/8	9-1/2	AL	3	RH
19636A10	10-3/8	9-1/2	AL	3	RH

MERC 18 & 25 (Chopper Propellers)

Thrust Hub 858498 Nut 11-88228

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION
92764A 4	10-3/8	18C	SS	3	RH
92764A 5	10-3/8	18C	SS	3	RH
43592A61	10-3/8	18C	SS	3	RH

Mercury 200 (20HP)

MERC 200 (20Hp) 1963-1979
 8 Tooth Spline
 Thrust Hub 23-85964A1, Spacer 23-85964A1, Nut 11-64075A1

Length	Current MPH	Propeller Size	Material	Blades	Style	Quicksilver P/N	OEM P/N	Hub System
To 14'	18-22	9-7/8 X 11 RH	AL	2	Black Diamond	N.L.A.	N.L.A.	Rubber Bushing
14-16	up to 20	10 X 9 RH	AL	3	Black Diamond	N.L.A.	N.L.A.	Rubber Bushing

MARK 28/28A & MERC 200/250 AUTO. TRANS.

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
28036A 1						N.L.A.
28037A 1						N.L.A.
28038A 1						N.L.A.

MARK 50 & 55 (14 SPLINE HUB)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
22105A 1						N.L.A.
22575A 1						N.L.A.
22636A 1						N.L.A.
22814A 1						N.L.A.
22914A 1						N.L.A.
23586A 1						N.L.A.
23587A 1						N.L.A.
26666A 1						N.L.A.
27028A 1						N.L.A.

MARK 35A/55/55A/58/58A & MERC 300/350/400/500

(11 SPLINE HUB, NON-THRU HUB EXHAUST)

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS
22105A 2						N.L.A.
22575A 2						N.L.A.
22636A 2						N.L.A.
22814A 2						N.L.A.
22914A 2						N.L.A.
23586A 2						N.L.A.
23587A 2						N.L.A.
25773A 2						N.L.A.
26666A 2						N.L.A.
27028A 2						N.L.A.
28765A 2						N.L.A.
29296A 2						N.L.A.
29958A 2						N.L.A.
29986A 2						N.L.A.

MERC 350/450/500/500SS

(11 SPLINE HUB, THRU HUB EXHAUST)
 Thrust Hub 38859A1 Washer 12-32007 Nut 11-69578Q1

DIAMETER	MATERIAL	BLADES	Style	Quicksilver P/N	OEM P/N
10-3/4 X 10 RH	AL	3	Black Diamond	N.L.A.	N.L.A.

HISTORICAL PROPELLER CHARTS

Merc 400/402/500/Merc 650/700 (3 Cyl)/Merc 35-70

Merc 35-70 (13 Splines Hub)

NLA = 48-56228A1, 48-56228A4, 48-56230A1, 48-56230A4, 48-56250A1, 48-56250A4, 48-63452A1, 48-63452A4, 48-64726A1, 48-64726A4, 48-63538A4, 48-56232A4, 48-56252A4, 48-63454A4, 48-63540A4, 48-63546A1, 48-63460A1, 48-63548A1, 48-63

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESION
73146A 4	10	19C	AL	3	RH	73146A40
73146A40	10	19C	AL	3	RH	AVAIL.
64724A 1 & A 2	10-3/4	17	AL	3	RH	73144A40
64724A 4	10-3/4	17C	AL	3	RH	73144A40
73144A 4	10	17C	AL	3	RH	73144A40
73144A40	10	17C	AL	3	RH	AVAIL.
61824A 1 & A 2	10-3/4	16	AL	3	RH	73140A40
61824A 4	10-3/4	16C	AL	3	RH	73144A40
63538A 1	10-3/4	16	BR	3	RH	73140A40
73142A 4	10	16C	AL	3	RH	73142A40
73142A40	10	16C	AL	3	RH	AVAIL.
73138A40	10	16C	AL	3	RH	91818A 5
91818A 4	10	16C	SS	3	RH	91818A 5
73138A40	10	16C	SS	3	RH	AVAIL.
91818A 5	10	16C	SS	3	RH	AVAIL.
73138A40	10	16C	SS	3	RH	AVAIL.
56232A 1	10-3/4	15	AL	3	RH	73136A40
73136A40	10-3/4	15	AL	3	RH	AVAIL.
56252A 1	10-3/4	15	BR	2	RH	73136A40
73136A40	10-3/4	15	BR	2	RH	AVAIL.
63454A 1	10-3/4	15	BR	2	RH	73136A40
73136A40	10-3/4	15	BR	2	RH	AVAIL.
63540A 1	11	15	BR	3	RH	73140A40
73140A 4	10-1/8	15	AL	3	RH	73140A40
73140A40	10-1/8	15C	AL	3	RH	AVAIL.
61822A 1	11	15	AL	3	RH	73140A40
61822A 4	11	15C	AL	3	RH	73140A40
76232A 4	10-1/8	15C	SS	3	RH	855862A 5
855862A 5	10-1/8	15C	SS	3	RH	AVAIL.
76232A5	10-1/8	15C	SS	3	RH	855862A 5
855862A 5	10-1/8	15C	SS	3	RH	AVAIL.
61820A 1 & A 2	11-1/4	14	AL	3	RH	73138A40
61820A 4	11-1/4	14C	AL	3	RH	73138A40
63542A 1	11-1/4	14	BR	3	RH	73138A40
63542A 4	11-1/4	14C	BR	3	RH	73140A40
73138A 4	10-1/4	14C	AL	3	RH	73138A40
73138A40	10-1/4	14C	AL	3	RH	AVAIL.
76230A 4	10-1/4	14C	SS	3	RH	855860A 5
76230A 5	10-1/4	14C	SS	3	RH	855860A 5
56236A 1	10-3/4	13	AL	3	RH	73136A40
56236A 4	10-3/4	13C	AL	3	RH	73136A40
56234A 1	11	13	AL	2	RH	73136A40
56234A 4	11	13C	AL	2	RH	73136A40
56254A 1	11	13	BR	2	RH	73136A40
56254A 4	11	13C	BR	2	RH	73136A40
61818A 1 & A2	11-1/2	13	AL	3	RH	73136A40
61818A 4	11-1/2	13C	AL	3	RH	73136A40
63456A 1	11	13	BR	2	RH	73136A40
63456A 4	11	13C	BR	2	RH	73136A40
63544A 1	11-1/2	13	BR	3	RH	73136A40
63544A 4	11-1/2	13C	BR	3	RH	73136A40

HISTORICAL PROPELLER CHARTS

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESION
73136A40	10-3/8	13C	AL	3	RH	AVAIL.
73136A40	10-3/8	13C	AL	3	RH	AVAIL.
76228A 4	10-3/8	13C	SS	3	RH	855858A 5
76228A 5	10-3/8	13C	SS	3	RH	855858A 5
73134A40	10-3/8	13C	SS	3	RH	AVAIL.
56238A 1	11	12	AL	2	RH	73136A40
73134A40	11	12	AL	2	RH	AVAIL.
56238A 4	11	12C	AL	2	RH	73136A40
73134A40	11	12C	AL	2	RH	AVAIL.
56240A 1	10-3/4	12	AL	3	RH	73136A40
73134A40	10-3/4	12	AL	3	RH	AVAIL.
56240A 4	10-3/4	12C	AL	3	RH	73136A40
73134A40	10-3/4	12C	AL	3	RH	AVAIL.
56256A 1	11	12	BR	2	RH	73136A40
73134A40	11	12	BR	2	RH	AVAIL.
56256A 4	11	12C	BR	2	RH	73136A40
73134A40	11	12C	BR	2	RH	AVAIL.
61816A 1	11-3/4	12	AL	3	RH	73136A40
61816A 4	11-3/4	12C	AL	3	RH	73136A40
73134A40	11-3/4	12C	AL	3	RH	AVAIL.
63458A 1	11	12	BR	2	RH	73136A40
73136A40	11	12	BR	2	RH	AVAIL.
63458A 4	11	12C	BR	2	RH	73136A40
73136A40	11	12C	BR	2	RH	AVAIL.
63546A 4	11-3/4	12C	BR	3	RH	73136A40
73134A 4	10-5/8	12C	AL	3	RH	73134A40
73134A40	10-5/8	12C	AL	3	RH	AVAIL.
79792A 4	10-5/8	12C	SS	3	RH	855856A 5
79792A 5	10-5/8	12C	SS	3	RH	855856A 5
73132A40	10-5/8	12C	SS	3	RH	AVAIL.
56242A 1	11	11	AL	2	RH	NLA
56242A 4	11	11C	AL	2	RH	73136A40
73136A40	11	11C	AL	2	RH	AVAIL.
56244A 1	10-3/4	11	AL	3	RH	NLA
56244A 4	10-3/4	11C	AL	3	RH	73136A40
73136A40	10-3/4	11C	AL	3	RH	AVAIL.
56258A 1	11	11	BR	2	RH	NLA
56258A 4	11	11C	BR	2	RH	73136A40
73136A40	11	11C	BR	2	RH	AVAIL.
61814A 1 & A2	12	11	AL	3	RH	73132A40
61814A 4	12	11C	AL	3	RH	73132A40
63460A 4	11	11C	BR	2	RH	73136A40
73136A40	11	11C	BR	2	RH	AVAIL.
85632A 4	10-7/8	11C	AL	3	RH	85632A40
85632A40	10-7/8	11C	AL	3	RH	AVAIL.
42740A10	12	10-1/2C	AL	3	RH	42740A11
42740A11	12	10-1/2C	AL	3	RH	AVAIL.
61812A 1	12-1/4	10	AL	3	RH	73132A40
61812A 4	12-1/4	10C	AL	3	RH	73132A40
73132A 4	11-1/4	10C	AL	3	RH	73132A40
73132A40	11-1/4	10C	AL	3	RH	AVAIL.
62274A 1 & A2	12-1/4	9	AL	3	RH	73132A40
62274A 4	12-1/4	9C	AL	3	RH	73132A40
87818A 1	12-1/4	9	AL	3	RH	87818A11
87818A10	12-1/4	9C	AL	3	RH	87818A11
97868A 1	12-1/4	9	SS	3	RH	97868A10

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

PART NO.	DIAMETER	PITCH	MATERIAL	BLADES	ROTATION	STATUS OR SUPERSESSION
97868A 5	12-1/4	9	SS	3	RH	97868A10
42738A10	12-1/2	8C	AL	3	RH	42738A11

Merc 700/800 Direct Reversing-RH Rotation

Includes Merc 650 (4 Cyl.) Thru 1500/Mercury 75/90 (3 Cyl.), 100/115 (4 Cyl.) and Inline 6 Cyl.

NLA = 48-49624A4, 48-49628A4, 48-49622A4, 48-49626A4, 48-46162A4, 48-49620A4, 48-46160A4, 48-49618A4, 48-46158A4, 48-49616A4
48-59138A4, 48-30870A1, 48-31448

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
52012A3	13	25	AL	3	RH	77350A45
52012A4	13	25C	AL	3	RH	16996A36
72758A4	12-5/8	25C	SS	3	RH	16996A36
72758A5	12-5/8	25C	SS	3	RH	16996A36
31082A1	13-3/4	23	AL	2	RH	77344A45
77344A45	13-3/4	23	AL	2	RH	AVAIL.
32386A3	13-3/4	23	AL	2	RH	77348A45
32386A4	13-3/4	23C	AL	2	RH	77350A45
52008A3	13	23	AL	3	RH	77348A45
52008A4	13	23C	AL	3	RH	77350A45
65736A1	13	23	AL	3	RH	77348A45
65736A4	13	23C	AL	3	RH	77350A45
66140A1	13	23	SS	3	RH	16994A36
66140A4	13	23C	SS	3	RH	16994A36
72760A4	12-3/4	23C	SS	3	RH	16994A36
72760A5	12-3/4	23C	SS	3	RH	16994A36
77350A4	12-1/2	23C	AL	3	RH	77350A45
77350A40	12-1/2	23C	AL	3	RH	77350A45
31454A3	13-3/4	21	AL	2	RH	77346A45
31454A4	13-3/4	21C	AL	2	RH	77348A45
32746A3	13	21	AL	3	RH	77346A45
32746A4	13	21C	AL	3	RH	77348A45
49632A3	13-3/4	21	AL	2	RH	77346A45
49632A4	13-3/4	21C	AL	2	RH	77348A45
53892A3	13-3/4	21	AL	3	RH	77346A45
53892A4	13-3/4	21C	AL	3	RH	77348A45
63744A1	13-1/4	21	SS	3	RH	16992A36
63744A4	13-1/4	21C	SS	3	RH	16992A36
67280A1	13	21	AL	3	RH	77346A45
67280A4	13	21C	AL	3	RH	77348A45
72500A4	13	21C	SS	3	RH	16992A36
72500A5	13	21C	SS	3	RH	16992A36
77348A4	12-3/4	21C	AL	3	RH	77348A45
77348A40	12-3/4	21C	AL	3	RH	77348A45
30388A1	13-1/4	19	BR	2	RH	NLA
31080A1	13-1/4	19	BR	2	RH	NLA
31456A3	13-3/4	19	BR	2	RH	NLA
31456A4	13-3/4	19C	BR	2	RH	77346A45
32388A3	13-3/4	19	AL	3	RH	NLA
32388A4	13-3/4	19C	AL	3	RH	77346A45
32748A3	13	19	BR	3	RH	NLA
32748A4	13	19C	BR	3	RH	77346A45
32750A3	13	19	AL	3	RH	NLA
32750A4	13	19C	AL	3	RH	77346A45
53896A3	13-3/4	19	AL	3	RH	77344A45
53896A4	13-3/4	19C	AL	3	RH	77346A45
65024A1	13-3/4	19	AL	3	RH	77344A45

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
65024A4	13-3/4	19C	AL	3	RH	77346A45
65588A1	13	19	AL	3	RH	NLA
65588A4	13	19C	AL	3	RH	77346A45
66138A1	13-1/2	19	SS	3	RH	16990A36
66138A4	13-1/2	19C	SS	3	RH	16990A36
72762A4	13-1/4	19C	SS	3	RH	16990A36
72762A5	13-1/4	19C	SS	3	RH	16990A36
77346A4	13	19C	AL	3	RH	77346A45
77346A40	13	19C	AL	3	RH	77346A45
16988A5	13	18C	SS	3	RH	16988A36
29658A1/A2/A3	13	17	BR	2	RH	77344A45
77344A45	13	17	BR	2	RH	AVAIL.
29658A4	13	17C	BR	2	RH	NLA
30390A1	13-3/4	17	BR	3	RH	77344A45
77344A45	13-3/4	17	BR	3	RH	AVAIL.
31072A2 & A3	13	17	AL	2	RH	77344A45
77344A45	13	17	AL	2	RH	AVAIL.
31072A4	13	17C	AL	2	RH	NLA
31458A3	13	17	BR	3	RH	77344A45
77344A45	13	17	BR	3	RH	AVAIL.
31458A4	13	17C	BR	3	RH	77344A45
32264A3	13	17	AL	3	RH	77344A45
77344A45	13	17	AL	3	RH	AVAIL.
32264A4	13	17C	AL	3	RH	77344A45
37902A2	12	17	AL	3	RH	77344A45
37902A3	12	17	AL	3	RH	77344A45
37902A4	12	17C	AL	3	RH	NLA
53900A3	14	17	AL	3	RH	77342A45
53900A4	14	17C	AL	3	RH	77344A45
65022A1	14	17	AL	3	RH	77342A45
65022A4	14	17C	AL	3	RH	77344A45
854360A45	14	17C	AL	3	RH	AVAIL.
65748A1	13	17	AL	3	RH	77344A45
77344A45	13	17	AL	3	RH	AVAIL.
65748A4	13	17C	AL	3	RH	77344A45
72764A4	13-1/2	17C	SS	3	RH	16988A36
72764A5	13-1/2	17C	SS	3	RH	16988A36
77344A4	13-1/4	17C	AL	3	RH	77344A45
77344A40	13-1/4	17C	AL	3	RH	77344A45
16986A5	13-1/8	16C	SS	3	RH	16986A36
29660A1	13	15	BR	2	RH	77344A45
29660A4	13	15C	BR	2	RH	77344A45
31074A2 & A3	13	15	AL	2	RH	77344A45
31074A4	13	15C	AL	2	RH	77344A45
32390A3	14	15	AL	3	RH	77340A45
32390A4	14	15C	AL	3	RH	77342A45
37900A2	12-1/2	15	AL	3	RH	77344A45
37900A3	12-1/2	15	AL	3	RH	77344A45
37900A4	12-1/2	15C	AL	3	RH	77344A45
77342A4	13-3/4	15C	AL	3	RH	77342A45
77342A40	13-3/4	15C	AL	3	RH	77342A45
87444A4	13-3/4	15C	SS	3	RH	17314A36
87444A5	13-3/4	15C	SS	3	RH	17314A36
17314A5	13-3/8	14C	SS	3	RH	17314A36
29662A4	13-1/2	13C	BR	2	RH	77344A45
31076A4	13-1/2	13C	AL	2	RH	77344A45

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
32392A3	13-1/2	13	AL	3	RH	77338A45
32392A4	13-1/2	13C	AL	3	RH	77340A45
37898A4	13	13C	AL	3	RH	77344A45
58826A3	14	13	AL	3	RH	77338A45
58826A4	14	13C	AL	3	RH	77340A45
77340A4	14	13C	AL	3	RH	77340A45
77340A40	14	13C	AL	3	RH	77340A45
17312A5	14	12C	SS	3	RH	17312A36
12606A5	14	12C	SS	3	RH	17312A36
30396A1 & A3	14	11	AL	3	RH	77338A45
30396A4	14	11C	AL	3	RH	77340A45
35936A3	14	11	AL	3	RH	77338A45
35936A4	14	11C	AL	3	RH	77340A45
77338A4	14	11	AL	3	RH	77338A45
77338A40	14	11C	AL	3	RH	77338A45
17310A5	14	10C	SS	3	RH	17310A36
12604A5	14	10C	SS	3	RH	17310A36

Mercury V-6 Models (W/Large Gearcase 4-3/4 Inch)

Standard Propeller

1976 and 1977 - Thrust Hub - 72894 - NLA Washer 12-31211A3 Tab Washer 14-816629 Nut 11-52707Q1

1978 and Up - Thrust Hub - 12-835467 1 Washer 12-31211A3 Tab Washer 14-816629 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
73514A4	13-3/8	25C	AL	3	RH	78126A45
78126A4	13-3/8	25C	AL	3	RH	78126A45
78126A40	13-3/8	25C	AL	3	RH	78126A45
79796A4	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
79796A5	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
75724A4	13-1/2	23C	SS	3	RH	16320A46
75724A5	13-1/2	23C	SS	3	RH	16320A46
16322A4	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
16322A5	13-3/8	25C	SS	3	RH	16550A46
16550A46	13-3/8	25C	SS	3	RH	Avail.
16321A5	13-1/2	23C	SS	3	LH	16321A46
16320A4	13-1/2	23C	SS	3	RH	16320A46
16320A5	13-1/2	23C	SS	3	RH	16320A46
73512A4	13-1/2	23C	AL	3	RH	832834A45
78124A4	13-1/2	23C	AL	3	RH	832834A45
78124A40	13-1/2	23C	AL	3	RH	832834A45
88442A4	13-3/4	21C	SS	3	RH	16318A46
74268A4	13-3/4	21C	SS	3	RH	16318A46
73510A4	13-3/4	21C	AL	3	RH	832832A45
73982A4	13-3/4	21C	SS	3	RH	16318A46
73982A5	13-3/4	21C	SS	3	RH	16318A46
16319A5	13-3/4	21C	SS	3	LH	16319A46
16318A5	13-3/4	21C	SS	3	RH	16318A46
16318A4	13-3/4	21C	SS	3	RH	16318A46
78122A4	13-3/4	21C	AL	3	RH	832832A45
78122A40	13-3/4	21C	AL	3	RH	832832A45
73508A4	14-1/4	19C	AL	3	RH	832830A45
73980A4	14	19C	SS	3	RH	16316A46
73980A5	14	19C	SS	3	RH	16317A46
16317A5	14	19C	SS	3	LH	16317A46

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
16316A5	14	19C	SS	3	RH	16316A46
78120A4	14	19C	AL	3	RH	832830A45
78120A40	14	19C	AL	3	RH	832830A45
73506A4	14-3/4	17C	AL	3	RH	832828A45
78118A4	14-1/2	17C	AL	3	RH	832828A45
78118A40	14-1/2	17C	AL	3	RH	832828A45
79794A4	14-1/2	17C	SS	3	RH	16314A46
79794A5	14-1/2	17C	SS	3	RH	16314A46
16315A5	14-1/2	17C	SS	3	LH	16315A46
16314A5	14-1/2	17C	SS	3	RH	16314A46
16312A5	14-1/2	15C	SS	3	RH	16312A46
73504A4	15-1/4	15C	AL	3	RH	78116A45
78116A4	16	15C	AL	3	RH	78116A45
78116A40	16	15C	AL	3	RH	78116A45
93272A4	14-1/2	15C	SS	3	RH	16312A46
93272A40	14-1/2	15C	SS	3	RH	NLA
73502A4	16	13C	AL	3	RH	78114A45
78114A4	16	13C	AL	3	RH	78114A45
78114A40	16	13C	AL	3	RH	78114A45
73500A4	16	11C	AL	3	RH	78112A45
78112A4	16	11C	AL	3	RH	78112A45
78112A40	16	11C	AL	3	RH	78112A45
16316A4	14	19	SS	3	RH	16316A46
16315A4	14-1/2	17	SS	3	LH	16315A46
16314A4	14-1/2	17	SS	3	RH	16314A46
16312A4	14-1/2	15	SS	3	RH	16312A46

Mercury V-6 Models-Chopper (Gearcase 4-3/4 Inch)

Thrust Hub - 13191A1 Tab Washer 14-816629 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
98246A4	14-1/4	30C	SS	3	RH	NLA
98246A5	14-1/4	30C	SS	3	RH	NLA
89860A4	14-1/2	28C	SS	3	RH	13372A62
89860A5	14-1/2	28C	SS	3	RH	13372A62
13373A5	14-1/2	28C	SS	3	LH	13373A62
13372A5	14-1/2	28C	SS	3	RH	13372A62
98245A1	14-1/2	28	SS	3	LH	13373A62
89858A4	14-1/2	26C	SS	3	RH	13370A62
93593A1	14-1/2	26	SS	3	LH	13371A62
13371A5	14-1/2	26C	SS	3	LH	13371A62
13370A5	14-1/2	26C	SS	3	RH	13370A62
89858A5	14-1/2	26C	SS	3	RH	13370A62
77320A4	14-1/2	24C	SS	3	RH	13368A62
93591A1	14-1/2	24C	SS	3	LH	13369A62
77320A5	14-1/2	24C	SS	3	RH	13368A62
13369A5	14-1/2	24C	SS	3	LH	13369A62
13368A5	14-1/2	24C	SS	3	RH	13368A62
89856A4	14-1/2	22C	SS	3	RH	13366A62
89856A5	14-1/2	22C	SS	3	RH	13366A62
13366A5	14-1/2	22C	SS	3	RH	13366A62

HISTORICAL PROPELLER CHARTS

Mercury V-6 Models-Trophy (Gearcase 4-3/4 Inch)

Large Hub

Thrust Hub - 12-835467 1 Tab Washer 14-816629 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
825904A41	14	21	SS	4	RH	825902A46
825908A40	14	23	SS	4	RH	825906A46
825910A40	14	24	SS	4	RH	825910A46
825912A40	14	25	SS	4	RH	825912A46
825914A40	14	26	SS	4	RH	NLA
825908A41	14	23	SS	4	RH	825906A46
825910A41	14	24	SS	4	RH	825910A46
825912A41	14	25	SS	4	RH	NLA
825914A41	14	26	SS	4	RH	NLA

MARINER ELECTRIC MOTOR

Mariner-Trolling Motor

Nut 79719 - NLA Pin 17-70733 Retainer 79719 - NLA

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
18024A__	10-1/2	6	PL BL	2	RH	18024A5
18430A__	10-1/2	6	PL CL	2	RH	18024A5
87842A2	10-1/2	6	PL	2	RH	18024A5
18024A5	10	6	PL	2	RH	AVAIL.

Mariner-Thruster Direct Drive

Trolling Motor

Nut 79719 - NLA Washer 26-72462 Pin 17-70733

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
17530A__	9	3.2	PL BL	2	RH	18022A5
18530A__	9-1/4	3.2	PL CL	2	RH	18022A5
18022A__	9-1/4	3-1/4	PL BL	2	RH	18022A5
18428A5	9-1/4	3-1/4	PL CL	2	RH	AVAIL.
18512A__	9-1/4	3-1/4	PL CL	2	RH	18428A5
18022A5	9-1/4	3	PL BL	2	RH	AVAIL.

Mariner-R33, RX33, T33, R45, RL45, RX45, T45

Trolling Motor

Nut 818911--2 Washer 23-35935 Pin 17-70733

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
813728A__	11	5	PL BL	2	RH	
813730A__	11	5	PL CL	2	RH	

Mariner-Thruster (MotorGuide)(Machete)

Trolling Motor

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
824236T	9-1/2	2-5/8	PL CL	2	RH	AVAIL.
801889	10	3-1/2	PL CL	2	RH	MAF12406

Mariner V-6 Models (W/Large Gearcase 4-3/4 Inch)

Thrust Hub 12-835467Q01 Tab Washer 15-816629Q Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
78126A4	13-3/8	25C	AL	3	RH	N.L.A.
78126A40	13-3/8	25C	AL	3	RH	N.L.A.
79796A 4	13-3/8	25C	SS	3	RH	NLA
79796A 5	13-3/8	25C	SS	3	RH	NLA
16322A 5	13-3/8	25C	SS	3	RH	NLA
75724A 4	13-1/2	23C	SS	3	RH	
16321A 5	13-1/2	23C	AL	3	LH	
16320A 5	13-1/2	23C	AL	3	RH	
78124A 4	13-1/2	23C	AL	3	RH	48-832834A45
78124A40	13-1/2	23C	AL	3	RH	48-832834A45
73982A 4	13-3/4	21C	SS	3	RH	48-16318A46
73982A 5	13-3/4	21C	SS	3	RH	48-16318A46
16319A 5	13-3/4	21C	SS	3	LH	48-16318A46
16318A 5	13-3/4	21C	SS	3	RH	48-16318A46
78122A 4	13-3/4	21C	SS	3	RH	48-832832A45
78122A40	13-3/4	21C	SS	3	RH	48-832832A45
73980A 4	14	19C	SS	3	RH	48-16316A46
73980A 5	14	19C	SS	3	RH	48-16316A46
16317A 5	14	19C	SS	3	LH	48-16317A46
16316A 5	14	19C	SS	3	RH	48-16316A46
78118A 4	14-1/2	17C	SS	3	RH	48-832828A45
78118A40	14-1/2	17C	SS	3	RH	48-832828A45
79794A 4	14-1/2	17C	SS	3	RH	48-16314A46
79794A 5	14-1/2	17C	SS	3	RH	48-16314A46
16315A 5	14-1/2	17C	SS	3	LH	48-16315A46
16314A5	14-1/2	17C	SS	3	RH	48-16315A46
78116A 4	16	15C	SS	3	RH	48-78116A45
78116A40	16	15C	SS	3	RH	48-78116A45
93272A 4	14-1/2	15C	SS	3	RH	48-16312A46
93272A 5	14-1/2	15C	SS	3	RH	48-16312A46
16312A 5	14-1/2	15C	SS	3	RH	48-16312A46
16312A 4	14-1/2	15	SS	3	RH	48-16312A46
78114A 4	16	13C	SS	3	RH	48-78114A45
78114A40	16	13C	SS	3	RH	48-78114A45
78112A 4	16	11C	SS	3	RH	48-78112A45
78112A40	16	11C	SS	3	RH	48-78112A45
16320A 4	13-3/8	25	SS	3	RH	
16321A 4	13-1/2	23	SS	3	LH	16321A46
16322A 4	13-3/8	25	SS	3	RH	16322A46
16312A 4	14-1/2	15	SS	3	RH	48-16312A46
16315A 4	14-1/2	17	SS	3	LH	48-16315A46
16316A 4	14	19	SS	3	RH	48-16316A46
16317A 4	14	19	SS	3	LH	48-16317A46
16318A 4	13-3/4	21	SS	3	RH	48-16318A46

HISTORICAL PROPELLER CHARTS

MARINER OUTBOARD

Mariner 2 (6A1)

Cotter Pin 18-82134M Drive Pin 17-81896M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
80409M	7-1/4	5-1/2	AL	3	RH	NLA
43110M	7-1/4	5	AL	3	RH	NLA
80410M	7-1/4	4-1/2	AL	3	RH	AVAIL.
93032M	7-1/4	4	PL	3	RH	AVAIL.

Mariner 2.5/3.3 A856377 and Up

Cotter Pin 18-95295 Shear Pin 17-815111 (AL Prop), 17-815111--1 (PL Prop)

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
815083	7-3/8	6	PL	3	RH	AVAIL.
815084	7-3/8	6	AL	3	RH	AVAIL.
815084--1	7-3/8	6	AL	3	RH	AVAIL.

Mariner 3.5 (642)

NLA = 48-80176M, 48-80177M, 48-80304M

Nut 11-80103M Cotter Pin 18-82134M Thrust Hub 12-81855M - NLA Drive Pin 17-17554M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
80178M	7-1/2	4	AL	3	RH	NLA
82861M	7-1/2	4	AL	3	RH	NLA

Mariner 4 (6E) & 5 (6E3)

NLA = 48-81016M

Nut 11-859931 Cotter Pin 18-82132M Drive Pin 17-17554M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
96593M	7-1/4	8-1/4	AL	3	RH	NLA
96590M	7-1/2	8	AL	3	RH	AVAIL.
96592M	7-1/4	7-1/4	AL	3	RH	NLA
96591M	7-1/2	7	AL	3	RH	AVAIL.
81015M	7-1/4	6-1/2	AL	3	RH	NLA
82825M	7-1/4	5	AL	3	RH	NLA

Mariner 4/5 A855097 and Up

Thrust Hub 16145Q01 Washer 12-16146 Nut 11-16147

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
16143	8-3/8	8	AL	3	RH	812950
16142	8-3/8	7	AL	3	RH	812949
16144	8-3/8	6	AL	3	RH	AVAIL.
16836A1	8-3/8	6	AL High Reverse	3	RH	812951A1

Mariner 6 (647) & 8 (655 / 677)

Without Thru Hub Exhaust

NLA = 48-80546M, 48-82765

Nut 11-80545M Cotter Pin 18-82132M Drive Pin 17-81901M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
80548M	9	9	AL	3	RH	NLA
82766	8-1/4	9	AL	3	RH	AVAIL.
82764	8-1/4	8	AL	3	RH	AVAIL.
80547M	9	7	AL	3	RH	AVAIL.
82763	8-1/4	6-1/2	AL	3	RH	NLA

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
8109M	9	6-1/4	AL	3	RH	NLA
94780M	9	5-3/4	AL	3	RH	NLA
94781M	9	5	AL	3	RH	NLA

Mariner 6 (6HB) & 8 (6G1)

With Thru Hub Exhaust

Nut 11-859933 Cotter Pin 18-815026 Thrust Hub (Fwd) 23-11654M Thrust Hub (Rear) 12-84275M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
11672M	8	8	AL	3	RH	NLA
11673M	8	8	AL	3	RH	AVAIL.
11896M	9	9	AL	3	RH	NLA
11674M	8	8	AL	3	RH	NLA
11897M	9	9	AL	3	RH	NLA

Mariner 9.9C (682) & 15C (684)

Nut 11-859933 Cotter Pin 18-815026 Thrust Hub (Fwd) 23-859916 Thrust Hub (Rear) 12-84275M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
84079M	9-1/4	12	AL	3	RH	N.L.A.
84080M	9-1/4	10-1/2	AL	3	RH	QA3914R
QA3914T	9-1/4	10-1/2	AL	3	RH	QA3914R
84407M	9-1/2	9-3/4	AL	3	RH	AVAIL.
84081M	9-1/4	9	AL	3	RH	QA3906R
84082M	9-1/4	8	AL	3	RH	N.L.A.
QA3902T	9-1/4	8	AL	3	RH	N.L.A.
94786M	9-3/4	8	AL	3	RH	AVAIL.
84083M	9-1/2	6.5	AL	3	RH	AVAIL.
94787M	9-3/4	6.5	AL	3	RH	AVAIL.

Mariner 6/8/9/15 A197112 and Up

Thrust Hub 42037 Design I, 821932 Design II Spacer 23-42091-1 Nut 11-40140

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
17874A12	9	10-1/2	AL	3	RH	48-828158A12
42522A_	9	9	AL	3	RH	48-828156A12
42520A10	9-1/4	7	AL	3	RH	48-828152A12
42524A_	9-3/4	6-1/2	AL High Reverse	3	RH	48-828150A12

Mariner 15 (6510 20 (653) 25 (648/694)

Without Thru Hub Exhaust

NLA = 48-80264M, 48-80681M, 48-80925M, 48-80926M, 48-80947M, 48-96629M

Nut 859946 Cotter Pin 18-82132M Drive Pin 17-81900M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
82770	9-1/4	12	AL	3	RH	NLA
96622M	9-1/2	11-1/2	AL	3	RH	NLA
80955M	9-1/4	11-1/4	AL	3	RH	
96623M	9-1/4	11-1/4	AL	3	RH	AVAIL
82769	9-1/4	11	AL	3	RH	
80263M	9-1/4	10-3/4	AL	3	RH	N.L.A.
96624M	9-1/4	10-3/4	AL	3	RH	AVAIL
82768	9	10	AL	3	RH	QA3914R
96625M	9-1/4	10	AL	3	RH	AVAIL
80546M	9-1/4	9-1/4	AL	3	RH	NLA
80265M	9-1/4	9	AL	3	RH	N.L.A.
96626M	9-1/4	9	AL	3	RH	N.L.A.
80924M	9-1/4	8	AL	3	RH	NLA

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
96627M	9-1/4	8	AL	3	RH	NLA
82767	9-1/4	7	AL	3	RH	NLA
96628M	9-1/4	7	AL	3	RH	NLA
96630M	9-1/4	5	AL	3	RH	NLA

Mariner 20 (6A9), 25 (690/695), 28 (664), 30 (689)

With Thru Hub Exhaust

NLA = 48-80262M

Nut 11-81774M Cotter Pin 18-82132M Thrust Hub (Fwd) 859917

20/25/30 - Thrust Hub (Rear) 859895 Spacer 85905

28 - Thrust Hub (Rear) 23-82796M (NLA) Spacer 23-81651M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
84977M	9-7/8	14	AL	3	RH	AVAIL.
82827M	9-7/8	13	AL	3	RH	
QA3814T	9-7/8	13	AL	3	RH	
82826M	9-7/8	12	AL	3	RH	QA3810R
88168A4	9	12	SS	3	RH	NLA
84976M	9-7/8	11-1/4	AL	3	RH	QA3810R
81649M	9-7/8	10-1/2	AL	3	RH	QA3808R
81647M	9-7/8	9	AL	3	RH	AVAIL.
88166A4	10	9	SS	3	RH	NLA
81648M	9-7/8	8	AL	3	RH	AVAIL.

Mariner 20 & 25 S/N 6535603 and Above

Standard

Thrust Hub 858498 Hub 11-88228

Chopper

Thrust Hub 858498 Hub 11-88228

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
Standard						
4590A40	10-1/4	14-1/2C	AL	3	RH	
89854A 4	10-1/4	14-1/2C	AL	3	RH	
19642A40	10-3/8	14-1/2C	AL	3	RH	AVAIL.
43586A40	10-3/8	13C	AL	3	RH	48-19640A40
86848A 4	10-3/8	13C	AL	3	RH	48-19640A40
19640A40	10-3/8	13C	AL	3	RH	AVAIL.
43588A 5	10-3/8	13C	SS	3	RH	48-19644A 5
90780A 4	10-3/8	13C	SS	3	RH	48-19644A 5
19644A 5	10-3/8	13C	SS	3	RH	AVAIL.
43584A40	10-3/8	11C	AL	3	RH	48-19638A40
89852A 4	10-3/8	11C	AL	3	RH	48-19638A40
19638A40	10-3/8	11C	AL	3	RH	AVAIL.
43582A10	10-3/8	9-1/2	AL	3	RH	48-19636A10
89850A 1	10-3/8	9-1/2	AL	3	RH	48-19636A10
19636A10	10-3/8	9-1/2C	AL	3	RH	AVAIL.
Chopper						
92764A 4	10-3/8	18C	SS	3	RH	N.L.A.
92764A 5	10-3/8	18C	SS	3	RH	N.L.A.
43592A 5	10-3/8	18C	SS	3	RH	N.L.A.

Mariner 30 (689B)

Without Thru Hub Exhaust

Nut 11-97027M (NLA) Cotter Pin 18-95295 Drive Pin 18-97028M Thrust Hub (Rear) 12-83447M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
96638M	9-1/2	12-3/8	AL	3	RH	NLA
96639M	9-1/2	11-1/2	AL	3	RH	NLA
96640M	9-1/4	11-1/4	AL	3	RH	NLA
96641M	9	10-3/4	AL	3	RH	NLA
96642M	9-1/4	9	AL	3	RH	NLA
96643M	9-1/4	8	AL	3	RH	NLA

Mariner 40 (676A)

Without Thru Hub Exhaust

Nut 11-14279M Drive Pin 17-83443M Cotter Pin 80652M

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
83311M	11-1/2	13-1/2	AL	3	RH	N.L.A.
96631M	11-1/2	13-1/2	AL	3	RH	AVAIL.
83729M	11-1/2	13	AL	3	RH	N.L.A.
96632M	11-1/2	13	AL	3	RH	AVAIL.
83535M	11-1/2	12	AL	3	RH	
96633M	11-1/2	12	AL	3	RH	AVAIL.
83541M	11-1/2	11	AL	3	RH	
96634M	11-1/2	11	AL	3	RH	AVAIL.
83552M	11-3/4	10	AL	3	RH	N.L.A.
96635M	11-3/4	10	AL	3	RH	AVAIL.
83573M	11-3/4	8-3/4	AL	3	RH	N.L.A.
96636M	11-3/4	8-3/4	AL	3	RH	AVAIL.
11904M	11-3/4	7-1/2	AL	3	RH	AVAIL.

Mariner 40-70

40 (676B) (6E9)/48 (670)/50/55 (663)/60 (675)

(6F0)/70 (3CYL.) (BELOW SERIAL #A996142)

With Thru Hub Exhaust

40/48/55/60 - Thrust Hub 73345A1 Cotter Pin 18-82132M Nut 11-859935

50 - Thrust Hub 73345A1 Washer 14-76281 Nut 11-69578Q

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
73146A4	10	19C	AL	3	RH	
73146A40	10	19C	AL	3	RH	AVAIL.
73144A 4	10	17C	AL	3	RH	48- 73144A45
73144A40	10	17C	AL	3	RH	AVAIL.
73142A 4	10	16C	AL	3	RH	48- 73142A45
73142A40	10	16C	AL	3	RH	AVAIL.
91818A 4	10	16C	SS	3	RH	N.L.A.
91818A 5	10	16C	SS	3	RH	AVAIL.
73140A 4	10-1/8	15C	AL	3	RH	48- 73140A45
73140A40	10-1/8	15C	AL	3	RH	AVAIL.
76232A 4	10-1/8	15C	SS	3	RH	48-855862A46
76232A 5	10-1/8	15C	SS	3	RH	48-855862A46
73138A 4	10-1/4	14C	AL	3	RH	48- 73138A45
73138A40	10-1/4	14C	AL	3	RH	AVAIL.
76230A 4	10-1/4	14C	SS	3	RH	48-855860A46
76230A 5	10-1/4	14C	SS	3	RH	48-855860A46
73136A 4	10-3/8	13C	AL	3	RH	48- 73136A45
73136A40	10-3/8	13C	AL	3	RH	AVAIL.
76228A 4	10-3/8	13C	SS	3	RH	48-855858A46
76228A 5	10-3/8	13C	SS	3	RH	48-855858A46
13295M	11-1/2	13	SS	3	RH	NLA

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
99957M	11-1/2	13	WORK	3	RH	Export Only
73134A 4	10-5/8	12C	AL	3	RH	48- 73134A45
73134A40	10-5/8	12C	AL	3	RH	AVAIL.
79792A 4	10-5/8	12C	SS	3	RH	48- 855856A46
79792A 5	10-5/8	12	SS	3	RH	48- 855856A46
855856A 5	12	12	SS	3	RH	AVAIL.
99956M	10-5/8	11	WORK	3	RH	Export Only
79792A 5	11-3/4	12C	SS	3	RH	48- 855856A46
96536M	10-7/8	12	AL	3	RH	AVAIL.
85632A 4	10-7/8	11C	AL	3	RH	48- 85632A45
85632A40	12	11C	AL	3	RH	AVAIL.
42740A10	11-1/4	10-1/2C	AL	3	RH	48- 42740A45
73132A 4	11-1/4	10C	AL	3	RH	48- 73132A45
73132A40	12-1/4	10C	AL	3	RH	AVAIL.
87818A 1	12-1/4	9	AL	3	RH	48- 87818A45
87818A10	12-1/4	9	AL	3	RH	48- 87818A45
97868A 1	12-1/4	9	SS	3	RH	
97868A 5	12-1/4	9	SS	3	RH	
97868A10	12-1/4	9	SS	3	RH	AVAIL.
87818A10	12-1/4	9	AL Workboat	3	RH	48- 87818A45

Mariner 70-140 I/L / 75/90 (3 Cyl)/100/114 (4 Cyl)

Standard Propeller

Thrust Hub 13191Q01 Tab Washer 14-816629Q Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
72758A 4	12-5/8	25C	SS	3	RH	
72758A 5	12-5/8	25C	SS	3	RH	
72760A 4	12-3/4	23C	SS	3	RH	
72760A 5	12-3/4	23C	SS	3	RH	
77350A 4	12-1/2	23C	AL	3	RH	48- 77350A45
77350A40	12-1/2	23C	AL	3	RH	48- 77350A45
72500A 4	13	21C	SS	3	RH	48- 16992A46
72500A 5	13	21C	SS	3	RH	48- 16992A46
77348A 4	12-3/4	21C	AL	3	RH	48- 77348A45
77348A40	12-3/4	21C	AL	3	RH	48- 77348A45
72762A 4	13-1/4	19C	SS	3	RH	48- 16990A46
72762A 5	13-1/4	19C	SS	3	RH	48- 16990A46
77346A 4	13	19C	AL	3	RH	48- 77346A45
77346A40	13	19C	AL	3	RH	48- 77346A45
16988A 5	13	18C	SS	3	RH	48- 16988A46
72764A 4	13-1/2	17C	SS	3	RH	48- 16988A46
72764A 5	13-1/2	17C	SS	3	RH	48- 16988A46
77344A 4	13-1/4	17C	AL	3	RH	48- 77344A45
77344A40	13-1/4	17C	AL	3	RH	48- 77344A45
77342A 4	13-3/4	15C	AL	3	RH	48- 77342A45
77342A40	13-3/4	15C	AL	3	RH	48- 77342A45
87444A 4	13-3/4	15C	SS	3	RH	48- 17314A46
87444A 5	13-3/4	15C	SS	3	RH	48- 17314A46
77340A 4	14	13C	AL	3	RH	48- 77340A45
77340A40	14	13C	AL	3	RH	48- 77340A45
12606A 5	14	12C	SS	3	RH	48- 17312A46
17312A 5	14	12C	SS	3	RH	48- 17312A46
77338A 4	14	11C	AL	3	RH	48- 77338A45
77338A40	14	11C	AL	3	RH	48- 77338A45
12604A 5	14	10C	SS	3	RH	48- 17310A46
17310A 5	14	10C	SS	3	RH	48- 17310A46

Mariner V-6 Models-Chopper (Gearcase 4-3/4 Inch)

Thrust Hub - 13191Q01 Tab Washer 14-816629Q Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
98246A 4	14-1/4	30C	SS	3	RH	NLA
98246A 5	14-1/4	30C	SS	3	RH	NLA
89860A 4	14-1/2	28C	SS	3	RH	N.L.A.
89860A 5	14-1/2	28C	SS	3	RH	N.L.A.
13373A 5	14-1/2	28C	SS	3	LH	N.L.A.
13372A 5	14-1/2	28C	SS	3	RH	N.L.A.
98245A 1	14-1/2	28	SS	3	LH	N.L.A.
89858A 4	14-1/2	26C	SS	3	RH	N.L.A.
93593A 1	14-1/2	26	SS	3	LH	N.L.A.
13371A 5	14-1/2	26C	SS	3	LH	N.L.A.
13370A 5	14-1/2	26C	SS	3	RH	N.L.A.
89858A 5	14-1/2	26C	SS	3	RH	N.L.A.
77320A 4	14-1/2	24C	SS	3	RH	N.L.A.
93591A 1	14-1/2	24C	SS	3	LH	N.L.A.
77320A 5	14-1/2	24C	SS	3	RH	N.L.A.
13369A 5	14-1/2	24C	SS	3	LH	N.L.A.
13368A 5	14-1/2	24C	SS	3	RH	N.L.A.
89856A 4	14-1/2	22C	SS	3	RH	N.L.A.
89856A 5	14-1/2	22C	SS	3	RH	N.L.A.
13366A 5	14-1/2	22C	SS	3	RH	N.L.A.

Mariner V-6 Models-Laser (Gearcase 4-3/4 Inch)

Thrust Hub 12-835467Q01 Tab Washer 14-816629Q Washer 12-31211Q03 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
11078A40	14-1/8	25C	SS	3	RH	
11074A40	14-1/4	23C	SS	3	RH	
11070A40	14-3/8	21C	SS	3	RH	48-825862A47

Mariner V-6 Models-Trophy (Gearcase 4-3/4 Inch)

Thrust Hub 12-835467Q01 Tab Washer 14-816629Q Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
825904A41	14	21	SS	4	RH	NLA
825908A40	14	23	SS	4	RH	NLA
825910A40	14	24	SS	4	RH	NLA
825912A40	14	25	SS	4	RH	NLA
825914A40	14	26	SS	4	RH	NLA
825908A41	14	23	SS	4	RH	
825910A41	14	24	SS	4	RH	NLA
825912A41	14	25	SS	4	RH	NLA
825914A41	14	26	SS	4	RH	NLA

FORCE OUTBOARDS

Force 3

Cotter Pin 18-95295 Shear Pin 17-815111 (AL Prop), 17-815111--1 (PL Prop)

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
48-815083A01	7-3/8	6	PL	3	RH	AVAIL.
48-815084A01	7-3/8	6	AL	3	RH	AVAIL.
48-815084A02	7-3/8	6	AL w/rubber hub	3	RH	AVAIL.

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Force 4/5

Pin FA324101 Nut 11-817752A1 Cotter Pin 18-45882

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FP332	7-1/4	6-1/2	NYLON	3	RH	48-820110A20
N.L.A.	7	6-1/4	AL	2	RH	AVAIL.
FP712	7-1/4	6-1/2	NYLON	3	RH	48-820110A20
820110A20	7-1/4	6-1/2	NYLON	3	RH	AVAIL.
FP652	8	5	AL	3	RH	NLA
FP75	8	5	AL	2	RH	NLA
FP488	7-1/4	5-1/2	AL	3	RH	NLA

Force 7.5

Pin FA324101 Nut 11-817752A1 Cotter Pin 18-45882

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FP477	8	9-1/4	NYLON	3	RH	NLA
	8	8-1/4	NYLON	3	RH	NLA
FP75	8	5	AL	2	RH	NLA
FP73	8	3-1/2	AL	2	RH	NLA

Force 9.9/15

Pin FA324101 Nut 11-817752A1 Cotter Pin 18-45882

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FP715	8-3/4	6	AL	3	RH	AVAIL.
FP6477	8	9-1/4	NYLON	3	RH	AVAIL.
FP472	9	9	AL	3	RH	FP6477
FP 70	8-1/4	8-3/4	AL	2	RH	NLA
48-FP6430	8	8-1/4	NYLON	3	RH	AVAIL.
FP286-__	8-1/4	8-1/4	AL	2	RH	48-FP6430
FP395	8-1/4	6	AL	3	RH	NLA
FP396	8-1/4	4-1/2	AL	3	RH	NLA

Force 20-60 Horsepower

20-25 HP 1979-1981

30 HP 1966-1982

35 HP 1966-1991

40 HP 1992-1994

45 HP 1966-1984

50 HP 1982-1994

55-60 HP 1966-1984

14 Tooth Spline & Pin Drive

Nut FA94094-2 Pin FK247 Cotter Pin 18-89961

Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
10-3/8 X 12.5	AL	3	Black Diamond	N.L.A.	Rubber Bushing
10-3/8 X 11.5	AL	3	Black Diamond	N.L.A.	Rubber Bushing
10-3/8 X 10	AL	3	Black Diamond	N.L.A.	Rubber Bushing

Force 60

NLA = FP497, FP499

Hub 22-F522099 (NLA) Flat Washer F531299 Washer 12-F1866 Nut 11-F7048

Cotter Pin 826374 Prop Nut F522094-1 (NLA)

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FPS495	10	15	AL	3	RH	NLA
FP496	10	14c	SS	3	RH	NLA
FPS494	10	14	AL	3	RH	NLA
FPS486	10	13c	AL	3	RH	NLA
FPS493	10	13	AL	3	RH	NLA
FPS522	10	12	AL	3	RH	NLA

Force 70

Thrust Hub 73345A1 Tab Washer 14-76281 Nut 11-69578Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
FPM735	10	19	AL	3	RH	
73146A40	10	19	AL	3	RH	AVAIL.
FPM736	10	17	AL	3	RH	48-73144A45
73144A40	10	17	AL	3	RH	AVAIL.
FPM737	10	16	AL	3	RH	48-73142A45
73142A40	10	16	AL	3	RH	AVAIL.
FPM750	10	16	SS	3	RH	N.L.A.
91818A 5	10	16	SS	3	RH	AVAIL.
FPM738	10-1/8	15	AL	3	RH	48-73140A45
73140A40	10-1/8	15	AL	3	RH	AVAIL.
FPM739	10-3/8	15	AL	3	RH	48-816706A45
816706A40	10-3/8	15	AL	3	RH	AVAIL.
FPM751	10-1/8	15	SS	3	RH	48-855862A46
76232A 5	10-1/8	15	SS	3	RH	48-855862A46
FPM752	10-1/4	14	SS	3	RH	48-855860A46
76230A 5	10-1/4	14	SS	3	RH	48-855860A46
FPM740	10-1/2	13	AL	3	RH	48-816704A45
816704A40	10-1/2	13	AL	3	RH	AVAIL.
FPM753	10-3/8	13	SS	3	RH	48-855858A46
76228A 5	10-3/8	13	SS	3	RH	48-855858A46
FPM741	10-3/4	12	AL	3	RH	48-816702A45
816702A40	10-3/4	12	AL	3	RH	AVAIL.
FPM742	11-7/8	12	AL	3	RH	48-85632A45
85632A40	10-7/8	11	AL	3	RH	AVAIL.
FPM754	10-5/8	12	SS	3	RH	48-855856A46
79792A 5	10-5/8	12	SS	3	RH	48-855856A46
FPM743	12	10-1/2	AL	3	RH	48-42740A45
42740A10	12	10-1/2	AL	3	RH	48-42740A45
FPM756	11-1/4	10	AL	3	RH	48-73132A45
73132A40	11-1/4	10	AL	3	RH	AVAIL.
FPM755	12-1/4	9	SS	3	RH	
97868A10	12-1/4	9	SS	3	RH	AVAIL.
FPM757	12-1/4	9	AL	3	RH	48-87818A45
87818A10	12-1/4	9	AL	3	RH	48-87818A45
FPM746	12-1/2	8	AL	3	RH	48-42738A45
42738A10	12-1/2	8	AL	3	RH	48-42738A45

Force 85-150 and All L-Drives Pre 1995 No Thru or Thru Hub Exhaust

85, 125 HP 1988-1989
 90, 120 HP 1990-1994
 90-120 HP L Drive 1989-1991
 150 HP 1989-1994
 150 HP L Drive 1991
 15 Tooth Spline

Propeller Size	Material	Blades	Style	Quicksilver P/N	Hub System
13 X 19 RH	AL	3	Black Diamond		Rubber Bushing
13-1/2 X 17 RH	AL	3	Black Diamond		Rubber Bushing
13-1/2 X 15 RH Cupped	AL	3	Black Diamond		Rubber Bushing
13-1/2 X 15 RH	AL	3	Black Diamond		Rubber Bushing

HISTORICAL PROPELLER CHARTS

CHRYSLER OUTBOARDS

Chrysler Outboard 1983 and Older

NLA = FP50, FP77, FP102, FP324, FP346, FP381, FP391, FP392, FP393, FP394, FP410, FP410, FP446, FP461, FP471, FP481, FP497, FP499, FP527, FP530, FP539

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession	Horsepower	Model Year
FP19	7-1/2	4-1/2	AL (PIN)	2	RH	N.L.A.	3.5*, 3.6*(1)	69-76
FP332	7-1/2	6-1/2	PL	3	RH	48-820110A20	4.0*, 3.5*(1)	77 AND NEWER
FP73	8	3-1/2	AL	2	RH	N.L.A.	4.4, 5.0, 6.0, 4.5, 8.0	68-78
FP521	7-1/4	5-1/2	AL (PIN)	3	RH	N.L.A.	4.0*, L.L.(1)	76-78
FP430	8	8-1/4	PL	3	RH	AVAIL.	6.0*, 8.0, 7.5(1)	78-81
N.L.A.	7	6-1/4	AL	2	RH	AVAIL.	3.5, 6.0, 8.0	76-79
FP477	8	9-1/4	PL	3	RH	AVAIL.	6.0, 7.5, 8.0	78 AND NEWER
FP488	7-1/4	5-1/2	AL	3	RH	N.L.A.	3.5, 6.0, 8.0, 4.0, L.L.*(1)	76-79
FP75	8	5	AL	2	RH	N.L.A.	3.5, 6.6, 7.0, 7.5, 8.0	68-80
FP6430	8	8-1/2	PL	3	RH	AVAIL.	9.9, 10, 12.9, 15	68 AND NEWER
FP70	8-1/4	8-3/4	AL	2	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP396	8-1/4	4-1/2	AL	3	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP395	8-1/4	6	AL	3	RH	N.L.A.	9.9, 10, 12.9, 15	68 AND NEWER
FP472	8	9	AL	3	RH	FP6477	9.9, 10, 12.9, 15	68 AND NEWER
FP273	10-3/8	13-1/2	AL	3	RH	819334A40	30*, 35, 45, 55+, 60+	66 AND NEWER
819334A40	10-3/8	13-1/2	AL	3	RH	N.L.A.	30*, 35, 45, 55+, 60+	66 AND NEWER
FP293	10-3/8	12-1/2	AL	3	RH	N.L.A.	30, 35, 45*, 55*+, 60+	66 AND NEWER
FP287	10-3/8	11-1/2	AL	3	RH	N.L.A.	30, 35*, 45, 55+, 60+	66 AND NEWER
FP278	10-3/8	10	AL	3	RH	N.L.A.	30, 35, 45, 55+, 60+ Sailors 10, 250, 280(2)	66 AND NEWER

(1) Standard Replacement Propeller

(2) Two-piece gear case

MERCURISIER STERNDIVES

MerCruiser 60

NLA = 48-38396A1, 48-38396A4, 48-38394A1, 48-38394A4, 48-38086A4, 48-38090A4, 48-37314A1, 48-37314A4, Thrust Hub 38859A1 Washer 12-32007 Nut 11-69578Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
38090A1	10-3/4	13	AL	3	RH	N.L.A.
38094A1	10-3/4	12	AL	3	RH	N.L.A.
38094A4	10-3/4	12C	AL	3	RH	N.L.A.
38098A1	10-3/4	11	AL	3	RH	N.L.A.
38098A4	10-3/4	11C	AL	3	RH	N.L.A.
33774A1	10-3/4	10	AL	3	RH	AVAIL.
33774A4	10-3/4	10C	AL	3	RH	N.L.A.
32194A1	10-3/4	9	AL	3	RH	N.L.A.
32194A4	10-3/4	9C	AL	3	RH	N.L.A.

MerCruiser 80/90 & MerCruiser I

MerCruiser I with 4 Inch OD outer prop hub

NLA = 48-31448A3, 48-31448A4, 48-31450A3, 48-31450A4, 48-32744A3, 48-32744A4, 48-31460A3, 48-31460A4, 48-30394A3, 48-30394A4, 48-30398A3, 48-30398A4, 48-33242A3, 48-33242A4, 48-30400A3, 48-30400A4

Thrust Hub 3

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
52012A 3	13	25	AL	3	RH	48- 77350A45
52012A 4	13	25C	AL	3	RH	
72758A 4	12-5/8	25C	SS	3	RH	
72758A 5	12-5/8	25C	SS	3	RH	
32386A 3	13-3/4	23	AL	2	RH	48- 77348A45
32386A 4	13-3/4	23C	AL	2	RH	48- 77350A45
52008A 3	13	23	AL	3	RH	48- 77348A45
52008A 4	13	23C	AL	3	RH	48- 77350A45
72760A 4	12-3/4	23C	SS	3	RH	
72760A 5	12-3/4	23C	SS	3	RH	
77350A 4	12-1/2	23C	AL	3	RH	48- 77350A45
77350A40	12-1/2	23C	AL	3	RH	48- 77350A45
31454A 3	13-3/4	21	AL	2	RH	48- 77346A45
31454A 4	13-3/4	21C	AL	2	RH	48- 77348A45
32746A 3	13	21	AL	3	RH	48- 77346A45
32746A 4	13	21C	AL	3	RH	48- 77348A45
72500A 4	13	21C	SS	3	RH	48- 16992A46
72500A 5	13	21C	SS	3	RH	48- 16992A46
77348A 4	12-3/4	21C	AL	3	RH	48- 77348A45
77348A40	12-3/4	21C	AL	3	RH	48- 77348A45
32388A 3	13-3/4	19	AL	2	RH	N.L.A.
32388A 4	13-3/4	19C	AL	2		

MerCruiser I (Standard Propeller)

With 4-1/2 Inch OD outer prop hub

NLA = 48-36028A4, 48-36032A1, 48-36032A4, 48-66139A4, 48-66448A4, 48-79582A4, 48-36030A1, 48-36030A4, 48-73982A4, 48-36022A1, 48-36024A1, 48-36024A4

1982 and Before - Thrust Hub 56292Q04 Tab Washer 14-816629Q

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
36028A 1	14-1/2	27	AL	3	RH	N.L.A.
36008A 1	14-1/2	25	AL	3	RH	N.L.A.
36008A 4	14-1/2	25C	AL	3	RH	N.L.A.
65480A 1	14-1/2	25	AL	3	RH	N.L.A.
65480A 4	14-1/2	25C	AL	3	RH	N.L.A.
75784A 4	13-1/4	25C	AL	3	RH	N.L.A.
77402A 4	13-1/2	25C	SS	3	RH	
16550A46	13-1/2	25C	SS	3	RH	AVAIL.
78126A 4	13-3/8	25C	AL	3	RH	N.L.A.
78126A40	13-3/8	25C	AL	3	RH	N.L.A.
79580A 4	14-1/2	25C	AL	3	RH	N.L.A.
79796A 4	13-3/8	25C	SS	3	RH	
16550A36	13-3/8	25C	SS	3	RH	AVAIL.
79796A 5	13-3/8	25C	SS	3	RH	
16550A36	13-3/8	25C	SS	3	RH	AVAIL.
88446A 4	13-1/2	25C	SS	3	RH	
16550A36	13-1/2	25C	SS	3	RH	AVAIL.
16322A 5	13-3/8	25C	SS	3	RH	
16550A36	13-3/8	25C	SS	3	RH	AVAIL.
36010A 1	14-1/2	23	AL	3	RH	48-832834A45
36010A 4	14-1/2	23C	AL	3	RH	48-832834A45

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
58426A 1	15	23	AL	3	RH	48-832834A45
58426A 4	15	23C	AL	3	RH	48-832834A45
67874A 4	15	23C	AL	3	RH	48-832834A45
75058A 4	13-1/2	23C	SS	3	RH	
75160A 4	13-1/2	23C	AL	3	RH	48-832834A45
75724A 4	13-1/2	23C	SS	3	RH	
75724A 5	13-1/2	23C	SS	3	RH	
16321A 5	13-1/2	23C	SS	3	LH	
16320A 5	13-1/2	23C	SS	3	RH	
78124A 4	13-1/2	23C	AL	3	RH	48-832834A45
78124A40	13-1/2	23C	AL	3	RH	48-832834A45
79578A 4	15	23C	AL	3	RH	48-832834A45
88444A 4	13-1/2	23C	SS	3	RH	
36012A 1	15	21	AL	3	RH	48-832832A45
36012A 4	15	21C	AL	3	RH	48-832832A45
49634A 1	15	21	AL	3	RH	48-832832A45
49634A 4	15	21C	AL	3	RH	48-832832A45
58424A 1	15-1/4	21	AL	3	RH	48-832832A45
58424A 4	15-1/4	21C	AL	3	RH	48-832832A45
65992A 1	15-1/4	21	AL	3	RH	48-832832A45
65992A 4	15-1/4	21C	AL	3	RH	48-832832A45
73982A 5	13-3/4	21C	SS	3	RH	48-16318A46
74268A 4	13-3/4	21C	SS	3	RH	48-16318A46
16319A 5	13-3/4	21C	SS	3	LH	
16318A 5	13-3/4	21C	SS	3	RH	48-16318A46
74876A 4	13-3/4	21C	AL	3	RH	48-832832A45
74888A 4	15-1/4	21C	AL	3	RH	48-832832A45
78122A 4	13-3/4	21C	AL	3	RH	48-832832A45
78122A40	13-3/4	21C	AL	3	RH	48-832832A45
79576A 4	15-1/4	21C	AL	3	RH	48-832832A45
36014A 1	15-1/2	19	AL	3	RH	48-832830A45
832830A45	15-1/2	19	AL	3	RH	AVAIL.
36014A 4	15-1/2	19C	AL	3	RH	48-11324A45
58422A 1	15-1/2	19	AL	3	RH	48-832830A45
832830A45	15-1/2	19	AL	3	RH	AVAIL.
58422A 4	15-1/2	19C	AL	3	RH	48-11324A45
66432A 1	15-1/2	19	AL	3	RH	48-832830A45
832830A45	15-1/2	19	AL	3	RH	AVAIL.
66432A 4	15-1/2	19C	AL	3	RH	48-11324A45
73980A 4	14	19C	SS	3	RH	48-16316A46
73980A 5	14	19C	SS	3	RH	48-16316A46
74266A 4	14	19C	SS	3	RH	48-16316A46
74874A 4	14	19C	AL	3	RH	48-832830A45
74886A 4	15-1/2	19C	AL	3	RH	48-11324A45
78120A 4	14	19C	AL	3	RH	48-832830A45
78120A40	14	19C	AL	3	RH	48-832830A45
79574A 4	15-1/2	19C	AL	3	RH	48-11324A45
88440A 4	14	19C	SS	3	RH	48-16316A46
16317A 5	14	19C	SS	3	LH	48-16317A46
16317A46	14	19C	SS	3	LH	AVAIL.
16316A 5	14	19C	SS	3	RH	48-16316A46
11324A40	15-1/2	18C	AL	3	RH	48-11324A45
36016A 1	15-3/4	17	AL	3	RH	48-16440A45
36016A 4	15-3/4	17C	AL	3	RH	48-16440A45
66450A 4	15-3/4	17C	AL	3	RH	48-16440A45
74872A 4	14-1/4	17C	AL	3	RH	48-832828A45

HISTORICAL PROPELLER CHARTS

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
78118A 4	14-1/2	17C	AL	3	RH	48-832828A45
78118A40	14-1/2	17C	AL	3	RH	48-832828A45
79572A 4	15-3/4	17C	AL	3	RH	48-16440A45
79794A 4	14-1/2	17C	SS	3	RH	48-16314A46
79794A 5	14-1/2	17C	SS	3	RH	48-16314A46
79830A 4	14-1/2	17C	SS	3	RH	48-16314A46
16315A 5	14-1/2	17C	SS	3	LH	48-16315A46
16314A 5	14-1/2	17C	SS	3	RH	48-16314A46
88438A 4	14-1/2	17C	SS	3	RH	48-16314A46
11322A40	15-3/4	16C	AL	3	RH	48-16440A45
16440A40	16	16C	AL	3	RH	48-16440A45
36018A 1	16	15	AL	3	RH	48-78116A45
36018A 4	16	15C	AL	3	RH	48-16438A45
66452A 4	16	15C	AL	3	RH	48-16438A45
75760A 4	14-1/2	15C	AL	3	RH	48-78116A45
78116A 4	16	15C	AL	3	RH	48-78116A45
78116A40	16	15C	AL	3	RH	48-78116A45
79570A 4	16	15C	AL	3	RH	48-16438A45
93272A 4	14-1/2	15C	SS	3	RH	48-16312A46
93272A 5	14-1/2	15C	SS	3	RH	48-16312A46
16312A 5	14-1/2	15C	SS	3	RH	48-16312A46
11320A40	16	14C	AL	3	RH	48-16438A45
16438A40	16	14C	AL	3	RH	48-16438A45
36020A 1	16	13	AL	3	RH	48-78114A45
36020A 4	16	13C	AL	3	RH	48-78114A45
75138A 4	16	13C	AL	3	RH	48-78114A45
78114A 4	16	13C	AL	3	RH	48-78114A45
78114A40	16	13C	AL	3	RH	48-78114A45
79568A 4	16	13C	AL	3	RH	48-78114A45
16436A40	16	12C	AL	3	RH	48-16436A45
36022A 4	16	11C	AL	3	RH	48-78112A45
78112A 4	16	11C	AL	3	RH	48-78112A45
78112A40	16	11C	AL	3	RH	48-78112A45
16312A 4	14-1/2	15C	SS	3	RH	48-16312A46
16314A 4	14-1/2	17C	SS	3	RH	48-16314A46
16315A 4	14-1/2	17C	SS	3	LH	48-16315A46
16316A 4	14	19C	SS	3	RH	48-16316A46
16318A 4	13-3/4	21C	SS	3	RH	48-16318A46
16319A 4	13-3/4	21C	SS	3	LH	
16320A 4	13-1/2	23C	SS	3	RH	
16321A 4	13-1/2	23C	SS	3	LH	
16322A 4	13-3/8	25C	SS	3	RH	
16550A46	13-3/8	25C	SS	3	RH	AVAIL.

MerCruiser I (Cleaver)

With 4-1/2 Inch OD outer prop hub

NLA = 48-77096A4, 48-88452A4, 48-89806A4, 48-89806A5, 48-77094A4, 48-88450A4, 48-89804A4, 48-89804A5, 48-77092A4, 48-88448A4

Thrust Hub 92950 Tab Washer 14-816629Q Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
89802A 4	14-3/4	21C	SS	3	RH	N.L.A.
89802A 5	14-3/4	21C	SS	3	RH	N.L.A.
89266A 4	15	19C	SS	3	RH	N.L.A.
89800A 4	15	19C	SS	3	RH	N.L.A.
89800A 5	15	19C	SS	3	RH	N.L.A.

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Bravo One - Mirage

Solid Hub

Mirage Plus 370 Hp & Below

Thrust Hub 12-835467 1 Tab Washer 14-816629 Washer Splined 12-31211A2 Nut 11-52707A1

Solid Hub Mirage - 370 Hp & Up

Thrust Hub 14359 Splined Washer (FWD) 12-39701 Flat Washer (Rear) 12-39698

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
821720A 5	14-3/4	29C	SS	3	RH	
821719A 5	14-3/4	29C	SS	3	LH	
19836A 5	14-3/8	27C	SS	3	RH	N.L.A.
18280A56	14-3/8	27C	SS	3	RH	N.L.A.
19835A 5	14-3/8	27C	SS	3	LH	48-18281A56
13248A 5	14-1/2	25C	SS	3	RH	
13247A 5	14-1/2	25C	SS	3	LH	
13246A 5	14-5/8	23C	SS	3	RH	
13245A 5	14-5/8	23C	SS	3	LH	
13244A 5	14-3/4	21C	SS	3	RH	
13243A 5	14-3/4	21C	SS	3	LH	
13703A56	14-3/4	21C	SS	3	LH	AVAIL.
13242A 5	15-1/4	19C	SS	3	RH	
13241A 5	15-1/4	19C	SS	3	LH	
19839A 5	15-1/2	17C	SS	3	LH	
19835A 5	15-1/2	17C	SS	3	RH	N.L.A.
19834A50	15-1/2	17	SS	3	RH	N.L.A.
18278A56	15-1/2	17	SS	3	RH	N.L.A.
19835A50	14-3/8	27	SS	3	LH	18281A56
19836A50	14-3/8	27	SS	3	RH	18280A56
19839A50	15-1/2	17	SS	3	LH	
13241A50	15-1/4	19	SS	3	LH	
13242A50	15-1/4	19	SS	3	RH	
13243A50	14-3/4	21	SS	3	LH	
13244A50	14-3/4	21	SS	3	RH	
13245A50	14-5/8	23	SS	3	LH	
13246A50	14-5/8	23	SS	3	RH	
13247A50	14-1/2	25	SS	3	LH	
13248A50	14-1/2	25	SS	3	RH	
821719A50	14-3/4	29	SS	3	LH	
821720A50	14-3/4	29	SS	3	RH	

Bravo One - Cleaver

Rubber Hub

NLA = 48-89799A5, 48-89801A5, 48-89803A5, 48-89804A5, 48-89805A5, 48-89806A5

Thrust Hub 92950 Tab Washer 14-816629Q Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
89805A4	14-1/4	25C	SS	3	LH	N.L.A.
89806A4	14-1/4	25C	SS	3	RH	N.L.A.
89803A4	14-1/2	23C	SS	3	LH	N.L.A.
89804A4	14-1/2	23C	SS	3	RH	N.L.A.
89801A4	14-3/4	21C	SS	3	LH	N.L.A.
89802A4	14-3/4	21C	SS	3	RH	N.L.A.
89802A5	14-3/4	21C	SS	3	RH	N.L.A.
89799A4	15	19C	SS	3	LH	N.L.A.
89800A4	15	19C	SS	3	RH	N.L.A.
89800A5	15	19C	SS	3	RH	N.L.A.

Bravo Two

NLA = 48-18607A42, 48-18609A42

Thrust Washer 55074T Tab Washer 14-34817 Washer 12-55073A2 Nut 11-826711 27

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
	16-1/4	25C	AL	3	LH	AVAIL.
	17-1/4	25C	AL	3	LH	AVAIL.
	16-1/4	25C	AL	3	RH	AVAIL.
	17-1/4	25C	AL	3	RH	AVAIL.
	16-1/2	23C	AL	3	LH	AVAIL.
48-18619A40	17-1/2	23C	AL	3	LH	AVAIL.
	16-1/2	23C	AL	3	RH	AVAIL.
48-18618A40	17-1/2	23C	AL	3	RH	AVAIL.
	16-3/4	21C	AL	3	LH	AVAIL.
48-18617A40	17-3/4	21C	AL	3	LH	AVAIL.
	16-3/4	21C	AL	3	RH	AVAIL.
48-18616A40	17-3/4	21C	AL	3	RH	AVAIL.
	19-1/2	21C	AL	3	RH	AVAIL.
	14-1/4	19C	AL	3	LH	AVAIL.
48-18615A40	18-1/4	19C	AL	3	LH	AVAIL.
	17-1/4	19C	AL	3	RH	AVAIL.
	19-3/4	19C	AL	3	RH	AVAIL.
48-18614A40	18-1/4	19C	AL	3	RH	AVAIL.
	17-3/4	17C	AL	3	LH	AVAIL.
	18-3/4	17C	AL	3	LH	AVAIL.
	18-3/4	17C	AL	3	RH	AVAIL.
	18-3/4	17C	AL	3	RH	AVAIL.
	18-1/4	15C	AL	3	LH	AVAIL.
	19-1/4	15C	AL	3	LH	AVAIL.
	18-1/4	15C	AL	3	RH	AVAIL.
	19-1/4	15C	AL	3	RH	AVAIL.
	19-1/2	13C	AL	3	RH	AVAIL.
	20	11C	AL	3	RH	AVAIL.

Bravo Three - Gas & Diesel

Prop Wrench 91-805457T1 Rear Prop Nut 862907 Forward Prop Nut 11-859131

Rear Thrust Hub 805101T Forward Thrust Hub 805100

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
823670A 5	13-3/4	28	SS	3	RH	
823669A 5	15	28	SS	3	LH	
823668A 5	14	26	SS	3	RH	
823667A 5	15-1/4	26	SS	3	LH	
823666A 5	14-1/4	24	SS	3	RH	
823665A 5	15-1/2	24	SS	3	LH	
823664A 5	14-1/4	22	SS	3	RH	
823663A 5	15-3/4	22	SS	3	LH	
823662A 5	14-2/5	20	SS	3	RH	
823661A 5	16	20	SS	3	LH	
823670A 6	13-3/4	28	SS	3	RH	
823669A 6	15	28	SS	3	LH	
823668A 6	14	26	SS	3	RH	
823667A 6	15-1/4	26	SS	3	LH	
823666A 6	14-1/4	24	SS	3	RH	
823665A 6	15-1/2	24	SS	3	LH	
823664A 6	14-1/4	22	SS	3	RH	
823663A 6	14-1/4	22	SS	3	LH	
823662A 6	14-3/8	20	SS	3	RH	
823661A 6	16	20	SS	3	LH	

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Pre 2017 3 blade Front/Rear Quicksilver Thunderbolt BIII for MerCruiser Bravo Three sterndrives

3 blade front 3 blade rear propellers

For listing of New style 4 blade front 3 blade rear propellers, reference the Quicksilver Bravo Three section within the Quicksilver Propeller Application Charts section of guide
Mixing of old style and new style props is not recommended for best performance.

All Engines

Bravo Three Propeller Hardware (not included with propellers):

Forward Thrust Washer 805101T

Aft Thrust Washer 805100

Forward Prop Nut 859131

Aft Prop Nut 862907

Bravo Three Inner Prop Nut Wrench 805457T 1

Pitch	Material	Finish	Blades (Front & Rear)	LH Rotation Front Prop	RH Rotation Rear Prop	Model
28	SS	Matte	3 & 3			Bravo Three
26	SS	Matte	3 & 3			Bravo Three
24	SS	Matte	3 & 3			Bravo Three
22	SS	Matte	3 & 3			Bravo Three
20	SS	Matte	3 & 3			Bravo Three

Pre 2008 3 blade Front/Rear Mercury MerCruiser Bravo Three

3 blade front 3 blade rear propellers

For listing of New style 4 blade front 3 blade rear propellers Bravo Three in Mercury Propeller Application Charts section of guide
Mixing of old style and new style props is not recommended for best performance

All Engines

Bravo Three Propeller Hardware (not included with propellers):

Forward Thrust Washer 805101T

Aft Thrust Washer 805100

Forward Prop Nut 859131

Aft Prop Nut 862907

Bravo Three Inner Prop Nut Wrench 805457T 1

Pitch	Material	Finish	Blades (Front & Rear)	LH Rotation Front Prop	RH Rotation Rear Prop	Model
30 Cup	SS	Matte	3 & 3			Bravo Three
30	SS	Matte	3 & 3	48-831867A60	48-831868A60	Bravo Three
28 Cup	SS	Matte	3 & 3			Bravo Three
28	SS	Matte	3 & 3			Bravo Three
26 Cup	SS	Matte	3 & 3			Bravo Three
26	SS	Matte	3 & 3			Bravo Three
24 Cup	SS	Matte	3 & 3			Bravo Three
24	SS	Matte	3 & 3			Bravo Three
22 Cup	SS	Matte	3 & 3			Bravo Three
22	SS	Matte	3 & 3			Bravo Three
20 Cup	SS	Matte	3 & 3			Bravo Three
20	SS	Matte	3 & 3			Bravo Three

MerCruiser 215E/215H/All II-TR & TR

NLA = 48-57270A1, 48-57271A1, 48-54733A1, 48-54733A4, 48-57268A1, 48-57269A1, 48-54731A1, 48-54731A4, 48-57266A1, 48-57267A1, 48-54719A1, 48-54720A1, 48-54717A1, 48-54718A1

Thrust Washer 55074T Tab Washer 14-34817 Washer 12-55073 (NLA) Nu

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
54726A 4	18	23C	AL	3	LH	48-18619A40
57264A 1	19-1/4	23	AL	3	RH	48-18618A40
57265A 1	19-1/4	23	AL	3	LH	48-18619A40
77902A 1	19-1/4	23	AL	3	RH	48-18618A40
77902A10	19-1/4	23	AL	3	RH	48-18618A40
48-18618A40	16-1/2	23C	AL	3	RH	AVAIL.
77903A 1	19-1/4	23	AL	3	LH	48-18619A40
77903A10	19-1/4	23	AL	3	LH	48-18619A40
48-18618A40	16-1/2	23C	AL	3	LH	AVAIL.

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
54727A 1	18-1/2	21	AL	3	LH	48-18617A40
54727A 4	18-1/2	21C	AL	3	LH	48-18617A40
57262A 1	19-1/2	21	AL	3	RH	48-18616A40
57263A 1	19-1/2	21	AL	3	LH	48-18617A40
69262A 1	19-1/2	21	AL	3	RH	48-18616A40
77900A 1	19-1/2	21	AL	3	RH	48-18616A40
77900A10	19-1/2	21	AL	3	RH	48-18616A40
48-18616A40	16-3/4	21C	AL	3	RH	AVAIL.
77901A 1	19-1/2	21	AL	3	LH	48-18617A40
77901A10	19-1/2	21	AL	3	LH	48-18617A40
48-18617A40	17-3/4	21C	AL	3	LH	AVAIL.
54725A 1	19	19	AL	3	LH	48-18615A40
54726A 1	19	19	AL	3	RH	48-18614A40
63305A 1	19-3/4	19	AL	3	LH	48-18615A40
63306A 1	19-3/4	19	AL	3	RH	48-18614A40
69260A 1	19-3/4	19	AL	3	RH	48-18614A40
77898A 1	19-3/4	19	AL	3	RH	48-18614A40
77898A10	19-3/4	19	AL	3	RH	48-18614A40
	19-3/4	19C	AL	3	RH	AVAIL.
48-18614A40	17-1/4	19C	AL	3	RH	AVAIL.
77899A1	19-3/4	19	AL	3	LH	48-18615A40
77899A10	19-3/4	19	AL	3	LH	48-18615A40
48-18615A40	17-1/4	19C	AL	3	LH	AVAIL.
54723A 1	20	17	AL	3	LH	
54724A 1	20	17	AL	3	RH	
63303A 1	20	17	AL	3	LH	
63304A 1	20	17	AL	3	RH	
77896A 1	20	17	AL	3	RH	
77896A10	20	17	AL	3	RH	
48-8M0078090	17-3/4	17C	AL	3	RH	AVAIL.
77897A1	20	17	AL	3	LH	
77897A10	20	17	AL	3	LH	
48-8M0078091	17-3/4	17C	AL	3	LH	AVAIL.
54721A 1	19-3/4	15	AL	3	LH	
54722A 1	19-3/4	15	AL	3	RH	
77894A 1	19-3/4	15	AL	3	RH	
77894A10	19-3/4	15	AL	3	RH	
48-8M0078088	18-1/4	15C	AL	3	RH	AVAIL.
77895A 1	19-3/4	15	AL	3	LH	
77895A10	19-3/4	15	AL	3	LH	
48-8M0078089	18-1/4	15C	AL	3	LH	AVAIL.

MerCruiser TRS - Mirage

Rubber Hub - 370 Hp & Below

Thrust Hub 13171 Tab Washer 14-816629 Washer Splined 12-31211A2 Nut 11-52707A1

Solid Hub - 370 Hp & Up

Thrust Hub 14359 Splined Washer (FWD) 12-39701 Flat Washer (Rear) 12-39698 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
821720A 5	14-3/4	29C	SS	3	RH	
821719A 5	14-3/4	29C	SS	3	LH	
19836A 5	14-3/8	27C	SS	3	RH	18280A56
18280A56	14-3/8	27C	SS	3	RH	N.L.A.
19835A 5	14-3/8	27C	SS	3	LH	48-18281A56
13248A 5	14-1/2	25C	SS	3	RH	
13247A 5	14-1/2	25C	SS	3	LH	

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
13246A 5	14-5/8	23C	SS	3	RH	
13245A 5	14-5/8	23C	SS	3	LH	
13244A 5	14-3/4	21C	SS	3	RH	
13243A 5	14-3/4	21C	SS	3	LH	
13242A 5	15-1/4	19C	SS	3	RH	
13241A 5	15-1/4	19C	SS	3	LH	
19839A 5	15-1/2	17C	SS	3	LH	
19834A 5	15-1/2	17C	SS	3	RH	18278A56
19834A50	15-1/2	17	SS	3	RH	18278A56
18278A56	15-1/2	17	SS	3	RH	N.L.A.
19835A50	14-3/8	27	SS	3	LH	48-18281A56
19836A50	14-3/8	27	SS	3	RH	18280A56
19836A50	15-1/2	17	SS	3	LH	
13241A50	15-1/4	19	SS	3	LH	
13242A50	15-1/4	19	SS	3	RH	
13243A50	14-3/4	21	SS	3	LH	
13244A50	14-3/4	21	SS	3	RH	
13245A50	14-5/8	23	SS	3	LH	
13246A50	14-5/8	23	SS	3	RH	
13247A50	14-1/2	25	SS	3	LH	
13248A50	14-1/2	25	SS	3	RH	
821719A50	14-3/4	29	SS	3	LH	
821720A50	14-3/4	29	SS	3	RH	

MerCruiser TRS - Cleaver (Solid Hub)

Splined Washer (FWD) 12-39701 Flat Washer (Rear) 12-39698 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
74603A 4	14-1/4	25C	SS	3	LH	
13247A50	14-1/2	25	SS	3	LH	
74604A 4	14-1/4	25C	SS	3	RH	
13248A50	14-1/2	25	SS	3	RH	
68560A 4	15	23C	SS	3	RH	
74601A 4	14-1/2	23C	SS	3	LH	
13245A50	14-1/2	23	SS	3	LH	
74602A 4	14-1/2	23C	SS	3	RH	
13246A50	14-1/2	23	SS	3	RH	
68557A 4	15-1/4	21C	SS	3	LH	
68558A 4	15-1/4	21C	SS	3	RH	
74599A 4	14-3/4	21C	SS	3	LH	
13243A50	14-5/16	21	SS	3	LH	
74600A 4	14-3/4	21C	SS	3	RH	
13244A50	14-5/16	21	SS	3	RH	
68555A 4	15-1/2	19C	SS	3	LH	
68556A 4	15-1/2	19C	SS	3	RH	
74597A 4	15	19C	SS	3	LH	
13241A50	15	19	SS	3	LH	
74598A 4	15	19C	SS	3	RH	
13242A50	15	19	SS	3	RH	

MerCruiser TRS - Cleaver (Rubber Hub)

NLA = 48-89799A5, 48-89801A5, 48-89803A5, 48-89804A5, 48-89805A5, 48-89806A5
 Thrust Hub 92950 Tab Washer 14-816629 Washer 12-31211A2 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
89805A 4	14-1/4	25C	SS	3	LH	N.L.A.
89806A 4	14-1/4	25C	SS	3	RH	N.L.A.
89803A 4	14-1/2	23C	SS	3	LH	N.L.A.
89804A 4	14-1/2	23C	SS	3	RH	N.L.A.
89801A 4	14-3/4	21C	SS	3	LH	N.L.A.
89802A 4	14-3/4	21C	SS	3	RH	N.L.A.
89802A 5	14-3/4	21C	SS	3	RH	N.L.A.
89799A 4	15	19C	SS	3	LH	N.L.A.
89800A 4	15	19C	SS	3	RH	N.L.A.
89800A 5	15	19C	SS	3	RH	N.L.A.

MerCruiser TRS - Laser

370 Hp & Below Only
 Thrust Hub 12-835467 1 Tab Washer 14-816629 Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
11078A40	14-1/8	25	SS	3	RH	
11074A40	14-1/4	23	SS	3	RH	
11070A40	14-3/8	21	SS	3	RH	48-825862A47

MerCruiser TRS - Standard (Aluminum)

255 & 280 Hp Only
 NLA = 48-66141A4, 48-66143A4, 48-66145A4, 48-66147A4
 Thrust Hub 56292A4 Tab Washer 14-816629 Washer 12-31211A3 Nut 11-52707Q1

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
65480A 4	14-1/2	25C	AL	3	RH	N.L.A.
79580A 4	14-1/2	25C	AL	3	RH	N.L.A.
78126A40	13-3/8	25C	AL	3	RH	N.L.A.
67874A 4	15	23C	AL	3	RH	48-832834A45
79578A 4	15	23C	AL	3	RH	48-832834A45
78124A40	13-1/2	23C	AL	3	RH	48-832834A45
65992A 4	15-1/4	21C	AL	3	RH	48-832832A45
79576A 4	15-1/4	21C	AL	3	RH	48-832832A45
78122A40	13-3/4	21C	AL	3	RH	48-832832A45
66432A 4	15-1/2	19C	AL	3	RH	48-11324A45
11324A45	15-1/2	19C	AL	3	RH	AVAIL.
79574A 4	15-1/2	19C	AL	3	RH	48-11324A45
11324A45	15-1/2	19C	AL	3	RH	AVAIL.
78120A40	14	19C	AL	3	RH	48-832830A45
66450A 4	16	17C	AL	3	RH	48-16440A45
79572A 4	15-3/4	17C	AL	3	RH	48-16440A45
78118A40	14-1/2	17C	AL	3	RH	48-832828A45
832828A45	14-1/2	17C	AL	3	RH	AVAIL.
16440A40	16	16C	AL	3	RH	48-16440A45

MerCruiser II

NLA = 48-54352A1, 48-54352A4, 48-54353A1, 48-54353A4, 48-53496A1, 48-53496A4, 48-53497A1, 48-53497A4, 48-49978A1, 48-49978A4, 48-49979A1, 48-49979A4, 48-54829A4, 48-49973A1, 48-49973A4, 48-49974A1, 48-49974A4, 48-33237A1, 48-33238A1, 48-33238A4, 48-4997

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
	19-1/2	21	AL	3	RH	AVAIL.
	19-3/4	19	AL	3	RH	AVAIL.

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

HISTORICAL PROPELLER CHARTS

MerCruiser III

NLA = 48-47691A1, 48-47691A4, 48-47692A1, 48-47692A4, 48-47693A1, 48-47693A4, 48-47694A1, 48-47694A4, 48-47695A4, 48-47696A4, 48-47697A1, 48-47697A4, 48-47698A1, 48-47698A4, 48-47699A4, 48-47700A4, 48-47701A1, 48-47707A4, 48-47702A1, 48-47702A4, 48-4770

Part No.	Diameter	Pitch	Material	Blades	Rotation	Status or Supersession
47707A 1	19-1/4	25	AL	3	LH	N.L.A.
47708A 1	19-1/4	25	AL	3	RH	N.L.A.
47705A 1	19-3/4	23	AL	3	LH	N.L.A.
47704A 1	20	21	AL	3	RH	N.L.A.
47699A 1	20	17	AL	3	LH	N.L.A.
47700A 1	20	17	AL	3	RH	N.L.A.
47695A 1	20	13	AL	3	LH	N.L.A.
47696A 1	20	13	AL	3	RH	N.L.A.
47704A10	20	21	AL	3	RH	N.L.A.
47708A10	19-1/4	25	AL	3	RH	N.L.A.
47707A10	19-1/4	25	AL	3	LH	N.L.A.
47699A10	20	17	AL	3	LH	N.L.A.
47700A10	20	17	AL	3	RH	N.L.A.
47695A10	20	13	AL	3	LH	N.L.A.
47696A10	20	13	AL	3	RH	N.L.A.

PROPELLER HARDWARE AND ACCESSORIES

HUB CROSS-REFERENCE CHART

Mercury Rubber Hub Cross-Reference Chart

Application	Name	Hub Style	Hub or Sleeve P/N	Thrust Washer	Aft Washer / Sheer Pin	Nut	Cotter Pin	Nut Kit
Mercury/Mariner 2.5-3.5 HP FourStroke	Flo-Torq I	Rubber	N/A	N/A	17-815111Q02	N/A	18-95295Q	N/A
Mercury/Mariner 4-6 HP FourStroke	Flo-Torq I	Rubber	N/A	16145Q01	12-16146	11-16147	18-815026	N/A
Mercury/Mariner 8-9.9 HP(2005 and Newer)	Flo-Torq I	Rubber	897453T	8M0131240	12-16146	11-16147	18-815026	803743Q02
Mercury/Mariner 6-15 HP 2-Stroke, 9.9 HP FourStroke (1995-2004), 15 HP FourStroke (Thru 2007)	Flo-Torq I	Rubber	827598T	821932 1	23-42091 1	11-40140	N/A	11-13914Q02
Mercury/Mariner 9.9 HP BigFoot, ProKicker (2005 and Newer) 15-20 FourStroke (2007 and Newer)	Flo-Torq I	Rubber	8M0054769	803743	12-16140 2	11-16147 1	18-815026 4	803743Q01
Mercury/Mariner 20/25 HP 2-Strokes (1980-2006), 9.9 & 15 HP BigFoot (1999-2004)	Flo-Torq I	Rubber	19669T	858498	N/A	11-40119 12	N/A	11-40119Q02
Mercury/Mariner 25-30 HP FourStrokes (2006 and Newer)	Flo-Torq I	Rubber	897001T	16145 2	12-16140 2	11-16147 1	N/A	13914Q03
Mercury/Mariner 25 HP BigFoot, 30 HP 2-Strokes, 40-60 HP 2-Strokes and FourStrokes excluding BigFoot(1977 and Newer)	Flo-Torq I	Rubber	43676T	73345A 1	14-76281Q	11-69578Q 1	N/A	11-31990Q02
Mercury/Mariner 40-60 BigFoot FourStrokes with Silver (A33) Propellers	Flo-Torq I	Rubber	859173	12-835467Q01	12-31211Q03	11-52707Q 1	N/A	11-827614Q01

FLO-TORQ APPLICATION CHARTS

Mercury/Mariner/Force & MerCruiser Sterndrive

Application	Flo-Torq Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/Washer	Nut
Mercury 75 2-Stroke (1984 and newer), 90 & 115 2-Stroke (1978 and newer), 125 HP (1994 and newer), Verado 200-300 HP, Alpha & Bravo 1 Sterndrives	835257Q 1	12-835467Q01	835290Q 1	N/A	826074Q 1	8M0042130	11-52707Q 1
Force 75 (1999), 90-150 (1995 and newer)	835257Q 1	12-835467Q01	835290Q 1	N/A	826074Q 1	8M0042130	11-52707Q 1
Mercury 40 CT - 225 HP FourStroke for vibration reduction	8M0150152	12-835467Q01	8M0173051	N/A	8M0173049	8M0042130	11-52707Q 1
Mercury 40 CT - 300 HP FourStroke, high perf for vibration reduction	8M0101604	12-835467Q01	N/A	N/A	N/A	8M0042130	11-52707Q 1
Mercury 40 CT - 300 HP For Use With Surfacing Propellers; Tempest Plus, Trophy Plus, & Fury	835257Q 6	12-835467Q01	835290Q 1	23-856163Q 1	826074Q 1	8M0042130	11-52707Q 1
Mercury Racing Choppers & Cleavers for V-6 Outboards	835258Q 1	12-835467Q01	850821Q11	N/A	826074Q 1	8M0042130	11-52707Q 1
Mercury 400+ Bravo I	835258Q 2	12-835467 5	850821Q2	849501	826074Q 1	8M0042130	11-52707Q 1
Mercury V8 FourStroke & 350 - 400 Verado Outboards (1.25 in. Shaft)	8M0101603	N/A	N/A	N/A	N/A	N/A	12-840383A 2

Yamaha Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Trust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/Washer	Nut	Cotter Pin
Yamaha 115, 130 HP (1984 and newer)	835271Q 2	12-853948T	835290Q 1	N/A	826074Q 1	12-850076	859939	18-47959
Yamaha 50-100 HP	835272Q 1	12-853555	835290Q 1	N/A	826074Q 1	12-850076	859939	18-47959
Yamaha 150-300 HP 4-Strokes, Including SHO	835274Q 1	12-853948T	835290Q 1	N/A	826074Q 1	12-887972	859939	18-47959
Yamaha 150-300 HP 2-Strokes, HPDI, VMAX and 130-300 HP Sterndrives	835271Q 2	12-853948T	835290Q 1	N/A	826074Q 1	12-850076	859939	18-47959
Yamaha 200-250 HP VMAX SHO 4-Strokes	8M0075402	23-8M0064826	835290Q 1	23-856163Q 1	826074Q 1	12-887972	859939	18-47959

PROPELLER HARDWARE AND ACCESSORIES

Evinrude/Johnson/OMC & Volvo SX Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Thrust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/Washer	Nut	Cotter Pin
Evinrude/Johnson V-4	835266Q 1(1)	859915	835290Q1(Delrin)	N/A	834839Q	N/A	859929	18- 89961
Johnson 90-115 HP 4-Stroke	835283Q 1	12-888939	835290Q1(Delrin)	N/A	826074Q 1	12-887972	859939	18- 47959
Johnson 140 HP 4-Stroke Outboard	835283Q 2	12-835467008	835290Q1(Delrin)	N/A	826074Q 1	12-887972	859939	18- 47959
Evinrude/Johnson/OMC Sterndrives V-6, V-8 (1991 and newer)	8M0119081	12-835467008	835290Q1(Delrin)	N/A	834839Q	12-887972	8M0107489	18- 89961
Evinrude/Johnson 250 V-6 (2002 and newer)	8M0119081	12-835467008	835290Q1(Delrin)	N/A	834839Q	12-887972	8M0107489	18- 89961
Evinrude/Johnson/OMC Stern Drives V-6, V-8 (1990 and earlier)	8M0119082	12-835467Q01	835290Q1(Delrin)	N/A	834839Q	12-887972	8M0107489	18- 89961
OMC Cobra SX/Volvo SX (1994 and newer) (19 tooth spline)	8M0119083	12-835467008	835290Q1(Delrin)	N/A	850330Q	879143	8M0107489	18- 89961

(1) Use hub kit only with Quicksilver small labyrinth seal propellers: QA2202X thru QA2208X, QA 3828X thru QA3832X and QS5136X thru QS5144X.

Honda Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Thrust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/Washer	Nut	Cotter Pin
Honda 75-90 HP 1999 & Newer, 115-130 HP (all years)	835279Q 2	12-853359	835290Q1(Delrin)	N/A	826074Q 1	8M0042130	11- 52707Q 1	N/A
Honda 75-90 HP thru 1998	835277Q 1	12-835467Q01	835290Q1(Delrin)	N/A	826074Q 1	8M0042130	11- 52707Q 1	N/A
Honda 135-250 HP 4-Stroke	835278Q 1	12-888451	835290Q1(Delrin)	N/A	826074Q 1	12-887972	859939	18- 47959

Suzuki & Tohatsu/Nissan Flo-Torq

Application	Flo-Torq II Hub Kit	Forward Thrust Washer	Drive Sleeve	Bushing	Aft Adaptor	Aft Spacer/Washer	Nut	Cotter Pin
Suzuki 60 HP 4-Stroke (1998 and newer), 70 HP 4-Stroke (1998-2008), 75-140 HP 2-Stroke	835282Q 1(1)	12-854621	835290Q 1	N/A	834839Q	12-887972	859939	18- 47959
Suzuki 70-90 HP (2009 and newer)	835283Q03	12-8M0042329	835290Q 1	N/A	826074Q 1	12-887972	859939	18- 47959
Suzuki 90-115 HP 4-Stroke (2001-2008)	835283Q 1	12-888939	835290Q 1	N/A	826074Q 1	12-887972	859939	18- 47959
Suzuki 140 HP 4-Stroke, 100-115 HP 4-Stroke (2009 and newer)	835283Q 2	12-835467008	835290Q 1	N/A	826074Q 1	12-887972	859939	18- 47959
Suzuki 150-300 HP	835281Q 1	12-853359	835290Q 1	N/A	826074Q 1	12- 31211Q03	859939	18- 47959
Tohatsu/Nissan 60-140 HP	835284Q 1	12-853948T	835290Q 1	N/A	826074Q 1	12- 16140	11- 16147	18-815026

(1) Use hub kit only with Quicksilver small labyrinth seal propellers: QA2202X thru QA2208X, QA 3828X thru QA3832X and QS5136X thru QS5144X.

FLO-TORQ REFLEX HUB KITS

FLO-TORQ REFLEX HUB KIT MERCURY



835257Q12

Kit includes: Forward thrust washer, Reflex drive sleeve (8M0047148), Aft Washer and Prop Nut (8M0045381).

Mercury/Mariner 40-60 HP FourStroke (not CT/BigFoot), 30 HP FourStroke 1994-2005, 30-60 HP 2-Stroke 1977 and newer, 25 HP CT/BigFoot, 55 HP SeaPro/Marathon, Yamaha 40-60 HP (Excluding 50T and 60T), Honda 40-50 HP with separately purchased 8M0046466 Thrust Washer, Suzuki 35-60 HP with separately purchased 8M0088039 Thrust Washer, Tohatsu 35-50 hp with separately purchased 8M0053074 Thrust Washer
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ REFLEX DRIVE SLEEVE




8M0047148

Plastic drive sleeve Flo-Torq Reflex Composite Drive Sleeve

FLO-TORQ II & SSR HUB KITS

Quicksilver Propellers can improve performance of any boat. Use the following section to find the proper hardware selection for your engine.

FLO-TORQ SSR



8M0150151

Specifically designed with the new Mercury FourStroke V6 engine to virtually eliminate prop rattle and shift clunk, providing a quieter boating experience. Also works well on 75 - 150 horsepower FourStroke engines.

For use with current Mercury/Mariner FourStroke outboards 40 CT - 225 HP (1" prop shaft)

Reference hub kit selection guide at beginning of for application information.

Not for use with legacy Two or FourStroke outboards or Alpha One stern drives.

Kit includes:

- 8M0173051 Drive sleeve
- 8M0173049 Aft adapter
- 835467Q01 Thrust washer
- 8M0056234 Prop nut kit

FLO-TORQ SSR SOLID



8M0101602

For use with Mercury/Mariner FourStroke outboards 40 CT - 300 HP (1" prop shaft) & MerCruiser Bravo One Stern drives for high performance and surface-piercing applications.

Not for use with Two Stroke outboards or Alpha One stern drives

Kit includes: Drive sleeve, aft adapter

- 835467Q01 Thrust washer
- 8M0056234 Prop nut kit

MERCURY FLO-TORQ SSR HD



8M0101601

For use with heavy duty 1.25" propshaft on Mercury V8 FourStroke and 350-450 HP Verado outboards. For all applications.

- Kit includes: Drive sleeve
- 840383A2 Prop nut kit

FLO-TORQ II HUB KIT MERCURY



835257Q 1

- 835467Q01 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter with tab washer
- 8M0056234 Prop nut

Mercury/Mariner 40-60 HP CT/Bigfoot, 70-250 HP, Force 90-120 HP, Verado 150-300 HP, MerCruiser Alpha, Alpha One & Bravo One (under 400 HP)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT WITH BUSHING MERCURY



835257Q 6

- 835467Q01 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 856163 1 Bushing
- 826074Q1 Aft adapter with tab washer
- 8M0056234 Prop nut

Typically used with high speed surface piercing applications. Propellers used in these applications are the Mercury Fury, Fury 4, Tempest, Rev 4, Bravo I and Quicksilver Q4.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II SOLID HUB KIT MERCURY



835258Q 1

Kit contains: Forward thrust washer (hardened), Steel (3 7/8 in.) drive sleeve, Aft adapter, Tab Washer & Prop nut

For use with Chopper, Cleaver, Lightning ET, Pro ET & old style Bravo I (with MerCruiser logo) propellers.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

FLO-TORQ II SOLID HUB KIT MERCURY



835258Q 2

Kit contains: Forward thrust washer (hardened), Steel (3 5/8) drive sleeve, Aft adapter, Tab washer & Prop nut
Standard length hub for use with Fury, Tempest Plus, Mirage Plus, REV 4, Trophy Plus, Bravo I & Maximus propellers (Bravo One Sterndrive 400HP+, 1" prop shaft).
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HD SOLID HUB KIT MERCURY



840389Q06

840382A02 Black snubber strip replacement kit
840383A 2 Prop nut and washer kit
8M0142084 HD Prop Hub Bushing Kit

For use with HD (Heavy Duty) 1.25" propshaft when installed on Sport Master, Torque, Torque II, HD Fleet Master, Verado 5.25" outboard gearcases, MerCruiser Bravo One XR or XZ, Sport Master, shorty Sport Master and Sport sterndrives.
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT HONDA



835277Q 1

835467Q01 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter with Tab Washer
8M0056234 Prop nut

Honda outboards (75-90 HP thru 1998)
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT HONDA



835279Q 2

853359 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q 1 Aft adapter
887972 Washer
859939 Prop Nut
88961 Cotter pin
Honda outboards (75-90 HP 1999-present, 115-130 HP)
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT HONDA



835278Q 1

888451 Forward thrust washer
835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
887972 Spacer
859939 Nut
89961 Cotter Pin
Honda 135, 150, 200, 225 and 250 HP 4-Stroke. Can be used with Mercury Racing propellers.
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE E-TEC G2



8M0107220

835290Q 1 Plastic drive sleeve
826074Q1 Aft adapter
89961 Cotter pin

Evinrude E-TEC G2, 2014 AND NEWER
Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE & JOHNSON



835266Q 1

- 859915 Thrust washer
- 835290Q 1 Plastic drive sleeve
- 834839Q Aft adapter
- 859929 Nut
- 89961 Cotter pin

Evinrude & Johnson outboards (V-4 gearcase, 1968-present). For use with propellers that have cut down labyrinth seal.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT



835283Q 1

- 888939 Fwd thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 887972 Washer
- 859939 Nut
- 89961 Cotter Pin

Johnson & Suzuki 90-115 HP 4-Stroke outboards

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835283Q 2

- 835467 1 Forward thrust washer
- 835257Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 887972 Washer
- 859939 Nut
- 89961 Cotter Pin

Johnson & Suzuki 140 HP 4-Stroke outboards

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835282Q 1

- 854621 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 834839Q Aft adapter
- 854621 Washer
- 859939 Nut
- 89961 Cotter Pin

Suzuki 60 HP 4-Stroke (1998 and Newer) 70 HP 4-Stroke (1998-2008) 75-140 HP 2-Stroke

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835281Q 1

- 853359 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 31211A3 Washer
- 859939 Nut
- 89961 Cotter Pin

Suzuki 150-225 HP 2-Stroke Outboards and 150-250 HP 4-Stroke Outboards. Can be used with Mercury Racing propellers.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT SUZUKI



835283Q03

- 8M0042329 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 887972 Washer
- 859939 Nut
- 89961 Cotter Pin

Suzuki 70-90 HP 2009 and Newer

Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

FLO-TORQ II HUB KIT TOHATSU



835284Q 1

- 853948 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 16140 Washer
- 16147 Nut
- 815026 Cotter Pin

Tohatsu/Nissan (70C, 90-140 HP)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ HUB KIT OMC COBRA / VOLVO SX



8M0119083

- 835467 7 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 850330Q Aft adapter
- 89961 Cotter Pin

OMC Cobra an Volvo SX stern drive 19-tooth spline 1996 & Newer. Caution! When installing stainless steel propellers, remove the anode to bearing carrier and check clearance before operation.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE, JOHNSON AND OMC



8M0119081

- 835467008 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 834899Q Aft adapter
- 89961 Cotter Pin

Evinrude/Johnson outboards and OMC stern drive (V6 & V8 gearcase, 1991 and newer including 150+ hp outboards and 2003 V6 with crescent gearcase. Caution! When installing stainless steel propellers, remove the anode to bearing carrier and check clearance before operation. Will not work with the OMC Cobra.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



835272Q 1

- 853555 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 850076 Spacer
- 859935 Nut
- 89961 Cotter Pin

Yamaha outboards (50-100 HP, splined forward thrust washer)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT EVINRUDE, JOHNSON AND OMC



8M0119082

- 835467 1 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 834899Q Aft adapter
- 89961 Cotter pin

Evinrude/Johnson, OMC stern drives (V-6 & V-8 gearcase, 1984-1990). Caution! When installing stainless steel propellers, remove the anode to bearing carrier and check clearance before operation.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



835271Q 2

- 853948T Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 850076 Spacer
- 859939 Nut
- 89961 Cotter Pin

Yamaha 150-300 HP HPDI 2-stroke outboards using a one piece thrust washer and all Yamaha stern drives

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT YAMAHA



8M0075402

- 8M0064826 Forward thrust washer
- 835257Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 887972 Spacer
- 859939 Nut
- 89961 Cotter Pin

115-250 HP VMAX SHO 4 stroke outboards using a two piece thrust washer.

Use part number 835274Q1 if OEM hub uses single piece thrust washer

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ III HUB KIT YAMAHA



835272Q09

- 853555 Forward thrust washer
- 881940A 1 Drive Sleeve Assembly
- 8M0061986 Aft adapter
- 850076 Spacer
- 859939 Nut
- 89961 Cotter Pin

Yamaha outboards (50-100 HP, splined forward thrust washer)

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ IV HUB KIT YAMAHA



835271Q09

- 853948 Forward thrust washer
- 896233A01 Drive Sleeve Assembly
- 8M0061986 Aft adapter
- 850076 Spacer
- 859939 Nut
- 89961 Cotter Pin

Yamaha outboards & stern drives (V-4 & V-6 gearcase, 1980-present), excluding the four stroke 225EFI.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

FLO-TORQ II HUB KIT



835274Q 1

- 853948 1 Forward thrust washer
- 835290Q 1 Plastic drive sleeve
- 826074Q1 Aft adapter
- 887972 Spacer
- 859939 Nut
- 89961 Cotter Pin

150-300 HP 4 stroke outboards and 115-250 VMAX SHO outboards using OEM single piece thrust washer

Use p/n 8M0075402 for 115-250 VMAX SHO outboards using OEM two piece thrust washer

Quicksilver Branded, Hanging Box Point of Sale Packaged.


FLO-TORQ REFLEX DRIVE SLEEVE



8M0047148

Plastic drive sleeve Flo-Torq Reflex Composite Drive Sleeve

DRIVE SLEEVE



8M0173051

Drive sleeve for Flo-Torq SSR. Use only with aft adapter 8M0173049.

See Flo-Torq SSR hub kit for application information.

Quicksilver Branded, Hanging Box Point of Sale Packaged.

DRIVE SLEEVE



835290Q 1

Plastic drive sleeve Flo-Torq II

Quicksilver Branded, Hanging Box Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

HUB ASSEMBLY WITH SLEEVE



850821Q11

Long, (3 7/8") with bushing (849501-1), included in steel hub kits
Stainless steel drive sleeve for A45/A55 P/N suffix (400 HP+) for use with Chopper, Cleaver, Lightning ET, Pro ET & Bravo I (with MerCruiser logo) propellers. Used with Mercury and selected Yamaha propshafts.
Quicksilver Branded, Hanging Box Point of Sale Packaged.


HUB ASSEMBLY WITH SLEEVE



850821Q12

Short, (3 5/8") with bushing (849501-1), included in steel hub kits
Stainless steel drive sleeve for A46/A47/A56 P/N suffix (400 HP+). Standard length hub for use with Tempest Plus, Mirage Plus, REV 4, Trophy Plus, Bravo I & Maximus propellers (Bravo One Sterndrive 400HP+, 1" prop shaft). Used with Mercury and selected Yamaha propshafts.
Quicksilver Branded, Hanging Box Point of Sale Packaged.


AFT ADAPTER



8M0173049

Adapter for use with only Flo-Torq SSR drive sleeve 8M0173051 (15 Spline)
See Flo-Torq SSR hub kit for application information.
Quicksilver Branded, Hanging Box Point of Sale Packaged.

AFT ADAPTER WITH TAB WASHER



826074Q 1

Adapter for use with Flo-Torq II plastic Drive Sleeve (15 Spline)
Kit contains: 8M0042201 (aft adapter) & 8M0042130 (tab washer)
Mercury 40 BigFoot - 250 HP outboards & MerCruiser Alpha and Bravo One Sterndrives, Honda 75 - 225 HP, Suzuki 90 - 140 4-stroke & 150 - 225 HP, Tohatsu/Nissan 40 - 140 HP, Yamaha 50 - 225 HP outboards (1" prop shaft).
Quicksilver Branded, Hanging Box Point of Sale Packaged.

AFT ADAPTER WITH TAB WASHER



8M0061986

Kit contains 8M0115120 (aft adapter) & 8M0042130 (tab washer)
Drive sleeve for use with Flo-Torq III and IV. (15 Spline) Includes pin style tab washer
Quicksilver Branded, Box Point of Sale Packaged.

AFT ADAPTER



834839Q

Adapter OMC, Suzuki V-4 (Flo-Torq II) 13 spline

AFT ADAPTER



834899Q

Adapter OMC V-6, V-8 outboard (Flo-Torq II) 15 Spline

HUB KIT



8M8022263

Double nut kit for use with Mercury Racing NXT1 sterndrives adapting Cleaver propellers.

AFT ADAPTER



850330Q

Adapter Volvo SX, 19 spline (Flo-Torq II)

BUSHING - PROP HUB



23-849501Q 1

Included in steel hub kits (Flo-Torq II)

BUSHING - PROP HUB



23-856163Q 1

Forward bushing for Flo-Torq II drive sleeve
Typically used for Tempest Plus, Trophy Plus, Revolution 4 & Bravo 1 in a surface piercing application with Flo-Torq II.
Note, this bushing is included in Flo-Torq kit # 835257K6 / 835257Q 6.

BUSHING



23-823516

Blade bushing Power 2 shifting prop
Priced individually, sold @ multiples of 6

PROP BUSHING



23-822974

Prop Bushing.
Fits Mercury Racing Six and M8 Drive (thin wall).

PROP BUSHING



23-8M0108472

For Mercury Racing Cleavers with 1.25" propshaft.

PROP BUSHING



8M0142084

For Mercury Racing 1.25 inch HD SOLID Hub.

PROPELLER HARDWARE AND ACCESSORIES

PROP EXHAUST SEAL RING



878421

Will reduce ventilation when using Trophy Plus on a V-6 gearcase (prevents over/under exhaust).
Recommended on 200- 275 Verado when using Trophy Plus.


VENT CONTROL RING



8M0086395

Reduces ventilation when used with Pro Max propellers on 4.8" gearcase; also recommended to use on the Mercury 150 FS and 75 - 115 CT with Trophy Plus propellers. The vent control ring allows minimal exhaust to flow between gearcase and ring during planing. Place the ring chamfer side up on the floor, press the propeller into the ring.

RETAINING RING



53-822975

For Mercury Racing Six and M8 Drive prop bushing 822974.

53-8M0108475

For Mercury Racing Outboard Cleavers with 1.25" propshaft, bushing 8M0108472.

PROP REVERSE KIT



822559Q01

Prop reverse kit (6-15 HP 2-Stroke)
Priced individually, sold @ multiples of 2

SNUBBER STRIP KIT



840382A02

Snubber strips and double sided tape.
For use with Mercury Racing HD Hub Kit (840389Q06).

FLO-TORQ III HUB KIT YAMAHA



835272Q09

853555	Forward thrust washer
881940A 1	Drive Sleeve Assembly
8M0061986	Aft adapter
850076	Spacer
859939	Nut
89961	Cotter Pin

Yamaha outboards (50-100 HP, splined forward thrust washer)
Quicksilver Branded, Hanging Box Point of Sale Packaged.

ANODES

PROP NUT ANODE KIT



809664A 1

1-1/8 in. Shaft, 3/4 in. NF 16
Fits Mercury/Mariner 70 hp and higher outboards (except 225 EFI FourStroke);
Also fits MC-I, R, MR, Alpha, Bravo One & TRS sterndrives (1970 & newer)

PROP NUT ANODE KIT



97-809666A02

Aluminum, For use in saltwater or freshwater.
1-3/8 in. Shaft, 1 in. NF 14
Fits Bravo III drives (s/n 0M179451 and below)

97-809666A03

Magnesium, For use in freshwater only.
1-3/8 in. Shaft, 1 in. NF 14
Fits Bravo III drives (s/n 0M179451 and below)

REPLACEMENT PROP NUT ANODE



97-809662T

2 in. Aluminum Anode Shell
Replacement Shell for 809662A 1

REPLACEMENT PROP NUT ANODE



97-809666T

2-5/16 in. Aluminum Anode Shell
Replacement Shell for 809666A 1 and 809666A02

REPLACEMENT PROP NUT ANODE



97-809670T

2-1/2 in. Aluminum Anode Shell
Replacement Shell for 809670A 1

ANODIC PLATE



97-76214Q 5

Aluminum
Provides additional clearance for high rake propellers.
Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

DIFFUSER RINGS

DIFFUSER RING



87715T

Mercury 20-25 HP (current product)

DIFFUSER RING



68861T

Mercury/Mariner 25 (4-Stroke), 30-60 HP, Force 40-75 HP

DIFFUSER RING



68858T

Mercury/Mariner 41/4" gearcase current Black Max (75-125 HP)

PROPELLER HARDWARE AND ACCESSORIES

DIFFUSER RING



45676T

Mercury/Mariner V-6, Alpha, Bravo I & TRS (current 43/4" gearcase propellers)

DIFFUSER RING



54737T

MerCruiser Bravo II

DIFFUSER RING



42594T

OMC 9.9 - 15 HP

PROP NUT KITS

PROP NUT KIT

Image not Available.

8M0192279

Kit includes locking prop nut, washer, anode and pin.
For use with Joystick Piloting for Outboards (JPO) for Single-Engine Pontoons propeller 8M0180533.

PROP NUT KIT



FA94094-2

819883 Prop nut
18-89961 Cotter pin
25-20195 O-Ring
Force 30, 40, 50

PROP NUT KIT



11-13914Q02

821932 1 Thrust washer, 23-42091 1 Spacer, 11-40140 Prop nut
Mercury/Mariner 6-15 HP 2-cycle, 9.9 hp FourStroke (1994-2004), 15 hp FourStroke (1994-2006), Force 9.9/15 hp 2-cycle 1998 & newer.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



13914Q03

Prop nut, thrust hub, cotter pin & washer
Fits the Mercury/Mariner 25 & 30 hp. EFI FourStroke outboards beginning with MY2006.
Priced individually, sold @ multiples of 2

PROP NUT KIT



803743Q01

803743 THRUST HOLDER
12-16140 2 WASHER
11-16147 1 PROP NUT
18-815026 4 COTTER PIN

Fits the Mercury / Mariner 9.9 HP BF FS/ Pro Kicker, 15/20 HP FS (9.9 Big Foot Model Year 2005 and Newer) (15/20 HP FS 2007 and Newer).

Priced individually, sold @ multiples of 2

PROP NUT KIT



803743Q02

8M0070811 THRUST HOLDER
12-16146 WASHER
11-16147 PROP NUT
18-815026 1 COTTER PIN

Mercury / Mariner 8/9.9 HP FS, (Model Year 2005 and Newer)

Priced individually, sold @ multiples of 2

PROP NUT KIT



11- 64075A 1

23-65439 Spacer
12-79552 Washer
11-34933 Prop nut

Mercury/Mariner 200 (old 20 HP)

PROP NUT KIT



11- 69578Q 1

Kit includes a special locking nut and two tab washers.

For use on Mercury/Mariner 30-60 hp. outboard engines.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

HARDWARE KIT



8M0088039

Adapts 40-60 HP Black Diamond, Nemesis, and Silverado propellers with Flo-Torq Reflex Hubs to fit Suzuki 35-65 HP engines. Kit contains both forward and aft washers.

HARDWARE KIT



8M0053074

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance propellers with Flo-Torq Reflex Hubs to fit Tohatsu 40-50 HP engines. Kit contains both forward and aft washers.

PROP NUT KIT



11- 31990Q02

73345A1 Front thrust washer, 14-76281 Tab washer, 11-69578Q1 Prop nut
Mercury/Mariner 30/40 HP (1989 to present), 50-60 HP (1991 to present, excluding Bigfoot), Force 40-50 HP (1995 & newer), Force 70 HP (1991 & newer), Force 75 HP (1996). Rubber hub propellers only. Purchase this hardware kit to complete install of a rubber hub propeller when propeller hardware is not included with engine.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROPELLER HARDWARE AND ACCESSORIES

PROP NUT KIT



11-827614Q01

12-835467 1 Front thrust washer, 13-42351 1 Continuity washer, 12-31211A3 Washer, 14-816629Q Tab washer, 11-52707Q1 Prop nut
Mercury/Mariner 70 HP+ (non Flo-Torq II)
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11-827614Q04

13191A1 Front thrust washer, 14-816629Q Tab washer, 11-52707Q1 Prop nut
For Aft-Installed Rubber Hub Props: Fits Mercury/Mariner 70-140 (Inline 6 cyl. 1977 and newer), Mercury/Mariner 60 HP BigFoot and 75-125 HP (1987 & newer) 2-cycle outboards, Force 90-120 HP (1995 & newer) 2-cycle outboards.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



12-840383A 2

Kit includes locking prop nut, 1.5 in. washer, 1.5 in. cupped belleville washer & 13/16 in. spacer.
For use with HD (Heavy Duty) 1.25" propshaft when installed on Sport Master, Torque Master I and II, Fleet Master and Verado 5.25" gearcase and MerCruiser Bravo One XR or XZ, Sport Master and shorty Sport Master Bravo I XR Sport sterndrives. Tighten propeller nut to 55 lb-ft (75Nm).

PROP NUT KIT



11-8M0056234

Tab washer and Nut
Mercury/Mariner 40-60 HP CT/Bigfoot, 70-250 HP, Force 90-120, Verado 150-300 (1" prop shaft) & MerCruiser Alpha and Bravo One (under 400HP)
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11-52707Q 1

Two tab washers and Nut
For use on Mercury/Mariner 75 HP and higher outboard engines (except 225 EFI FourStroke) and for use on MerCruiser Alpha One and Bravo I drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



11-827614A 3

14359 Front thrust washer
12-31211A3 Washer
Bravo 1 (four blade stainless prop) & Mirage Plus (A50) solid hub (not Flo-Torq II)


PROP NUT KIT



802002Q 1

Fits all Johnson/Evinrude 20, 25, 30 & 35 HP 1976-2000 except 1991 25 HP DR, DE and DT International models.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUT KIT



802010Q 1

Fits all Johnson/Evinrude 2 cylinder 40-60 HP 1974 and newer, and 3 & 4 cylinder 60-140 HP 1971 and newer. Fits Stinger 400 1978-1986, OMC Cobra 4 cylinder 1986-1989, and OMC Cobra 2.3 Liter 1990.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

PROP NUTS

PROP NUT



11-826711 12

Power 2 Shifting Prop

Priced individually, sold @ multiples of 2

PROP NUT



11-F7048

Force 60, 85-150 (single exhaust)

Priced individually, sold @ multiples of 2

PROP NUT




11-826709 11

Mercury 3.9, 3.6, 39, 40, 60, 110

Priced individually, sold @ multiples of 5

PROP NUT




11-34933

7/16-20, nylon insert

For MCM inner transom studs and prop nut for Mercury 39, 60 (1968 & newer, 8 spline)

Priced individually, sold @ multiples of 10

PROP NUT



11-16147

Fits Mercury 4 & 5 HP, and fits the 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).

PROP NUT



11-40140

Mercury/Mariner 5-15 HP outboards using a Brass propnut with M10x1.5 threads and nylon insert.

Priced individually, sold @ multiples of 2

PROP NUT



11-88228

A special molded nylon propnut fitting the 18/20/25 Hp. 2-cycle Mercury/Mariner outboards (1980 & newer), and the F9.9/15, 323cc BigFoot FourStroke outboards.

Priced individually, sold @ multiples of 2

PROPELLER HARDWARE AND ACCESSORIES

PROP NUT KIT



11- 64075A 1

23-65439 Spacer
12-79552 Washer
11-34933 Prop nut
Mercury/Mariner 200 (old 20 HP)

PROP NUT



11- 46335

Mercury/Mariner 18-25 HP (1980-present)

PROP NUT



11-862907

Bravo Three (rear), Bravo Four S (front), Zeus (rear)
Use 1-7/16 in. socket

PROP NUT



11-8M0105210

Bravo Three (front), Bravo Four S (rear), Zeus (front)
Use prop wrench 91-805457T1


PROP NUT



11- 826711 27

12-39817 Prop washer
For use with Bravo II and Mercury Racing Six Drive

PROP NUT



859929

OMC 40-140 HP V-4 (OEM P/N 314053)

PROP NUT



859939

Suzuki DT 40-65, 75-115 HP V-4, V-6 (OEM P/N 09141-18005), Yamaha V-4 & V-6 (OEM P/N 90171-18M04-00), Honda 75-115 & FS200-225 HP (OEM P/N 90301-ZW1-B00)

SHEAR PINS

SHEAR PIN KIT



FA324101

17-820150 Shear Pin (3)18-45882 Cotter Pin
Force 4-15 HP

SHEAR PIN



17-815111Q02

Fits the Mercury/Mariner/Force 2/2.5/3/3.3hp 2-cycle and 2/2.5/3.5hp FourStroke outboards. Visit the prop charts or parts catalogs for proper matching selections. Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

COTTER PINS

COTTER PIN



18-89961

1/8" X 1-1/4"
Force 30, 40, 50

COTTER PIN



18-815026

Fits Mariner 9.9C (682) 15C (684), and fits Mercury/Mariner 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer). Priced individually, sold @ multiples of 5

COTTER PIN



18-95295Q

Thruster (R, RL, RX, T series) Mariner 30 (689B)
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

SPACERS

SPACER



23-42091 1

Mariner 9.9-15 HP

SPACER



12-850076

Yamaha 60-250 HP, includes sterndrives (Flo-Torq II)

SPACER



12-29710

Cupped Washer, 40HP Big Foot - old V6
Priced individually, sold @ multiples of 3

SPACER



12-54738

Cupped Washer, Bravo II

PROPELLER HARDWARE AND ACCESSORIES

SPACER



12- 55072

Cupped Washer, Bravo II

WASHERS

WASHER



12- 31211Q03

Fits following product with rubber hub propellers (non-Flo-Torq II): Mercury/Mariner 135-275 (V-6, 2-cycle) and Alpha, Bravo I (w/o Flo-Torq II Hub).

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

WASHER



12- 20084

Mercury 39, 60, 110 (1967 & older, 6 spline)

Priced individually, sold @ multiples of 5

WASHER



12- 27025

Mercury 39, 60, 65, 110

Priced individually, sold @ multiples of 5

WASHER



12- 16146

Fits Mercury 4 & 5HP, and fits the 8/9.9 hp. FourStroke standard gearcase outboards (Model Year 2005 & newer).

WASHER



12- 39701

Bravo I

WASHER



12- 55073A 2

Bravo II

WASHER



12- 39817

For use with Mercury Racing Six Drive prop shaft.

WASHER



12-887972

Washer
Evinrude/Johnson V6 Outboards and Sterndrives 1991 and newer, Yamaha 150-300 HP 4-Stroke outboards and Honda outboards 75-225HP
Priced individually, sold @ multiples of 2

CONTINUITY WASHER




13-42351 1

Mercury/Mariner 135-275 V-6, Alpha, Bravo I, (w/o Flo-Torq II Hub)
Priced individually, sold @ multiples of 2

TAB WASHERS

TAB WASHER



14-76281

Fits Mercury/Mariner 30-60 hp. (non-Bigfoot) outboard engines.
Priced individually, sold @ multiples of 5

TAB WASHER



8M0042130

For Mercury/Mariner 40-60 hp FourStroke BigFoot, 75-300 hp 2-stroke and 4-stroke outboards, Alpha and Bravo I sterndrives using a stainless steel two pin drive sleeve adapter.

TAB WASHER



14-816629Q

For Mercury/Mariner 40-60 hp FourStroke BigFoot, 75-300 hp 2-stroke and 4-stroke outboards, Alpha and Bravo I sterndrives using a bronze drive sleeve adapter.

Priced individually, sold @ multiples of 2
Quicksilver Branded, Peg Display Card Point of Sale Packaged.

TAB WASHER



14-34817

Bravo II

THRUST WASHERS

THRUST WASHER



803890T

Force 90-150 (dual exhaust)

THRUST WASHER



73345A 1

For use with 3 blade stainless steel - Cleaver or Chopper II
Fits Mercury 40-60 standard gearcase. Use with rubber props only - do not use with Flo-Torq Reflex propellers.

THRUST WASHER



16145Q01

Mercury 4-5 HP
Priced individually, sold @ multiples of 2
Quicksilver Branded, Peg Display Card Point of Sale Packaged.

FORWARD THRUST WASHER



8M0131240

Fits the standard prop on the Mercury/Mariner 8/9.9 hp. FourStroke standard gearcase outboards, Model Year 2005 & newer.

THRUST WASHER



23- 85964A 1

Mercury 200 (old 20 HP)

THRUST WASHER



858498

For use with 3 blade stainless steel - Cleaver & Chopper II
Fits Mercury 20-25

THRUST WASHER



73345A 1

For use with 3 blade stainless steel - Cleaver or Chopper II
Fits Mercury 40-60 standard gearcase. Use with rubber props only - do not use with Flo-Torq Reflex propellers.

THRUST WASHER



38859A 1

Mercury 350-700 (old 35-75 HP)

THRUST WASHER



13191Q01

Flat type
Fits 75 - 125 hp outboards with rubber hub props
Fits 40-60 hp FourStroke BigFoot
Rubber Hub Chopper
Priced individually, sold @ multiples of 2
Quicksilver Branded, Peg Display Card Point of Sale Packaged.

THRUST WASHER



14359

Mercury/MerCruiser A50 solid hub & Power 2

THRUST WASHER



12-835467Q01

Fits the following product when used with Flo-Torq II hub propellers:

Mercury/Mariner 40-60 hp BigFoot FourStroke
 Mercury/Mariner 75-125 hp 2-cycle and FourStroke
 Mercury/Mariner 135-275 hp 2-cycle
 Force 75 hp (1999) & 90-1150 hp (1995 and newer)
 Mercury MerCruiser Alpha and Bravo I sterndrives
 Evinrude/Johnson V-6 outboards 1990 and prior
 OMC sterndrives V-6 & V-8 gearcases 1984-1990
 Honda 75-90 hp outboards 1998 and prior
 Suzuki 140 hp 4-stroke outboards

Caution should be exercised to assure the correct thrust hub is matched with the prop in use. Used with Flo-Torq II & III Delrin (plastic) hub kit propellers.

Priced individually, sold @ multiples of 2

Quicksilver Branded, Peg Display Card Point of Sale Packaged.

THRUST WASHER



12-835467 5

Front, included in steel hub kits

Mercury/MerCruiser A55 & A56 solid hub applications (Flo-Torq II)

THRUST WASHER



55074T

Bravo Two (front)

THRUST WASHER



805100

Bravo Three (front), Bravo Four S (rear), Zeus (front)

THRUST WASHER



805101T

Bravo Three (rear), Bravo Four S (front), Zeus (rear)

THRUST WASHER



12-8M0046466

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance propellers with Flo-Torq Reflex Hubs to fit Honda 40-50 HP engines.

THRUST WASHER



835278A 1

Adapts Mercury 30-60 HP Black Max, Trophy Sport & Vengeance Rubber Hub props to Honda 40-50 HP & Nissan/Tohatsu 40-50 HP

PROPELLER HARDWARE AND ACCESSORIES


THRUST WASHER



12-853359

Honda 75-90 HP (1999-present), 115-130 HP (1998-present) Suzuki V-6 (Flo-Torq II Hub)

THRUST WASHER



12-888451

Forward Thrust Washer
Honda 135-225 HP outboards

THRUST WASHER



859915

OMC 45, 60, 70 HP V-4 (OEM P/N 127084/318841)

THRUST WASHER



12-835467 7

OMC V-6, V-8 outboard, 1991-present (Flo-Torq II)

THRUST WASHER



12-854621

Suzuki V-4 (Flo-Torq II)

THRUST WASHER



12-853948T

Tohatsu/Nissan 75-140 HP (Flo-Torq II)

THRUST WASHER



12-853555

Yamaha 60-90 HP (Flo-Torq II)

THRUST WASHER



23-8M0064826

Yamaha 200-250 SHO Adapts to Yamaha two piece thrust washer

TRIM TABS

TRIM TAB



97- 31640Q 4

Aluminum
Fits most Mercury/Mariner outboards 35 hp. & above and all MerCruiser except Bravo. Check for adequate propeller clearance prior to operation.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

TRIM TAB ANODE



97- 822777Q 1

Aluminum
For applications where extra clearance is required for high rake propellers.
Fits most Mercury/Mariner 35 hp and above, Force 90/120 (1995 and newer), and all Mercury MerCruiser engines.
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

ANODIC PLATE



97- 76214Q 5

Aluminum
Provides additional clearance for high rake propellers.
Fits Mercury/Mariner 35-300hp, Force 90 & 120hp 1995 and newer, MerCruiser Alpha One Gen II and Bravo I, II, III, X XR & XZ drives.
Priced individually, sold @ multiples of 2
Quicksilver Branded, Clamshell Package Point of Sale Packaged.

RUBBER HUBS

RUBBER HUB



8M0054769

Rubber Hub Mercury/Mariner 9.9 BF, 15/20HP 4Stroke
9.9HP Bigfoot Model Year 2005 and Newer
15/20HP Model Year 2007 and Newer

897453T

Rubber Hub Mercury/Mariner 8-9.9 HP FourStroke
2005 and Newer

RUBBER HUB



897001T

Rubber Hub Mercury/ Mariner 25/30HP 4-Stroke
Model Year 2006 and Newer

RUBBER HUB



42630 1

2-3/16" long, 8 splines
Mercury 7.5 & 9.8 HP (1968-84)

RUBBER HUB



827598T

Mercury 9.9-15 HP 2-Stroke, 9.9 HP FourStroke 1995-2004, 15 HP FourStroke (Thru 2007)

PROPELLER HARDWARE AND ACCESSORIES

RUBBER HUB



43549

Nut on aft end of hub 3-3/4" long, 10 splines, 1-3/8" cavity size
Mercury 18-25 HP (1980-1988)

RUBBER HUB



19669T

Mercury 20-25 HP

RUBBER HUB



859173

Mercury 40-60 HP BigFoot Engines 15 Tooth Spline 60HP Maximum

RUBBER HUB



92418

Mercury 28, 28A, 200, 250 series

RUBBER HUB



32053T

2-3/4" long, 11 splines
Mercury 300, 350, 400, 450, 500 series (1962-1969)

RUBBER HUB



62999

2-3/4" long, 13 splines
Mercury 300, 350, 400, 450, 500 & 650 series (1970-1976)

RUBBER HUB



43676T

3-3/8" long, 13 splines
Mercury 402, 500, 700 series (1977-85) Mercury 30-60 HP

RUBBER HUB



17611T

Mercury 80-140 HP (1978 & later in-line motors) Stainless steel applications

RUBBER HUB



43615T 1

OB front insertion 4" long, 15 splines
Mercury 150-200 HP (1978 & later V-6) aluminum, ET, Chopper and Outboard Cleaver

RUBBER HUB



43672

OB rear insertion
Mercury Stainless steel Chopper & Lightning ET propeller hub

RUBBER HUB



88437

MerCruiser 1A, 1B, 1C, 120, 140, 175, 888, 225S, 233, 255TRS & 80 TRS

RUBBER HUB



43636T

4-5/8" long, 19 splines
MerCruiser TR215, Bravo II

SKEGS

REPLACEMENT SKEG



15985A02

Precision die cast 360XK alloy for stronger, more uniform welds.
Fits Mercury / Mariner 50/55/60 Bigfoot (3 cyl.), 70/75/80/90 (USA 0A996142 and Newer, BEL 9483121 and Newer), 100/115/125 (OB209468 and Newer), Force 90/120 (s/n 0E093700 and Newer) and 75/90/115 FourStroke (1B366823-2B094955).

REPLACEMENT SKEG



815632A02

For MCM Bravo One & Bravo Three drives

REPLACEMENT SKEG



859447A 1

Precision die cast 360XK alloy for stronger, more uniform welds.
Fits Mercury / Mariner 75/80 (4 cyl.), 90/115 (6 cyl.) and most V-6 outboard models including 2.5L OptiMax. Has adequate depth for the 3.0L models but is not an exact silhouette of the original skag.

REPLACEMENT SKEG



90185A 1

Will not fit original Alpha One drives
For MCM Alpha One Gen II drives (s/n 0D469859 and above)

PROPELLER HARDWARE AND ACCESSORIES

REPLACEMENT SKEG



806688A02

For MCM Bravo Two drives

REPLACEMENT SKEG



898245A01

Fits Verado outboards, 135 through 300 hp. and 3.0L gearcases that have a 4.80 inch diameter torpedo.

REPLACEMENT SKEG



8M0060147

Precision die cast 360XK alloy for stronger, more uniform welds. Fits the Mercury/Mariner F150 hp. EFI FourStroke 4 cylinder outboard, and the F75-115 hp. (2.1L) FourStroke Command Thrust outboard serial number 2B094996 and above..

REPLACEMENT SKEG



8M0052924

Precision die cast 360XK alloy for stronger, more uniform welds. Fits the Verado and 3.0L gearhousings with a 5.44 inch diameter torpedo.

PERFORMANCE VENT PLUGS

VENT PLUG



19220A 4

R/H Laser II props (Old style A41, A45 P/N suffix)

VENT PLUG



816318A 4

L/H Laser II props (Old Style A41, A45 P/N suffix)

VENT PLUG



19-824431

Used with Large tube Trophy (A41, A45 P/N suffix), replaces 19-32652A1 (welch plug)

Priced individually, sold @ multiples of 4

PVS VENT FITTING



19-889725

Solid PVS plug (A46, A47, A48 P/N suffix)

Superseded from 19-856622

Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-889725T28

Small PVS plug (.280/7mm) (A46, A47, A48 P/N suffix).
Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-889725T35

Medium PVS plug (.350/9mm)
Priced individually, sold @ multiples of 5

PVS VENT FITTING



19-889725047

Large PVS plug (.470/12mm)(A46, A47, A48 P/N suffix)
Superseded from 19-856622 47
Priced individually, sold @ multiples of 5

STAINLESS STEEL IMPELLERS

OUTBOARD JET IMPELLER



47-855708T25

Mercury/Mariner 20/25 HP

OUTBOARD JET IMPELLER



47-855708T40

Mercury/Mariner 30/40 HP (3 cyl)
Force 50 HPS
OMC 40 HP
Yamaha (3 cyl) 40 HP
Suzuki (2 cyl) 40 HP
Tohatsu/Nissan (3 cyl) 40/50 HP

OUTBOARD JET IMPELLER



47-855708T60

Mercury/Mariner 45/60 HP
OMC 50/70 HP
Yamaha 48
Suzuki 65 HP

OUTBOARD JET IMPELLER



47-855708115

Mercury/Mariner 65/90 HP
Mercury/Mariner 80/115 HP
OMC 110/140 HP
Suzuki 115/140 HP

OUTBOARD JET IMPELLER



47-803985T

Mercury/Mariner 140/200 HP

PROPELLER HARDWARE AND ACCESSORIES


SPORTJET IMPELLER



47-828989T 1

90 jet (splined) 1993-1995
95 XR jet 1996-1997
120 jet 1995
120 XR jet 1996-1998


SPORTJET IMPELLER



47-854670T

120 XR2 jet 1999-2000


SPORTJET IMPELLER



47-835452T

175 XR2 jet 1997-2000


SPORTJET IMPELLER



47-877326T

M2 jet drive 210 carb model 2000
M2 jet drive 240 EFI model 2000

SPORTJET IMPELLER



47-883796T01

High skew impeller developed to provide improved holding or reduced cavitation during acceleration and in turns. This impeller will produce an additional 75 RPM's on top end in most cases. When used in the 250 application the REV limiter may be activated more often than with the standard 4 blade impeller.

Fits the 175, 200, 210, 240 & 250 Jet Drive.

TOOLS

PLUG WRENCH/SCREW TOOL



91-8M0026088

Plug Wrench/Screw Tool

PROPELLER NUT TOOL




91-805457T 1

For removal and installation of inner/front propeller nut.

Bravo Three

PROP SLIP CALCULATOR



90-86147A 1

Used to calculate the slip percentage of a boat

PROPELLER BLOCK



91-8M0129072

Hands free propeller block. Attach the propeller block to the anti-ventilation plate to stop the propeller from rotating while removing the propeller nut. Similar in size to a Flo-Torq II drive sleeve, it is compact and lightweight to keep in the boat for quick access.
Works with all sterndrive and outboard applications
Priced individually, sold @ multiples of 2
Quicksilver Branded, Peg Display Product Point of Sale Packaged.

BRAVO THREE PROPELLER WRENCH



91-8M0129074

Double ended wrench that fits both of the MerCruiser Bravo Three nuts for propeller removal and installation.
Powder coated finish
Durable steel construction

MerCruiser Bravo Three

FLOATING PROP WRENCH



91-859046Q 1

Fits 9/16" Nut, Purple (Mercury / Mariner 6,8,9.9 & 15 HP)
Quicksilver Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-859046Q 2

Fits 13/16" Nut, Green (Mercury / Mariner 20 & 25 HP) (Johnson / Evinrude 9.9, 15, 20 & 30 HP)
Quicksilver Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-859046Q 3

Fits 15/16" Nut Orange (Mercury / Mariner 30,40,50 & 60 HP)
Quicksilver Branded, Peg Display Product Point of Sale Packaged.

FLOATING PROP WRENCH



91-859046Q 4

Fits 1-1/16" Nut, Yellow (Fits most sterndrives / 4 cylinder & larger outboards)
Quicksilver Branded, Peg Display Product Point of Sale Packaged.

PROP STOW



845263A 1

6 in.(152 mm) hub, for use with 15 inch to 18 inch sterndrive Clever propellers

PROP STOW



847314A 1

4 in.(102 mm) hub, for use with Bravo I, ECO, Max 5, Maximus, Mirage , etc.

PROPELLER HARDWARE AND ACCESSORIES

MERCURY RACING PROPELLER ACCESSORIES

PROP STOW



847314A 1

4 in.(102 mm) hub, for use with Bravo I, ECO, Max 5, Maximus, Mirage , etc.

PROP STOW



845263A 1

6 in.(152 mm) hub, for use with 15 inch to 18 inch sterndrive Clever propellers

RACING CNC CLEAVER PROPELLER HARD CASE



94-8M0128091

Durable case to protect Mercury Racing Outboard 5 Blade Cleaver

94-8M0107970

Durable case to protect Mercury Racing Sterndrive 5 Blade Cleaver

MARINE GREASE

Quicksilver 2-4-C Marine Grease with PTFE is a high quality, extremely versatile lithium-based, NLGI 2 grease that won't break down when mixed with water. It also has:

- Excellent resistance to oxidation and degradation
- Extreme pressure additives to withstand friction in a wide variety of operations and temperatures

Replaces Quicksilver Special 101 Lubricant part number 92-802865Q02

For use in the following marine applications:

- Steering systems/cable linkages
- Throttle and shift cables and linkages
- Remote controls
- Prop shafts
- Swivel pins
- Tilt lock mechanisms/tilt tube
- Hinge pins
- Boat trailer wheel bearings

2-4-C MARINE LUBRICANT



92-8M0133902

3 - 85 g tubes (3 - 3 oz tubes) cartridge

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

2-4-C MARINE LUBRICANT & CARTRIDGE GUN



91-8M0181416

Cartridge gun and one 3 oz.(85 g) cartridge.

Quicksilver Branded, Clamshell Package Point of Sale Packaged.

2-4-C MARINE LUBRICANT



92-8M0121966

2-4C grease with Teflon

227 g (8 oz) tube

2-4-C MARINE LUBRICANT



92-8M0133904

Fits standard 14 oz grease guns
397 g (14 oz) cartridge

PAINTS

EDP PROPELLER BLACK PAINT



92-8M0133931

340 g (12 oz) spray can

POINT OF PURCHASE MARKETING MATERIAL

MERCURY PROPELLER DISPLAY



93-8M0140357

Individual marketing display for Mercury propellers.

MERCURY PROPELLER DISPLAY



93-8M0085506

Height: 2m – Round foot
Diameter: 49cm - Triangle shaped frame in black epoxy paint
- 9 Propeller holders to expose maximum 9 propellers, rubber grips on top surface to avoid propellers to get released
- 6 large propeller holders for 30HP propellers and up (For propeller hub lengths)
- 3 medium propeller holders for 30HP propellers and up (For propeller hubs lengths 5 ¼ inch – 6 ½ inch)
- 9 propeller info sheet holders – 13 Mercury propeller info sheet cards attached with key features
- 3 Polystyrene header cards with Mercury propeller logo

PROPELLER DISPLAY 2



93-8M0088786

Base: 25mm E2 grade MDF (black with branding) · 25,4mm *1.5mm round tube · Ø6/3mm wire · 1mm PVC graphics · 4 gliders (display feet will stay off the floor) · FINISHING: MDF with double side melamine; black powder coat
COLOR: black/custom · SIZE: 0,76m diameter base x 1,67m height · Includes a two-spot color printed base, four color process headers, four color process graphics on each propeller info plate · 9 Propeller holders to expose 9 propellers · 9 Mercury propeller cards with key features of:
Aluminium: Black Max / Spitfire
Stainless steel propellers: Mirage / Enertia / Vengeance / Bravo I / Revolution 4 / Tempest Plus / Fury
Important: Grid package 8A0088786 (1x) needs to be purchased together with each display 8M0088786

TABLE OF CONTENTS

Quicksilver Inflatables 904

 Quicksilver Inflatable Boats 904

Inflatable Accessories 912

 Air Pumps and Gauges 914

 Boat Bags 914

 Consoles 912

 Repair Kits 914

 Seat Bags/Cushions 914

 Seatbenches 913

QUICKSILVER INFLATABLES

QUICKSILVER INFLATABLES

For over 65 years Mercury Marine has maintained the standard of excellence in marine products. As the second-largest inflatable boat company in the world, Quicksilver Inflatables continues this commitment to quality by building durability, value and the Mercury reputation into every model.

Quicksilver Inflatables are available in PVC and feature reinforced-seam construction, fabric with a tight-weave non-stretch polyester core and stainless steel hardware. Whatever your boating needs, Quicksilver Inflatables offer lightweight portability, reassuring stability, quick setup and easy operation in a full range of styles and sizes.

So whether you are exploring a new coastline, diving in the Caribbean, or just need a dingy Quicksilver Inflatables has a boat to meet your needs.

QUICKSILVER INFLATABLE BOATS

200 TENDY SLATTED



A-AA200059N

Tendy. Light, compact and reliable. The most practical for beaching.

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Slatted Floor
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2,0
 Width (m) 1,34
 Diameter tube (cm) 36
 Weight (kg) 16,8
 Max. persons 2
 Max. hp 3,5
 Short shaft
 Packing size (cm) 93 x 47 x 20

200 TENDY AIR FLOOR



A-AA200060N

Tendy. Light, compact and reliable. The most practical for beaching.

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Air Floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2,0
 Width (m) 1,34
 Diameter tube (cm) 36
 Weight (kg) 21,8
 Max. persons 2+1
 Max. hp 3,5
 Short shaft
 Packing size (cm) 93 x 47 x 20

240 TENDY SLATTED



A-AA240159N

Tendy. Light, compact and reliable. The most practical for beaching.

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Slatted Floor
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.4
 Width (m) 1.34
 Diameter tube (cm) 36
 Weight (kg) 18.8
 Max. persons 3
 Max. hp 4
 Short shaft
 Packing size (cm) 98 x 48 x 25

240 TENDY AIR FLOOR



A-AA240160N

Tendy. Light, compact and reliable. The most practical for beaching.

- 0,7mm white PVC
- Large black rubbing strake
- Adjustable bench seat
- Air Floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.4
 Width (m) 1.34
 Diameter tube (cm) 36
 Weight (kg) 23.8
 Max. persons 3
 Max. hp 4
 Short shaft
 Packing size (cm) 98 x 48 x 25

250 AIRDECK



A-AA250032N

AirDeck. Luxury and spacious tender for your boat!

- 0,9mm white PVC
- Large blue and white rubbing strake
- Adjustable bench seat
- AirDeck inflatable floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.49
 Width (m) 1.52
 Diameter tube (cm) 42
 Weight (kg) 28
 Max. persons 3+1
 Max. hp 5
 Short shaft
 Packing size (cm) 100 x 54 x 25

250 SPORT (ALU-FLOOR) MEDIUM-GREY



A-AA250033N

Sport. Powerful and compact, they will take you on adventure!

- 0,9mm medium-grey PVC
- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.49
 Width (m) 1.52
 Diameter tube (cm) 42
 Weight (kg) 35
 Max. persons 3+1
 Max. hp 8
 Short shaft
 Packing size (cm) 98 x 57 x 22

QUICKSILVER INFLATABLES

270 ALU-RIB ULTRA LIGHT WHITE



A-AA270160N

ALU-RIB. Luxury and spacious tender for your boat!

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.70
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 38
 Max. persons 3
 Max. hp 10
 Short shaft

270 ALU-RIB ULTRA LIGHT DARK-GREY

A-AA270162N

ALU-RIB. Luxury and spacious tender for your boat!

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.70
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 38
 Max. persons 3
 Max. hp 10
 Short shaft

290 ALU-RIB ULTRA LIGHT WHITE



A-AA290024N

ALU-RIB. Luxury and spacious tender for your boat!

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.90
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 41
 Max. persons 4
 Max. hp 15
 Short shaft

290 ALU-RIB ULTRA LIGHT DARK-GREY

A-AA290026N

ALU-RIB. Luxury and spacious tender for your boat!

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- V-floor
- Anti-skid pads floor
- Keel protection
- External lifeline
- Tow D-rings
- Multiple carrying handles
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 2.90
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 41
 Max. persons 4
 Max. hp 15
 Short shaft

300 AIRDECK



A-AA300064N

AirDeck. Luxury and spacious tender for your boat!

- 0,9mm white PVC
- Large blue and white rubbing strake
- Adjustable bench seat
- AirDeck inflatable floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.00
 Width (m) 1.52
 Diameter tube (cm) 42
 Weight (kg) 37
 Max. persons 4
 Max. hp 15
 Short shaft
 Packing size (cm) 102 x 55 x 24

320 AIRDECK



A-AA320036N

AirDeck. Luxury and spacious tender for your boat!

- 0,9mm white PVC
- Large blue and white rubbing strake
- Adjustable bench seat
- AirDeck inflatable floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.20
 Width (m) 1.52
 Diameter tube (cm) 42
 Weight (kg) 42
 Max. persons 5
 Max. hp 20
 Short shaft
 Packing size (cm) 108 x 57 x 25

300 SPORT (ALU FLOOR) MEDIUM-GREY



A-AA300065N

Sport. Powerful and compact, they will take you on adventure!

- 0,9mm medium-grey PVC
- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.00
 Width (m) 1.52
 Diameter tube (cm) 42
 Weight (kg) 49
 Max. persons 4
 Max. hp 15
 Short shaft
 Packing size (cm) 115 x 57 x 22

320 SPORT (ALU FLOOR) MEDIUM-GREY



A-AA320037N

Sport. Powerful and compact, they will take you on adventure!

- 0,9mm medium-grey PVC
- Large black and white rubbing strake
- Adjustable bench seat
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Inflatable keel for better performance
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars

Length (m) 3.20
 Width (m) 1.52
 Diameter tube (cm) 42
 Weight (kg) 54
 Max. persons 5
 Max. hp 20
 Short shaft
 Packing size (cm) 113 x 60 x 25

QUICKSILVER INFLATABLES

320 ALU-RIB WHITE



A-AA320042N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.2
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 61.3
 Max. persons 5
 Max. hp 20
 Short shaft

320 ALU-RIB DARK-GREY

A-AA320038N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.2
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 61.3
 Max. persons 5
 Max. hp 20
 Short shaft

350 ALU-RIB WHITE



A-AA350073N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.5
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 69
 Max. persons 6
 Max. hp 25
 Short shaft

350 ALU-RIB DARK-GREY

A-AA350069N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.5
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 69
 Max. persons 6
 Max. hp 25
 Short shaft

365 SPORT HD (ALU FLOOR) MEDIUM-GREY



A-AA360004N

Sport HD. The perfect companion for fishing and diving fans!

- 1,2mm medium-grey PVC
- Large black and white rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 3.65
 Width (m) 1.70
 Diameter tube (cm) 44
 Weight (kg) 79
 Max. persons 6
 Max. hp 25
 Short Shaft
 Packing size (cm) 135 x 74 x 40

365 SPORT HD (ALU FLOOR) RED

A-AA380128N

Sport HD. The perfect companion for fishing and diving fans!

- 1,2mm red PVC
- Large black and red rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 3.65
 Width (m) 1.70
 Diameter tube (cm) 44
 Weight (kg) 79
 Max. persons 6
 Max. hp 25
 Short Shaft
 Packing size (cm) 135 x 74 x 40

380 ALU-RIB WHITE



A-AA380129N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.8
 Width (m) 1.69
 Diameter tube (cm) 45
 Weight (kg) 92
 Max. persons 7
 Max. hp 30
 Short shaft

380 ALU-RIB DARK-GREY

A-AA380124N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 3.8
 Width (m) 1.69
 Diameter tube (cm) 45
 Weight (kg) 92
 Max. persons 7
 Max. hp 30
 Short shaft

QUICKSILVER INFLATABLES

420 ALU-RIB WHITE



A-AA420005N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm white PVC and hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 4.2
 Width (m) 1.69
 Diameter tube (cm) 45
 Weight (kg) 115
 Max. persons 8
 Max. hp 40
 Short shaft

420 ALU-RIB DARK-GREY

A-AA410015N

ALU-RIB. Comfortable and stable in all weather conditions!

- 0,9mm dark-grey PVC and hull
- Large black rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium oars or paddles

Length (m) 4.2
 Width (m) 1.69
 Diameter tube (cm) 45
 Weight (kg) 115
 Max. persons 8
 Max. hp 40
 Short shaft

320 ALU-RIB HYPALON CREAM-WHITE



A-AA320039N

ALU-RIB Hypalon. Premium companion for warmer climates!

- 0,84mm cream-white Hypalon and white Hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Teak-look anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Reinforced Tow D-rings
- External lifeline
- Multiple Hypalon carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles
- Bravo overpressure relief valve

Length (m) 3.20
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 66.3
 Max. persons 5
 Max. hp 20
 Short shaft

350 ALU-RIB HYPALON CREAM-WHITE



A-AA350070N

ALU-RIB Hypalon. Premium companion for warmer climates!

- 0,84mm cream-white Hypalon and white Hull
- Large dark-blue rubbing strake with white striping
- Adjustable bench seat
- Double Hull with flat-floor
- Bow locker (possible to fit the fuel tank)
- Teak-look anti-skid pads floor
- Reinforced transom
- Transom lifting eyes
- Reinforced Tow D-rings
- External lifeline
- Multiple Hypalon carrying handles
- Keel protection
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles
- Bravo overpressure relief valve

Length (m) 3.50
 Width (m) 1.63
 Diameter tube (cm) 42
 Weight (kg) 73.4
 Max. persons 6
 Max. hp 25
 Short shaft

420 SPORT HD (ALU FLOOR) MEDIUM-GREY



A-AA430110N

Sport HD. The perfect companion for fishing and diving fans!

- 1,2mm medium-grey PVC
- Large black and white rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.20
 Width (m) 1.92
 Diameter tube (cm) 50
 Weight (kg) 115
 Max. persons 8
 Max. hp 40
 Long shaft
 Packing size (cm) 135 x 74 x 43

420 SPORT HD (ALU FLOOR) RED

A-AA430111N

Sport HD. The perfect companion for fishing and diving fans!

- 1,2mm red PVC
- Large black and red rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.20
 Width (m) 1.92
 Diameter tube (cm) 50
 Weight (kg) 115
 Max. persons 8
 Max. hp 40
 Long shaft
 Packing size (cm) 135 x 74 x 43

470 SPORT HD (ALU FLOOR) MEDIUM-GREY



A-AA470046N

Sport HD. The perfect companion for fishing and diving fans!

- 1,2mm medium-grey PVC
- Large black and white rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.70
 Width (m) 1.92
 Diameter tube (cm) 50
 Weight (kg) 129
 Max. persons 10
 Max. hp 60
 Long shaft
 Packing size (cm) 135 x 74 x 46

470 SPORT HD (ALU FLOOR) RED

A-AA470048N

Sport HD. The perfect companion for fishing and diving fans!

- 1,2mm red PVC
- Large black and red rubbing strake
- Aluminium floor
- Large adjustable nylon strap for holding fuel tank
- Keel protection
- Tow D-rings
- External lifeline
- Multiple carrying handles
- Carrying bag
- Double-action hand pump
- Repair-kit (without glue)
- Aluminium paddles

Length (m) 4.70
 Width (m) 1.92
 Diameter tube (cm) 50
 Weight (kg) 129
 Max. persons 10
 Max. hp 60
 Long shaft
 Packing size (cm) 135 x 74 x 46

INFLATABLE ACCESSORIES

CONSOLES

1-PERSON CONSOLE



62-8M0162901

1-person pilot console FCT725

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 91,5
- Height (cm): 82
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

62-8M0162900

1-person pilot console FCT725

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 91,5
- Height (cm): 82
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

2-PERSON CONSOLE



62-8M0162903

2-person pilot console FCT880

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 27
- Length (cm): 95
- Height (cm): 85
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

62-8M0162902

2-person pilot console FCT880

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 27
- Length (cm): 95
- Height (cm): 85
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 320, 350, 380 and 420.

JOCKEY CONSOLE



62-8M0162905

Jockey console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 116
- Height (cm): 91
- Cushion seat width (cm): 27
- Box seat width (cm): 40
- Seat height (cm): 40

For Quicksilver Alu-Rib 350, 380 and 420.

62-8M0162904

Jockey console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 25
- Length (cm): 116
- Height (cm): 91
- Cushion seat width (cm): 27
- Box seat width (cm): 40
- Seat height (cm): 40

For Quicksilver Alu-Rib 350, 380 and 420.

STEERING CONSOLE



62-8M0162909

Steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 17
- Length (cm): 66
- Height (cm): 89
- Cushion seat width (cm): 40
- Box seat width (cm): 40
- Seat height (cm): 36

For Quicksilver Alu-Rib 350, 380 and 420.

62-8M0162908

Steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 17
- Length (cm): 66
- Height (cm): 89
- Cushion seat width (cm): 40
- Box seat width (cm): 40
- Seat height (cm): 36

For Quicksilver Alu-Rib 350, 380 and 420.

SEATBENCHES

1-PERSON SEAT BENCH



62-8M0162907

1-person seatbench FCT550 for steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 15,6
- Length (cm): 35
- Height (cm): 78
- Cushion seat width (cm): 55
- Box seat width (cm): 55
- Seat height (cm): 45

For Quicksilver Alu-Rib 350, 380 and 420.

62-8M0162906

1-person seatbench FCT550 for steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 15,6
- Length (cm): 35
- Height (cm): 78
- Cushion seat width (cm): 55
- Box seat width (cm): 55
- Seat height (cm): 45

For Quicksilver Alu-Rib 350, 380 and 420.

1-PERSON SEAT BENCH



62-8M0168453

1-person seatbench FCT725 for steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 18
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

62-8M0168454

1-person seatbench FCT725 for steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 1
- Weight (kg): 18
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 72,5
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

2-PERSON SEAT BENCH



62-8M0165076

2-person seatbench FCT880 for steering console

- Colour console: White
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 20,7
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

INFLATABLE ACCESSORIES

62-8M0165061


2-person seatbench FCT880 for steering console

- Colour console: Dark-Grey
- Colour cushions: Black and Grey
- No. Persons: 2
- Weight (kg): 20,7
- Length (cm): 35
- Height (cm): 83
- Cushion seat width (cm): 88
- Box seat width (cm): 72,5
- Seat height (cm): 50

For Quicksilver Alu-Rib 350, 380 and 420.

SEAT BAGS/CUSHIONS

BOW CUSHION



62-8M0162896

Bow cushion for Alu-Ribs, grey/white

62-8M0168455

Bow cushion for Alu-Ribs, black/grey

SEATBAG



62-8M0162897

Seat bag with cushion 80 x 20 grey

62-8M0162898

Seat bag with cushion 85 x 20 grey

62-8M0162899

Seat bag with cushion 90 x 20 grey

BOAT BAGS

BOAT BAG

Image not Available.

62-8M0148919

Boat bag 200-240

BOAT BAG

Image not Available.

62-8M0156326

Boat bag 250-320

BOAT BAG

Image not Available.

62-8M0156327

Boat bag 365

BOAT BAG

Image not Available.

62-8M0156328

Boat bag 420-470

AIR PUMPS AND GAUGES

HAND PUMP



62-8M0148926

Hand pump all models

PRESSURE GAUGE



62-8M0161869

Pressure gauge for hand pump

REPAIR KITS

REPAIR KIT



62-8M0156992

Repair kit for Tandy (White PVC)

62-8M0156990

Repair kit Airdeck (White and Dark-Blue PVC)

62-8M0156331

Repair kit for Sport (Medium-Grey PVC 0.9mm)

62-8M0156991

Repair kit for Sport Heavy-Duty (Medium-Grey PVC 1.2mm)

62-8M0156332

Repair kit for Sport Heavy-Duty (Red PVC 1.2mm)

62-8M0148942

Repair kit for Alu-Rib (White PVC)

62-8M0148941

Repair kit for Alu-Rib (Dark-Grey PVC)

62-8M0170209

Repair kit for Alu-Rib Hypalon (Cream-White PVC)

TABLE OF CONTENTS

Watersports 918

Funline Inflatables 920

 Life Jackets and Ski Vests 918

 Watersports Accessories 920

Coolers 924

 Igloo Replacement Parts 926

 Marine Coolers 924

Mooring Equipment 928

 Buoys 928

 Fenders 928

Electrical 930

 Switches 930

Locks 931

Inflatable Accessories 932

WATERSPORTS

LIFE JACKETS AND SKI VESTS

The following products are certified in accordance with the New European rules EN ISO 12402. In some countries, these new regulations are already in use.

LIFEJACK 165N AUT-HARNESS RED



20811248

3D fit it provides a safe and comfortable neck support. The jacket is fitted with a Crotch strap. This to make the jacket work better and gives an higher freeboard. The vest is finished with an edge bonding around. The vest has a buoyancy of 165N.
 CE EN396 / ISO12402-3
 Size/type Adult 50+ KG
 Buoyancy Inflatable 165N
 System United Moulders MK5
 CO2 Cylinder 31-33gr CO2
 Standard Crotch strap
 All Weather Cartridge

SAFETY LINE



20613022

Lifeline with double action hook for Mercury Automatic lifejacket 20811248
 Equipped with double action hooks
 According to ISO 12401
 Break strength max. 2000kg
 With "Overload Indicator" according ISAF Racing Rules

LIFEJACK 165N AUT/WAISTBELT RED



20811249

The vest has no safety harness. With its 3D design and soft outer cover, the Mercury 165N has a perfect fit. The collar is firmly connected to the back and neck. Due the 3D fit it provides a safe and comfortable neck support. The jacket is fitted with a Crotch strap. This to make the jacket work better and gives an higher freeboard. The vest is finished with an edge bonding around. The vest has a buoyancy of 165N.
 CE EN396 / ISO12402-3
 Size/type Adult 50+ KG
 Buoyancy Inflatable 165N
 System United Moulders MK5
 CO2 Cylinder 31-33gr CO2
 Standard Crotch strap
 All Weather Cartridge

RECHARGE KIT ADULT



20427020

Replacement set for Adult Mercury Automatic lifejackets 20811248 and 20811249

JUNIOR LIFEJACKET W/HARNESS RED



20811279

Automatic and additional manual control
 Fitted, short design for the right fit
 Stainless-steel closures and Stainless-steel D-ring for safety harness, according ISO12401
 With leg strap
 For children 15-40kg
 According to ISO 12402-3

RECHARGE KIT JUNIOR



20427021

Replacement set for Junior Mercury Automatic lifejacket 20811279

TALAMEX SKI 50N XS



20811240

Cloth nylon, PU coated, highly visible DTEX 235 and 471
4 waist ties with Nexus closures
Double leg ties against riding up
Side impact protection by filled side of PE foam
Water Discharge System
According to EN393

TALAMEX SKI 50N S

20811241

Cloth nylon, PU coated, highly visible DTEX 235 and 471
4 waist ties with Nexus closures
Double leg ties against riding up
Side impact protection by filled side of PE foam
Water Discharge System
According to EN393

TALAMEX SKI 50N M

20811242

Cloth nylon, PU coated, highly visible DTEX 235 and 471
4 waist ties with Nexus closures
Double leg ties against riding up
Side impact protection by filled side of PE foam
Water Discharge System
According to EN393

TALAMEX SKI 50N L

20811243

Cloth nylon, PU coated, highly visible DTEX 235 and 471
4 waist ties with Nexus closures
Double leg ties against riding up
Side impact protection by filled side of PE foam
Water Discharge System
According to EN393

TALAMEX SKI 50N XL

20811244

Cloth nylon, PU coated, highly visible DTEX 235 and 471
4 waist ties with Nexus closures
Double leg ties against riding up
Side impact protection by filled side of PE foam
Water Discharge System
According to EN393

TALAMEX SKI 50N XXL

20811245

Cloth nylon, PU coated, highly visible DTEX 235 and 471
4 waist ties with Nexus closures
Double leg ties against riding up
Side impact protection by filled side of PE foam
Water Discharge System
According to EN393

TALAMEX NEOPRENE 50N XS



20811250

SPECIALIZED BUOYANCY AID "SKI - JET SKI - WAKEBOARD STYLE"
Comfortable, soft and flexible body fit
2 strong nexus buckles
Engine kill D-ring
Fabric: 1.5mm soft Neoprene
comfortable fabric
Foam: super soft PVC foam
Water release system
Strong nexus zipper
Webbing end retainers
ISO 12402-5

TALAMEX NEOPRENE 50N S

20811251

SPECIALIZED BUOYANCY AID "SKI - JET SKI - WAKEBOARD STYLE"
Comfortable, soft and flexible body fit
2 strong nexus buckles
Engine kill D-ring
Fabric: 1.5mm soft Neoprene
comfortable fabric
Foam: super soft PVC foam
Water release system
Strong nexus zipper
Webbing end retainers
ISO 12402-5

TALAMEX NEOPRENE 50N M

20811252

SPECIALIZED BUOYANCY AID "SKI - JET SKI - WAKEBOARD STYLE"
Comfortable, soft and flexible body fit
2 strong nexus buckles
Engine kill D-ring
Fabric: 1.5mm soft Neoprene
comfortable fabric
Foam: super soft PVC foam
Water release system
Strong nexus zipper
Webbing end retainers
ISO 12402-5

TALAMEX NEOPRENE 50N L

20811253

SPECIALIZED BUOYANCY AID "SKI - JET SKI - WAKEBOARD STYLE"
Comfortable, soft and flexible body fit
2 strong nexus buckles
Engine kill D-ring
Fabric: 1.5mm soft Neoprene
comfortable fabric
Foam: super soft PVC foam
Water release system
Strong nexus zipper
Webbing end retainers
ISO 12402-5

TALAMEX NEOPRENE 50N XL

20811254

SPECIALIZED BUOYANCY AID "SKI - JET SKI - WAKEBOARD STYLE"
Comfortable, soft and flexible body fit
2 strong nexus buckles
Engine kill D-ring
Fabric: 1.5mm soft Neoprene
comfortable fabric
Foam: super soft PVC foam
Water release system
Strong nexus zipper
Webbing end retainers
ISO 12402-5

TALAMEX NEOPRENE 50N XXL

20811255

SPECIALIZED BUOYANCY AID "SKI - JET SKI - WAKEBOARD STYLE"

Comfortable, soft and flexible body fit

2 strong nexus buckles

Engine kill D-ring

Fabric: 1,5mm soft Neoprene

comfortable fabric

Foam: super soft PVC foam

Water release system

Strong nexus zipper

Webbing end retainers

ISO 12402-5

FUNLINE INFLATABLES

Funline Inflatables

Part.no Dim	LxW cm	Max. person	Max. load weight	Weight
85910200	200 x 125	2 (1 adult + 1 child)	120 kg	2,8 kg
85910240	240 x 140	2 adults	165 kg	4,2 kg
85910280	280 x 150	3 (2 adults + 1 child)	250 kg	7,1 kg

TALAMEX FUNLINE 200



85910200

The Talamex Funline inflatables are ideal for small recreational sailing trips and boating for both adults and children. The boats are including: paddle set, foot pump and repair kit. The boats are manufactured of strong PVC and includes: row-locks around, grab line and air pressure indicator to use the boat on the right pressure. The boats are equipped with multiple air chambers for added security.

TALAMEX FUNLINE 240

85910240

The Talamex Funline inflatables are ideal for small recreational sailing trips and boating for both adults and children. The boats are including: paddle set, foot pump and repair kit. The boats are manufactured of strong PVC and includes: row-locks around, grab line and air pressure indicator to use the boat on the right pressure. The boats are equipped with multiple air chambers for added security.

TALAMEX FUNLINE 280

85910280

The Talamex Funline inflatables are ideal for small recreational sailing trips and boating for both adults and children. The boats are including: paddle set, foot pump and repair kit. The boats are manufactured of strong PVC and includes: row-locks around, grab line and air pressure indicator to use the boat on the right pressure. The boats are equipped with multiple air chambers for added security.

WATERSPORTS ACCESSORIES

FLASH FUNTUBE 1P



95650340

Size: 136x141cm (53,5" x 55,5"); 420D nylon; 24G PVC; 2 Handles; 1 Drain; Boston valve; Quick connector
Also order matching line 95650360 and Quick release 95650182

FIRE FUNTUBE 1P



95650341

Size: 137cm (54"); 420D nylon; 24G PVC; 2 Handles; 1 Drain; Boston valve; Quick connector.
Also order matching line 95650360 and Quick release 95650182

FIRE FUNTUBE 1P SET



95650342

Size: 137cm (54"); 420D nylon; 24G PVC; 2 Handles; 1 Drain; Boston valve; Quick connector.
Set contents: tube, pump, line and Quick release

SPLASH FUNTUBE 1P



95650343

Size: 138cm (54"); 420D nylon; 24G PVC; 4 Handles 1 Drain; Boston valve; Quick connector; Full cover; 3 Neoprene pads.
Also order matching line 95650360 and Quick release 95650182

LIGHTNING 1P



95650344

Size: 137x89cm (54"x35"); 420D nylon; 16G PVC; 2 Handles; 1 Drain; Quick connector; Full cover. Also order matching line 95650360 and Quick release 95650182

2 FAST FUNTUBE 2P



95650345

Size: 145x193cm (57,1" x 76"); 840D nylon; 30G PVC; 4 Handles; 1 Drain; Boston valve; Quick connector. Also order matching line 95650360 and Quick release 95650182

ROCKET FUNTUBE 3P



95650346

Size: 302cm (119"); 840D nylon; 30G PVC; 3 Handles; 3 Drains; Boston valve; Quick connector; Full cover; 3 Neoprene pads. Also order matching line 95650361 and Quick release 95650182

CHILL & THRILL FUNTUBE 2P



95650347

203 x 302cm (80" x 119") - 840D nylon, 30G PVC, 8 handgrips, 2 water drains at the bottom, Boston valve, Quick connector, Full cover, 2 Neoprene pads. Also order matching line 95650361 and Quick release 95650182

NO STRESS FUNTUBE 3P



95650348

230x152 cm (51"x60") - 840D nylon, 30G PVC, 8 handgrips, 2 water drains at the bottom, Boston valve, Quick connector, Full cover, 3 Neoprene pads. Also order matching line 95650361 and Quick release 95650182

FUNTUBE LINE 1/2 PERSONS



95650360

Length: 15m. Breaking load: 1.080kg. Floater.

FUNTUBE LINE 3/4 PERSONS



95650361

Length: 16,7m. Breaking load: 1.880kg. Floater.


STARS WAKEBOARD 139



95650355

Size: 139cm (55"). Set including universal binding, board, line and carrying bag.

WAKEBOARD ROPE



95650362

Length: 22,5m. Breaking load: 1.080kg. Handle 39cm. Rubber grip 30,5cm.

STRIPES SKI 69"



95650356

Size: 170cm (69"). Beginner ski. Universal binding, suitable for any shoe size from size 36. Also order matching line 95650363.

SKI ROPE



95650363

Length: 22,5m. Handle 31cm. Neoprene grip 22cm.

ARROW KNEEBOARD



95650357

Adjustable, 5cm width knee band; Handle hook. Also order matching board-line 95650364.

KNEEBOARD ROPE



95650364

Length: 19m. Handle 34cm. Rubber grip 25,5cm.

SUP 10.6 ORIGINAL



85912920

The Talamex 10.6 Original is a 15 centimeter thick basic allround SUP developed for beginners up to the reasonably advanced SUP-pers with a maximum weight of about 100kg. The board is manufactured of single layer drop-stitch PVC and can be inflated up to 18psi. The SUP is equipped with a soft handle, two SS D-rings and elastic for carrying baggage. In the standard package is an telescopic paddle, backpack, high-pressure hand pump with pressure gauge, ankle-leash, removable fin and a repair kit.

SUP 10.6 COMPASS



85912930

The Talamex 10.6 Compass is a 15 centimeter thick SUP developed for the experienced SUP-per with a maximum weight of about 100kg. The board is manufactured of double layer drop-stitch PVC, this extra PVC layer creates extra stiffness and extends the lifetime of the SUP significantly. The SUP is equipped with a soft handle, two SS D-rings and elastic for carrying baggage. The board can be inflated up to 18psi. In the standard package is an telescopic paddle, backpack, high-pressure hand pump with pressure gauge, ankle-leash, removable fin and a repair kit.

SUP 7.6 WAVE**85912940**

The Talamex 7.6 Wave is a 10 centimeter thick basic SUP developed for children up to 60kg. The board is manufactured of single layer drop-stitch PVC and can be inflated up to 18psi. The SUP is equipped with a soft handle, two SS D-rings and elastic for carrying baggage.

In the standard package is an adjustable paddle, backpack, high-pressure hand pump with pressure gauge, ankle-leash, removable fin and a repair kit.

COOLERS

MARINE COOLERS

MARINE ULTRA 36 COOLER



93-8M0069639

UV protection shields from sun damage
 Indestructible rust-resistant stainless-steel screws and lid strap
 Marine-grade, extended-life hinges stand up to the abuse of water environments
 Non-slip, comfort-grip handles for easy transport
 34 liters capacity
 Weight 3.23 kg
 Dimensions 60.96 cm x 34.45 cm x 33.02 cm

MARINE ULTRA 48 COOLER



93-8M0069640

UV protection shields from sun damage
 Indestructible rust-resistant stainless-steel screws and lid strap
 Marine-grade, extended-life hinges stand up to the abuse of water environments
 Non-slip, comfort-grip handles for easy transport
 Fish-measuring ruler molded into lid tells you if you should keep it or throw it back
 Ultratherm® insulated lid provides extended ice retention and maximum cooling performance
 Recessed, triple-snap drain plug is leak resistant and allows you to easily drain melted ice
 45 liters capacity
 Weight 4 kg
 Dimensions 66.25 cm x 37.17 cm x 36.83 cm

MARINE ULTRA 72 COOLER



93-8M0069642

UV protection shields from sun damage
 Indestructible rust-resistant stainless-steel screws, lid strap and hinged latch
 Marine-grade, extended-life hinges stand up to the abuse of water environments
 Non-slip, comfort-grip handles for easy transport
 Fish-measuring ruler molded into lid tells you if you should keep it or throw it back
 Ultratherm® insulation in body and lid keeps ice frozen up to 5 days
 Threaded drain plug lets you hook up a hose for ultimate easy-to-drain performance
 68 liters capacity
 Weight 5,27 kg
 Dimensions 76.36 cm x 41.91 cm x 40.98 cm

MARINE ULTRA 94 COOLER



93-8M0069643

UV protection shields from sun damage
 Indestructible rust-resistant stainless-steel screws, lid strap and hinged latch
 Marine-grade, extended-life hinges stand up to the abuse of water environments
 Non-slip, comfort-grip handles for easy transport
 Fish-measuring ruler molded into lid tells you if you should keep it or throw it back
 Ultratherm® insulation in body and lid keeps ice frozen up to 5 days
 Threaded drain plug lets you hook up a hose for ultimate easy-to-drain performance
 88 liters capacity
 Weight 7,58 kg
 Dimensions 88.92 cm x 42.55 cm x 44.79 cm

MARINE ROLLER



67-875051

White. Durable wheels make it easy to roll down the dock. 56 quart capacity. UV-protected Marine White. Recessed lid with elastic cord holds items that would otherwise be carried. Tow handle plus carry handles. Ultratherm insulation.
 Igloo PN: 5754

MARINE ROLLER



67-875052

White. For the fisherman looking to land the big one. 70 quart capacity. UV-protected Marine White. Durable, easy-rolling wheels. Recessed lid with elastic cord holds items that would otherwise be carried. Tow handle plus carry handles. Ultratherm insulation.
 Igloo PN: 5738

SUNSET GLIDE 110



50170

UV inhibitors and infrared technology protect cooler against sun damage
 NEW THERMECOOL™ insulation in body and lid provides MaxCold 5 Day performance*
 Another Igloo Industry First: Horizontal telescoping handle requires 50% less lifting effort
 Soft-ride wheels for easy transport & smooth ride
 Cushion grip handle for comfortable towing
 Virtually indestructible stainless steel hinges
 Impact-resistant DuraLatch™ lid closures
 Threaded drain plug allows for easy draining of melted ice and option for hose hook-up
 Ruler on lid lets you measure your catch
 NEW THERMECOOL™ Foam - Cleaner ECO friendly solution
 104.1 liters capacity
 Weight 11.53 kg
 Dimensions 100.77 cm x 47.31 cm x 50.15 cm

LATITUDE MARINE ULTRA 30



50372

UV inhibitors protect against sun damage
 Non-slip, comfort grip swing up handle adds comfort and improved grip in wet conditions
 Cool Riser Technology® – elevated design improves cooling performance
 Fits all popular beverage sizes, including 2L bottles, upright
 NEW THERMECOOL™ Foam – Cleaner ECO friendly solution
 28 liters capacity
 Weight 7.2 kg
 Dimensions 46.78 cm x 33.66 cm x 42.7 cm

MARINE ULTRA 54



50541

UV inhibitors protect against sun damage
 • Stainless steel screws and lid strap are rust-resistant
 • Four dual-sized, self-draining cup holders keep your beverages within arm's reach
 • Foam-insulated lid and body provides up to 5 days of ice retention performance
 • Hybrid latch has a stainless steel hinge for added durability and secure lid closure
 • Marine-grade, extended-life hinges
 • Non-slip, comfort-grip handles
 • Integrated fish ruler on lid
 • Recessed, triple-snap drain plug
 • THERMECOOL™ Foam – Cleaner, eco-friendly insulation

U26 DC 12 VOLT THERMOELECTRIC COOLER BLUE



67-895600

25lt storage capacity
 12 volt DC
 3 A Peltier cell with 12 V direct feed, cooling max. 18°C below ambient temperature
 Carrier handle serves to either fix or support the lid, cable compartment in lid, fits one 2-litre bottle standing, double fan system
 39.6 x 29.6 x 39.5 cm / 3.7 kg
 Part Number 895600
 Sold in pallet of 24 units

CUSHION 72



67-875047

UV-protected Marine White • Snap attachments • For use with 72 qt Marine cooler 67-8M0069642.
 Igloo PN: 8496

CUSHION 94

67-875048

UV-protected Marine White • Velcro attachment • For use with 94 qt Marine cooler 67-8M0069643.
 Igloo PN: 8497

IGLOO REPLACEMENT PARTS

TIE DOWN KIT



67-875028

Tie-Down Kits keep cooler contents securely stowed. Available for all 26 marine 48 through marine 162. Each comes with two pairs of brackets and one pair of nylon straps.

Available for all marine Ultra 25 through 162 marine Ultra Coolers.
Igloo PN: 9797

CARRY HANDLES REPLACEMENT



93-8M0111823

For use on most rectangular shaped Igloo Coolers sized 25-72 Qt with a 2-screw hole handle attachment.

Handle swings up for ease of carrying, and features tie down loop. Handle folds flat while not in use - reduces potential for shearing off. Contains UV inhibitors to protect against sun damage. Made in USA.

LATCH SET



67-875013

Contains 1 latch, 1 post and 4 screws
Igloo

LATCH - HYBRID STAINLESS AND PLASTIC



8M0055635

Durable, rust-resistant stainless-steel and plastic hybrid latch is designed for use with all Igloo coolers except thermoelectric coolers. It's durable and made to stand up to harsh conditions – and it even withstands prolonged exposure to extreme weather.

LATCH - STAINLESS STEEL



8M0055636

Durable, rust-resistant stainless-steel latch is designed for use with all Igloo coolers except thermoelectric coolers. It's durable and made to stand up to harsh conditions – and it even withstands prolonged exposure to extreme weather.

HINGES



67-875012

Contains 2 hinges and 8 screws
Igloo

HINGE - STAINLESS STEEL



8M0055637

Includes: 1 pair of hinges.
"Universal" design replaces/retrofits all previous Igloo cooler hinges.
Made of all-stainless steel - both hinges and screws.
Fits all rectangular-shaped hinged Igloo coolers sized 23 liters - 153 liters.

THREADED DRAIN PLUG**67-875011**

Contains 1 threaded drain plug assembly
Igloo

MOORING EQUIPMENT

MOORING EQUIPMENT

BUOYS

QUICKSILVER ROD MOORING BUOY



67-885652

Orange 40 x 74 cm • 5.2 kg

QUICKSILVER SOLID HEAD BUOY



67-885680

Size 2 • White • 45 x 62 cm • 2.8 kg

67-8856801

Size 2 • Orange • 45 x 62 cm • 2.8 kg

FENDERS

QUICKSILVER CLASSIC FENDER



67-885724

Size 1 • White • 12 x 48 cm • 0.6 kg

67-885728

Size 1 • White / Blue Top • 12 x 48 cm • 0.6 kg

67-885729

Size 1 • White / Black Top • 12 x 48 cm • 0.6 kg

67-885734

Size 2 • White • 14 x 53 cm • 0.9 kg

67-885738

Size 2 • White / Blue Top • 14 x 53 cm • 0.9 kg

67-885739

Size 2 • White / Black Top • 14 x 53 cm • 0.9 kg

67-885744

Size 3 • White • 17 x 58 cm • 1.4 kg

67-885748

Size 3 • White / Blue Top • 17 x 58 cm • 1.4 kg

67-885749

Size 3 • White / Black Top • 17 x 58 cm • 1.4 kg

67-885758

Size 4 • White / Blue Top • 21 x 64 cm • 1.9 kg

67-885759

Size 4 • White / Black Top • 21 x 64 cm • 1.9 kg

67-885768

Size 5 • White / Blue Top • 23 x 72 cm • 2.3 kg

67-885769

Size 5 • White / Black Top • 23 x 72 cm • 2.3 kg

QUICKSILVER COMBI FENDER



67-885899

Size 1 • White • 12 x 45 cm • 0.5 kg

67-8858991

Size 1 • Navy Bleu • 12 x 45 cm • 0.5 kg

67-885900

Size 2 • White • 12 x 48 cm • 0.6 kg

67-8859001

Size 2 • Navy Bleu • 12 x 48 cm • 0.6 kg

67-885901

Size 3 • White • 12 x 48 cm • 0.6 kg

67-8859011

Size 3 • Navy Bleu • 14 x 53 cm • 0.9 kg

67-885902

Size 4 • White • 14 x 53 cm • 0.9 kg

67-8859021

Size 4 • Navy Bleu • 14 x 53 cm • 0.9 kg

QUICKSILVER CENTER HOLE FENDER



67-885906

Size 1 • White • 10 x 30 cm • 0.5 kg

67-885907

Size 1 • Navy Bleu • 10 x 30 cm • 0.5 kg

67-885909

Size 2 • White • 15 x 43 cm • 0.9 kg

67-885910

Size 2 • Navy Bleu • 15 x 43 cm • 0.9 kg

67-885912

Size 3 • White • 20 x 55 cm • 1.8 kg

67-885913

Size 3 • Navy Bleu • 20 x 55 cm • 1.8 kg

67-885916

Size 4 • Navy Bleu • 25 x 68 cm • 2.4 kg

QUICKSILVER PEAR FENDER



67-885921

Size 1 • White • 15 x 38 cm • 0.7 kg

67-885923

Size 2 • White • 18 x 48 cm • 1.1 kg

67-885925

Size 3 • White • 22 x 68 cm • 2.1 kg

ELECTRICAL

SWITCHES

HEAVY DUTY IGNITION SWITCH



67-8306041

3 Position: Off - Ignition - Start • 3 Terminals • 15 amps 12V DC • Chrome plated brass face nut and brass back-up nut • Stainless steel springs • Fits panels through 1-1/8 in. • Mounting stem 3.7 cm • thread diameter 2-20 cm.

LOCKS

34 PROPELLER LOCKS



67-808915

3/4 in.-16 threads. Theft protection during use, storage and transit. Fits MerCruiser, Alpha One, Bravo One, Mercury 70hp+ and Johnson/Evinrude 150hp+.

Fits MerCruiser Alpha One, Bravo One & TRS and Mercury/Mariner 70 hp and larger. Also fits OMC Cobra & King Cobra and Johnson/Evinrude 150 hp and larger.

McGard PN: 74039

67-808916

M18 x 1.5 threads. Theft protection during use, storage and transit. Fits Yamaha sterndrive, Yamaha outboards 115hp+, Suzuki 40hp+ and most models.

Fits all Yamaha sterndrives and Yamaha outboards 115 hp and larger. Also fits Suzuki 40 hp and larger.

McGard PN: 74040

67-851058

1 in.-14 threads. Theft protection during use, storage and transit. Fits Bravo III. Fits MerCruiser Bravo III and Blackhawk

McGard PN: 74053

STERNDRIVE LOCK



67-808911

Simply replace one of the sterndrive mounting nuts with the lock. Features a free-spinning collar that turns if attacked by gripping tools without loosening the lock. Fully machined from high-quality stainless steel and through-hardened.

MerCruiser Alpha and Bravo, OMC Cobra and King Cobra
7/16 in. thread twin drive

McGard PN: 74019

OUTBOARD MOTOR LOCKS



67-808912

Theft protection for outboard motors. Designed to lock the bolt that holds the outboard motor onto the boat's transom. Simply replace one of the mounting nuts with a locking nut. A free-spinning collar turns if attacked by gripping tools without loosening lock.

For Mercury/Mariner 40 hp and Larger. 1/2 in x 20 thread

McGard PN: 74036

67-808913

Theft protection for outboard motors. Designed to lock the bolt that holds the outboard motor onto the boat's transom. Simply replace one of the mounting nuts with a locking nut. A free-spinning collar turns if attacked by gripping tools without loosening lock.

For Yamaha 50 hp and Larger. 12 in x 1.25 thread

McGard PN: 74037

STERNDRIVE LOCK



67-808910

Protect the valuable propeller of your outboard or stern drive motor against theft! This is how it works:

Simply replace one of the fitted nuts with a McGard locking nut which can only be opened with the corresponding key.

McGard stern drive lock set can be used for the following models:

- MerCruiser
- Barvo I-III
- Blackhawk
- OMC Cobra & King Cobra
- Volvo SX, DP-S

Stern drive lock set includes:

- 1 locking nut, thread size 7/16-20
- 1 key
- 1 code card

McGard PN: 74018

INFLATABLE ACCESSORIES

3 STEPS ROPE LADDER



79602103

Nylon rope ladders with blow-moulded steps and anti-slip profile.
Foldable to a compact size for storage.
Colour: white.

4 STEPS ROPE LADDER

79602104

Nylon rope ladders with blow-moulded steps and anti-slip profile.
Foldable to a compact size for storage.
Colour: white.

2 STEPS INF BOARD LADDER



79625102

Anodized aluminium
Special model for inflatables
Pipe diameter 25mm

3 STEPS INF BOARD LADDER

79625103

Anodized aluminium
Special model for inflatables
Pipe diameter 25mm

4KG GRAPNEL FOLD ANCHOR



77203004

Galvanised
With hollow flukes and ballasted shank.

6KG GRAPNEL FOLD ANCHOR

77203006

Galvanised
With hollow flukes and ballasted shank.

LAUNCH WHEELS STERN MOUNT



85540174

Lightweight aluminum transport wheels set with pneumatic tyres suitable for inflatable boats, small polyester or aluminum boats.
The height is simply telescopic adjustable in 4 different heights of 57,5cm to 77,5cm measured from the heart of the pivot point to the bottom of the wheel on the ground.
The wheels are also very easy to fold up and under by a spring-loaded locking pin
Maximum load: 120 kg
Length adjustable from: 57,5cm to 77,5cm

Part Number to Page Number Reference

84 - 11149A55	449	22 - 15781A12	84
88 - 11178A01	601	15943A 1	88, 312
48 - 11324A45	685, 687, 691, 729, 809, 818, 862, 869	15967	90
25 - 11332	90	15969A09	89, 312
11606A 1	643, 645	15969A10	90, 312
11606A 2	645	15969A11	90
12022A40	44, 49, 50	15969A13	90
12022A41	44, 50	15985A02	91, 330, 895
12092A13	54, 60, 61	15995	449
12092A18	54, 59, 60	16074T05	20, 21, 25
12092A19	54, 60, 61, 330	12 - 16140	872
12092A20	54, 59, 60, 327	12 - 16140 2	871
84 - 12334A 2	38, 39	16145 2	871
12335A 1	89, 312	16145Q01	871, 890
12415	449	12 - 16146	871, 888
12415A 2	449	11 - 16147	871, 872, 885
91 - 12427T	657	11 - 16147 1	871
12569A 1	647	47 - 16154 1	235
12612Q 2	66, 314, 315	47 - 16154 3	234
43 - 12635T	65	48 - 16312A46	733, 809, 851, 863
12644A 1	130, 354	48 - 16314A46	733, 809, 851, 863
12756A 1	53	48 - 16315A46	733, 851, 863
13191Q01	890	48 - 16316A46	733, 809, 851, 862, 863
13536A13	449	48 - 16317A46	733, 851, 862
13536A14	449	48 - 16318A46	733, 809, 851, 862, 863
22 - 13563Q 3	76	48 - 16436A45	685, 687, 691, 699, 705, 718, 729, 863
22 - 13563Q 7	75	48 - 16436CP1	685, 687, 691, 729
33 - 13686Q	16, 17	48 - 16438A45	685, 687, 691, 729, 809, 863
48 - 13700A46	732, 809	48 - 16438CP1	685, 687, 691, 729
48 - 13701A46	732, 809	48 - 16440A45	685, 687, 691, 729, 809, 862, 863, 869
48 - 13702A46	732, 809	35 - 16595Q	277
48 - 13703A46	732	16645A 4	355
48 - 13704A46	732	26 - 16709A 2	250
48 - 13705A46	732	16755T 1	250
48 - 13706A46	732	16837A 2	20, 21, 24, 25
11 - 13914Q02	871, 882	16838A 4	23-25
13914Q03	321, 871, 882	16839A 4	87
33 - 14103550	13-16	16841Q02	65, 315
33 - 14103568	7, 16, 17	16909A 2	306, 309, 319, 321, 324, 327, 331, 335, 469
33 - 14103Q	12-16	48 - 16986A46	733, 808
97 - 14205M	98	48 - 16988A46	733, 808, 856
22 - 14213Q	75	48 - 16990A46	856
14359	890	48 - 16992A46	856, 861
14586A 3	84, 86	17024	647
14586A 4	84, 86, 87	17024A03	643, 645
14586A 6	85-87	17063T	469
14586A 7	85, 86	84 - 17162	473
34 - 14594A 2	200	84 - 17175	20
34 - 14594A 3	200	85 - 17198	597
87 - 14645A 4	28, 591	85 - 17199	597
14801A 1	134, 138, 141, 143	85 - 17200	597
33 - 14814568	7, 13	17264T 2	98, 103, 104, 107, 235
33 - 14814Q	7, 16, 17	17280A 2	70
15000A14	38, 314, 316, 318, 320, 322, 326, 567	48 - 17310A46	733, 856
15000A 7	38, 40, 41, 315, 317, 318, 567	48 - 17312A46	733, 856
97 - 15300	98, 111	48 - 17314A46	733, 808, 856
15768A 3	123, 355	17611T	894

Part Number to Page Number Reference

33 - 17719547	7, 12, 13	87 - 19674A08	307, 311, 323, 326, 330, 333, 337, 340, 344, 347, 354, 573, 575
17729A 1	646	87 - 19674A12	307, 311, 323, 326, 330, 333, 337, 340, 344, 348, 354, 573, 575
84 - 17829A10	324, 553, 585	87 - 19674A13	307, 311, 323, 326, 330, 333, 337, 340, 344, 348, 354, 574, 575
84 - 17829A 2	585	87 - 19674A14	312, 337, 340, 344, 348
84 - 17829A20	324, 553, 585	87 - 19674A15	312, 337, 340, 344, 348
18018A 1	201	33 - 19796	7, 12
48 - 18278A46	732, 809	48 - 19838A46	732, 809
48 - 18280A46	688	48 - 19841A46	732
48 - 18281A46	688	12 - 20084	888
48 - 18281A56	864, 867, 868	20427020	918
87 - 18286A17	591	20427021	919
87 - 18286A18	28, 307, 322, 326, 591	20613022	918
87 - 18286A19	307, 323, 326, 591	20811240	919
87 - 18286A46	329, 333, 589, 591	20811241	919
87 - 18286A47	329, 333, 591	20811242	919
35 - 18458Q 3	81	20811243	919
35 - 18458Q 4	81, 238, 312	20811244	919
18563A 1	132, 355	20811245	919
48 - 18606A 6	688, 741	20811248	918
48 - 18607A 6	688, 741	20811249	918
48 - 18608A 6	688, 741	20811250	919
48 - 18609A 6	688, 741	20811251	919
48 - 18610A 6	688, 741	20811252	919
48 - 18611A 6	688, 741	20811253	919
48 - 18612A 6	688, 741	20811254	919
48 - 18613A 6	688, 741	20811255	920
48 - 18614A40	688, 730, 865, 867	20811279	918
48 - 18614A 6	688, 741	22831Q 3	76
48 - 18615A40	688, 730, 865, 867	24789A 1	66
48 - 18615A 6	688, 741	12 - 27025	888
48 - 18616A40	688, 730, 865, 867	12 - 28421	63
48 - 18616A 6	688, 741	12 - 29710	887
48 - 18617A40	688, 730, 865, 867	30185Q 3	76
48 - 18617A 6	688, 741	30431104	570
48 - 18618A40	688, 730, 865, 866	30431108	570
48 - 18618A 6	688, 741	30431123	570
48 - 18619A40	688, 730, 865, 866	30431124	570
48 - 18619A 6	688, 741	30431125	570
18787019	199	30431126	570
18787T 2	199	30431127	570
19220A 4	896	30431128	570
47 - 19453T	236	30431129	570
35 - 19485	281	30431130	570
19608A14	323, 327, 643, 645	30431131	570
19609A 6	324, 327, 644, 645	30431132	570
19624A 1	647	30431133	570
48 - 19636A10	682, 727, 854	30431134	570
48 - 19638A40	682, 727, 854	91 - 30500	303
48 - 19639A40	682, 727	30635Q 3	76
48 - 19640A40	682, 727, 806, 854	12 - 31211Q03	871, 872, 888
48 - 19644A 5	854	97 - 31640Q 4	98, 184, 893
19669T	871, 894	31640T07	98, 104, 108-111, 236, 237
87 - 19674A05	354, 573	97 - 31640T 4	106-111, 187, 188
87 - 19674A06	354, 573	97 - 31640T 6	98, 106-111, 184, 187, 188, 237
87 - 19674A07	307, 311, 323, 326, 330, 333, 337, 340, 344, 347, 354, 573	11 - 31990Q02	871, 883

Part Number to Page Number Reference

32053T	894	84 - 46239A 1	585
22 - 32561	75, 83	11 - 46335	886
34127T 2	184, 187, 188	46838A 4	592
34762A 1	182, 187, 188	46838A 6	592
34765A 2	354	97 - 47820A 1	98
34765Q02	130	18 - 47959	871, 872
14 - 34817	889	49734	124, 352, 449, 586
11 - 34933	885	5 - 5010130CP	190
22 - 34982	75, 82	5 - 5010147CP	190
22 - 36305T	151	5 - 5010162CP	190
37293T	124, 352, 586	5 - 5010181CP	190
91 - 37299Q 2	303	5 - 5010194CP	190
38859A 1	890	50170	925
12 - 39701	888	50372	925
12 - 39817	888	50541	925
11 - 40119 12	871	5 - 5111200TP	190
11 - 40119Q02	871	5 - 5111300TP	190
11 - 40140	871, 885	5 - 5111400TP	190
41323A03	644, 645	5 - 5111600TP	190
54 - 41582Q 7	77, 83, 175	5 - 5121200TP	190
41729A 3	89, 312	5 - 5121300TP	190
23 - 42091 1	871, 887	5 - 5121400TP	190
97 - 42121Q02	98, 103, 105, 106	5 - 5121600TP	190
42282A 4	20-22, 25, 26	5 - 5121700TP	190
13 - 42351 1	889	5 - 5231100TP	190
42594T	882	5 - 5231200NP	190
42600A09	180	5 - 5231200TP	190
42600A14	180	5 - 5231300TP	191
42600A18	209	5 - 5237100TP	191
42630 1	893	5 - 5237200TP	191
48 - 42738A45	683, 709, 710, 721, 722, 728, 807, 859	5 - 5237300TP	191
48 - 42738CP1	683, 728	11 - 52707Q 1	871, 872, 884
48 - 42740A45	683, 709, 710, 721, 722, 728, 856, 859	5 - 5331200TP	191
42805A 6	473	5 - 5331400TP	191
47 - 43026Q02	237, 240	5 - 5331500TP	191
43026T2	348	5 - 5331600LP	191
47 - 43026T 2	236-240	5 - 5331600TP	191
43549	894	35 - 53336Q	246-248
48 - 43592A71	745	5 - 5337400TP	191
43615T 1	895	5 - 5337500TP	191
43636T	895	5 - 5337600TP	191
43672	895	1623- 5356A 4	196
43676T	871, 894	54212A 7	354
91 - 43693A 2	656	5 - 5441200TP	192
43 - 44102A 2	64, 312	5 - 5441400LP	192
44267A02	130, 139, 354	5 - 5441400TP	192
44267A03	131, 140, 354	5 - 5441500LP	192
44267A04	131, 146	5 - 5441500TP	192
44267A05	131, 146, 150, 354	5 - 5441600LP	192
44267A06	131, 147, 150, 354	5 - 5441600TP	192
44267A07	131, 147, 150, 354	5 - 5441700TP	192
44267A08	131, 147, 150, 354	5 - 5447400TZ	192
44349A 1	132, 355	5 - 5447500TZ	192
44357Q 2	66, 166, 203, 308, 313, 315, 317, 319, 321, 323, 327, 330, 334, 338, 341, 345, 349, 355	5 - 5447600TZ	192
44357T 2	308, 313, 323, 327, 330, 334, 338, 341, 345, 349, 355	54737T	882
45676T	882	12 - 54738	887
		32 - 54950 53	447

Part Number to Page Number Reference

32 - 54950600	447	87 - 66581	202
12 - 55072	888	87 - 66582	202
12 - 55073A 2	888	32 - 67032A12	202
55074T	891	32 - 67032A24	202
97 - 55989Q 9	182, 187, 188	32 - 67032A36	202
97 - 55989T 3	182, 187, 188	32 - 67032A48	202
56762	601	32 - 67032A72	202
57908 11	597	32 - 67032A96	202
58366T 2	586	10 - 67755005	62, 64
35 - 59072	79	10 - 67755 2	61, 64
47 - 59362T 6	248, 249	10 - 67755A13	62, 64
33 - 59571B	117	10 - 67755A14	62, 64
5 - 5E31200UP	191	10 - 67755A15	62, 64
5 - 5E31800TP	191	10 - 67755A17	62, 64
5 - 5E31900UP	191	10 - 67755A18	62, 64
5 - 5H41300UP	192	10 - 67755A22	62, 64
5 - 5H41400UP	192	10 - 67755A26	62, 64
5 - 5H41600TZ	192	68858T	881
5 - 5J31200TP	191	68861T	881
5 - 5J31300TP	191	84 - 69108A 5	585
5 - 5J37200TP	191	6 - 6911002TP	189
5 - 5J37300TP	191	69355	601
5 - 5K31500TP	192	69356	602
5 - 5K31600TP	192	11 - 69578Q 1	871, 883
5 - 5K37400TP	192	6 - 6A15002TP	189
5 - 5K37600TP	192	6 - 6A45002TP	190
5 - 5L41300TP	193	70599A 5	314
5 - 5L41400TP	193	22 - 72932A 3	126, 128
5 - 5L41500TP	193	97 - 72957A 5	95, 180
5 - 5L41600TP	193	72958A 5	95, 96, 180
5 - 5L41700TP	193	48 - 73132A45	683, 708-710, 721, 722, 728, 807, 856, 859
5 - 5L47400TP	193	48 - 73134A45	683, 708-710, 720-722, 728, 807, 856
5 - 5L47500TP	193	48 - 73136A45	683, 701, 708-710, 720-722, 728, 807, 855
5 - 5L47600TP	193	48 - 73138A45	683, 701, 708-710, 720-722, 728, 807, 855
5 - 5M41600TP	193	48 - 73140A45	683, 701, 708-710, 720-722, 728, 807, 855, 859
6 - 6010000CP	189	48 - 73142A45	683, 701, 708-710, 720-722, 728, 855, 859
6 - 6010000DP	189	48 - 73144A45	683, 701, 708-710, 720-722, 728, 855, 859
86 - 60602T	597	73345A 1	871, 889, 890
86 - 60831T	597	35 - 73532	78
86 - 60878T	596	91 - 74057Q 6	303
6 - 61000002P	189	74639A 2	250
6 - 61000005P	189	75095Q 2	202, 574
61086A11	151, 157, 160	97 - 76214 4	184, 188
84 - 61378A 2	35, 200	97 - 76214 6	184, 188
86 - 61606T	597	97 - 76214A 6	99, 110, 111, 184, 188, 237-240
87 - 61691	201	97 - 76214Q 5	99, 110, 111, 184, 236-240, 881, 893
6 - 620000091	189	97 - 76214T 1	99
6 - 62000010P	189	76214T 3	99
6 - 62000012P	189	97 - 76214T 5	104, 105, 188
62351A10	23, 25, 26	14 - 76281	889
62999	894	14 - 76281Q	871
6 - 6311002NZ	189	76426A 9	586
6 - 6315002TP	189	76535T	645, 647
6 - 6345002TP	189	26 - 76868A04	250
11 - 64075A 1	883, 886	77203004	932
6 - 6511002NZ	189	77203006	932
57 - 65607Q	246	48 - 77338A33	728

Part Number to Page Number Reference

48 - 77338A45	684, 690, 699, 700, 706-709, 718-722, 729, 808, 856	97 - 803731	103
48 - 77338CP1	808	803743	871
48 - 77340A33	728	803743Q01	871, 883
48 - 77340A45	684, 690, 699, 700, 706-709, 718-722, 729, 808, 856	803743Q02	871, 883
48 - 77340CP1	808	47 - 803748	234, 235
48 - 77342A33	728	47 - 803748 1	234
48 - 77342A45	684, 690, 699-701, 706-709, 718-722, 729, 808, 856	47 - 803748Q01	234
48 - 77344A45	684, 690, 698-701, 706-708, 712, 713, 718-720, 729, 808, 856	47 - 803748Q02	234
48 - 77346A45	684, 690, 698-701, 706, 707, 712, 713, 718-720, 729, 808, 856, 861	803890T	889
48 - 77348A45	684, 690, 698-701, 706, 707, 712, 713, 718-720, 729, 808, 856, 861	47 - 803985T	897
48 - 77350A45	684, 690, 698-701, 706, 707, 712, 713, 718-720, 729, 808, 856, 861	97 - 804043	103, 235
77409A 1	447	64 - 804378A 1	640, 641
77409B 1	447	804540	234
48 - 78112A45	685, 687, 691, 699, 700, 705, 718, 729, 809, 851, 863	22 - 804787Q	76, 330
48 - 78112CP1	685, 687, 729	22 - 804787T	330, 334
48 - 78114A45	685, 687, 691, 699, 700, 704, 705, 718, 729, 809, 851, 863	3302-804844002	246-248
48 - 78114CP1	685, 687, 691, 729	805100	891
48 - 78116A45	685, 687, 691, 697, 699, 700, 704-706, 718, 719, 729, 809, 851, 863	805101T	891
48 - 78116CP1	685, 687, 691, 729	805130A 6	450
88 - 79023A91	600	805130A 8	451
88 - 79023A93	600, 611	805134A 3	451
88 - 79023A94	600, 611	805134A 6	539
88 - 79023T10	600	805218T	450
88 - 79023T56	600	87 - 805268	124, 586
88 - 79023T90	600	79 - 805289A 1	420
88 - 79091	598	805320A03	450
84 - 79138A 8	96	91 - 805457T 1	898
79476A 1	178	91 - 805475A 1	657
79476A 4	178	805759T 3	247, 248
79476A 5	178	35 - 805809T	281
79476A 6	179	805984A 1	127, 128
79602103	932	97 - 806000	186
79602104	932	806054A 1	123, 355
79625102	932	97 - 806105Q 1	185
79625103	932	97 - 806105T 1	188
79 - 79889A 1	455	97 - 806187A 1	184, 188
802002Q 1	884	97 - 806188A 2	185, 188
802010Q 1	885	97 - 806188Q01	185, 188
91 - 802653K02	323, 327, 334	97 - 806189A 2	185, 188
91 - 802653Q02	93, 303, 317, 319, 321, 323, 327	97 - 806189Q 1	185
802755	470	97 - 806189T 1	188
802889A 1	302, 355	97 - 806190A 2	185, 188
802889Q 1	94, 302, 323, 327, 330, 334, 355	97 - 806190Q 1	185
35 - 802893A 4	355	97 - 806190T 1	188
35 - 802893Q01	80, 174	806193A49	123
35 - 802893Q 4	84, 173, 355	35 - 806329A 1	169, 170
35 - 802893T	246-249	806385T	420
803061T 1	85, 87	23 - 806445A 1	123
31 - 803496T 1	65	806490T	449
43 - 803500T 1	65	806688A02	179, 896
33 - 803507	7, 10, 11, 234, 235	91 - 806794A02	656
35 - 80365M	78	22 - 806836A 3	126, 128
		22 - 806837A 1	127, 128
		22 - 806837A 2	127
		806843A06	167, 168
		806843A 2	167, 168
		46 - 807151A25	154, 161

Part Number to Page Number Reference

46 -807151A 5	154, 161	48 -812950A10	682, 727
35 -807172A 1	173	48 -812951A02	681, 726, 805, 841
807252T 5	246-249	48 -812954A10	681, 727, 806, 813
35 -807256T	176	46 -812966A12	235, 236
807459A09	169, 170	33 -813413	6, 14-16
807459A 3	169, 170	33 -813415	117, 119
807477A 5	133, 143, 144	33 -813416	6, 13-15
807611T	132, 355	33 -813418	6, 7, 13
807639A 3	153, 161, 162	33 -813421 4	117, 121, 122
807901A 3	124, 125, 153	33 -813425	116, 119, 120
807901A 5	153, 160, 161	33 -813471 1	117, 118
807901T 6	153, 160	33 -813472	5, 8, 12, 13, 17, 18
91 -807903A 1	656	86 -813936T	596
97 -808112	189	86 -813937A 2	596
35 -808275	176	86 -813937T	596
91 -808696	597	87 -813960A 4	39
67 -808840Q	74	10 -814259	62, 64
67 -808887Q	77, 172, 287	87 -814324A 2	354, 573
67 -808910	931	87 -814407A 3	33, 591
67 -808911	931	86 -814433T	596
67 -808912	931	86 -814434T	596
67 -808913	931	814951 4	646
67 -808915	931	18 -815026	871, 872, 887
67 -808916	931	18 -815026 4	871
35 -809100	176	48 -815083A01	681, 726, 840, 857
35 -809101	177	48 -815083A02	681, 726, 840
809485	218, 648	48 -815084A01	840, 857
809486	218, 648	48 -815084A02	840, 857
97 -809662T	102, 183, 187, 188, 881	17 -815111Q02	871, 887
809664A 1	102, 183, 187, 188, 880	87 -815200A02	591
97 -809666A02	183, 188, 881	87 -815200A 1	590
97 -809666A03	183, 188, 881	34 -815242A 3	200
97 -809666T	183, 184, 187, 188, 881	815279A 3	20
97 -809666T01	183, 188	815407T 5	246
97 -809670T	183, 184, 187, 188, 881	815632A02	179, 895
97 -809690A 1	102, 182	48 -815758A46	732
35 -809867	177	48 -815760A46	732
35 -809868T	177	1623-815822A28	196
64 -809883A 1	639	1623-815822A30	196
811635K 2	246	1623-815822A36	196
84 -812441A10	353, 553	1623-815822A47	195
84 -812441A15	353, 553	1623-815822A52	195
84 -812441A20	353, 553	1623-815822A53	195
84 -812475A20	353, 551	1623-815822A55	195
84 -812475A25	353, 551	35 -816168	281
84 -812475A 3	353, 551	35 -816296A 3	79
812497A 4	471	35 -816296Q03	78
812497A 5	471	35 -816296Q 2	78
812497A 6	471	54 -816311T	602
812497T03	471	816318A 4	896
88 -812619	599	33 -816336Q	116, 118, 121, 246-248
1263-812718A 2	88	22 -816339	178, 355
84 -812835A30	353	816366A48	44, 48, 49
84 -812835A45	353	816431A 1	250
48 -812948A10	682, 727	816492A 9	582
48 -812949A02	681, 726, 805, 813, 841	26 -816575A 4	250
48 -812950A02	681, 726, 805, 813, 841	84 -816626A11	315, 316, 318, 564

Part Number to Page Number Reference

84 -816626A15	219, 315, 316, 318, 564	821190A 3	53
84 -816626A 2	219, 315, 316, 318, 564	821455A16	43, 47, 48
84 -816626A20	219, 315, 316, 318, 565	821455A17	43, 48
84 -816626A24	220, 315, 316, 318, 565	821455A20	42, 47
84 -816626A25	565	821455A22	43, 47, 48
84 -816626A29	315, 317, 318, 565	821455A24	43, 48
84 -816626A30	565	821455A26	42, 47
84 -816626A 8	315, 316, 318, 564	821455T 8	42, 47, 48
14 -816629Q	889	821468A 7	42, 47
816667A 2	52, 323, 327, 644, 645	97 -821629A 2	182, 188
816696A 1	55, 59, 60	97 -821629Q 1	182
816696A12	55, 59, 60	97 -821629T 1	188
816696A 9	60, 61	97 -821630A 2	182, 188
48 -816702A45	683, 728, 807, 859	97 -821630Q 1	182
48 -816704A45	683, 728, 807, 859	97 -821630T 1	188
48 -816706A45	683, 728, 807, 859	97 -821631Q 1	182
33 -816737Q	13-16	97 -821631T 1	188
47 -816814T	251, 252	97 -821631T 3	182, 188
33 -816837Q	13-17	19 -821908	67, 220
22 -816856Q 3	76	821932 1	871
36 -816976Q 1	70, 71	822157T03	235
817019Q 2	123, 355	822157T 2	99, 103, 104, 106, 107
817019T 2	355	822344A11	27, 31
817275A09	239, 240	822344A12	28
84 -817659T01	592	822344A13	27, 29-32
817782 1	572	822434	602
817883 1	572	50 -822462A06	37, 40, 41
817891 1	572	50 -822462A 1	37, 40
817928 1	572	50 -822462A 2	37, 41
817929 1	572	50 -822462A 4	37, 40
22 -818170A 2	177	822559Q01	880
97 -818298Q 1	100, 235-240	822573A12	29-32, 320, 451-453
97 -818298T 1	103-105, 107-111	35 -822626Q15	93, 273, 274
97 -818298T 3	101, 107-111, 235-239	97 -822777A 2	100, 184, 188
818377A 2	202	97 -822777Q 1	100, 111, 184, 893
819012	572	97 -822777T 1	188
819013	572	23 -822974	879
819014	572	53 -822975	880
819015	572	87 -823037A04	574
819016	572	823054Q	575
97 -819232	101	48 -823478A46	683, 708-710, 720-722, 739
819504A 2	33	92 -823506 1	283, 301
48 -820110A20	801, 858, 860	23 -823516	879
56 -820386A76	539	87 -823609A 7	38-40
56 -820386A85	510	97 -823912	101, 103, 105, 234
97 -820503 1	222	97 -823912002	103, 235
22 -820543A 1	66, 220	97 -823913Q	100, 103, 105, 234
22 -820543A 6	220	33 -824406 8	18, 19
22 -820573	67, 220	19 -824431	896
25 -820663250	221	84 -824477A 3	38, 40
25 -820663375	221	824954A 1	89, 312
25 -820663500	221	32 -825191A03	52, 53, 312, 330, 334, 341, 344, 348, 475, 476
820671A18	216, 485	825212A 1	85-87, 236, 323
820675	216, 219, 478, 649	97 -825271 1	101, 103, 104, 106, 107
820728	649	87 -825294A 2	38, 40
48 -821154A46	732	48 -825860A47	733
821190A 1	53	48 -825862A47	733, 857, 869

Part Number to Page Number Reference

48 -825864A47	733	11 -827614Q01	871, 884
48 -825866A47	733	11 -827614Q04	884
48 -825868A47	733	827691A 1	179
48 -825872A47	733	82779	476, 484
48 -825874A47	733	33 -827858Q	8, 11
48 -825930A46	733	33 -827859	8, 11
48 -825932A46	733	82795T	99
48 -825934A47	733	828038A 1	23, 25
48 -825938A47	733	48 -828150A12	682, 726, 842, 853
48 -825940A48	733	48 -828152A12	682, 726, 806, 842, 853
48 -825942A47	733	48 -828154A12	682, 726, 806, 842
48 -825944A47	733	828155A 3	87
826074Q 1	871, 872, 878	828155A 4	88
97 -826134Q	102, 235–240	828155A 6	88
97 -826134T	103–105, 107–111, 239	48 -828156A12	682, 726, 806, 842, 853
97 -826134T 3	102, 108–111, 235–240	48 -828158A12	682, 726, 806, 842, 853
64 -826449A 1	639	91 -828363A 1	656
64 -826464	639	828369	94, 303
64 -826465	639	57 -828507Q 4	238
64 -826470A 1	639	57 -828507Q 5	238
64 -826472A12	634	828813A29	43, 47–49
64 -826472A13	634	828813A33	48, 49
64 -826472A19	634	33 -828942	5, 8, 14, 17, 18
64 -826472A 8	634	47 -828989T 1	898
64 -826472A 9	634	67 -829140A01	604
64 -826483A 1	640	1641- 8294A14	197
64 -826491A 1	640	1641- 8294A16	195
64 -826495A 1	642	1641- 8294A19	195
64 -826496A 1	642	1641- 8294J00	197
64 -826497A 1	640	1641- 8294J01	195
64 -826498A 1	640	1641- 8294J02	195
64 -826501A 1	639	67 -8306041	930
64 -826507A 2	643	26 -830749	241, 348
64 -826511A 2	643	67 -831316 1	74
64 -826512A 2	643	48 -831867A60	866
64 -826513A14	640	48 -831868A60	866
64 -826513A16	640	48 -831909A45	732
64 -826513A18	640	48 -831909A55	732
64 -826513A20	640	48 -831909L65	753, 767
64 -826513A22	640	48 -831910A45	732
64 -826513A24	640	48 -831910A55	732
64 -826523	642	48 -831910L60	748, 765
64 -826524	642	48 -831910L65	753, 767
64 -826525A 1	642	48 -831910L80	748, 765
64 -826532A 1	642	48 -831911A45	732
826557A 1	474	48 -831911A55	732
826633A 1	473	48 -831911L45	753, 767
11 -826709 11	885	48 -831911L65	753, 767
11 -826711 12	885	48 -831912A45	732
11 -826711 17	63	48 -831912A55	732
11 -826711 27	886	48 -831912L45	753, 767
1686-827214T25	204	48 -831912L60	748, 765
48 -827312A45	683, 728	48 -831912L65	753, 767
91 -827497A 1	77	48 -831912L80	748, 765
84 -827593A 2	585	48 -831913A45	732
827598T	871, 893	48 -831913A55	732
11 -827614A 3	884	48 -831913L45	753, 767

Part Number to Page Number Reference

48 -831913L65	753, 767	834899Q	878
48 -831914A45	732	835257Q 1	871, 873
48 -831914A55	732	835257Q12	872
48 -831914L45	753, 767	835257Q 6	871, 873
48 -831914L60	748, 765	835258Q 1	871, 873
48 -831914L65	753, 767	835258Q 2	871, 874
48 -831914L80	748, 765	835266Q 1	872, 875
48 -831915A55	732	835271Q09	877
48 -831915L45	752, 767	835271Q 2	871, 876
48 -831915L65	753, 767	835272Q09	877, 880
48 -831916A55	732	835272Q 1	871, 876
48 -831916L45	753, 767	835274Q 1	871, 877
48 -831916L60	748, 765	835277Q 1	872, 874
48 -831916L65	753, 767	835278A 1	891
48 -831916L80	747, 765	835278Q 1	872, 874
48 -831917A55	732	835279Q 2	872, 874
48 -831917L45	752, 767	835281Q 1	872, 875
48 -831917L65	752, 767	835282Q 1	872, 875
48 -831918A55	732	835283Q03	872, 875
48 -831918L45	752, 767	835283Q 1	872, 875
48 -831918L60	747, 765	835283Q 2	872, 875
48 -831918L65	752, 767	835284Q 1	872, 876
48 -831918L80	747, 765	835290Q 1	871, 872, 877
48 -831919A55	732	47 -835452T	898
48 -831919L45	752, 767	64 -835457A11	218, 649
48 -831919L65	752, 767	64 -835457A13	218, 649
48 -831920A55	732	64 -835457A15	218, 649
48 -831920L45	752, 767	64 -835457A17	218, 649
48 -831920L65	752, 767	64 -835457A19	218, 649
832066A 1	70	64 -835457A21	218, 649
48 -832121L45	767	64 -835457A23	218, 649
48 -832121L65	767	12 -835467008	872
48 -832122L45	767	12 -835467 5	871, 891
48 -832122L65	767	12 -835467 7	892
48 -832123L45	767	12 -835467Q01	871, 872, 891
48 -832123L65	767	83859T	99
48 -832124L45	767	840368A 1	201
48 -832124L65	767	44 -840377A 1	215
48 -832828A45	685, 687, 691, 697-700, 704-706, 712, 713, 718, 719, 729, 809, 851, 862, 863, 869	840382A02	880
48 -832830A45	685, 687, 691, 697-700, 704-706, 712, 713, 718, 719, 729, 809, 862, 869	12 -840383A 2	871, 884
48 -832832A45	685, 687, 691, 697, 698, 700, 704, 706, 712, 713, 719, 729, 809, 851, 862, 869	840389Q06	874
48 -832834A45	685, 687, 691, 700, 706, 712, 713, 719, 729, 809, 851, 861, 862, 869	91 -840393A 1	215
88 -832969 10	599	44 -840450A03	199
88 -832969 2	598	44 -840451A03	199
88 -832969 30	599	1687-840560A27	204
88 -832969T05	598	1687-840560A28	204
88 -832969T15	599	1687-840560A29	204
88 -832969T20	599	1687-840560A38	204
88 -832969T25	599	1687-840560T33	204
833006A 1	34, 312, 341	1687-840560T34	204
833072003	238	1687-840560T35	204
833072004	237	1687-840560T37	204
97 -833163A 1	222	1687-840561A27	204
834839Q	872, 878	1687-840561A28	204
		1687-840561A29	204
		1687-840561A35	204
		1687-840561A37	204

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Part Number to Page Number Reference

1687-840561A38	204	844944A 1	456, 457, 652
1687-840561A63	204	844945A 1	456, 457, 652
1687-840561A64	204	845263A 1	899, 900
1687-840561A65	204	845457A 1	457, 652
1687-840561T33	204	845457A 6	457, 652
1687-840561T34	204	845532A02	653
1687-840561T36	204	845532A 1	653
1687-840561T69	204	845630A02	653
1687-840561T70	204	845630A 1	653
1687-840561T71	204	32 -845976	654
35 -840634K01	277	32 -845977	654
840714A 1	342, 346	845983A 1	456, 457, 651, 652
840714A24	342, 346	32 -846051	654
840716A19	343, 346	846063A 1	456
840716A 2	343, 346	846066A 1	456
841944A02	652	846562A 1	205
841945A02	652	846563A 1	205
842049A01	212	846564A 1	205
842049A02	212	846743A 1	205
842049A03	212	846744A 1	205
842049A04	212	846745A 1	205
842049A06	212	846793A 1	456
842049A08	212	846860T 1	653
842064A02	211	847314A 1	899, 900
32 -842756T01	52, 203	45 -847633A 1	214
842768A05	652	847635	185, 188
48 -842939L70	758, 769	848045A 7	201
48 -842940L70	758, 769	848445A 1	455, 457, 651
48 -842941L70	758, 769	848445A 6	455, 457, 651
48 -842941L80	758, 769	848653T	188
48 -842942L70	758, 769	848703A 1	67, 203
48 -842942L80	758, 769	32 -848789	654
48 -842943L70	758, 769	848998A 1	67, 203
48 -842943L80	758, 769	849143T	205
48 -842944L70	758, 769	43 -849189T 2	204
48 -842944L80	758, 769	48 -849246L62	746, 764
48 -842945L70	758, 769	48 -849248L62	746, 764
48 -842945L80	758, 769	849310T	205
48 -842946L70	758, 769	849335T	205
48 -842946L80	758, 769	849339T	205
843042T03	207	34 -849484A 1	200
843122T01	203	849496T05	199
33 -843220Q	238	23 -849501Q 1	879
843426A 1	129, 206, 354	48 -849506L62	746, 764
843426A 2	129, 206	48 -849508L62	746, 764
843434A 1	129, 206, 354	849996T 1	166, 203
843434A 2	129, 206	850000A 2	44, 48
32 -843556A 1	653	850000A 3	44, 49, 50
32 -843675A 1	653	850000A 4	45, 47
843946T	206	850005A 2	219, 650
844342	208	43 -850034T	65
844399T01	213	850055A 2	85-87
844464A30	471	12 -850076	871, 887
844466A70	471	850330Q	872, 879
844466A90	471	91 -850438 1	302
844630A31	470	35 -850481	177
844634A74	471	850697A 2	217, 219, 478, 650

Part Number to Page Number Reference

850699	218, 648	47 -855708115	897
32 -850719	90	47 -855708T25	897
91 -850730Q 1	292	47 -855708T40	897
84 -850782	586	47 -855708T60	897
850821Q11	871, 878	48 -855856A46	683, 708-710, 720-722, 739, 856, 859
850821Q12	878	48 -855858A46	683, 701, 708-710, 720-722, 739, 808, 855, 859
851052Q	425, 428, 538	48 -855860A46	683, 701, 708-710, 720-722, 739, 808, 855, 859
67 -851058	931	48 -855862A46	683, 701, 708-710, 720-722, 739, 808, 855, 859
64 -851621A11	638	23 -856163Q 1	871, 879
64 -851621A12	638	48 -85632A45	683, 708-710, 720-722, 728, 807, 856, 859
64 -851621A14	638	84 -856554A02	473
64 -851621A16	638	856557A 1	19
64 -851621A18	638	856558A 2	24, 25
64 -851621A20	638	97 -856581C	221, 222
64 -851622A 1	635	856627T 3	220
64 -851622A10	635	856642A 2	88
64 -851622A11	635	87 -856654A 1	202
64 -851622A12	635	87 -856654A 2	202, 574
64 -851622A13	635	87 -856654A 4	574
64 -851622A14	635	48 -857022A46	732
64 -851622A15	635	48 -857024A46	732, 809
64 -851622A16	635	48 -857025A46	732, 809
64 -851622A17	635	48 -857026A46	732, 809
64 -851622A18	635	48 -857026L55	751, 766
67 -851706	598	48 -857027A46	732, 809
67 -851766	597	48 -857027L55	751, 766
67 -851773	598	48 -857028A46	733, 809
398 -852387A 6	19	48 -857028L55	751, 766
22 -852400	67	48 -857029A46	733, 809
852962T	220	48 -857029L55	751, 766
12 -853359	872, 892	48 -857030A46	733, 809
12 -853555	871, 892	48 -857030L55	751, 766
853762	103, 235	48 -857031A46	733, 810
853762T01	103, 234, 235	48 -857031L55	751, 766
853783A05	54, 58	48 -857032A46	733
853783A06	54, 58	48 -857032L55	751, 766
853792A07	235	48 -857033A46	733
853824A04	644, 645	48 -857033L55	751, 766
12 -853948T	871, 872, 892	35 -858004Q	277
64 -853951A10	216, 485	92 -858007Q01	288
64 -853951A16	216, 485	92 -858008Q01	288
64 -853951A18	216, 485	92 -858021QB1	261
854256 1	235	92 -858022QB1	261
48 -854340A33	728	92 -858023QB1	261
48 -854340A45	684, 690, 708, 709, 728	92 -858024QB1	261, 262
48 -854342A33	728	92 -858026QB1	261, 262
48 -854342A45	684, 690, 708, 709, 728	92 -858027QB1	261, 262
48 -854352A45	684, 690, 699-701, 706-709, 718-722, 729	92 -858028QB1	261, 262
48 -854354A46	733	92 -858029QB1	261, 262
48 -854360A45	684, 690, 698-701, 706-708, 712, 713, 718-721, 729	92 -858037QB1	261, 262
12 -854621	872, 892	92 -858038QB1	261, 263
47 -854670T	898	92 -858039Q01	261, 263
854810T 1	220	92 -858058QB1	288
84 -855390	553	92 -858059QB1	288
85540174	932	92 -858061QB1	288, 289
35 -855514002	251	92 -858062QB1	288, 289
855654A 6	28, 30	92 -858064QB1	288, 289

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Part Number to Page Number Reference

92 -858065QB1	288, 290	859318T 1	531, 577
92 -858067QB1	288, 290	859318T 2	530, 576
92 -858068QB1	288, 290	859389A 1	221
92 -858074QB1	299	1623-859399T13	113
92 -858075QB1	299	1623-859399T14	113
92 -858078QB1	299, 630	1623-859399T15	113
92 -858084QE1	267, 271	1623-859399T16	113
92 -858093A01	263	1623-859399T17	113
92 -858119QE1	267, 271	859447A 1	91, 895
858342A10	216, 485, 486	33 -859495Q	8, 11, 12
858342A12	216, 485, 486	859648A 2	409, 545
858342A14	216, 485, 486	859649A 2	409, 546
858342A16	216, 485, 486	23 -85964A 1	890
858342A18	216, 485, 486	12 -859656	408
858342A20	216, 485, 486	79 -859675A11	420
858342A22	216, 485, 486	32 -859717A 2	94, 303, 330, 334
858498	871, 890	32 -859785100	448
858566A02	67, 308	859915	872, 892
858566A03	67, 330	859929	872, 886
858566A 1	67	859939	871, 872, 886
84 -858740T06	558	22 -860099001	125
858915A 1	33, 312	860315A 1	154
91 -859046Q 1	899	860427A 4	152, 160, 161, 163
91 -859046Q 2	899	860427A 5	152, 161-163
91 -859046Q 3	899	860427A 7	152, 161
91 -859046Q 4	899	35 -860603	177, 355
32 -859055 5	52, 475	84 -860615002	553
32 -859055 50	52, 475	84 -860616002	553
11 -859073	407	84 -860618	551
11 -859073B 1	408	84 -860622	553
859074 1	383, 400	84 -860624	553
859074 2	383, 400	84 -860625	554
859074 3	383, 400	861014	420
859074B 1	383, 400	1547-861063A10	193
859074B 2	383, 400	1547-861063A12	193
859074B 3	383, 400	1547-861063A 4	194
85910200	920	1547-861063A 6	193
85910240	920	1547-861063A 8	193
85910280	920	32 -861070T	154
85912920	922	90 -86147A 1	898
85912930	922	861481A 2	356, 648
85912940	923	861505A 1	164, 355
859173	871, 894	32 -861590A05	164
859185A04	474	861637A 2	151
859185A 1	474	861776A 2	130, 354
859185A 2	474	22 -861932A 1	164
859186A 1	474	33 -862029	116, 118-120, 246
859187A 1	451, 454, 455	57 -862054Q	246
859210A 1	542	22 -862210A01	151
859219A 1	474	862250	639
859223001	540	862264A 7	172
859223A01	539	862268A 4	168
859223B21	539	862354A04	139
859318A04	531, 577	862548A 1	29
859318B 1	531, 577	862646	599
859318B 2	531, 576	862647	599
859318T05	531, 577	35 -862889	281

Part Number to Page Number Reference

11 -862907	886	32 -865033A 1	137, 142, 143
862974A05	139	32 -865035A 1	137, 142, 143
863187A 2	539	32 -865039A02	156
863188A 3	548	32 -865039A 1	137, 142, 143, 156-159
863188A 5	548	32 -865041A 1	137, 142, 143
863188T 4	548	32 -865043A 1	137, 140-143
863208A 3	178, 205	32 -865090A01	156, 157
863330A 2	133	97 -865182A02	183, 185, 188
32 -863642	303	97 -865182Q01	183, 185, 188
863674A05	154, 157	865188T01	157
863678	657	32 -865277A02	171, 172
863714T01	138	32 -865278A03	171, 172
84 -863736T	547	32 -865278A04	171, 172
84 -863737T	547	32 -865281A02	171, 172
1589-863836A50	193	32 -865384A01	593
1589-863836A51	193	1589-865440H01	194
1589-863836A52	193	1589-865440H02	194
1589-863836A56	193	1589-865440H50	194
1589-863836A66	193	1589-865440H51	194
1589-863836A67	193	1589-865440H52	194
84 -863931A 1	547	1589-865440H56	194
84 -86396A24	585	1589-865440H66	194
84 -86396A 8	316, 318, 585	1589-865440H67	194
864206A02	178	1589-865440H68	194
864206A03	178	1589-865440H70	195
84 -864218	547	1589-865440H72	194
45 -864286A 1	167, 168	1589-865440H73	194
864306A 2	135, 141	865585A02	123, 355
864306A 3	135, 141	57 -865615Q02	124, 125
864306A 4	135, 141	57 -865615Q03	153, 246-249
864306A 5	135, 141	57 -865615Q04	246-248
864493	246-249	57 -865615Q05	249
84 -864553T	547	57 -865615Q06	248, 249
1589-864571A70	194	57 -865615Q07	124, 125, 153
1589-864571A72	194	57 -865615Q08	124, 125, 153, 246-249
35 -864572	173	57 -865615Q09	124, 125, 153, 246-248
35 -864572A 1	173, 355	57 -865615Q10	249
864908A 1	136, 143	57 -865635Q01	250
864908A 2	136, 143	57 -865635Q02	250
864920A02	152, 157-159	84 -865770A02	593
864929A 1	135, 141	84 -865771A02	593
864929A 2	135, 141	84 -865772T01	593
864929A 3	135, 141	84 -865772T02	593
864929A 4	135, 141	77 -865831T06	157
84 -864988	538	77 -865831T07	157
864990A 1	170, 355	77 -865831T08	157
864990A 2	169, 170, 355	77 -865833T05	157
77 -865001T02	157	77 -865833T06	157
77 -865003T03	158	77 -865833T07	157
77 -865005T03	158	77 -865835T03	157
77 -865006T04	159	77 -865837T02	158
77 -865008T04	159	77 -865839T03	158
77 -865009T04	159	77 -865841T02	158
32 -865022A 1	136, 141-143	77 -865846T02	159
32 -865024A 1	136, 140, 141	865949A01	138, 142
32 -865027A 1	136, 141	865995A01	134, 140
32 -865029A 1	136, 140, 141	865996A01	134, 140

Part Number to Page Number Reference

32 -865998A01	137, 142, 143, 156	67 -875012	926
866000A01	137, 140	67 -875013	926
866001A01	137, 141	67 -875028	926
866002A01	138, 143	67 -875047	925
866003A01	138, 140	67 -875048	925
866004A01	138, 141	67 -875051	924
866005A01	138, 143	67 -875052	924
866007A01	134, 140	97 -875208	103, 105, 234, 235
77 -866123T05	158	875266A 2	52, 53, 475, 476
77 -866123T06	158	35 -875284T01	237, 238
77 -866125T05	158	87715T	881
77 -866125T06	158	47 -877326T	898
866127T04	159	35 -877565T 1	78
77 -866127T05	159	877581A 2	216
77 -866130T05	158, 159	877581A 4	219, 649
866130T06	159	877581A 5	217, 478
77 -866132T05	159	35 -877761K01	330, 338
77 -866132T06	159	35 -877761Q01	93, 237, 238, 272, 273, 330
77 -866190T06	158	35 -877767K01	341
77 -866190T07	158	35 -877767Q01	93, 239, 272, 273, 340
77 -866192T05	158	35 -877769K01	344
77 -866192T06	158	35 -877769Q01	93, 239, 240, 273, 344
866208A02	136, 142	877775A11	339, 342, 346
866208A03	136, 142	877775A12	339, 342, 346
866209A01	138, 142	877775A19	339, 342, 346
866237T04	158	877775A21	342, 346
866239T04	158	877775A23	342, 346
866241T06	159	877775K17	342, 346
866243T05	158, 159	877775K31	339, 342, 346
866245T06	159	877775K35	342, 346
84 -866337T01	354, 559	877775K48	339, 342, 346
35 -866340K01	246–250	878147A03	221
35 -866340Q03	277	878148A03	221
84 -866377T01	559	48 -87818A45	683, 709, 710, 721, 722, 728, 807, 856, 859
1500-866458J00	194	91 -878373	302
1500-866458J01	194	91 -878375	302
1500-866458J02	194	878421	880
1500-866458J03	194	48 -878612A46	684, 701, 720–722, 738
1500-866458J04	194	48 -878614A46	684, 701, 720–722, 738
1500-866459J00	195	48 -878616A46	683, 701, 720–722, 738
1500-866459J01	194	879143	872
1500-866459J02	194	879147T94	122
1500-866459J03	194	84 -879148T41	522
1500-866459J04	194	879150054	251
91 -866590A02	656	84 -879150A33	522
35 -866594K01	246	879150A88	55, 59, 60, 327
35 -866594Q01	174	79 -879169K14	399
84 -866704T01	588	84 -879171T01	544
84 -86939A 2	24–26	84 -879171T02	544
45 -86978A 3	167	84 -879171T03	544
86 -87223T	596	84 -879171T04	544
1257-8742A21	89, 410, 546	84 -879171T05	544
1257-8742A22	89, 410, 546	84 -879171T06	544
1257-8742A23	89, 410, 546	84 -879171T07	544
1257-8742A24	410	84 -879171T08	544
1257-8742A25	88, 308, 410	84 -879171T09	544
67 -875011	927	84 -879171T10	544

Part Number to Page Number Reference

84 -879171T11	544	79 -879292A02	314, 316, 318, 320
84 -879171T21	542	879292A08	446
84 -879171T22	542	879296T01	540
84 -879171T23	542	87 -879303A02	587
35 -879172104	175, 251	87 -879303A03	587
57 -879172120	251	87 -879303A04	587
35 -879172143	251	879305A01	340, 343, 347, 563
32 -879172A16	155, 158, 159	47 -879312025	251
32 -879172A17	155, 159	35 -879312041	251, 281
91 -879172T28	287	84 -879312T08	524
879172T80	158	84 -879312T09	522
84 -879172T85	494, 525	84 -879312T10	522
84 -879172T86	494, 525	84 -879312T11	522
84 -879172T90	523	84 -879312T12	515, 521
84 -879172T91	523	84 -879312T13	521
84 -879172T92	523	84 -879312T20	524
84 -879172T93	523	84 -879312T21	524
47 -879194186	251	84 -879312T22	524
57 -879194425	251	84 -879312T23	522
30 -879194A00	122, 214	35 -879312T25	278
77 -879194T17	159	84 -879312T44	534, 555
77 -879194T39	158	84 -879312T45	534, 555
77 -879194T41	159	84 -879312T46	534, 555
77 -879194T44	158	84 -879312T47	534, 555
879194T73	159	84 -879312T77	516, 563
77 -879194T83	158	84 -879312T78	516, 563
77 -879194T85	158	84 -879312T79	516, 563
77 -879194T87	158	84 -879312T80	516, 563
77 -879194T89	158	84 -879312T81	516, 563
77 -879194T91	159	84 -879312T82	516, 563
77 -879194T97	159	84 -879312T83	516, 563
77 -879194T99	158	879315T01	568
879288A02	151, 157	879315T02	568
879288A03	126, 128	879315T05	587
879288A12	131	879315T07	587
879288A13	131, 149, 150, 354	879315T08	587
879288A14	132, 149, 150, 355	879315T09	587
879288A15	132, 149, 150, 355	84 -879345T61	523
879288A35	144, 150	84 -879345T62	523
879288A36	145, 150	84 -879345T63	523
879288A37	145, 150	84 -879345T64	523
879288A38	145, 150	879346A58	310
879288A39	153, 158, 159	879346T24	601, 611
879288A40	165, 356	77 -879355T80	159
879288T03	158	77 -879355T82	159
879288T62	151	879365A21	492
879288T83	140, 150	35 -87946Q04	78
879288T84	146, 148, 150	879634	221
77 -879288T91	158	64 -879686	218, 648
77 -879288T93	158	879871 1	391, 406
77 -879288T95	159	879871 2	391, 406
77 -879288T99	159	879871B 1	391, 406
879292001	422, 427, 434, 441, 446	879872 1	393, 406
879292003	446	879872 2	393, 407
879292004	447	879872 3	394, 407
879292005	447	879872B 3	394, 407
79 -879292A01	314, 316, 318	35 -879884T	79, 235, 236

Part Number to Page Number Reference

35 -879885K	333	84 -879969T 6	534, 556
35 -879885Q	79, 235–240, 323, 326, 330, 337, 340, 344	84 -879978T11	532, 549
79 -879896K19	311, 325, 329, 332, 339, 343, 347, 352	84 -879979T11	532, 549
79 -879896K21	311, 325, 329, 332, 339, 343, 347, 352, 398	84 -879980B10	534, 556
11 -879900	407	84 -879980B30	534, 556
11 -879900B 1	407	84 -879980T10	534, 556
11 -879902	407	84 -879980T15	534, 556
79 -879903K11	404	84 -879980T30	534, 556
79 -879903K21	405	84 -879981B20	535, 557
79 -879905K11	404	84 -879981T10	535, 557
79 -879905K21	405	84 -879981T15	535, 557
79 -879906K 1	405	84 -879981T20	535, 557
79 -879907K11	402	84 -879981T25	535, 557
79 -879909K 1	400	84 -879981T30	535, 557
79 -879909K11	402	84 -879981T50	535, 557
79 -879912K11	403	84 -879981T80	535, 557
79 -879914K21	403	84 -879982B20	534, 556
79 -879915K11	403	84 -879982B30	534, 556
79 -879915K21	404	84 -879982T20	534, 556
79 -879915K31	402	84 -879982T25	534, 556
79 -879916K11	402	84 -879982T30	534, 556
79 -879916K21	404	880093A03	44, 48, 49, 323, 327
79 -879916K31	402	880093A 1	474
79 -879917K 1	401	880093A 2	474
79 -879917K11	403	880095A04	43, 48, 49
79 -879919K 1	401	880095A05	43, 48, 49
79 -879920K11	402	880095A08	321, 324, 472
79 -879920K21	404	880095A11	473
79 -879921K 1	401	880095A12	473
79 -879921K11	403	57 -880566Q14	239, 240
79 -879921K21	404	97 -880653	101, 104, 105, 239, 240
79 -879922K 1	401	1600-880686A43	113
79 -879922K11	403	1600-880686A44	113
79 -879923K 1	401	1600-880686A51	113
79 -879924K 1	401	1600-880686A52	113
12 -879925	408	1600-880686A53	113
79 -879943K11	405	1600-880686T13	114
79 -879944K11	405	1600-880686T14	114
79 -879946K21	406	1600-880686T15	114
879949 1	397	1600-880686T16	114
879949 3	397	1600-880686T17	114
879949B 3	397	1600-880686T23	114
11 -879950	397, 407	1600-880686T24	114
84 -879968B10	535, 556	1600-880686T25	114
84 -879968B30	535, 557	1600-880686T54	114
84 -879968T10	535, 556	1600-880686T55	114
84 -879968T15	535, 556	1600-880686T56	114
84 -879968T20	535, 557	1600-880686T57	114
84 -879968T25	535, 557	1600-880686T58	114
84 -879968T30	535, 557	1600-880686T59	115
84 -879968T50	535, 557	10 -880717A01	344
84 -879968T 6	535, 556	84 -880756T05	533, 550
84 -879968T80	535, 557	84 -880756T 1	533, 550
84 -879969T10	534, 556	84 -880756T10	533, 550
84 -879969T15	534, 556	84 -880756T 3	533, 550
84 -879969T20	534, 556	84 -880756T30	533, 550
84 -879969T30	534, 556	35 -880830T	176

Part Number to Page Number Reference

87 - 88107A10	564	67 - 8856801	928
87 - 88107A13	314, 316, 318, 561, 564	67 - 885724	928
87 - 88107A 3	564	67 - 885728	928
87 - 88107A 5	564	67 - 885729	928
87 - 88107T12	564	67 - 885734	928
84 - 881125A 1	592	67 - 885738	928
35 - 881126K01	277	67 - 885739	928
84 - 881133T 1	561	67 - 885744	928
881150K 1	313, 341, 345, 349, 355	67 - 885748	928
881150Q 1	66, 166, 204, 313, 341, 345, 349, 355	67 - 885749	928
881170A10	466	67 - 885758	928
881170A11	466	67 - 885759	928
881170A12	468	67 - 885768	928
881170A13	466	67 - 885769	928
881170A14	466	67 - 885899	928
881170A15	466	67 - 8858991	928
881170A16	468	67 - 885900	928
881170A20	466	67 - 8859001	928
881170A 3	468	67 - 885901	928
881170A 4	468	67 - 8859011	928
881170A 5	468	67 - 885902	928
881170A 6	468	67 - 8859021	928
881170A 7	468	67 - 885906	928
881170A 8	469	67 - 885907	928
84 - 881244A 1	539	67 - 885909	928
33 - 881284Q	9, 12	67 - 885910	928
881800A 1	447	67 - 885912	928
881879A13	542	67 - 885913	928
881879A15	542	67 - 885916	929
881879A 2	541	67 - 885921	929
881879A22	541	67 - 885923	929
881879A 3	541	67 - 885925	929
11 - 88228	885	67 - 886560	223
883053A 1	219, 649	67 - 886561	223
883090A01	541	67 - 886562	223
883090B 1	541	1656 - 8866A11	196
33 - 883323001	9, 11	1656 - 8866A62	195
88334A 2	95, 180, 320, 323, 326	1656 - 8866A63	195
84 - 883459T01	538	1656 - 8866A64	196
79 - 883626Q 2	446	1656 - 8866A83	195
35 - 883702K	246	1656 - 8866J00	197
35 - 883702Q	277	1656 - 8866J01	195
91 - 883704Q03	292	1656 - 8866J07	196
91 - 883705T01	95, 658	1656 - 8866J08	196
883710A01	314, 315, 317, 319, 321, 463	1656 - 8866J09	196
883710A02	306, 309, 314, 315, 317, 319, 321, 324, 327, 331, 335, 463	1656 - 8866J24	196
883710A03	351, 463	1656 - 8866J25	196
47 - 883796T01	898	1656 - 8866J30	197
26 - 88397A 1	250	88688A22	306, 309, 321, 324, 327, 331, 335, 470
88437	895	88688A23	351, 470
84 - 88439A25	34	88688A24	321, 470
84 - 88439A26	34	88688A25	306, 309, 321, 324, 327, 331, 335, 469
84 - 88439A50	34, 341, 344, 594	88688A26	351, 469
884481A 1	89, 312	88688A27	321, 470
67 - 885652	928	88688A94	351
67 - 885680	928	1589 - 8868A15	194
		1589 - 8868G21	194

Part Number to Page Number Reference

12 -887972	871, 872, 889	33 -889597Q	238
87 -887979A 2	33, 312	11 -889664	655
88825A 6	19	86 -889679	560
84 -888429K11	560	19 -889725	896
84 -888429K12	560	19 -889725047	897
12 -888451	872, 892	19 -889725T28	897
88845A 1	215	19 -889725T35	897
888462A 1	603	889835A01	450
888507T	531, 576	64 -889930A01	637
97 -888606	104	64 -889930A02	637
888617001	451, 455	64 -889930A03	636
888712	104	64 -889930A08	634
97 -888755K01	250	64 -889930A09	634
97 -888755Q03	181	64 -889930A10	634
97 -888755Q04	181	64 -889930A11	634
97 -888756K01	250	64 -889930A12	634
97 -888756Q03	181	64 -889930A13	634
97 -888756Q04	181	64 -889930A14	634
97 -888757Q02	181	64 -889930A15	634
97 -888758K01	250	64 -889930A16	634
97 -888758Q02	181	64 -889930A17	634
97 -888760Q03	181	64 -889930A18	634
97 -888760Q04	182	64 -889930A19	634
97 -888761K01	250	64 -889930A20	634
97 -888761K02	250	64 -889931A01	637
97 -888761Q03	181	64 -889931A08	634
97 -888761Q04	181	64 -889931A09	634
1600-888845T01	113	64 -889931A10	634
1600-888845T02	113	64 -889931A11	634
1600-888845T03	114	64 -889931A12	635
12 -888939	872	64 -889931A14	635
889074A 1	127, 128	64 -889931A17	635
79 -889223K25	400	64 -889931A19	635
91 -889236	178	64 -889932A10	635
84 -889244T01	560	64 -889932A12	635
889246A16	234	64 -889932A17	635
889246A33	472	64 -889933A01	637
889246A34	472	64 -889933Q08	635
889246A37	44, 48	64 -889933Q10	635
889246A80	472	64 -889933Q11	635
889246A81	472	64 -889933Q12	635
33 -889246Q39	12, 239, 240	64 -889933Q13	635
889250K01	329, 409, 419	64 -889933Q19	635
91 -889277	94, 303	64 -889934A01	637
91 -889277002	93, 304	64 -889934A05	308, 331, 334, 341, 626, 630
91 -889277K01	330, 338	64 -889934A06	626, 630
91 -889277Q01	94, 174, 278, 304, 330	64 -889934A08	636
91 -889277Q03	94, 304	64 -889934A09	636
84 -889282A01	593	64 -889934A10	636
84 -889282A02	594	64 -889934A11	636
84 -889295T	329, 333, 592	64 -889934A14	636
87 -889305T01	460	64 -889934A15	636
87 -889305T02	460	64 -889934A19	636
889432A 1	124, 125, 153	64 -889935A12	631
889433A 1	124, 125, 153	64 -889935A17	631
889454A02	644	64 -889935A18	631
64 -889457A01	640, 641	64 -889935A19	631

Part Number to Page Number Reference

64 -889935A20	631	64 -889940A19	633
64 -889936A01	637	64 -889940A20	633
64 -889936A08	631	64 -889940A21	633
64 -889936A09	631	64 -889940A22	633
64 -889936A10	631	64 -889940A23	633
64 -889936A11	631	64 -889940A24	633
64 -889936A12	631	64 -889940A25	633
64 -889936A13	631	64 -889940A26	633
64 -889936A14	631	64 -889940A27	633
64 -889937A01	637	64 -889940A28	633
64 -889937Q08	631	64 -889940A29	633
64 -889937Q11	631	64 -889940A30	633
64 -889937Q13	632	64 -889940A32	633
64 -889937Q14	632	64 -889940A34	633
64 -889937Q15	632	64 -889940A36	633
64 -889937Q16	632	64 -889940A38	633
64 -889937Q19	632	64 -889940A40	633
64 -889937Q22	632	64 -889940A42	633
64 -889937Q23	632	64 -889940A44	633
64 -889937Q25	632	64 -889940A46	633
64 -889937Q26	632	64 -889940A48	633
64 -889937Q27	632	64 -889940A50	633
64 -889937Q30	632	48 -889964A65	733
64 -889937Q32	632	48 -889964L44	757, 768
64 -889937Q38	632	48 -889964L45	756, 768
64 -889937Q42	632	48 -889964L48	758, 769
64 -889937Q44	632	48 -889964L49	758, 769
64 -889938A01	637	48 -889964L63	756, 768
64 -889938A08	632	48 -889964L64	756, 768
64 -889938A09	632	48 -889964L65	756, 768
64 -889938A10	632	48 -889964L68	757, 769
64 -889938A11	632	48 -889964L69	757, 769
64 -889938A12	632	48 -889965A65	733
64 -889938A18	632	48 -889965L44	756, 768
64 -889939A09	636	48 -889965L45	756, 768
64 -889939A10	636	48 -889965L48	757, 769
64 -889939A11	636	48 -889965L49	757, 769
64 -889939A12	636	48 -889965L63	756, 768
64 -889939A13	636	48 -889965L64	756, 768
64 -889939A14	636	48 -889965L65	756, 768
64 -889939A15	636	48 -889965L68	757, 769
64 -889939A16	636	48 -889965L69	757, 769
64 -889939A17	636	48 -889966A65	733
64 -889939A18	636	48 -889966L44	756, 768
64 -889939A19	636	48 -889966L45	756, 768
64 -889939A20	636	48 -889966L48	757, 769
64 -889940A08	633	48 -889966L49	757, 769
64 -889940A09	633	48 -889966L63	756, 768
64 -889940A10	633	48 -889966L64	756, 768
64 -889940A11	633	48 -889966L65	756, 768
64 -889940A12	633	48 -889966L68	757, 769
64 -889940A13	633	48 -889966L69	757, 769
64 -889940A14	633	48 -889967A65	733
64 -889940A15	633	48 -889967L44	756, 768
64 -889940A16	633	48 -889967L45	756, 768
64 -889940A17	633	48 -889967L48	757, 769
64 -889940A18	633	48 -889967L49	757, 769

Part Number to Page Number Reference

48-889967L63	756, 768	48-889972L88	757, 769
48-889967L64	756, 768	48-889972L89	757, 769
48-889967L65	756, 768	48-889973A65	733
48-889967L68	757, 769	48-889973L44	756, 769
48-889967L69	757, 769	48-889973L45	756, 769
48-889968A65	733	48-889973L48	757, 769
48-889968L44	756, 769	48-889973L49	757, 769
48-889968L45	756, 769	48-889973L63	756, 769
48-889968L48	757, 769	48-889973L64	756, 769
48-889968L49	757, 769	48-889973L65	756, 769
48-889968L63	756, 769	48-889973L68	757, 769
48-889968L64	756, 769	48-889973L69	757, 769
48-889968L65	756, 769	48-889973L84	756, 769
48-889968L68	757, 769	48-889973L85	756, 769
48-889968L69	757, 769	48-889973L88	757, 769
48-889969A65	733	48-889973L89	757, 769
48-889969L44	756, 769	48-889974A65	733
48-889969L45	756, 769	48-889974L44	757, 768
48-889969L48	757, 769	48-889974L45	757, 768
48-889969L49	757, 769	48-889974L48	758, 769
48-889969L63	756, 769	48-889974L49	758, 769
48-889969L64	756, 769	48-889974L63	757, 768
48-889969L65	756, 769	48-889974L64	757, 768
48-889969L68	757, 769	48-889974L65	757, 768
48-889969L69	757, 769	48-889974L68	758, 769
48-889970A65	733	48-889974L69	758, 769
48-889970L44	756, 769	48-889975A65	733
48-889970L45	756, 769	48-889975L44	757, 768
48-889970L48	757, 769	48-889975L45	757, 768
48-889970L49	757, 769	48-889975L48	758, 769
48-889970L63	756, 769	48-889975L49	758, 769
48-889970L64	756, 769	48-889975L63	757, 768
48-889970L65	756, 769	48-889975L64	757, 768
48-889970L68	757, 769	48-889975L65	757, 768
48-889970L69	757, 769	48-889975L68	758, 769
48-889971A65	733	48-889975L69	758, 769
48-889971L44	756, 769	48-891510A01	745
48-889971L45	756, 769	22-891533	448
48-889971L48	757, 769	891648001	463
48-889971L49	757, 769	891648002	463
48-889971L63	756, 769	64-891665Q01	628
48-889971L64	756, 769	64-891665Q04	628
48-889971L65	756, 769	64-891666Q04	629, 641
48-889971L68	757, 769	64-891666Q05	629
48-889971L69	757, 769	64-891667A03	638, 642
48-889972A65	733	64-891667A04	638
48-889972L44	756, 769	64-891667Q01	626, 629, 630, 641
48-889972L45	756, 769	64-891762A04	46, 607
48-889972L48	757, 769	891777A01	452, 454, 539
48-889972L49	757, 769	84-891925A01	505
48-889972L63	756, 769	84-891925K01	504
48-889972L64	756, 769	84-891957K01	536
48-889972L65	756, 769	84-891963A01	461
48-889972L68	757, 769	84-892092T01	558
48-889972L69	757, 769	32-892156A01	307, 448
48-889972L84	756, 769	79-892219K19	311, 325, 329, 332, 339, 343, 347, 352, 398
48-889972L85	756, 769	79-892219K20	311, 325, 329, 332, 339, 343, 347, 352, 398

Part Number to Page Number Reference

84 -892323A10	533, 549	64 -892789Q25	620, 638
84 -892323T01	532, 549	64 -892789Q26	620, 638
84 -892323T08	533, 549	64 -892789Q27	342, 620, 638
91 -892333	658	892789Q32	620
892367T03	621	892789Q33	620
892380A02	341, 345, 349	64 -892790A01	476
892380K05	338, 341, 345, 349	64 -892790A02	476
892380K36	341, 345, 349	64 -892790A03	636, 638
26 -89238A 2	64	892822A02	346, 350, 621
32 -892438K02	338, 342, 345, 349	32 -892825008	342, 345, 349, 615
32 -892438K24	342, 345, 349	32 -892825010	615
892440A18	345, 349	32 -892825012	615
84 -892451B20	554	32 -892825014	615
84 -892451T06	340, 344, 348, 353, 554	32 -892825016	615
84 -892451T10	353, 554	32 -892825018	615
84 -892451T15	353, 554	32 -892825020	615
84 -892451T20	353, 554	32 -892825022	615
84 -892451T25	353, 554	32 -892825024	615
84 -892451T30	354, 554	32 -892825026	342, 345, 349, 615
84 -892451T40	340, 344, 348, 354	892864T04	239, 240
84 -892452T01	535	892864T06	237, 238
84 -892453A01	536	91 -892866A01	94, 274, 344
84 -892473A01	315, 317, 318, 467, 585	84 -892868T01	341, 345, 349, 612
892486K04	208, 419	84 -892868T02	342, 345, 349, 612
892486K05	208, 419	84 -892868T03	612
892486K07	208, 418	84 -892955A02	505
892486K08	335, 339, 343, 347, 418	84 -892955K03	503
892486T04	419	84 -892955K04	340, 344, 348, 503
892516K53	345, 349	84 -892955K05	344, 348, 505
892516K63	345, 349	892955K22	504
22 -892517	615	892955K32	342, 346, 504
22 -892518	615	84 -892955T03	505
22 -892519	615	892984A01	339, 342, 346
22 -892520	615	892984A02	339, 342, 346
22 -892521	616	892984K31	338, 342, 346
22 -892522	616	892984K32	338, 342, 346
22 -892523	616	84 -892990T01	306, 310, 315-318, 320, 322, 324, 328, 332, 335, 353, 551, 566
22 -892524	616	84 -892990T10	306, 310, 316, 318, 320, 322, 324, 328, 332, 335, 353, 551, 566
22 -892525	616	84 -892990T15	306, 310, 316, 318, 320, 322, 324, 328, 332, 335, 353, 551, 566
22 -892526	616	35 -893318T02	92, 239, 240
22 -892527	616	84 -893330K01	557
22 -892528	616	87 -893353A02	340, 343, 347, 561, 568
892558K33	345, 349	87 -893353A03	340, 344, 347, 561, 569
892560K31	338	87 -893353A04	340, 344, 347, 562, 569
892560K35	341, 345, 349	87 -893353A05	340, 344, 347, 562, 569
892560K56	341, 345, 349	87 -893353A06	344, 347, 562, 569
33 -892567Q	9, 15, 16, 237	87 -893353T04	562
35 -892687A02	174	893359K01	458
67 -892762A01	604	893359K03	339, 343, 346, 458
67 -892762A02	604	84 -893377K01	503
67 -892762A05	604	84 -893377K03	502
67 -892763A14	621	84 -893377K04	340, 344, 348, 502
67 -892763A15	621	84 -893378A01	505
67 -892763A24	621	84 -893378A02	505
64 -892789Q22	313, 342, 620, 638	84 -893378K01	504
64 -892789Q23	620, 638		
64 -892789Q24	620, 638		

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Part Number to Page Number Reference

84 -893378K03	503	79 -895283Q43	420, 443
84 -893378K04	340, 344, 348, 503	79 -895283Q45	420, 444
893388A01	531, 577	79 -895283Q46	444
28 -893394002	610	79 -895283Q61	436
893396A02	346, 350, 620	79 -895283Q62	437
97 -893404	104, 105, 239, 240	79 -895283Q63	351, 437
87 -893449T01	564	79 -895283Q65	437
84 -893452A01	536, 557	79 -895283Q66	437
893696	645	895284A01	472
89491 1	570	895284A02	472
89491 10	570	79 -895285A01	322, 324, 422
89491 11	570	79 -895285A03	306, 310, 322, 325, 328, 332, 335, 351, 422
89491 12	570	79 -895285A04	310, 335, 351, 422
89491 2	570	79 -895285A06	422
89491 3	570	79 -895285A08	422
89491 4	570	79 -895285A21	322, 324, 426
89491 5	570	79 -895285A23	306, 310, 322, 325, 328, 332, 335, 351, 426
89491 6	570	79 -895285A24	310, 335, 351, 426
89491 7	570	79 -895285A26	426
89491 8	570	79 -895285A28	426
89491 9	570	79 -895285A41	316, 318, 320, 430
91 -895040K01	341, 345, 349, 613	79 -895285A43	351, 430
12 -895062	63	79 -895285A44	351, 430
1623- 8951A33	195	79 -895285A46	430
1623- 8951A37	196	79 -895285A48	430
1623- 8951A39	196	79 -895285B01	422
1623- 8951A43	195	79 -895285B43	430
35 -895207	251, 280	79 -895285Q01	316, 318, 320, 322, 324, 433
79 -895283A01	421	79 -895285Q03	306, 310, 322, 325, 328, 332, 335, 351, 434
79 -895283A02	420, 421	79 -895285Q04	310, 335, 351, 434
79 -895283A03	306, 309, 322, 324, 335, 351, 420, 421	79 -895285Q08	434
79 -895283A05	306, 309, 324, 328, 331, 335, 421	79 -895285Q21	316, 318, 320, 322, 324, 440
79 -895283A06	306, 309, 328, 331, 420, 421	79 -895285Q23	306, 310, 322, 325, 328, 332, 335, 351, 441
79 -895283A21	425	79 -895285Q24	310, 335, 351, 441
79 -895283A22	425	79 -895285Q28	441
79 -895283A23	306, 309, 322, 324, 335, 351, 420, 425	79 -895285Q41	444
79 -895283A25	306, 309, 324, 328, 331, 335, 426	79 -895285Q43	444
79 -895283A26	306, 309, 328, 331, 426	79 -895285Q44	444
79 -895283A41	429	79 -895285Q48	444
79 -895283A42	429	79 -895285Q61	437
79 -895283A43	314, 316, 317, 319, 351, 429	79 -895285Q63	351, 437
79 -895283A45	429	79 -895285Q64	351, 437
79 -895283A46	430	79 -895285Q68	438
79 -895283B03	421	79 -895286A01	306, 310, 322, 325, 328, 332, 336, 351, 422
79 -895283B13	433	79 -895286A21	306, 310, 322, 325, 328, 332, 336, 351, 427
79 -895283B43	429	79 -895286A41	316, 318, 320, 351, 430
79 -895283Q01	433	79 -895286B01	423
79 -895283Q02	433	79 -895286B41	431
79 -895283Q03	306, 309, 314, 316, 317, 319, 322, 324, 335, 351, 433	79 -895286Q01	307, 310, 316, 318, 320, 322, 325, 328, 332, 336, 351, 434
79 -895283Q05	306, 309, 324, 328, 331, 335, 433	79 -895286Q21	307, 310, 316, 318, 320, 322, 325, 328, 332, 336, 351, 441
79 -895283Q06	306, 309, 328, 331, 433	79 -895286Q41	444
79 -895283Q21	440	79 -895286Q61	351, 438
79 -895283Q22	440	79 -895287A01	310, 336, 352, 423
79 -895283Q23	306, 310, 314, 316, 320, 322, 324, 335, 351, 440	79 -895287A02	423
79 -895283Q25	306, 309, 317, 324, 328, 331, 335, 440	79 -895287A03	423
79 -895283Q26	306, 309, 328, 331, 440		
79 -895283Q41	443		

Part Number to Page Number Reference

79 -895287A21	310, 336, 352, 427	79 -895289A41	352, 432
79 -895287A22	427	79 -895289A42	432
79 -895287A23	427	79 -895289Q01	352, 435
79 -895287A41	352, 431	79 -895289Q21	352, 442
79 -895287A42	431	79 -895289Q41	445
79 -895287Q01	310, 336, 352, 434	79 -895289Q61	352, 439
79 -895287Q02	434	79 -895290A01	310, 424
79 -895287Q21	310, 336, 352, 441	79 -895290A21	310, 428
79 -895287Q22	441	79 -895290A41	432
79 -895287Q41	445	79 -895290Q01	310, 436
79 -895287Q61	352, 438	79 -895290Q61	439
79 -895287Q62	438	79 -895291A01	307, 310, 322, 325, 328, 332, 336, 351, 424
79 -895288A01	307, 423	79 -895291A21	307, 310, 322, 325, 328, 332, 336, 351, 428
79 -895288A02	423	79 -895291A41	316, 318, 320, 352, 432
79 -895288A03	310, 322, 325, 336, 423	79 -895291B01	424
79 -895288A04	423	79 -895291B11	436
79 -895288A05	328, 332, 424	79 -895291B31	443
79 -895288A06	424	79 -895291B41	432
79 -895288A21	307, 427	79 -895291Q01	307, 310, 316, 318, 320, 322, 325, 328, 332, 336, 352, 436
79 -895288A22	427	79 -895291Q21	307, 310, 316, 318, 320, 322, 325, 328, 332, 336, 352, 443
79 -895288A23	310, 322, 325, 336, 427	79 -895291Q41	446
79 -895288A24	428	79 -895291Q61	352, 439
79 -895288A25	328, 332, 428	79 -895292A01	307, 310, 322, 325, 328, 332, 336, 352, 425
79 -895288A26	428	79 -895292A21	307, 310, 322, 325, 328, 332, 336, 352, 428
79 -895288A41	431	79 -895292A41	320, 352, 432
79 -895288A42	431	79 -895292B31	443
79 -895288A43	431	79 -895292B41	432
79 -895288A44	431	79 -895292Q01	307, 310, 320, 322, 325, 328, 332, 336, 352, 436
79 -895288A45	431	79 -895292Q21	307, 310, 320, 322, 325, 328, 332, 336, 352, 443
79 -895288A46	431	79 -895292Q41	446
79 -895288Q01	307, 435	79 -895292Q61	352, 439
79 -895288Q02	435	79 -895294A01	310, 336, 352, 424
79 -895288Q03	310, 320, 322, 325, 336, 435	79 -895294A21	310, 336, 352, 429
79 -895288Q04	435	79 -895294A41	352, 432
79 -895288Q05	328, 332, 435	79 -895294Q01	310, 336, 352, 436
79 -895288Q06	435	79 -895294Q21	310, 336, 352, 443
79 -895288Q21	307, 442	79 -895294Q41	446
79 -895288Q22	442	79 -895294Q61	352, 439
79 -895288Q23	310, 320, 322, 325, 336, 442	79 -895295A01	307, 310, 322, 325, 328, 332, 336, 352, 425
79 -895288Q24	442	79 -895295A21	307, 310, 322, 325, 328, 332, 336, 352, 429
79 -895288Q25	328, 332, 442	79 -895295A41	316, 318, 320, 352, 432
79 -895288Q26	442	79 -895295Q01	307, 310, 316, 318, 320, 322, 325, 328, 332, 336, 352, 436
79 -895288Q41	445	79 -895295Q21	307, 310, 316, 318, 320, 322, 325, 328, 332, 336, 352, 443
79 -895288Q42	445	79 -895295Q41	446
79 -895288Q43	445	79 -895295Q61	352, 439
79 -895288Q44	445	895299A02	23, 25
79 -895288Q45	445	895299A03	23, 25
79 -895288Q46	445	91 -895343T02	95, 658
79 -895288Q61	438	84 -895388T02	588
79 -895288Q63	438	67 -895600	925
79 -895288Q64	438	84 -895744A02	589
79 -895288Q65	438	84 -895744A04	589
79 -895288Q66	439	895764A01	91
79 -895289A01	352, 424	895816A02	345, 349
79 -895289A02	424		
79 -895289A21	352, 428		
79 -895289A22	428		

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Part Number to Page Number Reference

895817A02	345, 349	896609K31	339, 342, 346
84 -895820T02	548	896609K32	339, 342, 346
22 -896094A01	328, 448	896648A07	44, 50
35 -896247	92, 239	896688001	451
896297A01	96, 315	84 -896691T05	563, 569
67 -896305001	61	84 -896691T10	563, 569
896309	251	896691T15	563, 569
33 -896323	6, 14	896755	600
33 -896329818	118	48 -896890A10	683, 727, 803, 807
33 -896329874	10, 14	48 -896892A40	683, 727, 803, 807
33 -896329898	7	48 -896896A40	683, 727, 803, 807
47 -896332063	251	48 -896900A40	683, 728, 803, 807
84 -896333T25	559	896919951	570
896346708	197	896919952	570
91 -896352A01	602	896919953	570
84 -896370T01	536, 557	896919954	570
84 -896372K01	503	896919955	570
84 -896372K02	340, 344, 348	896919956	570
84 -896377K01	504	896919957	570
84 -896377K02	344, 348, 504	896919958	570
84 -896377K03	344, 348, 505	896919959	570
84 -896377T02	507	896919960	570
84 -896380T05	568	896919961	571
67 -896392	61	896919962	571
84 -896394T01	588	896919963	571
89645A34	477, 484	896919964	571
89645A37	477, 485	896919965	571
84 -896537K02	311, 329, 333, 337, 354, 565	896919966	571
84 -896537K08	311, 329, 333, 337, 354, 565	896919967	571
84 -896537K11	307, 311, 320, 329, 333, 337, 354, 565	896919968	571
84 -896537K15	307, 311, 320, 322, 326, 329, 333, 337, 354, 565	896919969	571
84 -896537K20	307, 311, 320, 322, 326, 329, 333, 337, 354, 566	896919970	571
84 -896537K24	307, 311, 329, 333, 337, 354, 566	897001T	871, 893
84 -896537K25	311, 337, 566	84 -897345T08	494, 524
84 -896537K29	307, 311, 320, 337, 354, 566	84 -897345T63	522
84 -896537K30	311, 337, 566	897453T	871, 893
84 -896537K40	354, 566	897478K01	345, 349
84 -896537T02	314, 316, 318, 353, 550, 566	897478K02	341
84 -896537T08	314, 316, 318, 353, 550, 566	57 -897574Q01	237
84 -896537T11	314, 316, 318, 353, 550, 566	48 -897614A10	681, 727, 806, 813
84 -896537T15	314, 316, 318, 353, 550, 566	48 -897618A10	681, 727, 806, 813
84 -896537T20	314, 316, 318, 353, 550, 566	32 -897643A01	612, 615
84 -896537T24	314, 316, 318, 353, 550, 566	87 -897716451	571
84 -896537T29	314, 316, 318, 353, 550, 566	87 -897716457	571
84 -896537T40	353, 550, 566	87 -897716460	571
84 -896537T99	315, 317, 318, 551	87 -897716461	571
84 -896539T01	558	87 -897716462	571
84 -896539T05	558	87 -897716463	571
84 -896539T08	558	87 -897716821	571
84 -896540T01	558	87 -897716827	571
84 -896541T01	315, 317, 318, 558	87 -897716830	571
84 -896541T05	558	87 -897716831	571
84 -896542T01	558	87 -897716832	571
84 -896542T05	558	87 -897716833	571
84 -896542T08	558	87 -897716841	571
896609A01	339	87 -897716847	571
896609A02	339	87 -897716850	571

Part Number to Page Number Reference

87 -897716851	571	898289Q45	594
87 -897716852	571	898289T42	533, 550
87 -897716853	571	898289T47	594
87 -897716K01	340, 343, 347, 562, 568	84 -898289T74	538
87 -897716K02	340, 343, 347, 562, 568	84 -898289T75	207, 538
87 -897716K03	562	84 -898289T76	538
87 -897716K04	563	84 -898289T77	341, 345, 349
22 -89771Q 2	74, 82, 175	84 -898289T79	341, 345, 349
22 -897726	617	898349A02	629
22 -89772Q 1	75	898349A03	629
48 -897748A11	682, 727, 807	898349A11	338, 342, 610, 628
48 -897750A11	682, 727, 807	898349A14	338, 342, 610, 628
48 -897752A11	682, 727, 807	898349A15	610, 628
48 -897754A11	682, 727	898370A03	313, 342, 621
897977A03	306, 309, 314, 315, 317, 319, 321, 324, 328, 331, 335, 351	19 -898432	626, 630, 642
897977A04	314, 315, 319	89876A 3	82, 174
897977A50	306, 309, 317, 321, 324, 328, 331, 335, 351	898966A02	313, 342, 621
897978A03	306, 309, 321, 324, 328, 331, 335, 351	48 -898988A46	732, 809
897978A50	306, 309, 321, 324, 328, 331, 335, 351	48 -898990A46	732, 809
87 -897978T02	46, 308, 313, 327, 338, 607	48 -898991A46	732
84 -898059T15	548	48 -898992A46	732, 809
84 -898059T20	548	48 -898994A46	732, 809
84 -898059T25	548	48 -898995A46	732
84 -898059T30	548	48 -898996A46	732, 809
898082A03	626, 630	48 -898998A46	732, 809
898091T01	576	48 -898999A46	732
898091T02	576	48 -899000A46	732
898091T03	576	48 -899002A46	732, 809
898091T04	576	48 -899003A46	732
898091T05	576	54 -899145	602
898091T06	576	48 -899202A46	732
898101045	644	37 -899203A01	563
57 -898101579	251	89949A 1	101, 110, 111
87 -898101A01	42	18 -89961	872, 887
898101A45	321, 644, 645	899625K02	308, 312, 330, 589
898103138	645	899625K04	308, 312, 330, 590
898103A90	23, 26	899625K05	341, 590
898103A92	51	899625K06	344, 348, 590
84 -898138T12	344, 348	899625K07	590
84 -898138T70	344, 348	899625K08	327, 590
898235A01	164, 355	899719T01	598
898235A02	165, 356	50 -899783A01	37, 40
898245A01	91, 341, 344, 896	84 -899785K02	560
898253T28	247	84 -899785K04	340, 344, 348, 560
898259K01	344, 348, 458	84 -899785K15	560
91 -898263A01	301	84 -899785K30	560
33 -898264001	116, 118-122	48 -899818A05	683, 739
35 -898272048	251	48 -899820A05	683, 739
84 -898284T01	533, 549	47 -89984T 4	238
84 -898285T01	537, 655	899859K01	510
898289045	594	899859K02	510
898289046	594	899859K03	510
898289A21	476	84 -899887T01	516, 521
898289A48	595	84 -899887T02	523
898289A71	594	84 -899887T08	523
84 -898289A72	312, 337, 574	84 -899887T09	524
		84 -899887T13	515, 523

Part Number to Page Number Reference

84 -899887T14	515, 523	48 -8M0002327	773
84 -899887T17	515, 524	48 -8M0002328	773
84 -899888T21	515, 524	48 -8M0002329	773
84 -899888T22	515, 524	48 -8M0002330	773
84 -899888T23	515, 524	48 -8M0002331	773
35 -8M0000202	174	48 -8M0002332	773
35 -8M0000493	174	48 -8M0002333	773
22 -8M0001721	77, 308, 312, 323, 326, 330, 333, 337	48 -8M0002334	773
97 -8M0001734	101, 105	48 -8M0002335	774
48 -8M0002277	772	48 -8M0002336	774
48 -8M0002278	772	48 -8M0002337	772
48 -8M0002279	772	48 -8M0002338	772
48 -8M0002280	772	48 -8M0002339	772
48 -8M0002281	772	48 -8M0002340	772
48 -8M0002282	772	48 -8M0002341	772
48 -8M0002283	772	48 -8M0002342	772
48 -8M0002284	772	48 -8M0002343	772
48 -8M0002285	772	48 -8M0002344	772
48 -8M0002286	772	48 -8M0002345	772
48 -8M0002287	773	48 -8M0002346	772
48 -8M0002288	773	48 -8M0002347	773
48 -8M0002289	773	48 -8M0002348	773
48 -8M0002290	773	48 -8M0002349	773
48 -8M0002293	773	48 -8M0002350	773
48 -8M0002294	773	48 -8M0002351	773
48 -8M0002295	773	48 -8M0002352	773
48 -8M0002296	773	48 -8M0002353	773
48 -8M0002297	773	48 -8M0002354	773
48 -8M0002298	773	48 -8M0002355	773
48 -8M0002299	773	48 -8M0002356	773
48 -8M0002300	773	48 -8M0002357	773
48 -8M0002301	773	48 -8M0002358	773
48 -8M0002302	773	48 -8M0002359	773
48 -8M0002303	773	48 -8M0002360	773
48 -8M0002304	773	48 -8M0002361	773
48 -8M0002305	774	48 -8M0002362	773
48 -8M0002306	774	48 -8M0002363	773
48 -8M0002307	772	48 -8M0002364	773
48 -8M0002308	772	48 -8M0002365	774
48 -8M0002309	772	48 -8M0002366	774
48 -8M0002310	772	48 -8M0002367	772
48 -8M0002311	772	48 -8M0002368	772
48 -8M0002312	772	48 -8M0002369	772
48 -8M0002313	772	48 -8M0002370	772
48 -8M0002314	772	48 -8M0002371	772
48 -8M0002315	772	48 -8M0002372	772
48 -8M0002316	772	48 -8M0002373	772
48 -8M0002317	773	48 -8M0002374	772
48 -8M0002318	773	48 -8M0002375	772
48 -8M0002319	773	48 -8M0002376	772
48 -8M0002320	773	48 -8M0002377	773
48 -8M0002321	773	48 -8M0002378	773
48 -8M0002322	773	48 -8M0002379	773
48 -8M0002323	773	48 -8M0002380	773
48 -8M0002324	773	48 -8M0002381	773
48 -8M0002325	773	48 -8M0002382	773
48 -8M0002326	773	48 -8M0002383	773

Part Number to Page Number Reference

48 -8M0002384	773	48 -8M0002441	773
48 -8M0002385	773	48 -8M0002442	773
48 -8M0002386	773	48 -8M0002443	773
48 -8M0002387	773	48 -8M0002444	773
48 -8M0002388	773	48 -8M0002445	773
48 -8M0002389	773	48 -8M0002446	773
48 -8M0002390	773	48 -8M0002447	773
48 -8M0002391	773	48 -8M0002448	773
48 -8M0002392	773	48 -8M0002449	773
48 -8M0002393	773	48 -8M0002450	773
48 -8M0002394	773	48 -8M0002451	773
48 -8M0002395	774	48 -8M0002452	773
48 -8M0002396	774	48 -8M0002453	773
48 -8M0002397	772	48 -8M0002454	773
48 -8M0002398	772	48 -8M0002455	774
48 -8M0002399	772	48 -8M0002456	774
48 -8M0002400	772	48 -8M0002457	772
48 -8M0002401	772	48 -8M0002458	772
48 -8M0002402	772	48 -8M0002459	772
48 -8M0002403	772	48 -8M0002460	772
48 -8M0002404	772	48 -8M0002461	772
48 -8M0002405	772	48 -8M0002462	772
48 -8M0002406	772	48 -8M0002463	772
48 -8M0002407	773	48 -8M0002464	772
48 -8M0002408	773	48 -8M0002465	772
48 -8M0002409	773	48 -8M0002466	772
48 -8M0002410	773	48 -8M0002467	773
48 -8M0002411	773	48 -8M0002468	773
48 -8M0002412	773	48 -8M0002469	773
48 -8M0002413	773	48 -8M0002470	773
48 -8M0002414	773	48 -8M0002471	773
48 -8M0002415	773	48 -8M0002472	773
48 -8M0002416	773	48 -8M0002473	773
48 -8M0002417	773	48 -8M0002474	773
48 -8M0002418	773	48 -8M0002475	773
48 -8M0002419	773	48 -8M0002476	773
48 -8M0002420	773	48 -8M0002477	773
48 -8M0002421	773	48 -8M0002478	773
48 -8M0002422	773	48 -8M0002479	773
48 -8M0002423	773	48 -8M0002480	773
48 -8M0002424	773	48 -8M0002481	773
48 -8M0002425	774	48 -8M0002482	773
48 -8M0002426	774	48 -8M0002483	773
48 -8M0002427	772	48 -8M0002484	773
48 -8M0002428	772	48 -8M0002485	774
48 -8M0002429	772	48 -8M0002486	774
48 -8M0002430	772	48 -8M0002487	772
48 -8M0002431	772	48 -8M0002488	772
48 -8M0002432	772	48 -8M0002489	772
48 -8M0002433	772	48 -8M0002490	772
48 -8M0002434	772	48 -8M0002491	772
48 -8M0002435	772	48 -8M0002492	772
48 -8M0002436	772	48 -8M0002493	772
48 -8M0002437	773	48 -8M0002494	772
48 -8M0002438	773	48 -8M0002495	772
48 -8M0002439	773	48 -8M0002496	772
48 -8M0002440	773	48 -8M0002497	773

Part Number to Page Number Reference

48 -8M0002498	773	48 -8M0002555	772
48 -8M0002499	773	48 -8M0002556	772
48 -8M0002500	773	48 -8M0002557	773
48 -8M0002501	773	48 -8M0002558	773
48 -8M0002502	773	48 -8M0002559	773
48 -8M0002503	773	48 -8M0002560	773
48 -8M0002504	773	48 -8M0002561	773
48 -8M0002505	773	48 -8M0002562	773
48 -8M0002506	773	48 -8M0002563	773
48 -8M0002507	773	48 -8M0002564	773
48 -8M0002508	773	48 -8M0002565	773
48 -8M0002509	773	48 -8M0002566	773
48 -8M0002510	773	48 -8M0002567	773
48 -8M0002511	773	48 -8M0002568	773
48 -8M0002512	773	48 -8M0002569	773
48 -8M0002513	773	48 -8M0002570	773
48 -8M0002514	773	48 -8M0002571	773
48 -8M0002515	774	48 -8M0002572	773
48 -8M0002516	774	48 -8M0002573	774
48 -8M0002517	772	48 -8M0002574	774
48 -8M0002518	772	48 -8M0002575	774
48 -8M0002519	772	48 -8M0002576	774
48 -8M0002520	772	48 -8M0002577	772
48 -8M0002521	772	48 -8M0002578	772
48 -8M0002522	772	48 -8M0002579	772
48 -8M0002523	772	48 -8M0002580	772
48 -8M0002524	772	48 -8M0002581	772
48 -8M0002525	772	48 -8M0002582	772
48 -8M0002526	772	48 -8M0002583	772
48 -8M0002527	773	48 -8M0002584	772
48 -8M0002528	773	48 -8M0002585	772
48 -8M0002529	773	48 -8M0002586	772
48 -8M0002530	773	48 -8M0002587	773
48 -8M0002531	773	48 -8M0002588	773
48 -8M0002532	773	48 -8M0002589	773
48 -8M0002533	773	48 -8M0002590	773
48 -8M0002534	773	48 -8M0002591	773
48 -8M0002535	773	48 -8M0002592	773
48 -8M0002536	773	48 -8M0002593	773
48 -8M0002537	773	48 -8M0002594	773
48 -8M0002538	773	48 -8M0002595	773
48 -8M0002539	773	48 -8M0002596	773
48 -8M0002540	773	48 -8M0002597	773
48 -8M0002541	773	48 -8M0002598	773
48 -8M0002542	773	48 -8M0002599	773
48 -8M0002543	774	48 -8M0002600	773
48 -8M0002544	774	48 -8M0002601	773
48 -8M0002545	774	48 -8M0002602	773
48 -8M0002546	774	48 -8M0002603	774
48 -8M0002547	772	48 -8M0002604	774
48 -8M0002548	772	48 -8M0002605	774
48 -8M0002549	772	48 -8M0002606	774
48 -8M0002550	772	48 -8M0002607	772
48 -8M0002551	772	48 -8M0002608	772
48 -8M0002552	772	48 -8M0002609	772
48 -8M0002553	772	48 -8M0002610	772
48 -8M0002554	772	48 -8M0002611	772

Part Number to Page Number Reference

48-8M0002612	772	48-8M0002669	786
48-8M0002613	772	48-8M0002670	786
48-8M0002614	772	48-8M0002671	786
48-8M0002615	772	48-8M0002672	786
48-8M0002616	772	48-8M0002673	786
48-8M0002617	773	48-8M0002674	786
48-8M0002618	773	48-8M0002675	786
48-8M0002619	773	48-8M0002676	786
48-8M0002620	773	48-8M0002677	786
48-8M0002621	773	48-8M0002678	786
48-8M0002622	773	48-8M0002679	786
48-8M0002623	773	48-8M0002680	786
48-8M0002624	773	48-8M0002681	786
48-8M0002625	773	48-8M0002682	786
48-8M0002626	773	48-8M0002683	786
48-8M0002627	773	48-8M0002684	786
48-8M0002628	773	48-8M0002685	787
48-8M0002629	773	48-8M0002686	787
48-8M0002630	773	48-8M0002687	787
48-8M0002631	773	48-8M0002688	787
48-8M0002632	773	48-8M0002689	787
48-8M0002633	774	48-8M0002690	787
48-8M0002634	774	48-8M0002691	787
48-8M0002635	774	48-8M0002692	787
48-8M0002636	774	48-8M0002693	787
48-8M0002637	772	48-8M0002694	787
48-8M0002638	772	48-8M0002695	787
48-8M0002639	772	48-8M0002696	787
48-8M0002640	772	48-8M0002697	786
48-8M0002641	772	48-8M0002698	786
48-8M0002642	772	48-8M0002699	786
48-8M0002643	772	48-8M0002700	786
48-8M0002644	772	48-8M0002701	786
48-8M0002645	772	48-8M0002702	786
48-8M0002646	772	48-8M0002703	786
48-8M0002647	773	48-8M0002704	786
48-8M0002648	773	48-8M0002705	786
48-8M0002649	773	48-8M0002706	786
48-8M0002650	773	48-8M0002707	786
48-8M0002651	773	48-8M0002708	786
48-8M0002652	773	48-8M0002709	786
48-8M0002653	773	48-8M0002710	786
48-8M0002654	773	48-8M0002711	786
48-8M0002655	773	48-8M0002712	786
48-8M0002656	773	48-8M0002713	786
48-8M0002657	773	48-8M0002714	786
48-8M0002658	773	48-8M0002715	787
48-8M0002659	773	48-8M0002716	787
48-8M0002660	773	48-8M0002717	787
48-8M0002661	773	48-8M0002718	787
48-8M0002662	773	48-8M0002719	787
48-8M0002663	774	48-8M0002720	787
48-8M0002664	774	48-8M0002721	787
48-8M0002665	774	48-8M0002722	787
48-8M0002666	774	48-8M0002723	787
48-8M0002667	786	48-8M0002724	787
48-8M0002668	786	48-8M0002725	787

Part Number to Page Number Reference

48 -8M0002726	787	48 -8M0002783	787
48 -8M0002727	786	48 -8M0002784	787
48 -8M0002728	786	48 -8M0002785	787
48 -8M0002729	786	48 -8M0002786	787
48 -8M0002730	786	48 -8M0002787	786
48 -8M0002731	786	48 -8M0002788	786
48 -8M0002732	786	48 -8M0002789	786
48 -8M0002733	786	48 -8M0002790	786
48 -8M0002734	786	48 -8M0002791	786
48 -8M0002735	786	48 -8M0002792	786
48 -8M0002736	786	48 -8M0002793	786
48 -8M0002737	786	48 -8M0002794	786
48 -8M0002738	786	48 -8M0002795	786
48 -8M0002739	786	48 -8M0002796	786
48 -8M0002740	786	48 -8M0002797	786
48 -8M0002741	786	48 -8M0002798	786
48 -8M0002742	786	48 -8M0002799	786
48 -8M0002743	786	48 -8M0002800	786
48 -8M0002744	786	48 -8M0002801	786
48 -8M0002745	787	48 -8M0002802	786
48 -8M0002746	787	48 -8M0002803	787
48 -8M0002747	787	48 -8M0002804	787
48 -8M0002748	787	48 -8M0002805	787
48 -8M0002749	787	48 -8M0002806	787
48 -8M0002750	787	48 -8M0002807	787
48 -8M0002751	787	48 -8M0002808	787
48 -8M0002752	787	48 -8M0002809	787
48 -8M0002753	787	48 -8M0002810	787
48 -8M0002754	787	48 -8M0002811	787
48 -8M0002755	787	48 -8M0002812	787
48 -8M0002756	787	48 -8M0002813	787
48 -8M0002757	786	48 -8M0002814	787
48 -8M0002758	786	48 -8M0002815	787
48 -8M0002759	786	48 -8M0002816	787
48 -8M0002760	786	48 -8M0002817	786
48 -8M0002761	786	48 -8M0002818	786
48 -8M0002762	786	48 -8M0002819	786
48 -8M0002763	786	48 -8M0002820	786
48 -8M0002764	786	48 -8M0002821	786
48 -8M0002765	786	48 -8M0002822	786
48 -8M0002766	786	48 -8M0002823	786
48 -8M0002767	786	48 -8M0002824	786
48 -8M0002768	786	48 -8M0002825	786
48 -8M0002769	786	48 -8M0002826	786
48 -8M0002770	786	48 -8M0002827	786
48 -8M0002771	786	48 -8M0002828	786
48 -8M0002772	786	48 -8M0002829	786
48 -8M0002773	787	48 -8M0002830	786
48 -8M0002774	787	48 -8M0002831	786
48 -8M0002775	787	48 -8M0002832	786
48 -8M0002776	787	48 -8M0002833	787
48 -8M0002777	787	48 -8M0002834	787
48 -8M0002778	787	48 -8M0002835	787
48 -8M0002779	787	48 -8M0002836	787
48 -8M0002780	787	48 -8M0002837	787
48 -8M0002781	787	48 -8M0002838	787
48 -8M0002782	787	48 -8M0002839	787

Part Number to Page Number Reference

48 -8M0002840	787	48 -8M0002897	787
48 -8M0002841	787	48 -8M0002898	787
48 -8M0002842	787	48 -8M0002899	787
48 -8M0002843	787	48 -8M0002900	787
48 -8M0002844	787	48 -8M0002901	787
48 -8M0002845	787	48 -8M0002902	787
48 -8M0002846	787	48 -8M0002903	787
48 -8M0002847	786	48 -8M0002904	787
48 -8M0002848	786	48 -8M0002905	787
48 -8M0002849	786	48 -8M0002906	787
48 -8M0002850	786	48 -8M0002907	786
48 -8M0002851	786	48 -8M0002908	786
48 -8M0002852	786	48 -8M0002909	786
48 -8M0002853	786	48 -8M0002910	786
48 -8M0002854	786	48 -8M0002911	786
48 -8M0002855	786	48 -8M0002912	786
48 -8M0002856	786	48 -8M0002913	786
48 -8M0002857	786	48 -8M0002914	786
48 -8M0002858	786	48 -8M0002915	786
48 -8M0002859	786	48 -8M0002916	786
48 -8M0002860	786	48 -8M0002917	786
48 -8M0002861	786	48 -8M0002918	786
48 -8M0002862	786	48 -8M0002919	786
48 -8M0002863	787	48 -8M0002920	786
48 -8M0002864	787	48 -8M0002921	786
48 -8M0002865	787	48 -8M0002922	786
48 -8M0002866	787	48 -8M0002923	787
48 -8M0002867	787	48 -8M0002924	787
48 -8M0002868	787	48 -8M0002925	787
48 -8M0002869	787	48 -8M0002926	787
48 -8M0002870	787	48 -8M0002927	787
48 -8M0002871	787	48 -8M0002928	787
48 -8M0002872	787	48 -8M0002929	787
48 -8M0002873	787	48 -8M0002930	787
48 -8M0002874	787	48 -8M0002931	787
48 -8M0002875	787	48 -8M0002932	787
48 -8M0002876	787	48 -8M0002933	787
48 -8M0002877	786	48 -8M0002934	787
48 -8M0002878	786	48 -8M0002935	787
48 -8M0002879	786	48 -8M0002936	787
48 -8M0002880	786	48 -8M0002937	786
48 -8M0002881	786	48 -8M0002938	786
48 -8M0002882	786	48 -8M0002939	786
48 -8M0002883	786	48 -8M0002940	786
48 -8M0002884	786	48 -8M0002941	786
48 -8M0002885	786	48 -8M0002942	786
48 -8M0002886	786	48 -8M0002943	786
48 -8M0002887	786	48 -8M0002944	786
48 -8M0002888	786	48 -8M0002945	786
48 -8M0002889	786	48 -8M0002946	786
48 -8M0002890	786	48 -8M0002947	786
48 -8M0002891	786	48 -8M0002948	786
48 -8M0002892	786	48 -8M0002949	786
48 -8M0002893	787	48 -8M0002950	786
48 -8M0002894	787	48 -8M0002951	786
48 -8M0002895	787	48 -8M0002952	786
48 -8M0002896	787	48 -8M0002953	787

Part Number to Page Number Reference

48 -8M0002954	787	48 -8M0003011	786
48 -8M0002955	787	48 -8M0003012	786
48 -8M0002956	787	48 -8M0003013	787
48 -8M0002957	787	48 -8M0003014	787
48 -8M0002958	787	48 -8M0003015	787
48 -8M0002959	787	48 -8M0003016	787
48 -8M0002960	787	48 -8M0003017	787
48 -8M0002961	787	48 -8M0003018	787
48 -8M0002962	787	48 -8M0003019	787
48 -8M0002963	787	48 -8M0003020	787
48 -8M0002964	787	48 -8M0003021	787
48 -8M0002965	787	48 -8M0003022	787
48 -8M0002966	787	48 -8M0003023	787
48 -8M0002967	786	48 -8M0003024	787
48 -8M0002968	786	48 -8M0003025	787
48 -8M0002969	786	48 -8M0003026	787
48 -8M0002970	786	48 -8M0003027	786
48 -8M0002971	786	48 -8M0003028	786
48 -8M0002972	786	48 -8M0003029	786
48 -8M0002973	786	48 -8M0003030	786
48 -8M0002974	786	48 -8M0003031	786
48 -8M0002975	786	48 -8M0003032	786
48 -8M0002976	786	48 -8M0003033	786
48 -8M0002977	786	48 -8M0003034	786
48 -8M0002978	786	48 -8M0003035	786
48 -8M0002979	786	48 -8M0003036	786
48 -8M0002980	786	48 -8M0003037	786
48 -8M0002981	786	48 -8M0003038	786
48 -8M0002982	786	48 -8M0003039	786
48 -8M0002983	787	48 -8M0003040	786
48 -8M0002984	787	48 -8M0003041	786
48 -8M0002985	787	48 -8M0003042	786
48 -8M0002986	787	48 -8M0003043	787
48 -8M0002987	787	48 -8M0003044	787
48 -8M0002988	787	48 -8M0003045	787
48 -8M0002989	787	48 -8M0003046	787
48 -8M0002990	787	48 -8M0003047	787
48 -8M0002991	787	48 -8M0003048	787
48 -8M0002992	787	48 -8M0003049	787
48 -8M0002993	787	48 -8M0003050	787
48 -8M0002994	787	48 -8M0003051	787
48 -8M0002995	787	48 -8M0003052	787
48 -8M0002996	787	48 -8M0003053	787
48 -8M0002997	786	48 -8M0003054	787
48 -8M0002998	786	48 -8M0003055	787
48 -8M0002999	786	48 -8M0003056	787
48 -8M0003000	786	48 -8M0003447	774
48 -8M0003001	786	48 -8M0003448	774
48 -8M0003002	786	48 -8M0003449	774
48 -8M0003003	786	48 -8M0003450	774
48 -8M0003004	786	48 -8M0003451	774
48 -8M0003005	786	48 -8M0003452	774
48 -8M0003006	786	48 -8M0003453	774
48 -8M0003007	786	48 -8M0003454	774
48 -8M0003008	786	48 -8M0003455	774
48 -8M0003009	786	48 -8M0003456	774
48 -8M0003010	786	48 -8M0003457	774

Part Number to Page Number Reference

48-8M0003458	774	48-8M0003519	775
48-8M0003459	775	48-8M0003520	775
48-8M0003460	775	48-8M0003521	775
48-8M0003461	773, 775	48-8M0003522	775
48-8M0003462	773, 775	48-8M0003523	775
48-8M0003463	775	48-8M0003524	775
48-8M0003464	775	48-8M0003525	775
48-8M0003465	775	48-8M0003526	775
48-8M0003466	775	48-8M0003527	775
48-8M0003467	775	48-8M0003528	775
48-8M0003468	775	48-8M0003529	775
48-8M0003469	775	48-8M0003530	775
48-8M0003470	775	48-8M0003531	775
48-8M0003471	775	48-8M0003532	775
48-8M0003472	775	48-8M0003533	775
48-8M0003473	775	48-8M0003534	775
48-8M0003474	775	48-8M0003535	775
48-8M0003475	775	48-8M0003536	775
48-8M0003476	775	48-8M0003537	774
48-8M0003479	774	48-8M0003538	774
48-8M0003480	774	48-8M0003539	774
48-8M0003481	774	48-8M0003541	774
48-8M0003482	774	48-8M0003542	774
48-8M0003483	774	48-8M0003543	774
48-8M0003484	774	48-8M0003544	774
48-8M0003485	774	48-8M0003545	774
48-8M0003486	774	48-8M0003546	774
48-8M0003487	774	48-8M0003547	774
48-8M0003488	774	48-8M0003548	774
48-8M0003489	775	48-8M0003549	775
48-8M0003490	775	48-8M0003550	775
48-8M0003491	775	48-8M0003551	775
48-8M0003492	775	48-8M0003552	775
48-8M0003493	775	48-8M0003553	775
48-8M0003494	775	48-8M0003554	775
48-8M0003495	775	48-8M0003555	775
48-8M0003496	775	48-8M0003556	775
48-8M0003497	775	48-8M0003557	775
48-8M0003498	775	48-8M0003558	775
48-8M0003499	775	48-8M0003559	775
48-8M0003500	775	48-8M0003560	775
48-8M0003501	775	48-8M0003561	775
48-8M0003502	775	48-8M0003562	775
48-8M0003503	775	48-8M0003563	775
48-8M0003504	775	48-8M0003564	775
48-8M0003505	775	48-8M0003565	775
48-8M0003506	775	48-8M0003566	775
48-8M0003507	774	48-8M0003567	774
48-8M0003508	774	48-8M0003568	774
48-8M0003511	774	48-8M0003569	774
48-8M0003512	774	48-8M0003570	774
48-8M0003513	774	48-8M0003571	774
48-8M0003514	774	48-8M0003572	774
48-8M0003515	774	48-8M0003573	774
48-8M0003516	774	48-8M0003574	774
48-8M0003517	774	48-8M0003575	774
48-8M0003518	774	48-8M0003576	774

Part Number to Page Number Reference

48 -8M0003577	774	48 -8M0003634	774
48 -8M0003578	774	48 -8M0003635	774
48 -8M0003579	775	48 -8M0003636	774
48 -8M0003580	775	48 -8M0003637	774
48 -8M0003581	775	48 -8M0003638	774
48 -8M0003582	775	48 -8M0003639	775
48 -8M0003583	775	48 -8M0003640	775
48 -8M0003584	775	48 -8M0003641	775
48 -8M0003585	775	48 -8M0003642	775
48 -8M0003586	775	48 -8M0003643	775
48 -8M0003587	775	48 -8M0003644	775
48 -8M0003588	775	48 -8M0003645	775
48 -8M0003589	775	48 -8M0003646	775
48 -8M0003590	775	48 -8M0003647	775
48 -8M0003591	775	48 -8M0003648	775
48 -8M0003592	775	48 -8M0003649	775
48 -8M0003593	775	48 -8M0003650	775
48 -8M0003594	775	48 -8M0003651	775
48 -8M0003595	775	48 -8M0003652	775
48 -8M0003596	775	48 -8M0003653	775
48 -8M0003597	774	48 -8M0003654	775
48 -8M0003598	774	48 -8M0003655	776
48 -8M0003599	774	48 -8M0003656	776
48 -8M0003600	774	48 -8M0003657	774
48 -8M0003601	774	48 -8M0003658	774
48 -8M0003602	774	48 -8M0003659	774
48 -8M0003603	774	48 -8M0003660	774
48 -8M0003604	774	48 -8M0003661	774
48 -8M0003605	774	48 -8M0003662	774
48 -8M0003606	774	48 -8M0003663	774
48 -8M0003607	774	48 -8M0003664	774
48 -8M0003608	774	48 -8M0003665	774
48 -8M0003609	775	48 -8M0003666	774
48 -8M0003610	775	48 -8M0003667	774
48 -8M0003611	775	48 -8M0003668	774
48 -8M0003612	775	48 -8M0003669	775
48 -8M0003613	775	48 -8M0003670	775
48 -8M0003614	775	48 -8M0003671	775
48 -8M0003615	775	48 -8M0003672	775
48 -8M0003616	775	48 -8M0003673	775
48 -8M0003617	775	48 -8M0003674	775
48 -8M0003618	775	48 -8M0003675	775
48 -8M0003619	775	48 -8M0003676	775
48 -8M0003620	775	48 -8M0003677	775
48 -8M0003621	775	48 -8M0003678	775
48 -8M0003622	775	48 -8M0003679	775
48 -8M0003623	775	48 -8M0003680	775
48 -8M0003624	775	48 -8M0003681	775
48 -8M0003625	776	48 -8M0003682	775
48 -8M0003626	776	48 -8M0003683	775
48 -8M0003627	774	48 -8M0003684	775
48 -8M0003628	774	48 -8M0003685	776
48 -8M0003629	774	48 -8M0003686	776
48 -8M0003630	774	48 -8M0003687	774
48 -8M0003631	774	48 -8M0003688	774
48 -8M0003632	774	48 -8M0003691	774
48 -8M0003633	774	48 -8M0003692	774

Part Number to Page Number Reference

48 -8M0003693	774	48 -8M0003752	774
48 -8M0003694	774	48 -8M0003753	774
48 -8M0003695	774	48 -8M0003754	774
48 -8M0003696	774	48 -8M0003755	774
48 -8M0003697	774	48 -8M0003756	774
48 -8M0003698	774	48 -8M0003757	775
48 -8M0003699	775	48 -8M0003758	775
48 -8M0003700	775	48 -8M0003759	775
48 -8M0003701	775	48 -8M0003760	775
48 -8M0003702	775	48 -8M0003761	775
48 -8M0003703	775	48 -8M0003762	775
48 -8M0003704	775	48 -8M0003763	775
48 -8M0003705	775	48 -8M0003764	775
48 -8M0003706	775	48 -8M0003765	775
48 -8M0003707	775	48 -8M0003766	775
48 -8M0003708	775	48 -8M0003767	775
48 -8M0003709	775	48 -8M0003768	775
48 -8M0003710	775	48 -8M0003769	775
48 -8M0003711	775	48 -8M0003770	775
48 -8M0003712	775	48 -8M0003771	775
48 -8M0003713	775	48 -8M0003772	775
48 -8M0003714	775	48 -8M0003773	775
48 -8M0003715	776	48 -8M0003774	775
48 -8M0003716	776	48 -8M0003775	776
48 -8M0003717	774	48 -8M0003776	776
48 -8M0003718	774	48 -8M0003777	774
48 -8M0003719	774	48 -8M0003778	774
48 -8M0003720	774	48 -8M0003779	774
48 -8M0003721	774	48 -8M0003780	774
48 -8M0003722	774	48 -8M0003781	774
48 -8M0003723	774	48 -8M0003782	774
48 -8M0003724	774	48 -8M0003783	774
48 -8M0003725	774	48 -8M0003784	774
48 -8M0003726	774	48 -8M0003785	774
48 -8M0003727	774	48 -8M0003786	774
48 -8M0003728	774	48 -8M0003787	775
48 -8M0003729	775	48 -8M0003788	775
48 -8M0003730	775	48 -8M0003789	775
48 -8M0003731	775	48 -8M0003790	775
48 -8M0003732	775	48 -8M0003791	775
48 -8M0003733	775	48 -8M0003792	775
48 -8M0003734	775	48 -8M0003793	775
48 -8M0003737	775	48 -8M0003794	775
48 -8M0003738	775	48 -8M0003795	775
48 -8M0003739	775	48 -8M0003796	775
48 -8M0003740	775	48 -8M0003797	775
48 -8M0003741	775	48 -8M0003798	775
48 -8M0003742	775	48 -8M0003799	775
48 -8M0003743	775	48 -8M0003800	775
48 -8M0003744	775	48 -8M0003801	775
48 -8M0003745	776	48 -8M0003802	775
48 -8M0003746	776	48 -8M0003803	775
48 -8M0003747	774	48 -8M0003804	775
48 -8M0003748	774	48 -8M0003805	776
48 -8M0003749	774	48 -8M0003806	776
48 -8M0003750	774	48 -8M0003807	774
48 -8M0003751	774	48 -8M0003808	774

Part Number to Page Number Reference

48 -8M0003809	774	48 -8M0003868	787
48 -8M0003810	774	48 -8M0003869	787
48 -8M0003811	774	48 -8M0003870	787
48 -8M0003812	774	48 -8M0003871	788
48 -8M0003813	774	48 -8M0003872	788
48 -8M0003814	774	48 -8M0003873	788
48 -8M0003815	774	48 -8M0003874	788
48 -8M0003816	774	48 -8M0003875	788
48 -8M0003817	775	48 -8M0003876	788
48 -8M0003818	775	48 -8M0003877	788
48 -8M0003819	775	48 -8M0003878	788
48 -8M0003820	775	48 -8M0003879	788
48 -8M0003821	775	48 -8M0003880	788
48 -8M0003822	775	48 -8M0003881	788
48 -8M0003823	775	48 -8M0003882	788
48 -8M0003824	775	48 -8M0003883	788
48 -8M0003825	775	48 -8M0003884	788
48 -8M0003826	775	48 -8M0003885	788
48 -8M0003827	775	48 -8M0003886	788
48 -8M0003828	775	48 -8M0003887	789
48 -8M0003829	775	48 -8M0003888	789
48 -8M0003830	775	48 -8M0003889	789
48 -8M0003831	775	48 -8M0003890	789
48 -8M0003832	775	48 -8M0003891	789
48 -8M0003835	775, 776	48 -8M0003892	789
48 -8M0003836	775, 776	48 -8M0003893	789
48 -8M0003837	787	48 -8M0003894	789
48 -8M0003838	787	48 -8M0003895	789
48 -8M0003839	787	48 -8M0003896	789
48 -8M0003840	787	48 -8M0003897	787
48 -8M0003841	788	48 -8M0003898	787
48 -8M0003842	788	48 -8M0003899	787
48 -8M0003843	788	48 -8M0003900	787
48 -8M0003844	788	48 -8M0003901	788
48 -8M0003845	788	48 -8M0003902	788
48 -8M0003846	788	48 -8M0003903	788
48 -8M0003847	788	48 -8M0003904	788
48 -8M0003848	788	48 -8M0003905	788
48 -8M0003849	788	48 -8M0003906	788
48 -8M0003850	788	48 -8M0003907	788
48 -8M0003851	788	48 -8M0003908	788
48 -8M0003852	788	48 -8M0003909	788
48 -8M0003853	788	48 -8M0003910	788
48 -8M0003854	788	48 -8M0003911	788
48 -8M0003855	788	48 -8M0003912	788
48 -8M0003856	788	48 -8M0003913	788
48 -8M0003857	789	48 -8M0003914	788
48 -8M0003858	789	48 -8M0003915	788
48 -8M0003859	789	48 -8M0003916	788
48 -8M0003860	789	48 -8M0003917	789
48 -8M0003861	789	48 -8M0003918	789
48 -8M0003862	789	48 -8M0003919	789
48 -8M0003863	789	48 -8M0003920	789
48 -8M0003864	789	48 -8M0003921	789
48 -8M0003865	789	48 -8M0003922	789
48 -8M0003866	789	48 -8M0003923	789
48 -8M0003867	787	48 -8M0003924	789

Part Number to Page Number Reference

48-8M0003925	789	48-8M0003982	789
48-8M0003926	789	48-8M0003983	789
48-8M0003927	787	48-8M0003984	789
48-8M0003928	787	48-8M0003985	789
48-8M0003929	787	48-8M0003986	789
48-8M0003930	787	48-8M0003987	787
48-8M0003931	788	48-8M0003988	787
48-8M0003932	788	48-8M0003989	788
48-8M0003933	788	48-8M0003990	788
48-8M0003934	788	48-8M0003991	788
48-8M0003935	788	48-8M0003992	788
48-8M0003936	788	48-8M0003993	788
48-8M0003937	788	48-8M0003994	788
48-8M0003938	788	48-8M0003995	788
48-8M0003939	788	48-8M0003996	788
48-8M0003940	788	48-8M0003997	788
48-8M0003941	788	48-8M0003998	788
48-8M0003942	788	48-8M0003999	788
48-8M0003943	788	48-8M0004000	788
48-8M0003944	788	48-8M0004001	788
48-8M0003945	788	48-8M0004002	788
48-8M0003946	788	48-8M0004003	788
48-8M0003947	789	48-8M0004004	788
48-8M0003948	789	48-8M0004005	788
48-8M0003949	789	48-8M0004006	788
48-8M0003950	789	48-8M0004007	789
48-8M0003951	789	48-8M0004008	789
48-8M0003952	789	48-8M0004009	789
48-8M0003953	789	48-8M0004010	789
48-8M0003954	789	48-8M0004011	789
48-8M0003955	789	48-8M0004012	789
48-8M0003956	789	48-8M0004013	789
48-8M0003957	787	48-8M0004014	789
48-8M0003958	787	48-8M0004015	789
48-8M0003959	788	48-8M0004016	789
48-8M0003960	788	48-8M0004017	787
48-8M0003961	788	48-8M0004018	787
48-8M0003962	788	48-8M0004019	788
48-8M0003963	788	48-8M0004020	788
48-8M0003964	788	48-8M0004021	788
48-8M0003965	788	48-8M0004022	788
48-8M0003966	788	48-8M0004023	788
48-8M0003967	788	48-8M0004024	788
48-8M0003968	788	48-8M0004025	788
48-8M0003969	788	48-8M0004026	788
48-8M0003970	788	48-8M0004027	788
48-8M0003971	788	48-8M0004028	788
48-8M0003972	788	48-8M0004029	788
48-8M0003973	788	48-8M0004030	788
48-8M0003974	788	48-8M0004031	788
48-8M0003975	788	48-8M0004032	788
48-8M0003976	788	48-8M0004033	788
48-8M0003977	789	48-8M0004034	788
48-8M0003978	789	48-8M0004035	788
48-8M0003979	789	48-8M0004036	788
48-8M0003980	789	48-8M0004037	789
48-8M0003981	789	48-8M0004038	789

Part Number to Page Number Reference

48 -8M0004039	789	48 -8M0004096	788
48 -8M0004040	789	48 -8M0004097	789
48 -8M0004041	789	48 -8M0004098	789
48 -8M0004042	789	48 -8M0004099	789
48 -8M0004043	789	48 -8M0004100	789
48 -8M0004044	789	48 -8M0004101	789
48 -8M0004045	789	48 -8M0004102	789
48 -8M0004046	789	48 -8M0004103	789
48 -8M0004047	787	48 -8M0004104	789
48 -8M0004048	787	48 -8M0004105	789
48 -8M0004049	788	48 -8M0004106	789
48 -8M0004050	788	48 -8M0004107	787
48 -8M0004051	788	48 -8M0004108	787
48 -8M0004052	788	48 -8M0004109	788
48 -8M0004053	788	48 -8M0004110	788
48 -8M0004054	788	48 -8M0004111	788
48 -8M0004055	788	48 -8M0004112	788
48 -8M0004056	788	48 -8M0004113	788
48 -8M0004057	788	48 -8M0004114	788
48 -8M0004058	788	48 -8M0004115	788
48 -8M0004059	788	48 -8M0004116	788
48 -8M0004060	788	48 -8M0004117	788
48 -8M0004061	788	48 -8M0004118	788
48 -8M0004062	788	48 -8M0004119	788
48 -8M0004063	788	48 -8M0004120	788
48 -8M0004064	788	48 -8M0004121	788
48 -8M0004065	788	48 -8M0004122	788
48 -8M0004066	788	48 -8M0004123	788
48 -8M0004067	789	48 -8M0004124	788
48 -8M0004068	789	48 -8M0004125	788
48 -8M0004069	789	48 -8M0004126	788
48 -8M0004070	789	48 -8M0004127	789
48 -8M0004071	789	48 -8M0004128	789
48 -8M0004072	789	48 -8M0004129	789
48 -8M0004073	789	48 -8M0004130	789
48 -8M0004074	789	48 -8M0004131	789
48 -8M0004075	789	48 -8M0004132	789
48 -8M0004076	789	48 -8M0004133	789
48 -8M0004077	787	48 -8M0004134	789
48 -8M0004078	787	48 -8M0004135	789
48 -8M0004079	788	48 -8M0004136	789
48 -8M0004080	788	48 -8M0004137	787
48 -8M0004081	788	48 -8M0004138	787
48 -8M0004082	788	48 -8M0004139	788
48 -8M0004083	788	48 -8M0004140	788
48 -8M0004084	788	48 -8M0004141	788
48 -8M0004085	788	48 -8M0004142	788
48 -8M0004086	788	48 -8M0004143	788
48 -8M0004087	788	48 -8M0004144	788
48 -8M0004088	788	48 -8M0004145	788
48 -8M0004089	788	48 -8M0004146	788
48 -8M0004090	788	48 -8M0004147	788
48 -8M0004091	788	48 -8M0004148	788
48 -8M0004092	788	48 -8M0004149	788
48 -8M0004093	788	48 -8M0004150	788
48 -8M0004094	788	48 -8M0004151	788
48 -8M0004095	788	48 -8M0004152	788

Part Number to Page Number Reference

48-8M0004153	788	48-8M0004210	788
48-8M0004154	788	48-8M0004211	788
48-8M0004155	788	48-8M0004212	788
48-8M0004156	788	48-8M0004213	788
48-8M0004157	789	48-8M0004214	788
48-8M0004158	789	48-8M0004215	789
48-8M0004159	789	48-8M0004216	789
48-8M0004160	789	48-8M0004217	789
48-8M0004161	789	48-8M0004218	789
48-8M0004162	789	48-8M0004219	789
48-8M0004163	789	48-8M0004220	789
48-8M0004164	789	48-8M0004221	789
48-8M0004165	789	48-8M0004222	789
48-8M0004166	789	48-8M0004223	789
48-8M0004167	787	48-8M0004224	789
48-8M0004168	787	48-8M0004225	789
48-8M0004169	788	48-8M0004226	789
48-8M0004170	788	48-8M0004617	776
48-8M0004171	788	48-8M0004618	776
48-8M0004172	788	48-8M0004619	776
48-8M0004173	788	48-8M0004620	776
48-8M0004174	788	48-8M0004621	776
48-8M0004175	788	48-8M0004622	776
48-8M0004176	788	48-8M0004623	776
48-8M0004177	788	48-8M0004624	776
48-8M0004178	788	48-8M0004625	776
48-8M0004179	788	48-8M0004626	776
48-8M0004180	788	48-8M0004627	776
48-8M0004181	788	48-8M0004628	776
48-8M0004182	788	48-8M0004629	776
48-8M0004183	788	48-8M0004630	776
48-8M0004184	788	48-8M0004631	777
48-8M0004185	788	48-8M0004632	777
48-8M0004186	788	48-8M0004633	777
48-8M0004187	789	48-8M0004634	777
48-8M0004188	789	48-8M0004635	777
48-8M0004189	789	48-8M0004636	777
48-8M0004190	789	48-8M0004637	777
48-8M0004191	789	48-8M0004638	777
48-8M0004192	789	48-8M0004639	777
48-8M0004193	789	48-8M0004640	777
48-8M0004194	789	48-8M0004641	777
48-8M0004195	789	48-8M0004642	777
48-8M0004196	789	48-8M0004643	777
48-8M0004197	787	48-8M0004644	777
48-8M0004198	787	48-8M0004645	777
48-8M0004199	788	48-8M0004646	777
48-8M0004200	788	48-8M0004647	776
48-8M0004201	788	48-8M0004648	776
48-8M0004202	788	48-8M0004649	776
48-8M0004203	788	48-8M0004650	776
48-8M0004204	788	48-8M0004651	776
48-8M0004205	788	48-8M0004652	776
48-8M0004206	788	48-8M0004653	776
48-8M0004207	788	48-8M0004654	776
48-8M0004208	788	48-8M0004655	776
48-8M0004209	788	48-8M0004656	776

Part Number to Page Number Reference

48 -8M0004657	776	48 -8M0004716	776
48 -8M0004658	776	48 -8M0004717	776
48 -8M0004659	776	48 -8M0004718	776
48 -8M0004660	776	48 -8M0004719	777
48 -8M0004661	777	48 -8M0004720	777
48 -8M0004662	777	48 -8M0004721	777
48 -8M0004663	777	48 -8M0004722	777
48 -8M0004664	777	48 -8M0004723	777
48 -8M0004665	777	48 -8M0004724	777
48 -8M0004666	777	48 -8M0004725	777
48 -8M0004667	777	48 -8M0004726	777
48 -8M0004668	777	48 -8M0004727	777
48 -8M0004669	777	48 -8M0004728	777
48 -8M0004670	777	48 -8M0004731	777
48 -8M0004671	777	48 -8M0004732	777
48 -8M0004672	777	48 -8M0004733	777
48 -8M0004673	777	48 -8M0004734	777
48 -8M0004674	777	48 -8M0004735	777
48 -8M0004675	777	48 -8M0004736	777
48 -8M0004676	777	48 -8M0004737	776
48 -8M0004677	776	48 -8M0004738	776
48 -8M0004678	776	48 -8M0004739	776
48 -8M0004679	776	48 -8M0004740	776
48 -8M0004680	776	48 -8M0004741	776
48 -8M0004681	776	48 -8M0004742	776
48 -8M0004682	776	48 -8M0004743	776
48 -8M0004683	776	48 -8M0004744	776
48 -8M0004684	776	48 -8M0004745	776
48 -8M0004685	776	48 -8M0004746	776
48 -8M0004686	776	48 -8M0004747	776
48 -8M0004687	776	48 -8M0004748	776
48 -8M0004688	776	48 -8M0004749	777
48 -8M0004689	776	48 -8M0004750	777
48 -8M0004690	776	48 -8M0004751	777
48 -8M0004691	777	48 -8M0004752	777
48 -8M0004692	777	48 -8M0004753	777
48 -8M0004693	777	48 -8M0004754	777
48 -8M0004694	777	48 -8M0004755	777
48 -8M0004695	777	48 -8M0004756	777
48 -8M0004696	777	48 -8M0004757	777
48 -8M0004697	777	48 -8M0004758	777
48 -8M0004698	777	48 -8M0004761	777
48 -8M0004701	777	48 -8M0004762	777
48 -8M0004702	777	48 -8M0004763	777
48 -8M0004703	777	48 -8M0004764	777
48 -8M0004704	777	48 -8M0004765	777
48 -8M0004705	777	48 -8M0004766	777
48 -8M0004706	777	48 -8M0004767	776
48 -8M0004707	776	48 -8M0004768	776
48 -8M0004708	776	48 -8M0004769	776
48 -8M0004709	776	48 -8M0004770	776
48 -8M0004710	776	48 -8M0004771	776
48 -8M0004711	776	48 -8M0004772	776
48 -8M0004712	776	48 -8M0004773	776
48 -8M0004713	776	48 -8M0004774	776
48 -8M0004714	776	48 -8M0004775	776
48 -8M0004715	776	48 -8M0004776	776

Part Number to Page Number Reference

48 -8M0004777	776	48 -8M0004838	776
48 -8M0004778	776	48 -8M0004839	777
48 -8M0004779	777	48 -8M0004840	777
48 -8M0004780	777	48 -8M0004841	777
48 -8M0004781	777	48 -8M0004842	777
48 -8M0004782	777	48 -8M0004843	777
48 -8M0004783	777	48 -8M0004844	777
48 -8M0004784	777	48 -8M0004845	777
48 -8M0004785	777	48 -8M0004846	777
48 -8M0004786	777	48 -8M0004847	777
48 -8M0004787	777	48 -8M0004848	777
48 -8M0004788	777	48 -8M0004849	777
48 -8M0004791	777	48 -8M0004850	777
48 -8M0004792	777	48 -8M0004851	777
48 -8M0004793	777	48 -8M0004852	777
48 -8M0004794	777	48 -8M0004853	777
48 -8M0004795	777	48 -8M0004854	777
48 -8M0004796	777	48 -8M0004855	777
48 -8M0004797	776	48 -8M0004856	777
48 -8M0004798	776	48 -8M0004857	776
48 -8M0004799	776	48 -8M0004858	776
48 -8M0004800	776	48 -8M0004859	776
48 -8M0004801	776	48 -8M0004860	776
48 -8M0004802	776	48 -8M0004861	776
48 -8M0004803	776	48 -8M0004862	776
48 -8M0004804	776	48 -8M0004863	776
48 -8M0004805	776	48 -8M0004864	776
48 -8M0004806	776	48 -8M0004865	776
48 -8M0004807	776	48 -8M0004866	776
48 -8M0004808	776	48 -8M0004867	776
48 -8M0004809	777	48 -8M0004868	776
48 -8M0004810	777	48 -8M0004869	777
48 -8M0004811	777	48 -8M0004870	777
48 -8M0004812	777	48 -8M0004871	777
48 -8M0004813	777	48 -8M0004872	777
48 -8M0004814	777	48 -8M0004873	777
48 -8M0004815	777	48 -8M0004874	777
48 -8M0004816	777	48 -8M0004875	777
48 -8M0004817	777	48 -8M0004876	777
48 -8M0004818	777	48 -8M0004877	777
48 -8M0004821	777	48 -8M0004878	777
48 -8M0004822	777	48 -8M0004879	777
48 -8M0004823	777	48 -8M0004880	777
48 -8M0004824	777	48 -8M0004881	777
48 -8M0004825	777	48 -8M0004882	777
48 -8M0004826	777	48 -8M0004883	777
48 -8M0004827	776	48 -8M0004884	777
48 -8M0004828	776	48 -8M0004885	777
48 -8M0004829	776	48 -8M0004886	777
48 -8M0004830	776	48 -8M0004887	776
48 -8M0004831	776	48 -8M0004888	776
48 -8M0004832	776	48 -8M0004889	776
48 -8M0004833	776	48 -8M0004890	776
48 -8M0004834	776	48 -8M0004891	776
48 -8M0004835	776	48 -8M0004892	776
48 -8M0004836	776	48 -8M0004893	776
48 -8M0004837	776	48 -8M0004894	776

Part Number to Page Number Reference

48 -8M0004895	776	48 -8M0004952	776
48 -8M0004896	776	48 -8M0004953	776
48 -8M0004897	776	48 -8M0004954	776
48 -8M0004898	776	48 -8M0004955	776
48 -8M0004899	777	48 -8M0004956	776
48 -8M0004900	777	48 -8M0004957	776
48 -8M0004901	777	48 -8M0004958	776
48 -8M0004902	777	48 -8M0004959	777
48 -8M0004903	777	48 -8M0004960	777
48 -8M0004904	777	48 -8M0004961	777
48 -8M0004905	777	48 -8M0004962	777
48 -8M0004906	777	48 -8M0004963	777
48 -8M0004907	777	48 -8M0004964	777
48 -8M0004908	777	48 -8M0004965	777
48 -8M0004909	777	48 -8M0004966	777
48 -8M0004910	777	48 -8M0004967	777
48 -8M0004911	777	48 -8M0004968	777
48 -8M0004912	777	48 -8M0004971	777
48 -8M0004913	777	48 -8M0004972	777
48 -8M0004914	777	48 -8M0004973	777
48 -8M0004915	777	48 -8M0004974	777
48 -8M0004916	777	48 -8M0004975	778
48 -8M0004917	776	48 -8M0004976	778
48 -8M0004918	776	48 -8M0004977	776
48 -8M0004919	776	48 -8M0004978	776
48 -8M0004920	776	48 -8M0004979	776
48 -8M0004921	776	48 -8M0004980	776
48 -8M0004922	776	48 -8M0004981	776
48 -8M0004923	776	48 -8M0004982	776
48 -8M0004924	776	48 -8M0004983	776
48 -8M0004925	776	48 -8M0004984	776
48 -8M0004926	776	48 -8M0004985	776
48 -8M0004927	776	48 -8M0004986	776
48 -8M0004928	776	48 -8M0004987	776
48 -8M0004929	777	48 -8M0004988	776
48 -8M0004930	777	48 -8M0004989	777
48 -8M0004931	777	48 -8M0004990	777
48 -8M0004932	777	48 -8M0004991	777
48 -8M0004933	777	48 -8M0004992	777
48 -8M0004934	777	48 -8M0004993	777
48 -8M0004935	777	48 -8M0004994	777
48 -8M0004936	777	48 -8M0004995	777
48 -8M0004937	777	48 -8M0004996	777
48 -8M0004938	777	48 -8M0004997	777
48 -8M0004939	777	48 -8M0004998	777
48 -8M0004940	777	48 -8M0004999	777
48 -8M0004941	777	48 -8M0005000	777
48 -8M0004942	777	48 -8M0005001	777
48 -8M0004943	777	48 -8M0005002	777
48 -8M0004944	777	48 -8M0005003	777
48 -8M0004945	777	48 -8M0005004	777
48 -8M0004946	777	48 -8M0005005	778
48 -8M0004947	776	48 -8M0005006	778
48 -8M0004948	776	48 -8M0005007	789
48 -8M0004949	776	48 -8M0005008	789
48 -8M0004950	776	48 -8M0005009	789
48 -8M0004951	776	48 -8M0005010	789

Part Number to Page Number Reference

48-8M0005011	789	48-8M0005068	789
48-8M0005012	789	48-8M0005069	789
48-8M0005013	790	48-8M0005070	789
48-8M0005014	790	48-8M0005071	789
48-8M0005015	790	48-8M0005072	789
48-8M0005016	790	48-8M0005073	790
48-8M0005017	790	48-8M0005074	790
48-8M0005018	790	48-8M0005075	790
48-8M0005019	790	48-8M0005076	790
48-8M0005020	790	48-8M0005077	790
48-8M0005021	790	48-8M0005078	790
48-8M0005022	790	48-8M0005079	790
48-8M0005023	790	48-8M0005080	790
48-8M0005024	790	48-8M0005081	790
48-8M0005025	790	48-8M0005082	790
48-8M0005026	790	48-8M0005083	790
48-8M0005027	790	48-8M0005084	790
48-8M0005028	790	48-8M0005085	790
48-8M0005029	790	48-8M0005086	790
48-8M0005030	790	48-8M0005087	790
48-8M0005031	791	48-8M0005088	790
48-8M0005032	791	48-8M0005089	791
48-8M0005033	791	48-8M0005090	791
48-8M0005034	791	48-8M0005091	791
48-8M0005035	791	48-8M0005092	791
48-8M0005036	791	48-8M0005093	791
48-8M0005037	789	48-8M0005094	791
48-8M0005038	789	48-8M0005095	791
48-8M0005039	789	48-8M0005096	791
48-8M0005040	789	48-8M0005097	789
48-8M0005041	789	48-8M0005098	789
48-8M0005042	789	48-8M0005099	789
48-8M0005043	790	48-8M0005100	789
48-8M0005044	790	48-8M0005101	789
48-8M0005045	790	48-8M0005102	789
48-8M0005046	790	48-8M0005103	790
48-8M0005047	790	48-8M0005104	790
48-8M0005048	790	48-8M0005105	790
48-8M0005049	790	48-8M0005106	790
48-8M0005050	790	48-8M0005107	790
48-8M0005051	790	48-8M0005108	790
48-8M0005052	790	48-8M0005109	790
48-8M0005053	790	48-8M0005110	790
48-8M0005054	790	48-8M0005111	790
48-8M0005055	790	48-8M0005112	790
48-8M0005056	790	48-8M0005113	790
48-8M0005057	790	48-8M0005114	790
48-8M0005058	790	48-8M0005115	790
48-8M0005059	791	48-8M0005116	790
48-8M0005060	791	48-8M0005117	790
48-8M0005061	791	48-8M0005118	790
48-8M0005062	791	48-8M0005119	791
48-8M0005063	791	48-8M0005120	791
48-8M0005064	791	48-8M0005121	791
48-8M0005065	791	48-8M0005122	791
48-8M0005066	791	48-8M0005123	791
48-8M0005067	789	48-8M0005124	791

Part Number to Page Number Reference

48 -8M0005125	791	48 -8M0005182	791
48 -8M0005126	791	48 -8M0005183	791
48 -8M0005127	789	48 -8M0005184	791
48 -8M0005128	789	48 -8M0005185	791
48 -8M0005129	789	48 -8M0005186	791
48 -8M0005130	789	48 -8M0005187	789
48 -8M0005131	789	48 -8M0005188	789
48 -8M0005132	789	48 -8M0005189	789
48 -8M0005133	790	48 -8M0005190	789
48 -8M0005134	790	48 -8M0005191	789
48 -8M0005135	790	48 -8M0005192	789
48 -8M0005136	790	48 -8M0005193	790
48 -8M0005137	790	48 -8M0005194	790
48 -8M0005138	790	48 -8M0005195	790
48 -8M0005139	790	48 -8M0005196	790
48 -8M0005140	790	48 -8M0005197	790
48 -8M0005141	790	48 -8M0005198	790
48 -8M0005142	790	48 -8M0005199	790
48 -8M0005143	790	48 -8M0005200	790
48 -8M0005144	790	48 -8M0005201	790
48 -8M0005145	790	48 -8M0005202	790
48 -8M0005146	790	48 -8M0005203	790
48 -8M0005147	790	48 -8M0005204	790
48 -8M0005148	790	48 -8M0005205	790
48 -8M0005149	791	48 -8M0005206	790
48 -8M0005150	791	48 -8M0005207	790
48 -8M0005151	791	48 -8M0005208	790
48 -8M0005152	791	48 -8M0005209	791
48 -8M0005153	791	48 -8M0005210	791
48 -8M0005154	791	48 -8M0005211	791
48 -8M0005155	791	48 -8M0005212	791
48 -8M0005156	791	48 -8M0005213	791
48 -8M0005157	789	48 -8M0005214	791
48 -8M0005158	789	48 -8M0005215	791
48 -8M0005159	789	48 -8M0005216	791
48 -8M0005160	789	48 -8M0005217	789
48 -8M0005161	789	48 -8M0005218	789
48 -8M0005162	789	48 -8M0005219	789
48 -8M0005163	790	48 -8M0005220	789
48 -8M0005164	790	48 -8M0005221	790
48 -8M0005165	790	48 -8M0005222	790
48 -8M0005166	790	48 -8M0005223	790
48 -8M0005167	790	48 -8M0005224	790
48 -8M0005168	790	48 -8M0005225	790
48 -8M0005169	790	48 -8M0005226	790
48 -8M0005170	790	48 -8M0005227	790
48 -8M0005171	790	48 -8M0005228	790
48 -8M0005172	790	48 -8M0005229	790
48 -8M0005173	790	48 -8M0005230	790
48 -8M0005174	790	48 -8M0005231	790
48 -8M0005175	790	48 -8M0005232	790
48 -8M0005176	790	48 -8M0005233	790
48 -8M0005177	790	48 -8M0005234	790
48 -8M0005178	790	48 -8M0005235	790
48 -8M0005179	791	48 -8M0005236	790
48 -8M0005180	791	48 -8M0005237	790
48 -8M0005181	791	48 -8M0005238	790

Part Number to Page Number Reference

48 -8M0005239	791	48 -8M0005296	790
48 -8M0005240	791	48 -8M0005297	790
48 -8M0005241	791	48 -8M0005298	790
48 -8M0005242	791	48 -8M0005299	791
48 -8M0005243	791	48 -8M0005300	791
48 -8M0005244	791	48 -8M0005301	791
48 -8M0005245	791	48 -8M0005302	791
48 -8M0005246	791	48 -8M0005303	791
48 -8M0005247	789	48 -8M0005304	791
48 -8M0005248	789	48 -8M0005305	791
48 -8M0005249	789	48 -8M0005306	791
48 -8M0005250	789	48 -8M0005307	789
48 -8M0005251	790	48 -8M0005308	789
48 -8M0005252	790	48 -8M0005309	789
48 -8M0005253	790	48 -8M0005310	789
48 -8M0005254	790	48 -8M0005311	790
48 -8M0005255	790	48 -8M0005312	790
48 -8M0005256	790	48 -8M0005313	790
48 -8M0005257	790	48 -8M0005314	790
48 -8M0005258	790	48 -8M0005315	790
48 -8M0005259	790	48 -8M0005316	790
48 -8M0005260	790	48 -8M0005317	790
48 -8M0005261	790	48 -8M0005318	790
48 -8M0005262	790	48 -8M0005319	790
48 -8M0005263	790	48 -8M0005320	790
48 -8M0005264	790	48 -8M0005321	790
48 -8M0005265	790	48 -8M0005322	790
48 -8M0005266	790	48 -8M0005323	790
48 -8M0005267	790	48 -8M0005324	790
48 -8M0005268	790	48 -8M0005325	790
48 -8M0005269	791	48 -8M0005326	790
48 -8M0005270	791	48 -8M0005327	790
48 -8M0005271	791	48 -8M0005328	790
48 -8M0005272	791	48 -8M0005329	791
48 -8M0005273	791	48 -8M0005330	791
48 -8M0005274	791	48 -8M0005331	791
48 -8M0005275	791	48 -8M0005332	791
48 -8M0005276	791	48 -8M0005333	791
48 -8M0005277	789	48 -8M0005334	791
48 -8M0005278	789	48 -8M0005335	791
48 -8M0005279	789	48 -8M0005336	791
48 -8M0005280	789	48 -8M0005337	789
48 -8M0005281	790	48 -8M0005338	789
48 -8M0005282	790	48 -8M0005339	789
48 -8M0005283	790	48 -8M0005340	789
48 -8M0005284	790	48 -8M0005341	790
48 -8M0005285	790	48 -8M0005342	790
48 -8M0005286	790	48 -8M0005343	790
48 -8M0005287	790	48 -8M0005344	790
48 -8M0005288	790	48 -8M0005345	790
48 -8M0005289	790	48 -8M0005346	790
48 -8M0005290	790	48 -8M0005347	790
48 -8M0005291	790	48 -8M0005348	790
48 -8M0005292	790	48 -8M0005349	790
48 -8M0005293	790	48 -8M0005350	790
48 -8M0005294	790	48 -8M0005351	790
48 -8M0005295	790	48 -8M0005352	790

Part Number to Page Number Reference

48 -8M0005353	790	48 -8M0013512	779
48 -8M0005354	790	48 -8M0013513	779
48 -8M0005355	790	48 -8M0013514	779
48 -8M0005356	790	48 -8M0013515	779
48 -8M0005357	790	48 -8M0013516	779
48 -8M0005358	790	48 -8M0013517	779
48 -8M0005359	791	48 -8M0013518	779
48 -8M0005360	791	48 -8M0013519	780
48 -8M0005361	791	48 -8M0013520	780
48 -8M0005362	791	48 -8M0013521	780
48 -8M0005363	791	48 -8M0013522	780
48 -8M0005364	791	48 -8M0013523	780
48 -8M0005365	791	48 -8M0013524	780
48 -8M0005366	791	48 -8M0013525	780
48 -8M0005367	789	48 -8M0013526	780
48 -8M0005368	789	48 -8M0013527	780
48 -8M0005369	789	48 -8M0013528	780
48 -8M0005370	789	48 -8M0013537	779
48 -8M0005371	790	48 -8M0013538	779
48 -8M0005372	790	48 -8M0013539	779
48 -8M0005373	790	48 -8M0013540	779
48 -8M0005374	790	48 -8M0013541	779
48 -8M0005375	790	48 -8M0013542	779
48 -8M0005376	790	48 -8M0013543	779
48 -8M0005377	790	48 -8M0013544	779
48 -8M0005378	790	48 -8M0013545	779
48 -8M0005379	790	48 -8M0013546	779
48 -8M0005380	790	48 -8M0013547	779
48 -8M0005381	790	48 -8M0013548	779
48 -8M0005382	790	48 -8M0013549	780
48 -8M0005383	790	48 -8M0013550	780
48 -8M0005384	790	48 -8M0013551	780
48 -8M0005385	790	48 -8M0013552	780
48 -8M0005386	790	48 -8M0013553	780
48 -8M0005387	790	48 -8M0013554	780
48 -8M0005388	790	48 -8M0013555	780
48 -8M0005389	791	48 -8M0013556	780
48 -8M0005390	791	48 -8M0013557	780
48 -8M0005391	791	48 -8M0013558	780
48 -8M0005392	791	48 -8M0013567	779
48 -8M0005393	791	48 -8M0013568	779
48 -8M0005394	791	48 -8M0013569	779
48 -8M0005395	791	48 -8M0013570	779
48 -8M0005396	791	48 -8M0013571	779
8M0011212	314, 315, 317, 319, 321, 462	48 -8M0013572	779
8M0011213	306, 309, 314, 315, 317, 319, 321, 324, 327, 331, 335, 462	48 -8M0013573	779
8M0011214	351, 462	48 -8M0013574	779
8M0011215	351, 462	48 -8M0013575	779
23 -8M0011889	598	48 -8M0013576	779
97 -8M0012083	105, 240	48 -8M0013577	779
8M0012221	208	48 -8M0013578	779
48 -8M0013507	779	48 -8M0013579	780
48 -8M0013508	779	48 -8M0013580	780
48 -8M0013509	779	48 -8M0013581	780
48 -8M0013510	779	48 -8M0013582	780
48 -8M0013511	779	48 -8M0013583	780
		48 -8M0013584	780

Part Number to Page Number Reference

48 -8M0013585	780	48 -8M0013666	779
48 -8M0013586	780	48 -8M0013667	779
48 -8M0013587	780	48 -8M0013668	779
48 -8M0013588	780	48 -8M0013669	780
48 -8M0013597	779	48 -8M0013670	780
48 -8M0013598	779	48 -8M0013671	780
48 -8M0013599	779	48 -8M0013672	780
48 -8M0013600	779	48 -8M0013673	780
48 -8M0013601	779	48 -8M0013674	780
48 -8M0013602	779	48 -8M0013675	780
48 -8M0013603	779	48 -8M0013676	780
48 -8M0013604	779	48 -8M0013677	780
48 -8M0013605	779	48 -8M0013678	780
48 -8M0013606	779	48 -8M0013687	779
48 -8M0013607	779	48 -8M0013688	779
48 -8M0013608	779	48 -8M0013689	779
48 -8M0013609	780	48 -8M0013690	779
48 -8M0013610	780	48 -8M0013691	779
48 -8M0013611	780	48 -8M0013692	779
48 -8M0013612	780	48 -8M0013693	779
48 -8M0013613	780	48 -8M0013694	779
48 -8M0013614	780	48 -8M0013695	779
48 -8M0013615	780	48 -8M0013696	779
48 -8M0013616	780	48 -8M0013697	779
48 -8M0013617	780	48 -8M0013698	779
48 -8M0013618	780	48 -8M0013699	780
48 -8M0013627	779	48 -8M0013700	780
48 -8M0013628	779	48 -8M0013701	780
48 -8M0013629	779	48 -8M0013702	780
48 -8M0013630	779	48 -8M0013703	780
48 -8M0013631	779	48 -8M0013704	780
48 -8M0013632	779	48 -8M0013705	780
48 -8M0013633	779	48 -8M0013706	780
48 -8M0013634	779	48 -8M0013707	780
48 -8M0013635	779	48 -8M0013708	780
48 -8M0013636	779	48 -8M0013717	779
48 -8M0013637	779	48 -8M0013718	779
48 -8M0013638	779	48 -8M0013719	779
48 -8M0013639	780	48 -8M0013720	779
48 -8M0013640	780	48 -8M0013721	779
48 -8M0013641	780	48 -8M0013722	779
48 -8M0013642	780	48 -8M0013723	779
48 -8M0013643	780	48 -8M0013724	779
48 -8M0013644	780	48 -8M0013725	779
48 -8M0013645	780	48 -8M0013726	779
48 -8M0013646	780	48 -8M0013727	779
48 -8M0013647	780	48 -8M0013728	779
48 -8M0013648	780	48 -8M0013729	780
48 -8M0013657	779	48 -8M0013730	780
48 -8M0013658	779	48 -8M0013731	780
48 -8M0013659	779	48 -8M0013732	780
48 -8M0013660	779	48 -8M0013733	780
48 -8M0013661	779	48 -8M0013734	780
48 -8M0013662	779	48 -8M0013735	780
48 -8M0013663	779	48 -8M0013736	780
48 -8M0013664	779	48 -8M0013737	780
48 -8M0013665	779	48 -8M0013738	780

Part Number to Page Number Reference

48 -8M0013747	779	48 -8M0013820	780
48 -8M0013748	779	48 -8M0013821	780
48 -8M0013749	779	48 -8M0013822	780
48 -8M0013750	779	48 -8M0013823	780
48 -8M0013751	779	48 -8M0013824	780
48 -8M0013752	779	48 -8M0013825	780
48 -8M0013753	779	48 -8M0013826	780
48 -8M0013754	779	48 -8M0013827	780
48 -8M0013755	779	48 -8M0013828	780
48 -8M0013756	779	48 -8M0013837	779
48 -8M0013757	779	48 -8M0013838	779
48 -8M0013758	779	48 -8M0013839	779
48 -8M0013759	780	48 -8M0013840	779
48 -8M0013760	780	48 -8M0013841	779
48 -8M0013761	780	48 -8M0013842	779
48 -8M0013762	780	48 -8M0013843	779
48 -8M0013763	780	48 -8M0013844	779
48 -8M0013764	780	48 -8M0013845	779
48 -8M0013765	780	48 -8M0013846	779
48 -8M0013766	780	48 -8M0013847	779
48 -8M0013767	780	48 -8M0013848	779
48 -8M0013768	780	48 -8M0013849	780
48 -8M0013777	779	48 -8M0013850	780
48 -8M0013778	779	48 -8M0013851	780
48 -8M0013779	779	48 -8M0013852	780
48 -8M0013780	779	48 -8M0013853	780
48 -8M0013781	779	48 -8M0013854	780
48 -8M0013782	779	48 -8M0013855	780
48 -8M0013783	779	48 -8M0013856	780
48 -8M0013784	779	48 -8M0013857	780
48 -8M0013785	779	48 -8M0013858	780
48 -8M0013786	779	48 -8M0013867	779
48 -8M0013787	779	48 -8M0013868	779
48 -8M0013788	779	48 -8M0013869	779
48 -8M0013789	780	48 -8M0013870	779
48 -8M0013790	780	48 -8M0013871	779
48 -8M0013791	780	48 -8M0013872	779
48 -8M0013792	780	48 -8M0013873	779
48 -8M0013793	780	48 -8M0013874	779
48 -8M0013794	780	48 -8M0013875	779
48 -8M0013795	780	48 -8M0013876	779
48 -8M0013796	780	48 -8M0013877	780
48 -8M0013797	780	48 -8M0013878	780
48 -8M0013798	780	48 -8M0013879	780
48 -8M0013807	779	48 -8M0013880	780
48 -8M0013808	779	48 -8M0013881	780
48 -8M0013809	779	48 -8M0013882	780
48 -8M0013810	779	48 -8M0013883	780
48 -8M0013811	779	48 -8M0013884	780
48 -8M0013812	779	48 -8M0013885	780
48 -8M0013813	779	48 -8M0013886	780
48 -8M0013814	779	48 -8M0013887	780
48 -8M0013815	779	48 -8M0013888	780
48 -8M0013816	779	48 -8M0013897	791
48 -8M0013817	779	48 -8M0013898	791
48 -8M0013818	779	48 -8M0013899	791
48 -8M0013819	780	48 -8M0013900	791

Part Number to Page Number Reference

48 -8M0013901	791	48 -8M0013974	792
48 -8M0013902	791	48 -8M0013975	792
48 -8M0013903	792	48 -8M0013976	792
48 -8M0013904	792	48 -8M0013977	792
48 -8M0013905	792	48 -8M0013978	792
48 -8M0013906	792	48 -8M0013987	791
48 -8M0013907	792	48 -8M0013988	791
48 -8M0013908	792	48 -8M0013989	791
48 -8M0013909	792	48 -8M0013990	791
48 -8M0013910	792	48 -8M0013991	791
48 -8M0013911	792	48 -8M0013992	791
48 -8M0013912	792	48 -8M0013993	792
48 -8M0013913	792	48 -8M0013994	792
48 -8M0013914	792	48 -8M0013995	792
48 -8M0013915	792	48 -8M0013996	792
48 -8M0013916	792	48 -8M0013997	792
48 -8M0013917	792	48 -8M0013998	792
48 -8M0013918	792	48 -8M0013999	792
48 -8M0013927	791	48 -8M0014000	792
48 -8M0013928	791	48 -8M0014001	792
48 -8M0013929	791	48 -8M0014002	792
48 -8M0013930	791	48 -8M0014003	792
48 -8M0013931	791	48 -8M0014004	792
48 -8M0013932	791	48 -8M0014005	792
48 -8M0013933	792	48 -8M0014006	792
48 -8M0013934	792	48 -8M0014007	792
48 -8M0013935	792	48 -8M0014008	792
48 -8M0013936	792	48 -8M0014017	791
48 -8M0013937	792	48 -8M0014018	791
48 -8M0013938	792	48 -8M0014019	791
48 -8M0013939	792	48 -8M0014020	791
48 -8M0013940	792	48 -8M0014021	791
48 -8M0013941	792	48 -8M0014022	791
48 -8M0013942	792	48 -8M0014023	792
48 -8M0013943	792	48 -8M0014024	792
48 -8M0013944	792	48 -8M0014025	792
48 -8M0013945	792	48 -8M0014026	792
48 -8M0013946	792	48 -8M0014027	792
48 -8M0013947	792	48 -8M0014028	792
48 -8M0013948	792	48 -8M0014029	792
48 -8M0013957	791	48 -8M0014030	792
48 -8M0013958	791	48 -8M0014031	792
48 -8M0013959	791	48 -8M0014032	792
48 -8M0013960	791	48 -8M0014033	792
48 -8M0013961	791	48 -8M0014034	792
48 -8M0013962	791	48 -8M0014035	792
48 -8M0013963	792	48 -8M0014036	792
48 -8M0013964	792	48 -8M0014037	792
48 -8M0013965	792	48 -8M0014038	792
48 -8M0013966	792	48 -8M0014047	791
48 -8M0013967	792	48 -8M0014048	791
48 -8M0013968	792	48 -8M0014049	791
48 -8M0013969	792	48 -8M0014050	791
48 -8M0013970	792	48 -8M0014051	791
48 -8M0013971	792	48 -8M0014052	791
48 -8M0013972	792	48 -8M0014053	792
48 -8M0013973	792	48 -8M0014054	792

Part Number to Page Number Reference

48 -8M0014055	792	48 -8M0014128	792
48 -8M0014056	792	48 -8M0014137	791
48 -8M0014057	792	48 -8M0014138	791
48 -8M0014058	792	48 -8M0014139	791
48 -8M0014059	792	48 -8M0014140	791
48 -8M0014060	792	48 -8M0014141	791
48 -8M0014061	792	48 -8M0014142	791
48 -8M0014062	792	48 -8M0014143	792
48 -8M0014063	792	48 -8M0014144	792
48 -8M0014064	792	48 -8M0014145	792
48 -8M0014065	792	48 -8M0014146	792
48 -8M0014066	792	48 -8M0014147	792
48 -8M0014067	792	48 -8M0014148	792
48 -8M0014068	792	48 -8M0014149	792
48 -8M0014077	791	48 -8M0014150	792
48 -8M0014078	791	48 -8M0014151	792
48 -8M0014079	791	48 -8M0014152	792
48 -8M0014080	791	48 -8M0014153	792
48 -8M0014081	791	48 -8M0014154	792
48 -8M0014082	791	48 -8M0014155	792
48 -8M0014083	792	48 -8M0014156	792
48 -8M0014084	792	48 -8M0014157	792
48 -8M0014085	792	48 -8M0014158	792
48 -8M0014086	792	48 -8M0014167	791
48 -8M0014087	792	48 -8M0014168	791
48 -8M0014088	792	48 -8M0014169	791
48 -8M0014089	792	48 -8M0014170	791
48 -8M0014090	792	48 -8M0014171	791
48 -8M0014091	792	48 -8M0014172	791
48 -8M0014092	792	48 -8M0014173	792
48 -8M0014093	792	48 -8M0014174	792
48 -8M0014094	792	48 -8M0014175	792
48 -8M0014095	792	48 -8M0014176	792
48 -8M0014096	792	48 -8M0014177	792
48 -8M0014097	792	48 -8M0014178	792
48 -8M0014098	792	48 -8M0014179	792
48 -8M0014107	791	48 -8M0014180	783, 792
48 -8M0014108	791	48 -8M0014181	792
48 -8M0014109	791	48 -8M0014182	792
48 -8M0014110	791	48 -8M0014183	792
48 -8M0014111	791	48 -8M0014184	792
48 -8M0014112	791	48 -8M0014185	792
48 -8M0014113	792	48 -8M0014186	792
48 -8M0014114	792	48 -8M0014187	792
48 -8M0014115	792	48 -8M0014188	792
48 -8M0014116	792	48 -8M0014197	791
48 -8M0014117	792	48 -8M0014198	791
48 -8M0014118	792	48 -8M0014199	791
48 -8M0014119	792	48 -8M0014200	791
48 -8M0014120	792	48 -8M0014201	791
48 -8M0014121	792	48 -8M0014202	791
48 -8M0014122	792	48 -8M0014203	792
48 -8M0014123	792	48 -8M0014204	792
48 -8M0014124	792	48 -8M0014205	792
48 -8M0014125	792	48 -8M0014206	792
48 -8M0014126	792	48 -8M0014207	792
48 -8M0014127	792	48 -8M0014208	792

Part Number to Page Number Reference

48 -8M0014209	792	48 -8M0014680	780
48 -8M0014210	792	48 -8M0014681	780
48 -8M0014211	792	48 -8M0014682	780
48 -8M0014212	792	48 -8M0014683	781
48 -8M0014213	792	48 -8M0014684	781
48 -8M0014214	792	48 -8M0014685	781
48 -8M0014215	792	48 -8M0014686	781
48 -8M0014216	792	48 -8M0014687	781
48 -8M0014217	792	48 -8M0014688	781
48 -8M0014218	792	48 -8M0014689	781
48 -8M0014227	791	48 -8M0014690	781
48 -8M0014228	791	48 -8M0014691	781
48 -8M0014229	791	48 -8M0014692	781
48 -8M0014230	791	48 -8M0014693	781
48 -8M0014231	792	48 -8M0014694	781
48 -8M0014232	792	48 -8M0014695	781
48 -8M0014233	792	48 -8M0014696	781
48 -8M0014234	792	48 -8M0014697	781
48 -8M0014235	792	48 -8M0014698	781
48 -8M0014236	792	48 -8M0014707	780
48 -8M0014237	792	48 -8M0014708	780
48 -8M0014238	792	48 -8M0014709	780
48 -8M0014239	792	48 -8M0014710	780
48 -8M0014240	792	48 -8M0014711	781
48 -8M0014241	792	48 -8M0014712	781
48 -8M0014242	792	48 -8M0014713	781
48 -8M0014243	792	48 -8M0014714	781
48 -8M0014244	792	48 -8M0014715	781
48 -8M0014245	792	48 -8M0014716	781
48 -8M0014246	792	48 -8M0014717	781
48 -8M0014247	792	48 -8M0014718	781
48 -8M0014248	792	48 -8M0014719	781
48 -8M0014257	791	48 -8M0014720	781
48 -8M0014258	791	48 -8M0014721	781
48 -8M0014259	791	48 -8M0014722	781
48 -8M0014260	791	48 -8M0014723	781
48 -8M0014261	792	48 -8M0014724	781
48 -8M0014262	792	48 -8M0014725	781
48 -8M0014263	792	48 -8M0014726	781
48 -8M0014264	792	48 -8M0014727	781
48 -8M0014265	792	48 -8M0014728	781
48 -8M0014266	792	48 -8M0014737	780
48 -8M0014267	792	48 -8M0014738	780
48 -8M0014268	792	48 -8M0014739	780
48 -8M0014269	792	48 -8M0014740	780
48 -8M0014270	783, 792	48 -8M0014741	781
48 -8M0014271	792	48 -8M0014742	781
48 -8M0014272	792	48 -8M0014743	781
48 -8M0014273	792	48 -8M0014744	781
48 -8M0014274	792	48 -8M0014745	781
48 -8M0014275	792	48 -8M0014746	781
48 -8M0014276	792	48 -8M0014747	781
48 -8M0014277	792	48 -8M0014748	781
48 -8M0014278	792	48 -8M0014749	781
48 -8M0014677	780	48 -8M0014750	781
48 -8M0014678	780	48 -8M0014751	781
48 -8M0014679	780	48 -8M0014752	781

Part Number to Page Number Reference

48 -8M0014753	781	48 -8M0014834	781
48 -8M0014754	781	48 -8M0014835	781
48 -8M0014755	781	48 -8M0014836	781
48 -8M0014756	781	48 -8M0014837	781
48 -8M0014757	781	48 -8M0014838	781
48 -8M0014758	781	48 -8M0014839	781
48 -8M0014767	780	48 -8M0014840	781
48 -8M0014768	780	48 -8M0014841	781
48 -8M0014769	780	48 -8M0014842	781
48 -8M0014770	780	48 -8M0014843	781
48 -8M0014771	781	48 -8M0014844	781
48 -8M0014772	781	48 -8M0014845	781
48 -8M0014773	781	48 -8M0014846	781
48 -8M0014774	781	48 -8M0014847	781
48 -8M0014775	781	48 -8M0014848	781
48 -8M0014776	781	48 -8M0014857	780
48 -8M0014777	781	48 -8M0014858	780
48 -8M0014778	781	48 -8M0014859	780
48 -8M0014779	781	48 -8M0014860	780
48 -8M0014780	781	48 -8M0014861	781
48 -8M0014781	781	48 -8M0014862	781
48 -8M0014782	781	48 -8M0014863	781
48 -8M0014783	781	48 -8M0014864	781
48 -8M0014784	781	48 -8M0014865	781
48 -8M0014785	781	48 -8M0014866	781
48 -8M0014786	781	48 -8M0014867	781
48 -8M0014787	781	48 -8M0014868	781
48 -8M0014788	781	48 -8M0014869	781
48 -8M0014797	780	48 -8M0014870	781
48 -8M0014798	780	48 -8M0014871	781
48 -8M0014799	780	48 -8M0014872	781
48 -8M0014800	780	48 -8M0014873	781
48 -8M0014801	781	48 -8M0014874	781
48 -8M0014802	781	48 -8M0014875	781
48 -8M0014803	781	48 -8M0014876	781
48 -8M0014804	781	48 -8M0014877	781
48 -8M0014805	781	48 -8M0014878	781
48 -8M0014806	781	48 -8M0014887	780
48 -8M0014807	781	48 -8M0014888	780
48 -8M0014808	781	48 -8M0014889	780
48 -8M0014809	781	48 -8M0014890	780
48 -8M0014810	781	48 -8M0014891	781
48 -8M0014811	781	48 -8M0014892	781
48 -8M0014812	781	48 -8M0014893	781
48 -8M0014813	781	48 -8M0014894	781
48 -8M0014814	781	48 -8M0014895	781
48 -8M0014815	781	48 -8M0014896	781
48 -8M0014816	781	48 -8M0014897	781
48 -8M0014817	781	48 -8M0014898	781
48 -8M0014818	781	48 -8M0014899	781
48 -8M0014827	780	48 -8M0014900	781
48 -8M0014828	780	48 -8M0014901	781
48 -8M0014829	780	48 -8M0014902	781
48 -8M0014830	780	48 -8M0014903	781
48 -8M0014831	781	48 -8M0014904	781
48 -8M0014832	781	48 -8M0014905	781
48 -8M0014833	781	48 -8M0014906	781

Part Number to Page Number Reference

48 -8M0014907	781	48 -8M0014988	781
48 -8M0014908	781	48 -8M0014989	781
48 -8M0014917	780	48 -8M0014990	781
48 -8M0014918	780	48 -8M0014991	781
48 -8M0014919	780	48 -8M0014992	781
48 -8M0014920	780	48 -8M0014993	781
48 -8M0014921	781	48 -8M0014994	781
48 -8M0014922	781	48 -8M0014995	781
48 -8M0014923	781	48 -8M0014996	781
48 -8M0014924	781	48 -8M0014997	782
48 -8M0014925	781	48 -8M0014998	782
48 -8M0014926	781	48 -8M0015007	780
48 -8M0014927	781	48 -8M0015008	780
48 -8M0014928	781	48 -8M0015009	780
48 -8M0014929	781	48 -8M0015010	780
48 -8M0014930	781	48 -8M0015011	781
48 -8M0014931	781	48 -8M0015012	781
48 -8M0014932	781	48 -8M0015013	781
48 -8M0014933	781	48 -8M0015014	781
48 -8M0014934	781	48 -8M0015015	781
48 -8M0014935	781	48 -8M0015016	781
48 -8M0014936	781	48 -8M0015017	781
48 -8M0014937	781	48 -8M0015018	781
48 -8M0014938	781	48 -8M0015019	781
48 -8M0014947	780	48 -8M0015020	781
48 -8M0014948	780	48 -8M0015021	781
48 -8M0014949	780	48 -8M0015022	781
48 -8M0014950	780	48 -8M0015023	781
48 -8M0014951	781	48 -8M0015024	781
48 -8M0014952	781	48 -8M0015025	781
48 -8M0014953	781	48 -8M0015026	781
48 -8M0014954	781	48 -8M0015027	782
48 -8M0014955	781	48 -8M0015028	782
48 -8M0014956	781	48 -8M0015037	780
48 -8M0014957	781	48 -8M0015038	780
48 -8M0014958	781	48 -8M0015039	780
48 -8M0014959	781	48 -8M0015040	780
48 -8M0014960	781	48 -8M0015041	781
48 -8M0014961	781	48 -8M0015042	781
48 -8M0014962	781	48 -8M0015043	781
48 -8M0014963	781	48 -8M0015044	781
48 -8M0014964	781	48 -8M0015045	781
48 -8M0014965	781	48 -8M0015046	781
48 -8M0014966	781	48 -8M0015047	781
48 -8M0014967	782	48 -8M0015048	781
48 -8M0014968	782	48 -8M0015049	781
48 -8M0014977	780	48 -8M0015050	781
48 -8M0014978	780	48 -8M0015051	781
48 -8M0014979	780	48 -8M0015052	781
48 -8M0014980	780	48 -8M0015053	781
48 -8M0014981	781	48 -8M0015054	781
48 -8M0014982	781	48 -8M0015055	781
48 -8M0014983	781	48 -8M0015056	781
48 -8M0014984	781	48 -8M0015057	782
48 -8M0014985	781	48 -8M0015058	782
48 -8M0014986	781	48 -8M0015067	793
48 -8M0014987	781	48 -8M0015068	793

Part Number to Page Number Reference

48 -8M0015069	793	48 -8M0015142	793
48 -8M0015070	793	48 -8M0015143	793
48 -8M0015071	793	48 -8M0015144	793
48 -8M0015072	793	48 -8M0015145	794
48 -8M0015073	793	48 -8M0015146	794
48 -8M0015074	793	48 -8M0015147	794
48 -8M0015075	793	48 -8M0015148	794
48 -8M0015076	793	48 -8M0015157	793
48 -8M0015077	793	48 -8M0015158	793
48 -8M0015078	793	48 -8M0015159	793
48 -8M0015079	793	48 -8M0015160	793
48 -8M0015080	793	48 -8M0015161	793
48 -8M0015081	793	48 -8M0015162	793
48 -8M0015082	793	48 -8M0015163	793
48 -8M0015083	793	48 -8M0015164	793
48 -8M0015084	793	48 -8M0015165	793
48 -8M0015085	794	48 -8M0015166	793
48 -8M0015086	794	48 -8M0015167	793
48 -8M0015087	794	48 -8M0015168	793
48 -8M0015088	794	48 -8M0015169	793
48 -8M0015097	793	48 -8M0015170	793
48 -8M0015098	793	48 -8M0015171	793
48 -8M0015099	793	48 -8M0015172	793
48 -8M0015100	793	48 -8M0015173	794
48 -8M0015101	793	48 -8M0015174	794
48 -8M0015102	793	48 -8M0015175	794
48 -8M0015103	793	48 -8M0015176	794
48 -8M0015104	793	48 -8M0015177	794
48 -8M0015105	793	48 -8M0015178	794
48 -8M0015106	793	48 -8M0015187	793
48 -8M0015107	793	48 -8M0015188	793
48 -8M0015108	793	48 -8M0015189	793
48 -8M0015109	793	48 -8M0015190	793
48 -8M0015110	793	48 -8M0015191	793
48 -8M0015111	793	48 -8M0015192	793
48 -8M0015112	793	48 -8M0015193	793
48 -8M0015113	793	48 -8M0015194	793
48 -8M0015114	793	48 -8M0015195	793
48 -8M0015115	794	48 -8M0015196	793
48 -8M0015116	794	48 -8M0015197	793
48 -8M0015117	794	48 -8M0015198	793
48 -8M0015118	794	48 -8M0015199	793
48 -8M0015127	793	48 -8M0015200	793
48 -8M0015128	793	48 -8M0015201	793
48 -8M0015129	793	48 -8M0015202	793
48 -8M0015130	793	48 -8M0015203	794
48 -8M0015131	793	48 -8M0015204	794
48 -8M0015132	793	48 -8M0015205	794
48 -8M0015133	793	48 -8M0015206	794
48 -8M0015134	793	48 -8M0015207	794
48 -8M0015135	793	48 -8M0015208	794
48 -8M0015136	793	48 -8M0015217	793
48 -8M0015137	793	48 -8M0015218	793
48 -8M0015138	793	48 -8M0015219	793
48 -8M0015139	793	48 -8M0015220	793
48 -8M0015140	793	48 -8M0015221	793
48 -8M0015141	793	48 -8M0015222	793

Part Number to Page Number Reference

48 -8M0015223	793	48 -8M0015296	794
48 -8M0015224	793	48 -8M0015297	794
48 -8M0015225	793	48 -8M0015298	794
48 -8M0015226	793	48 -8M0015307	793
48 -8M0015227	793	48 -8M0015308	793
48 -8M0015228	793	48 -8M0015309	793
48 -8M0015229	793	48 -8M0015310	793
48 -8M0015230	793	48 -8M0015311	793
48 -8M0015231	793	48 -8M0015312	793
48 -8M0015232	793	48 -8M0015313	793
48 -8M0015233	794	48 -8M0015314	793
48 -8M0015234	794	48 -8M0015315	793
48 -8M0015235	794	48 -8M0015316	793
48 -8M0015236	794	48 -8M0015317	793
48 -8M0015237	794	48 -8M0015318	793
48 -8M0015238	794	48 -8M0015319	793
48 -8M0015247	793	48 -8M0015320	793
48 -8M0015248	793	48 -8M0015321	793
48 -8M0015249	793	48 -8M0015322	793
48 -8M0015250	793	48 -8M0015323	794
48 -8M0015251	793	48 -8M0015324	794
48 -8M0015252	793	48 -8M0015325	794
48 -8M0015253	793	48 -8M0015326	794
48 -8M0015254	793	48 -8M0015327	794
48 -8M0015255	793	48 -8M0015328	794
48 -8M0015256	793	48 -8M0015337	793
48 -8M0015257	793	48 -8M0015338	793
48 -8M0015258	793	48 -8M0015339	793
48 -8M0015259	793	48 -8M0015340	793
48 -8M0015260	793	48 -8M0015341	793
48 -8M0015261	793	48 -8M0015342	793
48 -8M0015262	793	48 -8M0015343	793
48 -8M0015263	794	48 -8M0015344	793
48 -8M0015264	794	48 -8M0015345	793
48 -8M0015265	794	48 -8M0015346	793
48 -8M0015266	794	48 -8M0015347	793
48 -8M0015267	794	48 -8M0015348	793
48 -8M0015268	794	48 -8M0015349	793
48 -8M0015277	793	48 -8M0015350	793
48 -8M0015278	793	48 -8M0015351	793
48 -8M0015279	793	48 -8M0015352	793
48 -8M0015280	793	48 -8M0015353	794
48 -8M0015281	793	48 -8M0015354	794
48 -8M0015282	793	48 -8M0015355	794
48 -8M0015283	793	48 -8M0015356	794
48 -8M0015284	793	48 -8M0015357	794
48 -8M0015285	793	48 -8M0015358	794
48 -8M0015286	793	48 -8M0015367	793
48 -8M0015287	793	48 -8M0015368	793
48 -8M0015288	793	48 -8M0015369	793
48 -8M0015289	793	48 -8M0015370	793
48 -8M0015290	793	48 -8M0015371	793
48 -8M0015291	793	48 -8M0015372	793
48 -8M0015292	793	48 -8M0015373	793
48 -8M0015293	794	48 -8M0015374	793
48 -8M0015294	794	48 -8M0015375	793
48 -8M0015295	794	48 -8M0015376	793

Part Number to Page Number Reference

48 -8M0015377	793	48 -8M0017090	783
48 -8M0015378	793	48 -8M0017091	783
48 -8M0015379	793	48 -8M0017092	783
48 -8M0015380	793	48 -8M0017093	783
48 -8M0015381	793	48 -8M0017094	783
48 -8M0015382	793	48 -8M0017095	783
48 -8M0015383	794	48 -8M0017096	783
48 -8M0015384	794	48 -8M0017097	783
48 -8M0015385	794	48 -8M0017098	783
48 -8M0015386	794	48 -8M0017099	783
48 -8M0015387	794	48 -8M0017100	783
48 -8M0015388	794	48 -8M0017101	783
48 -8M0015397	793	48 -8M0017102	783
48 -8M0015398	793	48 -8M0017103	784
48 -8M0015399	793	48 -8M0017104	784
48 -8M0015400	793	48 -8M0017105	784
48 -8M0015401	793	48 -8M0017106	784
48 -8M0015402	793	48 -8M0017107	784
48 -8M0015403	793	48 -8M0017108	784
48 -8M0015404	793	48 -8M0017109	784
48 -8M0015405	793	48 -8M0017110	784
48 -8M0015406	793	48 -8M0017119	783
48 -8M0015407	793	48 -8M0017120	783
48 -8M0015408	793	48 -8M0017121	783
48 -8M0015409	793	48 -8M0017122	783
48 -8M0015410	793	48 -8M0017123	783
48 -8M0015411	793	48 -8M0017124	783
48 -8M0015412	793	48 -8M0017125	783
48 -8M0015413	794	48 -8M0017126	783
48 -8M0015414	794	48 -8M0017127	783
48 -8M0015415	794	48 -8M0017128	783
48 -8M0015416	794	48 -8M0017129	783
48 -8M0015417	794	48 -8M0017130	783
48 -8M0015418	794	48 -8M0017131	783
48 -8M0015427	793	48 -8M0017132	783
48 -8M0015428	793	48 -8M0017133	784
48 -8M0015429	793	48 -8M0017134	784
48 -8M0015430	793	48 -8M0017135	784
48 -8M0015431	793	48 -8M0017136	784
48 -8M0015432	793	48 -8M0017137	784
48 -8M0015433	793	48 -8M0017138	784
48 -8M0015434	793	48 -8M0017139	784
48 -8M0015435	793	48 -8M0017140	784
48 -8M0015436	793	48 -8M0017149	783
48 -8M0015437	793	48 -8M0017150	783
48 -8M0015438	793	48 -8M0017151	783
48 -8M0015439	793	48 -8M0017152	783
48 -8M0015440	793	48 -8M0017153	783
48 -8M0015441	793	48 -8M0017154	783
48 -8M0015442	793	48 -8M0017155	783
48 -8M0015443	794	48 -8M0017156	783
48 -8M0015444	794	48 -8M0017157	783
48 -8M0015445	794	48 -8M0017158	783
48 -8M0015446	794	48 -8M0017159	783
48 -8M0015447	794	48 -8M0017160	783
48 -8M0015448	794	48 -8M0017161	783
48 -8M0017089	783	48 -8M0017162	783

Part Number to Page Number Reference

48-8M0017163	784	48-8M0017245	783
48-8M0017164	784	48-8M0017246	783
48-8M0017165	784	48-8M0017247	783
48-8M0017166	784	48-8M0017248	783
48-8M0017167	784	48-8M0017249	783
48-8M0017168	784	48-8M0017250	783
48-8M0017169	784	48-8M0017251	784
48-8M0017170	784	48-8M0017252	784
48-8M0017179	783	48-8M0017253	784
48-8M0017181	783	48-8M0017254	784
48-8M0017182	783	48-8M0017255	784
48-8M0017183	783	48-8M0017256	784
48-8M0017184	783	48-8M0017257	784
48-8M0017185	783	48-8M0017258	784
48-8M0017186	783	48-8M0017259	784
48-8M0017187	783	48-8M0017260	784
48-8M0017188	783	48-8M0017269	783
48-8M0017189	783	48-8M0017271	783
48-8M0017190	783	48-8M0017272	783
48-8M0017191	783	48-8M0017273	783
48-8M0017192	783	48-8M0017274	783
48-8M0017193	784	48-8M0017275	783
48-8M0017194	784	48-8M0017276	783
48-8M0017195	784	48-8M0017277	783
48-8M0017196	784	48-8M0017278	783
48-8M0017197	784	48-8M0017279	783
48-8M0017198	784	48-8M0017280	783
48-8M0017199	784	48-8M0017281	784
48-8M0017200	784	48-8M0017282	784
48-8M0017209	783	48-8M0017283	784
48-8M0017210	783	48-8M0017284	784
48-8M0017211	783	48-8M0017285	784
48-8M0017212	783	48-8M0017286	784
48-8M0017213	783	48-8M0017287	784
48-8M0017214	783	48-8M0017288	784
48-8M0017215	783	48-8M0017289	784
48-8M0017216	783	48-8M0017290	784
48-8M0017217	783	48-8M0017299	783
48-8M0017218	783	48-8M0017300	783
48-8M0017219	783	48-8M0017301	783
48-8M0017220	783	48-8M0017302	783
48-8M0017221	783	48-8M0017303	783
48-8M0017222	783	48-8M0017304	783
48-8M0017223	784	48-8M0017305	783
48-8M0017224	784	48-8M0017306	783
48-8M0017225	784	48-8M0017307	783
48-8M0017226	784	48-8M0017308	783
48-8M0017227	784	48-8M0017309	783
48-8M0017228	784	48-8M0017310	783
48-8M0017229	784	48-8M0017311	784
48-8M0017230	784	48-8M0017312	784
48-8M0017239	783	48-8M0017313	784
48-8M0017240	783	48-8M0017314	784
48-8M0017241	783	48-8M0017315	784
48-8M0017242	783	48-8M0017316	784
48-8M0017243	783	48-8M0017317	784
48-8M0017244	783	48-8M0017318	784

Part Number to Page Number Reference

48 -8M0017319	784	48 -8M0017400	783
48 -8M0017320	784	48 -8M0017401	784
48 -8M0017329	783	48 -8M0017402	784
48 -8M0017330	783	48 -8M0017403	784
48 -8M0017331	783	48 -8M0017404	784
48 -8M0017332	783	48 -8M0017405	784
48 -8M0017333	783	48 -8M0017406	784
48 -8M0017334	783	48 -8M0017407	784
48 -8M0017335	783	48 -8M0017408	784
48 -8M0017336	783	48 -8M0017409	784
48 -8M0017337	783	48 -8M0017410	784
48 -8M0017338	783	48 -8M0017419	783
48 -8M0017339	783	48 -8M0017420	783
48 -8M0017340	783	48 -8M0017421	783
48 -8M0017341	784	48 -8M0017422	783
48 -8M0017342	784	48 -8M0017423	783
48 -8M0017343	784	48 -8M0017424	783
48 -8M0017344	784	48 -8M0017425	783
48 -8M0017345	784	48 -8M0017426	783
48 -8M0017346	784	48 -8M0017427	783
48 -8M0017347	784	48 -8M0017428	783
48 -8M0017348	784	48 -8M0017429	783
48 -8M0017349	784	48 -8M0017430	783
48 -8M0017350	784	48 -8M0017431	784
48 -8M0017359	783	48 -8M0017432	784
48 -8M0017360	783	48 -8M0017433	784
48 -8M0017361	783	48 -8M0017434	784
48 -8M0017362	783	48 -8M0017435	784
48 -8M0017363	783	48 -8M0017436	784
48 -8M0017364	783	48 -8M0017437	784
48 -8M0017365	783	48 -8M0017438	784
48 -8M0017366	783	48 -8M0017439	784
48 -8M0017367	783	48 -8M0017440	784
48 -8M0017368	783	48 -8M0017449	783
48 -8M0017369	783	48 -8M0017450	783
48 -8M0017370	783	48 -8M0017451	783
48 -8M0017371	784	48 -8M0017452	783
48 -8M0017372	784	48 -8M0017453	783
48 -8M0017373	784	48 -8M0017454	783
48 -8M0017374	784	48 -8M0017455	783
48 -8M0017375	784	48 -8M0017456	783
48 -8M0017376	784	48 -8M0017457	783
48 -8M0017377	784	48 -8M0017458	783
48 -8M0017378	784	48 -8M0017459	783
48 -8M0017379	784	48 -8M0017460	783
48 -8M0017380	784	48 -8M0017461	784
48 -8M0017389	783	48 -8M0017462	784
48 -8M0017390	783	48 -8M0017463	784
48 -8M0017391	783	48 -8M0017464	784
48 -8M0017392	783	48 -8M0017465	784
48 -8M0017393	783	48 -8M0017466	784
48 -8M0017394	783	48 -8M0017467	784
48 -8M0017395	783	48 -8M0017468	784
48 -8M0017396	783	48 -8M0017469	784
48 -8M0017397	783	48 -8M0017470	784
48 -8M0017398	783	48 -8M0017479	794
48 -8M0017399	783	48 -8M0017480	794

Part Number to Page Number Reference

48 -8M0017481	794	48 -8M0017554	795
48 -8M0017482	794	48 -8M0017555	795
48 -8M0017483	794	48 -8M0017556	795
48 -8M0017484	794	48 -8M0017557	795
48 -8M0017485	794	48 -8M0017558	795
48 -8M0017486	794	48 -8M0017559	795
48 -8M0017487	795	48 -8M0017560	795
48 -8M0017488	795	48 -8M0017569	794
48 -8M0017489	795	48 -8M0017570	794
48 -8M0017490	795	48 -8M0017571	794
48 -8M0017491	795	48 -8M0017572	794
48 -8M0017492	795	48 -8M0017573	794
48 -8M0017493	795	48 -8M0017574	794
48 -8M0017494	795	48 -8M0017575	794
48 -8M0017495	795	48 -8M0017576	794
48 -8M0017496	795	48 -8M0017577	795
48 -8M0017497	795	48 -8M0017578	795
48 -8M0017498	795	48 -8M0017579	795
48 -8M0017499	795	48 -8M0017580	795
48 -8M0017500	795	48 -8M0017581	795
48 -8M0017509	794	48 -8M0017582	795
48 -8M0017510	794	48 -8M0017583	795
48 -8M0017511	794	48 -8M0017584	795
48 -8M0017512	794	48 -8M0017585	795
48 -8M0017513	794	48 -8M0017586	795
48 -8M0017514	794	48 -8M0017587	795
48 -8M0017515	794	48 -8M0017588	795
48 -8M0017516	794	48 -8M0017589	795
48 -8M0017517	795	48 -8M0017590	795
48 -8M0017518	795	48 -8M0017599	794
48 -8M0017519	795	48 -8M0017600	794
48 -8M0017520	795	48 -8M0017601	794
48 -8M0017521	795	48 -8M0017602	794
48 -8M0017522	795	48 -8M0017603	794
48 -8M0017523	795	48 -8M0017604	794
48 -8M0017524	795	48 -8M0017605	794
48 -8M0017525	795	48 -8M0017606	794
48 -8M0017526	795	48 -8M0017607	795
48 -8M0017527	795	48 -8M0017608	795
48 -8M0017528	795	48 -8M0017609	795
48 -8M0017529	795	48 -8M0017610	795
48 -8M0017530	795	48 -8M0017611	795
48 -8M0017539	794	48 -8M0017612	795
48 -8M0017540	794	48 -8M0017613	795
48 -8M0017541	794	48 -8M0017614	795
48 -8M0017542	794	48 -8M0017615	795
48 -8M0017543	794	48 -8M0017616	795
48 -8M0017544	794	48 -8M0017617	795
48 -8M0017545	794	48 -8M0017618	795
48 -8M0017546	794	48 -8M0017619	795
48 -8M0017547	795	48 -8M0017620	795
48 -8M0017548	795	48 -8M0017629	794
48 -8M0017549	795	48 -8M0017630	794
48 -8M0017550	795	48 -8M0017631	794
48 -8M0017551	795	48 -8M0017632	794
48 -8M0017552	795	48 -8M0017633	794
48 -8M0017553	795	48 -8M0017634	794

Part Number to Page Number Reference

48 -8M0017635	794	48 -8M0017708	795
48 -8M0017636	794	48 -8M0017709	795
48 -8M0017637	795	48 -8M0017710	795
48 -8M0017638	795	48 -8M0017719	794
48 -8M0017639	795	48 -8M0017720	794
48 -8M0017640	795	48 -8M0017721	794
48 -8M0017641	795	48 -8M0017722	794
48 -8M0017642	795	48 -8M0017723	794
48 -8M0017643	795	48 -8M0017724	794
48 -8M0017644	795	48 -8M0017725	794
48 -8M0017645	795	48 -8M0017726	794
48 -8M0017646	795	48 -8M0017727	795
48 -8M0017647	795	48 -8M0017728	795
48 -8M0017648	795	48 -8M0017729	795
48 -8M0017649	795	48 -8M0017730	795
48 -8M0017650	795	48 -8M0017731	795
48 -8M0017659	794	48 -8M0017732	795
48 -8M0017660	794	48 -8M0017733	795
48 -8M0017661	794	48 -8M0017734	795
48 -8M0017662	794	48 -8M0017735	795
48 -8M0017663	794	48 -8M0017736	795
48 -8M0017664	794	48 -8M0017737	795
48 -8M0017665	794	48 -8M0017738	795
48 -8M0017666	794	48 -8M0017739	795
48 -8M0017667	795	48 -8M0017740	795
48 -8M0017668	795	48 -8M0017749	794
48 -8M0017669	795	48 -8M0017750	794
48 -8M0017670	795	48 -8M0017751	794
48 -8M0017671	795	48 -8M0017752	794
48 -8M0017672	795	48 -8M0017753	794
48 -8M0017673	795	48 -8M0017754	794
48 -8M0017674	795	48 -8M0017755	794
48 -8M0017675	795	48 -8M0017756	794
48 -8M0017676	795	48 -8M0017757	795
48 -8M0017677	795	48 -8M0017758	795
48 -8M0017678	795	48 -8M0017759	795
48 -8M0017679	795	48 -8M0017760	795
48 -8M0017680	795	48 -8M0017761	795
48 -8M0017689	794	48 -8M0017762	795
48 -8M0017690	794	48 -8M0017763	795
48 -8M0017691	794	48 -8M0017764	795
48 -8M0017692	794	48 -8M0017765	795
48 -8M0017693	794	48 -8M0017766	795
48 -8M0017694	794	48 -8M0017767	795
48 -8M0017695	794	48 -8M0017768	795
48 -8M0017696	794	48 -8M0017769	795
48 -8M0017697	795	48 -8M0017770	795
48 -8M0017698	795	48 -8M0017779	794
48 -8M0017699	795	48 -8M0017780	794
48 -8M0017700	795	48 -8M0017781	794
48 -8M0017701	795	48 -8M0017782	794
48 -8M0017702	795	48 -8M0017783	794
48 -8M0017703	795	48 -8M0017784	794
48 -8M0017704	795	48 -8M0017785	794
48 -8M0017705	795	48 -8M0017786	794
48 -8M0017706	795	48 -8M0017787	795
48 -8M0017707	795	48 -8M0017788	795

Part Number to Page Number Reference

48-8M0017789	795	48-8M0018260	784
48-8M0017790	795	48-8M0018261	784
48-8M0017791	795	48-8M0018262	784
48-8M0017792	795	48-8M0018263	784
48-8M0017793	795	48-8M0018264	784
48-8M0017794	795	48-8M0018265	784
48-8M0017795	795	48-8M0018266	784
48-8M0017796	795	48-8M0018267	785
48-8M0017797	795	48-8M0018268	785
48-8M0017798	795	48-8M0018269	785
48-8M0017799	795	48-8M0018270	785
48-8M0017800	795	48-8M0018271	785
48-8M0017809	794	48-8M0018272	785
48-8M0017810	794	48-8M0018273	785
48-8M0017811	794	48-8M0018274	785
48-8M0017812	794	48-8M0018275	785
48-8M0017813	794	48-8M0018276	785
48-8M0017814	794	48-8M0018277	785
48-8M0017815	794	48-8M0018278	785
48-8M0017816	794	48-8M0018279	785
48-8M0017817	795	48-8M0018280	785
48-8M0017818	795	48-8M0018289	784
48-8M0017819	795	48-8M0018290	784
48-8M0017820	795	48-8M0018291	784
48-8M0017821	795	48-8M0018292	784
48-8M0017822	795	48-8M0018293	784
48-8M0017823	795	48-8M0018294	784
48-8M0017824	795	48-8M0018295	784
48-8M0017825	795	48-8M0018296	784
48-8M0017826	795	48-8M0018297	785
48-8M0017827	795	48-8M0018298	785
48-8M0017828	795	48-8M0018299	785
48-8M0017829	795	48-8M0018300	785
48-8M0017830	795	48-8M0018301	785
48-8M0017839	794	48-8M0018302	785
48-8M0017840	794	48-8M0018303	785
48-8M0017841	794	48-8M0018304	785
48-8M0017842	794	48-8M0018305	785
48-8M0017843	794	48-8M0018306	785
48-8M0017844	794	48-8M0018307	785
48-8M0017845	795	48-8M0018308	785
48-8M0017846	795	48-8M0018309	785
48-8M0017847	795	48-8M0018310	785
48-8M0017848	795	48-8M0018319	784
48-8M0017849	795	48-8M0018320	784
48-8M0017850	795	48-8M0018321	784
48-8M0017851	795	48-8M0018322	784
48-8M0017852	795	48-8M0018323	784
48-8M0017853	795	48-8M0018324	784
48-8M0017854	795	48-8M0018325	784
48-8M0017855	795	48-8M0018326	784
48-8M0017856	795	48-8M0018327	785
48-8M0017857	795	48-8M0018328	785
48-8M0017858	795	48-8M0018329	785
48-8M0017859	795	48-8M0018330	785
48-8M0017860	795	48-8M0018331	785
48-8M0018259	784	48-8M0018332	785

Part Number to Page Number Reference

48 -8M0018333	785	48 -8M0018414	784
48 -8M0018334	785	48 -8M0018415	784
48 -8M0018335	785	48 -8M0018416	784
48 -8M0018336	785	48 -8M0018417	785
48 -8M0018337	785	48 -8M0018418	785
48 -8M0018338	785	48 -8M0018419	785
48 -8M0018339	785	48 -8M0018420	785
48 -8M0018340	785	48 -8M0018421	785
48 -8M0018349	784	48 -8M0018422	785
48 -8M0018350	784	48 -8M0018423	785
48 -8M0018351	784	48 -8M0018424	785
48 -8M0018352	784	48 -8M0018425	785
48 -8M0018353	784	48 -8M0018426	785
48 -8M0018354	784	48 -8M0018427	785
48 -8M0018355	784	48 -8M0018428	785
48 -8M0018356	784	48 -8M0018429	785
48 -8M0018357	785	48 -8M0018430	785
48 -8M0018358	785	48 -8M0018439	784
48 -8M0018359	785	48 -8M0018440	784
48 -8M0018360	785	48 -8M0018441	784
48 -8M0018361	785	48 -8M0018442	784
48 -8M0018362	785	48 -8M0018443	784
48 -8M0018363	785	48 -8M0018444	784
48 -8M0018364	785	48 -8M0018445	785
48 -8M0018365	785	48 -8M0018446	785
48 -8M0018366	785	48 -8M0018447	785
48 -8M0018367	785	48 -8M0018448	785
48 -8M0018368	785	48 -8M0018449	785
48 -8M0018369	785	48 -8M0018450	785
48 -8M0018370	785	48 -8M0018451	785
48 -8M0018379	784	48 -8M0018452	785
48 -8M0018380	784	48 -8M0018453	785
48 -8M0018381	784	48 -8M0018454	785
48 -8M0018382	784	48 -8M0018455	785
48 -8M0018383	784	48 -8M0018456	785
48 -8M0018384	784	48 -8M0018457	785
48 -8M0018385	784	48 -8M0018458	785
48 -8M0018386	784	48 -8M0018459	785
48 -8M0018387	785	48 -8M0018460	785
48 -8M0018388	785	48 -8M0018469	784
48 -8M0018389	785	48 -8M0018470	784
48 -8M0018390	785	48 -8M0018471	784
48 -8M0018391	785	48 -8M0018472	784
48 -8M0018392	785	48 -8M0018473	784
48 -8M0018393	785	48 -8M0018474	784
48 -8M0018394	785	48 -8M0018475	785
48 -8M0018395	785	48 -8M0018476	785
48 -8M0018396	785	48 -8M0018477	785
48 -8M0018397	785	48 -8M0018478	785
48 -8M0018398	785	48 -8M0018479	785
48 -8M0018399	785	48 -8M0018480	785
48 -8M0018400	785	48 -8M0018481	785
48 -8M0018409	784	48 -8M0018482	785
48 -8M0018410	784	48 -8M0018483	785
48 -8M0018411	784	48 -8M0018484	785
48 -8M0018412	784	48 -8M0018485	785
48 -8M0018413	784	48 -8M0018486	785

Part Number to Page Number Reference

48 -8M0018487	785	48 -8M0018568	785
48 -8M0018488	785	48 -8M0018569	785
48 -8M0018489	785	48 -8M0018570	785
48 -8M0018490	785	48 -8M0018571	785
48 -8M0018499	784	48 -8M0018572	785
48 -8M0018500	784	48 -8M0018573	785
48 -8M0018501	784	48 -8M0018574	785
48 -8M0018502	784	48 -8M0018575	785
48 -8M0018503	784	48 -8M0018576	785
48 -8M0018504	784	48 -8M0018577	785
48 -8M0018505	785	48 -8M0018578	785
48 -8M0018506	785	48 -8M0018579	785
48 -8M0018507	785	48 -8M0018580	785
48 -8M0018508	785	48 -8M0018589	784
48 -8M0018509	785	48 -8M0018590	784
48 -8M0018510	785	48 -8M0018591	784
48 -8M0018511	785	48 -8M0018592	784
48 -8M0018512	785	48 -8M0018593	784
48 -8M0018513	785	48 -8M0018594	784
48 -8M0018514	785	48 -8M0018595	785
48 -8M0018515	785	48 -8M0018596	785
48 -8M0018516	785	48 -8M0018597	785
48 -8M0018517	785	48 -8M0018598	785
48 -8M0018518	785	48 -8M0018599	785
48 -8M0018519	785	48 -8M0018600	785
48 -8M0018520	785	48 -8M0018601	785
48 -8M0018529	784	48 -8M0018602	785
48 -8M0018530	784	48 -8M0018603	785
48 -8M0018531	784	48 -8M0018604	785
48 -8M0018532	784	48 -8M0018605	785
48 -8M0018533	784	48 -8M0018606	785
48 -8M0018534	784	48 -8M0018607	785
48 -8M0018535	785	48 -8M0018608	785
48 -8M0018536	785	48 -8M0018609	785
48 -8M0018537	785	48 -8M0018610	785
48 -8M0018538	785	48 -8M0018619	784
48 -8M0018539	785	48 -8M0018620	784
48 -8M0018540	785	48 -8M0018621	784
48 -8M0018541	785	48 -8M0018622	784
48 -8M0018542	785	48 -8M0018623	784
48 -8M0018543	785	48 -8M0018624	784
48 -8M0018544	785	48 -8M0018625	785
48 -8M0018545	785	48 -8M0018626	785
48 -8M0018546	785	48 -8M0018627	785
48 -8M0018547	785	48 -8M0018628	785
48 -8M0018548	785	48 -8M0018629	785
48 -8M0018549	785	48 -8M0018630	785
48 -8M0018550	785	48 -8M0018631	785
48 -8M0018559	784	48 -8M0018632	785
48 -8M0018560	784	48 -8M0018633	785
48 -8M0018561	784	48 -8M0018634	785
48 -8M0018562	784	48 -8M0018635	785
48 -8M0018563	784	48 -8M0018636	785
48 -8M0018564	784	48 -8M0018637	785
48 -8M0018565	785	48 -8M0018638	785
48 -8M0018566	785	48 -8M0018639	785
48 -8M0018567	785	48 -8M0018640	785

Part Number to Page Number Reference

48 -8M0018649	795	48 -8M0018722	796
48 -8M0018650	795	48 -8M0018723	796
48 -8M0018651	796	48 -8M0018724	796
48 -8M0018652	796	48 -8M0018725	796
48 -8M0018653	796	48 -8M0018726	796
48 -8M0018654	796	48 -8M0018727	796
48 -8M0018655	796	48 -8M0018728	796
48 -8M0018656	796	48 -8M0018729	797
48 -8M0018657	796	48 -8M0018730	797
48 -8M0018658	796	48 -8M0018739	795
48 -8M0018659	796	48 -8M0018740	795
48 -8M0018660	796	48 -8M0018741	796
48 -8M0018661	796	48 -8M0018742	796
48 -8M0018662	796	48 -8M0018743	796
48 -8M0018663	796	48 -8M0018744	796
48 -8M0018664	796	48 -8M0018745	796
48 -8M0018665	796	48 -8M0018746	796
48 -8M0018666	796	48 -8M0018747	796
48 -8M0018667	796	48 -8M0018748	796
48 -8M0018668	796	48 -8M0018749	796
48 -8M0018669	797	48 -8M0018750	796
48 -8M0018670	797	48 -8M0018751	796
48 -8M0018679	795	48 -8M0018752	796
48 -8M0018680	795	48 -8M0018753	796
48 -8M0018681	796	48 -8M0018754	796
48 -8M0018682	796	48 -8M0018755	796
48 -8M0018683	796	48 -8M0018756	796
48 -8M0018684	796	48 -8M0018757	796
48 -8M0018685	796	48 -8M0018758	796
48 -8M0018686	796	48 -8M0018759	797
48 -8M0018687	796	48 -8M0018760	797
48 -8M0018688	796	48 -8M0018769	795
48 -8M0018689	796	48 -8M0018770	795
48 -8M0018690	796	48 -8M0018771	796
48 -8M0018691	796	48 -8M0018772	796
48 -8M0018692	796	48 -8M0018773	796
48 -8M0018693	796	48 -8M0018774	796
48 -8M0018694	796	48 -8M0018775	796
48 -8M0018695	796	48 -8M0018776	796
48 -8M0018696	796	48 -8M0018777	796
48 -8M0018697	796	48 -8M0018778	796
48 -8M0018698	796	48 -8M0018779	796
48 -8M0018699	797	48 -8M0018780	796
48 -8M0018700	797	48 -8M0018781	796
48 -8M0018709	795	48 -8M0018782	796
48 -8M0018710	795	48 -8M0018783	796
48 -8M0018711	796	48 -8M0018784	796
48 -8M0018712	796	48 -8M0018785	796
48 -8M0018713	796	48 -8M0018786	796
48 -8M0018714	796	48 -8M0018787	796
48 -8M0018715	796	48 -8M0018788	796
48 -8M0018716	796	48 -8M0018789	797
48 -8M0018717	796	48 -8M0018790	797
48 -8M0018718	796	48 -8M0018799	795
48 -8M0018719	796	48 -8M0018800	795
48 -8M0018720	796	48 -8M0018801	796
48 -8M0018721	796	48 -8M0018802	796

Part Number to Page Number Reference

48-8M0018803	796	48-8M0018876	796
48-8M0018804	796	48-8M0018877	796
48-8M0018805	796	48-8M0018878	796
48-8M0018806	796	48-8M0018879	797
48-8M0018807	796	48-8M0018880	797
48-8M0018808	796	48-8M0018889	795
48-8M0018809	796	48-8M0018890	795
48-8M0018810	796	48-8M0018891	796
48-8M0018811	796	48-8M0018892	796
48-8M0018812	796	48-8M0018893	796
48-8M0018813	796	48-8M0018894	796
48-8M0018814	796	48-8M0018895	796
48-8M0018815	796	48-8M0018896	796
48-8M0018816	796	48-8M0018897	796
48-8M0018817	796	48-8M0018898	796
48-8M0018818	796	48-8M0018899	796
48-8M0018819	797	48-8M0018900	796
48-8M0018820	797	48-8M0018901	796
48-8M0018829	795	48-8M0018902	796
48-8M0018830	795	48-8M0018903	796
48-8M0018831	796	48-8M0018904	796
48-8M0018832	796	48-8M0018905	796
48-8M0018833	796	48-8M0018906	796
48-8M0018834	796	48-8M0018907	797
48-8M0018835	796	48-8M0018908	797
48-8M0018836	796	48-8M0018909	797
48-8M0018837	796	48-8M0018910	797
48-8M0018838	796	48-8M0018919	795
48-8M0018839	796	48-8M0018920	795
48-8M0018840	796	48-8M0018921	796
48-8M0018841	796	48-8M0018922	796
48-8M0018842	796	48-8M0018923	796
48-8M0018843	796	48-8M0018924	796
48-8M0018844	796	48-8M0018925	796
48-8M0018845	796	48-8M0018926	796
48-8M0018846	796	48-8M0018927	796
48-8M0018847	796	48-8M0018928	796
48-8M0018848	796	48-8M0018929	796
48-8M0018849	797	48-8M0018930	796
48-8M0018850	797	48-8M0018931	796
48-8M0018859	795	48-8M0018932	796
48-8M0018860	795	48-8M0018933	796
48-8M0018861	796	48-8M0018934	796
48-8M0018862	796	48-8M0018935	796
48-8M0018863	796	48-8M0018936	796
48-8M0018864	796	48-8M0018937	797
48-8M0018865	796	48-8M0018938	797
48-8M0018866	796	48-8M0018939	797
48-8M0018867	796	48-8M0018940	797
48-8M0018868	796	48-8M0018949	795
48-8M0018869	796	48-8M0018950	795
48-8M0018870	796	48-8M0018951	796
48-8M0018871	796	48-8M0018952	796
48-8M0018872	796	48-8M0018953	796
48-8M0018873	796	48-8M0018954	796
48-8M0018874	796	48-8M0018955	796
48-8M0018875	796	48-8M0018956	796

Part Number to Page Number Reference

48 -8M0018957	796	48 -8M0019030	797
48 -8M0018958	796	8M0021043	82
48 -8M0018959	796	22 -8M0022199	448
48 -8M0018960	796	91 -8M0026088	898
48 -8M0018961	796	8M0026098	646
48 -8M0018962	796	57 -8M0026410	237
48 -8M0018963	796	10 -8M0028080	62, 64
48 -8M0018964	796	91 -8M0029055	658
48 -8M0018965	796	48 -8M0029395	779
48 -8M0018966	796	48 -8M0029396	779
48 -8M0018967	797	8M0030272	341, 345, 349
48 -8M0018968	797	8M0030550	306, 309, 314, 315, 317, 319, 321, 324, 327, 331, 335, 462
48 -8M0018969	797	8M0030551	463
48 -8M0018970	797	8M0031424	316, 318, 320
48 -8M0018979	795	22 -8M0031467	498
48 -8M0018980	795	22 -8M0031539	498
48 -8M0018981	796	57 -8M0031641	238
48 -8M0018982	796	8M0032454	391, 406
48 -8M0018983	796	35 -8M0032639	82
48 -8M0018984	796	35 -8M0032640	82
48 -8M0018985	796	10 -8M0032860	62, 64
48 -8M0018986	796	22 -8M0033226	498
48 -8M0018987	796	91 -8M0036608	211
48 -8M0018988	796	8M0037021	210
48 -8M0018989	796	10 -8M0038370	62, 64
48 -8M0018990	796	32 -8M0038468	73
48 -8M0018991	796	32 -8M0038500	73, 308, 312, 323, 326, 330, 333, 337
48 -8M0018992	796	32 -8M0038563	73, 308, 312, 323, 326, 330, 333, 337, 340, 344, 348
48 -8M0018993	796	8M0038928	210
48 -8M0018994	796	48 -8M0040396	732
48 -8M0018995	796	48 -8M0040397	732
48 -8M0018996	796	48 -8M0040398	687, 732
48 -8M0018997	797	48 -8M0040399	732
48 -8M0018998	797	48 -8M0040400	732
48 -8M0018999	797	48 -8M0040401	732
48 -8M0019000	797	48 -8M0040402	732
48 -8M0019009	795	48 -8M0040403	732
48 -8M0019010	795	48 -8M0040404	732
48 -8M0019011	796	48 -8M0040405	732
48 -8M0019012	796	48 -8M0040406	732
48 -8M0019013	796	48 -8M0040407	732
48 -8M0019014	796	48 -8M0040408	732
48 -8M0019015	796	48 -8M0040409	732
48 -8M0019016	796	22 -8M0041173	627
48 -8M0019017	796	8M0041425	351
48 -8M0019018	796	8M0041428	351
48 -8M0019019	796	77 -8M0041671	513
48 -8M0019020	796	77 -8M0041674	513
48 -8M0019021	796	77 -8M0041718	513
48 -8M0019022	796	77 -8M0041733	513
48 -8M0019023	796	77 -8M0041734	513
48 -8M0019024	796	77 -8M0041757	513
48 -8M0019025	796	8M0042130	871, 872, 889
48 -8M0019026	796	87 -8M0042301	28
48 -8M0019027	797	12 -8M0042329	872
48 -8M0019028	797	84 -8M0042976	533, 549, 592
48 -8M0019029	797		

Part Number to Page Number Reference

37-8M0043699	232	84-8M0048059	552, 583
37-8M0043700	232	48-8M0049063	771
37-8M0043701	232	48-8M0049064	771
37-8M0043702	232	48-8M0049065	771
37-8M0043703	232	48-8M0049066	771
37-8M0043705	232	48-8M0049067	771
37-8M0043706	232	48-8M0049068	771
37-8M0043707	232	48-8M0049069	771
8M0044575	234	48-8M0049070	771
8M0044576	234	48-8M0049071	771
8M0044577	234	48-8M0049072	771
22-8M0045175	127, 128	48-8M0049073	771
57-8M0045227	250	48-8M0049074	771
8M0045604	647	48-8M0049075	771
1200-8M0045691	308, 312, 315, 317, 319, 320, 323, 326, 330, 333, 337	48-8M0049076	771
1200-8M0045692	313, 315, 317, 319, 320	48-8M0049077	771
84-8M0045743	595	48-8M0049078	771
57-8M0045986	250	48-8M0049079	771
8M0045990	250	48-8M0049080	771
33-8M0046007	117, 120	48-8M0049081	771
37-8M0046011	231	48-8M0049082	771
8M0046250	477, 485	48-8M0049083	771
8M0046339	532, 577	48-8M0049084	771
12-8M0046466	891	48-8M0049085	771
8M0046481	551, 582	48-8M0049086	771
1656-8M0046682	196	48-8M0049087	772
1656-8M0046683	197	48-8M0049088	772
1656-8M0046733	195, 196	48-8M0049089	772
1656-8M0046735	196	48-8M0049090	772
1656-8M0046738	196	48-8M0049091	772
35-8M0046751	246	48-8M0049092	772
1656-8M0046831	196	48-8M0049093	771
32-8M0046914	342, 345, 349	48-8M0049094	771
32-8M0046928	342	48-8M0049095	771
32-8M0046931	345, 349	48-8M0049096	771
8M0047148	872, 877	48-8M0049097	771
1200-8M0047598	313, 315, 317, 319, 320	48-8M0049098	771
1200-8M0047599	71	48-8M0049099	771
1200-8M0047603	71, 323, 326	48-8M0049100	771
1200-8M0047607	71, 323, 326	48-8M0049101	771
84-8M0047753	494	48-8M0049102	771
84-8M0047754	494	48-8M0049103	771
84-8M0047755	494	48-8M0049104	771
84-8M0047784	589	48-8M0049105	771
35-8M0047848	251	48-8M0049106	771
84-8M0048040	552, 583	48-8M0049107	771
84-8M0048043	552, 583	48-8M0049108	771
84-8M0048044	552, 583	48-8M0049109	771
84-8M0048046	552, 583	48-8M0049110	771
84-8M0048047	552, 583	48-8M0049111	771
84-8M0048048	552, 583	48-8M0049112	771
84-8M0048049	552, 583	48-8M0049113	771
84-8M0048054	552, 583	48-8M0049114	771
84-8M0048055	552, 583	48-8M0049115	771
84-8M0048056	552, 583	48-8M0049116	771
84-8M0048057	552, 583	48-8M0049117	772
84-8M0048058	552, 583	48-8M0049118	772

Part Number to Page Number Reference

48 -8M0049119	772	48 -8M0049176	771
48 -8M0049120	772	48 -8M0049177	772
48 -8M0049121	772	48 -8M0049178	772
48 -8M0049122	772	48 -8M0049179	772
48 -8M0049123	771	48 -8M0049180	772
48 -8M0049124	771	48 -8M0049181	772
48 -8M0049125	771	48 -8M0049182	772
48 -8M0049126	771	48 -8M0049183	771
48 -8M0049127	771	48 -8M0049184	771
48 -8M0049128	771	48 -8M0049185	771
48 -8M0049129	771	48 -8M0049186	771
48 -8M0049130	771	48 -8M0049187	771
48 -8M0049131	771	48 -8M0049188	771
48 -8M0049132	771	48 -8M0049189	771
48 -8M0049133	771	48 -8M0049190	771
48 -8M0049134	771	48 -8M0049191	771
48 -8M0049135	771	48 -8M0049192	771
48 -8M0049136	771	48 -8M0049193	771
48 -8M0049137	771	48 -8M0049194	771
48 -8M0049138	771	48 -8M0049195	771
48 -8M0049139	771	48 -8M0049196	771
48 -8M0049140	771	48 -8M0049197	771
48 -8M0049141	771	48 -8M0049198	771
48 -8M0049142	771, 774	48 -8M0049199	771
48 -8M0049143	771	48 -8M0049200	771
48 -8M0049144	771	48 -8M0049201	771
48 -8M0049145	771	48 -8M0049202	771
48 -8M0049146	771	48 -8M0049203	771
48 -8M0049147	772	48 -8M0049204	771
48 -8M0049148	772	48 -8M0049205	771
48 -8M0049149	772	48 -8M0049206	771
48 -8M0049150	772	48 -8M0049207	772
48 -8M0049151	772	48 -8M0049208	772
48 -8M0049152	772	48 -8M0049209	772
48 -8M0049153	771	48 -8M0049210	772
48 -8M0049154	771	48 -8M0049211	772
48 -8M0049155	771	48 -8M0049212	772
48 -8M0049156	771	48 -8M0049213	771
48 -8M0049157	771	48 -8M0049214	771
48 -8M0049158	771	48 -8M0049215	771
48 -8M0049159	771	48 -8M0049216	771
48 -8M0049160	771	48 -8M0049217	771
48 -8M0049161	771	48 -8M0049218	771
48 -8M0049162	771	48 -8M0049219	771
48 -8M0049163	771	48 -8M0049220	771
48 -8M0049164	771	48 -8M0049221	771
48 -8M0049165	771	48 -8M0049222	771
48 -8M0049166	771	48 -8M0049223	771
48 -8M0049167	771	48 -8M0049224	771
48 -8M0049168	771	48 -8M0049225	771
48 -8M0049169	771	48 -8M0049226	771
48 -8M0049170	771	48 -8M0049227	771
48 -8M0049171	771	48 -8M0049228	771
48 -8M0049172	771	48 -8M0049229	771
48 -8M0049173	771	48 -8M0049230	771
48 -8M0049174	771	48 -8M0049231	771
48 -8M0049175	771	48 -8M0049232	771

Part Number to Page Number Reference

48 -8M0049233	771	48 -8M0049290	771
48 -8M0049234	771	48 -8M0049291	771
48 -8M0049235	771	48 -8M0049292	771
48 -8M0049236	771	48 -8M0049293	771
48 -8M0049237	772	48 -8M0049294	771
48 -8M0049238	772	48 -8M0049295	771
48 -8M0049239	772	48 -8M0049296	771
48 -8M0049240	772	48 -8M0049297	772
48 -8M0049241	772	48 -8M0049298	772
48 -8M0049242	772	48 -8M0049299	772
48 -8M0049243	771	48 -8M0049300	772
48 -8M0049244	771	48 -8M0049301	772
48 -8M0049245	771	48 -8M0049302	772
48 -8M0049246	771	48 -8M0049303	771
48 -8M0049247	771	48 -8M0049304	771
48 -8M0049248	771	48 -8M0049305	771
48 -8M0049249	771	48 -8M0049306	771
48 -8M0049250	771	48 -8M0049307	771
48 -8M0049251	771	48 -8M0049308	771
48 -8M0049252	771	48 -8M0049309	771
48 -8M0049253	771	48 -8M0049310	771
48 -8M0049254	771	48 -8M0049311	771
48 -8M0049255	771	48 -8M0049312	771
48 -8M0049256	771	48 -8M0049313	771
48 -8M0049257	771	48 -8M0049314	771
48 -8M0049258	771	48 -8M0049315	771
48 -8M0049259	771	48 -8M0049316	771
48 -8M0049260	771	48 -8M0049317	771
48 -8M0049261	771	48 -8M0049318	771
48 -8M0049262	771	48 -8M0049319	771
48 -8M0049263	771	48 -8M0049320	771
48 -8M0049264	771	48 -8M0049321	771
48 -8M0049265	771	48 -8M0049322	771
48 -8M0049266	771	48 -8M0049323	771
48 -8M0049267	772	48 -8M0049324	771
48 -8M0049268	772	48 -8M0049325	772
48 -8M0049269	772	48 -8M0049326	772
48 -8M0049270	772	48 -8M0049327	772
48 -8M0049271	772	48 -8M0049328	772
48 -8M0049272	772	48 -8M0049329	772
48 -8M0049273	771	48 -8M0049330	772
48 -8M0049274	771	48 -8M0049331	772
48 -8M0049275	771	48 -8M0049332	772
48 -8M0049276	771	48 -8M0049333	778
48 -8M0049277	771	48 -8M0049334	778
48 -8M0049278	771	48 -8M0049335	778
48 -8M0049279	771	48 -8M0049336	778
48 -8M0049280	771	48 -8M0049337	778
48 -8M0049281	771	48 -8M0049338	778
48 -8M0049282	771	48 -8M0049339	778
48 -8M0049283	771	48 -8M0049340	778
48 -8M0049284	771	48 -8M0049341	778
48 -8M0049285	771	48 -8M0049342	778
48 -8M0049286	771	48 -8M0049343	778
48 -8M0049287	771	48 -8M0049344	778
48 -8M0049288	771	48 -8M0049345	778
48 -8M0049289	771	48 -8M0049346	778

Part Number to Page Number Reference

48 -8M0049347	778	48 -8M0049404	778
48 -8M0049348	778	48 -8M0049405	778
48 -8M0049349	778	48 -8M0049406	778
48 -8M0049350	778	48 -8M0049407	778
48 -8M0049351	778	48 -8M0049408	778
48 -8M0049352	778	48 -8M0049409	778
48 -8M0049353	779	48 -8M0049410	778
48 -8M0049354	779	48 -8M0049411	778
48 -8M0049355	778	48 -8M0049412	778
48 -8M0049356	778	48 -8M0049413	778
48 -8M0049357	778	48 -8M0049414	778
48 -8M0049358	778	48 -8M0049415	778
48 -8M0049359	778	48 -8M0049416	778
48 -8M0049360	778	48 -8M0049417	778
48 -8M0049361	778	48 -8M0049418	778
48 -8M0049362	778	48 -8M0049419	779
48 -8M0049363	778	48 -8M0049420	779
48 -8M0049364	778	48 -8M0049421	778
48 -8M0049365	778	48 -8M0049422	778
48 -8M0049366	778	48 -8M0049423	778
48 -8M0049367	778	48 -8M0049424	778
48 -8M0049368	778	48 -8M0049425	778
48 -8M0049369	778	48 -8M0049426	778
48 -8M0049370	778	48 -8M0049427	778
48 -8M0049371	778	48 -8M0049428	778
48 -8M0049372	778	48 -8M0049429	778
48 -8M0049373	778	48 -8M0049430	778
48 -8M0049374	778	48 -8M0049431	778
48 -8M0049375	779	48 -8M0049432	778
48 -8M0049376	779	48 -8M0049433	778
48 -8M0049377	778	48 -8M0049434	778
48 -8M0049378	778	48 -8M0049435	778
48 -8M0049379	778	48 -8M0049436	778
48 -8M0049380	778	48 -8M0049437	778
48 -8M0049381	778	48 -8M0049438	778
48 -8M0049382	778	48 -8M0049439	778
48 -8M0049383	778	48 -8M0049440	778
48 -8M0049384	778	48 -8M0049441	779
48 -8M0049385	778	48 -8M0049442	779
48 -8M0049386	778	48 -8M0049443	778
48 -8M0049387	778	48 -8M0049444	778
48 -8M0049388	778	48 -8M0049445	778
48 -8M0049389	778	48 -8M0049446	778
48 -8M0049390	778	48 -8M0049447	778
48 -8M0049391	778	48 -8M0049448	778
48 -8M0049392	778	48 -8M0049449	778
48 -8M0049393	778	48 -8M0049450	778
48 -8M0049394	778	48 -8M0049451	778
48 -8M0049395	778	48 -8M0049452	778
48 -8M0049396	778	48 -8M0049453	778
48 -8M0049397	779	48 -8M0049454	778
48 -8M0049398	779	48 -8M0049455	778
48 -8M0049399	778	48 -8M0049456	778
48 -8M0049400	778	48 -8M0049457	778
48 -8M0049401	778	48 -8M0049458	778
48 -8M0049402	778	48 -8M0049459	778
48 -8M0049403	778	48 -8M0049460	778

Part Number to Page Number Reference

48 -8M0049461	778	48 -8M0049518	778
48 -8M0049462	778	48 -8M0049519	778
48 -8M0049463	779	48 -8M0049520	778
48 -8M0049464	779	48 -8M0049521	778
48 -8M0049465	778	48 -8M0049522	778
48 -8M0049466	778	48 -8M0049523	778
48 -8M0049467	778	48 -8M0049524	778
48 -8M0049468	778	48 -8M0049525	778
48 -8M0049469	778	48 -8M0049526	778
48 -8M0049470	778	48 -8M0049527	779
48 -8M0049471	778	48 -8M0049528	779
48 -8M0049472	778	48 -8M0049529	779
48 -8M0049473	778	48 -8M0049530	779
48 -8M0049474	778	48 -8M0049531	782
48 -8M0049475	778	48 -8M0049532	782
48 -8M0049476	778	48 -8M0049533	782
48 -8M0049477	778	48 -8M0049534	782
48 -8M0049478	778	48 -8M0049535	782
48 -8M0049479	778	48 -8M0049536	782
48 -8M0049480	778	48 -8M0049537	782
48 -8M0049481	778	48 -8M0049538	782
48 -8M0049482	778	48 -8M0049539	782
48 -8M0049483	778	48 -8M0049540	782
48 -8M0049484	778	48 -8M0049541	782
48 -8M0049485	779	48 -8M0049542	782
48 -8M0049486	779	48 -8M0049543	782
48 -8M0049487	778	48 -8M0049544	782
48 -8M0049488	778	48 -8M0049545	782
48 -8M0049489	778	48 -8M0049546	782
48 -8M0049490	778	48 -8M0049547	782
48 -8M0049491	778	48 -8M0049548	782
48 -8M0049492	778	48 -8M0049549	783
48 -8M0049493	778	48 -8M0049550	783
48 -8M0049494	778	48 -8M0049551	783
48 -8M0049495	778	48 -8M0049552	783
48 -8M0049496	778	48 -8M0049553	782
48 -8M0049497	778	48 -8M0049554	782
48 -8M0049498	778	48 -8M0049555	782
48 -8M0049499	778	48 -8M0049556	782
48 -8M0049500	778	48 -8M0049557	782
48 -8M0049501	778	48 -8M0049558	782
48 -8M0049502	778	48 -8M0049559	782
48 -8M0049503	778	48 -8M0049560	782
48 -8M0049504	778	48 -8M0049561	782
48 -8M0049505	778	48 -8M0049562	782
48 -8M0049506	778	48 -8M0049563	782
48 -8M0049507	779	48 -8M0049564	782
48 -8M0049508	779	48 -8M0049565	782
48 -8M0049509	778	48 -8M0049566	782
48 -8M0049510	778	48 -8M0049567	782
48 -8M0049511	778	48 -8M0049568	782
48 -8M0049512	778	48 -8M0049569	782
48 -8M0049513	778	48 -8M0049570	782
48 -8M0049514	778	48 -8M0049571	783
48 -8M0049515	778	48 -8M0049572	783
48 -8M0049516	778	48 -8M0049573	783
48 -8M0049517	778	48 -8M0049574	783

Part Number to Page Number Reference

48 -8M0049575	782	48 -8M0049632	782
48 -8M0049576	782	48 -8M0049633	782
48 -8M0049577	782	48 -8M0049634	782
48 -8M0049578	782	48 -8M0049635	782
48 -8M0049579	782	48 -8M0049636	782
48 -8M0049580	782	48 -8M0049637	783
48 -8M0049581	782	48 -8M0049638	783
48 -8M0049582	782	48 -8M0049639	783
48 -8M0049583	782	48 -8M0049640	783
48 -8M0049584	782	48 -8M0049641	782
48 -8M0049585	782	48 -8M0049642	782
48 -8M0049586	782	48 -8M0049643	782
48 -8M0049587	782	48 -8M0049644	782
48 -8M0049588	782	48 -8M0049645	782
48 -8M0049589	782	48 -8M0049646	782
48 -8M0049590	782	48 -8M0049647	782
48 -8M0049591	782	48 -8M0049648	782
48 -8M0049592	782	48 -8M0049649	782
48 -8M0049593	783	48 -8M0049650	782
48 -8M0049594	783	48 -8M0049651	782
48 -8M0049595	783	48 -8M0049652	782
48 -8M0049596	783	48 -8M0049653	782
48 -8M0049597	782	48 -8M0049654	782
48 -8M0049598	782	48 -8M0049655	782
48 -8M0049599	782	48 -8M0049656	782
48 -8M0049600	782	48 -8M0049657	783
48 -8M0049601	782	48 -8M0049658	783
48 -8M0049602	782	48 -8M0049659	783
48 -8M0049603	782	48 -8M0049660	783
48 -8M0049604	782	48 -8M0049661	783
48 -8M0049605	782	48 -8M0049662	783
48 -8M0049606	782	48 -8M0049663	782
48 -8M0049607	782	48 -8M0049664	782
48 -8M0049608	782	48 -8M0049665	782
48 -8M0049609	782	48 -8M0049666	782
48 -8M0049610	782	48 -8M0049667	782
48 -8M0049611	782	48 -8M0049668	782
48 -8M0049612	782	48 -8M0049669	782
48 -8M0049613	782	48 -8M0049670	782
48 -8M0049614	782	48 -8M0049671	782
48 -8M0049615	783	48 -8M0049672	782
48 -8M0049616	783	48 -8M0049673	782
48 -8M0049617	783	48 -8M0049674	782
48 -8M0049618	783	48 -8M0049675	782
48 -8M0049619	782	48 -8M0049676	782
48 -8M0049620	782	48 -8M0049677	782
48 -8M0049621	782	48 -8M0049678	782
48 -8M0049622	782	48 -8M0049679	783
48 -8M0049623	782	48 -8M0049680	783
48 -8M0049624	782	48 -8M0049681	783
48 -8M0049625	782	48 -8M0049682	783
48 -8M0049626	782	48 -8M0049683	783
48 -8M0049627	782	48 -8M0049684	783
48 -8M0049628	782	48 -8M0049685	782
48 -8M0049629	782	48 -8M0049686	782
48 -8M0049630	782	48 -8M0049687	782
48 -8M0049631	782	48 -8M0049688	782

Part Number to Page Number Reference

48 -8M0049689	782	8M0052100	93, 304
48 -8M0049690	782	8M0052292	584
48 -8M0049691	782	97 -8M0052656	231
48 -8M0049692	782	8M0052735	159
48 -8M0049693	782	8M0052737	159
48 -8M0049694	782	8M0052739	159
48 -8M0049695	782	8M0052742	159
48 -8M0049696	782	84 -8M0052774	533, 549
48 -8M0049697	782	79 -8M0052842	386
48 -8M0049698	782	79 -8M0052843	386
48 -8M0049699	782	79 -8M0052844	387
48 -8M0049700	782	79 -8M0052845	387
48 -8M0049701	783	79 -8M0052846	387
48 -8M0049702	783	79 -8M0052847	387
48 -8M0049703	783	79 -8M0052848	387
48 -8M0049704	783	79 -8M0052849	388
48 -8M0049705	783	79 -8M0052850	388
48 -8M0049706	783	79 -8M0052851	388
48 -8M0049707	782	79 -8M0052852	389
48 -8M0049708	782	79 -8M0052853	392
48 -8M0049709	782	79 -8M0052854	392
48 -8M0049710	782	79 -8M0052855	395
48 -8M0049711	782	79 -8M0052856	395
48 -8M0049712	782	79 -8M0052857	395
48 -8M0049713	782	79 -8M0052863	384
48 -8M0049714	782	79 -8M0052864	384
48 -8M0049715	782	79 -8M0052865	384
48 -8M0049716	782	79 -8M0052866	384
48 -8M0049717	782	79 -8M0052867	385
48 -8M0049718	782	79 -8M0052868	385
48 -8M0049719	782	79 -8M0052869	385
48 -8M0049720	782	79 -8M0052870	385
48 -8M0049721	782	79 -8M0052871	385
48 -8M0049722	782	79 -8M0052872	386
48 -8M0049723	783	79 -8M0052873	386
48 -8M0049724	783	79 -8M0052874	391
48 -8M0049725	783	79 -8M0052875	392
48 -8M0049726	783	79 -8M0052876	394
48 -8M0049727	783	79 -8M0052877	394
48 -8M0049728	783	79 -8M0052878	394
8M0049841	157	8M0052921	91
8M0049970	133	8M0052924	91, 345, 896
91 -8M0050053	290	8M0053074	883
8M0050097	313, 338, 341, 623	84 -8M0053083	552
8M0050098	308, 331, 334, 623	84 -8M0053250	584
8M0050099	308, 331, 334, 623	32 -8M0053474	308, 313, 331, 334, 338, 341, 625, 641
8M0050396	199	32 -8M0053475	625
79 -8M0050399	307, 309, 313, 314, 316, 318, 322, 325, 335, 352, 455	32 -8M0053476	625
35 -8M0050833	201, 208	32 -8M0053477	625
8M0051061	42, 47	32 -8M0053478	625
8M0051062	42, 47	32 -8M0053479	625
32 -8M0051174	145, 150, 156	32 -8M0053480	625
32 -8M0051175	145, 150, 156	32 -8M0053481	625
32 -8M0051176	145, 150, 156	32 -8M0053482	625
8M0051178	152, 157	32 -8M0053483	625, 641
8M0051209	208	32 -8M0053484	625, 641
8M0051522	199	32 -8M0053485	625, 641

Part Number to Page Number Reference

32 -8M0053486	625, 641	48 -8M0055563	802, 804, 808, 811, 815, 817, 831, 836
32 -8M0053487	625, 641	8M0055635	926
32 -8M0053488	625, 641	8M0055636	926
32 -8M0053489	625, 641	8M0055637	926
32 -8M0053490	625	8M0055652	531, 577
32 -8M0053491	625	8M0056139	313, 338, 341, 623
32 -8M0053492	625	8M0056140	313, 338, 341, 624
8M0053636	466	8M0056141	624
900 -8M0053744	199	8M0056142	624
8M0054004	157	8M0056143	624
8M0054006	157	8M0056144	624
67 -8M0054121	582	8M0056145	313, 338, 341, 623
67 -8M0054122	582	1200-8M0056211	72
67 -8M0054123	582	11 -8M0056234	884
84 -8M0054183	584	8M0056275	409
84 -8M0054185	584	8M0056277	309, 409
84 -8M0054186	584	8M0056278	409, 545
84 -8M0054187	584	8M0056279	309, 410, 545
86 -8M0054244	531, 577	8M0056547	80
8M0054313	73, 308, 312, 323, 326	8M0056548	20, 21, 25
8M0054314	308, 312, 323, 326	8M0056549	24, 25
8M0054315	73	8M0056619	622
32 -8M0054323	72	32 -8M0056640	72
32 -8M0054324	72	8M0056956	251, 252
32 -8M0054325	72	8M0056987	580
32 -8M0054326	73, 307, 312	8M0056988	580
32 -8M0054327	73	84 -8M0056993	580
32 -8M0054331	307, 312	8M0056994	580
79 -8M0054360	388	8M0057047	66, 314
79 -8M0054374	386	1200-8M0057254	71, 323, 326
1200-8M0054600	308, 312, 315, 317, 319, 320, 323, 326, 330, 333, 337	1200-8M0057256	323, 326
48 -8M0054727	782	8M0057307	238
48 -8M0054728	782	8M0057383	338
8M0054769	871, 893	8M0057574	147, 150
8M0054993	308, 331, 334	8M0057575	147, 150
8M0054999	27, 31, 32	8M0057576	147, 150
8M0055000	27, 31	8M0057577	165, 356
8M0055001	27, 29-32	97 -8M0057772	100, 104, 238
8M0055002	27, 29, 30	33 -8M0057936	11, 12, 236-238
8M0055003	27, 30	22 -8M0058419	75, 175
8M0055008	28, 30, 32	8M0058449	201
22 -8M0055326	627	84 -8M0058668	319, 321, 324, 327, 331, 335, 467, 551
48 -8M0055531	800, 804, 809, 812, 817-819, 823-826, 830, 836	33 -8M0058932	117
48 -8M0055533	800, 804, 809, 812, 817-819, 823-826, 830, 836	33 -8M0058933	9
48 -8M0055534	800, 804, 809, 812, 817-820, 823-826, 830, 836	33 -8M0058934	9
48 -8M0055535	800, 804, 809, 812, 817-820, 823-826, 830, 836	33 -8M0058935	10
48 -8M0055536	800, 804, 809, 812, 817-820, 823-826, 830, 836	33 -8M0058936	8
48 -8M0055537	800, 804, 809, 812, 817-820, 823-826, 830, 836	8M0058944	610
48 -8M0055547	733, 802, 808	48 -8M0059068	779
48 -8M0055548	712, 733, 802, 808	48 -8M0059069	779
48 -8M0055549	712, 733, 802, 808	48 -8M0059070	779
48 -8M0055550	712, 733, 802, 808	48 -8M0059071	779
48 -8M0055551	712, 733, 802, 808	78 -8M0059248	159
48 -8M0055559	802, 804, 808, 811, 814, 817, 831, 836	78 -8M0059257	159
48 -8M0055560	802, 804, 808, 811, 814, 817, 831, 836	78 -8M0059259	159
48 -8M0055561	802, 804, 808, 811, 814, 817, 831, 836	78 -8M0059270	158
48 -8M0055562	802, 804, 808, 811, 815, 817, 831, 836	78 -8M0059272	158

Part Number to Page Number Reference

78 -8M0059274	158, 159	98 -8M0063432	126
97 -8M0059338	97	64 -8M0063473	313, 338, 342, 620
97 -8M0059339	97	64 -8M0063474	620
97 -8M0059341	185	64 -8M0063475	620
97 -8M0059342	185	64 -8M0063476	620
97 -8M0059344	97	64 -8M0063477	620
78 -8M0059346	157	32 -8M0063663	336
78 -8M0059348	157	48 -8M0063951	743
78 -8M0059350	157	48 -8M0063952	743
78 -8M0059352	158	54 -8M0064023	602
78 -8M0059354	158	54 -8M0064024	602
78 -8M0059356	158	67 -8M0064433	338
78 -8M0059358	158	48 -8M0064449	732
78 -8M0059360	159	48 -8M0064450	749, 765
78 -8M0059363	159	48 -8M0064468	749, 766
78 -8M0059364	159	48 -8M0064469	749, 766
78 -8M0059366	158	48 -8M0064470	749, 766
78 -8M0059368	158	48 -8M0064471	749, 766
8M0059429	581	48 -8M0064472	748, 766
8M0059430	581	48 -8M0064473	748, 766
84 -8M0059434	581	48 -8M0064475	748, 766
84 -8M0059435	581	48 -8M0064476	748, 766
8M0059438	581	48 -8M0064477	748, 766
8M0059439	581	48 -8M0064647	789
8M0059529	336, 452, 530	8M0064759	157
8M0059531	337, 448	8M0064760	157
8M0059532	338, 590	91 -8M0064794	211
8M0059686	306, 309, 314, 315, 317, 319, 321, 324, 327, 331, 335	48 -8M0064815	789
8M0060147	92, 334, 338, 896	48 -8M0064816	789
84 -8M0060271	96, 598	23 -8M0064826	871, 892
83 -8M0060278	23-25	8M0065285	246, 247
84 -8M0060420	536, 538, 557	48 -8M0065293	776
84 -8M0060421	538	48 -8M0065294	776
8M0060782	314, 315, 317, 319, 321, 351	48 -8M0065295	776
8M0060783	351	48 -8M0065296	776
32 -8M0061293	72	48 -8M0065413	776
8M0061334	464	79 -8M0065962	389
8M0061335	248, 249	79 -8M0065963	389
8M0061384	213	79 -8M0065970	389
8M0061875	308, 312, 313, 315, 317, 319, 321, 323, 326	79 -8M0065971	389
8M0061876	308, 312, 313, 315, 317, 319, 321, 323, 326	79 -8M0065972	389
32 -8M0061887	307, 312	79 -8M0065973	390
32 -8M0061896	307, 312	79 -8M0065974	390
32 -8M0061899	307, 312	79 -8M0065975	390
8M0061986	878	79 -8M0065976	390
8M0062051	146, 148, 150	79 -8M0065977	390
8M0062052	146, 148-150	79 -8M0065978	391
8M0062053	146, 148, 149	79 -8M0065979	390
8M0062054	149	79 -8M0065980	393
48 -8M0062239	789	79 -8M0065981	393
48 -8M0062240	789	79 -8M0065983	396
8M0062241	313, 473	79 -8M0065984	396
8M0062406	250	79 -8M0065985	396
48 -8M0062421	789	35 -8M0066483	251, 252, 281
8M0062583	475	84 -8M0066846	514
32 -8M0062693	52, 53, 338, 475, 476	8M0066847	514
48 -8M0063206	776	8M0066848	514

Part Number to Page Number Reference

35 -8M0067337	176, 251	48 -8M0071089	749, 766
35 -8M0067597	251	48 -8M0071090	749, 766
8M0068784	450	48 -8M0071091	749, 766
8M0068785	435, 439, 442, 445, 450	48 -8M0071092	749, 766
84 -8M0069106	522	48 -8M0071093	748, 766
79 -8M0069412	384	48 -8M0071094	748, 766
79 -8M0069415	385	48 -8M0071095	748, 766
79 -8M0069416	384	48 -8M0071096	748, 766
79 -8M0069417	391	48 -8M0071097	748, 766
79 -8M0069418	392	84 -8M0071357	520
79 -8M0069419	392	8M0071420	520
79 -8M0069422	395	8M0071493	520
79 -8M0069424	394	8M0071494	520
79 -8M0069426	386	8M0071505	493
79 -8M0069427	387	98 -8M0071598	536
79 -8M0069429	388	10 -8M0071653	344
79 -8M0069430	389	8M0071875	158
79 -8M0069431	394	8M0071877	158
79 -8M0069432	394	8M0071878	158
79 -8M0069433	392	8M0071880	158
79 -8M0069436	396	8M0071881	159
79 -8M0069437	395	8M0071884	158
79 -8M0069438	395	8M0071885	158
79 -8M0069459	393	8M0071886	159
79 -8M0069460	393	8M0071888	158
79 -8M0069461	393	8M0071889	158
79 -8M0069462	396	8M0071890	159
79 -8M0069463	396	48 -8M0071911	776
93 -8M0069639	924	91 -8M0072133	292
93 -8M0069640	924	84 -8M0072192	561
93 -8M0069642	924	8M0072341	584
93 -8M0069643	924	8M0072599	517
8M0069693	37, 39	8M0072610	34
8M0069711	525	8M0072744	224
48 -8M0070051	733	8M0072745	224
48 -8M0070052	733	1689-8M0072952	113
84 -8M0070053	517	1689-8M0072953	113
84 -8M0070055	517	8M0073037	613
84 -8M0070056	516	48 -8M0073456	753, 767
84 -8M0070058	516	48 -8M0073457	753, 767
84 -8M0070060	516, 518	48 -8M0073458	758, 769
84 -8M0070062	516	48 -8M0073459	758, 769
84 -8M0070063	517, 518	8M0073922	624
84 -8M0070064	517	8M0073923	624
84 -8M0070066	517	8M0073924	625
84 -8M0070068	517	8M0073925	625
84 -8M0070069	517	8M0073927	625
84 -8M0070070	517	8M0073928	625
84 -8M0070071	518, 519	84 -8M0074825	561
84 -8M0070072	518	48 -8M0074865	689, 743
48 -8M0070074	732, 809	48 -8M0074866	689, 743
48 -8M0070076	732	48 -8M0074867	689, 743
48 -8M0070077	732	48 -8M0074868	689, 743
48 -8M0070079	732, 809	48 -8M0074869	689, 743
8M0070410	231	48 -8M0074870	689, 743
8M0070435	517	48 -8M0074871	689, 743
48 -8M0071088	749, 765	48 -8M0074872	689, 743

Part Number to Page Number Reference

98 -8M0075237	464	77 -8M0078045	519
8M0075244	319, 321, 464	48 -8M0078088	867
8M0075245	306, 309, 319, 321, 324, 327, 331, 335, 464	48 -8M0078089	867
8M0075246	465	48 -8M0078090	867
8M0075402	871, 877	48 -8M0078091	867
77 -8M0075767	521	8M0078157	409, 546
77 -8M0075769	521	8M0078858	239, 240
77 -8M0075773	520	98 -8M0078873	512
77 -8M0075786	520	98 -8M0078875	512
77 -8M0075787	520	98 -8M0078876	512
77 -8M0075794	521	98 -8M0078877	512
77 -8M0075795	521	98 -8M0078883	512
77 -8M0075809	521	98 -8M0078884	512
77 -8M0075824	519	98 -8M0078885	512
77 -8M0075826	518, 519	8M0078892	586
77 -8M0075829	518, 519	8M0079198	122
77 -8M0075831	518	48 -8M0079236	743
77 -8M0075833	519	48 -8M0079237	743
77 -8M0075835	519	8M0079290	458
77 -8M0075836	519	8M0079291	459
77 -8M0075841	519	8M0079292	495
77 -8M0075842	519	8M0079348	374
77 -8M0075843	519	8M0079408	495
48 -8M0075896	776	8M0079499	339, 342, 346
48 -8M0075897	776	48 -8M0079504	732
84 -8M0075945	537	48 -8M0079692	746, 764
48 -8M0076180	789	48 -8M0079693	746, 764
48 -8M0076181	789	48 -8M0079694	746, 764
48 -8M0076406	789	48 -8M0079695	746, 764
48 -8M0076407	789	48 -8M0079696	746, 765
8M0076435	655	48 -8M0079698	746, 764
8M0076464	250	48 -8M0079699	746, 764
32 -8M0077079	496	48 -8M0079700	746, 764
32 -8M0077080	496	48 -8M0079701	746, 764
32 -8M0077081	496	48 -8M0079702	746, 764
32 -8M0077082	496, 497, 614, 618	48 -8M0079703	746, 764
32 -8M0077083	496, 497, 618	48 -8M0079704	746, 764
32 -8M0077084	496, 497, 614, 619	48 -8M0079705	746, 764
84 -8M0077124	536	48 -8M0079706	746, 765
84 -8M0077125	536	48 -8M0079707	746, 765
8M0077126	494	92 -8M0079743	286
8M0077129	494	92 -8M0079744	286
8M0077130	494	92 -8M0079745	286
8M0077133	494	84 -8M0079847	514
8M0077134	494	84 -8M0079849	515
8M0077135	494	84 -8M0079850	514
8M0077136	495	84 -8M0079851	514
8M0077137	495	79 -8M0079925	380
8M0077138	495	8M0079945	495
8M0077139	495	35 -8M0079962	81, 173
8M0077140	495	10 -8M0080049	657
8M0077699	623	37 -8M0080152	232
8M0077701	623	84 -8M0080191	514
87 -8M0077850	569	84 -8M0080192	514
77 -8M0078038	516	84 -8M0080193	515
77 -8M0078039	517	84 -8M0080194	515
77 -8M0078044	519	8M0080199	341

Part Number to Page Number Reference

8M0080201	341	8M0082506	479
8M0080432	483	8M0082507	479
8M0080433	483	8M0082508	479
8M0080434	483	8M0082526	314, 316, 317, 319, 480
8M0080435	483	8M0082527	480
8M0080436	483	8M0082528	480
8M0080437	483	8M0082529	480
8M0080438	483	8M0082530	480
8M0080439	483	8M0082531	480
8M0080440	483	8M0082532	480
8M0080441	483	8M0082533	480
8M0080442	483	8M0082534	480
8M0080443	483	8M0082535	480
8M0080444	483	8M0082536	480
8M0080445	483	8M0082537	480
8M0080446	483	8M0082538	480
8M0080447	483	8M0082539	480
8M0080448	483	8M0082540	480
84-8M0080787	515	8M0082541	480
48-8M0081238	805, 813	8M0082542	480
48-8M0081239	805, 813	8M0082543	480
48-8M0081418	790	8M0082544	480
1687-8M0081852	204	8M0082545	480
32-8M0082066	156, 157	8M0082546	480
35-8M0082290	82, 173	8M0082547	480
8M0082351	45, 330, 334	8M0082548	480
8M0082352	45, 308	8M0082549	480
8M0082353	45, 313, 606	8M0082550	480
8M0082354	45, 327	8M0082551	480
8M0082355	45, 46, 338, 606	8M0082552	480
8M0082479	479	8M0082553	314, 316, 317, 319, 480
8M0082480	479	8M0082554	480
8M0082481	479	8M0082555	480
8M0082482	479	8M0082556	480
8M0082483	479	8M0082557	480
8M0082484	479	8M0082558	480
8M0082485	479	8M0082575	217, 483
8M0082486	479	8M0082576	217, 483
8M0082487	479	8M0082577	217, 483
8M0082488	479	8M0082578	217, 484
8M0082489	479	8M0082579	217, 484
8M0082490	479	8M0082580	217, 484
8M0082491	479	8M0082581	217, 484
8M0082492	479	8M0082582	217, 484
8M0082493	479	8M0082583	217, 484
8M0082494	479	8M0082584	217, 484
8M0082495	479	8M0082585	217, 484
8M0082496	479	8M0082586	217, 484
8M0082497	479	8M0082587	217, 484
8M0082498	479	8M0082588	217, 484
8M0082499	479	8M0082589	217, 484
8M0082500	479	8M0082590	217, 484
8M0082501	479	8M0082591	217, 484
8M0082502	479	8M0082592	217, 484
8M0082503	479	8M0082593	217, 484
8M0082504	479	8M0082594	217, 484
8M0082505	479	8M0082595	217, 484

Part Number to Page Number Reference

8M0082596	217, 484	93 -8M0085506	901
8M0082597	217, 484	8M0085615	461
8M0082598	217, 484	8M0085664	167, 168
8M0082599	217, 484	8M0085693	180
8M0082600	218, 484	88 -8M0085705	601
8M0082601	218, 484	8M0085733	465
8M0082602	218, 484	8M0085790	465
8M0082603	218, 484	8M0085794	126
8M0082604	218, 484	48 -8M0085857	780
8M0082605	218, 484	48 -8M0085858	780
8M0082606	218, 484	8M0085937	313, 481
8M0082607	218, 484	8M0085938	482
84 -8M0082859	536	8M0085939	482
35 -8M0082911	92, 237	8M0085940	481
8M0083288	652	8M0085941	481
1600-8M0083306	204	8M0085942	481
48 -8M0083389	780	8M0085943	482
48 -8M0083390	780	8M0085944	482
87 -8M0083437	46, 308, 313, 327, 338, 592, 607	8M0085945	481
87 -8M0083438	592	8M0085946	481
87 -8M0083439	419, 592	8M0085947	482
1200-8M0083449	71	8M0085949	481
1200-8M0083451	70, 308, 312, 323, 326, 330, 334, 337	8M0085950	482
1200-8M0083452	70, 308, 312, 323, 326, 330, 334, 337	8M0085951	481
8M0083500	606	8M0085952	481
8M0083666	306, 309, 319, 321, 324, 327, 331, 335	8M0085953	482
8M0083667	306, 309, 319, 321, 324, 327, 331, 335	8M0085954	482
8M0083860	321	8M0085956	481
85 -8M0084147	35, 597	8M0085957	482
1600-8M0084203	204	8M0085958	482
84 -8M0084296	513, 514	8M0085959	482
48 -8M0084491	685, 687, 691, 699, 700, 704, 705, 718, 726, 809, 818, 819	8M0085960	481
48 -8M0084493	685, 687, 691, 699, 700, 704, 705, 718, 726, 818, 819	8M0085961	482
48 -8M0084494	685, 687, 691, 697-700, 704-706, 712, 713, 718, 719, 726, 809, 818-820	8M0085962	482
48 -8M0084495	685, 687, 691, 697-700, 704-706, 712, 713, 718, 719, 726, 809, 818-820	8M0085963	313, 481
48 -8M0084496	685, 687, 691, 697-700, 704-706, 712, 713, 718, 719, 726, 809, 818-820	8M0085964	481
48 -8M0084497	685, 687, 691, 697, 699, 704-706, 712, 713, 717, 719, 726, 809, 818-820	8M0085966	482
8M0085107	480	8M0085967	482
8M0085108	481	8M0085968	482
8M0085109	481	8M0085969	482
8M0085110	481	8M0085970	482
8M0085111	481	8M0085971	482
8M0085112	481	8M0085972	482
8M0085113	481	8M0085973	482
8M0085114	481	8M0085974	482
8M0085115	481	8M0085975	482
8M0085116	481	8M0085976	482
8M0085117	481	8M0085977	482
8M0085121	481	8M0085978	482
8M0085122	481	8M0085979	483
8M0085123	481	8M0085980	483
8M0085124	481	8M0085981	483
8M0085125	481	8M0085982	483
		8M0085983	483
		8M0085984	483
		8M0085985	483
		8M0085986	483

Part Number to Page Number Reference

8M0085987	483	8M0089111	332, 538
8M0085988	483	8M0089492	519
8M0085989	483	8M0089494	519
8M0085990	483	8M0089495	519
8M0085991	483	8M0089496	519
92-8M0086220	267, 268	8M0089497	180
92-8M0086221	267, 268	8M0089504	145, 150
92-8M0086222	267, 268	77-8M0089513	518
92-8M0086223	267, 270	77-8M0089514	518
92-8M0086224	267, 270	77-8M0089515	519
92-8M0086225	267, 270	77-8M0089516	519
92-8M0086226	267, 270	92-8M0089690	279
92-8M0086227	267, 270	92-8M0089691	279
92-8M0086228	267, 271	92-8M0089692	279
22-8M0086290	74	8M0089715	247, 249
8M0086395	880	84-8M0089989	525
8M0086400	252	87-8M0090402	567
77-8M0086454	513	8M0090442	91, 334
77-8M0086455	513	8M0090447	332, 337, 419, 542
77-8M0086456	513	48-8M0090451	749, 765
77-8M0086459	513	48-8M0090453	749, 765
77-8M0086461	513	48-8M0090455	749, 765
77-8M0086462	513	48-8M0090457	749, 765
77-8M0086463	513	8M0090558	243
77-8M0086464	513	8M0090559	243
77-8M0086465	513	8M0090764	234
77-8M0086467	513	35-8M0090809	79, 237-241
77-8M0086469	513	8M0090819	236, 237
8M0086565	516, 518	8M0091534	100, 104, 236, 237, 334
8M0086566	516	8M0091565	493
8M0086567	516	8M0091581	519
8M0086774	645	48-8M0092002	752, 767
67-8M0087241	226	48-8M0092003	752, 767
67-8M0087242	226	48-8M0092004	752, 767
67-8M0087243	226	48-8M0092005	752, 767
67-8M0087244	226	48-8M0092006	752, 767
67-8M0087245	227	48-8M0092007	752, 767
67-8M0087246	227	48-8M0092008	752, 767
67-8M0087247	227	48-8M0092009	752, 767
67-8M0087248	228	48-8M0092010	752, 767
67-8M0087249	228	48-8M0092011	752, 767
67-8M0087250	228	48-8M0092012	752, 767
67-8M0087251	228	48-8M0092013	752, 767
67-8M0087252	228	8M0092022	19
67-8M0087253	228	48-8M0092608	780
67-8M0087254	228	48-8M0092609	780
67-8M0087255	229	8M0092849	575
57-8M0087881	247	8M0092851	575
8M0088039	883	8M0092854	575
79-8M0088771	385	8M0092927	210
93-8M0088786	901	48-8M0093360	779
8M0088792	517	48-8M0093361	779
32-8M0088822	475	8M0093480	251
35-8M0088825	235	57-8M0093495	251
32-8M0088855	332, 448	57-8M0093513	252
57-8M0088876	247, 249	8M0093561	251
64-8M0088973	617, 627	35-8M0093688	174, 248-250

Part Number to Page Number Reference

8M0094135	209	8M0098264	29-33, 307, 322, 328, 332, 451-454
8M0094136	209	8M0098273	32, 33, 451, 454, 455
8M0094232	243	8M0098561	169
8M0094233	244	8M0098562	169
84-8M0094239	595	8M0098892	133
84-8M0094269	588	8M0099084	622
8M0094529	236-238	8M0099085	622
48-8M0094553	772	8M0099090	622
48-8M0094554	772	8M0099091	622
22-8M0094865	127, 128	8M0099092	622
8M0095310	539	8M0099093	622
8M0095447	157	8M0099094	622
33-8M0095454	116, 119, 120, 247, 249	8M0099104	622
8M0095543	494	23-8M0099105	622
84-8M0095716	408, 418	8M0099152	513
84-8M0095826	408, 418	8M0099153	513
84-8M0095827	408, 418	8M0099154	513
84-8M0095828	408, 418	1600-8M0099218	114
8M0095832	132, 148, 150, 355	1600-8M0099221	114
8M0095833	132, 148, 150, 355	8M0099412	408
8M0095834	132, 148, 150, 355	8M0099429	250
48-8M0095886	732	48-8M0099430	780
48-8M0095887	732	48-8M0099431	780
48-8M0095888	732	8M0100069	548
48-8M0095889	732	48-8M0100104	748, 765
48-8M0095890	732	48-8M0100105	748, 765
92-8M0096256	267, 271	48-8M0100106	748, 765
8M0096314	345, 349, 619	48-8M0100107	747, 765
8M0096315	345, 349, 619	48-8M0100109	747, 765
8M0096316	345, 350, 619	48-8M0100110	748, 765
8M0096317	345, 350, 619	48-8M0100111	748, 765
8M0096319	345, 350, 619	48-8M0100112	748, 765
8M0096320	346, 350, 619	48-8M0100496	782
8M0096321	346, 350, 619	48-8M0100497	782
8M0096322	346, 350, 619	48-8M0100498	782
8M0096323	346, 350, 619	48-8M0100499	782
8M0096324	346, 350, 619	8M0100517	180
8M0096701	145, 150	47-8M0100527	250
92-8M0096727	271	8M0101387	167
92-8M0096794	279	48-8M0101559	779
92-8M0096795	279	48-8M0101560	779
8M0097129	51	8M0101601	873
91-8M0097143	210	8M0101602	873
8M0097267	346, 350, 619	8M0101603	871
8M0097268	346, 350, 619	8M0101604	871
67-8M0097351	226	84-8M0101640	546
67-8M0097352	227	84-8M0101641	546
67-8M0097353	227	84-8M0101642	546
57-8M0097728	247, 249	84-8M0101643	546
8M0097838	81	84-8M0101644	546
8M0097850	621	8M0101650	546
8M0097854	243	48-8M0102348	779
8M0097855	243	48-8M0102349	779
8M0097856	243	22-8M0102849	177
8M0097857	243	8M0103315	542
8M0097858	244	8M0103449	466
8M0097859	244	8M0103451	467

Part Number to Page Number Reference

8M0103454	467	84 -8M0105264	83
48 -8M0103516	800, 805, 809, 812, 817, 819-821, 823-826, 830, 836	8M0105518	547
48 -8M0103517	800, 805, 809, 812, 817, 819-821, 823-825, 827, 830, 836	35 -8M0105781	252
48 -8M0103518	800, 805, 809, 812, 817, 819-821, 823-825, 827, 830, 836	35 -8M0106015	252
48 -8M0103519	800, 805, 809, 812, 817, 819-821, 823-825, 827, 831, 836	35 -8M0106058	252
48 -8M0103520	800, 805, 809, 812, 817, 819-821, 823, 824, 826, 827, 831, 836	8M0106193	252
48 -8M0103521	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	35 -8M0106323	252
48 -8M0103522	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	35 -8M0106324	252
48 -8M0103523	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	8M0106368	252
48 -8M0103524	836	48 -8M0106504	779
48 -8M0103525	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	48 -8M0106505	779
48 -8M0103526	800, 805, 809, 812, 818-821, 823, 826, 827, 831, 836	48 -8M0106543	751, 766
48 -8M0103527	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	48 -8M0106544	751, 766
48 -8M0103528	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	48 -8M0106545	751, 766
48 -8M0103529	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	48 -8M0106546	751, 766
48 -8M0103530	800, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	48 -8M0106547	751, 766
48 -8M0103531	801, 805, 809, 812, 818-821, 823, 824, 826, 827, 831, 836	48 -8M0106548	751, 766
48 -8M0103532	800, 805, 809, 812, 819-821, 823, 824, 827, 831, 836	35 -8M0106635	83, 240, 348
48 -8M0103533	801, 805, 810, 812, 818-821, 823, 824, 826, 827, 831, 836	48 -8M0106640	774
48 -8M0103650	772	48 -8M0106641	774
48 -8M0103651	772	48 -8M0106643	774
98 -8M0103686	84	98 -8M0106961	169
8M0103837	41, 47	98 -8M0106963	169
8M0103839	41, 46	8M0107056	521
8M0103840	41, 46	8M0107220	874
35 -8M0103963	175	97 -8M0107546	96, 236
8M0103982	122	97 -8M0107548	96, 236, 237
8M0104197	41, 47	97 -8M0107550	97
8M0104198	41, 47	48 -8M0107948	779
47 -8M0104229	246-250	48 -8M0107949	779
48 -8M0104250	772	94 -8M0107970	900
48 -8M0104251	772	48 -8M0108350	750, 766
48 -8M0104252	776	48 -8M0108351	750, 766
48 -8M0104253	776	48 -8M0108352	750, 766
48 -8M0104417	748, 766	48 -8M0108353	750, 766
48 -8M0104418	748, 766	48 -8M0108354	750, 766
48 -8M0104419	748, 766	48 -8M0108357	750, 766
48 -8M0104420	748, 766	48 -8M0108441	780
48 -8M0104716	779	48 -8M0108442	780
48 -8M0104717	779	23 -8M0108472	879
8M0105087	55, 61, 338	53 -8M0108475	880
8M0105089	55, 60, 61, 334	67 -8M0108695	229
8M0105090	55, 60, 61, 334	67 -8M0108696	229
11 -8M0105210	886	8M0108999	495
84 -8M0105263	83	8M0109000	495
		8M0109049	129, 207
		8M0109050	129, 207
		48 -8M0109051	779
		48 -8M0109052	779
		98 -8M0109256	130
		67 -8M0109257	223
		84 -8M0109294	522
		84 -8M0109337	523
		84 -8M0109408	589
		77 -8M0109482	510
		48 -8M0109490	774
		48 -8M0109491	774

Part Number to Page Number Reference

48 -8M0109500	776	48 -8M0112983	746, 764
48 -8M0109501	776	48 -8M0112984	746, 764
8M0109505	583	48 -8M0112985	746, 764
8M0109506	584	48 -8M0112986	746, 764
8M0109507	583	48 -8M0112987	746, 764
8M0109508	583	48 -8M0112988	746, 764
8M0109543	80, 333, 337	48 -8M0112989	746, 764
8M0109720	530	48 -8M0112990	746, 765
8M0109722	530	48 -8M0113150	733
8M0109742	418	8M0113313	177
11 -8M0109756	62	8M0113442	528
48 -8M0110303	750, 766	8M0113483	243
48 -8M0110304	750, 766	35 -8M0113498	81, 340
67 -8M0110408	226	84 -8M0113732	344, 348, 559
67 -8M0110409	227	46 -8M0113799	237
67 -8M0110410	227	46 -8M0113801	236
8M0110639	372	48 -8M0113928	750, 766
8M0110641	372	48 -8M0113929	750, 766
8M0110642	544	48 -8M0113930	750, 766
8M0110643	311, 326, 329, 333, 336, 340, 343, 347, 353, 371	48 -8M0113931	750, 766
8M0110644	373	48 -8M0113932	750, 766
8M0110646	311, 326, 329, 333, 336, 340, 343, 347, 353, 371	48 -8M0113933	750, 766
8M0110649	373	48 -8M0113934	750, 766
57 -8M0110926	252	48 -8M0113935	750, 766
48 -8M0111147	748, 765	48 -8M0113936	750, 766
48 -8M0111148	748, 765	48 -8M0113937	750, 766
48 -8M0111149	748, 765	48 -8M0113938	750, 766
48 -8M0111150	748, 765	48 -8M0113939	750, 766
48 -8M0111151	747, 765	48 -8M0113940	750, 766
8M0111459	525	48 -8M0113941	750, 766
8M0111476	213	48 -8M0113942	750, 766
8M0111544	527	48 -8M0113943	750, 766
8M0111545	527	48 -8M0113944	750, 766
8M0111546	528	48 -8M0113945	750, 766
8M0111547	528	48 -8M0113946	750, 766
8M0111550	527	48 -8M0113947	750, 766
8M0111552	528	48 -8M0113948	750, 766
8M0111553	528	48 -8M0113949	750, 766
8M0111554	527	48 -8M0113950	750, 766
84 -8M0111668	373	48 -8M0113951	750, 766
84 -8M0111669	373	48 -8M0113952	750, 766
84 -8M0111670	373	48 -8M0113953	749, 766
93 -8M0111823	926	48 -8M0113954	749, 766
8M0111837	530	48 -8M0113955	749, 766
84 -8M0111860	225	48 -8M0113956	749, 766
8M0112041	530	48 -8M0113957	749, 766
97 -8M0112332	252, 253	48 -8M0113958	749, 766
48 -8M0112359	780	48 -8M0113959	749, 766
48 -8M0112360	780	84 -8M0114012	544
48 -8M0112362	774	48 -8M0114407	732
48 -8M0112363	774	48 -8M0114408	732
98 -8M0112577	152, 159, 160	48 -8M0114409	732
98 -8M0112578	155, 159	48 -8M0114410	732
98 -8M0112579	155, 160	84 -8M0114502	530
98 -8M0112580	155, 160	35 -8M0114618	81, 344
48 -8M0112981	746, 764	33 -8M0114737	5, 12, 17
48 -8M0112982	746, 764	33 -8M0114739	5, 13-18

Part Number to Page Number Reference

33 -8M0114741	18	48 -8M0118003	753, 768
33 -8M0114743	5, 12	48 -8M0118004	753, 767
33 -8M0114744	12, 13	48 -8M0118005	753, 767
33 -8M0114746	5, 13	48 -8M0118006	753, 767
33 -8M0114747	116, 121, 122, 250	48 -8M0118007	753, 767
8M0114782	469	48 -8M0118008	753, 767
91 -8M0114829	657	48 -8M0118009	753, 767
91 -8M0114831	656	48 -8M0118010	753, 767
91 -8M0114832	656	48 -8M0118011	753, 767
91 -8M0114833	657	48 -8M0118012	753, 767
8M0114877	213	48 -8M0118013	753, 767
8M0114911	652	48 -8M0118014	753, 767
8M0114912	653	48 -8M0118015	753, 767
27 -8M0115016	767	48 -8M0118016	753
84 -8M0115080	311, 326, 329, 333, 336, 340, 343, 347, 353	48 -8M0118017	753, 767
8M0115487	492	98 -8M0118064	152, 157
8M0115490	492	8M0118141	611
84 -8M0115495	494	84 -8M0118364	514
35 -8M0116378	277	84 -8M0118368	523
97 -8M0116589	97	48 -8M0118468	748, 765
35 -8M0116793	81	48 -8M0118469	749, 765
8M0117114	584	48 -8M0118470	748, 765
8M0117116	584	48 -8M0118471	749, 765
98 -8M0117124	130, 354	8M0118725	334, 452, 590
98 -8M0117125	130, 139, 146, 149, 354	8M0118806	493
87 -8M0117136	567	8M0118808	493
87 -8M0117137	567	48 -8M0119052	750, 766
87 -8M0117138	567	48 -8M0119053	750, 766
87 -8M0117139	567	48 -8M0119055	750, 766
87 -8M0117140	568	48 -8M0119056	750, 766
8M0117143	492	48 -8M0119057	750, 766
92 -8M0117687	284	48 -8M0119058	750, 766
98 -8M0117938	165	8M0119081	872, 876
98 -8M0117939	165	8M0119082	872, 876
98 -8M0117940	165	8M0119083	872, 876
98 -8M0117941	165	22 -8M0119308	126, 128
48 -8M0117982	754, 768	8M0119309	152, 157
48 -8M0117983	754, 768	48 -8M0119331	772
48 -8M0117984	754, 768	48 -8M0119332	772
48 -8M0117985	754, 768	79 -8M0119406	311, 325, 329, 332, 336, 340, 343, 347, 353, 398
48 -8M0117986	754, 768	91 -8M0119480	655
48 -8M0117987	754, 768	92 -8M0119689	301
48 -8M0117988	754, 768	98 -8M0120321	167, 168
48 -8M0117989	754, 768	8M0120346	447
48 -8M0117990	754, 768	8M0120657	240, 244
48 -8M0117991	754, 768	8M0120836	234, 242
48 -8M0117992	754, 768	8M0120837	234, 242
48 -8M0117993	754, 768	8M0120838	242
48 -8M0117994	753, 768	8M0120839	242
48 -8M0117995	753, 768	8M0120867	234, 242
48 -8M0117996	753, 768	77 -8M0121241	502
48 -8M0117997	753, 768	8M0121245	214
48 -8M0117998	753, 768	8M0121246	213
48 -8M0117999	753, 768	8M0121253	214
48 -8M0118000	753, 768	8M0121295	604
48 -8M0118001	753, 768	8M0121296	604
48 -8M0118002	753, 768	8M0121297	604

Part Number to Page Number Reference

8M0121300	605	48 8M0123412	822, 833
48 8M0121589	747, 765	79 8M0123434	541
48 8M0121590	747, 765	98 8M0123588	152, 159, 160
48 8M0121591	747, 765	98 8M0123590	155, 159
48 8M0121592	747, 765	98 8M0123592	155, 160
48 8M0121593	747, 765	98 8M0123593	155, 160
48 8M0121594	747, 765	98 8M0124068	139
48 8M0121595	747, 765	98 8M0124069	139
48 8M0121596	747, 765	64 8M0124205	628
48 8M0121597	747, 765	64 8M0124208	629
48 8M0121598	747, 765	8M0124227	250
48 8M0121599	747, 765	8M0124387	457
48 8M0121600	747, 765	8M0124495	311, 326, 329, 333, 336, 340, 343, 347, 353, 371
48 8M0121601	747, 765	8M0124496	311, 326, 329, 333, 336, 340, 343, 347, 353, 371
48 8M0121602	747, 765	8M0124497	373
48 8M0121603	747, 765	8M0124498	311, 326, 329, 333, 336, 340, 343, 347, 353, 371
48 8M0121604	747, 765	98 8M0124634	166, 168, 355
92 8M0121914	270	48 8M0125095	732
92 8M0121960	288, 289	48 8M0125096	732
92 8M0121963	288	48 8M0125097	732
92 8M0121966	293, 900	48 8M0125098	732
92 8M0121969	286	48 8M0125099	732
92 8M0121972	283	48 8M0125100	732
98 8M0122010	179	48 8M0125101	732
46 8M0122064	234, 235	48 8M0125102	732
8M0122079	126	22 8M0125175	75, 175
35 8M0122423	79, 237-240, 247, 249, 307, 312, 340, 344	91 8M0125730	657
79 8M0122502	541	48 8M0125738	758, 769
79 8M0122503	539	48 8M0125739	758, 769
79 8M0122505	540	48 8M0125740	758, 769
79 8M0122506	540	48 8M0125741	758, 769
79 8M0122507	540	48 8M0125742	758, 769
84 8M0122618	538	48 8M0125743	758, 769
84 8M0122619	538	48 8M0125744	758, 769
8M0122660	345, 349	48 8M0125745	758, 769
8M0122662	341	48 8M0125746	758, 769
8M0122663	345, 349	48 8M0125747	758, 769
46 8M0122666	154, 157	84 8M0125748	565
84 8M0122787	538	84 8M0125749	565
79 8M0122881	540	84 8M0125750	565
79 8M0122888	540	84 8M0125751	565
8M0123001	209	84 8M0125752	565
35 8M0123025	93, 240, 348	84 8M0125753	565
98 8M0123083	164, 356	84 8M0125754	565
48 8M0123399	822, 833	84 8M0125755	565
48 8M0123400	822, 833	84 8M0125756	565
48 8M0123401	822, 833	84 8M0125880	495
48 8M0123402	822, 833	35 8M0126144	83, 240, 348
48 8M0123403	822, 833	48 8M0126236	747, 765
48 8M0123404	822, 833	48 8M0126237	747, 765
48 8M0123405	822, 833	97 8M0126670	97
48 8M0123406	822, 833	67 8M0126685	582
48 8M0123407	822, 833	67 8M0126686	582
48 8M0123408	822, 833	8M0126959	555
48 8M0123409	822, 833	8M0126960	555
48 8M0123410	822, 833	84 8M0127018	558
48 8M0123411	822, 833	48 8M0127026	732

Part Number to Page Number Reference

48 -8M0127027	702, 732	88 -8M0129528	600
48 -8M0127028	732	88 -8M0129529	601
48 -8M0127029	702, 732	88 -8M0129530	601
48 -8M0127030	732	88 -8M0129531	601
48 -8M0127031	702, 732	88 -8M0129533	600
48 -8M0127032	733	88 -8M0129534	600
48 -8M0127033	702, 733	88 -8M0129535	600
48 -8M0127034	733	8M0129543	311, 326, 329, 333, 336, 340, 343, 347, 353, 370
48 -8M0127035	702, 733	8M0129544	373
48 -8M0127036	733	8M0129545	311, 326, 329, 333, 336, 340, 343, 347, 353, 370
48 -8M0127037	702, 733	88 -8M0129562	600
48 -8M0127038	714, 733	57 -8M0129918	251
48 -8M0127039	702, 733	91 -8M0130705	658
48 -8M0127040	732	8M0130835	244
48 -8M0127041	732	88 -8M0130941	600
48 -8M0127042	732	48 -8M0131144	754, 768
48 -8M0127043	732	48 -8M0131145	754, 768
48 -8M0127044	732	48 -8M0131146	754, 768
48 -8M0127045	732	48 -8M0131147	754, 768
48 -8M0127046	732	48 -8M0131148	754, 768
48 -8M0127047	732	48 -8M0131149	754, 768
48 -8M0127048	732	48 -8M0131150	754, 768
48 -8M0127049	732	48 -8M0131151	754, 768
48 -8M0127050	732	48 -8M0131152	754, 768
48 -8M0127051	732	48 -8M0131153	753, 768
48 -8M0127052	732	48 -8M0131154	753, 768
48 -8M0127053	732	48 -8M0131155	753, 768
98 -8M0127351	645	48 -8M0131156	753, 768
84 -8M0127681	559	48 -8M0131157	753, 768
84 -8M0127682	344, 348, 559	48 -8M0131158	753, 768
94 -8M0128091	900	48 -8M0131159	753, 768
48 -8M0128332	749, 766	48 -8M0131160	753, 767
48 -8M0128333	749, 766	48 -8M0131161	753, 767
48 -8M0128334	749, 766	48 -8M0131162	753, 767
48 -8M0128335	748, 766	48 -8M0131163	753, 767
8M0128829	54	48 -8M0131164	753, 767
48 -8M0129046	747, 765	48 -8M0131165	753, 767
48 -8M0129048	747, 765	48 -8M0131166	753, 767
48 -8M0129049	747, 765	48 -8M0131167	753, 767
91 -8M0129072	899	22 -8M0131184	499
91 -8M0129074	899	8M0131240	871, 890
8M0129098	198	8M0131497	252
33 -8M0129146	116, 121, 249	35 -8M0131725	253
48 -8M0129147	752, 767	35 -8M0131726	252
48 -8M0129148	752, 767	10 -8M0131814	62, 64
48 -8M0129149	752, 767	92 -8M0132061	297
48 -8M0129397	749, 766	88 -8M0133062	600
8M0129437	528	8M0133237	458, 500
8M0129438	529	8M0133240	459, 501
8M0129439	529	8M0133242	459, 501
8M0129440	529	8M0133243	459, 501
8M0129442	529	8M0133244	460, 501
8M0129456	529	8M0133245	460, 501
8M0129457	529	8M0133246	460, 501
8M0129458	530	8M0133247	460, 502
8M0129513	611	84 -8M0133385	544
8M0129527	611	8M0133439	371

Part Number to Page Number Reference

84 -8M0133542	35	79 -8M0135631	381
8M0133617	240, 244	79 -8M0135632	311, 325, 329, 333, 337, 339, 343, 347, 353
92 -8M0133898	301	79 -8M0135633	311, 325, 329, 333, 337, 339, 343, 347, 353
92 -8M0133902	293, 900	79 -8M0135634	311, 325, 329, 333, 337, 339, 343, 347, 353, 379
92 -8M0133904	293, 901	79 -8M0135638	379
92 -8M0133908	297	79 -8M0135641	311, 325, 329, 333, 337, 339, 343, 347, 353, 381
92 -8M0133910	296	79 -8M0135644	382
92 -8M0133915	296	79 -8M0135645	311, 326, 329, 333, 337, 339, 343, 347, 353, 382
92 -8M0133917	296	79 -8M0135646	382
92 -8M0133919	296	79 -8M0135648	311, 326, 329, 333, 337, 339, 343, 347, 353
92 -8M0133921	296	79 -8M0135649	311, 326, 329, 333, 337, 340, 343, 347, 353
92 -8M0133927	296	79 -8M0135651	382
92 -8M0133931	297, 901	79 -8M0135654	382
92 -8M0133933	297	79 -8M0135655	382
92 -8M0133935	297	79 -8M0135656	381
92 -8M0133937	297	79 -8M0135657	381
92 -8M0133939	283	79 -8M0135658	329, 380
92 -8M0133941	283	79 -8M0135659	379
92 -8M0133951	299, 612	79 -8M0135688	311, 325, 329, 333, 337, 339, 343, 347, 353
92 -8M0133953	263	47 -8M0135803	235
92 -8M0133957	298	46 -8M0135821	235
92 -8M0133959	301	91 -8M0135998	95, 181
92 -8M0133963	284	67 -8M0136134	227
92 -8M0133977	282	67 -8M0136136	229
92 -8M0133979	282	67 -8M0136137	229
92 -8M0133981	301	67 -8M0136144	229
92 -8M0133983	285	84 -8M0136941	36
92 -8M0133985	294	84 -8M0136942	35
92 -8M0133987	294	84 -8M0137199	538
92 -8M0133989	294	98 -8M0137212	154, 157
92 -8M0133991	294	8M0137439	609
92 -8M0133993	261, 263	8M0137442	609
92 -8M0133995	291	8M0137445	608
92 -8M0133997	291	8M0137447	608
8M0133999	297	8M0137449	608
92 -8M0134001	297	8M0137451	608
92 -8M0134003	284	8M0137453	609
8M0134374	648	8M0137456	608, 609
35 -8M0134466	234, 235	8M0137459	609
8M0134605	595	8M0137461	609
8M0134606	595, 613	97 -8M0137814	100, 105, 240, 349
8M0134609	45, 51, 341	8M0137842	24
8M0134611	630	8M0137846	37
35 -8M0135210	176, 251	8M0137849	19, 235
33 -8M0135348	12, 241, 348	8M0137852	54
35 -8M0135386	83, 348	8M0137854	41
79 -8M0135536	311, 325, 329, 332, 336, 340, 343, 347, 352, 397	48 -8M0137906	732
79 -8M0135617	311, 325, 329, 332, 336, 340, 343, 347, 353, 397	48 -8M0137907	732
79 -8M0135618	311, 325, 329, 332, 336, 340, 343, 347, 353, 397	48 -8M0137924	702, 732
79 -8M0135619	311, 325, 329, 332, 336, 340, 343, 347, 353, 398	48 -8M0137925	732
79 -8M0135624	379	84 -8M0138268	544
79 -8M0135625	380	91 -8M0138402	655
79 -8M0135626	311, 326, 333, 337, 339, 343, 347, 353	84 -8M0138593	532, 549
79 -8M0135627	379	84 -8M0138676	341, 345, 349, 612
79 -8M0135628	379	84 -8M0138677	341, 345, 349, 612
79 -8M0135629	381	84 -8M0138678	341, 345, 349, 612
79 -8M0135630	381	35 -8M0138697	278

Part Number to Page Number Reference

8M0138978	584	8M0142787	56
8M0138979	252	47 - 8M0142980	241, 349
48 - 8M0139055	759, 769	8M0143217	32, 33
48 - 8M0139056	759, 769	8M0143358	606
8M0139419	574	8M0143359	537
8M0139420	574	48 - 8M0144040	752, 767
8M0139434	235	48 - 8M0144042	752, 767
84 - 8M0139671	520	48 - 8M0144044	752, 767
46 - 8M0139983	154, 157, 158, 160, 161	48 - 8M0144046	752, 767
48 - 8M0140247	759, 769	8M0144227	458, 500
48 - 8M0140248	759, 769	8M0144280	212
93 - 8M0140357	901	56 - 8M0144608	35, 601
48 - 8M0140854	758, 769	84 - 8M0144917	611
48 - 8M0140855	758, 769	84 - 8M0144923	611
35 - 8M0140873	252	84 - 8M0144924	612
98 - 8M0140877	51	8M0145165	349, 448, 537
8M0141864	372	35 - 8M0145281	252
8M0141907	606	84 - 8M0145987	547, 552
8M0141911	622	35 - 8M0146203	80
8M0141995	212	35 - 8M0146206	80
8M0142084	879	8M0146217	356, 647
48 - 8M0142097	747, 765	8M0146246	617
48 - 8M0142098	747, 765	8M0146247	497, 619
48 - 8M0142099	747, 765	84 - 8M0146321	537
48 - 8M0142100	747, 765	84 - 8M0146742	554
48 - 8M0142101	747, 765	84 - 8M0146743	554
48 - 8M0142102	747, 765	84 - 8M0146744	554
48 - 8M0142103	747, 765	84 - 8M0146745	554
48 - 8M0142104	747, 765	84 - 8M0146746	554
48 - 8M0142105	747, 765	84 - 8M0146747	555
48 - 8M0142106	747, 765	84 - 8M0146748	555
48 - 8M0142107	747, 765	84 - 8M0146749	554, 555
48 - 8M0142110	750, 766	84 - 8M0146750	555
48 - 8M0142111	750, 766	84 - 8M0146751	555
48 - 8M0142112	750, 766	84 - 8M0146752	555
48 - 8M0142113	750, 766	84 - 8M0146753	555
48 - 8M0142114	750, 766	84 - 8M0146754	555
48 - 8M0142115	750, 766	84 - 8M0146755	555
48 - 8M0142116	750, 766	84 - 8M0146756	555
48 - 8M0142117	750, 766	84 - 8M0146757	555
48 - 8M0142118	750, 766	84 - 8M0146758	555
100 - 8M0142205	111	84 - 8M0146759	555
100 - 8M0142206	111	8M0147011	617
100 - 8M0142207	111	8M0147046	56
100 - 8M0142208	111	8M0147047	55
100 - 8M0142209	111	8M0147048	254
100 - 8M0142210	111	8M0147049	254
100 - 8M0142211	111	8M0147050	254
100 - 8M0142212	111	8M0147051	254
100 - 8M0142213	112	8M0147052	255
100 - 8M0142214	112	8M0147053	255
100 - 8M0142215	112	8M0147054	256
100 - 8M0142216	112	8M0147055	256
57 - 8M0142251	241, 348	8M0147056	256
8M0142265	94, 348, 537	8M0147057	256
71 - 8M0142696	537	8M0147058	257
8M0142779	55	8M0147061	254

Part Number to Page Number Reference

8M0147062	254	32 8M0150604	496, 614, 617
8M0147063	254	32 8M0150605	496, 617
8M0147064	254	32 8M0150606	496, 614, 617
8M0147065	255	32 8M0150607	496, 614, 617
8M0147066	255	32 8M0150608	496, 614, 617
8M0147067	255	32 8M0150610	496, 614, 617
8M0147068	255	32 8M0150612	496, 617
8M0147069	255	32 8M0150613	496, 614, 617
8M0147070	255	32 8M0150614	496, 618
8M0147071	256	32 8M0150615	496, 614, 618
8M0147072	256	32 8M0150616	496, 614, 618
8M0147073	256	32 8M0150617	496, 614, 618
8M0147074	256	32 8M0150618	497, 614, 618
8M0147075	257	32 8M0150619	497, 614, 618
8M0147076	257	32 8M0150620	497, 614, 618
91 8M0147078	348, 657	32 8M0150621	497, 618
48 8M0147732	759, 769	32 8M0150622	497, 618
48 8M0147733	758, 769	32 8M0150623	497, 618
8M0147933	224	32 8M0150624	497, 618
32 8M0148099	614	8M0150735	378
8M0148159	611	8M0150736	378
48 8M0148161	759, 769	8M0150737	378
48 8M0148162	759, 769	35 8M0150911	175
48 8M0148163	759, 769	35 8M0150917	280
48 8M0148164	759, 769	57 8M0151040	236
57 8M0148883	251	47 8M0151113	253
62 8M0148919	914	48 8M0151210	686, 687, 693, 732, 736
62 8M0148926	914	48 8M0151211	686, 687, 693, 732, 736
62 8M0148941	915	48 8M0151212	686, 687, 693, 732, 736
62 8M0148942	915	48 8M0151213	686, 687, 693, 732, 736
84 8M0149414	35	48 8M0151214	686, 687, 693, 732, 736
8M0149427	245	48 8M0151215	686, 687, 693, 732, 736
8M0149428	245	48 8M0151216	686, 687, 693, 732, 736
91 8M0149520	655	48 8M0151217	686, 687, 693, 732, 736
91 8M0149525	656	48 8M0151218	686, 687, 693, 732, 736
91 8M0149526	655	48 8M0151219	686, 687, 693, 732, 736
91 8M0149527	655	48 8M0151220	686, 687, 693, 732, 736
8M0149598	475	48 8M0151221	687, 693, 732, 736
35 8M0149607	79	48 8M0151224	685, 687, 692, 717, 732, 734
84 8M0149640	554	48 8M0151225	685, 687, 692, 699, 700, 704-706, 717, 732, 734
87 8M0149746	613	48 8M0151226	685, 687, 692, 702, 703, 717, 732, 734
10 8M0149747	61, 64	48 8M0151227	685, 687, 692, 699, 700, 702-706, 717, 732, 734
84 8M0149788	35	48 8M0151228	685, 687, 692, 702, 703, 717, 732, 734
84 8M0149789	35	48 8M0151229	685, 687, 692, 698, 700, 702-706, 717, 718, 732, 734
84 8M0149790	35	48 8M0151230	685, 687, 692, 702, 703, 715-717, 732, 734
8M0149838	595, 622	48 8M0151231	685, 687, 692, 695-698, 700, 702-706, 715-718, 732, 734
8M0149869	647	48 8M0151233	685, 687, 692, 695-698, 700-706, 715-718, 732, 734
8M0149929	244	48 8M0151234	685, 687, 692, 702, 703, 715-717, 732, 734
8M0149930	244	48 8M0151235	685, 687, 692, 695-698, 700-706, 715-718, 732, 734
8M0149931	245	48 8M0151237	685, 687, 692, 695-698, 700-706, 715-718, 732, 734
8M0149932	245	48 8M0151238	685, 687, 692, 702, 703, 715-717, 732, 734
8M0150151	873	48 8M0151239	685, 687, 692, 695-698, 700-706, 715-718, 732, 734
8M0150152	871	48 8M0151241	685, 687, 692, 695-698, 700-706, 715-718, 732, 734
92 8M0150218	285	48 8M0151242	685, 687, 692, 702, 703, 715-717, 732, 734
84 8M0150477	418	48 8M0151243	685, 687, 692, 695-698, 700-703, 705, 706, 715-718, 732, 734
84 8M0150478	418		
84 8M0150539	418		

Part Number to Page Number Reference

48-8M0151245	685, 687, 692, 695-698, 701-703, 705, 715-718, 732, 734	48-8M0151331	688, 733, 736
48-8M0151250	686, 688, 692, 702, 703, 714-716, 732, 734	48-8M0151332	688, 733, 736
48-8M0151251	686, 688, 692, 695, 702, 703, 714-716, 732, 734	48-8M0151333	688, 733, 736
48-8M0151252	686, 688, 692, 702, 703, 714-716, 732, 734	48-8M0151334	688, 733, 736
48-8M0151253	686, 688, 692, 695, 702, 703, 714-716, 732, 734	48-8M0151335	688, 733, 736
48-8M0151254	686, 688, 692, 702, 714-716, 732, 734	48-8M0151336	688, 733, 736
48-8M0151255	686, 688, 692, 695, 702, 713-716, 732, 734	48-8M0151337	688, 733, 737
48-8M0151256	685, 688, 692, 702, 714-716, 732, 734	48-8M0151338	688, 733, 737
48-8M0151257	685, 688, 692, 695, 702, 713-716, 732, 734	48-8M0151339	688, 733, 737
48-8M0151258	685, 688, 692, 702, 714-716, 732, 734	48-8M0151340	688, 733, 737
48-8M0151259	685, 692, 695, 702, 713-716, 732, 734	48-8M0151341	688, 733, 737
48-8M0151260	685, 688, 692, 702, 714-716, 732, 734	48-8M0151352	684, 728
48-8M0151261	685, 692, 695, 702, 713-716, 732, 734	48-8M0151353	684, 729
48-8M0151262	685, 687, 692, 702, 714-716, 732, 734	48-8M0151354	684, 729
48-8M0151263	685, 688, 692, 695, 702, 713-716, 732, 734	48-8M0151355	684, 729
48-8M0151270	686, 692, 710-713, 732, 735	48-8M0151356	684, 729
48-8M0151271	686, 692, 710-713, 732, 735	48-8M0151357	684, 729
48-8M0151272	686, 692, 710-713, 732, 735	48-8M0151358	684, 729
48-8M0151273	686, 692, 710-712, 732, 735	48-8M0151359	684, 729
48-8M0151274	686, 692, 710, 711, 732, 735	48-8M0151360	684, 691, 699, 706-709, 718-721, 733, 737
48-8M0151275	686, 692, 710, 711, 732, 735	48-8M0151361	684, 690, 698-701, 706-709, 713, 718-721, 733, 737
48-8M0151278	692, 710-712, 732, 736	48-8M0151362	684, 690, 698-701, 706-708, 713, 718-720, 733, 737
48-8M0151279	686, 692, 710-712, 732, 736	48-8M0151363	684, 690, 698-701, 706, 707, 713, 718, 719, 733, 737
48-8M0151280	686, 692, 710-712, 732, 736	48-8M0151364	684, 690, 698-701, 706, 707, 713, 718, 733, 737
48-8M0151281	686, 692, 710, 711, 732, 736	48-8M0151380	686, 692, 695-699, 712, 713, 717, 719, 733, 737
48-8M0151290	686, 687, 692, 732, 738	48-8M0151381	686, 692, 695-699, 712, 713, 717, 719, 733, 737
48-8M0151291	686, 687, 692, 732, 738	48-8M0151382	686, 692, 695-699, 712, 713, 717, 719, 733, 737
48-8M0151292	686, 687, 692, 732, 738	48-8M0151383	686, 692, 695-699, 711-713, 717, 718, 733, 737
48-8M0151301	686, 688, 692, 703, 704, 715-717, 732, 739	48-8M0151384	686, 692, 695, 696, 698, 699, 710-713, 717, 718, 733, 737
48-8M0151302	686, 688, 692, 703, 704, 714-717, 732, 739	48-8M0151385	686, 692, 698, 710-713, 717, 733, 737
48-8M0151303	686, 688, 692, 703, 704, 715-717, 732, 739	48-8M0151386	686, 692, 698, 710-712, 717, 733, 737
48-8M0151304	686, 688, 692, 703, 704, 714-717, 732, 739	48-8M0151387	686, 692, 710, 711, 733, 737
48-8M0151307	686, 688, 692, 703, 704, 715-717, 732, 739	48-8M0151388	686, 692, 710, 711, 733, 737
48-8M0151308	686, 688, 692, 703, 704, 714-717, 732, 739	48-8M0151389	685, 686, 691, 692, 733, 738
48-8M0151309	686, 688, 692, 703, 704, 715-717, 732, 739	48-8M0151390	685, 686, 691, 692, 733, 738
48-8M0151310	686, 688, 692, 703, 704, 714-717, 732, 739	48-8M0151391	684, 686, 691, 692, 733, 738
48-8M0151311	686, 688, 692, 704, 715-717, 732, 739	48-8M0151392	684, 686, 691, 692, 733, 738
48-8M0151312	686, 688, 692, 704, 714-717, 732, 739	48-8M0151393	684, 686, 691, 692, 733, 738
48-8M0151313	686, 688, 692, 704, 714, 732, 739	48-8M0151394	684, 686, 691, 692, 733, 738
48-8M0151314	686, 688, 693, 702-704, 714-716, 732, 735	48-8M0151395	684, 686, 691, 692, 733, 738
48-8M0151315	686, 688, 693, 695, 696, 702-704, 714-716, 732, 735	48-8M0151397	684, 691, 709, 733, 740
48-8M0151316	686, 688, 693, 702-704, 714-716, 732, 735	48-8M0151398	684, 691, 699-701, 706, 707, 709, 718, 719, 733, 740
48-8M0151317	686, 688, 693, 695, 696, 702-704, 714-716, 732, 735	48-8M0151399	684, 691, 699-701, 706, 707, 709, 718, 719, 733, 740
48-8M0151318	686, 688, 693, 702-704, 714-716, 732, 735	48-8M0151400	684, 691, 698-701, 706, 707, 718, 719, 733, 740
48-8M0151319	686, 688, 693, 695, 696, 702-704, 714-716, 732, 735	48-8M0151401	684, 691, 698-701, 706, 707, 718, 719, 733, 740
48-8M0151320	686, 688, 693, 702, 703, 714-716, 732, 735	48-8M0151402	684, 691, 698-701, 706, 707, 718, 719, 733, 740
48-8M0151321	686, 688, 693, 695, 696, 702, 703, 714-716, 732, 735	48-8M0151403	685, 687, 691, 733, 740
48-8M0151322	686, 688, 693, 702, 703, 714-716, 733, 735	48-8M0151404	685, 687, 691, 733, 740
48-8M0151323	686, 688, 693, 695, 696, 702, 703, 714-716, 733, 735	48-8M0151405	685, 687, 691, 700, 719, 733, 740
48-8M0151324	686, 688, 692, 702, 703, 714-716, 733, 735	48-8M0151406	685, 687, 691, 733, 740
48-8M0151325	686, 688, 692, 695, 696, 702, 703, 714-716, 733, 735	48-8M0151407	685, 687, 691, 700, 719, 740
48-8M0151326	686, 688, 692, 702, 703, 714-716, 733, 735	48-8M0151408	685, 687, 691, 700, 719, 733, 740
48-8M0151327	686, 688, 692, 695, 696, 702, 703, 714-716, 733, 735	8M0151469	242
48-8M0151328	686, 688, 692, 702, 703, 715, 716, 733, 735	8M0151470	242
48-8M0151329	686, 688, 692, 695, 696, 702, 703, 714-716, 733, 735	97-8M0151540	186
48-8M0151330	688, 733, 736	97-8M0151541	186, 189, 251

Part Number to Page Number Reference

98-8M0151554	607	48-8M0155025	688, 730, 821, 833
98-8M0151555	607	48-8M0155026	688, 730, 821, 833
98-8M0151556	607	48-8M0155027	688, 730, 821, 833
98-8M0151557	607	48-8M0155028	688, 730, 821, 833
98-8M0151558	607	48-8M0155029	688, 730, 821, 833
98-8M0151559	607	48-8M0155030	688, 730, 821, 833
98-8M0151560	606	98-8M0155341	544
98-8M0151561	606	48-8M0155383	760, 770
98-8M0151563	608	48-8M0155384	760, 770
98-8M0151564	606	48-8M0155385	760, 770
98-8M0151565	607	48-8M0155386	760, 770
98-8M0151566	608	8M0155395	234
84-8M0151976	36	48-8M0155573	759, 770
84-8M0151977	36	48-8M0155574	759, 770
84-8M0151978	36	48-8M0155575	760, 770
84-8M0151979	36	48-8M0155576	759, 770
48-8M0152522	732	48-8M0155582	759, 770
92-8M0152563	267, 268	48-8M0155583	759, 770
92-8M0152564	267, 268	84-8M0156168	617
92-8M0152565	267, 269	62-8M0156326	914
67-8M0152596	230	62-8M0156327	914
67-8M0152598	230	62-8M0156328	914
67-8M0152600	230	62-8M0156331	914
67-8M0152601	230	62-8M0156332	915
48-8M0152624	749, 766	48-8M0156434	754, 768
57-8M0153039	252	48-8M0156435	754
8M0153154	627	48-8M0156436	754, 768
84-8M0153356	354, 559	48-8M0156437	754, 768
8M0153486	144, 150	48-8M0156438	754
8M0153670	144, 150	48-8M0156439	754, 768
8M0153671	144, 150	48-8M0156440	754, 768
8M0153980	502	48-8M0156441	754, 768
8M0154660	79	48-8M0156444	754, 768
84-8M0154725	511, 602	48-8M0156445	754, 768
84-8M0154726	511, 602	48-8M0156446	754, 768
84-8M0154727	511, 602	48-8M0156447	754, 768
84-8M0154728	511, 602	48-8M0156448	754, 768
84-8M0154729	511, 602	48-8M0156449	754, 768
84-8M0154730	511, 602	48-8M0156450	754, 768
84-8M0154731	511, 602	48-8M0156451	754, 768
84-8M0154732	511, 603	48-8M0156454	754
84-8M0154733	511, 603	48-8M0156455	754, 768
84-8M0154734	511, 603	48-8M0156456	754, 768
84-8M0154735	511, 603	48-8M0156457	754, 768
84-8M0154736	511, 603	48-8M0156458	754, 768
84-8M0154737	511, 603	48-8M0156459	754, 768
84-8M0154738	511, 603	48-8M0156460	754, 768
84-8M0154740	511, 603	48-8M0156461	754, 768
84-8M0154744	511, 603	48-8M0156464	754, 768
84-8M0154745	511, 603	48-8M0156465	754, 768
84-8M0154746	511, 603	48-8M0156466	754, 768
48-8M0154967	759, 770	48-8M0156467	754, 768
48-8M0154968	759, 770	48-8M0156468	754, 768
48-8M0154969	760, 770	48-8M0156469	754, 768
48-8M0154970	760, 770	48-8M0156470	754, 768
48-8M0155023	688, 729, 821, 833	48-8M0156471	754, 768
48-8M0155024	688, 729, 821, 833	48-8M0156474	754, 768

Part Number to Page Number Reference

48 -8M0156475	754, 768	48 -8M0156546	755, 768
48 -8M0156476	754, 768	48 -8M0156547	755, 768
48 -8M0156477	754, 768	48 -8M0156548	755, 768
48 -8M0156478	754, 768	48 -8M0156549	755, 768
48 -8M0156479	754, 768	48 -8M0156550	755, 768
48 -8M0156480	754, 768	48 -8M0156551	755, 768
48 -8M0156481	754, 768	48 -8M0156787	760, 770
48 -8M0156484	754, 768	48 -8M0156788	760, 770
48 -8M0156485	754, 768	62 -8M0156990	914
48 -8M0156486	754, 768	62 -8M0156991	914
48 -8M0156487	755, 768	62 -8M0156992	914
48 -8M0156488	754, 768	84 -8M0157078	374
48 -8M0156489	755, 768	84 -8M0157080	374
48 -8M0156490	754, 768	35 -8M0157133	78, 234, 235
48 -8M0156491	755, 768	84 -8M0157213	506
48 -8M0156494	755, 768	84 -8M0157214	506
48 -8M0156495	755, 768	84 -8M0157215	506
48 -8M0156496	755, 768	84 -8M0157216	506
48 -8M0156497	755, 768	84 -8M0157217	507
48 -8M0156498	755, 768	84 -8M0157218	507
48 -8M0156499	755, 768	84 -8M0157219	507
48 -8M0156500	755, 768	84 -8M0157220	507
48 -8M0156501	755, 768	84 -8M0157222	507
48 -8M0156504	755, 768	33 -8M0157328	10-12, 237
48 -8M0156505	755, 768	87 -8M0157375	569
48 -8M0156506	755, 768	8M0157616	240
48 -8M0156507	755, 768	8M0157620	80
48 -8M0156508	755, 768	8M0157707	84
48 -8M0156509	755, 768	48 -8M0157711	760, 770
48 -8M0156510	755, 768	48 -8M0157712	760, 770
48 -8M0156511	755, 768	98 -8M0157716	502
48 -8M0156514	755, 768	8M0157779	82
48 -8M0156515	755, 768	48 -8M0157785	748, 766
48 -8M0156516	755, 768	48 -8M0157786	748, 766
48 -8M0156517	755, 768	48 -8M0157787	748, 766
48 -8M0156518	755, 768	48 -8M0157788	748, 766
48 -8M0156519	755, 768	8M0157844	225
48 -8M0156520	755, 768	84 -8M0158086	509
48 -8M0156521	755, 768	84 -8M0158087	509
48 -8M0156524	755, 768	84 -8M0158088	509
48 -8M0156525	755, 768	84 -8M0158089	509
48 -8M0156526	755, 768	84 -8M0158090	509
48 -8M0156527	755, 768	84 -8M0158127	589
48 -8M0156528	755, 768	8M0158400	605
48 -8M0156529	755, 768	98 -8M0158580	164
48 -8M0156530	755, 768	48 -8M0159338	761, 770
48 -8M0156531	755, 768	48 -8M0159339	761, 770
48 -8M0156534	755, 768	48 -8M0159340	761, 770
48 -8M0156535	755, 768	48 -8M0159341	761, 770
48 -8M0156536	755, 768	98 -8M0159447	605
48 -8M0156537	755, 768	98 -8M0159449	605
48 -8M0156538	755, 768	98 -8M0159451	605
48 -8M0156539	755, 768	98 -8M0159453	605
48 -8M0156540	755, 768	98 -8M0159456	605
48 -8M0156541	755, 768	98 -8M0159458	605
48 -8M0156544	755, 768	98 -8M0159460	605
48 -8M0156545	755, 768	84 -8M0159746	506

Part Number to Page Number Reference

84 -8M0159747	506	48 -8M0160112	761, 770
84 -8M0159748	506	48 -8M0160113	761, 770
84 -8M0159749	506	48 -8M0160114	761, 770
84 -8M0159751	508	48 -8M0160120	759, 770
84 -8M0159752	508	48 -8M0160121	759, 770
84 -8M0159753	508	48 -8M0160122	760, 770
84 -8M0159754	508	48 -8M0160123	760, 770
84 -8M0159755	508	48 -8M0160127	759, 770
84 -8M0159756	508	48 -8M0160128	759, 770
84 -8M0159758	508	48 -8M0160129	759, 770
84 -8M0159759	508	48 -8M0160130	759, 770
84 -8M0159760	508	48 -8M0160131	759, 770
84 -8M0159761	508	48 -8M0160132	759, 770
84 -8M0159763	509	8M0160146	168
84 -8M0159764	509	48 -8M0160483	761, 770
84 -8M0159765	509	48 -8M0160484	761, 770
84 -8M0159766	509	48 -8M0160485	761, 770
84 -8M0159767	509	48 -8M0160486	761, 770
84 -8M0159768	509	48 -8M0160487	761, 770
84 -8M0159769	509	48 -8M0160488	761, 770
48 -8M0159882	759, 770	48 -8M0160538	759, 770
48 -8M0159883	759, 770	48 -8M0160539	759, 770
48 -8M0159892	760, 770	48 -8M0160540	759, 770
48 -8M0159893	760, 770	48 -8M0160541	759, 770
48 -8M0159953	759, 770	48 -8M0160542	759, 770
48 -8M0159954	759, 770	48 -8M0160543	759, 770
48 -8M0159955	760, 770	48 -8M0160581	761, 770
48 -8M0159956	760, 770	48 -8M0160582	761, 770
48 -8M0159972	760, 770	48 -8M0160583	761, 770
48 -8M0159973	760, 770	48 -8M0160584	761, 770
48 -8M0159974	761, 770	48 -8M0160585	761, 770
48 -8M0159975	761, 770	48 -8M0160586	761, 770
48 -8M0159976	761, 770	48 -8M0160589	759, 770
48 -8M0159977	761, 770	48 -8M0160590	759, 770
48 -8M0159978	761, 770	48 -8M0160591	759, 770
48 -8M0159979	761, 770	48 -8M0160592	759, 770
48 -8M0160037	760, 770	48 -8M0160593	759, 770
48 -8M0160038	760, 770	48 -8M0160594	759, 770
48 -8M0160039	760, 770	48 -8M0160652	761, 770
48 -8M0160040	760, 770	48 -8M0160653	761, 770
48 -8M0160041	761, 770	48 -8M0160654	761, 770
48 -8M0160042	761, 770	48 -8M0160655	761, 770
48 -8M0160043	761, 770	48 -8M0160656	761, 770
48 -8M0160044	761, 770	48 -8M0160657	761, 770
48 -8M0160045	761, 770	48 -8M0160659	759, 770
48 -8M0160046	761, 770	48 -8M0160660	759, 770
48 -8M0160051	760, 770	48 -8M0160661	759, 770
48 -8M0160052	760, 770	48 -8M0160662	759, 770
48 -8M0160053	759, 770	48 -8M0160737	761, 770
48 -8M0160054	759, 770	48 -8M0160738	761, 770
48 -8M0160055	759, 770	48 -8M0160739	761, 770
48 -8M0160056	759, 770	48 -8M0160740	761, 770
48 -8M0160057	759, 770	48 -8M0160741	761, 770
48 -8M0160058	759, 770	48 -8M0160742	761, 770
48 -8M0160105	761, 770	48 -8M0160751	759, 770
48 -8M0160106	760, 770	48 -8M0160752	759, 770
48 -8M0160111	761, 770	48 -8M0160803	761, 770

Part Number to Page Number Reference

48 -8M0160804	761, 770	62 -8M0162899	914
48 -8M0160805	761, 770	62 -8M0162900	912
48 -8M0160806	761, 770	62 -8M0162901	912
48 -8M0160807	761, 770	62 -8M0162902	912
48 -8M0160808	761, 770	62 -8M0162903	912
48 -8M0160826	760, 770	62 -8M0162904	912
48 -8M0160827	760, 770	62 -8M0162905	912
48 -8M0160828	761, 770	62 -8M0162906	913
48 -8M0160829	761, 770	62 -8M0162907	913
48 -8M0160830	761, 770	62 -8M0162908	913
48 -8M0160831	761, 770	62 -8M0162909	913
48 -8M0160832	761, 770	8M0163132	245
48 -8M0160833	761, 770	22 -8M0163134	166
48 -8M0160834	761, 770	84 -8M0163378	588
48 -8M0160835	761, 770	84 -8M0163379	588
48 -8M0160836	761, 770	84 -8M0163380	589
48 -8M0160837	761, 770	84 -8M0163381	510
48 -8M0160850	759, 770	84 -8M0163382	510
48 -8M0160851	759, 770	84 -8M0163383	510
48 -8M0160852	761, 770	84 -8M0163384	510
48 -8M0160853	761, 770	84 -8M0163385	510
48 -8M0160854	761, 770	84 -8M0163386	510
48 -8M0160855	761, 770	48 -8M0163488	760, 770
48 -8M0160856	760, 770	48 -8M0163489	760, 770
48 -8M0160857	760, 770	48 -8M0163490	760, 770
48 -8M0160858	760, 770	48 -8M0163491	760, 770
48 -8M0160859	760, 770	48 -8M0163492	760, 770
48 -8M0160860	760, 770	48 -8M0163493	760, 770
48 -8M0160861	760, 770	48 -8M0163513	760, 770
62 -8M0161869	914	48 -8M0163514	760, 770
8M0161902	512	48 -8M0163515	760, 770
8M0161904	512	48 -8M0163516	760, 770
8M0161907	512	48 -8M0163517	760, 770
8M0161908	512	48 -8M0163518	760, 770
8M0161909	512	48 -8M0163521	760, 770
8M0162139	85, 241, 348	48 -8M0163522	760, 770
56 -8M0162160	63, 298	48 -8M0163523	760, 770
8M0162224	608	48 -8M0163524	760, 770
8M0162225	609	48 -8M0163525	760, 770
11 -8M0162394	581	48 -8M0163526	760, 770
8M0162395	581	8M0163798	197
35 -8M0162829	323, 327, 334	8M0163799	197
35 -8M0162830	92, 235-237, 272, 273, 323, 327	8M0163800	197
35 -8M0162832	92, 234, 235, 272, 273, 317, 319, 321	8M0163801	197
48 -8M0162875	751, 767	8M0163804	197
48 -8M0162876	751, 767	8M0163917	459, 500
48 -8M0162877	751, 767	98 -8M0164826	502
48 -8M0162878	751, 767	62 -8M0165061	914
48 -8M0162879	751, 767	62 -8M0165076	913
48 -8M0162880	751, 767	98 -8M0165540	507
48 -8M0162881	751, 767	98 -8M0165541	507
48 -8M0162882	751, 767	98 -8M0165544	506
48 -8M0162883	751, 767	98 -8M0165552	461
48 -8M0162884	751, 767	84 -8M0165555	532, 577
62 -8M0162896	914	98 -8M0165557	532, 577
62 -8M0162897	914	84 -8M0165559	588
62 -8M0162898	914	84 -8M0165564	510

Part Number to Page Number Reference

98 -8M0165589	399	48 -8M0167660	745, 764
98 -8M0165598	399	48 -8M0167661	745, 764
92 -8M0165791	268	48 -8M0167662	745, 764
92 -8M0165792	271	48 -8M0167664	745, 764
8M0166583	459, 500	48 -8M0167665	745, 764
8M0166584	459, 500	48 -8M0167666	745, 764
8M0166596	241	48 -8M0167667	745, 764
84 -8M0166624	534, 556	93 -8M0167677	302
48 -8M0166979	740	48 -8M0167697	745, 764
48 -8M0166980	740	48 -8M0167698	745, 764
48 -8M0166981	740	48 -8M0167699	745, 764
48 -8M0166982	740	48 -8M0167700	745, 764
48 -8M0166983	740	48 -8M0167702	745, 764
48 -8M0166984	740	48 -8M0167703	745, 764
48 -8M0166985	740	48 -8M0167704	745, 764
48 -8M0166986	740	48 -8M0167705	745, 764
48 -8M0166987	740	45 -8M0168203	56
48 -8M0166988	740	45 -8M0168204	56
48 -8M0166989	740	45 -8M0168206	56
48 -8M0166990	740	45 -8M0168208	56
48 -8M0166991	740	45 -8M0168209	56
48 -8M0166992	740	45 -8M0168210	56
48 -8M0166993	740	8M0168223	28
48 -8M0166994	740	35 -8M0168366	241
48 -8M0166995	740	62 -8M0168453	913
48 -8M0166996	740	62 -8M0168454	913
48 -8M0167001	741	62 -8M0168455	914
48 -8M0167002	741	8M0168463	493
48 -8M0167003	741	8M0168892	236
48 -8M0167004	741	35 -8M0168897	79
48 -8M0167005	741	91 -8M0168921	655
48 -8M0167006	741	91 -8M0169135	658
48 -8M0167007	741	84 -8M0169292	509
48 -8M0167008	741	84 -8M0169293	509
48 -8M0167009	741	84 -8M0169294	510
48 -8M0167010	741	84 -8M0169308	461
32 -8M0167281	613	84 -8M0169311	461
32 -8M0167282	613	98 -8M0169383	458
32 -8M0167284	613	84 -8M0169399	461
32 -8M0167285	613	84 -8M0169503	588
32 -8M0167287	613	84 -8M0169506	588
32 -8M0167288	613	98 -8M0169899	507
32 -8M0167289	613	98 -8M0169904	507
32 -8M0167290	613	98 -8M0169905	507
32 -8M0167291	613	98 -8M0169906	507
32 -8M0167292	613	98 -8M0169907	508
32 -8M0167293	613	62 -8M0170209	915
32 -8M0167294	613	67 -8M0170455	228
32 -8M0167295	614	67 -8M0170456	229
32 -8M0167296	614	67 -8M0171186	74
32 -8M0167297	614	98 -8M0171388	461
32 -8M0167298	614	84 -8M0171478	35
32 -8M0167299	614	82 -8M0171627	532, 578
48 -8M0167641	745, 764	8M0171817	28
48 -8M0167642	745, 764	10 -8M0171826	63
48 -8M0167643	745, 764	10 -8M0171827	63
48 -8M0167659	745, 764	10 -8M0171828	63

Part Number to Page Number Reference

10 -8M0171829	63	48 -8M0173953	752, 767
10 -8M0171830	63	48 -8M0173954	752, 767
10 -8M0171831	63	48 -8M0173955	752, 767
10 -8M0171832	63	88 -8M0174088	35, 601
10 -8M0171833	63	23 -8M0174363	532, 578
10 -8M0171834	63	84 -8M0175114	36
10 -8M0171835	64	8M0175293	532, 578
10 -8M0171836	64	8M0176287	465
10 -8M0171837	64	8M0176288	465
97 -8M0172259	97	8M0176289	467
8M0172447	245	8M0176291	466
8M0172448	245	8M0176294	465
8M0172938	473	8M0176295	465
8M0173049	871, 878	8M0176297	466
8M0173051	871, 877	8M0176522	250
67 -8M0173206	230	8M0176525	250
77 -8M0173267	505	33 -8M0176616	10
84 -8M0173571	508	33 -8M0176619	9
84 -8M0173572	508	33 -8M0176653	9, 10
84 -8M0173573	508	33 -8M0176657	8
84 -8M0173574	509	33 -8M0176663	6
84 -8M0173575	509	33 -8M0176669	5
84 -8M0173576	509	33 -8M0176677	9, 16, 17
84 -8M0173580	509	33 -8M0176678	16, 17
84 -8M0173581	509	33 -8M0176682	5
84 -8M0173582	509	33 -8M0176690	6
98 -8M0173694	399, 408	33 -8M0176692	8
98 -8M0173696	399, 408	8M0176702	19
98 -8M0173703	399, 408	84 -8M0176937	36
98 -8M0173704	399, 408	84 -8M0176939	36
98 -8M0173751	508	84 -8M0176940	36
98 -8M0173753	508	84 -8M0176942	36
98 -8M0173754	508	84 -8M0176943	536
98 -8M0173755	508	84 -8M0176944	536
98 -8M0173880	508	10 -8M0176953	64
98 -8M0173881	508	10 -8M0176954	64
48 -8M0173918	749, 766	98 -8M0177357	96
48 -8M0173919	749, 766	8M0177471	241
48 -8M0173920	749, 766	25 -8M0177478	241
48 -8M0173921	749, 766	27 -8M0177479	241
48 -8M0173922	749, 766	35 -8M0177646	241
48 -8M0173923	749, 766	8M0177662	85, 241
48 -8M0173924	749, 766	46 -8M0177997	241
48 -8M0173925	749	8M0178012	493
48 -8M0173940	751, 766	57 -8M0178243	241
48 -8M0173941	751, 766	33 -8M0178257	241
48 -8M0173942	751, 766	84 -8M0178258	241
48 -8M0173943	751, 766	8M0178402	224
48 -8M0173944	751, 766	8M0178403	224
48 -8M0173945	751, 766	8M0179828	658
48 -8M0173946	751, 766	8M0179906	165, 166
48 -8M0173947	751, 766	97 -8M0179981	241
48 -8M0173948	752, 767	8M0179987	245
48 -8M0173949	752, 767	8M0179988	245
48 -8M0173950	752, 767	8M0180081	95
48 -8M0173951	752, 767	91 -8M0180314	658
48 -8M0173952	752, 767	8M0180481	96

Part Number to Page Number Reference

48 -8M0180533	724	84 -8M6001456	517, 518
92 -8M0180930	267	22 -8M6001488	498
92 -8M0180931	267	22 -8M6001495	498
92 -8M0180932	268	22 -8M6001497	498
92 -8M0180933	269	8M6001762	545
92 -8M0180934	269	88 -8M6001960	600
92 -8M0180935	269	35 -8M6002131	251
92 -8M0180936	269	8M6002180	493
92 -8M0180937	269	22 -8M6002264	498
92 -8M0180938	269	8M6002274	251, 252
97 -8M0181304	96	8M6002359	391, 406, 581
91 -8M0181416	293, 900	35 -8M6002390	176, 252
92 -8M0181583	300	35 -8M6002552	252
92 -8M0181584	299	79 -8M6002607	388
92 -8M0181585	300	8M6002740	201
35 -8M0183282	252, 281	8M6002741	201
79 -8M0185891	380	8M6003460	373
79 -8M0185892	380	8M6003662	398
79 -8M0185893	382	8M6003663	399
79 -8M0185894	381	8M6003706	372
79 -8M0185895	383	8M6003707	372
79 -8M0185906	383	8M6003709	630
79 -8M0185917	380	8M6003710	610
79 -8M0185918	380	35 -8M6004711	251
79 -8M0185919	381	79 -8M6004807	540
79 -8M0185920	381	8M6004829	544
8M0188305	197	8M6004830	545
8M0188312	197	8M6004831	545
8M0192279	882	32 -8M6004888	497, 618
91 -8M2001017	657	32 -8M6004890	497, 618
84 -8M2004357	522	8M6005011	371
8M2004358	518	8M6005014	372
8M2004360	518	8M6005019	372
8M2004361	518	8M6005025	372
8M2004362	518	8M6005108	371
22 -8M2007090	498	8M6005109	372
88 -8M2011907	601	87 -8M6005583	595
8M2011935	525	87 -8M6005584	35, 595
21 -8M2017060	247-249	8M6005670	378
33 -8M2018369	117-121, 247-249	8M6005671	378
87 -8M3001384	525	8M6005672	377
98 -8M3800000	520	8M6005673	377
8M4507538	464	8M6005674	377
8M4507539	464	8M6005675	377
8M4507540	463	8M6005676	377
8M4507541	464	8M6005677	378
84 -8M6000699	516	8M6005678	378
84 -8M6000701	518	8M6005695	379
84 -8M6000703	518	8M6005696	379
86 -8M6000708	545	8M6005697	379
22 -8M6000760	626	98 -8M6007932	580
22 -8M6000771	626	98 -8M6007933	578
22 -8M6001381	627	98 -8M6007934	578
22 -8M6001390	627	98 -8M6007937	578
22 -8M6001392	627	98 -8M6007938	579
84 -8M6001454	517	98 -8M6007939	579
84 -8M6001455	517	98 -8M6007940	579

Part Number to Page Number Reference

98 -8M6007943	579	48 -8M8021680	743
98 -8M6007944	579	48 -8M8021690	743
98 -8M6007945	580	48 -8M8021700	743
98 -8M6007946	580	8M8022198	212
98 -8M6007947	579	8M8022263	211, 879
98 -8M6007948	580	48 -8M8022340	689, 742
98 -8M6009517	542	48 -8M8022349	689, 742
98 -8M6009518	542	48 -8M8022350	689, 742
98 -8M6009519	542	48 -8M8022359	689, 742
8M6010621	68	48 -8M8022360	689, 742
8M6010622	68	48 -8M8022369	689, 742
8M6010623	68	48 -8M8022370	689, 742
8M6010624	68	48 -8M8022379	689, 742
22 -8M6010625	68	48 -8M8022380	689, 742
22 -8M6010626	68	48 -8M8022389	689, 742
22 -8M6010627	68	48 -8M8022390	689, 742
22 -8M6010628	68	48 -8M8022399	689, 742
87 -8M6010629	69	48 -8M8022400	689, 742
87 -8M6010630	69	48 -8M8022409	689, 742
87 -8M6010631	69	48 -8M8022410	689, 742
8M6010632	70	48 -8M8022419	689, 742
87 -8M6010633	69	48 -8M8022420	689, 742
87 -8M6010634	69	48 -8M8022429	689, 742
87 -8M6010635	69	48 -8M8022430	689, 742
87 -8M6010636	69	48 -8M8022439	689, 742
8M6010637	69	48 -8M8022440	689, 742
8M6010638	69	48 -8M8022449	689, 742
8M6010639	69	48 -8M8022450	689, 742
22 -8M6010762	69	48 -8M8022459	689, 742
22 -8M6010763	69	48 -8M8022460	689, 742
22 -8M6010764	68	48 -8M8022469	689, 742
22 -8M6010765	68	48 -8M8022470	689, 742
8M8020356	213	48 -8M8022479	689, 742
8M8021162	211	48 -8M8023090	732
48 -8M8021430	743	48 -8M8023100	732
48 -8M8021440	743	48 -8M8023120	732
48 -8M8021450	743	48 -8M8023140	732
48 -8M8021460	743	48 -8M8023160	732
48 -8M8021470	743	48 -8M8023180	732
48 -8M8021480	743	8M8023320	210
48 -8M8021490	743	8M8023358	210
48 -8M8021500	743	8M8023359	210
48 -8M8021510	743	48 -8M8023600	743
48 -8M8021520	743	48 -8M8023610	743
48 -8M8021530	743	8M8023624	209
48 -8M8021540	743	8M8023625	209
48 -8M8021550	743	8M8023626	209
48 -8M8021560	743	8M8023627	209
48 -8M8021590	743	8M8023731	206
48 -8M8021600	743	8M8023733	206
48 -8M8021610	743	8M8023735	206
48 -8M8021620	743	8M8023737	206
48 -8M8021630	743	8M8023739	206
48 -8M8021640	743	8M8023741	206
48 -8M8021650	743	48 -8M8023800	744
48 -8M8021660	743	48 -8M8023810	744
48 -8M8021670	743	48 -8M8023820	744

Part Number to Page Number Reference

48 -8M8023830	744	48 -8M8026790	733
48 -8M8023840	744	48 -8M8026820	733
48 -8M8023850	744	32 -8M8026967	73, 307, 312
48 -8M8023860	744	8M8027354	211
48 -8M8023870	744	8M8027372	211
48 -8M8023880	744	48 -8M8027497	802, 804, 808, 811, 814, 816, 830
48 -8M8023890	744	48 -8M8027498	802, 804, 808, 811, 814, 817, 830
48 -8M8023900	744	48 -8M8027500	802, 804, 808, 811, 814, 817, 830
48 -8M8023910	744	48 -8M8027502	802, 804, 808, 811, 814, 817, 830
48 -8M8023920	744	48 -8M8027504	802, 804, 808, 811, 814, 817, 830
48 -8M8023930	744	48 -8M8027506	802, 804, 808, 811, 814, 817, 830
48 -8M8023940	744	48 -8M8027510	802, 803, 807, 810, 814, 816, 829
48 -8M8023950	744	48 -8M8027511	802, 803, 807, 810, 814, 816, 829
48 -8M8023960	744	48 -8M8027512	802, 804, 808, 810, 814, 816, 829
48 -8M8023970	744	48 -8M8027513	802, 804, 808, 810, 814, 816, 829
48 -8M8023980	744	48 -8M8027514	802, 804, 808, 810, 814, 816, 830
48 -8M8023990	744	48 -8M8027516	803, 807, 813, 829
48 -8M8024000	744	48 -8M8027517	803, 807, 813, 829
48 -8M8024010	744	8M8027677	52, 53, 475, 476
48 -8M8024110	743	67 -8M9200702	74
48 -8M8024120	743	67 -8M9200903	223
8M8024581	207	1667- 9011G90	113
8M8024582	207	1667- 9011J15	112
8M8024583	207	1667- 9011J16	65, 112
8M8024584	207	1667- 9011J 2	113
8M8024668	203	1667- 9011J29	113
8M8025733	493	1667- 9011J33	112
8M8025968	205	1667- 9011J35	112
8M8025969	205	1667- 9011J37	112
8M8025970	205	1667- 9011J39	112
8M8025971	205	1667- 9011J 6	112
8M8025972	205	1667- 9011J 7	112
8M8025973	206	48 - 90159A46	732, 809
8M8026000	200	90185A 1	179, 895
8M8026004	213	90362A 3	587
8M8026006	212	91 - 90455 1	658
8M8026029	207	90468A 1	573
84 -8M8026041	214, 461	50 - 90983A 5	36, 39, 40
84 -8M8026042	214, 461	1647- 9148T81	64, 112
84 -8M8026043	214, 461	1647- 9148T82	112
84 -8M8026044	214, 461	1647- 9148T84	112
8M8026070	212	1647- 9148T85	112
48 -8M8026555	684, 690, 707-709, 725, 802, 808	1647- 9148T86	112
48 -8M8026560	684, 690, 699, 700, 706-709, 718-721, 725, 802, 808	84 - 91942A 4	354, 586
48 -8M8026570	684, 690, 699, 700, 706-709, 718-721, 725, 802, 808	92020A 2	356
48 -8M8026580	684, 690, 698-701, 706-709, 712, 713, 718-721, 725, 808	92020A 3	356, 648
48 -8M8026590	684, 690, 698-701, 706-708, 712, 713, 718-720, 725, 802, 808	92418	894
48 -8M8026600	684, 690, 698-701, 706, 707, 712, 713, 718-720, 725, 802, 808	56 - 92729A49	62, 315
48 -8M8026620	683, 725, 802, 807	92876A12	645
48 -8M8026625	683, 708-710, 720-722, 725, 802, 807	92876A12	308, 331, 334, 644, 645
48 -8M8026630	683, 701, 708-710, 720-722, 725, 802, 808	92876A 8	308, 313, 331, 334, 646
48 -8M8026635	683, 701, 708-710, 720-722, 725, 802, 808	92876A 9	308, 313, 331, 334, 646
48 -8M8026640	683, 701, 708-710, 720-722, 725, 802, 808	93320A13	133, 140-142
48 -8M8026650	683, 725, 803, 807	93320A14	133, 141
48 -8M8026655	683, 725, 803, 807	93320A15	133, 141, 142
		93322A10	134, 143, 144
		93322A12	134, 142-144

Not all parts listed are available for the European, C.I.S., Africa and Middle East Markets. For more information, please contact your local Mercury, Mariner, MerCruiser or Quicksilver Office.

Part Number to Page Number Reference

84 - 93347A 3	586	A -AA290026N	906
33 - 941	7, 17	A -AA300064N	907
1547- 9412A19	193	A -AA300065N	907
1547- 9412A20	193	A -AA320036N	907
1547- 9412A21	193	A -AA320037N	907
1547- 9412A22	193	A -AA320038N	908
1547- 9412A23	193	A -AA320039N	910
94185A17	42, 47	A -AA320042N	908
94286T 1	99, 106	A -AA350069N	908
45 - 94819T 5	167, 168	A -AA350070N	910
27 - 94996T 2	250	A -AA350073N	908
84 - 95084A10	598	A -AA360004N	909
84 - 95084A13	598	A -AA380124N	909
18 - 95295Q	871, 887	A -AA380128N	909
95419A 1	43, 48	A -AA380129N	909
95650340	920	A -AA410015N	910
95650341	920	A -AA420005N	910
95650342	920	A -AA430110N	911
95650343	920	A -AA430111N	911
95650344	921	A -AA470046N	911
95650345	921	A -AA470048N	911
95650346	921	F197787Q3	76
95650347	921	F213238Q2	77
95650348	921	F58685-2	477
95650355	921	F5H078	561
95650356	922	F5H208/18	477
95650357	922	F5H268	561
95650360	921	11 -F7048	885
95650361	921	FA324101	886
95650362	922	FA58976-1	477
95650363	922	FA94094-2	882
95650364	922	FK719059	92
87 - 95810A 8	37, 39, 40	48 -FP6430	801, 858
95845A 5	20-22	FP6477	801, 858, 860
398- 9610A27	200	M879341T	102
46 - 96148Q 8	238	48 -MAF12406T	681, 724, 840
96186A 2	647	NA	766, 767
96708A 4	356, 648	NLA	21, 22, 25, 26, 29, 31, 39-41, 47-50, 59-61, 111, 140, 141, 308, 313, 327, 330, 334, 337, 338
33 - 97180Q	6, 13-16	QA1912X	800, 805, 809, 812, 817-820, 823-826, 829, 834, 837-839
33 - 97182Q	6, 12-16	QA1916X	800, 805, 809, 812, 817-820, 823-826, 829, 834, 837-839
97258A 1	450	QA1918X	800, 805, 809, 812, 817-820, 823-826, 829, 834, 837-839
33 - 97389	116, 118	QA1920X	800, 805, 809, 812, 817-820, 823-826, 829, 834, 837-839
86 - 98199T	596	QA1940R	821, 833
91 - 98234A 2	656	QA1941R	821, 833
97 - 98432Q 6	99	QA1946R	821, 833
97 - 98432T 6	103, 106	QA1947R	821, 833
98571A 3	51	QA1952R	821, 833
98634A20	166, 168, 355	QA1953R	821, 833
A -AA200059N	904	QA2000X	804, 809, 817-820, 823-826, 828, 837
A -AA200060N	904	QA2004X	800, 805, 809, 817-820, 823-826, 828, 834, 837, 838
A -AA240159N	905	QA2006X	805, 809, 817-820, 823-826, 828, 836, 837
A -AA240160N	905	QA2008X	800, 805, 809, 812, 817-820, 823-826, 828, 834, 837-839
A -AA250032N	905		
A -AA250033N	905		
A -AA270160N	906		
A -AA270162N	906		
A -AA290024N	906		

Part Number to Page Number Reference

QA2010X	805, 809, 817–820, 826, 829, 836, 837, 839	QS5002X	800, 805, 809, 812, 817–820, 823–826, 832
QA2014X	805, 809, 817–820, 823–826, 829, 836, 837	QS5004X	800, 805, 809, 812, 817–820, 823–826, 832, 837, 839
QA2026X	802, 804, 808, 811, 814, 816, 828, 835, 838	QS5005X	800, 805, 809, 812, 818–821, 823, 824, 826, 827, 832, 838, 839
QA2028X	802, 804, 808, 811, 814, 816, 828, 835, 838	QS5006X	800, 805, 809, 812, 817–820, 823–826, 832, 836, 839
QA2030X	802, 804, 808, 811, 814, 816, 828, 835–839	QS5007X	800, 805, 809, 812, 818–821, 823, 824, 826, 827, 832, 836, 839
QA2032X	802, 804, 808, 811, 814, 816, 828, 835–839	QS5008X	800, 805, 809, 812, 817, 819–821, 823–826, 832, 836, 839
QA2034X	802, 804, 808, 811, 814, 816, 828, 835–839	QS5050X	800, 805, 809, 812, 817–820, 823–826, 832, 834, 836, 838, 839
QA2036X	802, 804, 808, 811, 814, 816, 828, 835–839	QS5052X	800, 805, 809, 812, 817–820, 823–826, 832, 834–836, 838, 839
QA2038X	802, 804, 808, 811, 814, 816, 828, 835–839	QS5054X	800, 805, 809, 812, 817–820, 823–826, 832, 834–836, 839
QA2040X	802, 804, 808, 811, 814, 816, 828, 835–839	QS5056X	800, 805, 809, 812, 817–820, 823–826, 832, 834–836, 839
QA2042X	802, 804, 808, 811, 814, 816, 828, 835–837, 839	QS5058X	834, 836, 839
QA2060X	801, 803, 807, 810, 814, 816, 828, 835, 837	QS5114X	802, 804, 808, 811, 815, 817, 832, 835–837, 839
QA2062X	801, 803, 807, 810, 814, 816, 828, 835, 838, 839	QS5116X	802, 804, 808, 811, 815, 817, 832, 835–837, 839
QA2064X	801, 803, 807, 810, 814, 816, 828, 835, 837, 839	QS5118X	802, 804, 808, 811, 815, 817, 832, 835–837, 839
QA2070X	801, 803, 807, 814, 816, 828, 835, 836, 838, 839	QS5166X	802, 804, 808, 810, 814, 816, 832, 835, 836, 838, 839
QA2072X	801, 803, 807, 810, 814, 828, 835, 837	QS5168X	802, 804, 808, 810, 814, 816, 832, 835, 838, 839
QA2074X	801, 803, 807, 814, 816, 828, 835, 837, 839	QS5170X	802, 804, 808, 810, 814, 816, 832, 835, 838, 839
QA2076X	801, 803, 807, 810, 814, 828, 835, 838		
QA2078X	798, 802, 803, 807, 810, 814, 816, 828, 835, 837–839		
QA2080X	802, 803, 807, 810, 814, 828, 835, 836, 838		
QA2082X	802, 803, 807, 810, 814, 816, 828, 835, 837, 839		
QA2084X	802, 803, 807, 810, 814, 816, 828, 835–837		
QA2106R	801, 806, 835, 837		
QA2124R	801, 806, 835, 838		
QA2126R	801, 806, 835, 838		
QA2128R	801, 806, 835, 838		
QA2130R	801, 806, 835, 838		
QA2148R	806, 813		
QA2154R	806, 813		
QA2158R	806, 813		
QA2171R	807, 813		
QA2173R	807, 813		
QA2175R	807, 813		
QA2178R	807, 813		
QA2190R	803, 807, 813		
QA2192R	803, 807, 813		
QA2196R	803, 807, 813		
QA2200R	803, 807, 813		
QA2206X	799, 811, 822, 829, 838		
QA2208X	799, 811, 822, 829, 838		
QA2828X	802, 804, 808, 811, 814, 816, 828		
QA2830X	802, 804, 808, 811, 814, 816, 828		
QA2832X	802, 804, 808, 811, 814, 816, 828		
QA3114R	798, 834		
QA3118R	798, 834		
QA3150R	798, 803, 806, 815, 834, 838, 839		
QA3152R	798, 803, 806, 815, 834, 838, 839		
QA3168R	798, 834		
QA3170R	798, 834		
QA3178R	798, 806, 815, 834, 838		
QA3182R	805, 813		
QA3184R	805, 813		
QA3808R	807, 815, 837, 839, 854		
QA3810R	807, 815, 838, 839, 854		
QA3832X	799, 811, 822, 829		
QA3906R	803, 815, 835, 839, 853		
QA3914R	803, 815, 835, 839, 853		

OE to Quicksilver Cross Reference

Chris Craft

OE Part No.	Description	QS Part No.
Chris Craft		
16.81-06536	Oil Filter	35-8M0116378
16.81-08746	Oil Filter	35-866340Q03

Chrysler Inboard

OE Part No.	Description	QS Part No.
Chrysler Inboard		
1851658	Oil Filter	35-8M0116378
4142885	Thermostat	8M0089715
47-19453	Water Pump Impeller	47- 19453T
47-43026-2	Water Pump Impeller	47- 43026T 2
47-803631T	Water Pump Impeller	47- 89984T 4
47-F694065	Water Pump Impeller	47- 89984T 4
694065	Water Pump Impeller	47- 89984T 4
F697140	Tab Washer	8M0042130
F697140	Tab Washer	14-816629Q
L-319	Oil Filter	35-883702Q

Crusader

OE Part No.	Description	QS Part No.
Crusader		
201104	Oil Filter	35-866340Q03
47002	Coolant Temperature Sender	805218T
700425	Oil Pressure Sender	8M0068784
700427	Water Temperature Sender	97258A 1
9002514	Oil Filter	35-8M0116378
96319	Thermostat	8M0089715
98041	Water Separating Fuel Filter	35-802893T

GLM Marine

OE Part No.	Description	QS Part No.
GLM Marine		
17000	MC-/R Gear Housing	1623- 5356A 4

Honda Marine

OE Part No.	Description	QS Part No.
Honda Marine		
15400-PFB-014	FourStroke Outboard Oil Filter	35-8M0162832
15400-PLM-A01PE	FourStroke Outboard Oil Filter	35-8M0162830
19210-ZW1-003	Water Pump Impeller	47- 43026T 2
41107-ZW1-003ZA	Trim Tab	97- 31640Q 4
41109-ZW1-003	Anode Side Pocket Bulk Pack	97-8M0059344
41109-ZW1-003	Side Pocket Anode	97-826134Q
90508-ZW1-003	Tab Washer	8M0042130
90508-ZW1-003	Tab Washer	14-816629Q

McCulloh/Scott-Atwater

OE Part No.	Description	QS Part No.
McCulloh/Scott-Atwater		
	Oil Filter	35-866340Q03

Outboard Marine Corp.

OE Part No.	Description	QS Part No.
Outboard Marine Corp.		
127084	Thrust Washer	859915
171960	Water Temperature Sender	97258A 1
173231	Oil Filter	35-8M0116378
173232	Oil Filter	35-866340Q03
173233	Oil Filter	35-866340Q03
173233	Oil Filter	35- 16595Q
173834	Oil Filter	35-883702Q
174511	Primer Bulb Assembly	8M0054313
174511	Primer Bulb Assembly	8M0054315
174512	Primer Bulb Assembly	8M0054313
175267	Prop Nut Kit	802002Q 1
175268	Prop Nut Kit	802010Q 1
175985	Primer Bulb Assembly	8M0054315
314502	Cotter Pin	18- 89961
314503	Prop Nut	859929
317893	Cable Ties	56762
318841	Thrust Washer	859915
322652	Fuel Line Snapper Clamp	54- 41582Q 7
378101	Spark Plug	33-813413
3853787	Water Temperature Sender	806490T
3853800	Oil Pressure Sender	8M0068784
3857532	Oil Pressure Sender	8M0068784
398327	Inline Fuel Filter	35-816296Q 2
500476	Spark Plug	33-88323001
502895	Spark Plug	33-813413
502900	Oil Filter	35-8M0116378
502901	Oil Filter	35-866340Q03
502901	Oil Filter	35- 16595Q
502902	Oil Filter	35-866340Q03
502903	Oil Filter	35-883702Q
502905	Water Separating Fuel Filter	35-802893T
503708	Spark Plug - Shop Pack	33- 59571B
509564	Spark Plug	33-813415
509572	Spark Plug	33-8M0114746
509581	Spark Plug	33- 97180Q
509582	Spark Plug	33- 97182Q
770242	Floating Prop Wrench	91-859046Q 4
775638	Primer Bulb Assembly	8M0054315
908034	Carburetor Fuel Filter	35- 53336Q
980613	Water Temperature Sender	806490T
982650	Oil Pressure Sender	8M0068784

Pleasure Craft

OE Part No.	Description	QS Part No.
Pleasure Craft		
R020001	Oil Pressure Sender	8M0068784
R077002	Oil Filter	35-866340Q03
R096117	Tab Washer	8M0042130
R096117	Tab Washer	14-816629Q
RO096116	Thrust Washer	12-835467Q01
RO26002E	Thermostat	8M0089715
RO77001	Oil Filter	35-8M0116378

Part Description Index

Sierra

OE Part No.	Description	QS Part No.
Sierra		
18-2402	MC-I/R Gear Housing	1623- 5356A 4

Suzuki

OE Part No.	Description	QS Part No.
Suzuki		
65750-98505	Quick Disconnect-Engine End	F197787Q3
99105-20001	Water Separating Fuel Filter Kit	35-802893Q 4
99105-20001	Water Separating Fuel Filter	35-802893T

Volvo Penta North America, Inc.

OE Part No.	Description	QS Part No.
Volvo Penta North America, Inc.		
3852170	Fuel Line Snapper Clamp	54- 41582Q 7
3857532	Oil Pressure Sender	8M0068784
835440-9	Oil Filter	35-866340Q03
835576-0	Carburetor Fuel Filter	35- 53336Q

Yamaha Motor Corp.

OE Part No.	Description	QS Part No.
Yamaha Motor Corp.		
16231-20-0C	Oil Filter	35-883702Q
3FV-13440-10-00	FourStroke Outboard Oil Filter	35-8M0162832
5GH-13440-00-00	FourStroke Outboard Oil Filter	35-8M0162830
68V-24563-00-00	Fuel Filter Element	35-8M0168897
69J-13440-00-00	FourStroke Outboard Oil Filter	35-822626Q15
6E5-24305-05	Quick Disconnect-Engine End	22- 13563Q 3
6G1-24305-04	Quick Disconnect-Engine End	22- 14213Q
6Y1-24305-04	Quick Disconnect-Engine End	22- 14213Q
6Y1-24360-52-00	Primer Bulb Assembly	8M0054315
6Y2-24305-05	Quick Disconnect-Engine End	22- 13563Q 3
6Y2-24360-52-00	Primer Bulb Assembly	8M0054313
835274Q 1	Flo-Torq II Hub Kit Yamaha	8M0075402
835274Q 1	Flo-Torq II Hub Kit	835274Q 1
ABA-SEPAR-AT-OR	Water Separating Fuel Filter Kit	35-802893Q 4
ABA-SEPAR-AT-OR	Water Separating Fuel Filter	35-802893T
ABB-SEPAR-AT-OR	Water Separating Fuel Filter Kit	35-802893Q 4
YSC-10231-20-0C	Oil Filter	35-866340Q03
YSC-16231-20-0C	Oil Filter	35-8M0116378

#NUMERIC

.....	36
1/10 AWG	35
1000 Hour Service Kit	245
100 Hour Service Kit	240, 242–244, 254–257
10 Inch Spacer Kit	56
10W30 Full Synthetic Oil	269
10W30 Full Synthetic Oil	269
10W30 Marine Oil	268, 269
10W40 Marine Engine Oil	269
10W40 Marine Oil	268, 269
115-Amp Alternator Kit	19
12 Volt Battery	223
14 Pin Bracket	655
14 Pin Extension Harness	554, 555
15W40	279
1st Mate	578–580
2.0L Diesel Rigging	512
2.5 Inch Spacer Kit	206
200 Hour Service Kit	245
2-4-C Grease Gun	293, 900
2-4-C Lubricant	293, 900, 901
25W40 Synthetic 4-Stroke Oil	271
25W40 Synthetic Blend	270
25W40 Synthetic Blend 4-Stroke Oil	271
25W50	271
25W50 High Performance oil	271
2-pin harness	36
2-Stroke PWC	282
3/4" OFS	69
3/4" OFS	69
3.4L Accent Panels	112
3.4L V6 Accent Panels	111, 112
300 Hour Service Kit	240, 242–245, 254–257
300 Hour Service Kit	245
300 Hour Service Kit No Anodes	245
350 Verado Snorkel Kit	203
3ft inlet hose kit	69
3ft OFS Inlet Hose Install Kit	69
4.6L Accent Panels	111
4.6L V8 Accent Panels	111
4 in 1 Gauge	396

5/8" 90-Degree Elbow Barb Fitting	69
5/8" Straight Barb Fitting	69
5 Inch Spacer Kit	55
5W30	279
5W30 Marine Engine Oil	267, 268
5W30 Marine Oil	267
6ft inlet hose	69
9ft inlet hose	69

A

Absorber Oil	74
Accent Panels	111, 112
Active Trim	527–530
Active Trim Side Mount Adapter	530
Actuator Extension Harness	515, 521, 522
Actuator Kit	456, 457, 653
Adapter	878
Adapter 10 Pin	535, 536
Adapter Cable	476, 484, 636, 638
Adapter Crankcase	94, 303
Adapter Crankcase Oil Pump	94, 303
Adapter Drive Sleeve	878, 879
Adapter Gear Lube Pump	292
Adapter Harness . 449, 521, 532, 536, 538, 539, 549, 553, 554, 558, 559, 588, 612	
Adapter Harness Analog Gauge	559
Adapter Harness Boat	537, 538, 655
Adapter Harness Dual Helm	557
Adapter Harness Instrument	533, 549
Adapter Harness Quad	533, 549
Adapter Harness Remote Control	467, 585
Adapter Harness Trim Switch	588
Adapter Hose Oil Pump	303
Adapter Kit Cable	476
Adapter Kit Non Power Steering	212
Adapter Kit Transom	179
Adapter Plate Engine Twin	643
Adapter Power Purge System	626, 630
Adapter Remote Tank	84
Adapter Replacement Tank	90
Adapter Transom Kit	179
Adhesive Bellows	301
Adhesive Pad	581

Part Description Index

Advanced Sound Control	537	Anode Power Trim	100, 101, 235–240
Airdeck Inflatable	905, 907	Anode Prop Nut Kit	102, 183, 880, 881
Air Filter	92, 237, 239, 240, 251, 252	Anode Prop Nut Replacement	102, 183, 881
Air Intake Tube Kit	126	Anode Side Pocket	97, 102, 235–240
Alcohol Tester	287	Anode Tab Trim	99, 100, 184, 234, 235, 893
Alignment Shaft	657	Anode Trim Cylinder	185
Alternator Belt	237, 238	Anode Trim Tab	99, 100, 184, 234, 235, 893
Alternator Belt	237–241	Anti-Collision Cable	494, 495
Alternator Belt	241	Antifreeze Coolant	284, 285
Alternator Energy Kit	19	Anti-Icing Carburetor Kit	87, 88
alternator to isolator cable	35	Anti Vent Plate Anode	100, 240
Altitude Gear Set	64	Assembly Grease	294
Aluminum Anode Kit	97, 98, 181, 250	Assembly Tailstock	207
Alu-Rib Inflatable	906, 908–910	Assembly Thermostat	85, 241
Analog Block Water Pressure	448, 537	Automatic Power Switch	613
Analog Conversion Kit Digital	409, 545	Automatic Transmission Fluid	300
Analog Digital Conversion Kit	409, 545, 546	Automotive Grease	294
Analog Fitting Kit	448		
Analog Gauge Interface	208, 418, 419	B	
Analog Gauge Interface Kit	418	barb fitting	69
Analog Power Trim Sender	451	Barrel Pump	302
Anchor	602, 932	Battery	223, 224
Anode	97, 98, 100–102, 182–185, 222, 234, 235, 240, 251–253	Battery Analyser	224
Anode Assembly	221	battery boot	35, 597
anode assembly	96	Battery Cable	34, 35, 200
Anode Bearing Carrier	185	Battery Cable Kit	34, 35, 594
Anode Driveshaft Housing	182	Battery Cables	35
Anode Engine	186, 251	Battery Charger	224
Anode Gimbal Housing	182	Battery Charging Kit	23, 24
Anode Heat Exchanger	186	Battery Connector Cable	225
Anode Housing Driveshaft	182	Battery Cover	594
Anode Housing Gimbal	182	Battery Desulfator	225
Anode Kit	96–98, 101, 181, 182, 222, 231, 236, 237, 250	Battery Isolator	35, 595
Anode Kit	241	Battery Isolator Harness Kit	595
Anode Kit + QS Easel	231	Battery Plate	594, 595
Anode Kit Aluminum	97, 98, 181, 250	Bearing Anode Carrier	185
anode kit bulk	97	Bearing Assembly Gear Pinion/Forward	65
Anode Kit Magnesium	98, 181, 250	Bearing Assembly Pinion/Forward Gear	65
Anode Kit Prop Nut	102, 183, 880, 881	Bearing Carrier Anode	185
Anode Mercathode	95, 180	Bearing Kit Gimbal	122, 214
Anode Nut Prop Kit	102, 183, 880, 881	Bearing Pinion/Forward Gear Assembly	65
Anode Nut Prop Replacement	102, 183, 881	Bell Housing Exhaust Bellows	250
Anode Plate	97–99, 181, 182, 184, 236–240, 250, 881, 893	Bellows Adhesive	301

Bellows Bulkhead Kit	217, 219, 478, 650	Blow-Start Siphon	77
Bellows Kit Bulkhead	217, 219, 478, 650	Board Ladder	932
Bellows Shift Cable	216, 217, 250, 478	Boat Bag	914
Bellows Steering Cable	219, 649	Bolt Mounting	61, 62
Bellows U-Joint	250	Boost Pump Kit	172
Belt Alternator	237–241	Bow Cushion	914
Belt Alternator	241	Bow Trim Harness	588
Belt Cover Kit	126	Bracket	208, 598, 645, 655
Belt Kit Serpentine	124, 153	Bracket, Drop Down	138
Belt Serpentine	124, 153, 246–250	Bracket Extension Plate	208
Belt Serpentine Kit	124, 153	Bracket Filter Water Separating	82, 174
Bezel Gauge Black 110 mm	397	Bracket Front Lifting Eye	157
Bezel Gauge Black 52 mm	391, 406, 446	Bracket Steering	645, 647
Bezel Gauge Black 85 mm	383, 393, 400, 406	Bracket Steering Arm	647
Bezel Gauge Chrome 110 mm	397	Bracket Steering Handle	52, 644
Bezel Gauge Chrome 52 mm	391, 406, 447, 581	Bracket Tiller Handle	51
Bezel Gauge Chrome 85 mm	383, 394, 400, 407	Bracket Transducer	540
Bezel Gauge Gold 52 mm	422, 427, 434, 441, 446	Bracket Transom Support	61
Bezel Gauge White 52 mm	391, 406, 447	Brass Threaded Hose Barb	74
Bezel Gauge White 85 mm	383, 393, 400, 407	Bravo Driveshaft Housing	193–195
Bezel Mounting	636, 637	Bravo Four S Propeller	741
Bezel Panel Remote Control	463	Bravo Four S Propeller	741
Bezel Replacement	649	Bravo Gear Housing	195–197
Bezel Start Stop Switch Black	568	Bravo I FS Propeller	748, 749
Bezel Start Stop Switch White	568	Bravo I Lab Finished Propeller	752, 753
Bezel Steering	218, 639, 648	Bravo I LT Propeller	747
Bezel System Monitor	398, 399	Bravo I LT Propellers	747
Bezel Trim Switch	587	Bravo I OC Propeller	752
Black	828	Bravo I Propeller	736
Black Diamond Bravo Two	729, 730, 833	Bravo I Propeller	748
Black Diamond Bravo Two Propeller	833	Bravo I XS Propeller	747, 748
Black Diamond Propeller	828, 829, 833	Bravo Propeller	730, 736, 741
Black Key Cover Plastic	573	Bravo Sterndrive	190–193
Black Max Kicker Propeller	727	Bravo Three Diesel	743
Black Max Propeller	726–729	Bravo Three Diesel Propeller	743
Black Paint	296	Bravo Three Propeller	742
Black Paint Phantom	297	Bravo Three XR Propeller	758
Black Propeller Paint	297, 901	Bravo Two Propeller	729, 730, 833
Block Fitting	448	Breaker	601
Block Off Plate	157	Bulb Assembly Primer	73
Block Off Plate Exhaust	130	Bulkhead Compression Fitting	216, 219, 478, 649
Block Water Pressure Digital	538	Bulkhead Fitting	498, 627
Block Water Pressure Kit	448, 537	Bulkhead Kit Bellows	217, 219, 478, 650

Part Description Index

Bullet Insulator Terminal Receptacle	597	CAN Track Pad	460
Bullet Receptacle Terminal Insulator	597	Cap Female Power Steering	616
Bullet Terminal	596	Cap Kit Rotor	246–249
Bullet Terminal Receptacle	596	Cap Male Power Steering	616
Buoy	928	Cap Non Vented Steering	626, 630, 642
Bushing	598	Cap Replacement	70, 71
Bushing Flo-Torq Hub Kit	873	Cap Replacement Flushing	67, 220
Bushing Kit	622	Cap Rotor Kit	246–249
Bushing Kit Flo-Torq Hub	873	Carbon Fiber Dress Kit	212
Bushing Power 2 Propeller	879	Carburetor Anti-Icing Kit	87, 88
Bushing Prop	879	Carburetor Fuel Filter	246–248
Bushing Prop Hub	879	Carburetor Kit Anti-Icing	87, 88
Button Cowl Mounted	38	Carburetor Kit Repair	246–248
Button Handle Tiller Harness	37, 38	Carburetor Kit Wedge	151
Button Harness Tiller Handle	37, 38	Carburetor Repair Kit	234, 235, 246–248
C			
Cable, Steering	633, 636	Carburetor Wedge Kit	151
Cable Adapter	476, 484	Carrier Bearing Anode	185
Cable Adapter Kit	476	CCM Module	520, 521
Cable Assembly	96, 598	Charging Battery Kit	24
Cable Attaching Kit Dual	646	Charging Kit	23
Cable Attachment Steering	647	Charging Kit Battery	23
Cable Battery	34, 35, 200	Check Valve Kit	178
Cable Battery Kit	34, 594	Choke Harness	551
Cable Fuse Holder	598	Chopper II Propeller	745
Cable Grip Kit	456	Circuit Breaker	601
Cable Puller	603	Circulating Hose Pump	164
Cable Replacement	638	Circulating Pump Hose	164
Cable Rotary System	635	Clamps Fuel Line	77, 83, 175
Cable Shift	216, 485, 486	Cleaver Propeller	745
Cable Shift Bellows	216, 217, 250, 478	Clevis Assembly Kit	622
Cable Shift Connector	477	Clip	602
Cable Shift Kit	250	Clip Splice	597
Cable Steering	218, 649	Clip Trailering	34, 123
Cable Throttle Connector	477	Close Couple Hardware Kit	210
Cable Throttle Shift	479–481	Close Couple Tailpipe Kit	209
Cable Tie	601, 602	Closed Cooling Hose Kit	145, 155, 156
Cable Ties	601	Closed Cooling Kit	151–153
Cable Tie Standard	602	Coil Kit Lighting	20
CAN H Adapter	494	Coil Lighting Kit	20
CAN H Gateway	494	Combo GPS/IMU	493
Can P Resistor	532, 578	Combustion Chamber Cleaner	286
		Command Module	502, 510
		Command Module Kit	503, 505

Command Module Kit Console Mount	503, 504	Conversion Kit Tiller Handle	41, 42, 44
Command Module Kit Panel Mount	502, 503	Conversion Remote Control Kit	472
Command Module Kit Quad	505	Conversion Sideshift Kit	53
Command Module Kit Shadow Mode	504	Converter Voltage	525
Command Module Slim Binnacle	503	Coolant Diesel	285
Complete Water Pump	239, 240	Coolant Engine	284
Compression Fitting Bulkhead	216, 219, 478, 649	Coolant Temperature Gauge	384, 389
Connection Kit Hose	640	Coolant Temperature Sender	450
Connection Kit Steering Teleflex	639	Cooler	924
Connector Cable Shift	477	Cooler Cushion	925
Connector Cable Throttle	477	Cooler Handles	926
Connector Engine Flush Kit	164	Cooler Pump Kit	648
Connector Engine Fuel End	77	Cool Fuel Relocation Kit	151
Connector Flush Kit Engine	164	Co-Pilot Kit	51
Connector Fuel	76	Co-Pilot Kit Sail	51
Connector Fuel Engine End	77	Copper Tube Fitting Kit	638
Connector Kit	76	Cord Lanyard	575
Connector Shift Cable	477	Corrosion Guard Heavy Duty	283
Connector Throttle Cable	477	Cotter Pin	887
Console	912, 913	Coupler Assembly Kit	622
Console Control Remote Mount	464, 469, 470	Coupler Hose	125
Console Mount	464	Coupler Male	598
Console Mount Remote Control	464, 469, 470	Coupler Propeller Shaft	178, 179
Continuity Washer	889	Cover Black Plastic Key	573
Control	470, 471	Cover Hole Instrument Kit	455
Control, Remote	463	Cover Impeller Housing	154
Control Drilling Fixture	656	Cover Kit Belt	126
Control Engine Remote Harness	38	Cowl Finish Compound	298
Control Harness Remote Engine	38	Cowl Fitting	52, 475
Control Power Trim	587	Cowl Storage Cover	63, 298
Control Remote Attaching Kit	473, 474	Crankcase Oil Pump	94, 302
Control Remote Conversion Kit	472	Crimping Tool	597
Control Remote Engine Harness	38	Cruiselog Gauge	425, 429, 432, 436, 439, 443, 446
Control Side Mount Remote	465–470	Cushion Cooler	925
Control Unit Mercathode	180	Cylinder	610, 628
Conversion Digital Analog Kit	409, 545	Cylinder Assembly	647
Conversion Gear Kit	204	Cylinder Big Tiller	610
Conversion Kit	464	Cylinder Front Outboard Mount	640
Conversion Kit Analog Digital	409, 545, 546	Cylinder Head	199
Conversion Kit Digital Analog	409, 545	Cylinder Head O-Ring	199
Conversion Kit Remote Control	465, 472, 473	Cylinder Hydraulic	622
Conversion Kit SC Sensor	409, 419	Cylinder Seal Kit	642
Conversion Kit Sideshift	53	Cylinder Short Stroke	611

Part Description Index

D

Dampener Hose	612, 615
Data Cable	534, 556
Decal Mercury	231
Decal Washer Kit	563
Deck Fill Oil Kit	90
Deck Oil Fill Kit	89, 90
Depinning Tool	602
Depth Transducer Hull	541
DFI 2-Cycle Outboard Oil	263
DFI 2-Cycle Outboard Oil	262, 263
Diesel Coolant	285
Diesel Harness Fuel Level	525
Diesel Mechanical Helm Harness	513, 514
Diesel Oil	279
Diffuser Ring	881, 882
Digital Analog Conversion Kit	409, 545, 546
Digital Block Water Pressure	537
Digital Control Zero Effort	461
Diode Kit	471
Diode Kit Lanyard	574
Diode Lanyard Kit	574
Docking Station - TDS	580
Drain Exhaust Elbow Manifold	151
Drain Exhaust Manifold Elbow	151
Drain Kit Oil	171
Drain Kit Seawater Hose	164
Drain Plug Cooler	927
Drain Screw Gasket	241
Drain Seawater Hose Kit	164
Dress Kit Carbon Fiber	212
Drill Fixture Kit	656
Drill Guide Block 1-Inch	656
Drill Guide Block - 2 inch	655
Drill Guide Block OEM - 2 inch	655
Drilling Transom Fixture	656
Drive Adapter Sleeve	878
Drive Alignment Tool	658
Drive Bracket	621
Drive Bravo Housing Shaft	193–195
Drive Bravo Shaft Housing	193–195
Drive Installation Kit	250
Drive Kit	53

Driveline Hardware Kit	210
Driveline Kit	211
Driveline Tailpipe Kit	209
Driveshaft Alpha Housing	193, 194
Driveshaft Assembly	214
Driveshaft Bravo Housing	193–195
Driveshaft Extension Kit	54–56
Driveshaft Extension Kit	56
Driveshaft Housing Anode	182
Driveshaft Kit	167
Drive Sleeve	872, 877
Drive Sleeve Adapter	878, 879
Drive Spacer	205, 206
Drive Spacer Kit	205
DTS Analog Gauge Harness	408, 418
DTS Clean Power Helm	559
DTS Tiller Handle Kit	45, 606
Dual Attaching Cable Kit	646
Dual Cable Attaching Kit	646
Dual Engine Mount Kit	469
Dual Engine Synchronizer	429, 432, 436, 439, 443, 446
Dual Engine Tie Bar	646, 648
Dual Station Rig Harness	655
Dual Zero Effort Trim All Harness	589

E

Elbow/Riser Exhaust Kit	139
Elbow Exhaust Kit	139
Elbow Exhaust Manifold	151
Elbow Exhaust Manifold Drain	151
Elbow Fitting Power Steering	616, 617
Elbow Intermediate Kit	130, 131, 139, 140, 146, 147
Elbow Kit	131, 146, 147
Elbow Kit Exhaust	139
Elbow Kit Intermediate	130–132, 139, 140, 146–149
Electrical Hardware Kit	596
Electric Fuel Pump	200, 201
Electric Start Kit	36, 37
Electrode Mercathode	95, 96, 180
Electrode Mercathode Reference Tester	95, 181
Electronic Remote Controls	459, 460, 501, 502
Electronic Steering Helm	493
End Steering Rod	219, 649

Enertia ECO Propeller	734	Extension Harness Instrument	553
Enertia ECO XP Propeller	750	Extension Harness Kit	508
Enertia Propeller	734	Extension Harness Paddle Wheel	538
Engine Anode	186, 251	Extension Harness Power Trim	592
Engine cleaner	286	Extension Harness Start Stop	568
Engine Coolant	284, 285	Extension Harness Vessel Sensor	515, 524
Engine Cover	122	Extension Harness WIF	83
Engine End Fuel Connector	77	Extension Hose Kit	154
Engine Flush Kit	164, 165	Extension Kit	54–56
Engine Flush Kit Connector	164	Extension Kit Driveshaft	54, 55
Engine Hot Stud Kit	35	Extension Kit Steering Arm	646
Engine Mount	205	Extension Kit Trim Hose	211
Engine Mounting Fixture	656, 657	Extension Plate Bracket	208
Engine Mount Kit Dual	469	Extreme Grease	294
Engine Oil	270	Extreme Performance Gear Oil	291
Engine Oil Pressure Sender	124, 586		
engine setup fitting kit	68	F	
engine setup fitting kit	68	Face Dial	447
Engine Synchronizer Gauge	401	FCW	271
Engine Temperature Gauge	402	Fender	928, 929
Engine Tie Bar Dual	646, 648	Filler Bottle Kit	642
Engine Treatment	286	Fill Kit Deck Oil	90
Engine Water Temperature Sender	124, 449, 586	Fill Oil Hose	90
Exhaust Bellows Bell Housing	250	Fill Plug Helm	642
Exhaust Block Off Plate	130	Fill Plug Helm Vented	642
Exhaust Elbow/Riser Kit	139	Filter Air	92, 237, 239, 240
Exhaust Elbow Kit	139, 140, 146–149	Filter Bracket Water Separating	82, 174
Exhaust Elbow Manifold Drain	151	Filter Fuel	78, 79, 81, 234–240
Exhaust Flange Kit	168	Filter Fuel	241
Exhaust Flappers	130	Filter Fuel Assembly	201, 208
Exhaust Manifold Gasket	241	Filter Fuel Pump	246
Exhaust Pipe Kit	130, 132, 139, 146, 149	Filter Fuel Separating	174, 175, 246
Exhaust Plate Block Off	130	Filter Fuel Water Separating	173, 174, 176, 177, 246, 248–250
Exhaust Reducer Kit	132	Filter Kit Remote Oil	169, 170
Exhaust Ring Seal	880	Filter Kit Water Separating	84
Exhaust Seal	241	Filter Oil	92, 93, 234–240, 246–252, 273, 274, 277, 280, 281, 303
Exhaust Shutter	130	Filter Oil	241
Exhaust Tip	129, 206	Filter Oil Wrench	93, 94, 174, 278, 303, 304
Exhaust Tip Flapper Assembly	129, 207	Filter Remote Oil Kit	169
Extension Arm Kit	622	Filter Transmission	241
Extension Arm Steering Kit	646	Filter Water Separating Fuel	173
extension harness	36	Fire Compliant Fuel Filter Kit	84
Extension Harness Actuator	515, 521		

Part Description Index

Fitting 90 degree	448, 626, 627	FOB Controller TDS	212, 213
Fitting Barb	178	Fogging Oil	283
Fitting Bulkhead	498, 615, 627	Foot Throttle Kit	458
Fitting Bulkhead Compression	216, 219, 478, 649	Four Stroke High Performance Oil	271
Fitting Cowl	52, 475	Front Cylinder Outboard Mount	640
Fitting Hot Water Kit	126, 127	Fuel Additive	286
fitting kit	68, 69	Fuel Assembly Filter	79, 201, 208
Fitting Kit Autopilot	642	Fuel Assembly Line	72, 73
Fitting Kit Bulkhead	497, 617, 619, 627	Fuel Assembly Line Universal	73
Fitting Kit Hot Water	126, 127	Fuel Can	74
Fitting Power Steering Male to Male	616	Fuel Can Poly	74
Fitting Steering Cylinder	498, 499	Fuel Connector	76
Fitting Straight	615	Fuel Connector End Engine	77
Fitting Tee	626, 627	Fuel Filter	78, 79, 81, 82, 173, 176, 234–240, 247, 249, 251, 252
Fixture Drilling Control	656	Fuel Filter	241
Fixture Drilling Transom	656	Fuel Filter Assembly	201, 208
Fixture Drill Kit	656	Fuel Filter Carburetor	246–248
Fixture Engine Mounting	656	Fuel Filter Kit	78, 79, 173, 174, 235
Flagship Fuel Gauge	424	Fuel Filter Portable	82
Flagship Instrument Set	421, 425, 426	Fuel Filter Pump	246
Flagship Speedometer	422	Fuel Filter Screen	79, 237–241
Flame Arrestor	206	Fuel Filter Separating	174, 175, 246
Flange Kit Exhaust	168	Fuel Filter Water Separating	80, 81, 83, 84, 173–177, 238, 240, 246–251
Flappers Exhaust	130	Fuel Fitting In-Line	173
Flat Washer	63	Fuel Flagship Gauge	424
Flo-Torq Bushing Hub Kit	873	Fuel Flow Gauge	384, 389, 403
Flo-Torq Hub	873	Fuel Gauge	424, 428, 432, 436, 439, 443, 446
Flo-Torq Hub Kit	873–877	Fuel Gauge Sending Unit	425, 428, 538
Flo-Torq Hub Kit Solid	873, 874	Fuel Injection Cleaner	301
Flo-Torq Hub Kit Suzuki	875	Fuel Level Harness Diesel	525
Flo-Torq Hub Kit Tohatsu	876	Fuel Line	73
Flo Torq III Hub Kit	877, 880	Fuel Line Assembly	72, 73
Flo-Torq Reflex Hub Kit	872	Fuel Line Clamps	77, 83, 175
Fluid Power Trim Steering	299	Fuel Line Coupler	77
Flush Connector Engine Kit	164	Fuel Line Fitting	75, 82
Flushing Attachment	65–67, 165, 166, 203, 220	Fuel Line Kit	154
Flushing Kit	67, 164–166, 203, 220	Fuel Line Universal Assembly	73
flushing kit	68, 69	Fuel Pump Coupler	201
Flush Kit	67	Fuel Pump Electric	200, 201
Flush Kit Coastal	67	Fuel Pump Filter	246
Flush Kit Engine Connector	164	Fuel Separating Filter	174, 175, 246
Flush Kit Seal	66, 166, 204	Fuel Stabilizer	286
Flywheel Puller	95, 658		

Fuel System Treatment & Stabilizer	286	Gauge Engine Temperature	402
Fuel Tank Premium	71	Gauge Flagship Fuel	424
Fuel Tank Standard	71, 72	Gauge Flow Fuel	384, 389, 403
Fuel Tank Super	70, 71	Gauge Fuel Flagship	424
Fuel Treatment	286	Gauge Fuel Flow	384, 389, 403
Fuel Water Separating Filter	173	Gauge Fuel Level	384, 389
Funnel Oil Drain	94, 274	Gauge Fuel Level 2	384, 387, 389
Fun Tube	920, 921	Gauge Fuel Sending Unit	425, 428, 538
Fun Tube Set	920	Gauge Fuel Unit Sending	425, 428, 538
Fury 4 Propeller	736	Gauge Level Waste	401
Fury Propeller	735	Gauge Level Water	401, 403
Fuse	600	Gauge Multifunction	406
Fuse 100 Amp	600	Gauge Oil Level	389
Fuse 10 Amp	599	Gauge Oil Pressure	385, 387, 388, 390, 401–404, 424, 428, 432, 435, 439, 442, 445
Fuse 125 Amp	600	Gauge Oil Temperature	386, 388, 391, 400, 402
Fuse 150 Amp	600	Gauge Power Trim	425, 428, 432, 436, 443
Fuse 15 Amp	599	Gauge Pressure	914
Fuse 200 Amp	601	Gauge Rudder	402–404
Fuse 20 Amp	598, 599	Gauge Rudder Angle	386, 388, 390
Fuse 250 Amp	601	Gauge Seal	408
Fuse 25 Amp	599	Gauge Sending Unit Fuel	425, 428, 538
Fuse 2 Amp	598	Gauge Speed	391–396
Fuse 30 Amp	599, 600	Gauge Tach	380, 392, 394–396
Fuse 50 Amp	600, 611	Gauge Tachometer	392, 393
Fuse 5 Amp	598, 599	Gauge Temperature	404, 438
Fuse 80 Amp	600	Gauge Trim	385, 388, 390
Fuse 90 Amp	600	Gauge Voltage	384, 386, 389
Fuse Assembly	600, 611	Gauge Waste Level	385, 387, 390
Fuse Bar Holder Kit	35, 601	Gauge Water Level	385, 387, 389
Fuse Block	35, 601	Gauge Water Pressure	385, 388, 390
Fuse Cover Asy	601, 611	Gear Actuator Harness	522
Fuse Harness Assembly	598, 611, 612	Gearcase Assembly	113, 114
Fuse Holder Kit	601	Gearcase Assembly Complete	113–115
		Gearcase Filler Plugs	166
G		Gearcase Height Tool Kit	658
Gateway Module	399	Gear Conversion Kit	204
Gateway Multi Engine	399	Gear Extension Harness Actuator	522
Gauge 4 in 1	395, 396	Gear Harness Actuator	522
Gauge Coolant Temperature	384, 386, 389	Gear Housing	204
Gauge Cruiselog	425, 429, 436, 439, 443, 446	Gear Housing Alpha	195, 196
Gauge Dual Engine Synchronizer	424, 429, 432, 436, 439, 443, 446	Gear Housing Assembly Complete	112
Gauge Engine Synchronizer	401	Gear Housing Bravo	195–197
		Gear Housing MC-I/R	196

Part Description Index

Gear Housing Outboard	64, 65, 112, 113	Harness Analog Gauge	551, 566
Gearhousing Replacement Skeg	91, 92, 896	Harness and Key Switch	565, 566
Gear Lube	288–290	Harness Assembly	24, 461, 473, 507, 523, 533, 549, 561
Gear Lube Monitor Kit	123	Harness Auxiliary Trim	588
Gear Lube Pump	290, 292	Harness Auxiliary Trim Switch	588
Gear Lube Pump Adapter	292	Harness Bow Trim	588
Gear Lube Reservoir Kit	123	Harness CAN P Link	536
Gear Oil Extreme Performance	291	Harness Clean Power	509, 510
Gear Pinion/Forward Assembly Bearing	65	Harness Data	554
Gear Pinion/Forward Bearing Assembly	65	Harness Dual Console	505
Gear Set Altitude	64	Harness Engine Remote Control	38
Gimbal Bearing Kit	122, 214	Harness Engine to Helm	546
Gimbal Housing Anode	182	Harness Extension	214, 461, 467, 508–510, 523, 548, 551, 553, 585
Gimbal Ring Kit	213	Harness Extension 14 Pin	554, 555
GPS	542, 544	Harness Extension Engine to VIP	523
GPS Antenna	493	Harness Extension Instrument	553
GPS Extension Harness	544	Harness Extension Kit	544
GPS KIT	542	Harness Extension Power Trim	592
Grate Inlet Replacement	220	Harness Extension Start Stop	568
Grate Replacement Inlet	220	Harness Fuel Paddle	537
Grease	294	Harness Fuel Tank	207, 538
Grease Gun	303	Harness Global Wake	509
Grommet Ingress	475	Harness Ignition	550, 566
Grommet Pump Mounting	221	Harness Key Switch	566
grounding cable	36	Harness Keyswitch Extension	516, 563
Grounding Cable	36	Harness Kit	507–509, 560, 588, 589
Guide Starter Rope	87	Harness Kit Battery Isolator	595
H		Harness Link	533, 536, 550
Handle Kit Tiller	41–44	Harness Malfunction Light	552, 583
Handle Steering Bracket	52, 644	Harness MerCathode	522
Handle Tiller Bracket	51	Harness MP Alert	584
Hand Pump	914	Harness Paddle Wheel	538, 547
Hardware Bag	510	Harness Power Clean	559
Hardware Kit	622	Harness Power Steering	612
Hardware Kit Close Couple	210	Harness Power Trim	586
Hardware Kit Driveline	210	Harness Power Trim Adapter	593
Harness	536, 538, 557, 566, 588, 612	Harness Power Trim Extension	592, 593
Harness Actuator	522, 537, 655	Harness SC100	495, 533, 550
Harness Adapter	515, 524, 538, 553, 554, 558, 559, 589	Harness SC1000	534, 535, 556, 557
Harness Adapter Analog Gauge	559	Harness SC1000R	535, 557
Harness Adapter Dual Helm	557	Harness SC1000 System Tachometer	532, 549
Harness Adapter Halon	524	Harness SC5000	534, 555, 556
		Harness Skyhook	522

Harness Speedometer System SC1000	532, 549	Hinge Cooler	926
Harness Speedo Pitot	547	Hold Kit Oil Tank	89
Harness Tachometer	585	Horn Kit Warning	582
Harness Tank 3 Pin	547	Horn Warning Kit	582
Harness TDS	580	Hose Adapter Oil Pump	303
Harness Transom	547	Hose and Fitting Kit Second Station	638, 642
Harness Vessel Sensor Inboard	523	Hose Circulating Pump	164
Harness Vessel Sensor Sterndrive	523	Hose Connection Kit	640
Harness Y Station	586	Hose Coupler	125
Head Cylinder	199	Hose Drain Kit Seawater	164
Head Cylinder O-Ring	199	Hose End Threaded	74, 75, 82, 175
Head O-Ring Cylinder	199	Hose Extension Kit	154
Heated Grip	605	Hose Extension Oil Tank	89
Heat Exchanger Anode	186	Hose Hydraulic	625, 641
Heat Shrink Tubing	597	Hose Kit	145, 155, 156, 448, 496, 497, 613, 614, 617, 618
Heat Transfer Compound	301	Hose Kit Connection	640
Heavy Duty Hydraulic Cylinder	623	Hose Kit Extension	154
Heavy Duty Tie Bar Dual	619	Hose Kit K-Planes	653
Heavy Duty Tie Bar-Dual	619	Hose Kit SeaStar	640
Helm/Cylinder Kit	623	Hose Kit Seawater Drain	164
Helm Board DTS Kit	510, 520	Hose K-Plane	654
Helm Harness	506, 507	Hose Oil Fill	90
Helm Hyd Std	623	Hose Power Steering Dampener	612, 615
Helm Hyd Tilt	623	Hose Pressure Power Steering	614, 615
Helm Kit	458	Hose Rigging	52, 475
Helm Kit Mechanical SmartTow	546	Hose SeaStar Kit	640
Helm Kit Plate SeaStar	640	Hose Seawater Drain Kit	164
Helm Kit SeaStar Plate	640	Hose Threaded End	74, 75, 82, 175
Helm Panel	520	Hot Water Fitting Kit	126, 127
Helm Panel Board, Cummins DTS	520	Hour Meter	455
Helm Panel Joystick	493	Hub Bushing Flo-Torq Kit	873
Helm Panel Kit	520	Hub Bushing Kit Flo-Torq	873
Helm Power Steering	608, 609	Hub Bushing Prop	879
Helm Pump	623, 624, 628, 629, 641	Hub Flo-Torq Bushing Kit	873
Helm Replacement Parts	635	Hub Flo-Torq IV Kit	877
Helm Steering	637	Hub Flo-Torq Kit	873-877
Helm Vented Cap	626, 629, 630, 641	Hub Flo-Torq Kit Evinrude	874
HighFive Propeller	738	Hub Flo-Torq Kit Suzuki	875
High-Output Alternator Kit - 115-Amp	19	Hub Flo-Torq Kit Tohatsu	876
High Performance Gear Lube	289, 290	Hub Flo-Torq Reflex Kit	872
High Performance Oil Four Stroke	271	Hub Kit	211, 879
High Performance Oil Two Stroke	263	Hull Transducer Depth	541
Hinge	926	Hydraulic and Power Steering Cylinder	610, 611, 628

Part Description Index

Hydraulic Bolt On Steering Kit	629	Instrument Set	421, 425, 426, 429, 433, 436, 443
Hydraulic Helm Steering Fluid	299, 630	Instrument Set Analog	440
Hydraulic Hose Kit	613, 614	Insulator	35, 597
Hydraulic Pump	652, 653	Insulator Receptacle Bullet Terminal	597
Hydraulic Steering Arm	626, 630	Interface Kit Analog Gauge	418
Hydraulic Steering Kit	624, 625, 627	Interface Module Kit	507
Hydraulic Steering Remote Fill Kit	626, 630	Intermediate Elbow Kit	131, 132, 148, 149
I			
Idle Relief Outlet Side Discharge	210	Iridium Antenna	581
Idle Relief Outlet Transom Discharge	210	isolator adapter	36
Ignition Harness	565	isolator charge cables	35
Ignition Key	571	isolator charge cables	35
Ignition Key Replacement	570–572	Isolator Kit	525, 595, 613
Ignition Key Switch Transom Mounted	38, 567	Isolator Kit Opti Triple	595, 613
Ignition Mounted Key Switch Transom	38, 567	Isolator Starter Cable	595
Ignition Replacement Key	570–572	J	
Ignition Switch	930	Jackplate Harness	561
Impeller	235, 236, 252	Jackshaft Kit	167
Impeller Housing Cover	154	Jackshaft Kit Main	166, 167
Impeller Kit	234, 251, 252	J-Box	532, 577, 578
Impeller Outboard Jet	897	J-Box Extension	581
Impeller Pump Kit	234, 246–250	J-Box Plug Kit	532, 578
Impeller repair kit	234	J-Box SmartCraft Terminator/Resistor	531, 577
Impeller SportJet	898	Jet Outboard Impeller	897
Impeller Water Pump	234–240	Johnny Throttle Extension Harness	514
IMU	493	Joystick Assembly	492, 493
Indicator Trim Position	455, 456, 651	Joystick Piloting	492, 648
Inflatable	904–911	Joystick Piloting for Outboards (JPO) for Single-Engine Pontoons	724
Inflatable Boat	920	Joystick Steering Hose	496, 497, 614, 618, 619
Inlet Grate Replacement	220	JP OptiMax	263
Inlet hose install kit	69	K	
Inlet hose install kit	69	Key Assembly Switch	219, 220, 561, 564, 565
Inlet Replacement Grate	220	Key Cover Black Plastic	573
Inlet Water	70	Key Ignition	571
Inline Fuel Filter	79, 235, 236	Key Ignition Replacement	570–572
In-Line Oil Filter	237, 238	Key Replacement Ignition	570–572
Installation Kit Drive	250	Key Switch	561–564, 568, 569
Instrument Extension Harness	553	Key Switch Assembly	219, 220, 561, 564, 565
Instrument Harness	551	Key Switch Dual	562, 568
Instrument Harness Extension	553	Key Switch Housing Kit	563
Instrument Hole Cover Kit	455	Key Switch Ignition Transom Mounted	38, 567
Instrumentation Primary Station	447		

Key Switch Kit 525, 566
 Key Switch Quad 563
 Key Switch Triple 562
 Keyway 610
 Kicker Bracket 621
 Kicker Engine Bracket 621
 Kicker Kit 502
 Kicker Propeller Black Max 727
 Kicker Strap 96
 Kit M8 Prop Aerator 211
 Kneeboard 922
 K-Plane Harness 548
 K-Plane Hose 654
 K-Planes 652, 653
 K-Planes Hose Kit 653
 K-Plane Sport 652

L

Lanyard Cap Stop Switch 202, 574
 Lanyard Cord 575
 Lanyard Counter Display Kit 575
 Lanyard Diode Kit 574
 Lanyard Stop Switch 573–575
 Latch 926
 Latch Cooler 926
 Launch Wheels 932
 LCM Zero Effort Kit 461
 LED Light and Switch Kit 46, 607
 Legacy Command Module 461, 505
 Leveler 297
 License Key 658
 Life Jacket 918–920
 Lifting Eye 95, 657, 658
 Lifting Strap 95, 658
 Light and Switch Kit LED 46, 607
 Light Harness 20
 Lighting Coil Kit 20
 Lighting Regulator Kit 20
 Lightning E.T. Propeller 746
 Line Funtube 921
 Link Harness 536
 Lock Kit 33
 Lock McGard Propeller 931

Lock Outboard 581
 Lock Outboard Motor 931
 Lock Propeller McGard 931
 Lock Sterndrive 931
 Lock Turnbuckle 581
 Low Loss Harness 511, 602, 603
 Lube Pump 290, 292

M

M8 Prop Aerator Kit 211
 Machete Propeller 724
 Magnesium Anode Kit 98, 181, 250
 Main Jackshaft Kit 166, 167
 Maintenance Kit 242
 Maintenance Kit 245
 Maintenance Kit 245
 Male Coupler 598
 Male Quick Disconnect 598
 Manifold Exhaust Elbow 151
 Manifold Gasket Exhaust 241
 Marine Cooler 925
 Marine Engine Oil 270
 MAX 5 Propeller 753–755
 MAX 5 ST Propeller 755
 Maximus Long Tube Lab Finished Propeller 756, 757
 Maximus Propeller 736, 737
 Maximus Short Tube Lab Finished Propeller 757, 758
 McGard Propeller Lock 931
 MC-I/R Gear Housing 196
 Mechanical Tiller 605, 606
 Mechanical Tiller 605
 Mercathode 179, 180, 209
 mercathode 96
 Mercathode Anode 95, 180
 Mercathode Control Unit 180
 Mercathode Electrode 95, 96, 180
 Mercathode Kit 95, 180, 209
 MerCathode kit 95
 Mercathode Reference Electrode Tester 95, 181
 MercMonitor 397, 398
 M-Icon 232
 Mil Light 551, 582
 Mirage Plus Propeller 739

Part Description Index

Module	399
Module - Controller TDS	580
Module MP Alert	584
Monitor Kit Gear Lubricant	123
Monitor SC1000 SmartCraft System	398
Monitor Station Panel Primary	420
Mounting Bezel	636, 637
Mounting Bolt	61, 62
Mounting Bolt Kit	62
Mounting Bracket Pump	29
Mounting Engine Fixture	656
Mounting Nuts	62
MP Alert Bezel	584
MP Alert Kit	583
MP Alert Light	584
MP Alert Y-Harness	584
MP Light + Y-Harness	583
Muffler	221
Muffler Kit X-Haust	210
Multi-Fuel Two Stroke Oil	263
Multifunction Gauge	406
MUS ID Jumper	522, 523

N

Needle Bearing Assembly Grease	294
Negative Battery Cable	35
Nemesis Pontoon Propeller	830
Nemesis Propeller	829, 830
NMEA2000	544
NMEA 2000	544, 545
NMEA 2000 Power	544
NMEA 2000 Starter Kit	544
NMEA 2000 Weather Cap	545
Non Power Steering Adapter Kit	212
Nut Anode Prop Kit	102, 183, 880, 881
Nut Anode Prop Replacement	102, 183, 881
Nut Brass Hex	63
Nut Kit Prop	882-884
Nut Prop	885, 886
Nut Retaining	397, 407, 408, 655, 885
NXT1 Spacer Kit	206
NXT1 Torpedo Bore Cover Assembly	212

O

OBDM Adapter Harness	552
OFS Inlet Hose Install Kit	69
OFS Mounting kit	70
OFS Quick Disconnect	70
OFS Quick Disconnect Mounting Kit	70
Oil 2-Cycle TC-W3 Outboard Premium	262
Oil Absorber	74
Oil and Lube Display	302
Oil Crankcase Pump	94, 302
Oil Deck Fill Kit	89, 90
Oil Diesel	279
Oil Drain Funnel	94, 274
Oil Drain Kit	171
Oil Drip Tray	93, 304
Oil Engine	270
Oil Extension Hose Tank	89
Oil Fill Deck Kit	89, 90
Oil Fill Kit Deck	90
Oil Filter	92, 93, 234-241, 246-253, 273, 274, 277, 280, 281, 303
Oil Filter Axis Hydraulic	278
Oil Filter Diesel	281
Oil Filter In-Line	237, 238
Oil Filter Remote Kit	169, 170
Oil Filter Transmission	278
Oil Filter Wrench	93, 94, 174, 278, 303, 304
Oil Hose Extension Tank	89
Oil Hose Fill	90
Oil Kit Drain	171
Oil Level Gauge	386, 390, 424, 428, 432, 436, 439
Oil Level Status	94, 537
Oil Outboard	268
Oil Outboard Premium TC-W3	261, 262
Oil Outboard TC-W3 Premium	262
Oil Premium Plus	262
Oil Pressure Gauge	401-404, 424, 428, 432, 435, 439, 442, 445
Oil Pressure Sender Engine	124, 586
Oil Pump Crankcase	94, 302
Oil Pump Hose Adapter	303
Oil Remote Filter Kit	169
Oil Remote Tank	88, 89, 410, 546

Oil Remote Tank Kit	88, 410	Plug Assy	532, 577, 617
Oil Sender Engine Pressure	124, 586	Plug Drain Cooler	927
Oil Sender Kit Pressure	435, 439, 442, 445, 450	Plug Wrench/Screw	898
Oil Tank Extension Hose	89	Positive Battery Cable	36
Oil Tank Hold Kit	89	Power Clean Harness	559
Oil Tank Hose Extension	89	Power Harness	515, 523, 559, 560, 581
Oil Tank Remote	88, 89, 410, 546	Power Relay Harness	494, 524, 525
Oil Tank Remote Kit	88, 410	Power Relay Harness Dual Helm	494
Oil Temperature Gauge	400, 402	Powersports Grease	294
OptiMax Oil	263	Power Steering Cylinder	611
O-Ring	241	Power Steering Fluid	299, 612
O-Ring Cylinder Head	199	Power Steering Helm Kit	607, 608, 611
O-Ring Fill Cap	90	Power Steering Primer Module	613
O-Ring Head Cylinder	199	Power Steering Reservoir Kit	213
Outboard	463, 464	Power Steering Trim Fluid	299
Outboard Cylinder Front Mount Pivot	640	Power Trim	28
outboard flushing system	68	Power Trim Anode	100, 101, 235–240
Outboard Motor Lock	582	Power Trim Cable	593, 594
Outboard Oil Premium Plus 2-Cycle	262	Power Trim Control	587
Outboard Stabilizer Clip	46, 607	Power Trim Extension Harness	592
P		Power Trim Gauge	425, 428, 432, 436, 443
Paint	296, 297	Power Trim Harness	586
Paint Black	296	Power Trim Harness Extension	592
Paint Cold Fusion	297	Power Trim Harness Kit	473
Paint Light	296	Power Trim Kit	27, 28, 593
Paint Phantom Black	296, 297	Power Trim Kit Switch	28, 589, 591
Paint Propeller Black	297, 901	Power Trim Kit Tilt	28
Paint Silver	296	Power Trim Sender	450–452, 539
Paint Warm Fusion	297	Power Trim Steering Fluid	299
PCV Valve	246–250	Power Trim Switch Kit	28, 589, 591
Pickup Seawater	177, 215	Power Trim Tilt Kit	28
Pickup Speedometer	447	Power Tune	286
Pickup Speedometer Kit	447	Power Tune Cleaner Engine	286
Pickup Speedometer Tubing	447	Power Valve Block	213
Pipe Kit Exhaust	130, 132, 139, 146, 149	Preliminary Shift Tool	657
Pipe Plug	75, 83	Pressure Gauge	914
Pitot/Speed Sensor Kit	541	Pressure Hose	497, 618
Pitot Sensor	542	Pressure Sender Engine Oil	124, 586
Pitot Sensor Kit	419, 542	Pressure Sender Oil	450
Pitot Speed Sensor Kit	541, 542	Pressure Sender Oil Kit	435, 439, 442, 445, 450
Plate Assembly Transom Bracket	101	Pressure Transducer Kit	542
Plate Trim Tab	98	Primary Station Instrumentation	447
		Primer Bulb Assembly	73

Part Description Index

Primer Light Gray	297	Propeller Nemesis	829, 830
Primer Module Power Steering	613	Propeller Nemesis Pontoon	830
Pro Max Propeller	746	Propeller Paint Black	297, 901
Prop Anode Nut Kit	102, 183, 880, 881	Propeller Pro Max	746
Prop Anode Nut Replacement	102, 183, 881	Propeller Rev 4	751
Prop Bushing	879	Propeller Rev 4	751
Prop Bushing Hub	879	Propeller Revolution 4	735
Propeller	752, 756	Propeller Revolution 4 Lab Finish	751
Propeller	724	Propeller Revolution 4 XP	749, 750
Propeller Black Diamond	729, 730, 828, 833	Propellers Bravo I LT	747
Propeller Black Max	726–728	Propeller Shaft Coupler	178, 179
Propeller Block	899	Propeller Silverado	832
Propeller Bravo	730, 736, 741	Propeller Spitfire	726
Propeller Bravo I FS	748, 749	Propeller Spitfire CT	726
Propeller Bravo I Lab Finished	752, 753	Propeller Spitfire X7	737
Propeller Bravo I LT	747	Propeller Spitfire XP	745
Propeller Bravo I OC	752	Propeller Stand	901
Propeller Bravo I XC	748	Propeller Tempest Plus	737
Propeller Bravo I XS	747, 748	Propeller Trophy Plus	738
Propeller Bravo Three Diesel	743	Propeller Trophy Sport	738
Propeller Bravo Three XR	758	Propeller Vengeance	739, 740
Propeller Case	900	Propeller Wrench	899
Propeller Chopper II	745	Propeller Zeus	743, 744
Propeller Cleaver	745	Prop Grease	293, 900
Propeller CNC Cleaver	759–761	Prop Hub Bushing	879
Propeller CNC Cleaver	758–760	Prop Hub Bushing Kit	879
Propeller Coupler Shaft	178, 179	Prop Kit Anode Nut	102, 183, 880, 881
Propeller Display	901	Prop Kit Nut	882–886
Propeller Enertia	734, 750	Prop Kit Nut Anode	102, 183, 880, 881
Propeller Fury	735	Prop Kit Reverse	880
Propeller Fury 4	736	Prop Nut	885, 886
Propeller HighFive	738	Prop Nut Anode Kit	102, 183, 880, 881
Propeller Lightning E.T.	746	Prop Nut Anode Replacement	102, 183, 881
Propeller Lock McGard	931	Prop Nut Kit	884
Propeller Machete	724	Prop Nut Wrench	898
Propeller MAX 5	753–755	Prop Replacement Anode Nut	102, 183, 881
Propeller MAX 5 ST	755	Prop Reverse Kit	880
Propeller Maximus	736, 737	Propshaft Kit	199, 215
Propeller Maximus Long Tube Lab Finished	756, 757	Prop Slip Calculator	898
Propeller Maximus Short Tube Lab Finished	757, 758	Prop Stow	899, 900
Propeller McGard Lock	931	Prop Wrench	899
Propeller Mirage Plus	739	Pump Adapter Hose Oil	303
Propeller M-Series	744	Pump Barrel	302

Pump Circulating Hose	164	Reference Electrode Mercathode Tester	95, 181
Pump Fuel Electric	200, 201	Regulator/Rectifier Voltage Kit	20
Pump Fuel Filter	246	Regulator Lighting Kit	20
Pump Gear Lube	290, 292	Regulator Voltage Kit	19
Pump Hose Circulating	164	Rejuvenate	263
Pump Hydraulic	652	Relay Harness Kit	560
Pump Impeller Kit	234, 246–250	Relay Kit	560
Pump Impeller Water	234–240	Relief Valve Water Pressure	178, 205
Pump Kit, Boost	172	Remote Control	458, 459, 462, 463, 500, 504, 505
Pump Kit Cooler	648	Remote Control, Panel Finger Release	462, 463
Pump Kit Impeller	234, 246–250	Remote Control Attaching Kit	473, 474
Pump Kit Repair Water	238	Remote Control Console Mount	464, 465, 469, 470
Pump Kit Seawater	154	Remote Control Conversion Kit	472, 473
Pump Kit Trim	202	Remote Control Engine Harness	38
Pump Oil Crankcase	94, 302	Remote Control Side Mount	465–470
Pump Oil Hose Adapter	303	Remote Control Spacer	469
Pump Repair Kit Water	238	Remote Control Spacer Plate	469
Pump Seawater Kit	154	Remote Dash Pad-SmartTow	460
Pump Water	235–237, 239, 240	Remote Oil Filter Kit	169, 170
Pump Water Impeller	234–240	Remote Oil Tank	88, 89, 410, 546
PWC 2-Stroke	282	Remote Oil Tank Kit	88, 410
Q		remote switch 12ft	69
<hr/>		remote switch 18ft	69
Q3 Propeller	830, 831	remote switch 6ft	69
Q4 Propeller	831	Remote switch with harness assembly	69
QSS Voltmeter	446	Remote Tank Adapter	84
quad engine 12V	68	Repair Kit	914, 915
quad engine fitting kit	68	Repair Kit Carburetor	234, 235, 246–248
Quickare	286	Repair Kit Impeller	234, 235
Quick disconnect elbow deck kit	69	Repair Kit Pump Water	238
Quick Disconnect End	75, 76	Repair Kit Transom Exhaust Tip	129, 206
Quick Disconnect Male	598	Repair Kit Water Impeller	234
Quick disconnect mounting kit	69	Repair Kit Water Pump	235, 238, 241
Quickleen	286	Repair Pump Kit Water	238
Quicksilver Bravo Three	833	Repair Pump Water Kit	238
Quicksilver Bravo Three	833	Replacement Skeg	91
Quickstor	286	Repower Harness	547, 552
R		Reservoir Cap Power Steering	213
<hr/>		Reservoir Kit Gear Lube	123
Rack Steering System	631, 632	Reservoir Kit Power Steering	213
Recharge Kit	918, 919	Reservoir Relocation Kit	123
red	35, 597	Resistor Assembly	576
Reed Valves Plastic	200	Resistor Assembly - Shadow Mode	576

Part Description Index

Resistor Pack	576	Rotor Kit	539
Resistor Termination 2 Pin	531, 577	Rubber Hub	893–895
Retainer Wrench	215	Rudder Gauge	402–404
Retaining Nut	397, 407, 408	Rust Inhibitor	283
Retaining Ring	880		
Reverse Gear	65	S	
Reverse Kit Prop	880	SAE 85W90 Gear Oil	291
Revolution 4 Lab Finish Propeller	751	Safety Line	918
Revolution 4 Propeller	735	SC1000 Harness	535, 556, 557
Revolution 4 XP Propeller	749, 750	SC1000 Harness Speedometer System	532, 549
Rigging Hose	52, 475	SC1000 Harness Tachometer System	532, 549
Rigging Hose Kit	52, 475	SC1000 Speedometer	399
Rigging Kit	52, 203, 207, 512	SC100 Harness	495, 533, 550
Rigging Kit DTS	213, 214	SC100 Speedometer System Link	391, 393, 396, 404, 405
Rigging Kit Optimax	409, 410, 545	Screen Fuel Filter	79, 237–241
Rigging Kit Optimax Analog	409, 546	Screen Fuel Filter Kit	79
Ring Diffuser	881, 882	Screen Fuel Pump	79
Ring Exhaust Seal	880	Seal Drain Screw	241
Ring Terminal	596, 597	Seal Exhaust Ring	880
Ring Vent Control	880	Seal Flush Kit	66, 166, 204
Riser Hose Kit	136, 137, 156	Sealing Compound	301
Riser Installation Kit	134, 137, 138, 144, 145	Seal Kit	64, 250, 647
Riser Kit	133–136, 139, 144	Seal Kit Bearing Bearing	65
Rocker Switch Trim	201	Seal Kit Cylinder	642
ROKK Active	378	Seal Kit Flush	66, 166, 204
ROKK Edge	378	SeaStar Helm	639
ROKK Mini Adjustable Body	377	SeaStar Helm Plate Kit	640
ROKK Mini Rail Mount	377	Seatbag	914
ROKK Mini Self-Adhesive Mount	378	Seat Bench	913, 914
ROKK Mini Suction Cup Mount	378	Seawater Hose Drain Kit	164
ROKK Mini Surface Mount	377	Seawater Pickup	177, 215
ROKK Phone Clamp	377	Seawater Pump Impeller Kit	251–253
ROKK Surface	378	Seawater Pump Kit	154
ROKK Tablet Clamp	377	Seawater Strainer	177
Rope Guide Starter	87	Sender Analog Power Trim	451
Rope Kneeboard	922	Sender Coolant Temperature	450
Rope Ladder	932	Sender Engine Oil Pressure	124, 586
Rope Ski	922	Sender Engine Water Temperature	124, 449, 586
Rope Starter Guide	87	Sender Kit Oil Pressure	435, 439, 442, 445, 450
Rope Wakeboard	922	Sender Kit Temperature	449
Rotary Cable System	635	Sender Oil Pressure	450
Rotary Steering System	635	Sender Power Trim	450–452, 539
Rotor Cap Kit	246–249	Sender Trim	451

Sensor Connector Kit	524	Single Outboard Trim	464
Sensor Depth/Temp	540	Skeg	91, 896
Sensor Kit Pitot/Speed	541	Skeg Replacement	91, 92, 179, 895, 896
Sensor Kit Pitot Speed	541, 542	Ski	922
Sensor Kit Steering	548	Sleeve Adapter Drive	878
Sensor Kit Steering Speedo	548	Sleeve Assembly Hub	878
Sensor Speed Temperature	539, 541	Sleeve Drive	872, 877
Sensor Steering Kit	548	Sleeve Drive Adapter	878, 879
Sensor Steering Speedo Kit	548	Sleeve Hub Assembly	878
Sensor Temperature	539	Slim Binacle Control	458
Separating Water Fuel Filter	174, 176, 177, 246	Slip Calculator Prop	898
Serpentine Belt	124, 153, 246–252	SmartCraft Connect Single Engine Under Helm	399, 408
Serpentine Belt Kit	124, 153	SmartCraft Connect Under Cowl Single Engine	399, 408
Service Kit 100 Hour	240, 243–245, 254–257	SmartCraft Connect Under Helm Dual Engine	399, 408
Service Kit 300 Hour	234, 240, 242–245, 254–257	SmartCraft Connect Under Helm Triple & Quad	399, 408
Service Kit 300 Hour No Anodes	245	SmartCraft Engine Kit	410, 545
Service Monitor	455	SmartCraft Extension	532, 549
Shaft Alignment	657	SmartCraft Gauge Housing	408
Shear Pin	887	SmartCraft Interface Device	547
Shear Pin Kit	886	SmartCraft J-Box Terminator/Resistor	531, 577
Shfit Actuator	525	SmartCraft Monitor SC1000 System	398
Shift Attaching Kit	44, 45	SmartCraft SC1000 System Monitor	398
Shift Cable	216, 485, 486	SmartCraft System Monitor SC1000	398
Shift Cable Bellows	216, 217, 250, 478	SmartCraft Terminator/Resistor J-Box	531, 577
Shift Cable Connector	477	SmartCraft Weather Cap	530, 531, 576
Shift Cable Kit	250	Smart Tow Pro Speedo	399
Shift Preliminary Tool	657	Snorkel Kit 350 Verado	203
Shift Throttle Cable	477, 479–481	Snubber Strip	880
Shrink Tubing Heat	597	Spacer	887, 888
Side Discharge Idle Relief Outlet	210	Spacer Drive	205, 206
Side Mount Control	466	Spacer Drive Kit	205
Side Mount Remote Control	465, 467	Spacer Kit	55, 56, 464, 465
Silencer Kit	126	Spacer Kit 2.5 Inch	206
Silicone Dielectric	283, 301	Spacer Kit NXT1	206
Silverado	832	Spacer Kit Trim Limit	123
Silver Paint	296	Spacer Propeller	887
Sim Module	519	Spacer Remote Control	469
Sim Module service	513	Spark Plug	5–10, 116, 117, 234–241, 246–250
Sims Module	518	Spark Plug Wire Set	241
Single Console Outboard Trim	464	Speed Kit	380
Single engine 12V	68	Speed Kit Dual	380
single engine fitting kit	68	Speed Kit Dual	382, 383
Single Outboard No Trim	463	Speedometer	422, 426, 430, 433, 434, 437, 438, 440, 441, 444

Part Description Index

Speedometer Flagship	422	Steering Cylinder Front Mount	640
Speedometer Harness SC1000 System	532, 549	Steering Fluid Helm Hydraulic	299, 630
Speedometer Kit Pickup	447	Steering Fluid Power Trim	299
Speedometer Link SC100 System	391, 393, 396, 404, 405	Steering Handle Bracket	52, 644
Speedometer Pickup	447	Steering Helm	218, 637, 639, 648
Speedometer Pickup Kit	447	Steering Hose Joystick	496, 497, 614, 618, 619
Speedometer Pickup Tubing	447	Steering Kit	644
Speedometer SC1000	399	Steering Kit Extension Arm	646
Speedometer SC1000 System	400	Steering Kit Hydraulic	627
Speedometer SC100 System Link	391, 393, 396, 404, 405	Steering Link Rod	643, 644
Speedometer Tubing Pickup	447	Steering Position Indicator Kit	211
Speedo Pitot Harness	547	Steering Sensor Kit	548
Speed Temperature Sensor	539	Steering System	631, 632, 634–636
Spitfire Pontoon Propeller	725	Steering Wheel	604, 605
Spitfire Propeller	725	Sterndrive Alpha	190
Spitfire X7 Propeller	737	Sterndrive Bravo	190–193
Spitfire XP Propeller	745	Sterndrive Kit	642
Splash Cover	226–230	Sterndrive Lock	931
Splash Plate	207	Stop Cap Lanyard Switch	202, 574
Splice Clip	597	Stop Switch Lanyard	202, 573, 574
Sport HD Inflatable	909, 911	Storage Bag	63, 298
Sport Inflatable	905, 907	Storage Seal	283
SportJet Impeller	898	Storage Seal Rust Inhibitor	283
Stand Propeller	901	Straight Quick Disconnect Deck Kit	69
Start/Stop Station Panel	586	Sun Cover Cummins	372
Starter Guide Rope	87	SUP	922, 923
Starter Rope Guide	87	Switch, Stop	574
Start Kit Electric	36, 37	Switch Assembly Key	219, 220, 561, 564, 565
Start Stop Pad	567	Switch Assembly Neutral Interlock	39
Start Stop Switch Pad	567, 568	Switch Emergency Stop	516
Stator	200	Switch Kit	458, 564, 569
Steering Arm Bracket	647	Switch Kit Power Trim	28, 589, 591
Steering Arm Extension Kit	646	Switch Kit Trim Limit	33, 589–591
Steering Attaching Kit	643, 644	Switch Momentary Toggle	202
Steering Attachment Cable	647	Switch MP Alert	584
Steering Bracket	645, 647	Switch Stop	574
Steering Bracket Arm	647	Switch Toggle	202
Steering Bracket Handle	52, 644	Switch Toggle Momentary	202
Steering Cable	218, 633, 636, 649	Synthetic Blend SAE 25W50	271
Steering Cable Attachment	647	System Link Adapter	533, 549
Steering Cable Bellows	219, 649	System Link Harness	533, 550
Steering Connection Kit Teleflex	639	System Speed SmartCraft Gauge	379, 381, 382
Steering Cylinder Fitting	498, 499	System Tach SmartCraft Gauge	379–382

T

Tab Disconnect	597	Terminator/Resistor J-Box SmartCraft	531, 577
Tab Trim	97–100, 184, 234–237, 893	Terminator 10 Pin	531, 577
Tab Trim Anode	99, 100, 184, 234, 235, 893	Thermostat	234–240, 246–252
Tab Washer	889	Thermostat Assembly	85, 236, 237, 241
Tachometer	429, 430, 433, 437, 440	Thermostat Kit	84, 85, 236, 246–249
Tachometer Flagship	421	Threaded Hose Barb	75, 175
Tachometer Harness	585	Threaded Hose Barb Brass	74
Tachometer Harness SC1000 System	532, 549	Threaded Hose End	74, 75, 82, 175
Tachometer Kit	383, 421, 425, 426, 433, 440, 443, 444	Throttle/Shift Kit Station	477, 484, 485
Tachometer Kit	380, 381, 383	Throttle and Shift	481–483
Tachometer Link SC100 System	392–394, 396, 404, 405	Throttle and Shift Cable	483
Tachometer SC100 System Link	392–394, 396, 404, 405	Throttle Cable Connector	477
Tachometer Speed Kit	381	Throttle Shift Cable	217, 218, 477, 479–481, 483, 484
Tachometer Speed Kit	382	Throttle Shift Kit	45, 46, 606
Tachometer Speed Kit	380	Thru-Hull Depth/Temp Sensor	540, 541
Tachometer Speed Kit	381	Thru-Hull Triducer Insert	540
Tachometer Speed Kit Dual	380, 381	Thrust Washer	883, 889–892
Tailpipe Kit Close Couple	209	Thrust Washer Prop	892
Tailpipe Kit Driveline	209	Thunderbolt	832
Tailstock Assembly	207	Tie Bar	619, 620
Tailstock Kit	169	Tie Bar Bracket with Bosses	621
Tank Adapter Replacement	90	Tie Bar Dual Engine	646, 648
TC-W3 Premium Outboard Oil	261, 262	Tie Bar Extension	646
TDI Axius Harness Kit	513	Tie Bar Kicker Kit Port	621
TDI Drive Extension Harness	514, 515	Tie Bar Kicker Kit Starboard	621
TDI Engine Assembly Kit	512	Tie Bar Kit	621, 643
TDI Engine Harness	514	Tie Bar Kit Liquid	620
TDI Engine Oil	279	Tie Bars-Dual Engines	620, 638
TDI Inboard Harness Kit	513	Tie Bar Triple Engine	620
TDI Lift Pump Extension Harness	514	Tie Bar Trolling Motor	621
TDI Sterndrive Harness Kit	513	Tie Down Kit	926
TDI Vessel Sensor Harness	514	Tie Rod Kit	622
Tee Fitting Female	616	Tie Strap	602
Tee Fitting Male	615	Tiller Handle	605
telltale kit	96	Tiller Handle Bracket	51
Temperature Gauge	438, 445	Tiller Handle Conversion	41
Tendy Inflatable	904, 905	Tiller Handle Conversion Kit	41, 42
Terminal Block	560	Tiller Handle Kit	41–44
Terminal Bullet	596	Tilt Helm Mchanism	610
Terminal Bullet Receptacle	596	Tilt Helm Sea Star brand	639
Terminal Ring	596, 597	Tilt Mechanism	630
Terminator	531, 577	Tilt Panel	590, 591
		Tilt Support	34

Part Description Index

Toggle Switch	202	Trim Sensor Assembly	539
Toggle Switch Momentary	202	Trim Stick Converter	452, 530
Tool	658	Trim Switch Adapter Harness	588
Tool Crimping	597	Trim Switch Harness	592
TOOL KIT	655	Trim Switch Kit	42
Top Cowl Storage Bag	63, 298	Trim Tab	97–100, 184, 234–237, 893
Torpedo Bore Cover Assembly NXT1	212	Trim Tab Anode	99, 100, 184, 234, 235, 893
Trailerling Clip	34, 123	Trim Tab Interface Kit	548
Transducer	446	Trim Tilt Kit	452, 590
Transducer Insert Housing	540	triple engine 12V	68
Transducer Pressure Kit	542	triple engine fitting kit	68
Transmisison Oil Filter	278	Triple Engine Tie Bar	620
Transmission	197	Troll Control	419, 592
Transmission Assembly	197, 198	Troll Control Kit	46, 592, 607
Transmission Filter	241	Trophy Plus Propeller	738
Transmission Oil Temp Gauge	385, 388	Trophy Sport Propeller	738
Transom Assembly	189, 190	Tube	921
transom bolt	63	Tubing Bulk	448
transom bolt	63	Tubing Speedometer Pickup	447
transom bolt kit	63	TVS Harness	561
transom bolt kit	63, 64	twin engine 12V	68
Transom Bolt Nuts	62	twin engine fitting kit	68
Transom Discharge Idle Relief Outlet	210	Two Stroke Oil Multi-Fuel	263
Transom Drill Fixture X-Haust	210, 211	Two Stroke Race Oil	263
Transom Drilling Fixture	655, 656		
Transom Exhaust Tip	129, 206	U	
Transom Mounted Ignition Key Switch	38, 567	U-Joint Bellows	250
Transom Mount Triducer	539	USB Lightning Cable	378, 379
Transom Nut Lock	581	USB Micro USB Cable	379
Trim Adaptor	588	USB Power	378
Trim Cylinder Anode	185		
Trim Gauge	403, 439, 446	V	
Trim Gauge, Analog	432	Vacuummate	178
Trim Harness	589	Valve PCV	247–250
Trim Harness Tool	657	V-Belt	246, 252
Trim Hose	202	Vengeance Propeller	739, 740
Trim Hose Extension Kit	211	Vent Control Ring	880
Trim Limit Spacer Kit	123	Vent Fitting	896, 897
Trim Limit Switch Kit	33, 589–591	Vent Plug	896
Trim Pad	587	Verado12 Propeller	740
Trim Pump Kit	202	Verado12 Propeller	740
Trim Reducer Kit	33	Verado Kicker Kit Electric	595, 622, 630
Trim Sender	451	Verado Oil	271

Verado Paint	297	Water Eliminator	77, 172, 287
Vessel Integration Panel	518	Water Impeller Kit	19, 235, 250
Vessel Interface Panel	516–519	Water Impeller Repair Kit	19, 234, 235
Vessel Panel	516–518	Water In Fuel Sensor	82
Vessel Panel Kit	517	Water Inlet	70
Vessel Sensor Extension Harness	515, 524	Water Inlet Plug Kit	91
VesselView403	371, 372	Water Level Gauge	401, 403
VesselView403 Bezel	372	Water Pick Up Kit	212
VesselView403 Sun Cover	372	Water Pressure Gauge	401, 423, 424, 427, 428, 431, 435, 438, 439, 442, 445
VesselView 4 Adapter Plate	374	Water Pressure Kit	448
VesselView502	371, 373	Water Pump	235–240
VesselView502 Bezel	372	Water Pump, Complete	239, 240
VesselView502 Power Harness	373	Water Pump Housing Kit	241
VesselView502 Sun Cover	372	Water Pump Impeller	234–240
VesselView702 Power Harness	373	Water Pump Kit	19, 236–238
VesselView703	371–373	Water Pump Kit	241
VesselView703 Sun Cover	371	Water Pump Kit Heavy Abrasion	19
VesselView903	370, 372, 373	Water Pump Kit Repair	238
VesselView903 Sun Cover	371	Water Pump Repair Kit	235, 238, 241
VesselView Link	372	Water Pump Repair Kit	241
VesselView Link Bracket	373	Water Repair Impeller Kit	234
VesselView Link Harness	373	Water Separating Filter	82, 173
VesselView Mobile	374	Water Separating Filter Kit	84
VesselView Video Cable	373	Water Separating Fuel Filter	80, 81, 84, 173–177, 238, 240, 246–252
VIP Module	518, 519	Water Separating Fuel Filter - Boat Mounted	83, 240
Voltage Gauge	401, 403, 404	Water Separating Fuel Filter Kit	83, 84
Voltage Regulator/Rectifier Kit	20	Water Separating Fuel Filter - On Engine	83, 240
Voltage Regulator Kit	19	Water Temp	423, 427, 431, 434, 441
Volt Meter	422, 423, 427, 430, 431, 434, 438, 441, 444	Water Temperature Gauge	423, 427, 431, 434, 441
W		Water Temperature Sender	124, 449, 450, 586
Wakeboard	921	Water Thermostat	237
Warning Horn Kit	582	Weather Cap	531, 555, 576, 577
Warning Kit Horn	582	Weather Cap NMEA2K	545
Washer Flat	63	Wedge Carburetor Kit	151
Washer Forward Thrust	890	Wedge Kit Carburetor	151
Washer Propeller	888, 889	White Paint	297
Washer Propeller Shaft	888	WIF Harness Extension	83
Washer System Link	888	WIF Sensor	82
Washer Tab	889	Wing Plate	208
Washer Thrust	883, 889–892	Wire Spark Plug Set	241
Washer Transom Support	61	Wiring Harness Actuator	522
Waste Level Gauge	401	Wrench Oil Filter	93, 94, 174, 278, 303, 304

Part Description Index

Wrench Prop 899
Wrench Retainer 215

X

X-Haust Muffler Kit 209, 210
X-Haust Transom Drill Fixture 210, 211

Y

Y-Harness 533, 549, 584, 592

Z

Zero Effort Control 471
Zero Effort Digital Control 461
Zero Effort Trim Adapter Harness 589
Zero Torque Feedback Rotary Steering System 635
Zeus Helm Board 520
Zeus Propeller 743
Zeus Propeller M-Series 743, 744

QUICKSILVER
Marine Parts & Accessories

CONSULT PART AVAILABILITY & PRICING | PLACE ORDERS | PRINT INVOICES | REGISTER PRODUCTS

<https://extranet.brunswick-marine.com>



MercuryMarine.com